```
MSSubClass: Identifies the type of dwelling involved in the sale.
```

- 20 1-STORY 1946 & NEWER ALL STYLES 30 1-STORY 1945 & OLDER
- 40 1-STORY W/FINISHED ATTIC ALL AGES
- 45 1-1/2 STORY UNFINISHED ALL AGES
- 50 1-1/2 STORY FINISHED ALL AGES
- 60 2-STORY 1946 & NEWER
- 70 2-STORY 1945 & OLDER
- 75 2-1/2 STORY ALL AGES
- 80 SPLIT OR MULTI-LEVEL
- 85 SPLIT FOYER
- 90 DUPLEX ALL STYLES AND AGES
- 120 1-STORY PUD (Planned Unit Development) 1946 & NEWER
- 150 1-1/2 STORY PUD ALL AGES
- 160 2-STORY PUD 1946 & NEWER
- 180 PUD MULTILEVEL INCL SPLIT LEV/FOYER
- 190 2 FAMILY CONVERSION ALL STYLES AND AGES

MSZoning: Identifies the general zoning classification of the sale.

- A Agriculture
- C Commercial
- FV Floating Village Residential
- I Industrial
- RH Residential High Density
- RL Residential Low Density
- RP Residential Low Density Park
- RM Residential Medium Density

LotFrontage: Linear feet of street connected to property

LotArea: Lot size in square feet

Street: Type of road access to property

Grvl Gravel Pave Paved

Alley: Type of alley access to property

Grvl Gravel Pave Paved

NA No alley access

LotShape: General shape of property

Reg Regular

IR1 Slightly irregular
IR2 Moderately Irregular

IR3 Irregular

LandContour: Flatness of the property

Lvl Near Flat/Level

Bnk Banked - Quick and significant rise from street grade to building

HLS Hillside - Significant slope from side to side

Low Depression

Utilities: Type of utilities available

AllPub All public Utilities (E,G,W,&S)

NoSewr Electricity, Gas, and Water (Septic Tank)

NoSeWa Electricity and Gas Only

ELO Electricity only

LotConfig: Lot configuration

Inside Inside lot Corner Corner lot CulDSac Cul-de-sac

FR2 Frontage on 2 sides of property FR3 Frontage on 3 sides of property

LandSlope: Slope of property

Gtl Gentle slope Mod Moderate Slope Sev Severe Slope

Neighborhood: Physical locations within Ames city limits

Blmngtn Bloomington Heights

Blueste Bluestem
BrDale Briardale
BrkSide Brookside
ClearCr Clear Creek
CollgCr College Creek
Crawfor Crawford
Edwards Edwards
Gilbert Gilbert

 ${\tt IDOTRR} \qquad {\tt Iowa\ DOT\ and\ Rail\ Road}$

MeadowV Meadow Village

Mitchel Mitchell
Names North Ames
NoRidge Northridge
NPkVill Northpark Villa
NridgHt Northridge Heights
NWAmes Northwest Ames

OldTown Old Town

SWISU South & West of Iowa State University

Sawyer Sawyer West
Somerst Somerset
StoneBr Stone Brook
Timber Timberland
Veenker Veenker

Condition1: Proximity to various conditions

Artery Adjacent to arterial street Feedr Adjacent to feeder street

Norm Normal

RRNn Within 200' of North-South Railroad RRAn Adjacent to North-South Railroad

PosN Near positive off-site feature--park, greenbelt, etc.

PosA Adjacent to postive off-site feature RRNe Within 200' of East-West Railroad RRAe Adjacent to East-West Railroad

Condition2: Proximity to various conditions (if more than one is present)

Artery Adjacent to arterial street Feedr Adjacent to feeder street

Norm Normal

RRNn Within 200' of North-South Railroad RRAn Adjacent to North-South Railroad

PosN Near positive off-site feature--park, greenbelt, etc.

PosA Adjacent to postive off-site feature RRNe Within 200' of East-West Railroad RRAe Adjacent to East-West Railroad

BldgType: Type of dwelling

```
Single-family Detached
       2FmCon Two-family Conversion; originally built as one-family dwelling
       Duplx Duplex
       TwnhsE Townhouse End Unit
       TwnhsI Townhouse Inside Unit
HouseStyle: Style of dwelling
       1Story One story
       1.5Fin One and one-half story: 2nd level finished
       1.5Unf \, One and one-half story: 2nd level unfinished
       2Story Two story
       2.5Fin Two and one-half story: 2nd level finished
       2.5Unf Two and one-half story: 2nd level unfinished
       SFoyer Split Foyer
       SLvl
               Split Level
OverallQual: Rates the overall material and finish of the house
       10
               Very Excellent
               Excellent
       9
       8
               Very Good
       7
               Good
       6
               Above Average
       5
               Average
               Below Average
       4
       3
               Fair
       2
               Poor
               Very Poor
OverallCond: Rates the overall condition of the house
       10
               Very Excellent
               Excellent
       9
               Very Good
       8
       7
               Good
       6
               Above Average
       5
               Average
               Below Average
       4
       3
               Fair
       2
               Poor
               Very Poor
YearBuilt: Original construction date
YearRemodAdd: Remodel date (same as construction date if no remodeling or additions)
RoofStyle: Type of roof
      Flat
              Flat
       Gable
               Gable
       Gambrel Gabrel (Barn)
      Hip
               Hip
      Mansard Mansard
      Shed
               Shed
RoofMatl: Roof material
       ClyTile Clay or Tile
       CompShg Standard (Composite) Shingle
      Membran Membrane
      Metal
             Metal
      Roll
              Roll
       Tar&Grv Gravel & Tar
      WdShake Wood Shakes
WdShngl Wood Shingles
```

Exterior1st: Exterior covering on house

AsbShng Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common BrkFace Brick Face Cinder Block CBlock CBlock Cinder Block
CemntBd Cement Board
HdBoard Hard Board
ImStucc Imitation Stucco
MetalSd Metal Siding Other Other Plywood Plywood PreCast PreCast Stone Stone Stucco Stucco VinylSd Vinyl Siding Wd Sdng Wood Siding WdShing Wood Shingles

Exterior2nd: Exterior covering on house (if more than one material)

AsbShng Asbestos Shingles AsphShn Asphalt Shingles BrkComm Brick Common BrkFace Brick Face CBlock Cinder Block CemntBd Cement Board HdBoard Hard Board ImStucc Imitation Stucco

MetalSd Metal Siding

Other Other

Plywood Plywood PreCast PreCast Stone Stone Stucco Stucco

VinylSd Vinyl Siding Wd Sdng Wood Siding WdShing Wood Shingles

MasVnrType: Masonry veneer type

BrkCmn Brick Common BrkFace Brick Face CBlock Cinder Block

None None Stone Stone

MasVnrArea: Masonry veneer area in square feet

ExterQual: Evaluates the quality of the material on the exterior

Ex Excellent Gd Good

TΑ Average/Typical

Fa Fair PΩ Poor

ExterCond: Evaluates the present condition of the material on the exterior

Excellent Ex

Gd Good

TAAverage/Typical

Fa Fair Po Poor

Foundation: Type of foundation BrkTil Brick & Tile CBlock Cinder Block PConc Poured Contrete Slab Slah Stone Stone Wood Mood BsmtQual: Evaluates the height of the basement Ex Excellent (100+ inches) Gd Good (90-99 inches) TATypical (80-89 inches) Fa Fair (70-79 inches) Ро Poor (<70 inches No Basement NA BsmtCond: Evaluates the general condition of the basement Excellent EΥ Gd Good TATypical - slight dampness allowed Fair - dampness or some cracking or settling Ро Poor - Severe cracking, settling, or wetness NA No Basement BsmtExposure: Refers to walkout or garden level walls Gd Good Exposure Average Exposure (split levels or foyers typically score average or above) Αv Mn Mimimum Exposure No No Exposure NA No Basement BsmtFinTypel: Rating of basement finished area GLO Good Living Quarters ALO Average Living Quarters BLO Below Average Living Quarters Rec Average Rec Room Low Quality LwQ Unfinshed Unf No Basement NA BsmtFinSF1: Type 1 finished square feet BsmtFinType2: Rating of basement finished area (if multiple types) GLO Good Living Quarters ALQ Average Living Quarters Below Average Living Quarters BLO Rec Average Rec Room

Low Quality LwO Unf Unfinshed

BsmtFinSF2: Type 2 finished square feet

No Basement

BsmtUnfSF: Unfinished square feet of basement area

TotalBsmtSF: Total square feet of basement area

Heating: Type of heating

NA

Floor Furnace Floor

GasA Gas forced warm air furnace

```
GasW
                Gas hot water or steam heat
       Grav
                Gravity furnace
       OthW
                Hot water or steam heat other than gas
       Wall
                Wall furnace
HeatingQC: Heating quality and condition
                Excellent
       Ex
       Gd
                Good
       ΤA
                Average/Typical
       Fa
                Fair
       Ро
                Poor
CentralAir: Central air conditioning
       N
                No
                Yes
Electrical: Electrical system
                Standard Circuit Breakers & Romex
       SBrkr
                Fuse Box over 60 AMP and all Romex wiring (Average)
       FuseA
       FuseF
                60 AMP Fuse Box and mostly Romex wiring (Fair)
                60 AMP Fuse Box and mostly knob & tube wiring (poor)
       Mix
                Mixed
1stFlrSF: First Floor square feet
2ndFlrSF: Second floor square feet
LowQualFinSF: Low quality finished square feet (all floors)
GrLivArea: Above grade (ground) living area square feet
BsmtFullBath: Basement full bathrooms
BsmtHalfBath: Basement half bathrooms
FullBath: Full bathrooms above grade
HalfBath: Half baths above grade
Bedroom: Bedrooms above grade (does NOT include basement bedrooms)
Kitchen: Kitchens above grade
KitchenQual: Kitchen quality
       Ex
                Excellent
       Gd
                Good
       TΑ
                Typical/Average
       Fa
                Fair
                Poor
TotRmsAbvGrd: Total rooms above grade (does not include bathrooms)
Functional: Home functionality (Assume typical unless deductions are warranted)
```

```
Тур
         Typical Functionality
Min1
         Minor Deductions 1
Min2
         Minor Deductions 2
Mod
         Moderate Deductions
         Major Deductions 1
Maj1
         Major Deductions 2
Maj2
         Severely Damaged
Sev
         Salvage only
Sal
```

Fireplaces: Number of fireplaces

FireplaceQu: Fireplace quality

Ex Excellent - Exceptional Masonry Fireplace Gd Good - Masonry Fireplace in main level

TA Average - Prefabricated Fireplace in main living area or Masonry Fireplace in

basement

Fa Fair - Prefabricated Fireplace in basement

Po Poor - Ben Franklin Stove

NA No Fireplace

GarageType: Garage location

2Types More than one type of garage

Attchd Attached to home Basment Basement Garage

BuiltIn Built-In (Garage part of house - typically has room above garage)

CarPort Car Port

Detchd Detached from home

NA No Garage

GarageYrBlt: Year garage was built

GarageFinish: Interior finish of the garage

Fin Finished RFn Rough Finished Unf Unfinished

NA No Garage

GarageCars: Size of garage in car capacity

GarageArea: Size of garage in square feet

GarageQual: Garage quality

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor NA No Garage

GarageCond: Garage condition

Ex Excellent

Gd Good

TA Typical/Average

Fa Fair Po Poor NA No Garage

PavedDrive: Paved driveway

Y Paved

P Partial Pavement N Dirt/Gravel

WoodDeckSF: Wood deck area in square feet

OpenPorchSF: Open porch area in square feet

EnclosedPorch: Enclosed porch area in square feet

3SsnPorch: Three season porch area in square feet

ScreenPorch: Screen porch area in square feet

PoolArea: Pool area in square feet

PoolQC: Pool quality

Ex Excellent

Gd Good

TAAverage/Typical

Fa Fair No Pool NA

Fence: Fence quality

GdPrv Good Privacy MnPrv Minimum Privacy

GdWo Good Wood

Minimum Wood/Wire MnWw

NA No Fence

MiscFeature: Miscellaneous feature not covered in other categories

Elev Elevator

Gar2 2nd Garage (if not described in garage section)

Othr Other

Shed (over 100 SF) Shed

TenC Tennis Court

NA None

MiscVal: \$Value of miscellaneous feature

MoSold: Month Sold (MM)

YrSold: Year Sold (YYYY)

SaleType: Type of sale

WD Warranty Deed - Conventional

CWD Warranty Deed - Cash VWD Warranty Deed - VA Loan

New Home just constructed and sold

Court Officer Deed/Estate COD

Contract 15% Down payment regular terms Con Contract Low Down payment and low interest ConLw

ConLI Contract Low Interest ConLD Contract Low Down

Oth Other

SaleCondition: Condition of sale

Normal Normal Sale

Abnorml Abnormal Sale - trade, foreclosure, short sale

AdjLand Adjoining Land Purchase

Alloca Allocation - two linked properties with separate deeds, typically condo with a

garage unit

Family Sale between family members

Partial Home was not completed when last assessed (associated with New Homes)