




## Project\*

First Saved	Tuesday, November 15, 2022
Last Saved	Wednesday, November 16, 2022
Product Version	2021 R2
Save Project Before Solution	No
Save Project After Solution	No



# Contents

- [Units](#)
- [Model \(A4\)](#)
  - [Geometry](#)
    - [Component5\Solid](#)
  - [Materials](#)
  - [Coordinate Systems](#)
  - [Connections](#)
    - [Contacts](#)
  - [Mesh](#)
  - [Static Structural \(A5\)](#)
    - [Analysis Settings](#)
    - [Loads](#)
    - [Solution \(A6\)](#)
      - [Solution Information](#)
      - [Results](#)
      - [Stress Tool](#)
        - [Safety Factor](#)
- [Material Data](#)
  - [AISI 4130](#)

## Units

**TABLE 1**

Unit System	Metric (m, kg, N, s, V, A) Degrees rad/s Celsius
Angle	Degrees
Rotational Velocity	rad/s
Temperature	Celsius

## Model (A4)

### Geometry

**TABLE 2**  
**Model (A4) > Geometry**

Object Name	<i>Geometry</i>
State	Fully Defined
<b>Definition</b>	
Source	C:\Users\MAP\hyderabad.bits-pilani.ac.in\Vulcan 2022-23 - Suspension and Steering\Simulations\Sims\control arms sims\LCA_itr_files\dp0\SYS\DM\SYS.scdoc
Type	SpaceClaim
Length Unit	Meters
Element Control	Program Controlled
Display Style	Body Color
<b>Bounding Box</b>	
Length X	0.268 m
Length Y	0.39576 m

Length Z	0.12715 m
<b>Properties</b>	
Volume	6.9952e-005 m <sup>3</sup>
Mass	0.54912 kg
Scale Factor Value	1.
<b>Statistics</b>	
Bodies	1
Active Bodies	1
Nodes	31321
Elements	15425
Mesh Metric	None
<b>Update Options</b>	
Assign Default Material	No
<b>Basic Geometry Options</b>	
Solid Bodies	Yes
Surface Bodies	Yes
Line Bodies	Yes
Parameters	Independent
Parameter Key	
Attributes	Yes
Attribute Key	
Named Selections	Yes
Named Selection Key	
Material Properties	Yes
<b>Advanced Geometry Options</b>	
Use Associativity	Yes
Coordinate Systems	Yes
Coordinate System Key	
Reader Mode Saves Updated File	No
Use Instances	Yes
Smart CAD Update	Yes
Compare Parts On Update	No
Analysis Type	3-D
Mixed Import Resolution	None
Import Facet Quality	Source
Clean Bodies On Import	No
Stitch Surfaces On Import	None
Decompose Disjoint Geometry	Yes
Enclosure and Symmetry Processing	Yes

**TABLE 3**  
**Model (A4) > Geometry > Parts**

Object Name	<i>Component5\Solid</i>
State	Meshed
<b>Graphics Properties</b>	

Visible	Yes
Transparency	1
<b>Definition</b>	
Suppressed	No
Stiffness Behavior	Flexible
Coordinate System	Default Coordinate System
Reference Temperature	By Environment
Treatment	None
<b>Material</b>	
Assignment	AISI 4130
Nonlinear Effects	Yes
Thermal Strain Effects	Yes
<b>Bounding Box</b>	
Length X	0.268 m
Length Y	0.39576 m
Length Z	0.12715 m
<b>Properties</b>	
Volume	6.9952e-005 m <sup>3</sup>
Mass	0.54912 kg
Centroid X	4.0677 m
Centroid Y	0.37146 m
Centroid Z	0.28547 m
Moment of Inertia Ip1	8.107e-003 kg·m <sup>2</sup>
Moment of Inertia Ip2	3.7175e-003 kg·m <sup>2</sup>
Moment of Inertia Ip3	1.1743e-002 kg·m <sup>2</sup>
<b>Statistics</b>	
Nodes	31321
Elements	15425
Mesh Metric	None
<b>CAD Attributes</b>	
PartTolerance:	0.00000001
Color:143.175.175	

**TABLE 4**  
**Model (A4) > Materials**

Object Name	<i>Materials</i>
State	Fully Defined
<b>Statistics</b>	
Materials	1
Material Assignments	0

## Coordinate Systems

**TABLE 5**  
**Model (A4) > Coordinate Systems > Coordinate System**

Object Name	<i>Global Coordinate System</i>
State	Fully Defined
<b>Definition</b>	
Type	Cartesian
Coordinate System ID	0.
<b>Origin</b>	
Origin X	0. m

Origin Y	0. m
Origin Z	0. m
<b>Directional Vectors</b>	
X Axis Data	[ 1. 0. 0. ]
Y Axis Data	[ 0. 1. 0. ]
Z Axis Data	[ 0. 0. 1. ]

## Connections

**TABLE 6**  
**Model (A4) > Connections**

Object Name	<i>Connections</i>
State	Fully Defined
<b>Auto Detection</b>	
Generate Automatic Connection On Refresh	Yes
<b>Transparency</b>	
Enabled	Yes

**TABLE 7**  
**Model (A4) > Connections > Contacts**

Object Name	<i>Contacts</i>
State	Fully Defined
<b>Definition</b>	
Connection Type	Contact
<b>Scope</b>	
Scoping Method	Geometry Selection
Geometry	All Bodies
<b>Auto Detection</b>	
Tolerance Type	Slider
Tolerance Slider	0.
Tolerance Value	1.2365e-003 m
Use Range	No
Face/Face	Yes
Face-Face Angle Tolerance	75. °
Face Overlap Tolerance	Off
Cylindrical Faces	Include
Face/Edge	No
Edge/Edge	No
Priority	Include All
Group By	Bodies
Search Across	Bodies
<b>Statistics</b>	
Connections	0
Active Connections	0


## Mesh

**TABLE 8**  
**Model (A4) > Mesh**

Object Name	<i>Mesh</i>
State	Solved
<b>Display</b>	

Display Style	Use Geometry Setting
<b>Defaults</b>	
Physics Preference	Mechanical
Element Order	Program Controlled
Element Size	60.0 m
<b>Sizing</b>	
Use Adaptive Sizing	Yes
Resolution	Default (2)
Mesh Defeaturing	Yes
Defeature Size	Default
Transition	Fast
Span Angle Center	Coarse
Initial Size Seed	Assembly
Bounding Box Diagonal	0.49458 m
Average Surface Area	5.1816e-003 m <sup>2</sup>
Minimum Edge Length	5.9899e-003 m
<b>Quality</b>	
Check Mesh Quality	Yes, Errors
Error Limits	Aggressive Mechanical
Target Quality	Default (0.050000)
Smoothing	Medium
Mesh Metric	None
<b>Inflation</b>	
Use Automatic Inflation	None
Inflation Option	Smooth Transition
Transition Ratio	0.272
Maximum Layers	5
Growth Rate	1.2
Inflation Algorithm	Pre
View Advanced Options	No
<b>Advanced</b>	
Number of CPUs for Parallel Part Meshing	Program Controlled
Straight Sided Elements	No
Rigid Body Behavior	Dimensionally Reduced
Triangle Surface Mesher	Program Controlled
Topology Checking	Yes
Pinch Tolerance	Please Define
Generate Pinch on Refresh	No
<b>Statistics</b>	
Nodes	31321
Elements	15425

**FIGURE 1**  
**Model (A4) > Mesh > Figure**



## Static Structural (A5)

**TABLE 9**  
**Model (A4) > Analysis**

Object Name	<i>Static Structural (A5)</i>
State	Solved
<b>Definition</b>	
Physics Type	Structural
Analysis Type	Static Structural
Solver Target	Mechanical APDL
<b>Options</b>	
Environment Temperature	22. °C
Generate Input Only	No

**TABLE 10**  
**Model (A4) > Static Structural (A5) > Analysis Settings**


Object Name	<i>Analysis Settings</i>
State	Fully Defined
<b>Step Controls</b>	
Number Of Steps	1.
Current Step Number	1.
Step End Time	1. s

Auto Time Stepping	Program Controlled
<b>Solver Controls</b>	
Solver Type	Program Controlled
Weak Springs	Off
Solver Pivot Checking	Program Controlled
Large Deflection	Off
Inertia Relief	Off
Quasi-Static Solution	Off
<b>Rotordynamics Controls</b>	
Coriolis Effect	Off
<b>Restart Controls</b>	
Generate Restart Points	Program Controlled
Retain Files After Full Solve	No
Combine Restart Files	Program Controlled
<b>Nonlinear Controls</b>	
Newton-Raphson Option	Program Controlled
Force Convergence	Program Controlled
Moment Convergence	Program Controlled
Displacement Convergence	Program Controlled
Rotation Convergence	Program Controlled
Line Search	Program Controlled
Stabilization	Program Controlled
<b>Advanced</b>	
Inverse Option	No
Contact Split (DMP)	Off
<b>Output Controls</b>	
Stress	Yes
Surface Stress	No
Back Stress	No
Strain	Yes
Contact Data	Yes
Nonlinear Data	No
Nodal Forces	No
Volume and Energy	Yes
Euler Angles	Yes
General Miscellaneous	No
Contact Miscellaneous	No
Store Results At	All Time Points
Result File Compression	Program Controlled
<b>Analysis Data Management</b>	
Solver Files Directory	C:\Users\MAP\hyderabad.bits-pilani.ac.in\Vulcan 2022-23 - Suspension and Steering\Simulations\Sims\control arms sims\LCA_itr_files\dp0\SYS\MECH\
Future Analysis	None



Scratch Solver Files Directory	
Save MAPDL db	No
Contact Summary	Program Controlled
Delete Unneeded Files	Yes
Nonlinear Solution	No
Solver Units	Active System
Solver Unit System	mks

**FIGURE 2**  
**Model (A4) > Static Structural (A5) > Figure**




**TABLE 11**  
**Model (A4) > Static Structural (A5) > Loads**

Model (A1) - Static Structural (AS) - Loads		
Object Name	Cylindrical Support	Force
State	Fully Defined	
Scope		
Scoping Method	Geometry Selection	
Geometry	2 Faces	4 Faces
Definition		
Type	Cylindrical Support	Force
Radial	Fixed	
Axial	Fixed	

Tangential	Fixed	
Suppressed	No	
Define By		Components
Applied By		Surface Effect
Coordinate System		Global Coordinate System
X Component		-1000. N (ramped)
Y Component		-1500. N (ramped)
Z Component		2001. N (ramped)

**FIGURE 3**  
**Model (A4) > Static Structural (A5) > Force**



### **Solution (A6)**

**TABLE 12**  
**Model (A4) > Static Structural (A5) > Solution**

Object Name	<i>Solution (A6)</i>
State	Solved
<b>Adaptive Mesh Refinement</b>	
Max Refinement Loops	1.
Refinement Depth	2.
<b>Information</b>	
Status	Done
MAPDL Elapsed Time	6. s
MAPDL Memory Used	1.1289 GB
MAPDL Result File Size	10.625 MB
<b>Post Processing</b>	
Beam Section Results	No
On Demand Stress/Strain	No


**TABLE 13**  
**Model (A4) > Static Structural (A5) > Solution (A6) > Solution Information**

Object Name	<i>Solution Information</i>
State	Solved
<b>Solution Information</b>	
Solution Output	Solver Output
Newton-Raphson Residuals	0
Identify Element Violations	0
Update Interval	2.5 s
Display Points	All
<b>FE Connection Visibility</b>	
Activate Visibility	Yes
Display	All FE Connectors
Draw Connections Attached To	All Nodes
Line Color	Connection Type
Visible on Results	No
Line Thickness	Single
Display Type	Lines

**TABLE 14**  
**Model (A4) > Static Structural (A5) > Solution (A6) > Results**

Object Name	Total Deformation	Equivalent Stress
State	Solved	
Scope		
Scoping Method	Geometry Selection	
Geometry	All Bodies	
Definition		
Type	Total Deformation	Equivalent (von-Mises) Stress
By	Time	
Display Time	Last	
Calculate Time History	Yes	
Identifier		
Suppressed	No	
Results		
Minimum	0. m	0.31123 Pa
Maximum	6.1552e-003 m	4.0837e+008 Pa
Average	1.9984e-003 m	9.1491e+007 Pa
Minimum Occurs On	Component5\Solid	
Maximum Occurs On	Component5\Solid	
Information		
Time	1. s	
Load Step	1	
Substep	1	
Iteration Number	1	
Integration Point Results		
Display Option		Averaged
Average Across Bodies		No


**FIGURE 4**  
**Model (A4) > Static Structural (A5) > Solution (A6) > Total Deformation**




**TABLE 15**  
**Model (A4) > Static Structural (A5) > Solution (A6) > Total Deformation**

Time [s]	Minimum [m]	Maximum [m]	Average [m]
1.	0.	6.1552e-003	1.9984e-003

**FIGURE 5**  
**Model (A4) > Static Structural (A5) > Solution (A6) > Total Deformation > Figure**




**FIGURE 6**  
**Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Stress**



**TABLE 16**  
**Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Stress**

Time [s]	Minimum [Pa]	Maximum [Pa]	Average [Pa]
1.	0.31123	4.0837e+008	9.1491e+007

**FIGURE 7**  
**Model (A4) > Static Structural (A5) > Solution (A6) > Equivalent Stress > Figure**

**TABLE 17****Model (A4) > Static Structural (A5) > Solution (A6) > Stress Safety Tools**

Object Name	<i>Stress Tool</i>
State	Solved
<b>Definition</b>	
Theory	Max Equivalent Stress
Stress Limit Type	Tensile Yield Per Material


**TABLE 18****Model (A4) > Static Structural (A5) > Solution (A6) > Stress Tool > Results**

Object Name	<i>Safety Factor</i>
State	Solved
<b>Scope</b>	
Scoping Method	Geometry Selection
Geometry	All Bodies
<b>Definition</b>	
Type	Safety Factor
By	Time
Display Time	Last
Calculate Time History	Yes
Identifier	
Suppressed	No
<b>Integration Point Results</b>	

Display Option	Averaged
Average Across Bodies	No
<b>Results</b>	
Minimum	1.1264
Minimum Occurs On	Component5\Solid
<b>Information</b>	
Time	1. s
Load Step	1
Substep	1
Iteration Number	1

**FIGURE 8**

**Model (A4) > Static Structural (A5) > Solution (A6) > Stress Tool > Safety Factor**

**TABLE 19**


**Model (A4) > Static Structural (A5) > Solution (A6) > Stress Tool > Safety Factor**

Time [s]	Minimum	Maximum	Average
1.	1.1264	15.	8.2998

**FIGURE 9**

**Model (A4) > Static Structural (A5) > Solution (A6) > Stress Tool > Safety Factor > Figure**





## Material Data

### AISI 4130

**TABLE 20**  
**AISI 4130 > Constants**

Density	7850 kg m <sup>-3</sup>
---------	-------------------------

**TABLE 21**  
**AISI 4130 > Color**

Red	Green	Blue
181	155	130

**TABLE 22**  
**AISI 4130 > Isotropic Elasticity**

Young's Modulus Pa	Poisson's Ratio	Bulk Modulus Pa	Shear Modulus Pa	Temperature C
2.1e+011	0.3	1.75e+011	8.0769e+010	

**TABLE 23**  
**AISI 4130 > Tensile Yield Strength**

Tensile Yield Strength Pa
4.6e+008

**TABLE 24**  
**AISI 4130 > Tensile Ultimate Strength**

Tensile Ultimate Strength Pa
5.6e+008