

Superficial Cancer of the Esophagus and GE Junction

Anatomy

Food moves from the throat

→ esophagus

→ stomach

→ small bowel (jejunum)



Types of Esophageal Cancer

There are two common types of esophageal cancer

- Adenocarcinoma
- Squamous Cell Carcinoma

In many ways, these two different types of esophageal cancer behave the same.

We will see later in this video, however, that the treatment **can** be different depending upon whether the cancer is adenocarcinoma or squamous cell carcinoma.

Cancer Staging

Staging refers to the tests to determine

- How large is the tumor?
- Has there been spread to lymph nodes?
- Has it spread to other parts of the body?

Treatment options depend upon the cancer stage

Esophageal Cancer Staging

- **T** = Tumor - How deep has cancer grown into the wall of the esophagus?
- **N** = Nodes - Has cancer spread to the lymph nodes?
- **M** = Metastasis - Has the cancer spread to other parts of the body? lungs or liver?

Layers of the Wall of the Esophagus

- Mucosa - Inner layer
- Muscle Wall (muscularis)
- Lymph nodes located in fat outside the muscle



Early Stage Cancers

Cancers start on the very inside of the layer called the mucosa



Locally-advanced Cancers

Over time, cancers can grow into the muscular wall



Lymph Nodes

In some cases, cancer cells can break off from the main tumor and spread to lymph nodes



T Stage

Cancers are categorized based upon the thickness of the tumor, known as the T stage



N Stage

Cancers are categorized by whether there is spread to the lymph nodes.

- **N0** cancers have not spread to the lymph nodes
- **N1** cancers have spread to the lymph nodes.



M Stage

Some cancers can also spread from the esophagus to the lungs or liver

- **M0** cancers have not spread to other parts of the body
- **M1** cancers have spread to other parts of the body such as lungs or liver



PET scan

A PET scan is similar to a CT scan, and uses a small amount of tracer to light up areas of cancer.



Endoscopic Ultrasound

Endoscopic ultrasound (EUS) is a procedure similar to upper endoscopy (EGD) which has an ultrasound probe at the bottom of the scope. This allows measuring the thickness of the cancer. Endoscopic ultrasound can help determine the T stage of the cancer.



Laparoscopy

Some esophageal cancers can spread inside the abdominal cavity. These areas of spread can be very small, as small as a grain of rice.

In order to detect spread within the abdominal cavity, a procedure called a laparoscopy can be performed in some patients.



Laparoscopy

A laparoscopy is performed under a general anesthetic.

- Several incisions $1/4"$ long
- A telescope is inserted to look inside the abdominal cavity.
- Biopsies can be performed.




Treatment Plan

Category	Staging	Treatment
Superficial	T1	Endoscopic Therapy
Localized	T1b or T2	Surgery
Locally-advanced	T3 or N1	Preoperative therapy→Surgery
Metastatic	M1	Chemotherapy

Superficial Cancers


Superficial Cancers = T1a N0

Treatment is often with endoscopy without the need for surgery.




Endoscopic Mucosal Resection (EMR)

Endoscopic procedure to remove a superficial tumor from the inner layer of the esophagus




Endoscopic Mucosal Resection - Favorable

- Clear margins at the edge *AND*
- Clear deep margin *AND*
- Tumor appears slow-growing under microscope



Endoscopic Mucosal Resection - Favorable


- Clear margins at the edge *AND*
- Clear deep margin *AND*
- Tumor appears slow-growing under microscope



EMR may be sufficient treatment (without surgery)



Endoscopic Mucosal Resection - Unfavorable

- Tumor at edge margin *OR*
- Tumor at deep margin *OR*
- Tumor appears rapidly-growing under microscope



Endoscopic Mucosal Resection - Unfavorable

- Tumor at edge margin *OR*
- Tumor at deep margin *OR*
- Tumor appears rapidly-growing under microscope



Esophagectomy (surgery) is standard recommendation

Surgery

[Surgery Slideshow](#)