

Surgery of the Stomach

1

Stomach Cancer Surgery Goals

Staging refers to the tests to determine


- Remove the tumor
- Remove lymph nodes (depends upon tumor type)
- Preserve stomach function
- Reconstruct GI tract

Treatment options depend upon the cancer stage

2

Distal Cancers


Distal cancers are those in the lower part of the stomach



3


Partial Gastrectomy

- Removes the tumor
- Lymph nodes not removed
- Best suited for:
 - Small adenocarcinoma
 - GI Stromal Tumors



4


Partial Gastrectomy



5


Distal Gastrectomy

- Removes bottom half of the stomach
- Does lower lymph nodes



6


Distal Gastrectomy



7

Body Cancers


Body is the mid-portion of the stomach



8


Subtotal Gastrectomy

- Removes bottom 2/3 of stomach
- Removes lymph nodes
- Reconstruction with small intestine



9

Subtotal Gastrectomy



10

Proximal Tumors


- Located near the top of the stomach
- Challenging area for surgery



11


Total Gastrectomy

- Removes all of the stomach
- Reconstruction with small intestine
- Needed for those with CDH1 mutations



12


Total Gastrectomy



13

Esophagogastrectomy

- Removes top part of stomach
- Remove bottom half of esophagus
- Surgery in both abdomen and chest



14

Esophagogastrectomy


- Removes top part of stomach
- Remove bottom half of esophagus
- Surgery in both abdomen and chest



15

Esophagogastrectomy


- Removes top part of stomach
- Remove bottom half of esophagus
- Surgery in both abdomen and chest



16


Dual Tract Gastrectomy

- Alternative surgical approach for small tumors near the top of the stomach
- Preserves the bottom of the stomach as a reservoir



17


Dual Tract Gastrectomy



18

Laparoscopy


- Some stomach cancers can spread inside the abdomen
- Areas of spread can be very small (grain of rice)
- Laparoscopy can detect spread inside the abdomen



19

Laparoscopy

- General anesthetic
- Several 1/4" incisions
- Telescope examines the abdomen
- Biopsies can be performed.



20

Risks of Surgery

- Leak where bowel is joined together (anastomosis)
- Bleeding requiring reoperation
- Delayed stomach function
- Infection in the abdomen

21

Primary Care Practitioner (PCP)

Critical to coordinate care between specialists.
We will update your PCP after each visit
PCP Referral Line (844) 235-6998

22

My Atrium Patient Portal

- Critical to good communication with your care team
- Available for desktop or laptop or phone
- Sign up at my.atriumhealth.org

23

Exercise

- Reduces risk of complications from treatment
- Goal is 30min/day of vigorous exercise 6 days/wk
 - Working hard enough that you can't converse
 - Start slowly and build up
 - Every day counts! (Aim for daily activity)

24