
#### **Nutrition**

## **GI Tract Anatomy**

- Esophagus delivers food to the stomach
- Stomach stores food and delivers it in small quantities to the jejunum
- Jejunum begins digestion in the small intestines

2

4




## **Protein Needs**

- Men: Average 75 grams/day
- Women: Average 60 grams/day

Protein Shakes provide protein with minimal sugar



Feeding Tubes



3

## **Gastrostomy Tube**

**Feeding Gastrostomy** 

- Feeding with a syringe several times per day.
- Tube can be hidden underneath clothing
- Tube does not interfere with eating by mouth
- Removed easily in the office when no longer needed

## **Gastrostomy Tube Methods**

PEG: Tube placed by endoscopy Laparoscopic: Tube placed surgically by laparoscopy Preferred method depends upon whether esophagectomy is planned

5 6


1

## **Gastrostomy Tube**

- Outpatient Placement (go home the same day)
- Central venous port can be placed at the same time (if needed)

# Jejunostomy Tube

- Nutrition to bypasses the esophagus and stomach
- Placed in small intestine
- Pump administers feedings slowly
- Feeding done at night



7

8

## Jejunostomy Typical Regimen

- Jejunostomy tube feeds for 16 hours (6pm-10am)
  - Men: 75mL/hour x 16 hours = 5 cartons
  - Women: 60mL/hour x 16 hours = 4 cartons
- Water 240ml (8oz) via syringe 4x/day Hospital nurses will teach use of the feeding tube

## Jejunostomy Feeds with Diabetes

Jejunostomy feedings elevate blood sugars

- Insulin may be required along with feeds Typical Pattern for tube feeds
- Feeds run via pump from 6pm to 10am
- Insulin at 6pm (70/30 insulin)
- Insulin at Midnight (70/30 insulin)
- No insulin if tube feedings are not run

9

10

## Jejunostomy Video

A video is available to help become familiar with the feeding jejunostomy



11