Regression Models Project - Motor Trend Data 'mtcars' Miles Per Gallon Analysis

james c walmsley 12/1/2016

Executive Summary:

Add after completing analysis

Problem statement & questions to be answered:

Grading - Criteria (remove on completion)

Did the student interpret the coefficients correctly? Did the student do some exploratory data analyses? Did the student fit multiple models and detail their strategy for model selection? Did the student answer the questions of interest or detail why the question(s) is (are) not answerable? Did the student do a residual plot and some diagnostics? Did the student quantify the uncertainty in their conclusions and/or perform an inference correctly? Was the report brief (about 2 pages long) for the main body of the report and no longer than 5 with supporting appendix of figures? Did the report include an executive summary? Was the report done in Rmd (knitr)?

Analysis considerations:

```
Descriptive
any(is.na)
head(data)
str(data)
summary(data)
Exploratory
Pairs
Histograms
Boxplots
```

```
QQ plots
OLS Ordinary least squares
        General least squares for linear equations
Regression to the mean - Simple linear regression
Statistical linear regression
        Basic - w additive Gaussian error
        Interpretation of regression coefficients (intercept, slope)
        Regression - prediction
Residuals
        Residual variation
        Influence
        Leverage
        Estimate residual variation
        R squared
Regression inference
        Parameters
        Confidence intervals
        Prediction
Multivariate regression analysis
        Linear models
        Two variable simple linear regression (additive) / (multiplicative)
        Summary coefficients
        Fitted values, residuals and residual variation
        Summary coefficients
        Model Adjustment
GLMs
        Linear
        Logistic
        Poisson
        Binary GLMs
                Odds
                Fitting
Poisson
        Count data
Predictive ~ NA
Causal ~ NA
Mechanistic ~ NA
```

Software environment:

```
System - session Info:
```

sessionInfo()

```
## R version 3.3.1 (2016-06-21)
## Platform: x86_64-apple-darwin13.4.0 (64-bit)
## Running under: OS X 10.11.6 (El Capitan)
##
## locale:
## [1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8
```

```
##
## attached base packages:
                graphics grDevices utils
## [1] stats
                                             datasets methods
##
## loaded via a namespace (and not attached):
## [1] magrittr_1.5
                       formatR 1.4
                                      tools 3.3.1
                                                      htmltools 0.3.5
## [5] yaml_2.1.13
                       Rcpp_0.12.7
                                      stringi_1.1.1
                                                      rmarkdown 1.0
## [9] knitr_1.14
                       stringr_1.1.0 digest_0.6.10
                                                      evaluate_0.9
```

Accessing data:

Getting the data:

```
rm(list=ls()); library(UsingR); library(datasets); head(mtcars)
## Loading required package: MASS
## Loading required package: HistData
## Loading required package: Hmisc
## Loading required package: lattice
## Loading required package: survival
## Loading required package: Formula
## Loading required package: ggplot2
## Attaching package: 'Hmisc'
## The following objects are masked from 'package:base':
##
##
      format.pval, round.POSIXt, trunc.POSIXt, units
## Attaching package: 'UsingR'
## The following object is masked from 'package:survival':
##
##
      cancer
##
                     mpg cyl disp hp drat
                                              wt qsec vs am gear carb
## Mazda RX4
                    21.0 6 160 110 3.90 2.620 16.46 0 1
## Mazda RX4 Wag
                    21.0 6 160 110 3.90 2.875 17.02 0
## Datsun 710
                    22.8 4 108 93 3.85 2.320 18.61 1 1
                                                               3
## Hornet 4 Drive
                    21.4
                          6 258 110 3.08 3.215 19.44
                                                       1
                                                                    1
## Hornet Sportabout 18.7
                          8 360 175 3.15 3.440 17.02 0 0
                                                               3
                                                                    2
                    18.1 6 225 105 2.76 3.460 20.22 1 0
## Valiant
```

Raw data overview:

Processing the data:

```
Transformations;

1 factor variables 8:11;
2 change variable labels in columns 8 & 9;
a Note; for column header 8 = vs; variable names = V-block, & S-block;
b Note; for column header 9 = am; variable names = A-type = A, & M-type;

data(mtcars)
mtcars$vs <- factor(mtcars$vs, labels = c("V-block", "S-block")); mtcars$am <- factor(mtcars$am, labels

## mpg cyl disp hp drat wt qsec vs am gear
```

```
##
## Mazda RX4
                    21.0 6 160 110 3.90 2.620 16.46 V-block M-type
## Mazda RX4 Wag
                    21.0 6 160 110 3.90 2.875 17.02 V-block M-type
## Datsun 710
                    22.8 4 108 93 3.85 2.320 18.61 S-block M-type
## Hornet 4 Drive 21.4 6 258 110 3.08 3.215 19.44 S-block A-type
## Hornet Sportabout 18.7 8 360 175 3.15 3.440 17.02 V-block A-type
## Valiant
                   18.1 6 225 105 2.76 3.460 20.22 S-block A-type
##
                   carb
## Mazda RX4
## Mazda RX4 Wag
                      4
## Datsun 710
                      1
## Hornet 4 Drive
                      1
## Hornet Sportabout
## Valiant
```

Exploratory analysis:

```
Histograms
Boxplots
Rug
Barplots
Scatterplots
Multiple plots
Graphing - base, lattice, ggpplot2
ABlines (h/v)
Confidence intervals
Standard error
Variance
Fitted lines
Heatmap
K-Means
Dimension Reduction
        PCA
        SVD
Figures: Exploratory see Appendix A
```


Statistical modeling, regression & model fit:

```
Assumptions:
        Α
        В
        С
Simple Linear Regression
Multivariate Linear Regression
        lm - simple
        lm - multivariate
        lm - nested
        lm - remove the intercept (-1)
        lm - step function
Coefficients / Slope
Standard Error
T-Vales
pValues
Residuals
        Leverage
        Influence
Confidence Intervals
Residuals
Hatvalues
dfbetas
Influence Measures
Anova
        Chisq
Ancova
GLMs
```

Preliminary findings: quesions of interest: & interpretation of results:
ABC
Conclusions / recommendations:
A B C
1 Challenge the results ? 2 Measures of uncertainty 'e'
What are some possible alternative analyses?
A B


Appendix A

#Pairs



Histograms

MPG Histogram



	#Fitted		
#To	be inserted		
	#Residuals		
	#Residuals vs Fitt	ed	
==:	= END ===		