Experiment 6

AIM: Create Product Catalog Application using ASP.NET MVC Architecture

Source: App_Start/RouteConfig.cs

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;
using System.Web.Routing;

namespace Practical_6
{
    public class RouteConfig
    {
        public static void RegisterRoutes(RouteCollection routes)
        {
            routes.IgnoreRoute("{resource}.axd/{*pathInfo}");

            routes.MapRoute(
                name: "Default",
                url: "{controller}/{action}/{id}",
                defaults: new { controller = "ProductDetails", action = "Index", id =
UrlParameter.Optional }
            );
        }
    }
}
```

Source: Controllers/ProductDetailsController.cs

Code:

```
using Practical_6.Models;
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;

namespace Practical_6.Controllers
{
    public class ProductDetailsController : Controller
    {
        // GET: ProductDetails
        public ActionResult Index()
        {
            List<ProductDetails> P = GetData();

            return View("Product", P);
        }

        public ActionResult Details(int id)
```

```
        {
            List<ProductDetails> pall = GetData();
            ProductDetails p = new ProductDetails();
            p = pall.FirstOrDefault(x => x.id == id);
            return View("Details", p);
        }

        public List<ProductDetails> GetData()
        {

            List<ProductDetails> P = new List<ProductDetails>();

            ProductDetails p1 = new ProductDetails();
            p1.id = 1;
            p1.imageUrl = "https://encrypted-
tbn1.gstatic.com/shopping?q=tbn:ANd9GcSIxThfb1NeN5a1nd9aS9akzWXKflkpcAmVpJg5DmQxOHNvgGV_WwFMWebnn8
W4JMp_17RusDurmmMNKDNG9HUhLZYj-CqeBkRAk-VAcChvsEuuFdVf-pTDjJ0";
            p1.name = "Macbook";
            p1.category = "Laptop";
            p1.description = "Have a Premium Experience with Mac";
            p1.price = 125000;

            ProductDetails p2 = new ProductDetails();
            p2.id = 2;
            p2.imageUrl = "https://encrypted-
tbn1.gstatic.com/shopping?q=tbn:ANd9GcQnEyJKAMpPsGtu7nAwExiwIfGw3M7nSK__UMia5r9zk3FQYvPZd3WbIHao80
rK4O44Re4v232dzh43YxqGUqPAGMSFejBoF6vJCNiWpTeMkXVgorBIxMVV_iI";
            p2.name = "Iphone";
            p2.category = "Mobile";
            p2.description = "Flagship Smartphome";
            p2.price = 100000;

            ProductDetails p3 = new ProductDetails();
            p3.id = 3;
            p3.imageUrl = "https://media-
ik.croma.com/Croma%20Assets/Computers%20Peripherals/Laptop/Images/323258_0_2IVmGYybG.png?updatedAt
=1783326925974&tr=w-640";
            p3.name = "Omen";
            p3.category = "Laptop";
            p3.description = "Seamless Gaming Experience with omen";
            p3.price = 150000;

            P.Add(p1);
            P.Add(p2);
            P.Add(p3);

            return P;
        }
    }
}
```

Source: Models/ProductDetails.cs

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;

namespace Practical_6.Models
{
    public class ProductDetails
    {
        public int id {  get; set; }
        public string imageUrl { get; set; }

        public string name { get; set; }

        public string category { get; set; }

        public string description { get; set; }

        public int price { get; set; }

    }
}
```

Source: Views/ProductDetails/Details.cshtml

Code:

```
@model Practical_6.Models.ProductDetails
@{
    Layout = null;
}

<!DOCTYPE html>

<html>
<head>
    <meta name="viewport" content="width=device-width" />
    <title>Details</title>
</head>
<body>
    <div>
        <img src="@Model.imageUrl" width="150" height="150" />
        <br />

        <p>Product Category: @Model.category</p>
        <br />

        <p>Product Name: @Model.name</p>
        <br />

        <p>Product Description: @Model.description</p>
        <br />
```

```
        <p>Product Price: @Model.price</p>
        <hr />

        @Html.ActionLink("Back", "Index", "ProductDetails")
    </div>
</body>
</html>
```

Source: Views/ProductDetails/Product.cshtml

Code:

```
@model  List<Practical_6.Models.ProductDetails>
@{
    Layout = null;
}

<!DOCTYPE html>

<html>
<head>
    <meta name="viewport" content="width=device-width" />
    <title>Product</title>
</head>
<body>
    <div>
        <h2>Product Details</h2>

        @foreach (var i in Model)
        {
            <img src="@i.imageUrl" width="150" height="150" />


            <h3>Product Name: @i.name</h3>


            <h4>Product Category: @i.category</h4>




            <h4>Product Price: @i.price</h4>



            @Html.ActionLink("Click for more details", "Details", "ProductDetails", new { id =
i.id }, null)

            <hr />

        }
    </div>
</body>
</html>
```

Output:





Github Url: https://github.com/jd-thakrar/Uni-DotNet-Work/tree/master/Practical-6