Experiment 7

AIM: Develop Feedback Management Module using MVC Layout, Partial View & Validation

Source: App_Start/RouteConfig.cs

Code:

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;
using System.Web.Routing;

namespace Practical_7
{
    public class RouteConfig
    {
        public static void RegisterRoutes(RouteCollection routes)
        {
            routes.IgnoreRoute("{resource}.axd/{*pathInfo}");

            routes.MapRoute(
                name: "Default",
                url: "{controller}/{action}/{id}",
                defaults: new { controller = "feedback", action = "Index", id =
UrlParameter.Optional }
            );
        }
    }
}
```

Source: Controllers/feedbackController.cs

Code:

```
using Practical_7.Models;
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Mvc;

namespace Practical_7.Controllers
{
    public class feedbackController : Controller
    {
        // GET: feedback
        public ActionResult Index()
        {
            return View("feedback");
        }

        [HttpPost]
```

```
        public ActionResult feedback(feedback model)
        {
            if (ModelState.IsValid)
            {
                return View("thankyou", model);
            }
            return View(model);
        }
    }
}
```

Source: Models/feedback.cs

Code:

```
using System;
using System.Collections.Generic;
using System.ComponentModel.DataAnnotations;
using System.Linq;
using System.Web;

namespace Practical_7.Models
{
    public class feedback
    {
        [Required]
        public string Name { get; set; }

        [Required]
        [EmailAddress]
        public string Email { get; set; }

        [Required]
        public int Rating { get; set; }

        [Required]
        public string Message { get; set; }

    }
}
```

Source: Views/feedback/feedback.cshtml

Code:

```
@model Practical_7.Models.feedback
@{
    Layout = "~/Views/Shared/_Layout.cshtml";
}

<div>
    @using (Html.BeginForm("feedback", "feedback", FormMethod.Post))
    {
        @Html.AntiForgeryToken()

        <div>
```

```
            @Html.LabelFor(m => m.Name)
            @Html.TextBoxFor(m => m.Name)
            @Html.ValidationMessageFor(m => m.Name)
        </div>

        <div>
            @Html.LabelFor(m => m.Email)
            @Html.TextBoxFor(m => m.Email)
            @Html.ValidationMessageFor(m => m.Email)
        </div>

        <div>
            @Html.LabelFor(m => m.Rating)
            @Html.TextBoxFor(m => m.Rating)
            @Html.ValidationMessageFor(m => m.Rating)
        </div>

        <div>
            @Html.LabelFor(m => m.Message)
            @Html.TextAreaFor(m => m.Message)
            @Html.ValidationMessageFor(m => m.Message)
        </div>

        <button type="submit">Submit</button>
    }
</div>
```

Source: Views/feedback/thankyou.cshtml

Code:

```
@model  List<Practical_6.Models.ProductDetails>
@{
    Layout = null;
}

<!DOCTYPE html>

<html>
<head>
    <meta name="viewport" content="width=device-width" />
    <title>Product</title>
</head>
<body>
    <div>
        <h2>Product Details</h2>

        @foreach (var i in Model)
        {
            <img src="@i.imageUrl" width="150" height="150" />


            <h3>Product Name: @i.name</h3>


            <h4>Product Category: @i.category</h4>
```

```
            <h4>Product Price: @i.price</h4>

            @Html.ActionLink("Click for more details", "Details", "ProductDetails", new { id =
i.id }, null)

            <hr />

        }
    </div>
</body>
</html>
```


Source: Views/Shared/_Layout.cshtml


Code:

```
<!DOCTYPE html>

<html>
<head>
    <meta name="viewport" content="width=device-width" />
    <title>@ViewBag.Title</title>
</head>
<body>
    <header>
        Feedback Form
    </header>
    @RenderBody()
    <footer>
        Copyright © 2026 - Feedback Form
    </footer>
</body>
</html>
```

Output:





Github Url: https://github.com/jd-thakrar/Uni-DotNet-Work/tree/master/Practical-7/Practical-7