










⚠ PICO pin is incorrect?
PICO can only be
assigned to pins
14,16,20 but here it's on
pin 13

Title		
Size	Number	Revision
A		
Date:	3/05/2026	Sheet of
File:	C:\Users\...\MCU.SchDoc	Drawn By:



Title		
Size	Number	Revision
A4		
Date:	3/05/2026	Sheet of
File:	C:\Users\...\Boost 12V.SchDoc	Drawn By:

A

B

C


D

1

2

Table 2. Rise Time Table

CT (pF)	RISE TIME (μs) 10% - 90%, C _L = 0.1 μF, C _{IN} = 1 μF, R _L = 10 Ω				
	VIN = 18 V	VIN = 12 V	VIN = 9 V	VIN = 5 V	VIN = 3.3 V
0	115	91	78	60	98
470	136	94	80	63	98
1000	310	209	158	91	102
2200	688	464	345	198	135
4700	1430	957	704	397	265
10000	3115	2085	1540	864	550
27000	8230	5460	4010	2245	1430



△ QOD can be left floating as no discharging is needed

Title		
Size A	Number	Revision
Date:	3/05/2026	Sheet of
File:	C:\Users\...\Switch1.SchDoc	Drawn By:

1

2

3

4

B

C

D









Figure 1. Basic AD9850 Clock Generator Application with Low-Pass Filter

Title		
Size	Number	Revision
A		
Date:	3/05/2026	Sheet of
File:	C:\Users\...\DDS.SchDoc	Drawn By:




Title		
Size	Number	Revision
A		
Date: 3/05/2026		Sheet of
File: C:\Users\...\LDO.SchDoc		Drawn By:






Order the 0805LS-152XJEC inductor from coilcraft


Title		
Size	Number	Revision
A		
Date:	3/05/2026	Sheet of
File:	C:\Users\...\PA stage 2.SchDoc	Drawn By:



Title		
Size	Number	
A		
Date:	3/05/2026	Sheet of
File:	C:\Users\...\Output.SchDoc	Drawn By:




Title		
Size	Number	Revision
A		
Date:	3/05/2026	Sheet of
File:	C:\Users\...\Switch2.SchDoc	Drawn By:



$$V_{OUT} = 1.202V \cdot (1 + R1/R2)$$

$$R1/R2 = 4.2$$



Title		
Size	Number	Revision
A		
Date:	3/05/2026	Sheet of
File:	C:\Users\...\Boost 5V.SchDoc	Drawn By: