Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020



**Section Data Report** 

#### Section Data for Car 1 - Newgarden, Josef

Race

Report:

**Session:** 

Lap			T1 to SS1	SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
<u> </u>	T	2.7519	4.5160	4.2823	2.1831	2.1052	4.0633	4.0815	2.1621	26.1454		61.7994	
1	S	166.744	-				210.085					76.457	
	Т	2.1711	4.1544	1	-	2.0882	4.0246	<del>-</del>	2.1452	25.0019			
2	S	211.351	204.657	196.206	203.537	209.946	212.105	211.338	215.174	207.344			
3	Т	2.1511	4.0148	4.1008	2.1310	2.0622	3.9909	4.0260	2.1444	24.6212			
	S	213.316	211.773	201.679	206.689	212.593	213.896	212.031	215.254	210.550			
4	Т	2.1563	4.0184	4.1113	2.1332	2.0631	3.9899	4.0214	2.1404	24.6340			
	S	212.801	211.584	201.164	206.476		213.949	212.273	215.656	210.441			
5	Т	2.1527	4.0955	4.1519			4.0011	4.0151		24.7750			
	S	213.157	207.600	199.197	205.340	211.598	213.350	212.607	215.515	209.243			
6	Т	2.1537	-			2.0642	3.9899	-	2.1395	24.6693			
	S	213.058		200.423			213.949			210.140			
7	Т	2.1537	4.0863	4.1522	2.1465	2.0718	4.0044	4.0229	2.1397	24.7775			
	S	213.058		199.182	205.197	211.608	213.175		215.727	209.222			
8	Т	2.1505		4.1423	2.1434	2.0677	3.9956	4.0187	2.1407	24.7190			
	S	213.375				212.027	213.644		215.626	209.717			
9	Т	2.1502	4.0522	4.1894		2.0758	4.0062	4.0285	2.1417	24.7985			
	S	213.405	209.819	197.414	204.435	211.200	213.079	211.899	215.525	209.045			
10	T	2.1517	<del>•</del>		<del>•                                      </del>	2.0815	4.0175			24.8449			
	S	213.256	210.400	196.164	203.565	210.622	212.479	211.894	215.214	208.654			
11	T	2.1539					4.0091			24.8246			
	S	213.039		1	-	211.058	212.925		215.274	208.825			
12	┙	2.1532				2.0742	4.0045			24.8205			
	S	213.108	+		•	211.363	213.169	•	•	208.860			
13	T	2.1521				2.0805	4.0147			24.9069			
	S	213.217	1	196.639		210.723	212.628			208.135			
14	T	2.1491				2.0804	4.0102			24.8618			
<u> </u>	S	213.514	+	+	<del></del>	-	212.866	+	-	208.513		1	
15	T	2.1506	<del>•</del>		•				•	24.8953		ļ	
	S	213.365				210.591	212.994			208.232			
16	T	2.1461	+		2.1755	2.0852	4.0409			24.9963			
	S	213.813			202.461	210.248	211.249			207.391			
17	T	2.1502	+				4.0141			24.9807			
<u> </u>	S	213.405	+				212.659	<del>,                                     </del>	216.669	207.520		<b>_</b>	
18	T	2.1395					4.0154			24.9946			
	S	214.472	+		201.011	209.274	212.591			207.405		1	
19	T	2.1366				2.0994	4.0173			25.1537			
	S	214.763	201.825	190.327	199.825	208.826	212.490	212.723	217.199	206.093			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

## Section Data for Car 1 - Newgarden, Josef

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1671	4.2956	4.4738	2.2721	2.1428	4.0690	4.0127	2.1209	25.5540			
20	S	211.741	197.930	184.864	193.854	204.596	209.790	212.734	217.639	202.865			
21	Т	2.1986	4.4238	4.4925	2.2531	2.1259	4.0395	4.0298	2.1295	25.6927			
	S	208.707	192.194	184.095	195.488	206.223	211.322	211.831	216.760	201.769			
22	Т	2.1961	4.3887	4.4240	2.2271	2.1106	4.0385	4.0878	2.1452	25.6180			
	S	208.945	193.731	186.945	197.770	207.718	211.375	208.825	215.174	202.358			
23	Т	2.1926	4.4104	4.4637	2.2441	2.1251	4.0617	4.0397	2.1340	25.6713			
	S	209.278	192.778	185.282	196.272	206.300	210.167	211.312	216.303	201.938			
24	T	2.1610	4.3400	4.4337	2.2302	2.1200	4.0538	4.0304	2.1282	25.4973			
	S	212.339	195.905	186.536	197.496	206.797	210.577	211.799	216.893	203.316			
25	Т	2.1599	4.3787	4.4779	2.2520	2.1293	4.0603	4.0236	2.1277	25.6094			
	S	212.447	194.173	184.695	195.584	205.894	210.240	212.157	216.944	202.426			
26	T	2.1715	4.3973	4.4583	2.2403	2.1236	4.0593	4.0271	2.1292	25.6066			
20	S	211.312	193.352	185.507	196.605	206.446	210.292	211.973	216.791	202.448			
27	T	2.1602	4.3261	4.5080	2.2925	2.1530	4.1164	4.0822	2.1511	25.7895			
	S	212.417	196.534	183.462	192.128	203.627	207.374	209.112	214.584	201.012			
28	Т	2.1658	4.3556	4.4701	2.2518	2.1336	4.0676	4.0358	2.1392	25.6195			
20	S	211.868	195.203	185.017	195.601	205.479	209.862	211.516	215.777	202.346			
29	Т	2.1704	4.3272	4.4712	2.2531	2.1349	4.0802	4.0658	2.1440	25.6468			
29	S	211.419	196.484	184.972	195.488	205.353	209.214	209.955	215.294	202.130			
30	Т	2.1564	4.3710	4.5575	2.2931	2.1614	4.1439	4.1094	2.1576				
	S	212.792	194.516	181.469	192.078	202.836	205.998	207.728	213.937	199.766			
31	T	2.1698	4.3607	4.4980	2.2674	2.1462	4.0981	4.0640	2.1481	25.7523			
<u> </u>	S	211.477	194.975	183.870	194.255	204.272	208.301	210.048	214.883	201.302			
32	T	2.1618	4.3221	4.5028	2.2615	2.1730	4.4883	4.2551	2.1852	26.3498			
	S	212.260	196.716	183.674	194.762	201.753	190.191	200.615	211.235	196.738			
33	T	2.1931	4.4427	4.5917	2.2932	2.3528				38.3249	25.6101		30.9068
	S	209.231	191.376	180.117	192.070	<del></del>				135.265	•		152.791
34	T				3.1754	•	4.6423	·		<del></del>		35.5252	
<u> </u>	S				138.708	1	183.882		207.980			133.004	
35	T	2.1985	4.0712				4.0016		2.1398				
L	S	208.717	208.839				213.324		215.717	208.219			
36	T	2.1436	3.9686		•		4.0246		2.1324				
	S	214.062	214.239	199.106	205.829	•	212.105	•	216.465	•			
37	T	2.1749	4.2278		2.1626	1	4.3705		2.2360				
L	S	210.981	201.104				195.318		206.436				
38	T	2.2035			3.0092		6.3451	5.6545	2.9912				
	S	208.243	193.802	158.132	146.369	135.873	134.535	150.966	154.316	156.866			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 1 - Newgarden, Josef

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	3.3699	6.7649	7.4664	5.3898	5.1453	10.3702	10.1444	5.0662	53.7171			
39	S	136.165	125.682	110.769	81.720	85.206	82.316	84.149	91.112	96.506			
40	Т	4.7473	9.0560	9.6208	5.0520	4.8336	9.6671	9.3672	4.9156	57.2596			
40	S	96.658	93.886	85.964	87.184	90.700	88.303	91.130	93.903	90.535			
41	Т	4.5960	8.6405	8.8250	5.0382	5.1110	10.0412	9.4227	5.1042	56.7788			
41	S	99.840	98.400	93.716	87.423	85.778	85.013	90.594	90.434	91.302			
42	Т	4.8818	9.2722	9.7748	4.8651	5.0683	9.0360	9.5568	4.9579	57.4129			
42	S	93.995	91.696	84.610	90.534	86.500	94.471	89.322	93.102	90.293			
43	Т	5.0086	9.4041	8.8677	4.8776	4.8843	9.8734	9.4744	5.4331	57.8232			
43	S	91.615	90.410	93.265	90.301	89.759	86.458	90.099	84.959	89.653			
44	Т	5.1081	9.3476	9.9310	5.1564	5.6089	10.1602	10.0731	4.8146	60.1999			
44	S	89.831	90.957	83.279	85.419	78.163	84.018	84.744	95.873	86.113			
45	⊣	4.9486	9.4794	9.6500	4.6618	4.7899	9.9764	10.5516	4.7195	58.7772			
45	S	92.726	89.692	85.704	94.482	91.528	85.566	80.901	97.805	88.197			
46	Т	4.8011	9.5352	9.4081	4.8330	4.6242	9.1975	5.8009	2.5688	50.7688			
40	S	95.575	89.167	87.908	91.135	94.808	92.812	147.156	179.691	102.110			
47	Т	2.4376	4.4746	4.4355	2.2276	2.1225	4.0827	4.0881	2.1421	26.0107			
4/	S	188.244	190.012	186.460	197.726	206.553	209.086	208.810	215.485	199.303			
48	Т	2.1475	4.0915	4.3200	2.1869	2.0961	4.0169	4.0202	2.1267	25.0058			
+0	S	213.673	207.803	191.446	201.406	209.155	212.511	212.337	217.046	207.312			
49	Т	2.1361	4.0639	4.2289	2.1598	2.0763	3.9944	4.0370	2.1348	24.8312			
77	S	214.814	209.215	195.570	203.933	211.149	213.708	211.453	216.222	208.770			
50	Т	2.1411	4.0744	4.2366	2.1632	2.0820	4.0542	4.0646	2.1427	24.9588			
<u> </u>	S	214.312	208.675	195.214	203.612	210.571	210.556	210.017	215.425	207.702			
51	Т	2.1449	4.0974	4.1442	2.1330	2.0575	3.9912	4.0142	2.1308	24.7132			
J1	S	213.932	207.504	199.567	206.495	213.079	213.880	212.654	216.628	209.766			
52	T	2.1365	4.0620	4.2177	2.1537	2.0726	3.9967	4.0213	2.1312	24.7917			
J2	S	214.774	209.312	196.089	204.511	211.526	213.585	212.279	216.587	209.102			
53	Т	2.1421	4.1247	+	2.1459		3.9942	4.0101	2.1311	24.7930			
	S	214.212	206.131	197.990	205.254	212.027	213.719	212.872	216.597	209.091			
54	Т	2.1429			2.1545		3.9965			24.8858			
J-7	S	214.132	204.731	196.527	204.435	211.516	213.596	212.252	216.080	208.312			
55	Т	2.1427	4.0479	4.2591	2.1700	2.0863	4.0179	4.0345	2.1403	24.8987			
	S	214.152	210.042	194.183	202.974	210.137	212.458	211.584	215.666	208.204			
56	Т	2.1475	4.1355	4.2757	2.1771	2.0974	4.0319	4.0404	2.1406	25.0461			
30	S	213.673	205.592	193.429	202.313	209.025	211.721	211.275	215.636	206.978			
57	Т	2.1497	4.1250	4.3130	2.1902	2.1016	4.0361	4.0420	2.1414	25.0990			
31	S	213.455	206.116	191.756	201.102	208.607	211.500	211.192	215.556	206.542			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 





Round 1

## Section Data for Car 1 - Newgarden, Josef

Race

**Report:** 

**Session:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1607	4.1210	4.2623	2.1718	2.0870	4.0192	4.0365	2.1432	25.0017			
36	S	212.368	206.316	194.037	202.806	210.067	212.390	211.479	215.375	207.346			
59	T	2.1482	4.1091	4.2942	2.1832	2.0937	4.0251	4.0348	2.1433	25.0316			
39	S	213.604	206.913	192.596	201.747	209.394	212.078	211.568	215.365	207.098			
60	T	2.1448	4.0856	4.2712	2.1787	2.0931	4.0280	4.0422	2.1400	24.9836			
- 60	S	213.942	208.103	193.633	202.164	209.454	211.926	211.181	215.697	207.496			
61	Т	2.1470	4.0772	4.2500	2.1711	2.0857	4.0176	4.0361	2.1404	24.9251			
61	S	213.723	208.532	194.599	202.872	210.198	212.474	211.500	215.656	207.983			
62	Т	2.1467	4.0763	4.2726	2.1822	2.0931	4.0290	4.0477	2.1445	24.9921			
02	S	213.753	208.578	193.570	201.840	209.454	211.873	210.894	215.244	207.426			
63	T	2.1503	4.1085	4.3011	2.1950	2.1022	4.0345	4.0376	2.1407	25.0699			
	S	213.395	206.943	192.287	200.663	208.548	211.584	211.422	215.626	206.782			
64	T	2.1451	4.1218	4.3059	2.1952	2.1033	4.0424	4.0436	2.1422	25.0995			
04	S	213.912	206.276	192.073	200.644	208.439	211.171	211.108	215.475	206.538			
65	Т	2.1432	4.1220	4.3300	2.2012	2.1061	4.0389	4.0404	2.1424	25.1242			
	S	214.102	206.266	191.004	200.097	208.162	211.354	211.275	215.455	206.335			
66	T	2.1472	4.0934	4.3454	2.2115	2.1144	4.0541	4.0489	2.1424	25.1573			
	S	213.703	207.707	190.327	199.166	207.344	210.561	210.832	215.455	206.063			
67	Т	2.1488	4.1976	4.3666	2.2159	2.1139	4.0528	4.0432	2.1445	25.2833			
	S	213.544	202.551	189.403	198.770	207.393	210.629	211.129	215.244	205.037			
68	T	2.1491	4.1392	4.3625	2.2166	2.1159			2.1472	25.2332			
	S	213.514	205.409	189.581	198.707	207.197	210.525	210.884	214.973	205.444			
69	T	2.1518	4.1950	4.4342	2.2411	2.1318	4.0759	4.0564	2.1481	25.4343			
	S	213.246	202.676	186.515	196.535	205.652	209.435	-	214.883	203.819			
70	Т	2.1523	4.2256	4.3814		2.1179	4.0597	4.0505	2.1476	25.3541			
	S	213.197	201.209	188.763	198.483	207.002	210.271	210.748	214.933	204.464			
71	T	2.1524		4.3458		2.1142	4.0525			25.2154			
	S	213.187	204.859	190.309	+	207.364	210.644	-	215.114	205.589			
72	T	2.1516		•		<del></del>		-					
L	S	213.266	203.896	189.048	1	206.816	210.343		215.234	205.021		<u> </u>	
73	Т	2.1525	4.2236	4.4075			4.0690		2.1465	25.4059			
	S	213.177	201.304	187.645	1	206.388	209.790	210.634	215.044	204.047			
74	Т	2.1506	4.1796	4.3745		•	4.0582	4.0533	2.1473	25.3039		ļ	
ļ , ,	S	213.365	203.423	189.061	198.314	206.855	210.349	210.603	214.963	204.870		ļ	
75	T	2.1553	4.2262	4.4069	1	2.1225	4.0638		2.1435	25.3969		ļ	
<u> </u>	S	212.900	201.180		1	206.553	210.059		215.344				
76	Т	2.1481	4.1684	4.4136	1	2.1220			2.1418				
	S	213.614	203.970	187.386	197.469	206.602	210.079	210.816	215.515	204.602			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

## Section Data for Car 1 - Newgarden, Josef

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	2.1438	4.2107	4.7545	2.5093	2.5204	5.7399	6.0208	3.0669	30.9663			
	S	214.042	201.921	173.950	175.529	173.944	148.720	141.781	150.507	167.408			
78	T	3.0694	5.9084	7.0214	4.3020	4.2018	8.9739	8.7823	4.7738	47.0330			
/*	S	149.496	143.901	117.789	102.384	104.338	95.124	97.200	96.693	110.220			
79	Т	4.7257	8.7431	9.0170	5.2910	5.1923	9.3104	8.6985	4.3865	55.3645			
/9	S	97.100	97.246	91.721	83.246	84.434	91.686	98.136	105.230	93.634			
80	Т	4.7263	8.3588	8.4998	4.9752	4.7625	10.4671			59.4161	25.9272		51.9848
- 80	S	97.087	101.716	97.302	88.530	92.054	81.554			87.249	34.752		90.839
81	Т				3.7403	3.6122	7.2926	7.0250	3.5037	63.0642		44.5683	
01	S				117.759	121.369	117.055	121.514	131.744	82.202		106.017	
82	Т	3.2190	6.2913	7.2720	3.2658	3.0884	6.7669	7.3869	4.6496	41.9399			
62	S	142.549	135.143	113.730	134.869	141.953	126.149	115.561	99.275	123.605			
83	T	4.9058	8.9054	8.4703	4.2022	4.2288	8.7672	8.9786	4.7779	53.2362			
65	S	93.535	95.473	97.641	104.815	103.672	97.367	95.075	96.610	97.377			
84	Т	4.7425	8.6743	8.9032	4.6074	4.5992	9.0628	8.8044	4.7455	54.1393			
04	S	96.756	98.017	92.893	95.597	95.323	94.191	96.956	97.269	95.753			
85	Т	4.7165	8.4959	8.6671	4.4379	4.3490	9.0025	8.5362	4.1840	52.3891			
65	S	97.289	100.075	95.424	99.248	100.807	94.822	100.002	110.323	98.952			
86	Т	4.1608	7.8634	8.2363	4.3391	4.3650	8.9138	7.9466	2.9546	48.7796			
	S	110.283	108.125	100.415	101.508	100.437	95.766		156.228	106.274			
87	Т	2.6512	4.4636	4.3436	2.1967	2.1119	4.0535	4.0382	2.1483	26.0070			
	S	173.078	190.480	190.406	200.507	207.590	210.592	211.390	214.863	199.331			
88	<u>T</u>	2.1587	4.1194	4.1328	2.1387	2.0677	4.0046	4.0258					
	S	212.565	206.396	200.117	205.945	212.027	213.164	212.041	215.556	209.124			
89	T	2.1538	4.1135	4.1735	2.1521	2.0791	4.0154	4.0299	2.1424	24.8597			
	S	213.048	206.692	198.166	204.663	210.865	212.591	211.826	215.455	208.530			
90	T	2.1566					4.0096						
	S	212.772	204.332	+	-	+	212.898	<del></del>	<del></del>	208.184			
91	T	2.1539			2.1938	•	4.0279			<del></del>			
	S	213.039	201.557		200.772	208.617	211.931	1		205.678			
92	T	2.1275	4.1298		2.1669		3.9898						
<u> </u>	S	215.682	205.876		203.265	•	213.955		217.989				
93	T	2.1175	4.0549		2.1475	+	4.0063		2.1274	•		ļ	
	S	216.701	209.679		205.101	211.925	213.074	212.760	216.974	209.689			
94	T	2.1388	4.1640		2.1684	2.0826	3.9986						
<u></u>	S	214.543	204.185		203.124		213.484						
95	T	2.1324	4.1249		2.1586		3.9889						
	S	215.186	206.121	195.755	204.046	211.231	214.003	213.623	216.954	208.790			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

## Section Data for Car 1 - Newgarden, Josef

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1376	4.1325	4.1558	2.1424	2.0609	3.9787	4.0156	2.1302	24.7537			
90	S	214.663	205.742	199.010	205.589	212.727	214.552	212.580	216.689	209.423			
97	T	2.1434	4.1311	4.2305	2.1653	2.0820	4.0062	4.0055	2.1286	24.8926			
97	S	214.082	205.811	195.496	203.415	210.571	213.079	213.116	216.852	208.255			
98	T	2.1373	4.1202	4.2657	2.1751	2.0857	4.0088	4.0132	2.1334	24.9394			
96	S	214.693	206.356	193.883	202.499	210.198	212.941	212.707	216.364	207.864			
99	Т	2.1405	4.1074	4.2673	2.1736	2.0873	4.0230	4.0204	2.1334	24.9529			
	S	214.372	206.999	193.810	202.638	210.036	212.189	212.326	216.364	207.751			
100	T	2.1424	4.1320	4.3182	2.1954	2.1036	4.0364	4.0274	2.1387	25.0941			
100	S	214.182	205.767	191.526	200.626	208.409	211.485	211.957	215.828	206.582			
101	T	2.1444	4.1714	4.2941	2.1886	2.0997	4.0333	4.0319	2.1411	25.1045			
101	S	213.982	203.823	192.600	201.249	208.796	211.647	211.721	215.586	206.497			
102	T	2.1453	4.1332	4.2826	2.1850		4.0306	4.0309	2.1436				
102	S	213.893	205.707	193.118	201.581	208.935	211.789	211.773	215.334	206.950			
103	T	2.1477	4.1234	4.2952	2.1878	2.0979	4.0330	4.0358	2.1415	25.0623			
103	S	213.654	206.196	192.551	201.323	208.975	211.663	211.516	215.546	206.845			
104	T	2.1481	4.1372	4.3160	2.1972	2.1047	4.0432	4.0391	2.1463	25.1318			
104	S	213.614	205.508	191.623	200.462	208.300	211.129	211.343	215.064	206.273			
105	T	2.1496	4.1398	4.3450	2.2072	2.1122	4.0515	4.0478	2.1477	25.2008			
103	S	213.465	205.379	190.344	199.554	207.560	210.696	210.889	214.923	205.708			
106	T	2.1534	4.0871	4.2580	2.1760	2.0907	4.0317	4.0453	2.1443	24.9865			
100	S	213.088	208.027	194.233	202.415	209.695	211.731	211.019	215.264	207.472			
107	LT	2.1527	4.1340	4.3078	2.1975	2.1069	4.0483	4.0519	2.1482	25.1473			
107	S	213.157	205.667	191.988	200.434	208.083	210.863	210.676	214.873	206.145		ļ	
108	T	2.1564	4.1649	4.3385	2.2094	2.1130	4.0626	4.0609	2.1557	25.2614			
100	S	212.792	204.141	190.629	199.355	207.482	210.121	210.209	214.126	205.214			
109	T	2.1618	4.1524		2.1989								
	S	212.260	204.756	<del></del>		208.073	210.821		214.843	205.852			
110	工	2.1547	4.1818	<del></del>	<del>•</del>	·		·	2.1507	25.2481		ļ	
	S	212.959	203.316			207.600	210.380	210.712	214.624			ļ	
111	T	2.1547	4.1871		2.1997	2.1067	4.0458			25.2140			
	S	212.959	203.059		1		210.993		214.723	205.600			
112	T	2.1586	4.2452		2.2492	<del></del>	4.0843		2.1531	25.5342			
	S	212.575	200.280	186.343	195.827	205.228	209.004	209.775	214.384	203.022		ļ	
113	L	2.1581	4.2590			1	4.0855		2.1540			ļ	
	S	212.624	199.631		195.584		208.943						
114	T	2.1643	4.2065	1		2.1297	4.0791						
	S	212.015	202.122	188.097	196.974	205.855	209.271	209.646	214.076	203.769			

Round 1

Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020

## Section Data for Car 1 - Newgarden, Josef

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1649	4.2657	4.4743	2.2573	2.1437	4.1023	4.0715	2.1559	25.6356			
113	S	211.956	199.317	184.844	195.125	204.510	208.087	209.661	214.106	202.219			
116	Т	2.1630	4.2910	4.4037	2.2266	2.1246	4.0756	4.0583	2.1511	25.4939			
110	S	212.142	198.142	187.807	197.815	206.349	209.450	210.343	214.584	203.343			
117	Т	2.1540	4.2392	4.3814	2.2328	2.1306	4.0824	4.0847	2.1556	25.4607			
	S	213.029	200.563	188.763	197.266	205.768	209.102	208.984	214.136	203.608			
118	Т	2.1642	4.3699	4.4792	2.2586	2.2023	4.3902	4.2432	2.1971	26.3047			
110	S	212.025	194.564	184.641	195.012	199.069	194.441	201.177	210.091	197.075			
119	Т	2.1949	4.4632	4.5730	2.2800	2.1638	4.4067	4.2047	2.1707	26.4570			
119	S	209.059	190.497	180.854	193.182	202.611	193.713	203.020	212.646	195.941			
120	Т	2.1716	4.4545	4.6620	2.3191	2.4005	6.3602			38.0378	25.8632		30.5971
120	S	211.302	190.869	177.401	189.925	182.632	134.215			136.285	34.838		154.337
121	T				3.1627	2.6847	4.6677	4.3323	2.2407	53.9907		35.5682	
121	S				139.265	163.299	182.882	197.040	206.003	96.017		132.843	
122	Т	2.2275	4.1167	4.1482	2.1457	2.0791	4.0308	4.0313	2.1263	24.9056			
122	S	205.999	206.531	199.375	205.273	210.865	211.778	211.752	217.086	208.146			
123	Т	2.1251	4.1413	4.2756	2.1684	2.0714	4.0650	4.0688	2.1369	25.0525			
123	S	215.926	205.304	193.434	203.124	211.649	209.997	209.801	216.010	206.925			
124	Т	2.1473	4.2432	4.3190	2.1784	2.0759	4.0760	4.0722	2.1303	25.2423			
127	S	213.693	200.374	191.490	202.192	211.190	209.430	209.625	216.679	205.370			
125	Т	2.1328	4.2043	4.3118	2.1737	2.0719	4.0166	4.0796	2.1342	25.1249			
123	S	215.146	202.228	191.810	202.629	211.598	212.527	209.245	216.283	206.329			
126	T	2.1222	4.0469	4.3320	2.1745	2.0674	4.0552	4.0318	2.1254	24.9554			
120	S	216.221	210.093	190.915	202.554	212.058	210.504	211.726	217.178	207.731			
127	Т	2.1261	4.1711	4.3372	2.1804	2.1286	4.2997	4.0949	2.1250	25.4630			
127	S	215.824	203.838	190.686	202.006	205.961	198.534	208.463	217.219	203.590			
128	T	2.1157	4.3617	4.5406	2.2288	2.1063	4.0326	4.0226	2.1131	25.5214			
120	S	216.885	194.930	182.145	197.620	208.142	211.684	212.210	218.443	203.124			
129	Т	2.1214	4.2034	4.3686	2.1996	2.0850	4.0347	4.0238	2.1195	25.1560			
123	S	216.302	202.271	189.316	200.243	210.268	211.574	212.147	217.783	206.074			
130	Т	2.1129	4.0774	4.4244	2.2085	2.0953	4.0108	3.9993	2.1102	25.0388			
130	S	217.172	208.522	186.928	199.436	209.235	212.834	213.446	218.743	207.039			
131	Т	2.1476	4.3163		+	2.0696	4.0435	4.0358	-	•			
	S	213.663	196.981	191.233	202.405	211.833	211.113	211.516	217.845	205.449			
132	T	2.1240	4.2901	4.3757	1	•	4.1208	4.1051	2.1402	25.4246			
	S	216.037	198.184	189.009		210.987	207.153	207.945	215.677				
133	Т	2.1435	4.2961	4.3979	2.2040	2.0881	4.0648	4.0332	2.1193	25.3469			
133	S	214.072	197.907	188.055	199.843	209.956	210.007	211.652	217.803	204.522			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020 MOYCAR

Round 1



## Section Data for Car 1 - Newgarden, Josef

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1130	4.2351	4.4004	2.1995	2.0877	4.0989	4.0791	2.1395	25.3532			
134	S	217.162	200.757	187.948	200.252	209.996	208.260	209.271	215.747	204.471			
135	Т	2.1420	4.2633	4.3971	2.2074	2.0947	4.0866	4.0577	2.1268	25.3756			
135	S	214.222	199.429	188.089	199.535	209.294	208.887	210.374	217.035	204.291			
136	Т	2.1243	4.2701	4.4090	2.2089	2.0932	4.0763	4.0417	2.1237	25.3472			
130	S	216.007	199.112	187.581	199.400	209.444	209.415	211.207	217.352	204.520			
137	Т	2.1340	4.2840	4.4367	2.2202	2.1040	4.0778	4.0486	2.1364	25.4417			
137	S	215.025	198.466	186.410	198.385	208.369	209.337	210.847	216.060	203.760			
138	T	2.1393	4.2527	4.3627	2.1986	2.0911	4.0811	4.0566	2.1311	25.3132			
138	S	214.492	199.926	189.572	200.334	209.655	209.168	210.431	216.597	204.794			
139	Т	2.1443	4.2284	4.4371	2.2141	2.0959	4.0621	4.0548	2.1318	25.3685			
139	S	213.992	201.075	186.393	198.932	209.175	210.147	210.525	216.526	204.348			
140	T	2.1258	4.1814	4.4558	2.2288	2.1107	4.0800	4.0752	2.1395	25.3972			
140	S	215.855	203.336	185.611	197.620	207.708	209.225	209.471	215.747	204.117			
141	Т	2.1314	4.2202	4.4243	2.2207	2.1091	4.0553	4.0353	2.1267	25.3230			
141	S	215.287	201.466	186.932	198.340	207.865	210.499	211.542	217.046	204.715			
142	Т	2.1293	4.2034	4.4027	2.2121	2.1007	4.0664	4.0554	2.1346	25.3046			
142	S	215.500	202.271	187.850	199.111	208.697	209.924	210.494	216.242	204.864			
143	Т	2.1229	4.1742	4.4154	2.2136	2.1003	4.0660	4.0684	2.1373	25.2981			
143	S	216.149	203.686	187.309	198.977	208.736	209.945	209.821	215.969	204.917			
144	Т	2.1299	4.1825	4.4852	2.2250	2.1128	4.0499	4.0409	2.1211	25.3473			
144	S	215.439	203.282	184.394	197.957	207.501	210.780	211.249	217.619	204.519			
145	Т	2.1227	4.2450	4.4536	2.2283	2.1128	4.0865	4.0784	2.1439	25.4712			
145	S	216.170	200.289	185.703	197.664	207.501	208.892	209.307	215.304	203.524			
146	Т	2.1418	4.2271	4.4512	2.2347	2.1172	4.0271	4.0080	2.1211	25.3282			
140	S	214.242	201.137	185.803	197.098	207.070	211.973	212.983	217.619	204.673			
147	Т	2.1248	4.2302	4.4595	2.2414	2.1221	4.0428	4.0124	2.1232	25.3564			
14/	S	215.956	200.990	185.457	196.509	206.592	211.150	212.750	217.403	204.445			
148	┰	2.1301	4.2257	4.4282	2.2285	2.1143	4.0283	4.0100	2.1237	25.2888			
140	S	215.419	201.204	186.768	197.646	207.354	211.910	212.877	217.352	204.992			
149	T	2.1270	4.2472	4.4117	2.2220	2.1118	4.0290	4.0190	2.1234	25.2911			
149	S	215.733	200.185	187.466	198.224	207.600	211.873	212.400	217.383	204.973			
150	T	2.1255	4.2466	4.4823	2.2522	2.1308	4.0582	4.0207	2.1209	25.4372			
130	S	215.885	200.214	184.514	195.566	205.749	210.349	212.310	217.639	203.796			
151	Т	2.1217	4.2069	4.4413	2.2357	2.1173	4.0326	4.0086	2.1232	25.2873			
131	S	216.272	202.103	186.217	197.010	207.060	211.684	212.951	217.403	205.004			
152	T	2.1246	4.2358	4.5125	2.2693	2.4528	6.5309			37.6265	24.4932		30.2122
152	S	215.976	200.724	183.279	194.093	178.738	130.707			137.775	36.787		156.304


> 1.5 mile(s) **Texas Motor Speedway**

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
4=0	Т				3.1654	2.6585	4.6187	4.2837	2.2093	52.5824		35.5035	
153	S				139.147	164.908	184.822	199.275		98.588		133.085	
454	Т	2.1838	4.0854	4.2321	2.1515	2.0652	3.9958	3.9992	2.1198	24.8328			
154	S	210.122	208.114	195.422	204.720	212.284	213.633	213.452	217.752	208.756			
400	Т	2.1247	3.9886	4.1450	2.1276	2.0481	3.9733	3.9961	2.1147	24.5181			
155	S	215.966	213.164	199.528	207.019	214.056	214.843	213.617	218.277	211.436			
156	Т	2.1206	4.0472	4.2230	2.1465	2.0857	4.0215	3.9681	2.0981	24.7107			
156	S	216.384	210.078	195.843	205.197	210.198	212.268	215.125	220.004	209.788			
157	Т	2.1370	3.9811	4.1611	2.1536	2.0812	4.0197	4.0466	2.1498	24.7301			
15/	S	214.723	213.566	198.756	204.520	210.652	212.363	210.952	214.713	209.623			
150	Т	2.1512	4.0550	4.2332	2.1697	2.0879	4.0263	4.0323	2.1444	24.9000			
158	S	213.306	209.674	195.371	203.003	209.976	212.015	211.700	215.254	208.193			
150	Т	2.1508	4.0269	4.2269	2.1705	2.0919	4.0189	4.0376	2.1472	24.8707			
159	S	213.346	211.137	195.662	202.928	209.575	212.405	211.422	214.973	208.438			
160	Т	2.1525	4.0625	4.1817	2.1531	2.0756	4.0066	4.0191	2.1389	24.7900			
100	S	213.177	209.287	197.777	204.568	211.220	213.058	212.395	215.808	209.117			
161	Т	2.1453	4.0641	4.2373	2.1724	2.0872	4.0218	4.0311	2.1436	24.9028			
101	S	213.893	209.204	195.182	202.750	210.047	212.252	211.763	215.334	208.169			
162	Т	2.1503	4.1233	4.2849	2.1870	2.0978	4.0382	4.0364	2.1456	25.0635			
102	S	213.395	206.201	193.014	201.397	208.985	211.390	211.485	215.134	206.835			
163	Т	2.1505	4.0709	4.2266	2.1685	2.0862	4.0237	4.0305	2.1417	24.8986			
103	S	213.375	208.855	195.676	203.115	210.147	212.152	211.794	215.525	208.204			
164	T	2.1506	4.1200	4.2705	2.1808	2.0957	4.0333	4.0389	2.1468	25.0366			
104	S	213.365	206.366	193.665	201.969	209.195	211.647	211.354	215.013	207.057			
165	T	2.1521	4.0984	4.2440	2.1762	2.0906	4.0291	4.0372	2.1455	24.9731			
105	S	213.217	207.453	194.874	202.396	209.705	211.868	211.443	215.144	207.583			
166	Т	2.1526	4.0726	4.2269	2.1685	2.0874	4.0331	4.0456	2.1503	24.9370			
100	S	213.167	208.768	195.662	203.115	210.026	211.658	211.004	214.663	207.884			
167	٦	2.1577	4.0655	4.2235	2.1695	2.0864	4.0214	4.0402	2.1441	24.9083			
107	S	212.663	209.132	195.820	203.021	210.127	212.273	211.286	215.284	208.123			
168	Т	2.1520	4.0808	4.2859	2.1870	2.0986	4.0464	4.0456	2.1464	25.0427			
100	S	213.227	208.348	192.969	201.397	208.906	210.962	211.004	215.054	207.006			
169	Т	2.1553	4.1022	4.2235	2.1672	2.0857	4.0270	4.0407	2.1474	24.9490			
109	S	212.900	207.261	195.820	203.237	210.198	211.978	211.260	214.953	207.784			
170	Т	2.1540	4.1134	4.2666	2.1817	2.0945	4.0319	4.0433	2.1462	25.0316			
1/0	S	213.029	206.697	193.842	201.886	209.314	211.721	211.124	215.074	207.098			
171	Т	2.1554	4.1284	4.2609	2.1797	2.0932	4.0399	4.0486	2.1475	25.0536			
1/1	S	212.890	205.946	194.101	202.071	209.444	211.301	210.847	214.943	206.916			

Track: Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020

# Section Data for Car 1 - Newgarden, Josef


Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1542	4.1443	4.3106	2.1983	2.1056	4.0537	4.0527	2.1502	25.1696			
1/2	S	213.009	205.156	191.863	200.361	208.211	210.582	210.634	214.673	205.963			
173	Т	2.1556	4.1443	4.2544	2.1774	2.0918	4.0672	4.1027	2.1527	25.1461			
1/3	S	212.870	205.156	194.398	202.285	209.585	209.883	208.067	214.424	206.155			
174	T	2.1609	4.2730	4.3770	2.2066	2.1031	4.0291	4.0353	2.1304	25.3154			
1/4	S	212.348	198.977	188.953	199.608	208.459	211.868	211.542	216.669	204.777			
175	Т	2.1367	4.2482	4.3436	2.1979	2.0964	4.0336	4.0508	2.1363	25.2435			
1/5	S	214.753	200.138	190.406	200.398	209.125	211.631	210.733	216.070	205.360			
176	T	2.1468	4.2558	4.4122	2.2273	2.1189	4.0589	4.0424	2.1420	25.4043			
170	S	213.743	199.781	187.445	197.753	206.904	210.312	211.171	215.495	204.060			
177	Т	2.1401	4.2871	4.4465	2.2440	2.1303	4.0736	4.0696	2.1520	25.5432			
1//	S	214.412	198.322	185.999	196.281	205.797	209.553	209.759	214.494	202.950			
178	Т	2.1529	4.2673		2.2328	2.1252	4.0719	4.0532	2.1471	25.4688			
1/8	S	213.137	199.242	187.182	197.266	206.291	209.641	210.608	214.983	203.543			
179	Т	2.1598	4.3447	4.3908	2.2306	2.1223	4.0703	4.0518	2.1437	25.5140			
1/9	S	212.457	195.693	188.359	197.460	206.573	209.723	210.681	215.324	203.183			
180	Т	2.1522	4.2381	4.4119	2.2368	2.1303	4.0765	4.0605	2.1505	25.4568			
100	S	213.207	200.615	187.458	196.913	205.797	209.404	210.229	214.644	203.639			
181	Т	2.1538	4.2399	4.5199	2.2786	2.3952	6.3248			37.5355	24.6912		30.1147
101	S	213.048	200.530	182.979	193.301	183.037	134.967			138.109	36.492		156.810
182	T				3.1531	2.6642	4.6169	4.2702	2.1994	52.6872		35.4168	
102	S				139.689	164.556	184.894	199.905	209.871	98.392		133.411	
183	T	2.1831	4.0190	4.1276	2.1154	2.0310	3.9951	4.0157	2.1159	24.6028			
103	S	210.189	211.552	200.370	208.213	215.859	213.671	212.575	218.153	210.708			
184	T	2.1183	4.0040	4.2008	2.1360	2.0386	4.0498	4.0536	2.1289	24.7300			
	S	216.619	212.344	196.878	206.205	215.054	210.785	210.587	216.821	209.624			
185	T	2.1296	4.1678		2.1879	2.1289	4.1098	4.0245	2.1212	25.1923			
105	S	215.469	203.999	191.331	201.314	205.932	207.708	212.110	217.608	205.777			
186	T	2.1434	4.2618	<del>•</del>	+		4.2934	4.0865	2.1293	25.5458	•		
	S	214.082	199.500	190.585	200.956	208.756	198.825	208.892	216.781	202.930			
187	T	2.1427	4.2549				4.0790		2.1254	25.2839			
10,	S	214.152	199.823	+	-	211.302	209.276	208.382	217.178	205.032			
188	T	2.2118	4.4726	+	+	-	4.0214	3.9914	2.1181	25.4994			
	S	207.462	190.097	189.030		208.181	212.273	213.869	217.927	203.299			
189	T	2.1184	4.1802		2.1677	2.0731	4.0094	4.0647	2.1316	25.0342			
	S	216.609	203.394				212.909	210.012	216.547	207.077			
190	T	2.1726	4.3747		2.2018				2.2300	25.4983			
150	S	211.205	194.351	189.598	200.043	207.698	211.579	212.787	206.991	203.308			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR



Lap	T/S <sup>S</sup>	F to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	2.4651	5.586	6.9560	3.5936	3.5581	6.5694	5.9408	3.4129	38.0825	i		
191	S	186.144	152.190	118.897	122.566	123.214	129.941	143.690	135.249	136.126			
192	T	3.5628	6.5018	6.4877	3.6571	3.6418	7.2004	7.2372	4.0939	42.3827	1		
192	S	128.793	130.76	127.479	120.438	120.383	118.554	117.951	112.751	122.314			
193	Т	4.8309	8.932	10.6099	6.0562	5.1800	8.8437	8.7198	4.9517	58.1245			
193	S	94.985	95.18	77.950	72.728	84.635	96.525	97.896	93.219	89.188			
194	Т	5.1432	9.8570	10.9158	6.5213	6.2217	10.9434	9.3411	5.2500	64.1935	i		
194	S	89.218	86.25	75.766	67.541	70.465	78.005	91.385	87.922	80.756			
195	Т	5.8232	10.1589	12.4762	5.3519	5.6148	13.1439	11.5040	5.9792	70.0521			
193	S	78.799	83.693	66.290	82.299	78.081	64.945	74.203	77.199	74.002	!		
196	Т	7.0128	11.983	11.6237	5.4793	5.8846	9.3202	7.5952	4.0123	62.9113	l e		
190	S	65.432	70.95	71.152	80.385	74.501	91.590	112.392	115.044	82.402	L.		
197	T	4.2722	8.685	9.1858	4.3825	4.2147	8.3806	5.6965	2.5277	47.3456	•		
197	S	107.407	97.889	90.035	100.503	104.019	101.859	149.853	182.613	109.493	l e		
198	T	2.3948	4.361	4.7111	2.3267	2.1719	4.2119	4.1280	2.1405	26.4463			
196	S	191.608	194.94	175.553	189.304	201.855	202.673	206.792	215.646	196.020			
199	T	2.1884	4.399	4.3657	2.1697	2.0576	4.1011	4.0584	2.1176	25.4584			
199	S	209.680	193.23	189.442	203.003	213.068	208.148	210.338	217.978	203.626			
200	I	2.1635	4.378	3 4.2944	2.1573	2.0522	4.0465	4.6338	2.5202	26.2462			
	S	212.093	194.19°	1 192.587	204.169	213.629	210.957	184.220	183.156	197.514			
201	Т	2.7677	6.2592	8.3496	5.4782	5.7352							
	S	165.792	135.83	99.052	80.401	76.442							

Track: Texas Motor Speedway 1.5 mile(s)




Session: Race June 6, 2020

## Section Data for Car 10 - Rosenqvist, Felix

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.7692	4.9543	4.5139	2.2439	2.1653	4.3277	4.1041	2.1326	27.2110		56.2436	
	S	165.703	171.614	183.222	196.290	202.470	197.249	207.996	216.445	190.511		84.010	
2	Т	2.1267	4.1487	4.3766	2.1873	2.0663	4.0646	3.9952	2.0890	25.0544			
	S	215.763	204.938	188.970	201.369	212.171	210.017	213.665	220.963	206.910			
3	Т	2.1012	4.1849	4.1903	2.1206	2.0224	3.9989	3.9587	2.0811	24.6581			
	S	218.382	203.165	197.371	207.703	216.777	213.468	215.636	221.801	210.235			
4	Т	2.1146	4.2016	4.1953	2.1243	2.0260	3.9722	3.9219	2.0653	24.6212			
	S	216.998	202.358	197.136	207.341	216.391	214.903	217.659	223.498	210.550			
5	T	2.1368	4.2509	4.2446	2.1414	2.0453	4.0416		2.0888	24.9235			
	S	214.743	200.011	194.847	205.685	214.350	211.212	214.800	220.984	207.996			
6	T	2.0988	4.1351	4.2580	2.1528	2.0480	3.9897	3.9790	2.0908	24.7522			
	S	218.631	205.612	194.233	204.596	214.067	213.960	214.535	220.772	209.436			
7	T	2.1016	-	4.2804	2.1646	2.0579	3.9848	+	2.0841	24.8465			
	S	218.340	201.969	193.217	203.481	213.037	214.223	215.380	221.482	208.641	ļ		
8	T	2.1020	4.1641	4.4272	2.2319	2.1052	4.0034	3.9468	2.0860	25.0666			
	S	218.299	204.180	186.810	197.345	208.251	213.228	216.286	221.280	206.809			
9	T	2.1071	4.2234	4.2980	2.1754	2.0664	4.0126	3.9855	2.1058	24.9742			
	S	217.770	201.313	192.426	202.471	212.161	212.739	214.186	219.200	207.574			
10	T	2.1032	4.1819	4.2833	2.1737	2.0722	4.0327			24.9644			
	S	218.174	203.311	193.086	202.629	211.567	211.679	213.058	218.681	207.656			
11	T	2.1090	4.1244	4.2262	2.1529	2.0497	4.0179	4.0063	2.1024	24.7888			
	S	217.574	206.146		204.587	213.889	212.458		219.554	209.127			
12	T	2.1122	4.2349	+	2.2630	2.1281	4.0547	+	-	25.4547			
	S	217.244	200.767	182.245	194.633	206.010	210.530		218.277	203.656	ļ		
13	T	2.1208				2.0935	4.0153		2.1137	25.1599			
	S	216.363		-			212.596	1	218.381	206.042			
14	T	2.1290			2.1876	2.0798	4.0592		2.1176	25.1599			
L	S	215.530	+	+	-	210.794	210.297		217.978	206.042			
15	T	2.1272	4.2939		2.2385	2.0998	4.2290		2.1507	25.7912	ļ		
	S	215.713	198.008		196.763	208.786	201.853		214.624	200.999			
16	Т	2.1330			2.2035	2.0835	4.0549		2.1236	25.2821			
<u> </u>	S	215.126		189.290	199.889	210.420	210.520	1	217.362	205.046			
17	T	2.1188		4.4067	2.2181	2.0961	4.0444		2.1207	25.2270			
<u> </u>	S	216.568	202.913	187.679	198.573	209.155	211.066		217.660	205.494	ļ		
18	T	2.1139			2.2069	2.0882	4.0949	1	2.1508	25.3245			
<u> </u>	S	217.070			199.581	209.946	208.463	1		204.703			
19	T	2.1408			2.1822	2.0750	4.0338			25.1039			
	S	214.342	201.461	192.636	201.840	211.281	211.621	211.668	217.158	206.502			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series





Race

**Report:** 

**Session:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1248	4.2198	4.2904	2.1858	2.0757	4.0574	4.0517	2.1293	25.1349			
20	S	215.956	201.485	192.767	201.507	211.210	210.390	210.686	216.781	206.247			
21	Т	2.1264	4.2315	4.3003	2.1775	2.0667	4.0762	4.0793	2.1308	25.1887			
	S	215.794	200.928	192.323	202.275	212.130	209.420	209.261	216.628	205.807			
22	T	2.1279	4.2575	4.3683	2.2089	2.0905	4.1280	4.1362	2.1647	25.4820			
	S	215.642	199.701	189.329	199.400	209.715	206.792	206.382	213.236	203.438			
23	Т	2.1491	4.2443	4.3034	2.1812	2.0742	4.0837	4.0828	2.1461	25.2648			
	S	213.514	200.322	192.184	201.932	211.363	209.035	209.081	215.084	205.187			
24	LT.	2.1371	4.2251	4.3047	2.1808	2.0719	4.0888	4.1019	2.1488	25.2591			
	S	214.713	201.232	192.126	201.969	211.598	208.774	208.108	214.813	205.233			
25	T	2.1436	4.2321	4.3044	2.1801	2.0702	4.0888	4.0481	2.1193	25.1866			
	S	214.062	200.900	192.140	202.034	211.771	208.774	210.873	217.803	205.824			
26	<u>T</u>	2.1170	4.2156	+	2.1798	2.0634	4.0928	-	2.1253	+			
	S	216.752	201.686	191.087	202.062	212.469	208.570	209.888	217.189	205.803			
27	T	2.1205	4.2490	4.5103	2.2402	2.1027	4.1229	4.0507	2.1149	25.5112			
	S	216.394	200.101	183.368	196.614	208.498	207.048	210.738	218.257	203.205			
28	T	2.1373	4.3058	4.4318	2.2198	2.0906	4.1862	4.1379	2.1525	25.6619			
	S	214.693	197.461	186.616	198.421	209.705	203.917	206.297	214.444	202.012			
29	<u> </u>	2.1475	4.3274	4.5248	2.2402	2.1006	4.1905	4.1489	2.1622	25.8421			
	S	213.673	196.475	182.781	196.614	208.707	203.708	205.750	213.482	200.603			
30	T	2.1722	4.4243	4.4164	2.2144	2.0886	4.1318	4.1030	2.1389	25.6896			
	S	211.244	192.172	187.267	198.905	209.906	206.602	208.052	215.808	201.794			
31	T	2.1352	4.3257	4.4239		2.0838	4.1154		+	25.5509			
J.	S	214.904	196.553	•	•	•	207.425		215.324	202.889	ļ		
32	<u> </u>	2.1544	4.3550		2.2413	2.1049	4.1702		2.1195	25.7023			
	S	212.989	195.230			208.280	204.699		217.783	201.694			
33	T	2.1366	4.3491	4.5755		2.1298	4.1656			25.9301			
	S	214.763	195.495	+		205.845	204.925	-	213.660	199.922			
34	LT.	2.1603	4.3683	•	•	2.1062	4.1033		2.1239				
<u> </u>	S	212.407	194.636		196.421	208.152	208.037		217.332	201.920			
35	T	2.1634	4.3150		2.2800	2.4111	6.3957			38.0519			30.6886
	S	212.103	197.040	181.565	193.182	181.829	133.470			136.235	33.404		153.877
36	T				3.1795	2.6651	4.6461	4.3171	2.2251	54.6782		35.0681	
	S				138.530	164.500	183.732	197.734	207.447	94.809		134.738	
37	T	2.2133	4.2404			2.0553	3.9625		2.1097	24.8446			
<u> </u>	S	207.321	200.506			213.307	215.429			208.657			
38	T	2.2031	4.7497	5.9451	3.2810	3.3678	6.0756		3.1469	34.8986			
	S	208.281	179.007	139.114	134.244	130.177	140.502	139.269	146.681	148.545			

**Genesys 300 Event:** 

1.5 mile(s) Track: **Texas Motor Speedway** 

**Section Data Report NTT IndyCar Series** Report: **Session:** Race

June 6, 2020 MDYCAR

Round 1

TAG

## Section Data for Car 10 - Rosenqvist, Felix

Lap				SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	3.4373	5.8057	6.3217	4.7088	5.5389	10.3229	10.1000	5.1433	51.3786			1
39	S	133.495			_		82.693						1
	Т	5.3117	8.4984	9.5844	5.1539	5.0249	10.0784	9.2530	4.7514	57.6561			
40	S	86.387	<del></del>				84.700	<del></del>	97.148	89.912			
44	Т	4.7401	8.155 <i>6</i>	8.7329	4.8582	5.0926	11.2601	9.8167	4.3888	57.0450			
41	S	96.805	104.251	94.705	90.662	86.087	75.811	86.958	105.175	90.876			
42	Т	4.3734	8.8080	9.7191	4.7928	4.5068	10.0638	9.2983	4.8967	56.4589			
42	S	104.921	96.529	85.095	91.899	97.277	84.822	91.806	94.266	91.819			
43	Т	4.6809	9.4191	9.1039	4.6519	4.9613	10.0922	9.4109	4.9020	57.2222			
43	S	98.029	90.266	90.845	94.683	88.366	84.584	90.707	94.164	90.594			
44	T	5.0185	9.3970	9.9902	5.1625	5.5302	10.7986	10.1583	4.6949	60.7502			
44	S	91.434	90.479	82.786	85.318	79.275	79.051	84.033	98.318	85.333			
45	Т	4.8847	9.1855	9.5536	4.7737	4.7829	9.8078	10.9236	4.9283	58.8401			
45	S	93.939	92.562	86.569	92.267	91.662	87.036	78.146	93.661	88.103			
46	T	5.4545	7.9788	9.2456	4.7100	4.6479	8.5950	5.6842	2.5747	48.8907			
40	S	84.126	-	89.453	93.515	94.324	99.318		179.279	106.032			
47	T	2.4617					4.3515	4.1743	2.1593	26.6895			
	S	186.401		184.939	197.010	207.806	196.171		213.769	194.234			
48	<u> </u>	2.1632	4.4644	4.4358	2.1915	2.1063	4.2274	4.1177	2.1610	25.8673			
10	S	212.123	190.446	186.448	200.983	208.142	201.929	207.309	213.601	200.407			
49	T	2.1500	4.1466				3.9384	3.9404	2.1012	24.5856			
	S	213.425		+	-		216.747	-	219.680	210.855			
50	<u>T</u>	2.1048			+		3.9522		2.0937	24.3983			
	S	218.008	<del>•</del>	+	<del>•</del>	<del>•</del>	215.990	<del>•</del>	220.467	212.474			
51	<u> </u>	2.0954	•	1	1	1		1	2.0997	24.4671			
	S	218.986	1							211.876			
52	T	2.1059				2.0538	3.9419			24.5883			
L	S	217.894				213.462	216.555			210.832			<b>_</b>
53	I	2.1024	+	+	<del>•</del>	2.0632	3.9758	<del>•</del>	<del>•</del>	24.7798		ļ	<b>.</b>
<u> </u>	S	218.257			+	1	214.708		1	209.203			4
54	I	2.1063					3.9742	-	2.1016	24.7121			4
	S	217.853	-				214.795			209.776			4
55	I	2.1003	<del></del>	+	<del>•                                      </del>	<del></del>	4.0607	+	<del></del>	25.0496			4
	S	218.475	<del>•</del>	+	<del>•</del>	<del>•</del>	210.219	<del>•</del>	<del>•</del>	206.949		+	-
56	I	2.1098	1	1						25.1169		4	-
-	S	217.492					211.973			206.395		-	-
57	T	2.1077					4.0158			25.0394			+
1	S	217.708	202.884	191.123	200.772	210.359	212.569	212.994	218.536	207.034		1	

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report** 

**Session:** June 6, 2020 MDYCAR Race

## Section Data for Car 10 - Rosenqvist, Felix

Lap	T/S	SF to T1		SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.1064	4.2004	4.3516	2.1909	2.0788	4.0191	4.0145	2.1203	25.0820			
58	S	217.843	202.416	190.055	201.038	210.895	212.395	212.638	217.701	206.682			
	Т	2.1306	4.2525	4.3390	2.2008	2.0899	4.0153	4.0023	2.1119	25.1423			
59	S	215.368	199.936	190.607	200.134	209.775	212.596	213.286	218.567	206.186			
	Т	2.1067	4.1479	4.3870	2.2229	2.1061	4.0208	4.0018	2.1147	25.1079			
60	S	217.812	204.978	188.522	198.144	208.162	212.305	213.313	218.277	206.469			
	Т	2.1088	4.1846	4.3287	2.1925		4.0399	4.0285	2.1171	25.0839			
61	S	217.595	203.180	191.061	200.891	210.389	211.301	211.899	218.030	206.666			
62	Т	2.1146	4.2444	4.4068	2.2110	2.0908	4.0587	4.0526	2.1235	25.3024			
62	S	216.998	200.317	187.675	199.211	209.685	210.323	210.639	217.373	204.882			
63	Т	2.1223	4.2561	4.4247	2.2303	2.1058	4.0894	4.0779	2.1386	25.4451			
<del>03</del>	S	216.211	199.767	186.916	197.487	208.191	208.744	209.332	215.838	203.733			
64	Т	2.1333	4.2827	4.3594	2.2028	2.0903	4.0659	4.0549	2.1224	25.3117			
04	S	215.096	198.526	189.715	199.952	209.735	209.950	210.520	217.485	204.806			
65	Т	2.1218	4.3287	4.5220	2.2533	2.1210	4.1302	4.0965	2.1447	25.7182			
05	S	216.261	196.416	182.894	195.471	206.699	206.682	208.382	215.224	201.569			
66	Т	2.1666	4.4239	4.4538	2.2392	2.1165	4.0721	4.0515	2.1276	25.6512			
00	S	211.790	192.190	185.694	196.702	207.139	209.631	210.696	216.954	202.096			
67	Т	2.1329	4.2908	4.3974	2.2195	2.1000	4.0150	4.0267	2.1144	25.2967			
67	S	215.136	198.151	188.076	198.448	208.766	212.612	211.994	218.308	204.928			
68	Т	2.1392	4.3627	4.3819	2.2163	2.0938	4.1390	4.1406	2.1627	25.6362			
00	S	214.502	194.886	188.741	198.734	209.384	206.242	206.162	213.433	202.214			
69	T	2.1660	4.3841	4.4102	2.2261	2.1644	4.1373	4.0533	2.1177	25.6591			
09	S	211.848	193.934	187.530	197.859	202.555	206.327	210.603	217.968	202.034			
70	T	2.1534	4.3949	4.4649	2.2765	2.1948	4.1208	4.0317	2.1189	25.7559			
	S	213.088	193.458	185.233	193.479	199.749	207.153	211.731	217.845	201.274			
71	T	2.1389	4.3019	4.4042	2.2290		4.0667		2.1211	25.4054			
	S	214.533	197.640	187.786	197.602	208.310	209.909	211.348	217.619	204.051			
72	T	2.1759	4.4160	4.4153	2.2269	<del>•                                      </del>	4.0756	+	2.1368		ļ		<u> </u>
	S	210.885	192.533	187.314	197.788	207.915	209.450	210.105	216.020	202.358			
73	Т	2.1426	4.2783	4.4170	2.2274	2.1016	4.0924		2.1172	25.4216			
	S	214.162	198.730	187.241	197.744	208.607	208.591	211.030	218.020	203.921		1	
74	<u>T</u>	2.1634	4.4292	4.4610	2.2388	2.1299	4.2433	4.1375	2.2013	26.0044			
	S	212.103	191.960	185.395	196.737	205.836	201.173	+	209.690	199.351	ļ		ļ
75	T	2.2349	4.6337	4.5479	2.2885	2.1705	4.1529		2.1911	26.3540			
	S	205.317	183.488	181.852	192.464	201.985	205.552		210.666	196.706			
76	<u>T</u>	2.1866	4.2282	4.2279	2.1734	2.0907	4.0367	4.0339	2.1469	25.1243			
	S	209.853	201.085	195.616	202.657	209.695	211.469	211.616	215.003	206.334			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report** 

**Session:** June 6, 2020 MDYCAR Race

## Section Data for Car 10 - Rosenqvist, Felix

Lap	T/S	SF to T1		SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.1742	4.3879	4.5320	2.3186	2.2383	4.6969	4.5701	2.5540	27.4720			
77	S	211.049	193.766	182.490	189.966		181.745	186.787	180.733	188.701			
70	Т	2.8440	5.0760	5.9527	4.2758	4.0410	8.8292	8.8340	4.7351	44.5878			
78	S	161.344	167.499	138.936	103.011	108.490	96.683	96.631	97.483	116.265			
79	Т	4.8377	8.7302	8.9859	5.2256	5.2555	9.3338	8.7044	4.3317	55.4048			
/9	S	94.852	97.389	92.038	84.288	83.419	91.456	98.070	106.561	93.566			
80	T	4.6167	8.3377	8.4959	4.9873	4.7284	10.5436			59.4129	26.0226		52.0113
80	S	99.392	101.974	97.346	88.315	92.718	80.963			87.254	34.625		90.793
81	Т				3.7417	3.5544	7.2931	7.0063	3.5724	62.9413		44.3203	
01	S				117.715	123.343	117.047	121.838	129.210	82.362		106.610	
82	Т	3.4512	6.0151	7.3527	3.2902	3.0562	6.8497	7.4734	4.5308	42.0193			
02	S	132.958	141.349	112.482	133.869	143.449	124.624	114.223	101.878	123.372			
83	Т	4.9155	8.7633	8.5998	4.2485	4.2154	8.7628		4.9993	53.3761			
83	S	93.350	97.021	96.170	103.673	104.002	97.416	96.222	92.331	97.122			
84	T	4.8527	8.3382	8.9490	4.8021	4.5648	8.9592	8.6603	4.8822	54.0085			
04	S	94.558	101.968	92.418	91.721	96.041	95.280	98.569	94.546	95.985			
85	Т	4.5807	8.4577	8.7333	4.4211		9.0248	8.5713	4.1458	52.4225			
65	S	100.173	100.527	94.700	99.626	97.689	94.588	99.592	111.339	98.889			
86	T	4.0957	7.7778	8.2339	4.3272	4.3207	8.8370	7.8686	2.9247	48.3856			
- 80	S	112.035	109.315	100.444	101.787	101.467	96.598	108.486	157.825	107.139			
87	T	2.7004	4.6513	4.3729	2.2052	2.0821	4.1265	4.0423	2.0968	26.2775			
	S	169.924	182.793	189.130	199.735	210.561	206.867	211.176	220.141	197.279			
88	<u> </u>	2.1160	4.2650	4.2920	2.1442	2.0443	4.0073		2.0884	24.9279			
	S	216.854	199.350	192.695	205.417	214.454	213.020	214.984	221.026	207.960			
89	T	2.1021	4.1987	4.3190	2.1649	2.0553	3.9998		2.0856	24.8730			
	S	218.288	202.498		203.453	213.307	213.420		221.323	208.419			
90	T	2.1104	4.2630		2.1401	2.0400	3.9854		2.0827	24.8173			
	S	217.430	199.443	194.617	205.810		214.191	1	221.631	208.887			
91	工	2.1078	4.2145	•	2.1385	2.0595	4.1519	+	2.1170	25.0522			
	S	217.698	201.739		205.964	1	205.601	1	218.040				
92	LT.	2.1097	4.2019		2.1425	2.0427	3.9507		2.0709	24.6560			
<u></u>	S	217.502	202.344		205.580		216.072	1	222.894	210.253			
93	T	2.1079	4.2125		2.2140	1	4.0053	1	2.0961	25.0968			
	S	217.688	201.834		198.941	208.886	213.127	+	220.214	206.560			
94	L	2.1101	4.2090		2.1510	1	3.9555	1	2.0938	24.7646			
	S	217.461	202.002	195.159	204.767	213.629	215.810		220.456	209.331			
95	T	2.1036	4.1866		2.1576		3.9472		2.0922	24.7340			
	S	218.133	203.083	195.653	204.141	213.172	216.264	215.396	220.625	209.590			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 

June 6, 2020 MDYCAR Race

#### Section Data for Car 10 - Rosenqvist, Felix

Report:

**Session:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
06	Т	2.1155	4.2656	4.2704	2.1660	2.0656	3.9747	3.9695	2.1034	24.9307			
96	S	216.906	199.322	193.669	203.349	212.243	214.767	215.049	219.450	207.936			
07	Т	2.1150	4.1603	4.2616	2.1695	2.0682	3.9999	4.0057	2.1176	24.8978			
97	S	216.957	204.367	194.069	203.021	211.976	213.414	213.105	217.978	208.211			
98	Т	2.1190	4.1613	4.2956	2.1990	2.0909	3.9897	3.9825	2.1093	24.9473			
98	S	216.547	204.318	192.533	200.298	209.675	213.960	214.347	218.836	207.798			
99	Т	2.1158	4.2146	4.2815	2.1887	2.0876	4.0024	3.9869	2.1065	24.9840			
99	S	216.875	201.734	193.167	201.240	210.006	213.281	214.110	219.127	207.493			
100	Т	2.1044	4.1813	4.3018	2.1953	2.0885	3.9951	4.0417	2.1339	25.0420			
100	S	218.050	203.340	192.256	200.635	209.916	213.671	211.207	216.313	207.012			
101	T	2.1364	4.2152	4.3196	2.1909	2.0868	4.0224	4.0217	2.1229	25.1159			
101	S	214.784	201.705	191.463	201.038	210.087	212.221	212.258	217.434	206.403			
102	Т	2.1161	4.1725	4.3323	2.2053	2.0953	4.0390	4.0238	2.1254	25.1097			
102	S	216.844	203.769	190.902	199.725	209.235	211.348	212.147	217.178	206.454			
103	Т	2.1324	4.2621	4.3124	2.1976	2.0888	4.0124	4.0322	2.1301	25.1680			
103	S	215.186	199.486	191.783	200.425	209.886	212.750	211.705	216.699	205.976			
104	T	2.1249	4.1717	4.2972	2.1853	2.0821	4.0090	4.0119	2.1220	25.0041			
104	S	215.946	203.808	192.461	201.553	210.561	212.930	212.776	217.526	207.326			
105	T	2.1304	4.2303	4.3113	2.1898		3.9941	4.0911	2.1458	25.1735			
103	S	215.388	200.985	191.832	201.139	210.703	213.724	208.657	215.114	205.931			
106	Т	2.1381	4.2207	4.3641	2.2140	2.1009	4.0400	4.0341	2.1290	25.2409			
100	S	214.613	201.442	189.511	198.941	208.677	211.296	211.605	216.811	205.381			
107	T	2.1238	4.1797	4.2897	2.1834	2.0808	4.0063	4.0183	2.1210	25.0030			
107	S	216.058	203.418	192.798	201.729	210.693	213.074	212.437	217.629	207.335			
108	Т	2.1254	4.1721	4.3470	2.2087	2.0953	4.0440	4.0440	2.1309	25.1674			
100	S	215.895		190.257	199.418	209.235	211.087	211.087	216.618	205.981			
109	Т	2.1235			2.1954	2.0851	4.0498		2.1347	25.1238			
105	S	216.088	1	192.189	200.626	210.258	210.785		216.232	206.338			
110	T	2.1312	<del>•                                      </del>	+	2.1869		4.0136	<del>•                                      </del>	2.1145	25.0182		<u> </u>	
	S	215.308	1	1	201.406		212.686	1	218.298	207.209			
111	Т	2.1495			2.1880		4.0553		2.1198	25.2690			
	S	213.475			201.305	211.465	210.499		217.752	205.153			
112	Т	2.1503	1		2.2220		4.1471	1	2.1389	25.5814			
	S	213.395			198.224	201.911	205.839	<del>•                                      </del>	215.808	202.647			$\bot$
113	T	2.1878	1		2.1873	2.0921	4.2031	4.1259	2.1547	25.6229			
	S	209.737	195.248		201.369	209.555	203.097	206.897	214.225	202.319			
114	Т	2.1551	4.2722		2.1796		4.1367	4.0737	2.1313	25.3985			
	S	212.920	199.014	192.345	202.080	203.902	206.357	209.548	216.577	204.107			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020

Round 1



## Section Data for Car 10 - Rosenqvist, Felix

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.1341	4.2366	4.4699	2.2660	2.1218	4.1285	4.0694	2.1331	25.5594			
115	S	215.015	1	-	194.375	206.621	206.767		216.394	202.822			
446	Т	2.1594	4.3032	4.4035	2.2671	2.1449	4.0627	4.0299	2.1157	25.4864			
116	S	212.496	197.580	187.815	194.281	204.396	210.116	211.826	218.174	203.403			
117	Т	2.1385	4.2466	4.4280	2.2735	2.1826	4.1313	4.0652	2.1292	25.5949			
117	S	214.573	200.214	186.776	193.734	200.866	206.627	209.986	216.791	202.540			
118	T	2.1389	4.3004	4.3845	2.2131	2.1120	4.0801	4.0874	2.1720	25.4884			
110	S	214.533	197.709	188.629	199.022	207.580	209.219	208.846	212.519	203.387			
119	Т	2.1678	4.1431	4.1837	2.1610	2.0850	4.1421	4.0905	2.1455	25.1187			
119	S	211.672	205.215	197.683	203.820	210.268	206.088	208.688	215.144	206.380			
120	Т	2.1567	4.4562	4.5013	2.2511	2.1233	4.0543	4.0280	2.1226	25.6935			
120	S	212.762	190.796	183.735	195.662	206.475	210.551	211.926	217.465	201.763			
121	Т	2.1324	4.2216	4.3689	2.2229	2.3274	6.1160			37.1961	25.6157		29.8100
121	S	215.186	201.399	189.303	198.144	188.369	139.574			139.369	35.175		158.412
122	Т				3.1580	2.6436	4.6149	4.2713	2.1992	53.1522		34.9226	
122	S				139.473	165.838	184.974	199.854	209.890	97.531		135.299	
123	Т	2.1863	4.2629	4.1894	2.1451	2.0715	4.0251	4.0500	2.1415	25.0718			
123	S	209.881	199.448	197.414	205.331	211.638	212.078	210.774	215.546	206.766			
124	Т	2.1410	4.0778	4.0842	2.1280	2.0514	3.9570	3.9626	2.1112	24.5132			
124	S	214.322	208.501	202.499	206.981	213.712	215.728	215.423	218.639	211.478			
125	Т	2.1182	3.9934	4.0773	2.1285	2.0545	4.1432	4.1034	2.1589	24.7774			
123	S	216.629	212.908	202.841	206.932	213.390	206.033	208.031	213.808	209.223			
126	T	2.1514	4.0358	4.0773	2.1113	2.0377	3.9474	3.9639	2.1151	24.4399			
120	S	213.286	210.671	202.841	208.618	215.149	216.253	215.353	218.236	212.112			
127	Т	2.1219	3.9876	4.0650	2.1106	2.0380	3.9496	3.9671	2.1170	24.3568			
12/	S	216.251	213.218	203.455	208.687	215.117	216.132	215.179	218.040	212.836			
128	Т	2.1207	3.9851	4.0891	2.1184	2.0436	3.9547	3.9764	2.1210	24.4090			
120	S	216.374	213.352	202.256	207.918	214.528	215.854	214.676	217.629	212.381			
129	Т	2.1279	4.0233	4.1046	2.1246	2.0495	3.9657	3.9804	2.1208	24.4968			
129	S	215.642	211.326	201.492	207.312	213.910	215.255	214.460	217.649	211.619			
130	Т	2.1288	4.0014	4.1257	2.1339	2.0543	3.9729	3.9851	2.1227	24.5248			
130	S	215.550	212.482	200.462	206.408	213.410	214.865	214.207	217.455	211.378			
131	Т	2.1275	4.0240	4.1264	2.1348	2.0578	3.9818	3.9913	2.1253	24.5689			
131	S	215.682	211.289	200.428	206.321	213.047	214.385	213.874	217.189	210.998			
132	Т	2.1285	4.0085	4.1227	2.1288	2.0513	3.9800	3.9926	2.1266	24.5390			
132	S	215.581	212.106	200.608	206.903	213.723	214.481	213.805	217.056	211.256			
133	Т	2.1281	4.0675	4.1471	2.1402	2.0624	3.9862	4.0012	2.1264	24.6591			
	S	215.621	209.029	199.427	205.801	212.572	214.148	213.345	217.076	210.227			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

Round 1

TAG

Session: Race June 6, 2020

## Section Data for Car 10 - Rosenqvist, Felix

**Report:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1286	4.0020	4.1660	2.1417	2.0589	4.0185	4.0246	2.1314	24.6717			
134	S	215.571	212.451	198.523	205.657	212.934	212.427	212.105	216.567	210.119			
135	Т	2.1331	4.0890	4.1790	2.1438	2.0593	3.9762	3.9931	2.1251	24.6986			
135	S	215.116	207.930	197.905	205.455	212.892	214.686	213.778	217.209	209.890			
136	T	2.1230	4.0490	4.2438	2.1637	2.0701	3.9983	3.9955	2.1220	24.7654			
130	S	216.139	209.985	194.883	203.565	211.782	213.500	213.649	217.526	209.324			
137	Т	2.1216	4.0591	4.2467	2.1792	2.0796	3.9891	3.9933	2.1169	24.7855			
137	S	216.282	209.462	194.750	202.118	210.814	213.992	213.767	218.050	209.155			
138	T	2.1129	4.1300	4.2639	2.1688	2.0688	3.9881	4.0115	2.1209	24.8649			
136	S	217.172	205.866	193.965	203.087	211.915	214.046	212.797	217.639	208.487			
139	Т	2.1221	4.2132	4.3327	2.2002	2.0901	4.0336	4.0138	2.1215	25.1272			
139	S	216.231	201.801	190.885	200.188	209.755	211.631	212.675	217.578	206.310			
140	T	2.1178	4.1190	4.2767	2.1710	2.0658	3.9694	4.0249	2.1259	24.8705			
140	S	216.670	206.416	193.384	202.881	212.222	215.054	212.089	217.127	208.440			
141	T	2.1194	4.1251	4.4815	2.2577	2.1251	4.0658	4.0250	2.1194	25.3190			
141	S	216.506	206.111	184.547	195.090	206.300	209.955	212.084	217.793	204.747			
142	T	2.1120	4.1774	4.3788	2.2119	2.0902	4.0356	4.0212	2.1183	25.1454			
142	S	217.265	203.530	188.875	199.130	209.745	211.527	212.284	217.906	206.161			
143	T	2.1115	4.1390	4.3626	2.2063	2.0878	4.0257	4.0156	2.1120	25.0605			
145	S	217.316	205.419	189.576	199.635	209.986	212.047	212.580	218.556	206.859			
144	T	2.1144	4.2373	4.3319	2.1869	2.0719		3.9987	2.1041	25.0548			
	S	217.018	200.653	190.920	201.406	211.598	212.898	213.478	219.377	206.906			
145	T	2.1051	4.1583	4.4607	2.2383	2.1060	4.0841	4.0543	2.1307	25.3375			
143	S	217.977	204.465	185.407	196.781	208.171	209.015	210.551	216.638	204.598	ļ	ļ	
146	T	2.1248	4.2244	4.3641	2.2038	2.0901	4.0523	4.0297	2.1227	25.2119		<u> </u>	
140	S	215.956	201.266	189.511	199.861	209.755	210.655	211.836	217.455	205.617			
147	T	2.1153				2.0759		4.0501	2.1225	25.1611			
	S	216.926	+	<del></del>	+	211.190		-	217.475	206.032			
148	T	2.1177		<del></del>		2.0982	4.1110		2.1287	25.4380			
	S	216.680			1	208.945	207.647	209.703	216.842	203.790		1	
149	T	2.1168				2.0924			2.1120	25.3236			
	S	216.772	200.308			209.525	210.780	211.789	218.556	204.710			
150	Т	2.1076	+	<del></del>		-		4.0280	2.1150	25.2147			
	S	217.719		187.505	199.301	210.278	210.587	211.926	218.246	205.594		1	
151	T	2.1048			1		4.0629		2.1150			1	
	S	218.008			1	212.233	210.105						
152	Т	2.1187		1		2.0853			2.1065	25.2597			
	S	216.578	199.093	187.666	198.923	210.238	211.910	211.862	219.127	205.228			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report Report:** 

**Session:** June 6, 2020 MDYCAR Race

## Section Data for Car 10 - Rosenqvist, Felix

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
452	Т	2.1259	4.2885	4.4906	2.2443	2.1073	4.0747	4.0573	2.1212	25.5098		1	
153	S	215.844	198.257	184.173	196.255	208.043	209.497	210.395	217.608	203.216			
454	Т	2.1084	4.1854	4.4363	2.2419	2.1128	4.2266	4.1238	2.1341	25.5693			
154	S	217.636	203.141	186.427	196.465	207.501	201.968	207.002	216.293	202.743			
455	Т	2.1479	4.3348	4.4664	2.2218	2.1051	4.3402	4.2464	2.1968	26.0594		Î	
155	S	213.634	196.140	185.170	198.242	208.260	196.681	201.026	210.120	198.930			
156	Т	2.2015	4.4230	4.5297	2.2955	2.2798	6.2088	1		38.2067	25.5744		30.7164
150	S	208.432	192.229	182.583	191.877	192.302	137.488			135.683	35.231		153.738
157	Т				3.1879	2.6469	4.6315	4.3338	2.2323	53.2258		35.1417	
15/	S				138.164	165.631	184.311	196.972	206.778	97.396		134.456	
150	Т	2.2116	4.1158	4.0838	2.1102	2.0418	3.9466	3.9466	2.1010	24.5574			
158	S	207.480	206.576		208.726	214.717	216.297	216.297	219.701	211.097			
150	Т	2.1071	3.9685	4.0041	2.0831	2.0097	3.9165	3.9290	2.0932	24.1112			
159	S	217.770	214.244	206.550	211.442	218.147	217.959	217.266	220.519	215.004			
160	Т	2.1006	3.9994	4.0652	2.1113	2.0270	3.9171	3.9356	2.0955	24.2517			
100	S	218.444	212.589	203.445	208.618	216.285	217.926	216.901	220.277	213.758			
161	Т	2.1013	4.0434	4.0951	2.1047	2.0200	3.9060	3.9185	2.0822	24.2712			
101	S	218.371	210.275	201.960	209.272	217.034	218.545	217.848	221.684	213.586			
162	T	2.0990	4.0286	4.1482	2.1145	2.0179	3.9479	3.9506	2.0819	24.3886			
102	S	218.611	211.048	199.375	208.302	217.260	216.225	216.078	221.716	212.558			
163	Т	2.1005	4.1234		2.1509	2.0318	4.3757	4.4036	2.2544	25.7098			
103	S	218.454	206.196	193.710	204.777	215.774	195.086	193.850	204.751	201.635			
164	T	2.2128	4.1158	4.1178	2.1145	2.0308	3.9456	3.9527	2.0979	24.5879			
104	S	207.368	206.576	200.846	208.302	215.880	216.351	215.963	220.025	210.835			
165	T	2.1007	4.0718	4.1572	2.1233	2.0336	3.9177	3.9256	2.0841	24.4140			
103	S	218.434	208.809	198.943	207.439	215.583	217.892	217.454	221.482	212.337			
166	Т	2.0975	4.1684		2.1785	2.0715	3.9571		2.1015				
100	S	218.767	203.970	192.354	202.182	211.638	215.723	<del>•                                      </del>	219.648	208.873			
167	T	2.1034	4.1896		2.1650		3.9919	÷	2.0916				
	S	218.153	202.938	192.189	203.443	212.758	213.842	213.756	220.688	208.202			
168	Т	2.1078	4.2289		2.2244	2.0964	4.0254	3.9857	2.0922	25.2390			
	S	217.698	201.052	184.683	198.010	209.125	212.062	214.175	220.625	205.396			
169	T	2.1035	4.2590	4.3958	2.1939		4.0720		2.1028	25.2407			
109	S	218.143	199.631	188.144	200.763	210.936	209.636	+	219.513	205.383		ļ	
170	T	2.1033	4.1319	4.4798	2.2324	2.1033	4.0093	3.9727	2.0912	25.1239			
1,5	S	218.164	205.772	184.617	197.301	208.439	212.914		220.730	206.337			
171	Т	2.1057	4.2825	4.4689	2.2209	2.0958	4.0233	4.0045	2.0929	25.2945			
	S	217.915	198.535	185.067	198.323	209.185	212.173	213.169	220.551	204.946			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

## Section Data for Car 10 - Rosenqvist, Felix

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1115	4.2718	4.4285	2.2078	2.0840	4.0235	4.0384	2.1156	25.2811			
1/2	S	217.316	199.033	186.755	199.499	210.369	212.163	211.380	218.184	205.054			
173	Т	2.1149	4.2197	4.4067	2.2063	2.0858	3.9973	4.0093	2.1077	25.1477			
1/3	S	216.967	201.490	187.679	199.635	210.188	213.553	212.914	219.002	206.142			
174	T	2.1038	4.2079	4.3613	2.1888	2.0763	4.0212	4.0070	2.1014	25.0677			
1/4	S	218.112	202.055	189.633	201.231	211.149	212.284	213.036	219.659	206.800			
175	Т	2.1170	4.2476	4.5027	2.2390	2.1088	4.0500	4.0106	2.1038	25.3795			
175	S	216.752	200.167	183.678	196.719	207.895	210.774	212.845	219.408	204.259			
176	Т	2.1017	4.1689	4.4204	2.2076	2.0849	4.0283	4.0102	2.1013	25.1233			
176	S	218.330	203.945	187.097	199.517	210.278	211.910	212.866	219.669	206.342			
177	Т	2.1117	4.2584	4.3626	2.1881	2.0749	4.0071	4.0450	2.1173	25.1651			
1//	S	217.296	199.659	189.576	201.295	211.292	213.031	211.035	218.009	206.000			
178	T	2.1079	4.2077	4.4997	2.2477	2.1145	4.0758	4.0437	2.1221	25.4191			
1/8	S	217.688	202.065	183.800	195.958	207.335	209.440	211.103	217.516	203.941			
179	Т	2.1204	4.2500	4.3623	2.1968	2.0833	4.0151	4.0538	2.1203	25.2020			
1/9	S	216.404	200.053	189.589	200.498	210.440	212.607	210.577	217.701	205.698			
100	Т	2.1141	4.2209	4.4457	2.2238	2.0948	4.0501	4.0257	2.1073	25.2824			
180	S	217.049	201.433	186.033	198.064	209.284	210.769	212.047	219.044	205.044			
101	Т	2.1133	4.2780	4.4425	2.2301	2.1021	4.0243	3.9987	2.0987	25.2877			
181	S	217.131	198.744	186.167	197.504	208.558	212.120	213.478	219.941	205.001			
182	Т	2.1109	4.2807	4.3869	2.2006	2.0892	4.0369	4.0079	2.1103	25.2234			
102	S	217.378	198.619	188.526	200.152	209.845	211.458	212.988	218.732	205.523			
183	Т	2.1279	4.2127	4.3287	2.1849	2.0750	4.0085	4.0161	2.1080	25.0618			
163	S	215.642	201.825	191.061	201.590	211.281	212.957	212.554	218.971	206.849			
184	T	2.1272	4.2688	4.3152	2.1827	2.0791	4.0073	4.0298	2.1126	25.1227			
104	S	215.713	199.172	191.659	201.793	210.865	213.020	211.831	218.494	206.347			
185	Т	2.1213	4.1817	4.3651	2.2076	2.0967	4.0082	3.9730	2.1031	25.0567			
103	S	216.312	203.321	189.468	199.517	209.095	212.972	214.859	219.481	206.891			
186	T	2.1294	4.2236	4.2808	2.1767	2.3012	5.9163			36.4915	25.7130		29.0894
100	S	215.490	201.304	193.199	202.350	190.513	144.286			142.060	35.042		162.337
187	Т				3.1378	2.6153	4.5955	4.2814	2.2160	53.1689		34.8580	
107	S				140.370	167.632	185.755		208.299	97.501		135.550	
188	Т	2.2021	4.1340	4.1702	2.1374	2.0560	3.9530		-	24.7093			
100	S	208.375	205.667	198.323	206.070	213.234	215.946	215.701	219.899	209.800			
189	T	2.1058	4.0100		2.0820	2.0027	3.8888	3.9308	2.0661	24.1088			
109	S	217.905	212.027	205.600	211.554	218.909	219.512	1		215.025			
190	T	2.1167	4.1960	4.3923	2.1946	2.0809	4.1293	4.4273	2.2939	25.8310			
130	S	216.783	202.628	188.294	200.699	210.682	206.727	192.812	201.225	200.689			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Series

# Section Data for Car 10 - Rosenqvist, Felix

	Lap	T/S <sup>S</sup>	F to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
Γ	191	Т	2.2766	4.6120										
L	191	S	201.557	184.351										

**Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report Report: Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1

## Section Data for Car 12 - Power, Will

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.7679	4.7299	4.6631	2.3177	2.2481	4.4599	4.2150	2.1591	27.5607		59.9433	
	S	165.780	179.756	177.360	190.039	195.013	191.403	202.523	213.789	188.094		78.824	
	Т	2.1313	4.2503	4.5740	2.2629	2.1152	4.0888	4.2926	2.1948	25.9099			
2	S	215.298	200.039	180.814	194.642	207.266	208.774	198.862	210.311	200.078			
3	Т	2.1612	4.0870	4.3169	2.1714	2.0724	3.9990	4.0643	2.1332	25.0054			
	S	212.319	208.032	191.583	202.844	211.547	213.462	210.033	216.384	207.315			
4	Т	2.1267	4.1135	4.3558	2.1969	2.0912	4.0208	4.0394	2.1269	25.0712			
	S	215.763	206.692	189.872	200.489	209.645	212.305	211.328	217.025	206.771			
5	T	2.1234	4.1006	4.2929	2.1708	2.0753	4.0411	4.0949	2.1507	25.0497			
	S	216.099	207.342	192.654	202.900	211.251	211.239	208.463	214.624	206.949			
6	T	2.1472	4.0694	4.2417	2.1568	2.0637	3.9982	4.1892	2.1946	25.0608			
	S	213.703	208.932	194.980	204.217	212.438	213.505	203.771	210.330	206.857			
7	Т	2.1802	4.1178	4.3020	2.1850	2.0951	4.0226	4.0164	2.1332	25.0523			
	S	210.469	206.476	192.247	201.581	209.254	212.210	212.538	216.384	206.927			
8	T	2.1305	4.0519	4.2810	2.1726	2.0791	4.0037	4.0608	2.1503	24.9299			
	S	215.378	209.834	193.190	202.732	210.865	213.212	210.214	214.663	207.943			
9	Т	2.1494	4.0503	4.2918	2.1768	2.0802	4.0046	4.0235	2.1311	24.9077			
	S	213.485	209.917	192.704	202.340	210.753	213.164	212.163	216.597	208.128			
10	_T	2.1315	4.0644	4.3999		2.1116	4.0635	4.0649	2.1476	25.2034			
	S	215.277	209.189	187.969	198.403	207.619	210.074	210.002	214.933	205.687			
11	Т	2.1455	4.0954	4.2861	2.1739	2.0785			2.1397	24.9584			
	S	213.873	207.605	192.960	202.610	210.926	212.930	211.805	215.727	207.706			
12	<u> </u>	2.1390	4.0628	4.2943	2.1762	2.0816	4.0095	4.0304	2.1401	24.9339			
	S	214.523	209.271	192.591	202.396	210.612	•	•	215.687	207.910			
13	<u> </u>	2.1407	4.0924	4.3430	2.1888			4.0180	2.1295	25.0199			
	S	214.352	207.758			209.755			216.760				
14	Т	2.1261	4.0971	4.3643		2.1007			2.1366	25.1252			
	S	215.824	207.519	<del></del>	+	208.697	210.748		216.040	206.327			
15	T	2.1335		<del></del>				•	2.1458	•		1	
	S	215.076	205.319		1			1	215.114	205.425		ļ	ļ
16	T	2.1379				2.0928		1		25.1668		1	
<u></u>	S	214.633	204.815			209.484			217.015	205.986		1	
17	T	2.1208	4.1051	4.3577					2.1271	25.0852		ļ	
<u></u>	S	216.363	207.115	1		209.685	211.516	1	217.005	206.656		<b>_</b>	
18	T	2.1160	4.1327	4.5283	1					25.4471		<b>_</b>	
	S	216.854	205.732		1		209.981			203.717		<b>_</b>	
19	T	2.1382	4.2495			2.1022				25.3846		1	
	S	214.603	200.077	186.280	198.376	208.548	211.668	209.955	216.111	204.218			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

Round 1

TAG

#### Section Data for Car 12 - Power, Will

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1277	4.1544	4.4310	2.2142	2.0979	4.0222	4.0943					
20	S	215.662	204.657										
	Т	2.1362	4.1704	4.4380					2.1438	1			
21	S	214.804	203.872	+	1	208.587	210.214	208.524	<del></del>	+			
	Т	2.1329	•	•	2.2274		4.0546	•	•	25.3612			
22	S	215.136	203.691	186.137	197.744	207.915	210.535	209.296	215.515	204.407			
22	Т	2.1380		4.3771	2.1960	2.0892	4.0159	4.0364	2.1283	25.0979			
23	S	214.623	206.516	188.948	200.571	209.845	212.564	211.485	216.882	206.551			
24	T	2.1269	4.1664	4.5114	2.2673	2.1353	4.0741	4.0832	2.1481	25.5127			
24	S	215.743	204.068	183.323	194.264	205.315	209.528	209.061	214.883	203.193			
25	Т	2.1451	4.2490	4.4779	2.2410	2.1206	4.0729	4.0407	2.1374	25.4846			
	S	213.912	200.101	184.695	196.544	206.738	209.589	211.260	215.959	203.417			
26	Т	2.1372	4.1364	•	2.2047	2.0978	4.0387	4.0805	2.1474	25.2264			
	S	214.703	205.548	188.664	199.780	208.985	211.364	209.199	214.953	205.499			
27	T	2.1409	4.1386	4.4057	2.2153	2.1055	4.0412	4.0709	2.1421	25.2602			
	S	214.332	205.438		198.824	208.221	211.233	209.692	215.485	205.224			
28	T	2.1415	4.2294	4.5072	2.2505	2.1222	4.0646	4.0795	2.1419	25.5368			
20	S	214.272	201.028	183.494	195.714	206.582	210.017	209.250	215.505	203.001			
29	T	2.1421	4.2631	4.4794	2.2365	2.1141	4.0639	4.0848	2.1442	25.5281			
	S	214.212	199.439	184.633	196.939	207.374	210.053	208.979	215.274	203.070			
30	T	2.1463		-	2.2113		4.0500						
	S	213.793											
31	T	2.1335		•	<del></del>		4.0896	+	2.1499	25.6408			
	S	215.076	•	•	<del>•                                      </del>	•	208.733	÷	•	•			
32	T	2.1507	4.2611	1	2.2477		4.0791			1			
	S	213.355					209.271		214.116				
33	Т	2.1606			2.2668								
	S	212.378	199.462	1	194.307	205.642	208.295		1	1			
34	T	2.1412	4.2823	+	<del>•                                      </del>			•	<del></del>	+			
	S	214.302	198.545		•				213.423	1			
35	T	2.1452			2.3070		-			38.1864			30.6564
	S	213.902	200.091	179.828		179.235	134.055			135.755	34.222		154.039
36	T				3.1559		-	+				35.0637	
<u> </u>	S	0.175			139.565	•		÷	209.871	<del>•</del>		134.755	
37	T	2.1772	1	1	1	1		1	2.2930				
	S	210.759	203.001			210.177	195.658		201.304				
38	T	2.4821			3.5811	3.5567	6.5283	+	3.1892				
	S	184.869	153.241	132.164	122.994	123.263	130.759	140.431	144.736	139.272			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

## Section Data for Car 12 - Power, Will

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	3.1181	5.8272	5.6645	3.4946	5.0400	10.5829	10.2684	5.0116	49.0073			
39	S	147.161	145.907	146.005	126.039	86.986	80.662	83.132	92.104	105.780			
40	Т	5.2746	9.1109	9.1928	5.2044	5.0193	10.0168	9.7126	4.8857	58.4171			
40	S	86.995	93.320	89.967	84.631	87.345	85.220	87.890	94.478	88.741			
44	Т	4.8859	8.7836	8.4003	4.3453	4.5478	10.2363	11.0116	4.8577	57.0685			
41	S	93.916	96.797	98.454	101.363	96.400	83.393	77.522	95.023	90.838			
42	Т	4.6495	8.1454	9.0592	5.1333	4.7516	9.2703	9.2203	5.0422	55.2718			
42	S	98.691	104.381	91.293	85.803	92.266	92.083	92.582	91.546	93.791			
43	Т	4.8812	9.4614	9.7146	4.4497	4.6868	10.0121	9.5028	4.9140	57.6226			
43	S	94.006	89.863	85.134	98.985	93.541	85.260	89.830	93.934	89.965			
44	Т	5.0702	9.2208	9.6986	5.1717	5.2959	11.6357	9.8354	4.8862	60.8145			
44	S	90.502	92.208	85.275	85.166	82.783	73.364	86.792	94.468	85.243			
45	Т	4.8543	9.3109	9.7176	4.7219	4.5711	9.5116	10.6891	5.3358	58.7123			
45	S	94.527	91.315	85.108	93.279	95.909	89.747	79.860	86.508	88.295			
46	Т	4.7070	8.2963	9.1306	4.8096	4.2396	8.3125	5.6125	2.4924	47.6005			
40	S	97.485	102.483	90.580	91.578	103.408	102.693	152.096	185.199	108.906			
47	Т	2.3743	4.6890	4.4618	2.2101	2.1116	4.3327	4.3352	2.1972	26.7119			
4/	S	193.263	181.324	185.361	199.292	207.619	197.022	196.908	210.081	194.071			
48	Т	2.1622	4.2493	4.4666	2.2328	2.1255	4.3993	4.1983	2.1454	25.9794			
-40	S	212.221	200.086	185.162	197.266	206.262	194.039	203.329	215.154	199.543			
49	Т	2.1337	4.3118	4.4120	2.1869	2.0700	4.0075	4.0043	2.1024	25.2286			
>	S	215.055	197.186	187.454	201.406	211.792	213.010	213.180	219.554	205.481			
50	T	2.1357	4.2349	4.3017	2.1611	2.0745	4.0324	4.0427	2.1221	25.1051			
	S	214.854	200.767	192.260	203.810	211.332	211.694	211.155	217.516	206.492			
51	Т	2.1262	4.2343	4.3047	2.1660	2.0672	3.9952	4.0297	2.1300	25.0533			
	S	215.814	200.795	192.126	203.349		213.665	211.836	216.709	206.919			
52	T	2.1541	4.2630	4.3805	2.1911	2.0967	4.0138		2.1289	25.2381			
	S	213.019	199.443	188.802	201.020		212.675	+	216.821	205.404			
53	T	2.1347	4.2197	4.3324	2.1818		3.9923	÷	2.1236	25.0854			
	S	214.955	201.490	190.898	201.877	210.248	213.821	1	217.362	206.654			
54	T	2.1276	4.2237	4.3403	2.1795		3.9967		2.1295	25.1108			
	S	215.672	201.299	190.550	202.090		213.585		216.760	206.445			
55	Т	2.1282	4.1150		2.1696		3.9893		2.1296	24.9417			
	S	215.611	206.617	192.296	203.012	211.007	213.981	+	216.750	207.845			
56	T	2.1333	4.1531	4.3213	2.1808		4.0066		2.1325	25.0579			
	S	215.096	204.721	191.388	201.969	209.996	213.058		216.455	206.881			
57	Т	2.1331	4.1566	4.3980	2.2076		4.0304		2.1355	25.1909			
	S	215.116	204.549	188.050	199.517	208.697	211.799	211.873	216.151	205.789			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 12 - Power, Will

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
•	<u>т</u>	2.1326		-								1	
58	S	215.166				-	212.236						
	Т	2.1265		_			4.0238						
59	S	215.784	207.55			208.429	-	+	1	206.258			
	Т	2.1403	•		+	2.1229	4.0733	•	<del>•                                      </del>	25.4033			
60	S	214.392		_	196.561	206.514	209.569		215.244	204.068			
	Т	2.1510			1		4.0732	-		25.3870			
61	S	213.326	201.82	0 186.941	198.055	207.021	209.574	211.124	215.596	204.199			
62	Т	2.1414	4.086	2 4.3048	2.1861	2.0903	4.0209	4.0212	2.1345	24.9854			
62	S	214.282	208.07	3 192.122	201.480	209.735	212.300	212.284	216.252	207.481			
63	Т	2.1341	4.090	3 4.3186	2.1890	2.0899	4.0389	4.0280	2.1355	25.0243			
03	S	215.015	207.86	4 191.508	201.213	209.775	211.354	211.926	216.151	207.159			
64	Т	2.1387	4.042	3 4.3363	2.1939	2.0944	4.0296	4.0330	2.1368	25.0050			
04	S	214.553	210.33	3 190.726	200.763	209.324	211.841	211.663	216.020	207.319			
65	T	2.1363	4.091	9 4.3693	2.2106	2.1058	4.0443	4.0359	2.1388	25.1329			
05	S	214.794	207.78	3 189.286	199.247	208.191	211.071	211.511	215.818	206.264			
66	T	2.1369	4.128	1 4.3914	2.2166	2.1080	4.0400	4.0695	2.1440	25.2345			
	S	214.733	205.96	1 188.333	198.707	207.974	211.296	209.764	215.294	205.433			
67	T	2.1421	·	7 4.4887	2.2558	2.1315	4.0734	4.0391	2.1345	25.4938			
<u> </u>	S	214.212	201.06	1 184.251	195.254	205.681	209.564	211.343	216.252	203.344			
68	T	2.1377				-	4.0448	-		25.2393			
	S	214.653		_			211.045			205.394			
69	T	2.1400	-		+	-	4.0311	+	2.1342	25.2407			
	S	214.422	+	_	÷		211.763	•	216.283	205.383			
70	T	2.1313	•	5 4.5051	2.2596	2.1304	4.0651	4.0825	2.1426	25.5351			
	S	215.298	1				209.991	209.096		203.015			
71	Т	2.1360		_			4.0770			25.5882			
	S	214.824	+		+	204.501	209.379	+	<del></del>	202.593			
72	T	2.1510	•	_		2.1177	4.0403	•	<del>•                                      </del>	25.4111			
	S	213.326		_	·		211.280		218.030	204.005			
73	T	2.1183	1			2.1097	4.0437			25.4339			
	S	216.619		_		207.806	211.103			203.822			
74	T	2.1519	-		+		4.0726	+		25.6010			
	S	213.237	•	_	+	•	209.605	•	214.295	202.492		+	
75	T	2.1860	1			2.1597	4.1992		1	26.3280			
-	S	209.910				202.995	203.285			196.901			
76	T	2.1878	-			2.1478	4.3061			27.0950			_
	S	209.737	184.07	2 173.523	191.827	204.120	198.239	197.642	188.182	191.327			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session: Race** 

June 6, 2020 MDYCAR



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.7359	5.8912	6.3091	3.1589	2.9541	5.8307	5.7176	2.8218	35.4193			
77	S	167.719	144.322	2 131.088	139.433	148.407	146.404	149.300	163.580	146.361			
70	Т	2.7519	5.4433	5.5193	2.7023	2.5584	5.4343	7.5215	4.3491	36.2801			
78	S	166.744	156.197	7 149.846	162.992	171.361	157.083	113.493	106.135	142.888			
70	Т	3.9620	8.3818	9.3943	5.2380	6.2861	9.8440	8.5294	4.0945	55.7301			
79	S	115.816	101.437	88.037	84.088	69.743	86.716	100.082	112.734	93.020			
80	Т	3.9517	7.9054	8.3976	4.7827	4.9199	9.8647			57.5300	51.5021		50.0954
80	S	116.118	107.550	98.486	92.093	89.109	86.534			90.110	17.495	i e	94.266
81	Т			8.6622	3.3580	2.7830	5.8037	6.1481	2.9251	83.9448		39.8773	
01	S			95.478	131.166	157.531	147.085	138.846	157.803	61.755		118.488	
82	Т	2.7140	5.410	5.6597	2.8955	2.8219	5.8375	6.3966	3.5620	35.2973			
02	S	169.073	157.156	146.129	152.117	155.360	146.233	133.452	129.588	146.867			
02	Т	3.6193	6.5773	8.1329	5.2086	5.5452	9.7240	8.2696	3.9120	50.9889			
83	S	126.782	129.26	7 101.691	84.563	79.061	87.787	103.226	117.994	101.669			
84	Т	4.0409	7.622	8.8337	5.0064	4.5010	9.3319	8.5789	4.4349	52.3498			
04	S	113.555	111.548	93.624	87.978	97.403	91.475	99.504	104.081	99.026			
85	Т	4.4765	7.1618	8.8068	5.9680	5.3736	7.9910	7.4900	4.2466	51.5143			
65	S	102.505	118.71	7 93.910	73.803	81.586	106.825	113.970	108.697	100.632			
86	Т	4.8465	8.0483	6.3594	3.3076	3.0877	5.7370	6.0370	2.6306	40.0541			
- 80	S	94.679	105.64	1 130.051	133.164	141.986	148.795	141.401	175.470	129.425			
87	Т	2.5000	5.1590	4.8300	2.3028	2.1968	4.6426	4.3355	2.1746	28.1413			
67	S	183.545	164.80	5 171.231	191.269	199.567	183.870	196.895	212.265	184.213			
88	T	2.2105	4.668	1 4.5660	2.2173	2.1266	4.3445	4.1661	2.1242	26.4233			
	S	207.584	182.13	181.131	198.645	206.155	196.487	204.901	217.301	196.190			
89	T	2.1557	4.424	4.4442	2.1913	2.0617	4.0497	4.0563	2.0961	25.4796			
	S	212.861	192.159	186.095	201.001	212.644	210.790	210.447	220.214	203.457			
90	Т	2.1296	4.2562	_	2.1407	2.0581	4.2127	4.1042	2.1397	25.3239			
	S	215.469	199.762	+	205.753	213.016	202.634	207.991	215.727	204.708			
91	T	2.1391	4.4180	<del></del>	2.2306	2.0971	4.0984	4.0559	2.1165	25.6383		<u> </u>	
	S	214.512	192.446	_	197.460	209.055	208.285	210.468	218.092	202.197		ļ	
92	T	2.1173	4.2078		2.1309	2.0443	4.0859	4.0719	2.1418	25.0382			
	S	216.721	202.060	_	206.699	214.454	208.922	209.641	215.515	207.044			
93	T	2.1367	4.204		2.1780	2.0744	4.0923	4.0429	2.1408	25.2022		ļ	
	S	214.753	202.218	+	202.229	211.343	208.596	211.145	215.616	205.696		<u> </u>	
94	工	2.1311	4.166		2.1590		4.0399	4.0042	2.1101	24.9493			
	S	215.318	204.053	_	204.009	212.665	211.301	213.185	218.753	207.781			
95	Т	2.1096		_	2.1714	2.0671	3.9675	3.9818		24.8551			
	S	217.512	204.746	191.983	202.844	212.089	215.157	214.385	220.099	208.569			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 

Round 1

TAG

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 12 - Power, Will

Report:

**Section Data Report** 

Lap		SF to T1		SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
•	., <u>.</u>	2.1225											
96	S	216.190					210.364						
	Т	2.1266											
97	S	215.773	+			1	+	+	216.862	204.802			
	Т	2.1351	<del></del>		+	2.0952	4.0119	•	2.1102	25.2902			
98	S	214.914			198.251	209.245	212.776	211.915	218.743	204.981			
	Т	2.1278			1		4.0310						
99	S	215.652	199.67	3 189.781	201.914	212.284	211.768	211.045	218.681	205.902			
100	Т	2.1200	1			1	4.1387	4.1057	2.1294	25.4391			
100	S	216.445	198.55	8 188.337	200.772	210.956	206.257	207.915	216.770	203.781			
101	Т	2.1249	4.295	4 4.4751	2.2286	2.0994	4.1229	4.1049	2.1385	25.5897			
101	S	215.946	197.93	9 184.810	197.637	208.826	207.048	207.955	215.848	202.582			
102	Т	2.1546	4.318	7 4.4636	2.2214	2.0931	4.0328	4.1111	2.1466	25.5419			
102	S	212.969	196.87	1 185.287	198.278	209.454	211.673	207.642	215.033	202.961			
103	Т	2.1422	4.222	9 4.4323	2.2202	2.0982	4.0087	4.0235	2.1161	25.2641			
103	S	214.202	201.33	7 186.595	198.385	208.945	212.946	212.163	218.133	205.192			
104	Т	2.1446	4.331	2 4.5027	2.2527	2.1187	4.0360	4.0203	2.1161	25.5223			
104	S	213.962	196.30	3 183.678	195.523	206.924	211.506	212.332	218.133	203.116			
105		2.1342	4.234	5 4.4309	2.2175	2.0971	4.0155	4.0187	2.1238	25.2722			
105	S	215.005	200.78	6 186.654	198.627	209.055	212.585	212.416	217.342	205.127			
106	Т	2.1194	4.259	4.4089	2.2026	2.0858	3.9877	3.9724	2.0960	25.1322			
100	S	216.506	199.61	2 187.585	199.970	210.188	214.067	214.892	220.225	206.269			
107	T	2.1507	4.358	6 4.4995	2.2360	2.1075	4.0267	4.0185	2.1187	25.5162			
107	S	213.355	195.06	9 183.808	196.983	208.023	211.994	212.427	217.865	203.165			
108	Т	2.1248	4.277	1 4.4608			4.0111	3.9935	2.1074	25.3054			
100	S	215.956		6 185.403	197.673	208.518	212.819	213.756	219.033	204.857			
109	Т	2.1392	4.297	0 4.4486	2.2162	2.0988	4.0180	4.0262	2.1160	25.3600			
109	S	214.502	197.86	5 185.911	198.743	208.886	212.453	212.020	218.143	204.416			
110	T	2.1290	+		+	<del>•                                      </del>	4.0168		<del>•                                      </del>	25.3568	ļ		
	S	215.530	1	_		1		211.715	1	204.442			
111	Т	2.1186					4.0327	4.0564					
	S	216.588		_		209.845	211.679		217.465	205.820			
112	Т	2.1357			+	2.1194				25.4940			
	S	214.854	•			206.855			217.291	203.342	ļ	$\bot$	
113	T	2.2185	1			2.1219			2.1323	26.0301		$\bot$	
	S	206.835		_		206.612	204.385		216.476	199.154			
114	Т	2.1839											
	S	210.112	192.66	4 182.821	194.848	206.963	208.540	206.397	214.215	200.281			

Track: **Texas Motor Speedway** 1.5 mile(s)

**Section Data Report NTT IndyCar Series Report: Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.1579	4.4094	4.5602	2.2684	2.1327	4.0638	4.0596	2.1377	25.7897			
113	S	212.644	192.822	181.362	194.170	205.565	210.059	210.276	215.929	201.010			
116	T	2.1555	4.3069	4.4921	2.2567	2.1250	4.0468	4.0446	2.1304	25.5580			
110	S	212.880	197.410	184.111	195.176	206.310	210.941	211.056	216.669	202.833			
117	T	2.1409	4.2752	4.4903	2.2718	2.1332	4.0724	4.0513	2.1296	25.5647			
	S	214.332	198.874	184.185	193.879	205.517	209.615	210.707	216.750	202.780			
118	Т	2.1389	4.2238	4.4590	2.2438	2.1140	4.0367	4.0480	2.1240	25.3882			
110	S	214.533	201.294	185.478	196.298	207.384	211.469	210.879	217.322	204.189			
119	T	2.1405	4.2722	4.5301	2.2708	2.1278	4.1007	4.1172	2.1588	25.7181			
119	S	214.372	199.014	182.567	193.964	206.039	208.168	207.334	213.818	201.570			
120	T	2.1725	4.3905	4.5497	2.2661	2.1301	4.0677	4.1079	2.1445	25.8290			
120	S	211.215	193.652	181.780	194.367	205.816	209.857	207.804	215.244	200.705			
121	Т	2.1524	4.2796	4.5840	2.2936	2.4497	6.4840			38.3904	26.4489		30.9737
	S	213.187	198.670	180.420	192.036	178.964	131.653			135.034	34.067		152.461
122	LT			8.5099		2.6420	4.5884	4.2528	2.1772	53.9250		34.8928	
122	S			97.186	139.951	165.938	186.042	200.723	212.011	96.134		135.415	
123	ഥ	2.1639	4.2009	4.2245	2.1361	2.0446	3.9677	3.9907	2.1075	24.8359			
123	S	212.054	202.392	195.774	206.196	214.423	215.146	213.906	219.023	208.730			
124	ഥ	2.1012	4.0648	4.1837	2.1190	2.0273	3.9595	4.0197	2.1099				
124	S	218.382	209.168	197.683	207.860	216.253	215.592	212.363	218.774	210.859			
125	T	2.1167	4.1517	4.2944	2.1583	2.0510	3.9702	4.0366	2.1137	24.8926			
125	S	216.783	204.790	192.587	204.075	213.754	215.011	211.474	218.381	208.255			
126	ഥ	2.1099	4.1893	4.2986	2.1518	2.0429	4.0702	4.0774	2.1246	25.0647			
120	S	217.481	202.952	•	204.691	214.601	209.728	•	217.260	206.825			
127	ഥ	2.1174	4.1662	4.3151	2.1569	2.0521	4.0492	4.0423	2.1203	25.0195			
	S	216.711	204.077	191.663		213.639	210.816			207.198			
128	Т	2.1002	4.1132				4.0091						
	S	218.486	+	190.792	202.620	+	212.925		<del> </del>	+			
129	T	2.1270		•	2.1705	2.0714	4.1063		2.1057	25.0744			
<u> </u>	S	215.733	204.692		202.928	211.649	207.885	1	219.210	206.745			
130	Т	2.1206				2.0628	4.0475			25.2328			
L	S	216.384	200.525		201.979		210.905		216.202	205.447			
131	I	2.1445	4.2272	<del></del>	2.1703	2.0624	4.0344		2.1234	25.1301			
L	S	213.972	201.132	1	1	212.572	211.589		217.383	206.286			
132	I	2.1185		1		2.0660	4.0061	1					
<u> </u>	S	216.598					213.084		217.773				
133	Т	2.1258			1	2.0884	3.9913	1	2.1186				
	S	215.855	201.123	188.853	200.462	209.926	213.874	212.803	217.875	206.210			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020 MOYCAR

Round 1



## Section Data for Car 12 - Power, Will

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1038	4.1058	4.3442	2.1810	2.0720	4.0544	4.0552	2.1234	25.0398			
134	S	218.112	207.080	190.379	201.951	211.587	210.546	210.504	217.383	207.030			
135	7	2.1039	4.1067	4.4557	2.2273	2.1008	3.9961	3.9703	2.1015	25.0623			
135	S	218.101	207.034	185.615	197.753	208.687	213.617	215.006	219.648	206.845			
136	T	2.1463	4.3032	4.3938	2.1983	2.0853	3.9825	3.9632	2.1146	25.1872			
130	S	213.793	197.580	188.230	200.361	210.238	214.347	215.391	218.288	205.819			
137	Т	2.1365	4.2015	4.3575	2.2001	2.0851	4.0088	4.0120	2.1286	25.1301			
137	S	214.774	202.363	189.798	200.198	210.258	212.941	212.771	216.852	206.286			
138	T	2.1332	4.2428	4.4323	2.2262	2.1052	4.0089	3.9750	2.0997	25.2233			
136	S	215.106	200.393	186.595	197.850	208.251	212.935	214.751	219.837	205.524			
139	T	2.1343	4.2574	4.3709	2.1971	2.0857	3.9825	3.9594	2.0973	25.0846			
139	S	214.995	199.706	189.216	200.471	210.198	214.347	215.597	220.088	206.661			
140	Т	2.1043	4.2138	4.4252	2.2138	2.0910	3.9967	3.9961	2.1104	25.1513			
140	S	218.060	201.772	186.894	198.959	209.665	213.585		218.722	206.113			
141	T	2.1216	4.2789	4.3947	2.2071	2.0897	3.9949	3.9868	2.1055	25.1792			
141	S	216.282	198.702	188.192	199.563	209.795	213.682	214.116	219.231	205.884			
142	T	2.1164	4.2012	4.4550	2.2259	2.0982	3.9917	3.9634	2.0940	25.1458			
142	S	216.813	202.377	185.644	197.877	208.945	213.853	215.380	220.435	206.158			
143	ഥ	2.1216	4.2798	4.3785	2.1869	2.0782	3.9826	3.9999	2.1069	25.1344			
145	S	216.282	198.661	188.888	201.406	210.956	214.341	213.414	219.085	206.251			
144	T	2.1205	4.1943	4.3906	2.2001	2.0906	4.0807	4.0785	2.1299	25.2852			
	S	216.394	202.710	188.367	200.198	209.705	209.189	209.302	216.720	205.021			
145	ഥ	2.1449	4.3039	4.4633	2.2255	2.0988	4.0166	4.0091	2.1087	25.3708			
143	S	213.932	197.548	185.299	197.913	208.886	212.527	212.925	218.898	204.329			
146	ഥ	2.1333	4.2955	4.4203	2.2073	2.0948	4.1163	4.0430	2.1163	25.4268			
140	S	215.096	197.934	187.102	199.544	209.284	207.380	211.139	218.112	203.879			
147	LT	2.1577	4.3347	4.4170	2.2069	2.0863	3.9874		2.1099	25.3224			
	S	212.663	196.144	187.241	199.581	210.137	214.083	<del></del>	218.774	204.720			
148	T	2.1602	4.3432	4.4116	2.2064	2.0873	3.9836	3.9875	2.1141	25.2939			
	S	212.417	195.761	187.471	199.626	210.036	214.288	•	218.339	204.951			
149	T	2.1395	4.2654	4.4431	2.2182	2.0931	3.9988		2.1075	25.2715			
	S	214.472	199.331	186.142	198.564	209.454	213.473	-	219.023	205.132			
150	Т	2.1472	4.3215	4.4281	2.2086	2.0944	3.9912	1	2.1365	25.4079			
	S	213.703	196.744	186.772	199.427	209.324	213.880	<del>•                                      </del>	216.050	204.031			
151	T	2.1579	4.3217	4.4520	2.2252	2.1010	4.0114		2.1124	25.3859			
	S	212.644	196.734	185.769	197.939	208.667	212.803		218.515	204.208			
152	Т	2.1148	4.2232	4.4761	2.2413	2.1152	4.0293			25.3480			
	S	216.977	201.323	184.769	196.517	207.266	211.857	212.031	217.516	204.513			

Track: 1.5 mile(s) **Texas Motor Speedway** 



**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 12 - Power, Will

Report:

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
450	T	2.1254	4.1686	4.3535	2.1891	2.0778	4.0005	4.0250	2.1162	25.0561			
153	S	215.895					213.382	212.084	218.123			ĺ	
454	Т	2.1460	4.203	4.4667	2.2272	2.1029	4.0724	4.1054	2.1486	25.4728			
154	S	213.823	202.262	2 185.158	197.762	208.478	209.615	207.930	214.833	203.511			
455	Т	2.1671	4.3578	3 4.4625	2.2289	2.1064	4.0161	4.0070	2.1192	25.4650		Î	Ì
155	S	211.741	195.10	5 185.332	197.611	208.132	212.554	213.036	217.814	203.574			
456	Т	2.1226	4.2563	3 4.4479	2.2283	2.4411	6.3438			37.7894	25.7521		30.3739
156	S	216.180	199.75	7 185.941	197.664	179.595	134.562			137.181	34.988	B	155.471
157	Т			8.4816		2.6382	4.5838	4.2467	2.1881	53.1500		34.8134	
157	S			97.511	140.941	166.177	186.229	201.012	210.955	97.535		135.724	
158	Т	2.1835	4.3638	4.2879	2.1537	2.0630	3.9679	3.9692	2.1009	25.0899			
156	S	210.151	194.83	5 192.879	204.511	212.510	215.136	215.065	219.711	206.617			
159	Т	2.1066	4.1328	4.2025	2.1265	2.0383	3.9448	3.9760	2.0970	24.6245			
139	S	217.822	205.72	7 196.798	207.127	215.086	216.395	214.697	220.120	210.522			
160	Т	2.0981	4.1374	4.3212	2.1688	2.0712	3.9675	3.9431	2.0901	24.7974			
100	S	218.704	205.498	191.393	203.087	211.669	215.157	216.489	220.846	209.054			
161	Т	2.1062	4.1880	4.3424	2.1824	2.0803	3.9792	3.9528	2.0996	24.9309			
101	S	217.863	203.01	190.458	201.821	210.743	214.525	215.957	219.847	207.935			
162	T	2.1040	4.1733	4.3970	2.2069	2.1380	4.6127	4.4107	2.2376	26.2802			
102	S	218.091	203.730	188.093	199.581	205.056	185.062	193.538	206.288	197.259			
163	Т	2.2707	4.759	1 4.5098	2.2220	2.1019	4.1109	4.1089	2.1589	26.2422			
103	S	202.080		183.388	198.224	208.578	207.652	207.753	213.808	197.544			
164	T	2.1523	4.2190	4.3575	2.1970	2.0942	4.0192	4.0047	2.1280	25.1719			
104	S	213.197	201.523	189.798	200.480	209.344	212.390	213.159	216.913	205.944			
165	T	2.1289	4.0888	3 4.2245			3.9880	3.9938	2.1242	24.7734			
103	S	215.540				211.853	214.051			209.257			
166	T	2.1242	-				3.9733		2.1169				
100	S	216.017	207.99	1 196.560	205.254	212.644	214.843	+	218.050	209.908			
167	T	2.1218	<del></del>		<del>•                                      </del>		3.9783	•	•	<del>•                                      </del>		<u> </u>	
	S	216.261	-	_	1		214.573	1	1	209.244		ļ	
168	T	2.1204	+				4.0053			24.9902			
	S	216.404	+	_		210.916	213.127						
169	T	2.1295	+		2.1902	2.0994	4.0090	•	<del></del>				
	S	215.480			<del>•                                      </del>	208.826	212.930	•	<del>•                                      </del>	•		<u> </u>	
170	T	2.1171			2.1937	2.0927	3.9934	1	1	1			
	S	216.742			200.782	209.494	213.762		219.878				
171	T	2.1393				2.0972	3.9961			25.2705		ļ	
	S	214.492	196.37	1 186.785	198.968	209.045	213.617	215.347	219.523	205.140			

Track: 1.5 mile(s) **Texas Motor Speedway** 



June 6, 2020 MDYCAR

TAG

Round 1



Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	<del>.,,</del>	2.1229										l i	
172	S	216.149											
	Т	2.1144							2.1242	25.3581			
173	S	217.018	+			207.885	210.172	210.925	217.301	204.432		i i	
	Т	2.1279	•		÷	<del>•</del>	•	·	<del>•                                      </del>	25.3176		i i	
174	S	215.642	203.10	7 183.388	195.853	207.090	211.926	213.944	218.774	204.759			
4	Т	2.1389			1				2.1113	25.2988			
175	S	214.533	199.37	8 185.932	197.762	208.201	212.654	213.998	218.629	204.911			
176	Т	2.1192	4.146	6 4.3803	2.2007	2.0896	3.9912	3.9741	2.1048	25.0065			
176	S	216.527	205.04	2 188.810	200.143	209.805	213.880	214.800	219.304	207.306			
477	Т	2.1161	4.187	5 4.3908	2.1989	2.0856	3.9826	4.0040	2.1098	25.0753			
177	S	216.844	203.03	9 188.359	200.307	210.208	214.341	213.196	218.784	206.737			
178	Т	2.1269	4.238	9 4.5051	2.2442	2.1151	4.0194	3.9953	2.1096	25.3545			
1/8	S	215.743	200.57	7 183.580	196.263	207.276	212.379	213.660	218.805	204.461			
179	T	2.1548	4.330	0 4.5190	2.2693	2.1330	4.0467	4.0067	2.1150	25.5745			
1/9	S	212.950	196.35	7 183.015	194.093	205.536	210.946	213.052	218.246	202.702			
180	T	2.1278	4.224	2 4.4718	2.2450	2.1225	4.0472	4.0096	2.1225	25.3706			
100	S	215.652	201.27	5 184.947	196.194	206.553	210.920	212.898	217.475	204.331			
181	T	2.1223	4.242	5 4.4971	2.2540	2.1250	4.0440	4.0072	2.1208	25.4129			
101	S	216.211	200.40	7 183.906	195.410	206.310	211.087	213.026	217.649	203.991			
182	T	2.1186				2.0719				24.8728			
102	S	216.588		_					218.649	208.420			
183	T	2.1184	4.173		+	2.0861	3.9889	4.0143	2.1236	-			
103	S	216.609	203.71	6 189.990	÷	<del>•                                      </del>	214.003	<del>•                                      </del>	217.362	206.968			
184	T	2.1366	4.271			2.1267	4.0359	4.0139	2.1203	25.4652			
	S	214.763						212.670		203.572			
185	T	2.1209		_						25.1022			
100	S	216.353	1			208.876	1	214.159		206.516			
186	T	2.1443	+		+	<del>•                                      </del>	<del>•                                      </del>	<del>•                                      </del>	<del>•</del>	25.4785			
	S	213.992		_		1		1	217.148				
187	I	2.1301						3.9893	2.1083	25.2092			
	S	215.419				208.320			218.940	205.639			
188	T	2.1181			+	2.1997				25.7382			
	S	216.639	+			199.304	197.876	205.651	213.285	201.413			
189	T	2.1635	1		+	1	6.5221			38.2435	26.1348		30.8158
	S	212.093	196.78	9 181.768		168.289		( 05:15	0.005=	135.552	34.476		153.242
190	T		<u> </u>	1	3.2287	2.8952	6.4265		3.9297	60.2279		41.5208	
	S				136.419	151.426	132.831	122.716	117.462	86.073		113.798	

Track: **Texas Motor Speedway** 1.5 mile(s)

**Section Data Report NTT IndyCar Series** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

## Section Data for Car 12 - Power, Will

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	4.1533	8.3525	9.8481	4.9944	4.5566	8.3389	8.6673	4.8824	53.7935	<mark>;</mark>		
191	S	110.482	101.793	83.980	88.190	96.214	102.368	98.489	94.542	96.369	)		
192	Т	5.2510	9.8630	10.5503	5.4853	5.1563	8.9832	8.8712	4.7452	58.9055	j.		
192	S	87.386	86.204	78.391	80.297	85.024	95.026	96.226	97.275	88.005	j.		
193	Т	5.2673	10.0183	11.5389	6.9695	6.4979	9.6651	10.1164	5.9062	65.9796	)		
193	S	87.116	84.867	71.675	63.197	67.469	88.322	84.381	78.154	78.570	)		
194	Т	5.5215	10.6705	11.8080	5.4278	6.0084	12.3304	11.8955	6.4473	70.1094	<u> </u>		
194	S	83.105	79.680	70.041	81.148	72.966	69.230	71.761	71.594	73.942	2		
195	Т	6.8345	11.4419	11.5822	5.5741	5.4679	8.9077	8.1902	4.1199	62.1184	Ļ		
193	S	67.139	74.308	71.407	79.018	80.179	95.831	104.227	112.039	83.454	ļ.		
196	T	4.5305	9.0672	8.7942	4.8720	4.6485	8.7806	5.6855	2.5135	48.8920	<mark>)</mark>		
190	S	101.283	93.770	94.044	90.405	94.312	97.218	150.143	183.645	106.030	)		
197	T	2.3775	4.6996	4.6066	2.2588	2.1317	4.2428	4.1149	2.1623	26.5942	2		
197	S	193.003	180.915	179.535	194.995	205.662	201.196	207.450	213.472	194.930			
198	LT	2.1533	4.1056	4.1143	2.1109	2.0357	3.9553	3.9572	2.1065	24.5388	3		
190	S	213.098	207.090	201.017	208.657	215.360	215.821	215.717	219.127	211.257	1		
199	Т	2.1077	4.0041	4.1072	2.1090	2.0363	3.9438	3.9705	2.4217	24.7003	В		
199	S	217.708	212.339	201.365	208.845	215.297	216.450	214.995	190.606	209.876			
200	┰	2.9407	6.5294	7.9877	4.8197	4.9795							
	S	156.039	130.215	103.540	91.386	88.043							

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

Round 1



## Section Data for Car 14 - Kanaan, Tony

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.7903	5.0088	4.9258	2.3650	2.1920	4.4124	4.1926	2.1358	28.0227		56.5803	
	S	164.450	169.747	167.901	186.239	200.004	193.463	203.605	216.121	184.993		83.510	
2	Т	2.1169	4.2432	4.4138	2.1842	2.0632	4.1674	4.0808	2.2052	25.4747			
	S	216.762	200.374	187.377	201.655	212.490	204.837	209.184	209.319	203.496			
3	T	2.1621	4.2416	4.5300	2.2306	2.1211	4.2657	4.0833	2.1226	25.7570			
	S	212.231	200.450	182.571	197.460	206.689	200.116	209.056	217.465	201.266			
4	Т	2.1136	4.0879	4.3385	2.1631	2.0511	4.0503	4.0379	2.1173	24.9597			
	S	217.101	207.986	190.629	203.622	213.743	210.759	211.406	218.009	207.695			
5	Т	2.1023	4.1000	4.3814	2.1913	2.0800	4.0304	4.0546	2.1212	25.0612			
	S	218.267	207.373	188.763	201.001	210.774	211.799	210.535	217.608	206.854			
6	Т	2.1026	4.1290	4.3288	2.1797	2.0658	4.0748	4.0659	2.1174	25.0640			
	S	218.236	205.916	191.057	202.071	212.222	209.492	209.950	217.999	206.831			
7	T	2.1023		4.4541	2.2128	2.0941	4.0631	4.0500	2.1319	25.2698			
	S	218.267	204.308	185.682	199.049	209.354	210.095	210.774	216.516	205.146			
8	T	2.1254	4.0863	4.4145	2.2101	2.1149	4.0542	4.0500	2.1310	25.1864			
•	S	215.895	208.068	187.347	199.292	207.295	210.556	210.774	216.608	205.825			
9	Т	2.1236	4.0449	4.4557	2.2262	2.1050	4.0122	3.9949	2.1194	25.0819			
	S	216.078	210.197	185.615	197.850	208.270	212.760	213.682	217.793	206.683			
10	Т	2.1138	4.0684	4.3395	2.1903	2.0843	4.0183	4.0317	2.1265	24.9728			
	S	217.080	208.983	190.585	201.093	210.339	212.437	211.731	217.066	207.586			
11	Т	2.1203	4.0998	4.4623	2.2272	2.1063	4.0359	4.0232	2.1268	25.2018			
	S	216.414	207.383	185.341	197.762	208.142	211.511	212.178	217.035	205.700			
12	<u> </u>	2.1221	4.0905	4.4478	2.2215	2.1032	4.0268	4.0159	2.1236	25.1514			
	S	216.231	207.854	185.945	198.269	208.449	211.989	212.564	217.362	206.112			
13	T	2.1208	4.1052	4.3534	2.1916	2.0862	4.0336	4.0276	2.1300	25.0484			
	S	216.363	207.110	189.977	200.974	210.147	211.631	211.947	216.709	206.959			
14	T	2.1300	4.0952	4.3441	2.1925	2.0888	4.0056	3.9927	2.1187	24.9676			
	S	215.429	207.616	190.384	200.891	209.886	213.111	213.799	217.865	207.629			
15	T	2.1196	4.0552	4.4419	2.2167	2.1051	4.0090	3.9835	2.1083	25.0393			
	S	216.486	209.663	186.192	198.698	208.260	212.930	214.293	218.940	207.035			
16	Т	2.1008	4.0913	4.5405	2.2483	2.1230	4.0354	3.9961	2.1095	25.2449			
	S	218.423	207.813	182.149	195.906	206.505	211.537	213.617	218.815	205.348			
17	Т	2.0996	4.1189	4.5953	2.2631	2.1326	4.0594	4.0052	2.1158	25.3899			
L-'	S	218.548	206.421	179.976	194.624	205.575	210.286	213.132	218.164	204.176			
18	T	2.1096	4.1747	4.4430	2.2200	2.1012	4.0223	3.9969	2.1068	25.1745			
	S	217.512	203.662	186.146	198.403	208.647	212.226	213.575	219.096	205.923			
19	Т	2.1044	4.1445	4.4393	2.2142	2.0970	4.0108	3.9940	2.1049	25.1091			
	S	218.050	205.146	186.301	198.923	209.065	212.834	213.730	219.294	206.459			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 14 - Kanaan, Tony

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.0941	4.1356	4.4638	2.2148	2.0952	4.0107	4.0083	2.1162	25.1387			
20	S	219.122	205.587	185.278	198.869	209.245	212.840	212.967	218.123	206.216			
21	7	2.1043	4.1770	4.6285	2.2765	2.1349	4.0427	3.9925	2.1041	25.4605			
	S	218.060	203.550	178.685	193.479	205.353	211.155	213.810	219.377	203.610			
22	T	2.0948	4.2062	4.5052	2.2310	2.1082	4.0413	4.0181	2.1164	25.3212			
	S	219.049	202.137	183.576	197.425	207.954	211.228	212.448	218.102	204.730			
23	Т	2.1035	4.2197	4.4533	2.2185	2.1007	4.0398	4.0634	2.1326	25.3315			
	S	218.143	201.490	185.715	198.537	208.697	211.307	210.079	216.445	204.646			
24		2.1192	4.1917	4.4885	2.2263	2.1050	4.0539	4.0414	2.1217	25.3477			
24	S	216.527	202.836	184.259	197.842	208.270	210.572	211.223	217.557	204.516			
25	T	2.1081	4.2088	4.6245	2.2743	2.1318	4.0610	4.0141	2.1242	25.5468			
	S	217.667	202.012	178.840	193.666	205.652	210.203	212.659	217.301	202.922			
26	T	2.1149	4.2579	4.6118	2.2661	2.1365	4.1839	4.1121	2.1552	25.8384			
	S	216.967	199.682	179.332	194.367	205.200	204.029	207.591	214.175	200.632			
27	T	2.1484	4.1573	4.3817	2.2016	2.0963	4.0181	4.0036	2.1199	25.1269			
	S	213.584	204.514	188.750	200.061	209.135	212.448	213.217	217.742	206.313			
28	Т	2.1183	4.1180	4.3585	2.1896	2.0829	4.0457	4.0560	2.1276	25.0966			
	S	216.619	206.466	189.755	201.158	210.480	210.998	210.463	216.954	206.562			
29	T	2.1160	4.2243	4.4508	2.2080	2.0912	4.0586	4.0568	2.1239	25.3296			
29	S	216.854	201.271	185.820	199.481	209.645	210.328	210.421	217.332	204.662			
30	T	2.1141	4.2799	4.5332	2.2901	2.1426	4.0952	4.0761	2.1316	25.6628			
	S	217.049	198.656	182.442	192.330	204.615	208.448	209.425	216.547	202.004			
31	ഥ	2.1284	4.2537	4.4610	•	2.1061	4.0724		2.1322	25.4617			
J-	S	215.591	199.879	185.395	197.717	208.162	209.615	209.214	216.486	203.600			
32	ഥ	2.1237	4.2382	4.6609	2.3211	2.1728	4.4316			26.4180			
	S	216.068	200.610	-	189.761	201.771	192.625	199.550	210.589	196.230			
33	Т	2.1572	4.3108		2.2596	2.1297	4.2448		2.1624	25.9858			
	S	212.713	197.232	182.789	-	205.855	201.102		213.462	199.494			
34	T	2.1354	4.4207	4.6419		2.1352	4.3016	<del>                                     </del>					
<u> </u>	S	214.884	192.329	178.170	193.990	205.325	198.446		213.344	197.349			
35	Т	2.1384	4.3136		2.3273	2.3171	6.2608			50.1773	27.2140		30.6672
	S	214.583	197.104	177.852	189.256	189.206	136.346			103.314	33.109		153.984
36	T				3.1930	2.6570	4.6552	1	2.1936	+		35.1466	
	S				137.944	165.002	183.373	·	210.426			134.437	
37	T	2.1594	4.4972			2.1368	4.3999		2.6669	27.4184			
	S	212.496	189.057	183.080		205.171	194.013		173.081	189.070			
38	T	2.7030	5.4983			3.1890	6.6716		3.3939	37.9241			
	S	169.761	154.635	128.375	132.261	137.475	127.951	127.490	136.006	136.694			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 14 - Kanaan, Tony

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	Т	3.2909	6.0235	6.0571	3.1104	3.3581	10.2996	10.9097	5.4614	48.5107			
39	S	139.434	141.152	136.541	141.607	130.553	82.881	78.246	84.519	106.863			
40	Т	6.2912	9.3779	8.1190	4.4199	5.5567	10.1342	9.5516	5.1515	58.6020			
40	S	72.937	90.663	101.865	99.653	78.897	84.233	89.371	89.603	88.461			
41	Т	5.2055	8.7802	8.1965	4.6358	5.0170	9.5426	9.2533	5.6446	56.2755			
41	S	88.150	96.835	100.902	95.012	87.385	89.455	92.252	81.776	92.118			
42	Т	5.4863	8.6331	8.3278	4.4544	4.8519	10.2490	8.5291	4.6322	55.1638			
42	S	83.638	98.485	99.311	98.881	90.358	83.290	100.085	99.648	93.975			
43	T	5.0634	9.6527	9.4645	5.1144	4.8944	9.3586	9.2204	4.9478	57.7162			
	S	90.624	88.082	87.384	86.120	89.574	91.214	92.581	93.292	89.819			
44	T	5.4235	9.2263	9.2179	5.3022	6.0773	11.2932	10.1597	4.7099	61.4100			
	S	84.607	92.153	89.722	83.070	72.139	75.589	84.022	98.004	84.416			
45	Т	4.5356	9.3027	9.4267	4.9963	4.9764	13.1711	12.4594	6.4729				
45	S	101.169	91.396	87.734	88.156	88.098	64.811	68.513	71.311	79.338			
46	T	5.6290	8.0100	6.5869	3.3106	3.7524	5.6464	4.5789	2.2551	39.7693			
40	S	81.518	106.146	125.559	133.044	116.834	151.182	186.428	204.688	130.352			
47	Т	2.2537	4.7892	4.6282	2.2569	2.1130	4.3255	4.1933	2.1551	26.7149			
4/	S	203.605	177.530	178.697	195.159	207.482	197.350	203.571	214.185	194.049			
48	T	2.1328	4.2727	4.3507	2.1640	2.0502	4.2889	4.1352	2.1391	25.5336			
40	S	215.146	198.991	190.095	203.537	213.837	199.034	206.432	215.787	203.027			
49	T	2.1271	4.2227	4.3210	2.1514	2.0490	4.4530	4.2103	2.1432	25.6777			
7.7	S	215.723	201.347	191.401	204.729	213.962	191.699	202.750	215.375	201.887			
50	<u> </u>	2.1116	4.5438	4.6238	2.2429	2.1137	4.3119		2.1438	26.2039			
	S	217.306	187.118		196.377	207.413	197.972	207.576	215.314	197.833			
51	T	2.1227	4.2599				4.1620		2.1310				
<u> </u>	S	216.170			202.508		205.102		216.608				
52	T	2.1055		4.4632	2.2043	2.0812	4.1537			25.4007			
<u></u>	S	217.936				+	205.512		216.974	204.089			
53	T	2.1014	4.3138	•	•		4.2038	·					
	S	218.361	197.095		198.806		203.063			202.487			1
54	Т	2.1025			1	2.0658	4.1808	1					
<u> </u>	S	218.247	198.721	187.688			204.180			203.814			
55	Т	2.1059	-	4.4792	2.2139		4.1525		2.1438	+		$\bot$	
	S	217.894	200.966	184.641	198.950		205.572	207.612	215.314	203.097		$\bot$	
56	T	2.1219		4.4585			4.0521						1
	S	216.251	198.045				210.665						
57	Т	2.0979		4.4549		2.0966	4.0967						
	S	218.725	200.710	185.648	198.474	209.105	208.372	209.435	215.747	203.960			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 14 - Kanaan, Tony

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1281	4.2632	4.4685			4.0688	4.0383	2.1178	25.4045			
36	S	215.621	199.434	185.083	198.323	208.876	209.801	211.385	217.958	204.058			
59	T	2.1024	4.3349	4.4926	2.2702	2.1268	4.1433	4.0940	2.1404	25.7046			
29	S	218.257	196.135	184.091	194.016	206.136	206.028	208.509	215.656	201.676			
60	T	2.1240	4.2600	4.5157	2.2371	2.1074	4.0791	4.0641	2.1340	25.5214			
- 00	S	216.037	199.584	183.149	196.886	208.033	209.271	210.043	216.303	203.124			
61	Т	2.1207	4.2234	4.5010	2.2311	2.1047	4.0742	4.0476	2.1331	25.4358			
01	S	216.374	201.313	183.747	197.416	208.300	209.522	210.899	216.394	203.807			
62	Т	2.1153	4.2253	4.4701	2.2233	2.1018	4.0372	4.0075	2.1103	25.2908			
02	S	216.926	201.223	185.017	198.108	208.587	211.443	213.010	218.732	204.976			
63	Т	2.0990	4.2661	4.5575	2.2467	2.1152	4.0758	4.0565	2.1294	25.5462			
	S	218.611	199.298	181.469	196.045	207.266	209.440	210.437	216.770	202.926			
64	Т	2.1127	4.2360			2.1044	4.0805	4.0670	2.1284	25.4598			
04	S	217.193	200.715	183.739	197.549	208.330	209.199	209.893	216.872	203.615			
65	T	2.1052	4.2226	4.5211	2.2399	2.1065	4.0975	4.0706	2.1329	25.4963			
	S	217.967	201.352	182.930	196.640	208.122	208.331	209.708	216.415	203.324			
66	T	2.1089	4.2593	4.5144	2.2372	2.1057	4.1247	4.1242	2.1458	25.6202			
	S	217.584	199.617	183.202	196.878	208.201	206.957	206.982	215.114	202.340			
67	Т	2.1299	4.2835	4.4782	2.2320	2.1085	4.0282	4.0047	2.1155	25.3805			
	S	215.439	198.489	184.683	197.336	207.925	211.915	213.159	218.195	204.251			
68	Т	2.1070	4.1835	4.4472	2.2124	2.0930	4.0516	4.0482	2.1291	25.2720			
	S	217.781	203.233	185.970	199.084	209.464	210.691	210.868	216.801	205.128			
69	LI	2.1114	4.1719	4.6060	2.2782	2.1388	4.0742	4.0325	2.1292	25.5422			
	S	217.327	203.799	179.558	193.334	204.979	209.522	211.689	216.791	202.958			
70	工	2.1201	4.2133			2.0941	4.0144	4.0373	2.1248	25.2368			
	S	216.435	201.796	187.004	199.283	209.354	212.644	211.437	217.240	205.414			
71	Т	2.1110		4.4642			4.1195		2.1449				
ļ	S	217.368		185.262	+	-	207.218		215.204	1			
72	T	2.1257	4.2300			2.1203	4.0618		<del></del>				
<u> </u>	S	215.865	200.999	1	1	206.767	210.162						
73	T	2.1222	4.2468			2.1300	4.1498						
<u> </u>	S	216.221	200.204	178.523		205.826	205.705						
74	T	2.1292		4.6654	+	2.1381	4.4394	-					
L	S	215.510		177.272	192.877	205.046	192.286		212.343				
75	T	2.1349	1	4.6573	1	2.1872	4.6450		2.1940				
<u> </u>	S	214.934	1				183.775						
76	Т	2.1605				2.4646	6.2076			32.3788			
	S	212.388	192.098	180.515	190.979	177.882	137.515	126.437	132.614	160.105			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

# Section Data for Car 14 - Kanaan, Tony

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	3.3662	6.567	1 8.7130	4.3409	4.1909	9.2081	9.0806	4.7940	50.2608			
77	S	136.315	129.468	_	101.466	104.610	92.705	94.007	96.285	103.142			
70	Т	4.7517	8.511	9.0750	5.3667	5.0520	9.2424	8.5425	4.6205	55.1619			
78	S	96.568	99.890	91.134	82.072	86.779	92.361	99.928	99.901	93.978			
70	Т	4.6072	8.3386	8.6753	5.0730	4.8044	10.5454	9.5680	4.3728	55.9847			
79	S	99.597	101.963	95.333	86.823	91.252	80.949	89.218	105.560	92.597			
80	Т	4.6241	8.4490	8.8672	4.5752	4.4413	8.8228	8.7217	4.5880	53.0899			
80	S	99.233	100.623	93.270	96.270	98.712	96.753	97.875	100.608	97.646			
81	Т	4.5512	8.8688	8.9730	4.4304	4.2079	8.6217	8.9094	4.7738	53.3362			
61	S	100.823	95.867	7 92.170	99.416	104.187	99.010	95.813	96.693	97.195			
82	Т	4.6913	8.8308	8.3141	3.1881	2.8540	5.3614	5.0671	2.6300	40.9368			
62	S	97.812	96.280	99.475	138.156	153.612	159.219	168.466	175.510	126.634			
83	T	2.6032	4.9600	5.0696	2.5840	2.4819	5.2604	5.1207	2.6926	30.7724			
63	S	176.269	171.417	7 163.138	170.455	176.643	162.276	166.703	171.429	168.463			
84	T	2.9300	6.8627	8.7936	5.0346	4.4709	9.3464			68.1717	28.6645		47.2076
04	S	156.609	123.89	94.051	87.486	98.058	91.333			76.043	31.433		100.032
85	T			8.6979	3.5062	2.9404	5.3886	5.0716	2.5254	45.4988		37.7984	
- 65	S			95.086	125.622	149.098	158.415	168.317	182.779	113.937		125.005	
86	T	2.3926	4.6270	4.9039	2.3795	2.2654	4.7350	4.6650	2.4346				
	S	191.785	183.753	168.651	185.104	193.524	180.282	182.987	189.596	182.516			
87	T	2.4791	5.1066		2.4123		4.6234	-	2.1996				
	S	185.093	166.496	6 165.439	182.587	196.649	184.634	194.925	209.852	182.350			
88	T	2.1621	4.5709	9 4.5836	2.2268		4.3859		2.1322	26.3096			
	S	212.231	186.009			1	194.632		216.486	197.038		ļ	
89	LT.	2.1081	4.4676				4.1888		2.1239	25.7712			
	S	217.667	190.310		198.564	209.755	203.790		217.332	201.155			
90	LT.	2.1040	4.315		2.1877	2.0757	4.0695		2.1013	25.2208			
	S	218.091	197.008		201.332	211.210	209.764	213.639	219.669	205.545			
91	L_	2.1069	4.374		2.1804	<del>•                                      </del>	4.3274	•	2.1550	25.7649			
	S	217.791	194.364		202.006	1	197.263		214.195	201.204			
92	L_T	2.1299			2.1675		4.2173		2.1289	25.3402			
	S	215.439	201.772		203.209		202.413		216.821	204.576			
93	I	2.1140		_	2.1940		4.0638		2.1230	25.3361			
	S	217.059	194.689		200.754	<del>•                                      </del>	210.059		217.424	204.609			
94	L_T	2.1090			2.1553	1		3.9391	2.0921	24.6723			
	S	217.574	206.34		204.359		216.319		220.635	210.114			
95	T	2.0806	4.1736	_	2.1811	2.0700	3.9868		2.1062	24.9417			
	S	220.544	203.71	189.685	201.941	211.792	214.116	214.304	219.158	207.845			

**Genesys 300 Event:** 

1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session: Race** 

June 6, 2020 MDYCAR

Round 1

TAG

### Section Data for Car 14 - Kanaan, Tony


Track:

Lap		SF to T1	T1 to SS1		T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
•	T	2.0892	4.214	2 4.4034	2.1984	2.0805	3.9691	3.9590	2.0902	25.0040		1	
96	S	219.636		_		210.723	215.071	215.619					
	Т	2.0759					1			25.2140			
97	S	221.043	200.16	7 186.418	199.472	210.107	211.799	212.342	218.888	205.600			
	Т	2.0845	4.273	4 4.4566	2.2226	2.0935	4.0379		-	25.4342		Î	
98	S	220.131	198.95			209.414	211.406	207.218	215.074	203.820			
99	Т	2.1166	4.234	1 4.4198	2.2109	2.0871	4.0787	4.0389	2.1222	25.3083			
99	S	216.793	200.80	5 187.123	199.220	210.057	209.291	211.354	217.506	204.834			
100	T	2.1001	4.184	5 4.4313	2.2119	2.0857	4.0300	4.2138	2.1788	25.4361			
100	S	218.496	203.18	186.637	199.130	210.198	211.820	202.581	211.856	203.805			
101	Т	2.1442	4.165				4.1301	4.1044	2.1507	25.3770			
101	S	214.002			-			207.981	214.624	204.279			
102	Т	2.1341	+		+			<del></del>		25.4769			
102	S	215.015	+	<del>-</del>	+	•		•	•	203.478		ļ	
103	T	2.1025	4.220	1 4.4376	2.2114	2.0806	4.1240	4.0958	2.1320	25.4040		<u> </u>	
105	S	218.247		_									
104	T	2.1040			_								
107	S	218.091	+	9 184.144	198.914			<del></del>	+	203.225			
105	T	2.1210			<del></del>	<del>•                                      </del>		•	•	•		<u> </u>	<u> </u>
	S	216.343	1					209.754				<u> </u>	
106	T	2.1327						4.0332					
	S	215.156							•				
107	T	2.1029	+		+		<b>!</b>	1	1	-		ļ	_
	S	218.205	+	<del>-</del>	_	<del>•                                      </del>			-	203.907		ļ	_
108	T	2.1182					4.0456			25.2422		ļ	_
	S	216.629	_	_	-					205.370			
109	T	2.1058								25.3051		<u> </u>	
	S	217.905			+		1	1	1	204.860		<u> </u>	_
110	T	2.1157	+		+	<del>•                                      </del>		<del>•                                      </del>	+	25.4541		<del> </del>	
	S	216.885	1	-1						203.661		<del> </del>	-
111	T	2.1261		_	-			1	1	25.3387		<del> </del>	-
	S	215.824		_	-				-	204.588		+	-
112	T	2.1149				1		1	1	+		+	-
	S	216.967	+		+	210.409	+	210.722	-	206.011		+	+
113	S	2.1061	+	-1								+	
	_	217.874										+	
114	T	2.1194							1			+	-
	S	216.506	194.83	183.482	197.655	209.135	203.082	206.172	214.046	200.808			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020



Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1286	4.3181	4.6263	2.2708	2.1236	4.1431	4.1130	2.1446	25.8681			
113	S	215.571	196.898	178.770	193.964	206.446	206.038	207.546	215.234	200.401			
116	Т	2.1176	4.2858	4.5065	2.2195	2.0958	4.1353	4.1033	2.1429	25.6067			
110	S	216.690	198.382	183.523	198.448	209.185	206.427	208.037	215.405	202.447			
117	Т	2.1262	4.2954	4.6285	2.2651	2.1234	4.0970	4.0784	2.1323	25.7463			
	S	215.814	197.939	178.685	194.453	206.466	208.356	209.307	216.476	201.349			
118	Т	2.1157	4.2433	4.4995	2.2224	2.0987	4.0649	4.0563	2.1320	25.4328			
110	S	216.885	200.369	183.808	198.189	208.896	210.002	210.447	216.506	203.831			
119	Т	2.1084	4.2225	4.4607	2.2099	2.0898	4.0862	4.0853	2.1423	25.4051			
119	S	217.636	201.356	185.407	199.310	209.785	208.907	208.953	215.465	204.054			
120	Т	2.1193	4.3261	4.6396	2.2691	2.2829	6.2609			49.8897	27.1854		30.4072
120	S	216.517	196.534	178.258	194.110	192.040	136.344			103.909	33.144		155.301
121	Т				3.2209	2.6728	4.6432	4.2513	2.1899	42.9062		35.2033	
121	S				136.749	164.026	183.847	200.794	210.782	120.822		134.220	
122	Т	2.1664	4.2968	4.2117	2.1390	2.0540	4.0849	4.0103	2.1006	25.0637			
122	S	211.809	197.875	196.369	205.916	213.442	208.974	212.861	219.742	206.833			
122	Т	2.0824	4.3759	4.3242	2.1599	2.0589	4.0222	3.9706	2.0911	25.0852			
123	S	220.353	194.298	191.260	203.924	212.934	212.231	214.989	220.741	206.656			
124	Т	2.0784	4.1401	4.3088	2.1611	2.0510	4.0290	3.9858	2.1065	24.8607			
124	S	220.777	205.364	191.943	203.810	213.754	211.873	214.169	219.127	208.522			
125	Т	2.0957	4.1409	4.2956	2.1539	2.0499	3.9929	3.9565	2.0912	24.7766			
125	S	218.955	205.324	192.533	204.492	213.869	213.789	215.755	220.730	209.230			
126	Т	2.0786	4.1345	4.3323	2.1615	2.0531	4.0206	3.9719	2.0950	24.8475			
120	S	220.756	205.642	190.902	203.773	213.535	212.316	214.919	220.330	208.633			
127	Т	2.0840	4.2811	4.4650	2.2023	2.0817	4.0035	3.9713	2.1014	25.1903			
127	S	220.184	198.600	185.229	199.998	210.601	213.223	214.951	219.659	205.793			
128	Т	2.0854	4.1769	4.3315	2.1771	2.0657	4.0055	3.9731	2.0985	24.9137			
120	S	220.036	203.555	190.937	202.313	212.233	213.116	214.854	219.962	208.078			
129	┸	2.0859	4.2487	4.3997	2.1932	2.0787	4.0065	3.9817	2.1003	25.0947			
129	S	219.984	200.115	187.978	200.827	210.905	213.063	214.390	219.774	206.577			
130	Т	2.0853	4.2395	4.5632	2.2425	2.1113	4.0031	3.9606	2.0994	25.3049			
130	S	220.047	200.549	181.242	196.412	207.649	213.244	215.532	219.868	204.862			
131	Т	2.0859	4.2193	4.4525	2.2149	2.0938	4.0183	4.0028	2.1140	25.2015			
131	S	219.984	201.509	185.749	198.860	209.384	212.437	213.260	218.350	205.702			
132	T	2.1006	4.1813	4.4047	2.1929	2.0814	4.0409	4.0367	2.1218	25.1603			
132	S	218.444	203.340	187.764	200.855	210.632	211.249	211.469	217.547	206.039			
133	Т	2.1102	4.2245	4.4155	2.2043	2.0896	3.9985	3.9864	2.1140	25.1430			
133	S	217.450	201.261	187.305	199.816	209.805	213.489	214.137	218.350	206.181			

Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020 NOVCAR

# Section Data for Car 14 - Kanaan, Tony


Track:


Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1058	4.1643	4.3662	2.1960	2.0848	3.9843	3.9723	2.1063	24.9800			
134	S	217.905	204.171	189.420	200.571	210.288	214.250	214.897	219.148	207.526			
135	Т	2.0979	4.1674	4.3604	2.1920	2.0815	4.0045	3.9744	2.1028	24.9809			
135	S	218.725	204.019	189.672	200.937	210.622	213.169	214.784	219.513	207.519			
136	Т	2.0834	4.2464	4.5459	2.2468	2.1169	4.0221	3.9832	2.1063	25.3510			
130	S	220.247	200.223	181.932	196.036	207.100	212.236	214.309	219.148	204.489			
137	Т	2.1030	4.1748	4.4220	2.2062	2.0946	3.9993	4.0191	2.1218	25.1408			
137	S	218.195	203.657	187.030	199.644	209.304	213.446	212.395	217.547	206.199			
138	Т	2.1068	4.1867	4.4204	2.2107	2.0959	4.0170	3.9845	2.1104	25.1324			
136	S	217.801	203.078	187.097	199.238	209.175	212.506	214.239	218.722	206.268			
139	T	2.0971	4.1532	4.4840	2.2260	2.1021	4.0359	4.0258	2.1263	25.2504			
139	S	218.809	204.716	184.444	197.868	208.558	211.511	212.041	217.086	205.304			
140	T	2.1180	4.1878	4.3929	2.2010	2.0880	4.0021	3.9957	2.1163	25.1018			
140	S	216.649	203.025	188.269	200.116	209.966	213.297	213.639	218.112	206.519			
141	T	2.1139	4.1693	4.4025	2.2133	2.0943	4.0160	4.0195	2.1178	25.1466			
171	S	217.070	203.926	187.858	199.004	209.334	212.559	212.374	217.958	206.151			
142	<u> </u>	2.1055	4.2345	4.4187	2.2073	2.0947	4.0659	4.0278	2.1232	25.2776			
142	S	217.936	200.786	187.169	199.544	209.294	209.950	211.936	217.403	205.083			
143	LT.	2.1152	4.2185	4.4273	2.2104	2.0958	4.0229	4.0038	2.1200	25.2139			
143	S	216.936	201.547	186.806	199.265	209.185	212.194	213.207	217.732	205.601			
144	T	2.1103	4.1981	4.4227	2.2106	2.0959	4.0047	3.9905	2.1132	25.1460			
177	S	217.440	202.527	187.000	199.247	209.175	213.159	213.917	218.432	206.156			
145	<u> </u>	2.0996	4.1522	4.4407	2.2202	2.1020	4.0652	4.0309	2.1166	25.2274			
143	S	218.548	204.765	186.242	198.385	208.568	209.986	211.773	218.081	205.491		ļ	
146	<u> </u>	2.1043	4.2853	4.6288	2.2715	2.1330	4.0857	4.0427	2.1337	25.6850			
	S	218.060	198.406	178.674	193.905	205.536	208.933	211.155	216.334	201.830			
147	Т	2.1227	4.2419	4.4469	2.2233	2.1068	4.0373		2.1239	25.3224			
	S	216.170	200.435	185.982	198.108	208.092	211.437	212.368	217.332	204.720			
148	T	2.1097	4.2214	4.4650	2.2212	2.1018	4.0319		2.1203	25.2912		<u> </u>	
	S	217.502	201.409	185.229	198.296	208.587	211.721	212.353	217.701	204.972			
149	T	2.1161	4.2159	4.4451	2.2113	2.0954	4.0266		2.1216	25.2477			
	S	216.844	201.672	186.058	199.184	209.225	211.999	212.575	217.567	205.326			
150	Т	2.1121	4.2370	4.4182	2.2074	2.0914	4.0427	4.0464	2.1239	25.2791		ļ	
	S	217.255	200.667	187.191	199.535	209.625	211.155	210.962	217.332	205.071		<b>_</b>	
151	T	2.1124	4.2312	4.4796	1	2.1034	4.0624		2.1237	25.3831		<u> </u>	
	S	217.224	200.942	184.625		208.429	210.131	211.061	217.352	204.230			
152	T	2.1177	4.2420				4.0399		2.1508	25.3801			
	S	216.680	200.431	187.454	200.207	209.886	211.301	206.747	214.614	204.255			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series





Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
152	Т	2.1346	4.1704	4.7062	2.3091	2.2358	4.3910	4.1551	2.1526	26.2548			
153	S	214.965	203.872	175.735	190.747	196.086	194.406	205.443	214.434	197.450			
154	Т	2.1289	4.2951	4.5560	2.2516	2.1168	4.1841	4.1237	2.1557	25.8119			
154	S	215.540	197.953	181.529	195.618	207.109	204.019	207.007	214.126	200.838			
155	Т	2.1406	4.2269	4.4023	2.2209	2.2059				48.7919	26.5652		29.9361
155	S	214.362	201.147	187.867	198.323	198.744				106.247	33.917		157.745
156	Т			8.6010	3.2193	2.7846	5.0384	4.4936	2.2698	43.7132		36.0038	
156	S			96.157	136.817	157.441	169.426	189.967	203.362	118.591		131.236	
157	T	2.2257	4.2241	4.2198	2.1460	2.0632	3.9679	3.9620	2.1090	24.9177			
15/	S	206.166	201.280	195.992	205.244	212.490	215.136	215.456	218.867	208.045			
158	Т	2.1105	3.9925	4.1264	2.1259	2.0442	4.1300	4.1975	2.2161	24.9431			
156	S	217.419	212.956	200.428	207.185	214.465	206.692	203.368	208.290	207.833			
150	Т	2.1967	4.3950	4.3309	2.1777	2.0706	4.0031	3.9883	2.1103	25.2726			
159	S	208.888	193.453	190.964	202.257	211.730	213.244	214.035	218.732	205.123			
160	Т	2.1152	4.0988	4.2906	2.1669	2.0669	3.9712	3.9583	2.1156	24.7835			
100	S	216.936	207.433	192.758	203.265	212.109	214.957	215.657	218.184	209.171			
161	Т	2.1155	4.0906	4.2322	2.1513	2.0580	3.9672	3.9789	2.1200	24.7137			
101	S	216.906	207.849	195.417	204.739	213.027	215.174	214.541	217.732	209.762			
162	Т	2.1165	4.0144	4.2075	2.1531	2.0609	3.9590	3.9565	2.1130	24.5809			
102	S	216.803	211.794	196.565	204.568	212.727	215.619	215.755	218.453	210.895			
163	T	2.1089	4.1060	4.3003	2.1788	2.0765	4.0221	3.9756	2.1075	24.8757			
103	S	217.584	207.069	192.323	202.155	211.129	212.236	214.719	219.023	208.396			
164	T	2.1052	4.4736	4.5062	2.2314	2.0988	4.1078	4.0680	2.1281	25.7191			
104	S	217.967	190.054	183.535	197.389	208.886	207.809	209.842	216.903	201.562			
165	T	2.1146	4.3622	4.4724	2.2327	2.1123	4.0403	4.0085	2.1211	25.4641			
103	S	216.998	194.908	184.922	197.274	207.551	211.280	212.957	217.619	203.581			
166	T	2.1076	4.2017	4.4282	2.2263	2.1055	4.0358	3.9962	2.1149	25.2162			
100	S	217.719	202.353	186.768	197.842	208.221	211.516	213.612	218.257	205.582			
167	T	2.1046	4.1754	4.4263	2.2102	2.0955	4.0247	4.0102	2.1249	25.1718			
107	S	218.029	203.628	186.848	199.283	209.215	212.099	212.866	217.229	205.945			
168	Т	2.1132	4.1613	4.3809	2.2053	2.0924	4.0362	4.0006	2.1178	25.1077			
100	S	217.142	204.318	188.784	199.725	209.525	211.495	213.377	217.958	206.471			
169	Т	2.1100	4.1747	4.4532	2.2277	2.1144	4.0902	4.0658	2.1452	25.3812			
109	S	217.471	203.662	185.719	197.717	207.344	208.703	209.955	215.174	204.246			
170	T	2.1407	4.1393	4.4569	2.2282	2.1184	4.0669		2.1470	•			
1,0	S	214.352	205.404	185.565	197.673	206.953	209.899	210.853	214.993	204.530			
171	Т	2.1489	4.1366	4.3528		2.0928	4.0174		2.1206				
	S	213.534	205.538	190.003	200.727	209.484	212.485	213.074	217.670	206.783			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 14 - Kanaan, Tony

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap I	PI to PO	PO to SF	SF to PI
172	Т	2.1189	4.1766	4.4777	2.2370	2.1190	4.0425	4.0121	2.1281	25.3119			
1/2	S	216.557	203.569	184.703	196.895	206.894	211.165	212.765	216.903	204.805			
173	Т	2.1239	4.1509	4.4710	2.2312	2.1159	4.0451	4.0251	2.1280	25.2911			
1/3	S	216.048	204.830	184.980	197.407	207.197	211.030	212.078	216.913	204.973			
174	T	2.1216	4.1813	4.3607	2.1968	2.0916	4.0294	4.0259	2.1324	25.1397			
1/4	S	216.282	203.340	189.659	200.498	209.605	211.852	212.036	216.465	206.208			
175	Т	2.1315	4.1647	4.4721	2.2303	2.1142	4.0471	4.0196	2.1335	25.3130			
1/3	S	215.277	204.151	184.934	197.487	207.364	210.925	212.368	216.354	204.796			
176	T	2.1300	4.1344	4.4596	2.2242	2.1115	4.0374	4.0100	2.1245	25.2316			
170	S	215.429	205.647	185.453	198.028	207.629	211.432	212.877	217.270	205.457			
177	T	2.1250	4.0926	4.3568	2.1989	2.0977	4.0266	4.0027	2.1235	25.0238			
	S	215.936	207.747	189.829	200.307	208.995	211.999	213.265	217.373	207.163			
178	T	2.1233	4.1228	4.4180	2.2179	2.1108	4.0475	4.0187	2.1254	25.1844			
176	S	216.109	206.226	187.199	198.591	207.698	210.905	212.416	217.178	205.842			
179	T	2.1246	4.1563	4.4160	2.2087	2.1068	4.0305	4.0119	2.1222	25.1770			
1/9	S	215.976	204.563	187.284	199.418	208.092	211.794	212.776	217.506	205.902			
180	T	2.1166	4.1823	4.4190	2.2286	2.1115	4.0330	4.0457	2.1510	25.2877			
100	S	216.793	203.292	187.157	197.637	207.629	211.663		214.594	205.001			
181	T	2.1461	4.1580	4.3667	2.2013	2.0945	4.0366	4.1186	2.1660	25.2878			
101	S	213.813	204.480	189.398	200.088	209.314	211.474	207.264	213.108	205.000			
182	T	2.1535	4.1570	4.5561	2.2631	2.1375	4.0860	4.0553	2.1415	25.5500			
102	S	213.078	204.529	181.525	194.624	205.104	208.917	210.499	215.546	202.896			
183	T	2.1349	4.1793	4.5162	2.2517	2.1269	4.0779	4.1384	2.1648	25.5901			
105	S	214.934	203.438	183.129	195.610	206.126	209.332	206.272	213.226	202.578			
184	T	2.1476	4.1788	4.4377	2.2295	2.1163	4.0645	4.0483	2.1349	25.3576			
	S	213.663	203.462	186.368		207.158	210.022	210.863	216.212	204.436			
185	Т	2.1270	4.1751	4.6682	2.3012	2.2143	4.7123	4.3310	2.2133	26.7424			
	S	215.733	203.642	177.166		197.990	181.151	+	208.553	193.849			
186	T	2.1698	4.3458	4.5881	2.2669	2.1385	4.0957	4.0520	2.1393	25.7961			
	S	211.477	195.643	180.259	194.298	205.008	208.423	210.670	215.767	200.961			
187	T	2.1390	4.2383	4.4479	2.2266	2.1111	4.0984	4.1016	2.1429	25.5058			
	S	214.523	200.606	185.941	197.815	207.669	208.285	208.123	215.405	203.248			
188	T	2.1319	4.2285	4.5028	2.2552	2.1310	4.2582	4.1640	2.1486	25.8202			
	S	215.237	201.071	183.674	195.306	205.729	200.469	205.004	214.833	200.773			
189	T	2.1355	4.4955	4.5408	2.2554	2.1269	4.1238		2.1739	26.0331			
	S	214.874	189.129	182.137	195.289	206.126	207.002	204.156	212.333	199.131			
190	T	2.1509	4.2809	4.4976						50.2635	26.7625		31.2151
	S	213.336	198.609	183.886	183.172	154.348				103.136	33.667		151.282

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

**Section Data Report NTT IndyCar Series** Report: **Session:** Race


June 6, 2020 MDYCAR

# Section Data for Car 14 - Kanaan, Tony

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т				4.5769	4.5521	10.3481	10.2462	5.1760	62.7390	l e	55.0249	
191	S				96.234	96.309	82.492	83.312	89.179	82.628		85.870	
192	Т	5.2989	9.27	9.9587	4.0652	3.1614	5.5638	5.0990	2.7555	45.1767			
192	S	86.596	91.67	83.048	108.348	138.676	153.427	167.413	167.516	114.749	·		
193	T	2.9395	6.322	6.4802	3.1890	2.9520	5.7318	5.6431	2.9645	36.2226			
193	S	156.103	134.47	127.627	138.117	148.513	148.930	151.271	155.706	143.115			
194	T	3.0761	6.528	9.6277	5.8941	6.3761	11.0214	9.7674	4.7201	57.0112			
194	S	149.171	130.23	85.903	74.728	68.758	77.453	87.396	97.793	90.930			
195	T	4.9938	10.392	12.8053	6.6641	5.9269	11.1533	12.1922	6.2119	70.3398	i		
193	S	91.887	81.8	64.586	66.094	73.969	76.537	70.015	74.308	73.699	•		
196	T	5.8720	12.260	11.9075	6.2265	5.3184	9.8714	7.8694	3.7598	63.0857			
190	S	78.144	69.34	69.456	70.739	82.433	86.476	108.475	122.770	82.174			
197	T	3.9447	7.59	8.8694	4.3194	4.3595	7.3971	5.0511	2.4021	43.9349			
197	S	116.324	111.99	96 93.247	101.971	100.564	115.401	169.000	192.161	117.993			
198	T	2.2980	4.40	4.4733	2.1905	2.0755	4.4176	4.1176	2.1220	26.1018			
196	S	199.680	192.9	184.885	201.075	211.231	193.235	207.314	217.526	198.607			
199	T	2.1405	4.430	4.4586	2.1683	2.0488	4.5545	4.1975	2.1541	26.1587			
	S	214.372	191.64	185.494	203.134	213.983	187.427	203.368	214.285	198.175			
200	T	2.1303	4.14	4.3018	2.1449	2.0550	4.5717	4.7400	2.9110	26.9966			
200	S	215.399	205.27	75 192.25 <i>6</i>	205.350	213.338	186.722	180.092	158.568	192.024			
201	Т	3.4102	6.930	7.6089	5.6694								
201	S	134.556	122.67	108.694	77.690								

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 





# Section Data for Car 15 - Rahal, Graham

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.3197	4.2597	4.3507	2.2367	2.1441	4.1216	4.1477	2.2053	25.7855		36.3621	
	S	197.812	199.598	190.095	196.922	204.472	207.113	205.810	209.310	201.043		129.943	
2	T	2.2032	4.1178	4.2537	2.2043	2.1178	4.0832	4.1198	2.1905	25.2903			
	S	208.271	206.476	194.430	199.816	207.012	209.061	207.203	210.724	204.980			
3	T	2.1873	4.0502	4.2034	2.1806	2.0996	4.0543	4.0854	2.1729	25.0337			
	S	209.785	209.922	196.756	201.988	208.806	210.551	208.948	212.431	207.081			
4	Т	2.1739	4.0309	4.2058	2.1890	2.1029	4.0557	4.0814	2.1678	25.0074			
4	S	211.079	210.927	196.644	201.213	208.478	210.478	209.153	212.931	207.299			
5		2.1566	4.0275	4.2706	2.1978	2.0937	4.0032	4.0601	2.1315	24.9410			
	S	212.772	211.105	193.660	200.407	209.394	213.239	210.250	216.557	207.851			
6	T	2.1199	4.2939	4.5572	2.2981	2.1601	4.0850	4.0801	2.1277	25.7220			
	S	216.455	198.008	181.481	191.660	202.958	208.969	209.219	216.944	201.540			
7	T	2.1428	4.4805	4.4364	2.2423	2.1172	4.0309	4.0727	2.1256	25.6484			
	S	214.142	189.762	186.423	196.430	207.070	211.773	209.600	217.158	202.118			
8	T	2.1541	4.4188	4.3779	2.2468	2.1217	4.0494	4.0571	2.1282	25.5540			
•	S	213.019	192.411	188.914	196.036	206.631	210.806	210.406	216.893	202.865			
9	Т	2.1086	4.1630	4.3522	2.2326	2.1243	4.0723	4.0828	2.1611	25.2969			
	S	217.615	204.234	190.029	197.283	206.378	209.620	209.081	213.591	204.926			
10	T	2.1602	4.1276	4.3456	2.2492	2.3044	6.0659			41.6148	20.3277		29.1225
	S	212.417	205.986	190.318	195.827	190.249	140.727			124.571	44.325	i	162.152
11	T				3.2650	2.7394	4.7907	4.4028	2.2514	43.3524		35.5170	
	S				134.902	160.038	178.186		205.024	119.578		133.035	
12	ഥ	2.2450	4.5358	4.5243	•	-	4.0828	-	2.1416	26.0367			
12	S	204.394	187.448	182.801	193.479		209.081	208.739	215.536	199.104			
13	ഥ	2.1208	4.1597	4.3602	2.2202	2.0997	4.0135	4.0338	2.1209	25.1288			
	S	216.363	204.396	189.681	198.385	-	212.691	211.621	217.639	206.297			
14	LT	2.1061	4.1460			2.1059	4.0174		2.1249	25.1589			
	S	217.874	205.072	188.153	•	208.181	212.485	+	217.229	206.050			
15	Т	2.1164	4.1843	4.3447	2.2115		4.0130		2.1274	25.1338			
<u> </u>	S	216.813	203.195	190.357	199.166	209.095	212.718		216.974	206.256		ļ	
16	Т	2.1179	4.0957	4.3867	2.2303	2.1098	4.0354	4.0340	2.1259	25.1357			
	S	216.660	207.590	188.535	197.487	207.797	211.537	211.610	217.127	206.241			
17	Т	2.1200	4.1292	4.4884	2.2613	+	4.0597	4.0511	2.1358	25.3827			
	S	216.445	205.906	184.263	194.779	•	210.271	210.717	216.121	204.234			
18	T	2.1288	4.0571	4.4010			4.0511	4.0605	2.1361	25.1877			
<u> </u>	S	215.550	209.565	187.922	196.930		210.717	210.229	216.090	205.815			
19	Т	2.1304	4.0960				4.0362		2.1339	25.1777			
	S	215.388	207.575	188.256	197.904	207.944	211.495	210.561	216.313	205.896			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** 

June 6, 2020 MDYCAR Race

# Section Data for Car 15 - Rahal, Graham

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.1256	4.1263	4.3620	2.2212	2.1030	4.0305	4.0711	2.1385	25.1782			
20	S	215.875	206.051		198.296			1					
34	Т	2.1279	4.1586	4.4249	2.2411	2.1162	4.0562	4.1124	2.1575	25.3948			
21	S	215.642	204.450	186.907	196.535	207.168	210.452	207.576	213.947	204.136			
22	Т	2.1473	4.1804	4.4480	2.2626	2.1354	4.0681	4.0909	2.1474	25.4801			
22	S	213.693	203.384	185.936	194.667	205.305	209.837	208.667	214.953	203.453			
23	Т	2.1331	4.1392	4.4198	2.2408	2.1144	4.0531	4.1081	2.1512	25.3597			
23	S	215.116	205.409	187.123	196.561	207.344	210.613	207.793	214.574	204.419			
24	Т	2.1294	4.2028	4.4595	2.2568	2.1291	4.0789	4.1181	2.1539	25.5285			
24	S	215.490	202.300	185.457	195.168	205.913	209.281	207.289	214.305	203.067			
25	Т	2.1313	4.1828	4.4737	2.2651	2.1338	4.0853	4.1644	2.1704	25.6068			
	S	215.298	203.267	184.868	194.453	205.459	208.953	204.984	212.676	202.446			
26	Т	2.1526	4.3371	4.5258	2.2723	2.1395	4.1069	4.1672	2.1679	25.8693			
	S	213.167	196.036	182.740	193.836	204.912	207.854	204.847	212.921	200.392			
27	T	2.1394	4.2222	4.4505	2.2478	2.1228	4.0816	4.1333	2.1556	25.5532			
	S	214.482	201.371	185.832	195.949	206.524	209.143	206.527	214.136	202.871			
28	Т	2.1348	4.2474	4.4658	2.2516	2.1206	4.0827	4.1309	2.1483	25.5821			
	S	214.945	200.176	185.195	195.618	206.738	209.086	206.647	214.863	202.642			
29	Т	2.1315	4.3141	4.5130	2.2815	2.1399	4.1159	4.1618	2.1593	25.8170			
29	S	215.277	197.081	183.258	193.055	204.874	207.400	205.112	213.769	200.798			
30	T	2.1324	4.3065	4.5538	2.2743		4.1346	4.1677	2.1681	25.8750			
	S	215.186	197.429	181.617	193.666	205.094	206.462	204.822	212.901	200.348			
31	T	2.1420	4.2842	4.5055	2.2636	2.1314	4.1068	4.1731	2.1703	25.7769			
	S	214.222	198.456	183.564	194.581	205.691	207.859	204.557	212.685	201.110			
32	T	2.1406	4.2098	4.4455	2.2438	2.1262	4.0934	4.1153	2.1526	25.5272			
32	S	214.362	201.964		196.298		208.540			203.078			
33	T	2.1352	4.3057		2.2975		4.1544		2.1821	25.9099			
	S	214.904	197.466	•	191.710		205.478	<del>•                                      </del>	211.535	200.078			
34	L	2.1779	4.2005		2.2395	2.1420	4.0909	<del>•</del>	<del>•                                      </del>	25.4366			
	S	210.691	202.411	189.885	196.675		208.667		214.524	203.801			
35	T	2.1437	4.1667		2.2750		6.1471			48.5974	26.7501		29.7367
	S	214.052	204.053	186.599	193.606		138.868			106.672	33.683		158.803
36	T				4.0409	3.7173	8.1133			52.9399		45.0505	
	S				108.999	117.938	105.214		133.462	97.922		104.882	
37	LT.	3.2794	6.3070	6.1433	3.0034	2.8842	5.9146		5.4144	39.9388			
	S	139.923	134.807	134.626	146.652	152.004	144.327		85.252	129.799			
38	T	5.3672	10.4943		4.5302	4.5459	10.2885	+	4.8854	59.7278			
	S	85.494	81.018	86.606	97.226	96.441	82.970	84.797	94.484	86.794			<u> </u>

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 15 - Rahal, Graham

Lap	T/S		T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	5.2881	10.2273	8.9698	4.0234	4.0574	8.9376	9.4412	5.7346	56.6794			
39	S	86.773	83.133	92.203	109.473	108.052	95.511	90.416	80.492				
40	Т	5.8692	9.0982	9.0786	3.9417	3.9665	8.7277	9.2956	4.8922	54.8697			
40	S	78.182	93.450	91.098	111.742	110.528	97.808	91.832	94.352	94.478			
44	Т	5.1123	8.6458	9.7930	5.0069	4.4186	10.3905	9.1841	4.8760	57.4272			Î
41	S	89.757	98.340	84.453	87.970	99.219	82.155	92.947	94.666	90.271			
42	Т	5.3974	9.1743	9.0027	4.7613	5.1395	11.6295	11.5366	5.2541	61.8954			
42	S	85.016	92.675	91.866	92.507	85.302	73.403	73.994	87.853	83.754			
43	Т	4.6808	8.8930	8.8699	4.3928	4.9457	10.1765	10.2490	4.8753	57.0830			
43	S	98.031	95.606	93.242	100.267	88.644	83.883	83.290	94.679	90.815			
44	Т	4.4964	8.2978	6.5549	3.2559	3.8150	5.7490	4.6018	2.2906	39.0614			
44	S	102.051	102.464	126.172	135.279	114.917	148.484	185.501	201.515	132.714			
45	Т	2.3206	4.6893	4.5035	2.2317	2.0976	4.1321	4.1146	2.1219	26.2113			
45	S	197.735	181.312	183.645	197.363	209.005	206.587	207.465	217.537	197.777			
46	T	2.1826	4.4269	4.4344	2.2191	2.0973	4.1160	4.1292	2.1336	25.7391			
40	S	210.237	192.059	186.507	198.483	209.035	207.395	206.732	216.344	201.406			
47	Т	2.1091	4.2506	4.4075	2.2228	2.1169	4.4936	4.1920	2.1334				
47	S	217.564	200.025	187.645	198.153	207.100	189.967	203.635	216.364	199.954			
48	Т	2.1522	4.5949	4.5588	2.2464	2.1009	4.0614	4.0779	2.1211	25.9136			
40	S	213.207	185.037	181.417	196.071	208.677	210.183	209.332	217.619	200.049			
49	T	2.1073	4.3234	4.4114	2.2114	2.0739	4.0308	4.0294	2.1017	25.2893			
49	S	217.750	196.657	187.479	199.175	211.394	211.778	211.852	219.627	204.988			
50	T	2.1254	4.3843	4.3744	2.1963	2.0657	4.0837	4.1505	2.1491	25.5294			
	S	215.895	193.925	189.065	200.544	212.233	209.035	205.671	214.783	203.060			
51	T	2.1463	4.3981	4.4843	2.2398	2.1002	4.0566	4.0917	2.1307	25.6477			
	S	213.793	193.317	184.431	196.649	208.746	210.431	208.626	216.638	202.123			
52	T	2.1150	4.2463		2.1845		4.1663		2.1212			1	
	S	216.957	200.228	<del>•                                      </del>	201.627	209.334	204.891	<del>•                                      </del>	217.608	+		1	
53	T	2.1095	4.3029		2.2018	2.0694	4.1650	4.1155	2.1441	25.4936	ļ		
	S	217.522	197.594		200.043	•	204.955	+	215.284				
54	T	2.1197	4.2492		2.2045		4.0732		2.1289				
	S	216.476	200.091		199.798		209.574			204.746			
55	T	2.1094	4.2294		2.2160	2.0869	4.0724			25.3478			
	S	217.533	201.028	+	198.761	210.077	209.615	+	216.334		ļ		
56	T	2.1123	4.2708	4.4342	2.2324	2.1052	4.1772	4.1775	2.1639	25.6735			
	S	217.234	199.079		197.301	208.251	204.356		213.314	201.920			
57	Т	2.1382	4.2152	4.3952	2.2135	2.0851	4.0933	4.1286	2.1378	25.4069			
	S	214.603	201.705	188.170	198.986	210.258	208.545	206.762	215.919	204.039			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 

Round 1

TAG

**Session:** June 6, 2020 MDYCAR Race

# Section Data for Car 15 - Rahal, Graham

Report:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.1408	4.355	4.4182	2.2164	2.0856	4.0513	4.1352	2.1462	25.5491			
58	S	214.342					210.707		215.074				
	Т	2.1355	4.241	3 4.4185	2.2266	2.0933	4.0666	4.1097	2.1372	25.4287			
59	S	214.874	200.46	4 187.178	197.815	209.434	209.914	207.713	215.979	203.864		i	
	Т	2.1222	4.229	3 4.3639	2.2043	2.0753	4.0636	4.1773	2.1619	25.3983		T .	
60	S	216.221	201.00	9 189.520	199.816	211.251	210.069	204.351	213.512	204.108			
<b>C4</b>	Т	2.1335	4.289	4 4.4372	2.2278	2.0959	4.0705	4.1331	2.1460	25.5334			
61	S	215.076	198.21	5 186.389	197.708	209.175	209.713	206.537	215.094	203.028			
63	Т	2.1223	4.235	5 4.3782	2.2212	2.0926	4.1110	4.1575	2.1605	25.4788			
62	S	216.211	200.73	188.901	198.296	209.504	207.647	205.324	213.650	203.463			
63	Т	2.1400	4.251	7 4.4640	2.2602	2.1240	4.0682	4.1260	2.1524	25.5865			
03	S	214.422	199.97		194.874	206.407	209.831	206.892	214.454	202.607			
61	Т	2.1325	4.1832	2 4.4874	2.2545	2.1211	4.0564	4.0929	2.1419	25.4699			
64	S	215.176	203.248	184.304	195.367	206.689	210.442	208.565	215.505	203.534			
65	Т	2.1368	4.182	7 4.3931	2.2204	2.0981	4.0366	4.0785	2.1329	25.2791			
05	S	214.743	203.27	188.260	198.367	208.955	211.474	209.302	216.415	205.071			
66	Т	2.1237	4.210	4.4209	2.2331	2.1041	4.0304	4.0706	2.1277	25.3213			
00	S	216.068	201.91	187.076	197.239	208.359	211.799	209.708	216.944	204.729			
67	Т	2.1194	4.189 <sup>-</sup>	1 4.3993	2.2203	2.0957	4.0469	4.0909	2.1360	25.2976			
07	S	216.506	202.962	187.995	198.376	209.195	210.936	208.667	216.101	204.921			
68	Т	2.1268	4.2418	4.4079	2.2191	2.0941	4.0565	4.0931	2.1364	25.3757			
00	S	215.753	200.440	187.628	198.483	209.354	210.437	208.555	216.060	204.290			
69	Т	2.1189	4.219	5 4.3784	2.2035	2.0796	4.2369	4.1789	2.1606	25.5763			
09	S	216.557	201.500	188.892	199.889	210.814	201.477	204.273	213.640	202.688			
70	Т	2.1423	4.275	1 4.5072	2.2573	2.1225	4.0946	4.1372	2.1556	25.6918			
70	S	214.192	198.879	9 183.494	195.125	206.553	208.479	206.332	214.136	201.776			
71	Т	2.1325	4.2428	4.4466	2.2591	2.1161	4.2191	4.2423	2.1828	25.8413			
/1	S	215.176	200.393	185.995	194.969	207.178	202.327	201.220	211.467	200.609			
72	Т	2.1675	4.595	4.6642	2.2899	2.2046	4.3539	4.3721	2.2088	26.8566			
14	S	211.702	185.009	9 177.318	192.347	198.861	196.062	195.246	208.978	193.025			
73	Т	2.1556	4.476	4.5958	2.2805	2.1321	4.1889	4.2281	2.1738	26.2316			
,,	S	212.870	189.919	9 179.957	193.139	205.623	203.785	201.896	212.343	197.624			
74	Т	2.1422	4.3572	2 4.4772	2.3106	2.5608	6.1308	6.5305	3.1861	31.6954			
/-	S	214.202	195.132	2 184.724	190.623	171.200	139.237	130.715	144.876	163.557			
75	Т	3.0550	5.635	5.8537	3.0612	3.3170	6.4732	6.5827	3.3087	37.2873			
, 5	S	150.201	150.862	2 141.286	143.883	132.170	131.872	129.679	139.508	139.029			
76	Т	3.2315	6.111	5.8888	2.8530	2.6050	5.5836	5.8281	2.8926	34.9945			
70	S	141.997	139.110	140.444	154.383	168.295	152.883	146.469	159.576	148.138			

**Genesys 300 Event:** Round 1

1.5 mile(s) Track: **Texas Motor Speedway** 

**Section Data Report NTT IndyCar Series Report:** 

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 15 - Rahal, Graham

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.8471	5.8387	6.4139	4.9528	6.7108	11.8817	9.3196	3.9661	51.9307			
77	S	161.169				65.329	71.845	91.596					
	Т	3.8888	7.7816	6.9618	3.1372	3.3534	8.0660	9.5553	3.3508	46.0949			
78	S	117.996	109.261	118.798	140.397	130.736	105.831	89.336	137.755	112.464			
79	Т	3.0649	6.7027	7.8683	4.1573	4.1514	8.4426	8.5429	4.4860	47.4161			
/9	S	149.716	126.848	105.111	105.947	105.605	101.111	99.923	102.896	109.330			
80	Т	4.8424	9.0194	9.0571	4.2890	4.1828	8.5663	8.9507	4.9323	53.8400			
80	S	94.760	94.267	91.315	102.694	104.812	99.651	95.371	93.585	96.285			
81	T	4.8158	8.6807	7.9672	3.4160	3.1191	5.8680	5.4579	2.6248	41.9495			
61	S	95.283	97.945	103.806	128.939	140.556	145.473	156.404	175.858	123.577			
82	T	2.5600	5.2944	5.3606	2.5930	2.4222	5.1084	4.9610	2.9254	31.2250			
02	S	179.244		154.282	169.863	180.996	167.104	172.069	157.787	166.021			
83	Т	3.1328				4.5266	8.8662			64.1857	26.5459		45.5238
	S	146.471	140.466	108.278	85.490	96.852	96.280			80.766	33.942	2	103.732
84	<u> </u>				3.3333	2.8616	5.5064		2.4687	45.2519		37.3679	
	S				132.138	153.204	155.026		186.977	114.559		126.445	
85	T	2.3962	4.7758			2.2871	4.7704	4.9001	2.4810				
	S	191.496				191.688	178.944		186.050				
86	T	2.4431	+	•	<del>•</del>	2.1724		•		28.1673			
	S	187.820		•		201.809	182.097						
87	T	2.2048		-	-	2.1240	-	4.1390	-	26.3702			
	S	208.120			•		196.885			196.586			
88	T	2.1741		1	1	2.0828	4.1747		2.1042	25.6435		ļ	
	S	211.059		+	+	210.490		+		202.156			
89	I	2.0925	1	1	1	2.0650		1		25.1912		ļ	
	S	219.290				212.305	208.969			205.786		ļ	
90	T	2.2092				2.1212	4.1711		2.1098			<u> </u>	
	S	207.706		1	<del></del>	206.680	204.655	+		-		<u> </u>	
91	T	2.1377		•		1	4.0956		2.1393	25.4177		-	
<u> </u>	S	214.653			•	•				203.952		+	
92	S	2.1232		1	1					25.0237		-	
-	T	216.119		1	1		213.896	1		207.164			
93	S	2.0972 218.798		1	1	2.0678 212.017			2.0941 220.424	24.8795 208.364		<del>                                     </del>	
	T	2.0845		<del>•</del>	<del>•</del>	<del></del>	215.239 3.9732		2.0981	24.9987	<u> </u>	<del>                                     </del>	
94	S		•							24.9987		<del>                                     </del>	-
<b>—</b>	T	220.131 2.0893	200.881 4.2046	190.055 4.3485		211.170 2.0772	214.849 4.0091		220.004 2.1118			+	
95	S											+	
L	_ >	219.626	202.214	190.191	200.079	211.058	212.925	211.605	218.577	206.732			

**Genesys 300 Event:** 

1.5 mile(s) Track: **Texas Motor Speedway** 

**Section Data Report NTT IndyCar Series** Report:

**Session:** June 6, 2020 MDYCAR Race

# Section Data for Car 15 - Rahal, Graham

Lap				SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
•	T	2.0996	4.2289	9 4.3894	2.2159	2.0864	4.0617	4.0699	2.1228	25.2746		İ	
96	S	218.548											
	Т	2.1017	4.2203	3 4.4862	2.2400	2.1040	4.0271	4.0638	2.1222	25.3653			
97	S	218.330	201.461	1 184.353	196.631	208.369	211.973	-		204.374			
98	Т	2.1093	4.2343	3 4.3637	2.1963	2.0730	4.0070	4.0427	2.1154	25.1417			
98	S	217.543	200.795	189.528	200.544	211.485	213.036	211.155	218.205	206.191			
99	Т	2.0994	4.256	1 4.4900	2.2296	2.0960	4.0337	4.0551	2.1206	25.3805			
99	S	218.569	199.767	7 184.197	197.549	209.165	211.626	210.509	217.670	204.251			
100	T	2.1121	4.2989	4.4480	2.2227	2.0860	4.1125	4.1208	2.1358	25.5368			
100	S	217.255	197.778	185.936	198.162	210.167	207.571	207.153	216.121	203.001			
101	Т	2.1268	4.3515			2.0785	4.0671	4.0978	2.1307	25.4897			
101	S	215.753	195.387	7 186.894	199.111	210.926	209.888	208.316	216.638	203.376			
102	Т	2.1094	4.3382	4.4864	2.2330	2.1002	4.0682	4.0788	2.1316	25.5458			
102	S	217.533	195.986	184.345	197.248	208.746	209.831	209.286	216.547	202.930			
103	Т	2.1105	4.2216	4.4448	+		4.0984	4.0928	2.1361	25.4247			
103	S	217.419	201.399	186.070	197.726	209.474	208.285	-	216.090	203.896			
104	Т	2.1253	4.2379	4.4354	2.2287	2.0980	4.0269	4.0621	2.1271	25.3414			
104	S	215.905	200.625	186.465	197.628	208.965	211.984	210.147	217.005	204.566			
105	T	2.1152	4.2262	2 4.4403	2.2278	2.1001	4.0496	4.0840	2.1374	25.3806			
103	S	216.936	201.180	186.259	197.708	208.756	210.795	209.020	215.959	204.250			
106	T	2.1214			-	-	-	4.0714	2.1295	25.2639			
100	S	216.302	202.894			209.916			216.760	205.194			
107	Т	2.1163			1				2.1235	25.3027			
	S	216.824	+	<del></del>	-		212.226	<del>,                                      </del>	217.373	204.879			
108	T	2.1082	4.2060	4.5049	2.2487	2.1119	4.0184	4.0910	2.1422	25.4313			
	S	217.657	202.146			207.590	212.432	208.662	215.475	203.843			
109	Т	2.1205	+					4.1035	2.1389	25.2713			
	S	216.394	+		<del></del>		211.443	+	215.808	205.134			
110	T	2.1168		_	•				2.1247	25.2009			
	S	216.772	+	_	•				217.250	205.707			
111	T	2.1007			1				2.1397	25.3846			
	S	218.434			1		209.723		215.727	204.218			
112	T	2.1359	+		1			+	2.1412	25.9636		1	
	S	214.834		<del></del>	<del>•</del>	208.766	201.638	•	215.576	199.664			
113	T	2.1299		-1		2.1066			2.1236	25.7846			+
-	S	215.439				208.112	206.642	208.148	217.362	201.050			
114	T	2.1326		_	1		4.1304			25.8830			
	S	215.166	192.303	180.239	193.411	206.010	206.672	209.071	217.557	200.286			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020

# Section Data for Car 15 - Rahal, Graham

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1152	4.3404	4.4585	2.2299	2.0967	4.0847	4.1410	2.1519	25.6183			
113	S	216.936	195.887	185.499	197.522	209.095	208.984	206.143	214.504	202.355			
116	T	2.1282	4.2937	4.4620	2.2348	2.0983	4.1005	4.1196	2.1366	25.5737			
110	S	215.611	198.017	185.353	197.089	208.935	208.179	207.213	216.040	202.708			
117	T	2.1227	4.2766	4.4278	2.2177	2.0904	4.0317	4.0820	2.1264	25.3753			
	S	216.170	198.809	186.785	198.609	209.725	211.731	209.122	217.076	204.293			
110	T	2.1071	4.2678	4.4282	2.2215	2.0975	4.1782	4.1376	2.1332	25.5711			
118	S	217.770	199.219	186.768	198.269	209.015	204.307	206.312	216.384	202.729			
119	T	2.1329	4.4594	4.4893	2.2355	2.1130	4.1737	4.1168	2.1259	25.8465			
119	S	215.136	190.660	184.226	197.027	207.482	204.527	207.354	217.127	200.569			
120	T	2.1206	4.4380	4.4692	2.2620	2.4226	6.4704			54.7348	31.4703		31.1613
120	S	216.384	191.579	185.054	194.719	180.966	131.929			94.711	28.631		151.543
121	T				3.1986	2.6662	4.6374	4.3533	2.2413	43.0363		35.1395	
121	S				137.702	164.432	184.077	196.089	205.948	120.456		134.464	
122	T	2.2186	4.1572	4.2353	2.1755	2.0880	4.0276	4.0358	2.1418	25.0798			
122	S	206.826	204.519	195.274	202.461	209.966	211.947	211.516	215.515	206.700			
123	T	2.1432	4.0581	4.1474	2.1415	2.0645	3.9827	3.9946	2.1235	24.6555			
123	S	214.102	209.514	199.413	205.676	212.356	214.336	213.698	217.373	210.257			
124	T	2.1316	3.9792	4.0827	2.1174	2.0427	3.9454	3.9756	2.1162	24.3908			
124	S	215.267	213.668	202.573	208.017	214.622	216.362	214.719	218.123	212.539			
125	T	2.1242	3.9726	4.0954	2.1204	2.0446	3.9482	3.9664	2.1133	24.3851			
125	S	216.017	214.023	201.945	207.722	214.423	216.209	215.217	218.422	212.589			
126	Т	2.1211	3.9303	4.0981	2.1186	2.0405	3.9365	3.9689	2.1145	24.3285			
120	S	216.333	216.326	201.812	207.899	214.854	216.852	215.081	218.298	213.083			
127	T	2.1192	3.9524	4.1154	2.1289	2.0472	3.9413	3.9602	2.1092	24.3738			
127	S	216.527	215.117	200.964	206.893	214.151	216.588	215.554	218.846	212.687			
128	T	2.1137	3.9432	4.1599	2.1387	2.0507	3.9455	3.9642	2.1069	24.4228			
126	S	217.090	215.619	198.814	205.945	213.785	216.357	215.336	219.085	212.261			
129	T	2.1104	4.0201	4.2216	2.1623	2.0660	3.9522	3.9559	2.1021	24.5906			
129	S	217.430	211.494	195.908	203.697	212.202	215.990	215.788	219.586	210.812			
130	Т	2.0977	4.0199	4.2478	2.1686		3.9540	3.9556	2.0947	24.6031			
	S	218.746	211.505	194.700	203.105	212.325	215.892	215.805	220.361	210.705			
131	Т	2.0859	4.0796			2.0622	3.9545	3.9654	2.0851	24.6876			
131	S	219.984	208.409	193.248	202.489	212.593	215.865	215.271	221.376	209.984			
132	7	2.0744	4.2175	4.4583	2.2238	2.0904	4.0150	4.0362	2.1166	25.2322			
	S	221.203	201.595	185.507	198.064		212.612	211.495	218.081	205.452			
133	T	2.1021	4.2494	4.3831	2.1997	2.0780	3.9850	4.0053	2.1059	25.1085			
133	S	218.288	200.082	188.690	200.234	210.976	214.212	213.127	219.189	206.464			

Round 1

1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 15 - Rahal, Graham

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
124	Т	2.0919	4.1478	4.3708	2.2016	2.0797	4.0117	4.0350	2.1203	25.0588			
134	S	219.353	204.983	189.221	200.061	210.804	212.787	211.558	217.701	206.873			
425	Т	2.1019	4.1487	4.3733	2.2025	2.0752	4.0412	4.1673	2.1631	25.2732			
135	S	218.309	204.938	189.112	199.979	211.261	211.233	204.842	213.393	205.118			
126	Т	2.1342	4.2227	4.3792	2.2134	2.0928	4.0374	4.0807	2.1376	25.2980		T .	
136	S	215.005	201.347	188.858	198.995	209.484	211.432	209.189	215.939	204.917			
137	Т	2.1244	4.1290	4.3455	2.1942	2.0759	4.0217	4.0753	2.1331	25.0991			
13/	S	215.997	205.916	190.322	200.736	211.190	212.258	209.466	216.394	206.541			
138	T	2.1149	4.1070	4.4037	2.2185	2.0875	4.0271	4.0661	2.1257	25.1505			
136	S	216.967	207.019	187.807	198.537	210.016	211.973	209.940	217.148	206.119			
139	Т	2.1079	4.1787	4.4193	2.2280	2.1006	4.0367	4.0854	2.1314	25.2880			
139	S	217.688	203.467	187.144	197.691	208.707	211.469	208.948	216.567	204.998			
140	┙	2.1209	4.1682	4.3735	2.2128	2.0880	4.0130	4.0761	2.1358	25.1883			
140	S	216.353	203.979	189.104	199.049	209.966	212.718	209.425	216.121	205.810			
141	T	2.1198	4.1320	4.3829	2.2134	2.0903	4.0385	4.0810	2.1319	25.1898			
141	S	216.466	205.767	188.698	198.995	209.735	211.375	209.173	216.516	205.798			
142	Т	2.1160	4.1520	4.3703	2.2123	2.0880	4.0073	4.0634	2.1283	25.1376			
142	S	216.854	204.775	189.242	199.093	209.966	213.020	210.079	216.882	206.225			
143	T	2.1163	4.1137	4.4172	2.2196	2.0920	4.0338	4.0952	2.1422	25.2300			
143	S	216.824	206.682	187.233	198.439	209.565	211.621	208.448	215.475	205.470			
144	Т	2.1284	4.1720	4.3444	2.2025	2.0815	4.0233	4.0686	2.1283	25.1490			
177	S	215.591	203.794	190.370	199.979	210.622	212.173	209.811	216.882	206.131			
145	T	2.1056	4.2124	4.3223	2.1880	2.1166	4.1680	4.1565	2.1490	25.4184			
143	S	217.925	201.839	191.344	201.305	207.129	204.807	205.374	214.793	203.947			
146	T	2.1231	4.2297	4.4759	2.2371	2.1011	4.0811	4.1168	2.1442	25.5090			
140	S	216.129	201.014	184.777	196.886	208.657	209.168	207.354	215.274	203.222			
147	T	2.1226	4.2195		2.2157	2.0915	4.0232	4.0633	2.1224	25.2557			
17/	S	216.180	201.500	+	198.788	209.615	212.178	+	217.485	205.261			
148	T	2.1030	4.1744	+	2.2002	2.0749	4.0239		2.1314	25.1828			
	S	218.195	203.677	1	200.188		212.142	208.336	216.567	205.855			
149	Т	2.1161	4.1984		2.2140		4.0268		2.1257	25.2534			
	S	216.844	202.512		198.941	210.420	211.989		217.148	205.279			4
150	T	2.1057	4.1784		2.2077	2.0742	4.0820		2.1641	25.3917			$\bot$
	S	217.915	203.482	+	199.508	211.363	209.122	203.426	213.295	204.161		$\bot$	$\bot$
151	T	2.1302	4.1872	1	2.2153		4.0476		2.1268	25.2864			4
	S	215.409	203.054		198.824	210.308	210.899		217.035	205.011			
152	Т	2.1075	4.2597		2.2410		4.0955		2.1501	25.4682			
132	S	217.729	199.598	188.252	196.544	206.836	208.433	208.128	214.683	203.548			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session: Race** 

June 6, 2020 MDYCAR

TAG

#### Section Data for Car 15 - Rahal, Graham

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
452	Т	2.1348	4.1860	4.3193	2.2019	2.0927	4.0132	4.0079	2.1153	25.0711			
153	S	214.945	203.112	191.477	200.034	209.494	212.707	212.988	218.215	206.772			
154	Т	2.1035	4.1445	4.3405	2.2049	2.0899	3.9937	4.0032	2.1178	24.9980			
154	S	218.143	205.146	190.542	199.762	209.775	213.746	213.239	217.958	207.377			
155	Т	2.1157	4.1588	4.3135	2.1996	2.1029	4.0416	4.0528	2.1562	25.1411			
155	S	216.885	204.441	191.734	200.243	208.478	211.212	210.629	214.076	206.196			
156	Т	2.1551	4.0736	4.2388	2.1998	2.3146	6.0048			50.2439	28.9290		29.2590
150	S	212.920	208.716	195.113	200.225	189.410	142.159			103.177	31.146		161.396
157					3.2236	2.6805	4.6391	4.3249	2.2275	43.1047		35.1606	
157	S				136.634	163.555	184.009	197.377	207.224	120.265		134.383	
158	T	2.2057	4.1636	4.2511	2.1735	2.0808	4.0056	4.0166	2.1245	25.0214			
156	S	208.035	204.205	194.549	202.648	210.693	213.111	212.527	217.270	207.183			
159	T	2.1306	4.0009	4.1237	2.1303	2.0515	3.9602	3.9920	2.1179	24.5071			
159	S	215.368	212.509	200.559	206.757	213.702	215.554	213.837	217.947	211.531			
160	T	2.1247	3.9662	4.1136	2.1255	2.0456	3.9508	3.9807	2.1162	24.4233			
100	S	215.966	214.368	201.052	207.224	214.318	216.067	214.444	218.123	212.256			
161	T	2.1221	4.0159	4.1631	2.1400	2.0571	3.9600	3.9813	2.1082	24.5477			
101	S	216.231	211.715	198.661	205.820	213.120	215.565	214.411	218.950	211.181			
162	T	2.1027	4.0732	4.2567	2.1575	2.0699	4.3657	4.1923	2.1779	25.3959			
102	S	218.226	208.737	194.293	204.150	211.802	195.533	203.620	211.943	204.127			
163	LT	2.1520	4.1206	4.2812	2.1788	2.0689	3.9680	3.9892	2.1060	24.8647			
105	S	213.227	206.336	193.181	202.155	211.904	215.130	213.987	219.179	208.488			
164	T	2.0998	4.1461	4.2718	2.1653	2.0606	3.9533	3.9674	2.0995	24.7638			
107	S	218.527	205.067	193.606	203.415	212.758	215.930	215.163	219.858	209.338			
165	T	2.0982	4.1970	1	2.1687	2.0633	3.9585	3.9747	2.0947	24.8247			
	S	218.694	202.580		203.096	212.480	215.646	214.767	220.361	208.824			
166	Т	2.0879	1		2.1833	2.0711	3.9595	3.9506	2.0857	24.7426			
	S	219.773	206.451	192.955	201.738	211.679	215.592	216.078	221.312	209.517	ļ	ļ	
167	T	2.0793			2.2076	2.0856	4.0088	4.0466	2.1315	25.0694	ļ	<u> </u>	
	S	220.682	205.592	1	199.517	210.208	212.941	210.952	216.557	206.786			
168	T	2.1271	4.2687		2.2090	2.0986	4.0348	4.0292	2.1176	25.2387	ļ		
<u> </u>	S	215.723	199.177	189.964	199.391	208.906	211.568	211.862	217.978	205.399			
169	T	2.1116			2.2587	2.3690	6.0793			42.0009	20.1195		29.7312
<u> </u>	S	217.306	207.560	185.690	195.004	185.061	140.417			123.426	44.784		158.832
170	T				3.1973	2.6681	4.6454	4.3655	2.2532	42.9793		35.1295	
	S	0.05	1.05.5		137.758	164.315	183.759	195.541	204.860	120.616		134.502	
171	T	2.2280			2.2082	2.1122	4.0543		2.1465	25.3379			
	S	205.953	200.539	192.131	199.463	207.560	210.551	211.066	215.044	204.595			


1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
470	Т	2.1462	4.0387	4.1671	2.1534	2.0717	3.9962	4.0100	2.1343	24.7176			
172	S	213.803	210.520	198.470	204.539	211.618	213.612	212.877	216.273	209.729			
470	Т	2.1380	4.0223	4.1835	2.1626	2.0784	4.0055	4.0223	2.1352	24.7478			
173	S	214.623	211.378	197.692	203.669	210.936	213.116	212.226	216.182	209.473			
174	Т	2.1397	4.0081	4.2143	2.1679	2.0802	4.0007	4.0205	2.1334	24.7648			
1/4	S	214.452	212.127	196.247	203.171	210.753	213.372	212.321	216.364	209.329			
175	Т	2.1395	4.0314	4.2499	2.1811	2.0884	4.0137	4.0321	2.1365	24.8726			
1/5	S	214.472	210.901	194.604	201.941	209.926	212.681	211.710	216.050	208.422			
176		2.1393	4.0530	4.3019	2.2100	2.1065	4.0420	4.0519	2.1440	25.0486			
170	S	214.492	209.777	192.251	199.301	208.122	211.192	210.676	215.294	206.958			
177	T	2.1407	4.0790	4.2983	2.2033	2.1022	4.0336	4.0666	2.1483	25.0720			
1//	S	214.352	208.440	192.412	199.907	208.548	211.631	209.914	214.863	206.765			
178	T	2.1452	4.0383	4.2820	2.2028	2.0998	4.0234	4.0320	2.1340	24.9575			
1/0	S	213.902	210.541	193.145	199.952	208.786	212.168	211.715	216.303	207.713			
179	T	2.1335	4.1177	4.3410	2.2242	2.1133	4.0379	4.0504	2.1347	25.1527			
1/9	S	215.076	206.481	190.520	198.028	207.452	211.406	210.754	216.232	206.101			
180	Т	2.1310	4.0998	4.3368	2.2102	2.1008	4.0222	4.0383	2.1294	25.0685			
100	S	215.328	207.383	190.704	199.283	208.687	212.231	211.385	216.770	206.793			
181	T	2.1243	4.1509	4.3779	2.2215	2.1031	4.0483	4.0984	2.1470	25.2714			
101	S	216.007	204.830	188.914	198.269	208.459	210.863	208.285	214.993	205.133			
182	T	2.1311	4.1906	4.3717	2.2207	2.1015	4.0399	4.0667	2.1242	25.2464			
102	S	215.318	202.889	189.182	198.340	208.617	211.301	209.909	217.301	205.336			
183	T	2.1166	4.3212	4.4388	2.2343	2.1064	4.0526	4.1015	2.1371	25.5085			
103	S	216.793	196.757	186.322	197.133	208.132	210.639	208.128	215.989	203.226			
184	T	2.1265	4.3600	4.3909	2.2090	2.0828	4.0471	4.0699	2.1211	25.4073			
107	S	215.784	195.006	188.354	199.391	210.490	210.925	209.744	217.619	204.036			
185	工	2.1098	4.2831	4.4559	2.2378	2.1070	4.0635	4.0940	2.1378	25.4889			
103	S	217.492	198.507	185.607	196.825	208.073	210.074	208.509	215.919	203.383			
186	T	2.1271	4.1611	4.4093	2.2207	2.0993	4.5930	4.3539	2.2209	26.1853			
100	S	215.723	204.328	187.568	198.340	208.836	185.856	196.062	207.840	197.974			
187	T	2.2128			2.3043	2.1725	4.2363	4.2077	2.1725	26.3721			
10,	S	207.368			191.145	201.799	201.505	202.875	212.470	196.571			
188	T	2.1374			2.2248	2.1444	4.3736	4.3411	2.2869	26.1382			
100	S	214.683		+	197.975	204.444	195.179	196.641	201.841	198.330			
189	T	2.3039	4.7075	5.0185	2.4446	2.4675	5.8816	6.8190	4.1835	33.8261			
107	S	199.168	1	164.799	180.174	177.673	145.137	125.185	110.336	153.254			
190	Т	4.3643	7.5201	9.7383	6.3622	5.1216	8.6379	9.0979	4.8941	55.7364			
190	S	105.140	113.061	84.927	69.230	85.600	98.825	93.828	94.316	93.009			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race


June 6, 2020 MDYCAR

# Section Data for Car 15 - Rahal, Graham


Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	5.3323	9.6304	10.2587	5.4716	4.6100	9.0036	9.6618	5.0165	58.9849			
191	S	86.054	88.286	80.619	80.498	95.100	94.811	88.352	92.015	87.887			
192	Т	4.9459	10.2840	11.8561	6.5851	5.7795	10.0743			80.2945	27.1099		61.0718
192	S	92.777	82.675	69.757	66.887	75.856	84.734			64.562	33.236		77.323
193	Т				5.2517	4.6882	10.2820	12.1831	6.4991	65.3063		57.4191	
193	S				83.869	93.513	83.022	70.067	71.024	79.380		82.290	
194	Т	5.9626	12.0788	11.7211	6.5130	5.4373	9.8077	8.1391	3.8497	63.5093			
194	S	76.957	70.390	70.560	67.627	80.630	87.037	104.881	119.903	81.626			
195	Т	3.8559	7.6189	8.4118	4.2709	4.2381	7.2460	4.9887	2.3741	43.0044			
193	S	119.003	111.594	98.320	103.129	103.445	117.808	171.114	194.428	120.546			
196	Т	2.2877	4.3729	4.4493	2.2099	2.0984	4.3332	4.1922	2.1336	26.0772			
190	S	200.579	194.431	185.882	199.310	208.925	196.999	203.625	216.344	198.794			
197	T	2.1308	4.4092	4.4703	2.2095	2.0765	4.4372	4.3287	2.1787	26.2409			
197	S	215.348	192.830	185.009	199.346	211.129	192.382	197.204	211.865	197.554			
198	Т	2.1373	4.2106	4.2892	2.1787	2.0566	4.5141	4.8754	2.7794	27.0413			
196	S	214.693	201.925	192.820	202.164	213.172	189.104	175.091	166.076	191.707			
199	Т	3.3679	7.3652	8.0431	5.3995								
199	S	136.246	115.438	102.827	81.573								

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series



TAG



Section Data for Car 18 - Ferrucci, Santino


Report:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.8174	5.4847	5.3199	2.5592	2.4326	4.9818	4.4483	2.2453	30.2892		50.9678	
1	S	162.868	155.018	155.463	172.106	180.222	171.351	191.902	205.581	171.150		92.706	
_	Т	2.2147	4.5321	4.4601	2.1937	2.0492	4.2387	4.0845	2.1210	25.8940			
2	S	207.190	187.601	185.432	200.782	213.942	201.391	208.994	217.629	200.201			
	Т	2.1201	4.4316	4.5015	2.2072	2.0788	4.1405	4.0860	2.1365	25.7022			
3	S	216.435	191.856	183.727	199.554	210.895	206.167	208.917	216.050	201.695			
4	Т	2.1165	4.1942	4.2615	2.1493	2.0535	4.0835	4.0762	2.1229	25.0576			
4	S	216.803	202.715	194.074	204.929	213.494	209.045	209.420	217.434	206.883			
5	Т	2.1473	4.3494	4.4280	2.2158	2.0933	4.1245	4.0762	2.1284	25.5629			
n	S	213.693	195.482	186.776	198.779	209.434	206.967	209.420	216.872	202.794			
6	Т	2.1020	4.2490	4.4266	2.2172	2.0998	4.1476	4.0745	2.1167	25.4334			
0	S	218.299	200.101	186.835	198.654	208.786	205.815	209.507	218.071	203.826			
7	Т	2.1194	4.2229	4.4554	2.2260	2.1051	4.0522	3.9954	2.0989	25.2753			
	S	216.506	201.337	185.628	197.868	208.260	210.660	213.655	219.920	205.101			
8	Т	2.1420	4.3567	4.3924	2.2081	2.0907	4.0395	3.9915	2.1023	25.3232			
0	S	214.222	195.154	188.290	199.472	209.695	211.322	213.864	219.565	204.713			
0	Т	2.1059	4.2315	4.3736	2.2056	2.0915	4.0717	4.0602	2.1382	25.2782			
9	S	217.894	200.928	189.099	199.698	209.615	209.651	210.245	215.878	205.078			
10	┙	2.1302	4.1849	4.3286	2.1892	2.0792	4.0680	4.0574	2.1328	25.1703			
10	S	215.409	203.165	191.065	201.194	210.855	209.842	210.390	216.425	205.957			
11	Т	2.1242	4.1778	4.3611	2.1888	2.0791	4.0606	4.0123	2.1175	25.1214			
11	S	216.017	203.511	189.641	201.231	210.865	210.224	212.755	217.989	206.358			
12	T	2.1517	4.4168	4.5495	2.2630	2.1286	4.0852	4.0294	2.1402	25.7644			
12	S	213.256	192.498	181.788	194.633	205.961	208.958	211.852	215.677	201.208			
13	Т	2.2231	4.2974	4.4182	2.2198	2.1008	4.0189	3.9978	2.1165	25.3925			
15	S	206.407	197.847	187.191	198.421	208.687	212.405	213.527	218.092	204.155			
14	Т	2.1534	4.2334	4.3382			4.0383	3.9960	2.1007	25.1386			
17	S	213.088	200.838	190.643			211.385	213.623	219.732	206.217			
15	T	2.1503	4.3439	+	2.2328		4.1488	4.1925	2.1874	25.7887		1	
	S	213.395	195.729	1		1	205.755	203.610		201.018		1	
16	T	2.1660		1				4.0577	2.1415	25.4109			
	S	211.848	198.531	188.737			209.708	210.374	215.546	204.007			
17	Т	2.1293	4.1715	1	-		4.0502	4.0197	2.1249	25.1632			
	S	215.500	203.818	+		•	210.764	212.363	217.229	206.015		ļ	
18	工	2.1157	4.1857	4.3425		2.0897	4.0774	4.0705	2.1384	25.2176			
	S	216.885	203.127	1		1	209.358	209.713	215.858	205.571			
19	Т	2.1221	4.2031	4.4295			4.1140	4.0842	2.1447	25.4236			
19	S	216.231	202.286	186.713	198.171	208.429	207.495	209.009	215.224	203.905			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1329	4.2324	4.3939	2.2117	2.0982	4.1224	4.1033	2.1531	25.4479			
20	S	215.136	200.885	188.226	199.148	208.945	207.073	208.037	214.384	203.710			
34	Т	2.1375	4.2757	4.4311	2.2240	2.1087	4.0551	4.0403	2.1322	25.4046			
21	S	214.673	198.851	186.646	198.046	207.905	210.509	211.280	216.486	204.058			
	Т	2.1278	4.2374	4.4216	2.2326	2.1147	4.0558	4.0337	2.1307	25.3543			
22	S	215.652	200.648	187.047	197.283	207.315	210.473	211.626	216.638	204.462			
22	Т	2.1326	4.2513	4.4113	2.2340	2.1163	4.0637		2.1384	25.3879			
23	S	215.166	199.992	187.483	197.160	207.158	210.064	211.280	215.858	204.192			
24	Т	2.1305	4.2104	4.4332	2.2381	2.1192	4.0584	4.0357	2.1361	25.3616			
24	S	215.378	201.935	186.557	196.798	206.875	210.338	211.521	216.090	204.404			
25	Т	2.1320	4.1198	4.3955	2.2214	2.1069	4.0423	4.0145	2.1260	25.1584			
25	S	215.227	206.376	188.157	198.278	208.083	211.176	212.638	217.117	206.054			
26	Т	2.1224	4.1856	4.4074	2.2304	2.1143	4.0562	4.0235	2.1327	25.2725			
26	S	216.200	203.132	187.649	197.478	207.354	210.452	212.163	216.435	205.124			
27	Т	2.1266	4.1890	4.3307	2.1935	2.0858	4.0224	4.0079	2.1196	25.0755			
	S	215.773	202.967	190.973	200.800	210.188	212.221	212.988	217.773	206.736			
28	Т	2.1165	4.1341	4.2995	2.1816	2.0799	4.0028	4.0654	2.1395	25.0193			
	S	216.803	205.662	192.359	201.895	210.784	213.260	209.976	215.747	207.200			
29	Т	2.1270	4.1713	4.4045	2.2138	2.1001	4.0400	4.0169	2.1195	25.1931			
29	S	215.733	203.828	187.773	198.959	208.756	211.296	212.511	217.783	205.771			
30	Т	2.1102	4.1834	4.4163	2.2165	2.1013	4.0710	4.0748	2.1393	25.3128			
	S	217.450	203.238	187.271	198.716	208.637	209.687	209.492	215.767	204.798			
31	Т	2.1210	4.1631	4.4487	2.2263	2.1066	4.0732	4.0672	2.1349	25.3410			
	S	216.343	204.229	185.907	197.842	208.112	209.574	209.883	216.212	204.570			
32	Т	2.1192	4.2322	4.5832	2.2809	2.1478	4.1321	4.1247	2.1540	25.7741			
32	S	216.527	200.895	180.452	193.106	204.120	206.587	206.957	214.295	201.132			
33	Т	2.1298	4.2627	4.5015	2.2472	2.1203	4.1133		2.1304				
	S	215.449	199.457	183.727	196.001	206.767	207.531		216.669				
34	T	2.1205	4.2462	•	2.2324	2.1116	4.0515	÷	2.1278	<del>•                                      </del>			
	S	216.394	200.233	185.112	197.301	207.619	210.696	211.778	216.933	204.186			
35	Т	2.1190	4.1514	4.5166	2.2763	2.3087	6.2208			50.6590	27.9865		30.4757
	S	216.547	204.805	183.112	193.496	189.894	137.223			102.331	32.195		154.952
36	Т				3.1385		4.6145	+	2.1853	42.6656		34.8624	
	S				140.339		184.990	·	211.225	<del></del>		135.533	
37	T	2.1648	4.3104	4.3121	2.1772	2.0851	4.3921		3.4687	28.5011			
	S	211.966	197.250		202.303	210.258	194.357		133.073	181.888			
38	T	3.4152	6.2316		3.9231	3.7641	7.2583		3.4785				
	S	134.359	136.438	112.300	112.272	116.471	117.608	120.956	132.698	121.997			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 18 - Ferrucci, Santino

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	Т	3.3512	5.9771	5.9397	2.9536	2.7593	6.4642	10.8192	5.3978	43.6621			
39	S	136.925	142.247	139.240	149.125	158.884	132.056	78.900	85.515	118.730			
40	Т	5.2008	11.2590	9.2913	4.3681	4.6934	10.4826	9.6936	4.6550	59.6438			
40	S	88.229	75.515	89.013	100.834	93.410	81.434	88.062	99.160	86.916			
41	Т	4.7273	9.9325	9.1867	4.4443	4.3296	8.8470	9.2124	5.4049	56.0847			
41	S	97.067	85.601	90.026	99.105	101.259	96.489	92.662	85.402	92.432			
42	Т	5.2924	10.0365	8.8900	4.3535	4.2750	9.5331	9.1955	4.4610	56.0370			
42	S	86.702	84.714	93.031	101.173	102.552	89.544	92.832	103.473	92.510			
43	Т	4.3931	8.3455	10.4436	4.6593	5.2618	10.6039	8.7795	4.6465	57.1332			
	S	104.451	101.879	79.192	94.532	83.319	80.502	97.231	99.342	90.735			
44	Т	4.5627	9.0797	9.9681	5.1812	5.1202	12.3065	11.1760	4.2581	61.6525			
	S	100.568	93.640	82.969	85.010	85.623	69.365	76.381	108.403	84.084			
45	Т	4.1753	9.4331	8.8610	4.9903	5.5517	10.4469	9.9617	4.4669	57.8869			
45	S	109.900	90.132	93.335	88.262	78.968	81.712	85.692	103.336	89.554			
46	Т	4.7789	8.0705	6.5386	3.9000	4.0883	5.6262	4.5243	2.2571	39.7839			
40	S	96.019		126.487	112.937	107.235	151.725	188.678	204.506	130.304			
47	Т	2.2209	4.8248	4.4924	2.1933	2.1137	4.4694	4.2007	2.1416	26.6568			
4/	S	206.612	176.220	184.099	200.818	207.413	190.996	203.213	215.536	194.472			
48	Т	2.1227	4.4691	4.5504	2.2285	2.1054	4.1446	4.0454	2.1023	25.7684			
	S	216.170	190.246	181.752	197.646		205.964		219.565	201.177			
49	Т	2.1000	4.2492	4.6887	2.2926	2.2393	4.5283	4.1791	2.1402	26.4174			
	S	218.506	200.091	176.391	192.120	195.780	188.511	204.263	215.677	196.234			
50	T	2.1343	4.6140	4.5114	2.2234	2.0929	4.0847	4.0145	2.1004				
	S	214.995		183.323	198.100		208.984	212.638	219.763	201.120			
51	Т	2.1073		4.4038		2.0759	4.0821	4.0373					
<u></u>	S	217.750	194.774	187.803	199.535	211.190	209.117	211.437	218.763	204.183			
52	Т	2.1058			1								
	S	217.905		+	+	209.665	206.177	207.063	<del> </del>	<del></del>			
53	T	2.1333			2.2036		4.1075		•	<del></del>		Ļ	
	S	215.096		1	1		207.824					ļ	
54	Т	2.1188	-			2.1045	4.0309						
<u> </u>	S	216.568		184.001	1	208.320	211.773	213.756	•				
55	Т	2.1409		+		2.0822	3.9849	4.0379	<del> </del>			ļ	
<u> </u>	S	214.332	193.392	187.441	199.798	210.551	214.218	•		<del></del>		Ļ	
56	Т	2.1233		4.4595	1		4.0552	4.0160				ļ	
	S	216.109			1		210.504						
57	Т	2.1050		1	2.2288		4.0799						
	S	217.987	202.981	186.075	197.620	208.429	209.230	209.245	215.475	204.317			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 18 - Ferrucci, Santino

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1418	4.3237	4.4881	2.2535	2.1242	4.1128	4.0949	2.1582	25.6972			
36	S	214.242	196.643	184.275	195.454	206.388	207.556	208.463	213.878	201.734			
59	Т	2.1356	4.1933	4.4328	2.2363	2.1133	4.1294	4.1346	2.1730	25.5483			
29	S	214.864	202.759	186.574	196.957	207.452	206.722	206.462	212.421	202.910			
60	T	2.1478	4.2222	4.4036	2.2228	2.1014	4.0240	4.0702	2.1472	25.3392			
	S	213.644	201.371	187.811	198.153	208.627	212.136	209.728	214.973	204.584			
61	Т	2.1333	4.2050	4.4533	2.2289	2.1046	4.0740	4.0580	2.1328	25.3899			
01	S	215.096	202.194	185.715	197.611	208.310	209.533	210.359	216.425	204.176			
62	Т	2.1239	4.2145	4.4829	2.2434	2.1136	4.1217	4.1081	2.1599	25.5680			
02	S	216.048	201.739	184.489	196.333	207.423	207.108	207.793	213.709	202.753			
63	T	2.1432	4.2071	4.4307	2.2311	2.1077	4.0930	4.0878	2.1542	25.4548			
	S	214.102	202.093	186.662	197.416	208.004	208.560	208.825	214.275	203.655			
64	┙	2.1371	4.1802	4.4787	2.2456	2.1204	4.0655	4.0358	2.1370	25.4003			
04	S	214.713	203.394	184.662	196.141	206.758	209.971	211.516	215.999	204.092			
65	T	2.1299	4.2623	4.4576	2.2499	2.1259	4.0776	4.0511	2.1493	25.5036			
	S	215.439	199.476	185.536	195.766	206.223	209.348	210.717	214.763	203.265			
66	Т	2.1393	4.2505	4.3896	2.2268	2.1106	4.0493	4.0339	2.1403	25.3403			
	S	214.492	200.030	188.410	197.797	207.718	210.811	211.616	215.666	204.575			
67	Т	2.1298	4.1588	4.4219	2.2309	2.1103	4.0408	4.0273	2.1333	25.2531			
	S	215.449	204.441	187.034	197.434	207.747	211.254	211.962	216.374	205.282			
68	T	2.1231	4.1882	4.4260	2.2237	2.1025	4.0763	4.0523	2.1368	25.3289			
	S	216.129	203.005	186.861	198.073	208.518	209.415	210.655	216.020	204.667			
69	T	2.1257	4.1880	4.4528	2.2302	2.1069	4.0675	4.0964	2.1614	25.4289			
	S	215.865	203.015	185.736	197.496	208.083	209.868	208.387	213.561	203.863	ļ	ļ	
70	LT	2.1378	4.2262	4.4085			4.0481	4.0202	2.1188	25.2809		ļ	
	S	214.643	201.180	187.602	198.403	208.637	210.873	212.337	217.855	205.056			
71	T	2.1077	4.1588	+	2.3126		4.0908			25.7054			
ļ	S	217.708		+	<del>•                                      </del>		208.672	210.359	1	201.670			
72	T	2.1324		÷	2.2303	·	4.0747	4.0837	2.1490	25.4787			
<u></u>	S	215.186	1				209.497			203.464			
73	T	2.1323		+		1	4.2218			25.9438			
	S	215.197	198.837		193.250		202.197	206.902	216.121	199.817			
74	T	2.3569			<del>•                                      </del>		4.3394	4.2833	<del></del>	27.1839			
	S	194.689	176.144	•	190.360	<del>                                     </del>	196.718		209.101	190.701			
75	T	2.1972	4.4661				4.1759			26.1518			
	S	208.840					204.420			198.227			
76	T	2.1543		_		2.4778	5.5935			30.7471			
	S	212.999	198.027	183.960	192.852	176.935	152.612	136.294	144.922	168.601			

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 

**Section Data Report** Report: June 6, 2020 MDYCAR **Session:** Race

# TAG

# Section Data for Car 18 - Ferrucci, Santino

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	3.0488	5.8048	6.1809	3.2821	3.4011	6.6698	6.6061	3.3080	38.3016			
	S	150.506	146.470	133.807	134.199	128.902	127.985	129.219	139.538	135.347			
70	T	3.2272	5.8716	5.6332	2.6917	2.4912	5.2721	5.5099	2.8066	33.5035			
78	S	142.186	144.803	146.816	163.634	175.983	161.916	154.928	164.466	154.730			
79	Т	2.6664	5.4052	7.4354	6.0447	6.4816	11.9927	9.3341	3.9016	53.2617			
/9	S	172.091	157.298	111.231	72.866	67.639	71.180	91.454	118.308	97.331			
80	Т	3.8269	7.3121	6.6600	3.3415	3.7182	8.2161			64.4026	27.8538		44.3682
80	S	119.905	116.277	124.181	131.813	117.909	103.898			80.494	32.348		106.434
81	Т			8.9245	4.0090	3.7098	7.5578	6.9289	3.3436	52.3902		44.5708	
01	S			92.671	109.866	118.176	112.948	123.199	138.052	98.950		106.011	
82	Т	3.6757	7.4150	7.0931	3.5730	3.6263	8.1866	8.2554	3.6711	45.4962			
62	S	124.837	114.663	116.599	123.273	120.897	104.272	103.403	125.736	113.944			
83	Т	3.4110	7.0245	8.4310	5.1993	5.7278	9.7467	8.2162	3.8029	51.5594			
	S	134.525	121.037	98.096	84.714	76.541	87.582	103.897	121.379	100.544			
84	Т	3.9422	7.6427	8.7323	4.8051	4.3963	10.0357	8.5445	4.4510	52.5498			
04	S	116.398	111.247	94.711	91.664	99.722	85.060	99.905	103.705	98.649			
85	Т	3.9582	7.5050	9.2200	5.5165	5.1077	8.5738	7.6284	4.1755	51.6851			
65	S	115.927	113.288		79.843	85.833	99.563	111.902	110.547	100.300			
86	Т	5.2594	7.3489	6.2139	3.6959	3.3110	6.0212	6.1769	2.6716	40.6988			
	S	87.246	115.694	133.096	119.174	132.410	141.772	138.198	172.777	127.375			
87	Т	2.4937	5.0836	4.6497	2.2486	2.1246	4.6315	4.4481	2.2321	27.9119			
	S	184.009	167.249	177.871	195.879	206.349	184.311	191.910	206.797	185.727			
88	T	2.1926	4.4790	4.3965	2.1909	2.0728	4.1023	4.0404	2.1117	25.5862			
	S	209.278	189.825	188.115	201.038	211.506	208.087	211.275	218.587	202.609			
89	Т	2.1012	4.1735	4.3960		2.0774	4.0543		2.1106	25.1459			
	S	218.382		188.136	200.507	211.037	210.551	211.495	218.701	206.157			
90	Т	2.0956				2.0719	4.0396		2.0905				
	S	218.965		190.406	+	211.598	211.317	213.601	220.804	<del></del>			
91	T	2.0926		•			4.0540		2.0991	25.1506			
<u> </u>	S	219.279		1	1	211.017	210.566	212.866		1			
92	Т	2.0925					4.0977	4.0329					ļ
	S	219.290		186.292	1	209.795	208.321	211.668	•	205.231			ļ
93	Т	2.1069	+	4.3916			4.0132	3.9997	2.1054				
<u></u>	S	217.791	201.204	188.324	199.229	209.855	212.707	213.425	219.241	206.186			
94	Т	2.1008					4.0738		2.1205				
<u></u>	S	218.423			197.283	208.340	209.543						
95	Т	2.1112				2.0912	4.0565		2.1198				
	S	217.347	202.493	188.543	199.148	209.645	210.437	212.734	217.752	205.809			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report** 

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 18 - Ferrucci, Santino

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
0.5	Т	2.1121	4.1959	4.4192	2.2263	2.1037	4.0357	4.0021	2.1141	25.2091			
96	S	217.255	202.633	187.148	197.842	208.399	211.521	213.297	218.339	205.640			
07	Т	2.1055	4.1924	4.3718	2.2086	2.0922	4.0450	4.0385	2.1342	25.1882			
97	S	217.936	202.802	189.177	199.427	209.545	211.035	211.375	216.283	205.811			
00	Т	2.1230	4.1814	4.4864	2.2420	2.1137	4.0395	4.0210	2.1256	25.3326			
98	S	216.139	203.336	184.345	196.456	207.413	211.322	212.295	217.158	204.638			
99	Т	2.1239	4.2756	4.4963	2.2621	2.1316	4.0757	4.0306	2.1318	25.5276			
99	S	216.048	198.856	183.939	194.710	205.671	209.445	211.789	216.526	203.074			
100	Т	2.1223	4.2079	4.4482	2.2522	2.1279	4.0658	4.0187	2.1249	25.3679			
100	S	216.211	202.055	185.928	195.566	206.029	209.955	212.416	217.229	204.353			
101	Т	2.1136	4.1932	4.4161	2.2279	2.1049	4.0705	4.0352	2.1341	25.2955			
101	S	217.101	202.763		197.699	208.280	209.713	211.547	216.293	204.938			
102	Т	2.1216	4.2175	4.4120	2.2330	2.1108	4.0492	4.0134	2.1212	25.2787			
102	S	216.282	201.595	187.454	197.248	207.698	210.816	212.697	217.608	205.074			
103	Т	2.1146	4.2301	4.4428	2.2397	2.1153	4.0471	4.0368	2.1331	25.3595			
103	S	216.998	200.995	186.154	196.658	207.256	210.925	211.464	216.394	204.420			
104	Т	2.1218	4.2252	4.4533	2.2426	2.1188	4.0621	4.0327	2.1350	25.3915			
104	S	216.261	201.228	185.715	196.404	206.914	210.147	211.679	216.202	204.163			
105	Т	2.1245	4.2167	4.4101	2.2249	2.1077	4.0977	4.0713	2.1470	25.3999			
105	S	215.987	201.633	187.534	197.966	208.004	208.321	209.672	214.993	204.095			
106	Т	2.1345	4.1850	4.4270	2.2381	2.1160	4.0475	4.0188	2.1304	25.2973			
100	S	214.975	203.161	186.818	196.798	207.188	210.905	212.411	216.669	204.923			
107	Т	2.1215	4.1879	4.3607	2.2107	2.0977	4.0730	4.0579	2.1457	25.2551			
107	S	216.292	203.020	189.659	199.238	208.995	209.584	210.364	215.124	205.265			
108	Т	2.1351	4.1502	4.3446	2.2048	2.0914	4.0177	4.0059	2.1224	25.0721			
108	S	214.914	204.864	190.362	199.771	209.625	212.469	213.095	217.485	206.764			
109	┙	2.1169	4.1366		2.2108	2.0981	4.0310	4.0069	2.1238	25.0999			
109	S	216.762	205.538	189.004	199.229	208.955	211.768	213.042	217.342	206.535			
110	-	2.1152	4.1768	4.4005	2.2208	2.1015	4.0256	4.0051	2.1228	25.1683			
110	S	216.936	203.559	187.944	198.331	208.617	212.052	213.137	217.444	205.973			
111	Т	2.1142	4.1887	4.3804	2.2145	2.0978	4.0300	4.0105	2.1201	25.1562			
111	S	217.039	202.981	188.806	198.896	208.985	211.820	212.850	217.721	206.072			
112	Т	2.1089	4.2003	4.3960	2.2145	2.0949	4.0448	4.0137	2.1150	25.1881			
112	S	217.584	202.421	188.136	198.896	209.274	211.045	212.681	218.246	205.811			
113	Т	2.1045	4.1881	4.4918	2.2433	2.1074	4.1359	4.1113	2.1388	25.5211			
113	S	218.039	203.010	184.123	196.342	208.033	206.397	207.632	215.818	203.126			
114	Т	2.1365	4.3770	4.5170	2.2420	2.1239	4.2804	4.2099	2.1847	26.0714			
114	S	214.774	194.249	183.096	196.456	206.417	199.429	202.769	211.283	198.839			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020

Round 1



# Section Data for Car 18 - Ferrucci, Santino

Race

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1552	4.4939	4.5707	2.2679	2.1300	4.1476	4.1030	2.1411	26.0094			
115	S	212.910	189.196	180.945	194.213	205.826	205.815	208.052	215.586	199.313			
116	Т	2.1518	4.4312	4.4729	2.2388	2.1157	4.1103	4.0765	2.1306	25.7278			
110	S	213.246	191.873	184.901	196.737	207.217	207.682	209.404	216.648	201.494			
117	T	2.1166	4.1997	4.4622	2.2238	2.0970	4.1005	4.0984	2.1428	25.4410			
	S	216.793	202.450	185.345	198.064	209.065	208.179	208.285	215.415	203.766			
118	Т	2.1292	4.3322	4.5419	2.2587	2.1284	4.1493	4.1086	2.1502	25.7985			
110	S	215.510	196.258	182.092	195.004	205.981	205.730	207.768	214.673	200.942			
119	Т	2.1356	4.3471	4.4618	2.2356	2.1089	4.1350	4.0922	2.1418	25.6580			
119	S	214.864	195.585	185.361	197.018	207.885	206.442	208.601	215.515	202.042			
120	Т	2.1317	4.3042	4.4947	2.2623	2.1460	4.0818	4.0406	2.1445	25.6058			
120	S	215.257	197.534	184.005	194.693	204.291	209.132	211.265	215.244	202.454			
121	Т	2.1375	4.3273	4.3913	2.2249	2.3508	6.3448			50.8186	28.4374		30.1946
121	S	214.673	196.480	188.337	197.966	186.494	134.541			102.010	31.684		156.395
122	Т				3.1180	2.6258	4.6162	4.2849	2.2047	42.6637		34.8503	
122	S				141.262	166.962	184.922	199.220	209.367	121.508		135.580	
123	Т	2.1761	4.1853	4.2436	2.1507	2.0582	3.9788	3.9693	2.0899	24.8519			
123	S	210.865	203.146	194.892	204.796	213.006	214.546	215.060	220.867	208.596			
124	Т	2.1837	4.2914	4.2537	2.1509	2.0820	4.0161	3.9357	2.1100	25.0235			
124	S	210.131	198.124	194.430	204.777	210.571	212.554	216.896	218.763	207.165			
125	T	2.1566	4.2250	4.2538	2.1485	2.0500	3.9212	3.9282	2.0853	24.7686			
125	S	212.772	201.237	194.425	205.006	213.858	217.698	217.310	221.355	209.297			
126	T	2.1182	4.3300	4.3486	2.1866	2.0765	3.9871	3.9849	2.1085	25.1404			
120	S	216.629	196.357	190.187	201.434	211.129	214.100	214.218	218.919	206.202			
127	T	2.1009	4.1467	4.2871	2.1816	2.0765	4.0094	3.9932	2.1131	24.9085			
12/	S	218.413	205.037	192.915	201.895	211.129	212.909	213.773	218.443	208.122			
128	T	2.1049	4.1498	4.3206	2.1971	2.0894	4.0064	3.9790	2.1137	24.9609			
120	S	217.998	204.884	191.419	200.471	209.825	213.068	214.535	218.381	207.685			
129	T	2.1086	4.1447	4.2616	2.1747	2.0788	4.0036		2.1126	24.8614			
123	S	217.615	205.136	194.069	202.536	210.895	213.217	214.654	218.494	208.516			
130	Т	2.1070	4.0959	4.2990	2.2007	2.0919	4.0152	3.9872	2.1153	24.9122			
130	S	217.781	207.580	192.381	200.143	209.575	212.601	214.094	218.215	208.091			
131	Т	2.1116	4.1228	4.2734	2.1822	2.0840	4.0173	3.9926	2.1193	24.9032			
131	S	217.306	206.226	193.533	201.840	210.369	212.490	213.805	217.803	208.166			
132	T	2.1119	4.1489	4.3178	•	2.0917	4.0145		2.1197	24.9957			
132	S	217.275	204.928	191.543	200.654	209.595	212.638		217.762	207.396			
133	Т	2.1163	4.1171	4.3540		2.0957	4.0253		2.1194				
	S	216.824	206.511	189.951	199.635	209.195	212.068	213.436	217.793	207.082			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020

Round 1



# Section Data for Car 18 - Ferrucci, Santino

Race

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1162	4.1108	4.3376	2.2042	2.0953	4.0251	4.0001	2.1212	25.0105			
134	S	216.834	206.828	190.669	199.825	209.235	212.078	213.404	217.608	207.273			
135	Т	2.1149	4.1296	4.3533	2.2136	2.1001	4.0317	4.0056	2.1249	25.0737			
135	S	216.967	205.886	189.981	198.977	208.756	211.731	213.111	217.229	206.750			
136	Т	2.1193	4.1232	4.3294	2.1976	2.0880	4.0014	4.0549	2.1437	25.0575			
130	S	216.517	206.206	191.030	200.425	209.966	213.334	210.520	215.324	206.884			
137	Т	2.1312	4.1564	4.3467		2.0965	4.0287	4.0020	2.1210	25.0912			
13/	S	215.308	204.559	190.270	199.418	209.115	211.889	213.302	217.629	206.606			
138	Т	2.1146	4.1409	4.3845	2.2184	2.1007	4.0344	4.0070	2.1208	25.1213			
136	S	216.998	205.324	188.629	198.546	208.697	211.589	213.036	217.649	206.359			
139	Т	2.1143	4.1593	4.4451	2.2394	2.1142	4.0355	4.0148	2.1189	25.2415			
139	S	217.029	204.416	186.058	196.684	207.364	211.532	212.622	217.845	205.376			
140	⊣	2.1115	4.2028	4.4051	2.2133	2.0984	4.0520	4.0366	2.1276	25.2473			
140	S	217.316	202.300	187.747	199.004	208.925	210.670	211.474	216.954	205.329			
141	Т	2.1161	4.1850	4.4453	2.2295	2.1089	4.0492	4.0657	2.1397	25.3394			
141	S	216.844	203.161	186.049	197.558	207.885	210.816	209.960	215.727	204.583			
142	Т	2.1270	4.1933	4.3948	2.2214	2.1042	4.0355	4.0093	2.1248	25.2103			
142	S	215.733	202.759	188.187	198.278	208.350	211.532	212.914	217.240	205.630			
143	Т	2.1180	4.2267	4.3775	2.2167	2.1014	4.0244	3.9991	2.1203	25.1841			
143	S	216.649	201.156	188.931	198.698	208.627	212.115	213.457	217.701	205.844			
144	Т	2.1131	4.1790	4.3875	2.2114	2.0975	4.0764	4.0633	2.1362	25.2644			
	S	217.152	203.452	188.500	199.175	209.015	209.409	210.085	216.080	205.190			
145	T	2.1228	4.2146	4.4000	2.2285	2.1096	4.0414	4.0372	2.1292	25.2833			
143	S	216.160	201.734	187.965	197.646	207.816	211.223	211.443	216.791	205.037			
146	Т	2.1204	4.2058	4.4250	2.2349	2.1095	4.0452	4.0193	2.1173	25.2774			
140	S	216.404	202.156	186.903	197.080	207.826	211.025	212.384	218.009	205.084			
147	T	2.1118	4.1308	4.4156	2.2213	2.1018	4.0145	4.0212	2.1236	25.1406			
147	S	217.286	205.826	187.301	-	208.587	212.638	212.284	217.362	206.200			
148	T	2.1113	4.1578	4.3481	2.1959	2.0848	4.0891	4.1084	2.1582	25.2536			
	S	217.337	204.490	190.208	200.580	210.288	208.759	207.778	213.878	205.278			
149	T	2.1373	4.1980	4.3837	2.2109	2.0960	4.0340	4.0335	2.1321	25.2255			
147	S	214.693	202.532	188.664		209.165	211.610	211.637	216.496	205.506			
150	T	2.1214	4.1610	1	1	2.0997	4.0483	4.0249	2.1282	25.1887			
	S	216.302	204.332	188.415		208.796	210.863	212.089	216.893	205.807			
151	T	2.1210					4.0735	4.0489	2.1284	25.3601			
	S	216.343	201.772	186.709	197.160	207.688	209.558	210.832	216.872	204.416			
152	Т	2.1226				2.0992	4.0256		2.1198	25.1155		1	
	S	216.180	204.195	189.463	199.319	208.846	212.052	212.903	217.752	206.406			

Track: 1.5 mile(s) **Texas Motor Speedway** 



**Session:** Race

# TAG June 6, 2020 MDYCAR

# Section Data for Car 18 - Ferrucci, Santino


Report:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
152	Т	2.1159	4.1564	4.3806	2.2211	2.1069	4.0611	4.0187	2.1269	25.1876			
153	S	216.865	204.559	188.797	198.305	208.083	210.198	212.416	217.025	205.816			
154	Т	2.1169	4.1205	4.3922	2.2204	2.1073	4.0457	4.0149	2.1256	25.1435			
154	S	216.762	206.341	188.299	198.367	208.043	210.998	212.617	217.158	206.177			
155	Т	2.1251	4.2106	4.3414	2.2023	2.0985	4.0396	4.0246	2.1294	25.1715			
155	S	215.926	201.925	190.502	199.998	208.915	211.317	212.105	216.770	205.947			
156	Т	2.1252	4.1722	4.3798	2.2225	2.2391	5.6785			100.7392	79.3581		29.2819
130	S	215.916	203.784	188.832	198.180	195.797	150.328			51.460	11.354		161.269
157	Т				3.1675	2.9115	7.3021						
15/	S				139.054	150.578	116.903						

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020



Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
4	Т	2.7614	5.3771	4.7102	2.3053	2.1520	4.5637	4.3491	2.1928	28.4116		55.8126	
1	S	166.171	158.120	175.586	191.062	203.722	187.049	196.279	210.503	182.461		84.658	
2	Т	2.1471	4.1599	4.4032	2.1878	2.0707	4.1438	4.0832	2.1114	25.3071			
	S	213.713	204.386	187.828	201.323	211.720	206.003	209.061	218.618	204.844			
3	Т	2.0920	4.2284	4.4572	2.2174	2.0938	4.1941	4.0600	2.1050	25.4479			
	S	219.342	201.075	185.553	198.636	209.384	203.533	210.255	219.283	203.710			
4	Т	2.1326	4.2620	4.2995	2.1754	2.0568	4.1429	4.0494	2.1174	25.2360			
4	S	215.166	199.490	192.359	202.471	213.151	206.048	210.806	217.999	205.421			
5	Т	2.1111	4.1007	4.3180	2.1671	2.0565	4.0784	4.0250	2.1115	24.9683			
	S	217.358	207.337	191.534	203.246	213.182	209.307	212.084	218.608	207.623			
6	Т	2.1066	4.2015	4.2942	2.1650	2.0561	4.0972	4.0484	2.1119	25.0809			
	S	217.822	202.363	192.596	203.443	213.224	208.346	210.858	218.567	206.691			
7	T	2.1097	4.1635	4.3373	2.1815	2.0704	4.1787	4.0631	2.1210	25.2252			
<u> </u>	S	217.502	204.210	190.682	201.904	211.751	204.283	210.095	217.629	205.509			
8	T	2.1035	4.1564	4.3045	2.1537	2.0491	4.1908	4.0649	2.1171	25.1400			
	S	218.143	204.559	192.135	204.511	213.952	203.693	210.002	218.030	206.205			
9	T	2.1044	4.1778	4.3270	2.1790	2.0667	4.1369	4.0390	2.1144	25.1452			
	S	218.050	203.511	191.136	202.136	212.130	206.347	211.348	218.308	206.163			
10	<u> </u>	2.1079	4.1703	4.2931	2.1667	2.0606	4.0671	4.0206	2.1091	24.9954			
	S	217.688	203.877	192.645	203.284	212.758	209.888	212.316	218.857	207.398			
11	T	2.0989		-	-		4.1521	-		25.1918			
	S	218.621	206.561	188.651	201.618		205.591	210.002	217.117	205.781			
12	T	2.1097	4.1269	1	2.2778		4.0732		2.1160	25.4629			
	S	217.502	206.021	+	193.368	•	209.574	•	218.143	203.590		ļ	
13	T	2.1102	•		2.1822	2.0730		3.9939	2.1076	24.9260			
	S	217.450					214.255		219.013	207.976			
14	L <u>T</u>	2.1110		1	2.1820		4.1074		2.1289	25.1766		<b>_</b>	
	S	217.368			201.858		207.829	-	216.821	205.905		ļ	
15	I	2.1236	+	+	2.1885	•				25.1207		<b>_</b>	
	S	216.078	•	1	201.259		208.728		216.567	206.364		1	
16	LT.	2.1278			2.2154		4.0109		2.1154	25.1460		1	
	S	215.652			198.815	1	212.829		218.205	206.156		1	
17	T	2.1134		<del></del>	2.1675		4.1182		2.1376	25.1338		1	
	S	217.121	205.896	+	203.209		207.284		215.939	206.256		+	
18	T	2.1210	•	1			4.0668		2.1325	25.2400		+	
	S	216.343				1	209.904		216.455	205.388		+	
19	T	2.1157				2.0806	4.0797			25.1072		+	
	S	216.885	204.210	191.699	200.562	210.713	209.240	211.307	217.989	206.475		1	

**Genesys 300 Event:** Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session: Race** 

June 6, 2020 MDYCAR



Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1134	4.1481	4.3438	2.1934	2.0798	4.0825	4.0775					
20	S	217.121								205.930			
	Т	2.1281	4.1913			2.0751	4.1947		2.1408	25.3718			
21	S	215.621	<del>•                                      </del>	+	1	211.271	203.504	1	215.616	204.321			
	Т	2.1272	<del>•</del>		2.2200	2.0930	4.1460	4.1010	2.1401	25.4291			
22	S	215.713	203.686	186.793	198.403	209.464	205.894	208.153	215.687	203.861			
	Т	2.1286	4.1890	4.4421	2.2259	2.1015	4.0962	4.0656	2.1283	25.3772			
23	S	215.571	202.967	186.183	197.877	208.617	208.397	209.966	216.882	204.278			
24	Т	2.1229	4.2203	4.3043	2.1673	2.0619	4.1130	4.0678	2.1317	25.1892			
24	S	216.149	201.461	192.144	203.227	212.624	207.546	209.852	216.537	205.802			
25	Т	2.1254	4.2147	4.3772	2.1990	2.1046	4.2576	4.0978	2.1363	25.5126			
25	S	215.895	201.729	188.944	200.298	208.310	200.497	208.316	216.070	203.194			
26	٦	2.1260	4.2300	4.3487	2.1713	2.0926	4.4904	4.2625	2.1851	25.9066			
	S	215.834	200.999	190.182	202.853	209.504	190.103	200.267	211.245	200.103			
27	Т	2.1585	4.2549	4.3250	2.1820	2.0787	4.0671	4.0373	2.1223	25.2258			
	S	212.584	199.823	191.224	201.858	210.905	209.888	211.437	217.496	205.504			
28	Т	2.1183	4.1607	4.3110	2.1736	2.0716	4.0311	4.0258	2.1157	25.0078			
20	S	216.619	204.347	191.845	202.638	211.628	211.763	212.041	218.174	207.295			
29	T	2.1150	4.2115	4.3317			4.1234	4.0731	2.1290	25.2205			
29	S	216.957	201.882	190.929	202.834	212.274	207.022	209.579	216.811	205.547			
30	Т	2.1118		4.4125			4.3925	4.1874	2.1594	25.7803			
	S	217.286	201.777	187.432			194.340	203.858	213.759	201.084			
31	T	2.1361	4.2539	4.3519	2.1874	2.0714	4.1128	4.0590	2.1140	25.2865			
	S	214.814			•				218.350	205.011			
32	T	2.1240	4.2628	4.3297	2.2072	2.1053	4.1504	4.0642	2.1177	25.3613			
	S	216.037	199.453	191.017	199.554		205.676		217.968	204.406			
33	Т	2.1146		4.3993					2.2024	25.8519			
	S	216.998	<del>•                                      </del>	+	<del>•                                      </del>	<del></del>	<del></del>	1	209.585	200.527			
34	T	2.1812	+	4.5588	<del>•</del>	<del></del>		4.1183	2.1561	26.0623			
<u> </u>	S	210.372			1				214.086	198.908			
35	Т	2.1433	+	1						50.8490	27.9308		30.6196
<u> </u>	S	214.092	197.612	186.062	-					101.949	32.259		154.224
36	Т			8.5863	+	2.6945			+	42.9806		35.2792	
	S			96.322	137.124	<del>                                     </del>	•	196.374	206.334	120.613		133.932	
37	T	2.2100				•			2.5469	26.9062			
L	S	207.631							181.236	192.669			
38	Т	2.6018			+	3.2517		6.9263		37.7391			
	S	176.364	157.753	136.840	139.353	134.825	123.256	123.246	134.207	137.364			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 20 - Carpenter, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	Т	3.5670	6.1527	5.9988	3.2178	3.4921	10.2547	10.5031	5.9134	49.0996			
39	S	128.641	138.188	137.868	136.881	125.543	83.243	81.275	78.058	105.581			
40	Т	5.7417	9.0479	8.3391	4.9898	5.5628	9.9571	9.6469	5.2676	58.5529			
40	S	79.918	93.970	99.177	88.271	78.811	85.731	88.488	87.628	88.535			
41	Т	5.2820	8.6401	8.1946	4.7156	4.8949	9.1509	9.6232	5.7941	56.2954			
41	S	86.873	98.405	100.926	93.404	89.564	93.284	88.706	79.666	92.086			
42	Т	5.2880	8.7212	8.4816	4.4942	4.8847	9.6843	8.6651	4.8753	55.0944			
42	S	86.775	97.490	97.511	98.005	89.751	88.146	98.514	94.679	94.093			
43	Т	5.1749	9.6753	9.5264	5.0616	4.6943	9.2294	9.3462	5.0212	57.7293			
	S	88.671	87.876	86.816	87.019	93.392	92.491	91.335	91.928	89.798			
44	Т	5.2218	9.0854	9.4602	5.5910	5.8392	11.0423	10.0324	4.5819	60.8542			
	S	87.875	93.582	87.424	78.779	75.080	77.306	85.088	100.742	85.187			
45	T	5.0617	9.4492	9.3838	4.8457	5.0229	9.6898	8.6083	7.0465	59.1079			
45	S	90.654	89.979	88.135	90.896	87.282	88.096	99.164	65.506	87.704			
46	Т	6.0143	7.0344	7.6673	5.0933	3.8148	6.7661	5.0650	2.4335	43.8887			
40	S	76.295	120.867	107.867	86.477	114.923	126.164	168.536	189.682	118.117			
47	T	2.3703	4.9245	4.6354	2.2606	2.1154	4.2958	4.1361	2.1215	26.8596			
4/	S	193.589	172.653	178.419	194.840	207.246	198.714	206.387	217.578	193.004			
48	Т	2.0898	4.2778	4.4203	2.1762	2.0693	4.4257	4.1659	2.1318	25.7568			
	S	219.573	198.753	187.102	202.396	211.863	192.882	204.910	216.526	201.267			
49	Т	2.2034	4.5148	4.4174	2.1727	2.0696	4.2363	4.0641	2.0920	25.7703			
	S	208.253	188.320	187.224	202.722	211.833	201.505	210.043	220.646	201.162			
50	<u>T</u>	2.1403	4.4132	4.3768	2.1742	2.0535	4.0810	4.0506	2.1163	25.4059			
	S	214.392	192.656	•	202.582	213.494	209.173	210.743	218.112	•			
51	T	2.1044	4.2338		2.1390	2.0396	4.3486	4.1597	2.1527	25.4445			
	S	218.050	200.819	193.837	205.916	214.949	196.301	205.216	214.424	203.738			
52	T	2.1379	4.2554		2.1766				2.1209				
	S	214.633	199.800	+	202.359	+	-		-	<del></del>			
53	L	2.1036	4.1971		2.1510	•	4.0767	·	•	<del></del>			
	S	218.133	202.575		204.767	214.622	209.394		219.054				
54	T	2.0993	4.1989		2.1551	2.0528			2.1057				
<u> </u>	S	218.579	202.488		204.378		208.596		219.210				
55	T	2.0998	4.1741	4.2934	2.1622	-	4.1789		2.1118	<del></del>			
	S	218.527	203.691	192.632	203.707	212.500	204.273	<del>•                                      </del>	218.577	206.273			
56	LT.	2.1066	4.2295		2.1984	2.0842	4.1590		2.1228				
	S	217.822	201.023	188.530	200.352				217.444				
57	T	2.1119	4.1987	4.3902	2.1902	2.0742	4.1100		2.1148	1			
	S	217.275	202.498	188.384	201.102	211.363	207.697	211.129	218.267	205.444			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020

Round 1



# Section Data for Car 20 - Carpenter, Ed

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1083	4.1804	4.3261	2.1681	2.0574	4.1398	4.0625	2.1168	25.1594			
36	S	217.646	203.384	191.176	203.152	213.089	206.202	210.126	218.061	206.046			
59	Т	2.1100	4.2523	4.3441	2.1833	2.0622	4.1070	4.0391	2.1184	25.2164			
39	S	217.471	199.945	190.384	201.738	212.593	207.849	211.343	217.896	205.580			
60	Т	2.1039	4.2129	4.4318	2.2085	2.0819	4.0655	4.0287	2.1057	25.2389			
- 60	S	218.101	201.815	186.616	199.436	210.581	209.971	211.889	219.210	205.397			
61	Т	2.0963	4.2103	4.4546	2.2280	2.0957	4.1947	4.1248	2.1465	25.5509			
61	S	218.892	201.940	185.661	197.691	209.195	203.504	206.952	215.044	202.889			
62	Т	2.1272	4.1920	4.4196	2.2087	2.0842	4.1083	4.0712	2.1293	25.3405			
02	S	215.713	202.821	187.131	199.418	210.349	207.783	209.677	216.781	204.574			
63	Т	2.1203	4.2200	4.3891	2.2064	2.0812	4.0802	4.0545	2.1230	25.2747			
03	S	216.414	201.476	188.432	199.626	210.652	209.214	210.540	217.424	205.106			
64	Т	2.1147	4.2004	4.5071	2.2429	2.1078	4.1814	4.1433	2.1477	25.6453			
04	S	216.988	202.416	183.498	196.377	207.994	204.151	206.028	214.923	202.142			
65	Т	2.1284	4.2337	4.4295	2.2117	2.0883	4.1309	4.0931	2.1334	25.4490			
05	S	215.591	200.824	186.713	199.148	209.936	206.647	208.555	216.364	203.702			
66	Т	2.1194	4.2502	4.4268	2.2170	2.0943	4.0682	4.0436	2.1152	25.3347			
	S	216.506	200.044	186.827	198.671	209.334	209.831	211.108	218.226	204.621			
67	T	2.1053	4.2549	4.3892	2.2043	2.0834	4.0790	4.0590	2.1301	25.3052			
	S	217.956	199.823	188.427	199.816	210.430	209.276	210.307	216.699	204.859			
68	T	2.1234	4.2519	4.3653	2.1964	2.0826	4.0407	4.0204	2.1162	25.1969			
	S	216.099	199.964	189.459	200.535	210.510	211.260	212.326	218.123	205.740			
69	T	2.1090	4.1800	4.3250	2.1806	2.0703	4.0412	4.0258	2.1153	25.0472			
	S	217.574	203.404	191.224	201.988	211.761	211.233	212.041	218.215	206.969			
70	T	2.1079	4.2308	4.4011		2.0871	4.0542	4.0205	2.1096	25.2190			
	S	217.688	200.961	187.918	199.499	210.057	210.556	212.321	218.805	205.559			
71	Т	2.1117	4.2408	4.3783		2.0789	4.0799	4.0493	2.1153	25.2565			
	S	217.296	200.487	188.896	199.998	210.885	209.230	210.811	218.215	205.254			
72	Т	2.1049	4.2449	4.4421	2.2257	2.0955	4.1075	4.0727	2.1241	25.4174			
	S	217.998	200.294	186.183	197.895	209.215	207.824	209.600	217.311	203.955			
73	Т	2.1134	4.2417	4.3528	2.1821	2.0624	4.0885	4.0584	2.1187	25.2180			
	S	217.121	200.445	190.003	201.849	212.572	208.790	210.338	217.865	205.567			
74	Т	2.1046	4.2458	4.3544	2.1792	2.0612	4.2060	4.1577	2.1522	25.4611			
	S	218.029	200.251	189.933	202.118	212.696	202.957	205.315	214.474	203.605			
75	T	2.1390	4.3519	4.4623	•	2.1003	4.1036	4.0426	2.1193	25.5488			
	S	214.523	195.369	185.341	197.531	208.736		211.160	217.803	202.906			
76	Т	2.1095	4.2754	4.4286		2.1283		4.5824	2.7763	27.0458			
	S	217.522	198.865	186.751	199.373	205.990	188.187	186.286	166.261	191.675			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 20 - Carpenter, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	3.0502	6.6651	6.7823	3.5101	3.5126	6.7554	6.0043	3.1575	39.4375			
	S	150.437	127.564	121.942	125.482	124.810	126.364	142.171	146.189	131.448			
78	Т	3.1517	5.7067	5.6642	2.8446	2.6446	5.3849	5.2697	3.2363	33.9027			
	S	145.592	148.988	146.013	154.839	165.775	158.524	161.990	142.629	152.908			
79	T	3.9861	7.9054	9.4378	5.4704	5.9214	10.3562	8.0128	4.6126	55.7027			
/9	S	115.116	107.550	87.631	80.516	74.038	82.428	106.534	100.072	93.066			
80	Т	4.6844	8.2808	7.7748	3.6473	4.5292	8.7693			68.1915	26.9507	<u>'</u>	48.9418
80	S	97.956	102.675	106.375	120.762	96.796	97.344			76.021	33.432	<u>!</u>	96.488
81	Т			8.8150	3.9344	3.5319	7.2145	6.9580	3.6753	51.7466		44.0456	
01	S			93.823	111.950	124.128	118.322	122.684	125.593	100.180		107.275	
82	Т	3.5935	6.6208	6.8952	3.6804	3.4923	6.6930	6.4539	4.2633	41.6924			
	S	127.693	128.418			125.536	127.542	132.267	108.271	124.339			
83	Т	4.6733	8.7605	9.4224	4.9979	4.5033	7.9575	8.2179	4.7299	53.2627			
63	S	98.188	97.052	87.774	88.128	97.353	107.274	103.875	97.590	97.329			
84	T	5.0323	8.8667	8.7962	4.5910	4.5503	9.2266	8.3075	3.9626	53.3332			
	S	91.184	95.890	94.023	95.939	96.347	92.519	102.755	116.487	97.200			
85	T	4.3042	8.8916	8.6049	4.5417	4.3240	8.6476	9.1133	5.1178	53.5451			
65	S	106.608	95.621	96.113	96.980	101.390	98.714	93.669	90.193	96.816			
86	T	4.5006	7.0101	7.3967	4.0446	4.1387	7.4120	7.5448	2.8257	44.8732			
	S	101.956	121.286		108.899	105.929	115.170	113.142	163.355	115.526			
87	T	2.6206			2.2609	2.1156	4.3415	4.1568	2.1401	27.1772			
	S	175.099	172.645	179.130	194.814	207.227	196.622	205.359	215.687	190.748			
88	T	2.1183	4.2437	4.3198		2.0572	4.0510	3.9961	2.0922	25.0374			
	S	216.619	200.350	191.455	203.999	213.110	210.722	213.617	220.625	207.050			
89	T	2.0868	4.1384		2.1037	2.0131	4.0607	3.9950	2.0912	24.6500			
	S	219.889	205.448			217.778	210.219		220.730				
90	T	2.0828				2.0501	4.1607	4.0510	2.1144				
	S	220.311	205.156	+	+	213.848	205.167	210.722	218.308	207.365		ļ	
91	T	2.1055	·				4.1024	4.0338	2.1151	24.8705		ļ	
	S	217.936	206.511	195.224	1		208.082	211.621	218.236	208.440		ļ	
92	T	2.1105	4.1771	4.3536		2.0633	4.0547	4.0296	2.1080	25.0719		ļ	
<u></u>	S	217.419		189.968			210.530	211.841	218.971	206.765		ļ	
93	T	2.0961	4.1384				4.0274	3.9959	2.0978	24.7875		ļ	
	S	218.913	205.448	<del>•</del>	205.839	215.233	211.957	213.628	220.036	209.138		<u> </u>	
94	T	2.0914	4.1787	1	1		4.0960	4.0488	2.1155			ļ	
	S	219.405	203.467		1		208.407	210.837	218.195			ļ	
95	Т	2.0999					4.0996		2.1073	25.0341			
	S	218.517	206.301	190.160	202.508	213.016	208.224	212.152	219.044	207.078			

Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 20 - Carpenter, Ed

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.1132	4.2499	4.3850	2.2036	2.0840	4.0524	3.9993	2.1034	25.1908			
96	S	217.142	200.058	188.608	199.880	210.369	210.650	213.446	219.450	205.789			
97	T	2.0970	4.1232	4.4407	2.2172	2.0922	4.0321	3.9896	2.1045	25.0965			
9/	S	218.819	206.206	186.242	198.654	209.545	211.710	213.965	219.335	206.563			
98	Т	2.0994	4.1505	4.3518	2.1833	2.0722	4.0147	3.9911	2.1057	24.9687			
96	S	218.569	204.849	190.047	201.738	211.567	212.628	213.885	219.210	207.620			
99	Т	2.0984	4.1416	4.3023	2.1636	2.0554	4.0324	4.0068	2.1003	24.9008			
99	S	218.673	205.290	192.233	203.575	213.296	211.694	213.047	219.774	208.186			
100	Т	2.1008	4.2411	4.3694	2.1898	2.0768	4.0094	3.9779	2.0958	25.0610			
100	S	218.423	200.473	189.281	201.139	211.098	212.909	214.595	220.246	206.855			
101	Т	2.0915	4.1355	4.4589	2.2206	2.0982	4.0372	3.9951	2.1041	25.1411			
101	S	219.395	205.592	185.482	198.349	208.945	211.443	213.671	219.377	206.196			
103	Т	2.0962	4.2092	4.3554	2.1818	2.0706	4.0479	4.0320	2.1134	25.1065			
102	S	218.903	201.993	189.890	201.877	211.730	210.884	211.715	218.412	206.480			
102	Т	2.1142	4.2634	4.4049	2.1980	2.0841	4.0281	4.0053	2.1107	25.2087			
103	S	217.039	199.425	187.756	200.389	210.359	211.920	213.127	218.691	205.643			
104	Т	2.1163	4.2101	4.3771	2.1919	2.0793	4.0091	3.9855	2.1002	25.0695			
104	S	216.824	201.949	188.948	200.946	210.845	212.925	214.186	219.784	206.785			
105	Т	2.0949	4.1795	4.3963	2.1947	2.0719	4.0667	4.0356	2.1085	25.1481			
103	S	219.038	203.428	188.123	200.690	211.598	209.909	211.527	218.919	206.139			
106	Т	2.0993	4.2251	4.4043	2.2074	2.0865	4.0360	4.0598	2.1265	25.2449			
100	S	218.579	201.232	187.781	199.535	210.117	211.506	210.266	217.066	205.348			
107	T	2.1179	4.1745	4.3833	2.2035	2.0829	4.0880	4.0629	2.1278	25.2408			
107	S	216.660	203.672	188.681	199.889	210.480	208.815	210.105	216.933	205.382			
108	T	2.1254	4.1710	4.4143	2.2067	2.0860	4.0428	4.0149	2.1108	25.1719			
108	S	215.895	203.843	187.356	199.599	210.167	211.150	212.617	218.681	205.944			
109	T	2.1065	4.1586	4.4064	2.2083	2.0880	4.0439	4.0146	2.1082	25.1345			
109	S	217.832	204.450	187.692	199.454	209.966	211.092	212.633	218.950	206.250			
110	H	2.1040	4.1973	4.4035	2.2092	2.0894	4.0013	3.9849	2.1073	25.0969			
	S	218.091	202.565	187.815	199.373	209.825	213.340	214.218	219.044	206.559			
111	T	2.1068	4.1768	4.3354	2.1857	2.0820	4.1602	4.1143	2.1304	25.2916			
111	S	217.801	203.559	190.766	201.516	210.571	205.191	207.480	216.669	204.969			
112	Т	2.1514	4.4106	4.4481	2.2307	2.1018	4.0915	4.0515	2.1163	25.6019			
112	S	213.286	192.769	185.932	197.451	208.587	208.637	210.696	218.112	202.485			
113	7	2.1093	4.2245	4.4303	2.2180	2.0960	4.0737	4.0546	2.1356	25.3420			
113	S	217.543	201.261	186.679	198.582	209.165	209.548	210.535	216.141	204.562			
114	Т	2.1218	4.1757	4.3375	2.1823	2.0723	4.0214	4.0142	2.1189	25.0441			
114	S	216.261	203.613	190.673	201.830	211.557	212.273	212.654	217.845	206.995			

Round 1

Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 20 - Carpenter, Ed

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1124	4.1716	4.3758	2.1988	2.0846	4.0831	4.0493	2.1199	25.1955			
115	S	217.224	203.813	189.004	200.316	210.308	209.066	210.811	217.742	205.751			
116	T	2.1114	4.1963	4.3665	2.1852	2.0707	4.1245	4.0893	2.1312	25.2751			
110	S	217.327	202.614	189.407	201.563	211.720	206.967	208.749	216.587	205.103			
117	Т	2.1238	4.2984	4.4829	2.2267	2.1349	4.2810	4.0948	2.1363	25.7788			
117	S	216.058	197.801	184.489	197.806	205.353	199.401	208.468	216.070	201.095			
110	Т	2.1240	4.2834	4.4517	2.2219	2.0951	4.0913	4.0417	2.1100	25.4191			
118	S	216.037	198.494	185.782	198.233	209.254	208.647	211.207	218.763	203.941			
119	Т	2.0984	4.2561	4.5085	2.2369	2.1986	4.4567	4.1800	2.1612	26.0964			
119	S	218.673	199.767	183.441	196.904	199.404	191.540	204.219	213.581	198.648			
120	Т	2.1353	4.2927	4.5293	2.2541	2.1225	4.2368	4.0856	2.1306	25.7869			
120	S	214.894	198.064	182.599	195.402	206.553	201.481	208.938	216.648	201.032			
121	Т	2.1083	4.3580	4.5536	2.2833	2.3959	6.3362			50.2047	27.2208		30.6905
121	S	217.646	195.096	181.625	192.903	182.983	134.724			103.257	33.101		153.868
122	Т			8.5631	3.1818	2.6599	4.6708	4.3181	2.2071	42.8445		35.1379	
122	S			96.582	138.429	164.822	182.760	197.688	209.139	120.996		134.470	
123	Т	2.1780	4.2116	4.2515	2.1491	2.0583	4.0261	4.0005	2.1046	24.9797			
123	S	210.681	201.877	194.530	204.948	212.996	212.026	213.382	219.325	207.529			
124	T	2.0967	4.0675	4.1923	2.1202	2.0265	4.0039	3.9990	2.1054	24.6115			
124	S	218.850	209.029	197.277	207.742	216.338	213.201	213.462	219.241	210.633			
125	T	2.0921	4.0988	4.1923	2.1217	2.0254	3.9904	3.9767	2.0902	24.5876			
123	S	219.332	207.433	197.277	207.595	216.456	213.923	214.659	220.836	210.838			
126	T	2.0806	4.1397	4.2526	2.1454	2.0355	4.0613	4.0060	2.0945	24.8156			
120	S	220.544	205.384	194.480	205.302	215.382	210.188	213.089	220.382	208.901			
127	T	2.0814	4.1287	4.3181	2.1633	2.0523	4.0656	4.0312	2.1018	24.9424			
12/	S	220.459	205.931	191.530	203.603	213.618	209.966	211.757	219.617	207.839			
128	LT	2.0907	4.2903	4.3694	2.1782	2.0619	4.0255	3.9921	2.0887	25.0968			
120	S	219.478	198.174	189.281	202.210	212.624	212.057	213.831	220.994	206.560			
129	T	2.0748	4.1856	4.3396	2.1727	2.0680	4.0616	4.0007	2.0959	24.9989			
129	S	221.160	203.132	190.581	202.722	211.997	210.172	213.372	220.235	207.369			
130	Т	2.0975	4.2237	4.3272	2.1833	2.0609	4.0844	4.0623	2.1268	25.1661			
130	S	218.767	201.299	191.127	201.738	212.727	208.999	210.136	217.035	205.991			
131	T	2.1085	4.2418	4.6277	2.3123	2.1672	4.1863	4.0889	2.1450	25.8777			
131	S	217.626	200.440	178.716	190.483	202.293	203.912	208.769	215.194	200.327			
132	T	2.1304	4.1352		•	2.0629	4.0418	4.0051	2.1093	24.9703			
132	S	215.388	205.607	191.650	202.956	212.521	211.202	213.137	218.836	207.607			
133	T	2.1065	4.1871	4.3622	2.1876		4.0746		2.1041	25.1165			
	S	217.832	203.059	189.594	201.341	211.853	209.502	212.084	219.377	206.398			

Round 1

Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 20 - Carpenter, Ed

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.0959	4.2805	4.4311	2.2215	2.0866	4.1770	4.1416	2.1556	25.5898			
134	S	218.934	198.628	186.646	198.269	210.107	204.366	206.113	214.136	202.581			
135	T	2.1295	4.1945	4.5952	2.2849	2.1469	4.0827	4.0251	2.1115	25.5703			
133	S	215.480	202.701	179.980	192.768	204.206	209.086	212.078	218.608	202.735			
136	T	2.1070	4.1685	4.3627	2.1904	2.0713	4.1754	4.1261	2.1530	25.3544			
130	S	217.781	203.965	189.572	201.084	211.659	204.444	206.887	214.394	204.462			
137	Т	2.1339	4.2351	4.4871	2.2430	2.1112	4.1541	4.0751	2.1372	25.5767			
137	S	215.035	200.757	184.316	196.368	207.659	205.492	209.476	215.979	202.684			
138	T	2.1227	4.1036	4.4245	2.2136	2.0977	4.0665	4.0198	2.1100	25.1584			
136	S	216.170	207.191	186.924	198.977	208.995	209.919	212.358	218.763	206.054			
139	T	2.1014	4.1938	4.4726	2.2273	2.1094	4.1281	4.0679	2.1303	25.4308			
139	S	218.361	202.734	184.914	197.753	207.836	206.787	209.847	216.679	203.847			
140	7	2.1204	4.1707	4.3449	2.1817	2.0693	4.0413	4.0082	2.1024	25.0389			
140	S	216.404	203.857	190.349	201.886	211.863	211.228	212.972	219.554	207.038			
141	T	2.0915	4.2285	4.4649	2.2363	2.1016	4.1405	4.1066	2.1341	25.5040			
141	S	219.395	201.071	185.233	196.957	208.607	206.167	207.869	216.293	203.262			
142	Т	2.1151	4.2181	4.3970	2.2046	2.0835	4.0588	4.0360	2.1141	25.2272			
142	S	216.947	201.566	188.093	199.789	210.420	210.317	211.506	218.339	205.492			
143	Т	2.1021	4.1874	4.4728	2.2308	2.1008	4.0657	4.0759	2.1302	25.3657			
143	S	218.288	203.044	184.906	197.442	208.687	209.960	209.435	216.689	204.370			
144	Т	2.1152	4.2013	4.3869	2.2037	2.0805	4.0673	4.0540	2.1164	25.2253			
	S	216.936	202.372	188.526	199.870	210.723	209.878	210.566	218.102	205.508			
145	LI	2.1063	4.2352	4.4942	2.2399	2.1103	4.0901	4.0528	2.1137	25.4425			
145	S	217.853	200.753	184.025	196.640	207.747	208.708	210.629	218.381	203.754	ļ		
146	工	2.1052	4.2036	4.5155	2.2532	2.1210	4.1526	4.0690	2.1266	25.5467			
	S	217.967	202.262	183.157	195.480	206.699	205.567		217.056				
147	Т	2.1134	4.2118	4.3865	2.2014	2.0835	4.0674		2.1097	25.2271			
	S	217.121	201.868	188.543	200.079	210.420	209.873		218.795	205.493			
148	L	2.0954	4.1612	4.3818	2.1964	2.0803	4.1547	<del>                                     </del>	2.1262	25.2760			
L	S	218.986	204.323	188.746	200.535	210.743	205.463	•	217.097	205.096			
149	T	2.1046	4.2040	4.3885	2.2049	2.0827	4.1312		2.1177	25.2908			
<u> </u>	S	218.029	202.242	188.457	199.762	210.500	206.632		217.968	204.976			
150	T	2.1048	4.2147	4.4347	2.2271	2.0943	4.0919		2.1186	+			
	S	218.008	201.729	186.494	197.770	209.334	208.616	<del>•                                      </del>	217.875	•			
151	L	2.1000	4.1689	4.6409	2.3178	2.1684	4.0996		2.1157	25.6379			
	S	218.506	203.945	178.208	190.031	202.181	208.224	1					
152	Т	2.1147	4.2803	4.3498	2.1875	2.0767	4.1003	1		25.2958			
	S	216.988	198.637	190.134	201.351	211.109	208.189	210.110	217.352	204.935			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

### Section Data for Car 20 - Carpenter, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	Т	2.1121	4.2399	4.4159	2.2131	2.1040	4.0343	4.0249	2.1332	25.2774			
155	S	217.255	200.530	187.288	199.022	208.369	211.595	212.089	216.384	205.084			
154	Т	2.1348	4.1446	4.3457	2.2053	2.1000	4.0426	4.0275	2.1359	25.1364			
154	S	214.945	205.141	190.314	199.725	208.766	211.160	211.952	216.111	206.235			
155	Т	2.1333	4.1088	4.2619	2.1812	2.2030	5.8870			47.4234	26.2579		28.8704
155	S	215.096	206.928	194.056	201.932	199.005	145.004			109.313	34.314		163.568
156	T				3.2200	2.6967	4.7211	4.3562	2.2306	43.0161		35.3112	
156	S				136.787	162.572	180.813	195.959	206.936	120.513		133.810	
157	Т	2.2200	4.1565	4.2059	2.1499	2.0701	3.9998	4.0057	2.1266	24.9345			
15/	S	206.695	204.554	196.639	204.872	211.782	213.420	213.105	217.056	207.905			
158	Т	2.1274	4.0556	4.1215	2.1148	2.0427	3.9599	3.9746	2.1153	24.5118			
156	S	215.692	209.643	200.666	208.272	214.622	215.570	214.773	218.215	211.490			
159	Т	2.1213	4.0138	4.0914	2.1116	2.0481	3.9662	3.9834	2.1213	24.4571			
129	S	216.312	211.826	202.142	208.588	214.056	215.228	214.298	217.598	211.963			
160	Т	2.1245	4.0329	4.1409	2.1256	2.0489	3.9542	3.9743	2.1137	24.5150			
100	S	215.987	210.823	199.726	207.214	213.973	215.881	214.789	218.381	211.462			
161	T	2.1170	4.0151	4.1254	2.1183	2.0403	3.9471	3.9575	2.1088	24.4295			
101	S	216.752	211.757	200.476	207.928	214.875	216.269	215.701	218.888	212.202			
162	T	2.1111	4.0195	4.1873	2.1363	2.0509	3.9522	3.9573	2.1052	24.5198			
102	S	217.358	211.526	197.513	206.176	213.764	215.990	215.712	219.262	211.421			
163	T	2.1045	4.0247	4.1963	2.1376	2.0488	3.9967	3.9887	2.1083	24.6056			
103	S	218.039	211.252	197.089	206.051	213.983	213.585	214.014	218.940	210.684			
164	LT	2.1022	4.0766	4.4913	2.2496	2.1330	4.0530		2.1124	25.2176			
104	S	218.278	208.563	184.144	195.792	205.536	210.618	213.436	218.515	205.571			
165	T	2.1101	4.1059	4.2466	2.1541	2.0608	3.9984	3.9888	2.1092	24.7739			
103	S	217.461	207.075	194.755	204.473	212.737	213.494	214.008	218.846	209.252			
166	LT.	2.1063	4.1418	4.3083	2.1758	2.0729	3.9892	3.9763	2.1020	24.8726			
100	S	217.853	205.280	191.966	202.433	-	213.987	214.681	219.596	<del></del>			
167	I	2.0950	4.1934	4.4101	2.2168		4.0231		2.1015	<del>                                     </del>			
	S	219.028	202.754	187.534	198.689		212.184		219.648	•			
168	T	2.0964	4.1208	4.3214	2.1790		4.0022	3.9838	2.1056				
	S	218.882	206.326	191.384	202.136		213.292	214.277	219.221	208.302			
169	T	2.0975	4.1686	4.3583	2.2080	2.0918	4.0173	+	2.1078				
	S	218.767	203.960	189.763	199.481	209.585	212.490	•	218.992	<del>•                                      </del>			
170	L	2.1008	4.1919	4.3232	2.1910		4.0175		2.1081	25.0173			
	S	218.423	202.826		201.029		212.479		218.961	207.217			
171	T	2.1021	4.0966				4.1042		2.1361	25.6154			
	S	218.288	207.545	179.107	190.105	200.884	207.991	210.281	216.090	202.378			

Round 1

Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020 NOVCAR

## Section Data for Car 20 - Carpenter, Ed

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1263	4.1806	4.3084	2.1862	2.0832	4.0094	3.9993	2.1205	25.0139			
172	S	215.804	203.374	191.961	201.470	210.450	212.909	213.446	217.680	207.245			
173	T	2.1176	4.0379	4.4408	2.2384	2.1206	4.0505	4.0260	2.1204	25.1522			
1/3	S	216.690	210.562	186.238	196.772	206.738	210.748	212.031	217.690	206.105			
174	T	2.1139	4.1495	4.3387	2.1852	2.0794	4.0440	4.0454	2.1312	25.0873			
1/4	S	217.070	204.899	190.621	201.563	210.834	211.087	211.014	216.587	206.638			
175	Т	2.1216	4.1572	4.3813	2.2018	2.0874	4.0860	4.0549	2.1315	25.2217			
1/3	S	216.282	204.519	188.767	200.043	210.026	208.917	210.520	216.557	205.537			
176	T	2.1174	4.1341	4.4943	2.2429	2.1188	4.0700	4.0215	2.1192	25.3182			
176	S	216.711	205.662	184.021	196.377	206.914	209.739	212.268	217.814	204.754			
177	T	2.1159	4.1858	4.3564	2.1937	2.0815	4.0857	4.0368	2.1115	25.1673			
1//	S	216.865	203.122	189.846	200.782	210.622	208.933	211.464	218.608	205.982			
178	7	2.1255	4.3777	4.4370	2.2201	2.0998	4.0866	4.1126	2.1422	25.6015			
178	S	215.885	194.218	186.397	198.394	208.786	208.887	207.566	215.475	202.488			
179	T	2.1259	4.2958	4.5419	2.2491	2.1138	4.0953	4.0493	2.1198	25.5909			
1/9	S	215.844	197.921	182.092	195.836	207.403	208.443	210.811	217.752	202.572			
180	Т	2.1172	4.2465	4.4513	2.2249	2.1060	4.0875	4.0583	2.1239	25.4156			
100	S	216.731	200.218	185.799	197.966	208.171	208.841	210.343	217.332	203.969			
181	T	2.1101	4.2104	4.4762	2.2441	2.1180	4.0631	4.0389	2.1307	25.3915			
101	S	217.461	201.935	184.765	196.272	206.992	210.095	211.354	216.638	204.163			
182	Т	2.1234	4.2560	4.4070	2.2221	2.1066	4.0755	4.0385	2.1241	25.3532			
102	S	216.099	199.771	187.666	198.215	208.112	209.456	211.375	217.311	204.471			
183	T	2.1169	4.1705	4.4658	2.2589	2.3095	6.1802			47.6108	25.6480		29.6741
163	S	216.762	203.867	185.195	194.986	189.829	138.124			108.883	35.130		159.138
184	T				3.2050	2.6727	4.6554	4.3097	2.2107	42.8191		35.1078	
104	S				137.427	164.032	183.365	198.073	208.799	121.067		134.585	
185	LT	2.1846	4.1356	4.1299	2.1163	2.0350	3.9260	3.9435	2.0962	24.5671			
105	S	210.045	205.587	200.258	208.125	215.434	217.432	216.467	220.204	211.014			
186	LT	2.1003	4.0356	4.1021	2.1052	2.0254	3.9225		2.0793	24.2924			
100	S	218.475	210.682	201.615	209.222	216.456	217.626	217.653	221.993	213.400			
187	T	2.0781	4.1014	4.2472	2.1239	2.0525	4.2629	4.0796	2.1297	25.0753			
107	S	220.809	207.302	194.727	207.380	213.598	200.248	209.245	216.740	206.737			
188	Т	2.1297	4.3906	4.4499	2.2365	2.1188	4.0410	3.9486	2.0741	25.3892			
100	S	215.459	193.647	185.857	196.939	206.914	211.244	216.187	222.550	204.181			
189	Т	2.0963	4.3149	4.3449	2.1753	2.0693	3.9849	3.9603	2.0808	25.0267			
109	S	218.892	197.044	190.349		211.863	214.218	215.548	221.833	207.139			
190	T	2.1582	4.4062	4.3833			4.0887		2.3339	25.6917			
	S	212.614	192.962	188.681	201.498	209.384	208.779	211.207	197.777	201.777			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

### Section Data for Car 20 - Carpenter, Ed

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	2.5894	5.5834	7.5721	4.0715	3.6180	6.6518	6.0454	3.1257	39.2573			
191	S	177.208	152.278	109.223	108.180	121.174	128.332	141.204	147.676	132.052			
192	Т	3.6010	6.4711	6.8681	3.3473	3.4027	7.0297	7.1070	4.2639	42.0908			
192	S	127.427	131.388	120.418	131.585	128.842	121.433	120.112	108.256	123.162			
193	T	4.9924	8.6374	10.0939	6.3185	5.0873	9.0147	8.9075	4.9648	58.0165			
193	S	91.912	98.436	81.935	69.709	86.177	94.694	95.833	92.973	89.354			
194	Т	5.0846	9.5380	10.6816	6.5371	6.1941	10.9470	9.4663	5.2479	63.6966			
194	S	90.246	89.141	77.427	67.378	70.778	77.979	90.176	87.957	81.386			
195	T	5.7601	10.3254	12.6759	5.4256	5.5172	12.6687	11.9809	5.5951	69.9489			
193	S	79.662	82.343	65.246	81.181	79.462	67.382	71.250	82.499	74.111			
196	Т	6.9789	11.9569	11.9296	5.5675	5.4940	9.2803	7.7300	4.0776	63.0148			
190	S	65.750	71.108	69.327	79.112	79.798	91.984	110.432	113.202	82.266			
197	T	4.2348	8.6664	9.1214	4.3864	4.1647	8.0569	5.6396	2.5597	46.8299			
137	S	108.355	98.106	90.671	100.414	105.268	105.951	151.365	180.330	110.699			
198	T	2.4022	4.5869	4.4903	2.3013	2.1528	4.3957	4.1389	2.1151	26.5832			
130	S	191.018	185.360	184.185	191.394	203.646	194.198	206.247	218.236	195.010			
199	T	2.0965	4.3913	4.8256	2.3326	2.1724	4.0841	3.9740	2.0818	25.9583			
	S	218.871	193.616	171.387	188.826	201.809	209.015	214.805	221.727	199.705			
200	T	2.0773	4.2911	4.3919	2.2010	2.0738	4.1247	4.6915	2.8024	26.6537			
	S	220.894	198.137	188.312	200.116	211.404	206.957	181.954	164.713	194.495			
201	Т	3.1687	6.7811	8.1315	5.0932	5.6721							
	S	144.811	125.382	101.709	86.479	77.292							

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

### Section Data for Car 21 - VeeKay, Rinus (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.6707	5.4048	4.8671	2.3152	2.1739	4.7769	4.5203	2.2224	28.9513		50.5882	
	S	171.814	157.310	169.926	190.245	201.669	178.701	188.845	207.699	179.059		93.401	
	Т	2.1694	4.6214	4.6421	2.2662	2.1203	4.3752	4.2222	2.1430	26.5598			
2	S	211.516	183.976	178.162	194.358	206.767	195.108	202.178	215.395	195.182			
3	Т	2.1255	4.2583	4.4296	2.1828	2.0539	4.1342	4.1041	2.1092	25.3976			
	S	215.885	199.664	186.709	201.784	213.452	206.482	207.996	218.846	204.114			
4	Т	2.0912	4.2991	4.4318	2.2144	2.0837	4.2057	4.1684	2.1370	25.6313			
4	S	219.426	197.769	186.616	198.905	210.399	202.971	204.788	215.999	202.253			
5	T	2.1113	4.1570	4.3543	2.1875	2.0593	4.1797	4.1256	2.1265	25.3012			
	S	217.337	204.529	189.938	201.351	212.892	204.234	206.912	217.066	204.891			
6	T	2.1153	4.2492	4.5296			4.1535	4.1070	2.1287	25.6292			
	S	216.926	200.091	182.587	196.474	208.359	205.522	207.849	216.842	202.269			
7	Т	2.1083	4.1156	4.3865	2.1946	2.0772	4.1468	4.1181	2.1321	25.2792			
	S	217.646	206.586	188.543	200.699	211.058	205.854	207.289	216.496	205.070			
8	T	2.1185	4.1735	4.3299	2.1892	2.0735	4.0196	4.0024	2.1012	25.0078			
	S	216.598	203.720	191.008	201.194	211.434	212.368	213.281	219.680	207.295			
9	Т	2.0953	4.1676	4.3889	2.2132	2.0856	4.0235	4.0248	2.1072	25.1061			
	S	218.997	204.009	188.440	199.013	210.208	212.163	212.094	219.054	206.484			
10	LT.	2.0921	4.0915	4.4693	2.2156	2.0825	4.0109	3.9785	2.0875	25.0279			
	S	219.332	207.803	185.050	198.797	210.521	212.829	214.562	221.121	207.129			
11	T	2.0875	4.0827	4.2045	2.1378	2.0379	4.0662	4.0448	2.1112	24.7726			
	S	219.815	208.251	196.705	206.032	215.128	209.935	211.045	218.639	209.263			
12	<u> </u>	2.0940	4.1532	4.7111	2.3362	2.1774	4.0892	4.0281	2.1144	25.7036			
12	S	219.133	204.716	175.553	188.535	201.345	208.754	-	218.308	201.684			
13	<u> </u>	2.1117			2.1989	2.0803	4.0110		2.1046	25.1421			
	S	217.296				210.743	212.824		219.325				
14	Т	2.1050				2.1091	4.0424		2.1142	25.2834			
<u> </u>	S	217.987	201.906	<del></del>	+	+	211.171	211.910	-	205.036		ļ	
15	T	2.1041		•		2.0929		-	2.1029	25.2021		ļ	ļ
	S	218.081	203.525	•	1	209.474	211.139		219.502	205.697		<u> </u>	<b></b>
16	T	2.0982				2.1304			2.1261	25.5428			
	S	218.694				205.787	209.661	210.905	217.107	202.953			
17	T	2.1198			+	2.0805	4.1763		2.1851	25.4581		ļ	ļ
<u></u>	S	216.466		191.832	201.553	210.723	204.400	204.395	211.245	203.629		ļ	
18	T	2.1608			•	2.0972	4.1609		2.1565	25.4437		ļ	ļ
	S	212.358	-		1		205.157					ļ	
19	T	2.1368	•				4.0363					ļ	
	S	214.743	200.753	190.401	198.941	208.896	211.490	211.458	217.117	205.489			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

TAG


Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1222	4.2094	4.3127	2.1980	2.0843	4.0143	4.0110	2.1117	25.0636			
20	S	216.221	201.983	191.770	200.389	210.339	212.649	212.824	218.587	206.834			
24	Т	2.1099	4.2304	4.3514	2.1984	2.0797	4.0306	4.0401	2.1206	25.1611			
21	S	217.481	200.980	190.064	200.352	210.804	211.789	211.291	217.670	206.032			
22	Т	2.1065	4.1972	4.3910	2.2250	2.1008	4.0837	4.0591	2.1365	25.2998			
	S	217.832	202.570	188.350	197.957	208.687	209.035	210.302	216.050	204.903			
23	Т	2.1259	4.2965	4.3497	2.2005	2.0880	4.0668	4.0613	2.1360	25.3247			
	S	215.844	197.888	190.139	200.161	209.966	209.904	210.188	216.101	204.701			
24	T	2.1230	4.2467	4.4052	2.2255	2.1058	4.0649	4.0591	2.1388	25.3690			
24	S	216.139	200.209	187.743	197.913	208.191	210.002	210.302	215.818	204.344			
25	Т	2.1313	4.2278	4.2662	2.1682	2.0678	4.0280	4.0089	2.1143	25.0125			
	S	215.298	201.104	193.860	203.143	212.017	211.926	212.935	218.319	207.256			
26	T	2.1103	4.2223	4.3598	2.2114	2.0915	4.0562	4.0290	2.1204	25.2009			
	S	217.440	201.366	189.698	199.175	209.615	210.452	211.873	217.690	205.707			
27	T	2.1201	4.2732	4.3696	2.2069	2.0873	4.0634	4.0515	2.1258	25.2978			
	S	216.435	198.967	189.273	199.581	210.036	210.079	210.696	217.138	204.919			
28	T	2.1147	4.2137	4.3718	2.2043	2.0839	4.0962	4.0757	2.1308	25.2911			
	S	216.988	201.777	189.177	199.816	210.379	208.397	209.445	216.628	204.973			
29	T	2.1106	4.2077	4.4908	2.2552	2.1168	4.0420	4.0089	2.1110	25.3430			
	S	217.409	202.065	184.164	195.306	207.109	211.192	212.935	218.660	204.554			
30	T	2.1137	4.2816	4.5330		2.1197	4.0938		2.1187	25.5647			
	S	217.090	198.577	182.450	195.272	206.826	208.519	210.847	217.865	202.780			
31	T	2.1100	4.2282	4.4466	2.2268	2.0950	4.0927	4.0600	2.1237	25.3830			
	S	217.471	201.085	185.995	197.797	209.264	208.575	210.255	217.352	204.231			
32	T	2.1047	4.2894	4.9260	2.3987	2.2336	4.3070	4.1717	2.1569	26.5880			
	S	218.019	198.216	167.894	183.622	196.279	198.197	204.626	214.007	194.975			
33	T	2.1371	4.3529	4.4575	2.2486	2.1149	4.1305	4.0732	2.1292	25.6439			
	S	214.713	195.324	185.540	195.879	207.295	206.667	209.574	216.791	202.153			
34	I	2.1272	4.2971	4.4379	2.2367	2.3978	6.1289		ļ	50.2090	28.1462		29.7776
	S	215.713	197.861	186.360	196.922	182.838	139.281			103.248	32.012		158.585
35	T				3.2503	2.7201	4.7451	4.4128	2.2640	43.3999		35.6851	
	S				135.512	161.174	179.898			119.447		132.408	
36	I	2.2410	4.4095	4.3700	2.2329	2.1339	4.1718		2.1139	25.7285			
	S	204.758	192.817	189.255	197.257	205.450	204.621	210.489	218.360	201.489			
37	I	2.1098	4.2327	5.4425			316.2106						
	S	217.492	200.871	151.961			2.700						

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 





### Section Data for Car 22 - Pagenaud, Simon

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.7596	4.8444	4.5019	2.2209	2.1351	4.1751	4.0518	2.1178	26.8066		59.8814	
1	S	166.279	175.507	183.710	198.323	205.334	204.459	210.681	217.958	193.385		78.906	
2	T	2.1121	4.1504	4.1746	2.1258	2.0376	4.0012	3.9887	2.1009	24.6913			
	S	217.255	204.854	198.114	207.195	215.160	213.345	214.014	219.711	209.952			
3	Т	2.1298	4.2512	4.1645	2.1171	2.0254	3.9461	3.9600	2.0930	24.6871			
	S	215.449	199.997	198.594	208.046	216.456	216.324	215.565	220.540	209.988			
4	Т	2.1101	4.2142	4.3035	2.1671	2.0646	3.9636	3.9768	2.0996	24.8995			
	S	217.461	201.753	192.180	203.246	212.346	215.369	214.654	219.847	208.197			
5	Т	2.1042	4.1898	4.2441	2.1482	2.0534	3.9557	3.9787	2.1041	24.7782			
	S	218.070	202.928	194.869	205.034	213.504	215.799	214.552	219.377	209.216			
6	Т	2.1010	4.1404	4.2380	2.1464	2.0486	3.9431	3.9760	2.1035	24.6970			
	S	218.402	205.349	195.150	205.206	214.004	216.489	214.697	219.439	209.904			
7	Т	2.0967	4.1555	4.2576	2.1543	2.0565	3.9910	4.0030	2.1138	24.8284			
	S	218.850	204.603	194.252	204.454	213.182	213.890	213.249	218.370	208.793			
8	Т	2.1220	4.2064	4.2741	2.1613	2.0602	3.9754	3.9910	2.1118	24.9022			
	S	216.241	202.127	193.502	203.791	212.799	214.730	213.890	218.577	208.174			
9	Т	2.1118	4.0852	4.2904	2.1673	2.0666	3.9707	3.9975	2.1158	24.8053			
	S	217.286	208.124	192.767	203.227	212.140	214.984	213.543	218.164	208.988			
10	T	2.1105	4.1454	4.2929	2.1696	2.0715	3.9837	4.0070	2.1247	24.9053			
	S	217.419	205.101	192.654	203.012	211.638	214.282	213.036	217.250	208.148			
111	Т	2.1209	4.1681	4.3137	2.1740	2.0738	3.9776	4.0000	2.1232	24.9513			
	S	216.353	203.984	191.725	202.601	211.404	214.611	213.409	217.403	207.765			
12	Т	2.1216	4.1103	<del></del>	-	2.0690	3.9743	4.0016	2.1223	24.8342			
	S	216.282	206.853	193.665		211.894	214.789	213.324	217.496	208.744		ļ	
13	T	2.1262	4.1213	4.4148	2.2199	2.1080	4.0238	4.0213	2.1300	25.1653			
	S	215.814	206.301			207.974	212.147	212.279	216.709	205.998			
14	Т	2.1248	4.1247			2.0835	3.9964	4.0097	2.1272	24.9679			
	S	215.956	206.131			210.420	213.601	212.893	216.995	207.627			
15	T	2.1242	4.1280			2.0747	3.9803	4.0018	2.1235	24.8900		ļ	
	S	216.017	205.966	+		211.312	214.465	213.313	217.373	208.276		ļ	
16	Т	2.1252	4.0930	-	-	2.0706	3.9797	3.9997	2.1191	24.8515			
	S	215.916	207.727	+		211.730	214.498	213.425	217.824	208.599			
17	Т	2.1171	4.1262	1		2.0751	3.9824	3.9985	2.1165	24.9078		1	
	S	216.742	206.056			211.271	214.352	213.489	218.092	208.128		ļ	
18	T	2.1074	4.1179	+		2.0627	3.9872	4.0271	2.1264	24.9031		ļ	
	S	217.739	206.471		202.825	212.541	214.094	211.973	217.076	208.167			
19	T	2.1148		+		2.0920	4.0076	4.0239	2.1283	25.1224			
	S	216.977	205.901	187.224	199.382	209.565	213.004	212.142	216.882	206.350			

**Genesys 300 Event:** 

1.5 mile(s) Track: **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

### Section Data for Car 22 - Pagenaud, Simon

Lap				SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1170	4.2214	4.3565	2.1878	2.0761	4.0927	4.0777	2.1324	25.2616			
20	S	216.752	-		1						İ		
	Т	2.1300								25.4719			
21	S	215.429		<del></del>	1	<del></del>	<del> </del>		<del></del>	203.518			
	Т	2.1505	4.4549			•	4.1153	÷	•	25.9187	i e		
22	S	213.375								200.010			
22	Т	2.1617			1	2.0814	4.0476	-	2.1294	25.4563			
23	S	212.270	194.098	188.307	200.325	210.632	210.899	209.991	216.770	203.643			
24	Т	2.1866	4.4752	4.4207	2.2092	2.0911	4.0624	4.0752	2.1277	25.6481			
24	S	209.853	189.986	187.085	199.373	209.655	210.131	209.471	216.944	202.120			
25	Т	2.1497	4.3790	4.4432	2.2218	2.1025	4.1911	4.1403	2.1477	25.7753			
25	S	213.455	194.160	186.137	198.242	208.518	203.678	206.177	214.923	201.123			
26	Т	2.1763	4.3856	4.4009	2.2066	2.0901	4.0215	4.0466	2.1223	25.4499			
	S	210.846	193.868	187.926	199.608	209.755	212.268	210.952	217.496	203.694			
27	Т	2.1483	4.3808	4.4590	2.2267	2.1051	4.0690	4.0638	2.1235	25.5762			
	S	213.594	194.080	185.478	197.806	208.260	209.790	210.059	217.373	202.688			
28	Т	2.1539	4.4224	4.5136	2.2495	2.1238	4.0578	4.0560	2.1436	25.7206			
	S	213.039	192.255	183.234	195.801	206.427	210.369	210.463	215.334	201.551			
29	Т	2.2584	4.4569	4.3877	2.1985	2.0837	4.0295	4.0577	2.1327	25.6051			
29	S	203.181	190.767	188.492	200.343	210.399	211.847	210.374	216.435	202.460			
30	Т	2.1469			2.2851	2.1539				25.9301			
	S	213.733		182.124	192.751	203.542	203.189	206.777	215.525	199.922			
31	T	2.1792	4.4211	4.5072	2.2442	2.1174	4.1146	4.1074	2.1450	25.8361			
J-	S	210.565		183.494	196.263	207.051	207.465	207.829	215.194	200.649			
32	Т	2.1712	4.3862	4.3877	2.2081	2.0989	4.1590	4.1033	2.1840	25.6984			
<u> </u>	S	211.341	-			208.876	205.250	-	211.351	201.725			
33	Т	2.2928			1	2.1560	4.1028		2.1546	26.0681			
	S	200.132	+	·		203.344	208.062	+	214.235	198.864	ļ		
34	T	2.1562	•	÷	1	1	4.0379	<del>•</del>	2.1433	25.2560	ļ	ļ	
	S	212.811		1		•		•	215.365	205.258			
35	Т	2.1525				2.2966				37.0393			29.6020
	S	213.177	198.059	186.444			138.913			139.959	31.480		159.525
36	T		ļ	ļ	3.1403		<del> </del>	+	<del></del>	56.3359		35.1514	
<u> </u>	S			<b>_</b>	140.259	<del></del>	183.507	+	206.945	92.019		134.419	
37	T	2.2105	1	1		2.0729	3.9990	+	1	24.9504			
<u> </u>	S	207.584	1			211.496	213.462			207.772			
38	T	2.2458					5.9577			35.0694			
L	S	204.321	165.685	139.810	138.100	141.591	143.283	136.111	141.527	147.821			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

DO to SE

### Section Data for Car 22 - Pagenaud, Simon

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	Т	3.2934	6.1496	6.4653	4.6017	5.4316	10.5344	9.9931	5.1492	51.6183			
39	S	139.328	138.257	127.921	95.716	80.715	81.033	85.423	89.643	100.429			
40	Т	5.2619	8.5664	9.6654	4.9405	5.0249	10.0305	9.2689	4.5891	57.3476			
40	S	87.205	99.251	85.568	89.152	87.247	85.104	92.097	100.584	90.396			
41	T	4.4618	8.6733	8.9327	4.5497	5.0571	11.1550	9.6151	4.4498	56.8945			
71	S	102.843	98.028	92.586	96.810	86.692	76.525		103.733	91.116			
42	T	4.6014	9.1142	9.5298	4.6087	4.8884	9.9324	9.3626	4.7788	56.8163			
72	S	99.723	93.286	86.785	95.570	89.684	85.945	91.175	96.591	91.241			
43	Т	4.7881	9.5857	9.0894	4.6701	4.7495	9.9228	9.4580	4.8465	57.1101			
	S	95.834	88.697	90.990	94.314	92.306	86.028	90.255	95.242	90.772			
44	Т	5.3258	9.4954	9.7596	5.1895	5.5597	10.6807	9.7859	4.7448	60.5414			
	S	86.159	89.541	84.742	84.874	78.855	79.923	87.231	97.284	85.627			
45	T	4.8671	9.9028	9.2090	4.8409	4.7735	9.9804	10.8274	4.9638	59.3649			
45	S	94.279	85.857	89.808	90.986	91.842	85.531	78.840	92.991	87.324			
46	Т	5.0099	8.3141	9.4272	4.7222	4.5098	8.8494	5.7769	2.5565	49.1660			
40	S	91.591	102.263	87.730	93.273	97.213	96.463	147.767	180.556	105.439			
47	Т	2.4220	4.7035	4.4573	2.2096	2.1066	4.0512		2.1155	26.0750			
	S	189.456	180.765	185.549	199.337	208.112	210.712	212.914	218.195	198.811			
48	T	2.1157	4.0960	4.0802	2.1084	2.0918	4.0146	3.9567	2.1615	24.6249			
_ +0	S	216.885	207.575	202.697	208.905	209.585	212.633	215.745	213.551	210.519			
49	Т	2.2064	4.1584	4.0823	2.0991	2.0730	4.0500	3.9815	2.1137	24.7644			
	S	207.969	204.460	202.593	209.830	211.485	210.774		218.381	209.333			
50	<u> </u>	2.1835	4.1338	4.1382	2.1274	2.0604	4.1295	4.0214	2.1097	24.9039			
	S	210.151	205.677	199.856	207.039	212.779	206.717		218.795	208.160			
51	<u> </u>	2.2122	4.2367	4.1150	2.1131	2.0235	3.9356	3.9444	2.0852				
	S	207.424	200.681	200.983	208.440		216.901		221.365				
52	T	2.1255	4.3102	4.1580		2.0428	3.9429						
	S	215.885	197.259		207.497		216.500		217.352				
53	工	2.1762	4.2440		2.1550		3.9309	·		<del></del>			
	S	210.855	200.336		204.387	213.785	217.161		220.688				
54	LT.	2.2187	4.3083				3.9883						
	S	206.816	197.346	197.489			214.035	1					
55	T	2.1777	4.1931	4.4444		2.1119	4.0208	1					
<u> </u>	S	210.710	202.768	186.087	197.850		212.305	<del>•                                      </del>	216.974	<del>•                                      </del>			
56	T	2.1355	4.2076	4.2370			3.9717			1			
	S	214.874	202.069	195.196	203.952	212.181	214.930	1	-	208.483			
57	T	2.1374	4.1903	4.2694		2.0769	4.0262						
	S	214.683	202.904	193.715	202.965	211.088	212.020	211.910	215.909	207.058			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series


Session: Race June 6, 2020

### Section Data for Car 22 - Pagenaud, Simon

Lap				SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1430	4.2293	4.2609	2.1627	2.0633	4.0037	4.0301	2.1299	25.0229			
58	S	214.122	201.033	194.101		-	213.212	211.815	216.720	207.170			
	Т	2.1492	4.2672	4.2816	2.1728	2.0652	3.9727	4.0020	2.1242	25.0349			
59	S	213.504	199.247	193.163	202.713	212.284	214.876	213.302	217.301	207.071			
60	Т	2.1543	4.2727	4.2642	2.1666	2.0694	3.9841	4.0138	2.1257	25.0508			
60	S	212.999	198.991	193.951	203.293	211.853	214.261	212.675	217.148	206.939			
61	Т	2.1374	4.2517	4.3312	2.2590	2.1486	4.1021	4.0631	2.1409	25.4340			
01	S	214.683	199.973	190.951	194.978	204.044	208.097	210.095	215.606	203.822			
62	Т	2.1511	4.2604	4.3759	2.2126	2.1090	4.0348	4.0420	2.1392	25.3250			
02	S	213.316	199.565	189.000	199.067	207.875	211.568	211.192	215.777	204.699			
63	Т	2.1496	4.2316	4.3623	2.2091	2.1061	4.0284	4.0321	2.1370	25.2562			
	S	213.465	200.923	189.589	199.382	208.162	211.905			205.257			
64	Т	2.1445			<del></del>	-	4.1074	+		25.6168			
	S	213.972	<del> </del>	184.670	<del>•</del>		207.829	208.514	213.977	202.367	ļ		
65	T	2.1765		+		2.1395	4.0862	<del></del>		25.7058			
	S	210.826					208.907	-		201.667			
66	Т	2.1639					4.0743			25.5170			
	S	212.054	<del>•                                      </del>	+	<del></del>		209.517	<del>•                                      </del>	+	203.159			
67	T	2.1634	•	<del></del>			4.0668	÷		25.4407	ļ		
<u> </u>	S	212.103					209.904						
68	T	2.1652	+			2.1395	4.0889			25.6385			
	S	211.927								202.196			
69	Т	2.1792		·	•	-	4.0961			25.7660			
	S	210.565					208.402	•		201.195			
70	Т	2.1712	•		1		4.0846	+	2.1604	25.6327			
	S	211.341	196.149		196.772	205.459	208.989	-	213.660	202.242			
71	T	2.1640			2.2307	2.1285	4.0751			25.5090			
	S	212.044		+		205.971	209.476	<del>•                                      </del>	-	203.222			
72	T	2.1697	<del> </del>	+	<del>•</del>	2.1287	4.0832	+	•	25.4949			
-	S	211.487		1	1		209.061			203.335	<u> </u>		+
73	T	2.1670					4.0943		-	25.6317			
	S	211.751		-	1		208.494		213.531	202.250			
74	T	2.1620	+	+	<del></del>	-	4.1803	+	+	26.0587		+	-
	S	212.240		÷	1	203.533	204.205	÷		198.935	<u> </u>	+	+
75	T	2.2191		·			4.5238			27.1030	<u> </u>	+	-
	S	206.779					188.699			191.270	<b> </b>	+	
76	T	2.2205					4.1684	+		26.4431	-	+	-
	S	206.649	188.074	177.341	189.191	200.994	204.788	204.601	210.926	196.044		1	

Round 1

Track: Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020

### Section Data for Car 22 - Pagenaud, Simon

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.3520	5.2781	5.7326	2.8300	2.6488	5.3304	5.2401	2.6707	32.0827			
	S	195.095	161.086	144.271	155.638	165.512	160.145	162.905	172.835	161.582			
78	T	2.7388	5.6161	5.4457	2.6941	2.7264	6.8846	8.1294	4.2972	38.5323			
/*	S	167.542	151.391	151.871	163.489	160.801	123.992	105.006	107.417	134.536			
79	T	4.8286	8.7181	9.0458	5.3991	5.5155	9.5423	8.2392	4.2514	55.5400			
/9	S	95.030	97.524	91.429	81.579	79.487	89.458	103.607	108.574	93.338			
80	Т	4.4358	8.5815	8.4587	5.0439	4.8070	10.2011			59.1121	27.7409		51.6920
- 80	S	103.446	99.077	97.775	87.324	91.202	83.681			87.698	32.480		91.354
81	T				3.7853	3.7285	7.7890	6.8272	3.6715	64.5124		44.1916	
01	S				116.359	117.583	109.595	125.035	125.723	80.357		106.921	
82	T	3.5130	6.4564	6.9728	3.4925	3.2410	6.4107	7.4395	4.3968	41.9227			
62	S	130.619	131.688	118.610	126.114	135.270	133.158	114.744	104.983	123.656			
83	T	4.5492	8.8398	8.6691	4.4987	4.3079	8.5747	8.5651	5.0290	53.0335			
65	S	100.867	96.182	95.402	97.907	101.769	99.553	99.664	91.786	97.750			
84	T	4.9516	8.6128	8.7124	4.6479	4.7811	8.6531	8.6470	4.5677	53.5736			
04	S	92.670	98.717	94.927	94.764	91.696	98.651	98.721	101.055	96.764			
85	T	4.8855	8.7933	8.5187	4.4159	4.5254	8.6920	9.5212	3.8400	53.1920			
65	S	93.924	96.690	97.086	99.743	96.877	98.209	89.656	120.206	97.458			
86	T	3.9357	7.7311	7.9948	4.4720	3.6132	8.4029	7.7944	2.8746	46.8187			
	S	116.590	109.975	103.448	98.492	121.335	101.588	109.519	160.576	110.725			
87	T	2.5980	4.7371	4.4174	2.1773	2.0596	4.0732	4.0442	2.1117				
	S	176.622	179.483	187.224	202.294	212.861	209.574	211.077	218.587	197.723			
88	LT	2.1659	4.3415	4.2016	2.1316		4.1248	4.0350	2.1099				
	S	211.858	195.837	196.841	206.631	214.517	206.952	211.558	218.774	206.090			
89	LT.	2.1164	4.2075	4.2159	2.1296		4.0924	4.0265	2.1083				
	S	216.813	202.074	196.173	206.825	215.255	208.591	212.005	218.940	207.915			
90	T	2.1200			2.1230		4.0893		2.1221	24.8982			
	S	216.445	203.623	+	207.468	<del></del>	208.749		+				
91	工	2.1259			•	•	4.0767	<del></del>	2.1179	•			
<u> </u>	S	215.844	203.945		206.563	1	209.394		217.947	208.254			
92	T	2.1140			2.1430		3.9769		2.1194				
ļ	S	217.059	204.682	194.723	205.532		214.649		217.793				
93	T	2.1245	4.2155		2.1428	•	4.0577	4.0112	2.1141	24.9309			
<u> </u>	S	215.987	201.691	196.364	205.551	213.514	210.374	212.813	218.339	<del>•                                      </del>			
94	T	2.1185	4.2527	4.3015	2.1663		4.0130		2.1226				
<u></u>	S	216.598	199.926	-	203.321		212.718		217.465				
95	T	2.1185	4.1927		2.1546				2.1227	24.8916			
	S	216.598	202.788	194.151	204.425	212.923	214.703	212.962	217.455	208.263			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

DO to SE

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.1234	4.2340	4.2786	2.1666	2.0698	4.0122	4.0320	2.1313	25.0479			
96	S	216.099	200.809	193.298	203.293	211.812	212.760	211.715	216.577	206.963			
97	Т	2.1237	4.1858	4.2583	2.1631	2.0687	4.0161	4.0543	2.1369	25.0069			
97	S	216.068	203.122	194.220	203.622	211.925	212.554	210.551	216.010	207.303			
98	T	2.1350	4.1959	4.3004	2.1762	2.0801	3.9973	4.0159	2.1283	25.0291			
96	S	214.924	202.633	192.318	202.396	210.763	213.553	212.564	216.882	207.119			
99	Т	2.1260	4.1354	4.3083	2.1824	2.0792	4.0112	4.0491	2.1375	25.0291			
99	S	215.834	205.597	191.966	201.821	210.855	212.813	210.821	215.949	207.119			
100	T	2.1337	4.1688	4.3145	2.1784	2.0817	4.0191	4.0385	2.1361	25.0708			
100	S	215.055	203.950	191.690	202.192	210.601	212.395	211.375	216.090	206.774			
101	T	2.1317	4.1404	4.3021	2.1750	2.0815	3.9950	4.0092	2.1272	24.9621			
	S	215.257	205.349	192.242	202.508	210.622	213.676	212.919	216.995	207.675			
102	T	2.1192	4.1781	4.3744	2.1985	2.0960		4.0596	2.1433	25.2277			
102	S	216.527	203.496	189.065	200.343	209.165	210.328	210.276	215.365	205.488			
103	T	2.1392	4.1695	4.3726	2.1995	2.1002	4.0349	4.0349	2.1333	25.1841			
103	S	214.502	203.916	189.143	200.252	208.746	211.563	211.563	216.374	205.844			
104	Т	2.1297	4.1522	4.3229	2.1824	2.0822	4.0045	4.0229	2.1322	25.0290			
104	S	215.459	204.765	191.317	201.821	210.551	213.169	212.194	216.486	207.120			
105	T	2.1218	4.1658	4.3144	2.1800	2.0825	4.0105	4.0547	2.1401	25.0698			
103	S	216.261	204.097	191.694	202.043	210.521	212.850	210.530	215.687	206.783			
106	T	2.1397	4.2518	4.3641	2.1990	2.0972	4.0619	4.0855	2.1490	25.3482			
100	S	214.452	199.969		200.298	209.045	210.157	208.943	214.793	204.512			
107	T	2.1480	4.2279	4.3290	2.1903	2.0867	4.0011	4.0209	2.1316	25.1355			
107	S	213.624	201.099	191.048	201.093	210.097	213.350	212.300	216.547	206.242			
108	<u>T</u>	2.1261	4.1617	4.2984	2.1791	2.0803	3.9973	4.0227	2.1345	25.0001			
100	S	215.824	204.298	192.408	202.127	210.743	213.553	212.205	216.252	207.359			
109	T	2.1307	4.2318	4.3199	2.1829	2.0886	4.0029	4.0354	2.1354	25.1276			
	S	215.358	200.914						216.161	206.307			
110	T	2.1362	4.2352		<del></del>	2.1006	4.0350	<del></del>				ļ	
	S	214.804	200.753			208.707	211.558						
111	T	2.1370	4.1883				4.0062						
	S	214.723	203.001	191.154		210.147	213.079		216.781	206.712			
112	T	2.1344	4.2652	4.3660		2.0933	4.0479			25.3239			
<u> </u>	S	214.985	199.341	189.429	•	209.434	210.884	•		204.708			
113	T	2.1333	4.2709		2.1972	2.0911	4.0971	4.0860		25.3895			
	S	215.096	199.074	189.164		209.655	208.351	208.917	215.515	204.179			
114	T	2.1336	4.2249		2.1885	2.0880	4.1205		2.1455				
	S	215.065	201.242	190.121	201.259	209.966	207.168	207.879	215.144	204.437			

**Genesys 300 Event:** 

1.5 mile(s) Track: **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Lap				SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
445	Т	2.1357	4.2359	4.4666	2.2349	2.1139	4.0980	4.0929	2.1418	25.5197			
115	S	214.854	200.719	185.162	197.080	207.393	208.306	208.565	215.515	203.137			
116	Т	2.1278	4.2401	4.4933	2.2297	2.1133	4.1019	4.1127	2.1527	25.5715			
116	S	215.652	200.521	184.062	197.540	207.452	208.108	207.561	214.424	202.726			
117	Т	2.1364	4.2509	4.3473	2.1875	2.0763	4.1077	4.0785	2.1367	25.3213			
117	S	214.784	200.011	190.243	201.351	211.149	207.814	209.302	216.030	204.729			
118	Т	2.1459	4.3408	4.4034	2.2036	2.1031	4.1817	4.1124	2.1976	25.6885			
110	S	213.833	195.869	187.820	199.880	208.459	204.136	207.576	210.043	201.802			
119	T	2.2927	4.4694	4.4430	2.2007	2.0759	4.0531	4.0630	2.1445	25.7423			
119	S	200.141	190.233	186.146	200.143	211.190	210.613	210.100	215.244	201.381			
120	Т	2.1378		-	2.2154	-	4.0434	4.0390	2.1308	25.3892			
120	S	214.643	197.704	187.000	198.815	208.806	211.118	211.348	216.628	204.181			
121	Т	2.1268	4.2743	4.4285	2.2214	2.2894	6.1026			36.7244			29.3042
121	S	215.753	198.916	186.755		191.495	139.881	•		141.160	+		161.147
122	Т				3.1227	2.6470	4.6178		2.2153			35.0113	
122	S				141.049		184.858		208.365	95.418		134.956	
123	工	2.1960					4.0794		2.1568				
123	S	208.954	199.056	+		209.245		+	214.017	203.869			
124	I	2.1497	4.1989	•	<del>•</del>	2.0815	4.0908		•	•			
	S	213.455			1		208.672		214.364	205.144			
125	L	2.1468				2.0668	4.0168		2.1336				
	S	213.743		-	1	•	212.517	1	216.344	•			
126	Т	2.1242			•		4.0168		2.1281	24.9953			
	S	216.017	202.971	•	203.594	212.048	212.517		216.903	207.399			
127	T	2.1208			2.1648		4.0073		2.1167	24.8974			
	S	216.363			203.462		213.020		218.071	208.215			
128	T	2.1317	4.2362				4.1048		2.1170	25.0637			$\vdash$
	S	215.257	200.705	+	<del></del>	<del> </del>	207.961	+	218.040	<del> </del>			<b>—</b>
129	I	2.1139	•	•	1	•	4.1346		2.1130			-	$\vdash$
<u> </u>	S	217.070		1	•	208.359	206.462		218.453	206.412		-	$\vdash$
130	I	2.1249				2.0988	4.0737		2.0985	25.1523			$\vdash$
-	S	215.946	198.096				209.548	1	219.962	206.104		<del> </del>	$\vdash$
131	T	2.1221	4.5042	1			4.0750		2.1551	25.4996			<b></b>
	S	216.231	188.763	+		210.026	209.481		214.185				<b></b>
132	T	2.1820			1		4.2144		2.1385	25.3861			
-	S	210.295					202.552	1	215.848				
133	T	2.1626					4.0961						<del>                                     </del>
	S	212.181	197.585	194.156	204.406	209.254	208.402	213.302	219.763	205.928			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

### Section Data for Car 22 - Pagenaud, Simon

Lap				SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Ť	2.2251	4.3600	4.2861	2.1708	2.0648	4.0380	4.0007	2.1162	25.2617	Ì		
134	S	206.222		-	202.900	212.325	211.401	213.372	-				
425	Т	2.1261	4.5023	4.3800	2.1968	2.0983	4.1805	4.0907	•	25.7179			
135	S	215.824	188.843	188.823	200.498	208.935	204.195	208.677	215.375	201.572			
126	Т	2.1462	4.2859	4.2787	2.1640	2.0778	4.0827	4.0340	2.1697	25.2390			
136	S	213.803	198.378	193.294	203.537	210.997	209.086	211.610	212.744	205.396			
137	Т	2.2129	4.2153	4.3695	2.1983	2.0875	3.9924	4.0598	2.1442	25.2799			
137	S	207.359	201.700	189.277	200.361	210.016	213.815	210.266	215.274	205.064			
138	Т	2.2105	4.3752	4.2886	2.1698	2.0719	4.1233	4.0728	2.1419	25.4540			
136	S	207.584	194.329	192.847	202.993	211.598	207.027	209.594	215.505	203.662			
139	Т	2.1375	4.2977	4.3193	2.1765	2.0759	4.0817	4.0710	2.1429	25.3025			
139	S	214.673	197.833	191.477	202.368	211.190	209.137	209.687	215.405	204.881			
140	T	2.1376	4.2519	4.3277	2.1826	2.0785	4.0741	4.0576	2.1407	25.2507			
140	S	214.663	199.964	191.105	201.803	210.926	209.528	210.380	215.626	205.301			
141	Т	2.1387	4.3413	4.3415	2.1856	2.0835	4.0424	4.0612	2.1392	25.3334			
141	S	214.553	195.846	190.498	201.526	210.420	211.171	210.193	215.777	204.631			
142	Т	2.1616	4.3483	4.3511	2.1954	2.0922	4.0374	4.0671	2.1520	25.4051			
142	S	212.280	195.531	190.077	200.626	209.545	211.432	209.888	214.494	204.054			
143	T	2.1392	4.2834	4.3411	2.1876	2.0822	4.0580		2.1431	25.3180			
143	S	214.502	198.494	190.515	201.341	210.551	210.359	209.050	215.385	204.756			
144	T	2.1469	4.2787			2.0912	4.1516	4.1187	2.1534	25.4677			
	S	213.733	198.712	190.730	201.029	209.645	205.616	207.259	214.354	203.552			
145	T	2.1663	4.2150	4.3061	2.1799	2.0811	4.0757	4.1024	2.1587	25.2852			
143	S	211.819				210.662	209.445	•	213.828	205.021			
146	LT	2.1436	4.1739	4.3386	2.1842	2.0828	4.0392	4.0573	2.1395	25.1591			
140	S	214.062			201.655	210.490	211.338	-	-	206.049			
147	T	2.1479			+		4.0087			25.1663			
	S	213.634	<del>•                                      </del>	+	<del>•                                      </del>	+	212.946	<del>•                                      </del>	216.730	205.990			
148	T	2.1728	+	+	÷	2.0706	4.0318	+	•	25.3020		$\bot$	
<u> </u>	S	211.185		1						204.885			
149	Т	2.1642							-	25.2767			
<u> </u>	S	212.025			-	•	211.637	-	•	205.090			
150	Т	2.1761	+	+	<del>•                                      </del>	+	4.0303	+	2.1285	25.2937			
<u> </u>	S	210.865	1	1	•	210.713	211.805	•		204.952	ļ	+	
151	T	2.1887		+	<del></del>		4.0324	<del></del>		25.3646	ļ		
	S	209.651	1			210.399	211.694			204.379	ļ		
152	T	2.1363			+		4.0443			25.2946			
	S	214.794	198.572	189.481	200.837	209.404	211.071	211.113	215.969	204.945			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 



**Session:** Race

# TAG June 6, 2020 MDYCAR

### Section Data for Car 22 - Pagenaud, Simon

**Section Data Report** 

Report:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
452	Т	2.1445	4.2691	4.3139	2.1772	2.0754	4.0083	4.0969	2.1392	25.2245		Ì	
153	S	213.972	199.158	191.716	202.303	211.241	212.967	208.362	215.777	205.514			
154	T	2.1263	4.2221	4.3936	2.1967	2.0741	4.0969	4.0713	2.1699	25.3509			
154	S	215.804	201.375	188.239	200.507	211.373	208.362	209.672	212.725	204.490			
155	Т	2.2606	4.3483	4.3730	2.1972	2.0829	4.0557	4.0800	2.1331	25.5308			
155	S	202.983	195.531	189.125	200.462	210.480	210.478	209.225	216.394	203.049			
156	Т	2.2065	4.4239	4.3809	2.2235	2.6831				39.8595	26.6196		32.4618
156	S	207.960	192.190	188.784	198.091	163.396				130.057	33.848	B	145.472
157	T				3.1308	2.6580	4.6213	4.2337	2.1761	54.1194		34.8975	
15/	S				140.684	164.939	184.718	201.629	212.118	95.788		135.397	
158	Т	2.1555	4.1459	4.1593	2.1231	2.0357	3.9719	4.0326	2.1172	24.7412			
136	S	212.880	205.077	198.842	207.458	215.360	214.919	211.684	218.020	209.529			
159	Т	2.1091	4.1149	4.1322	2.1167	2.0288	3.9315	3.9725	2.0989	24.5046			
139	S	217.564	206.622	200.147	208.085	216.093	217.127	214.886	219.920	211.552			
160	Т	2.0961	4.1575	4.2325	2.1470	2.0613	3.9722	3.9741	2.1068	24.7475			
100	S	218.913	204.504	195.404	205.149	212.686	214.903	214.800	219.096	209.476			
161	Т	2.1007	4.1138	4.1565	2.1235	2.0353	3.9288	3.9560	2.0993	24.5139			
101	S	218.434	206.677	198.976	207.419	215.403	217.277	215.783	219.878	211.472			
162	T	2.0906	•	4.2262	2.1447	2.0485	3.9727	3.9951	2.1157	24.6670		<u> </u>	
	S	219.489		195.695	205.369	214.015	214.876		218.174	210.159		ļ	
163	T	2.1059		4.2750	2.1644	2.0615	3.9549	3.9525	2.0949	24.6942		ļ	
	S	217.894	208.129	193.461	203.500	212.665	215.843	215.974	220.340	209.928		ļ	
164	Т	2.0903	+	1	2.1537	2.0567	3.9894	4.0226		24.8258		ļ	
	S	219.520	•	194.389	204.511	213.161	213.976	-		208.815		<u> </u>	
165	Т	2.1200			2.1643	2.0617	3.9948			24.9555		<u> </u>	
	S	216.445			203.509	212.644	213.687	212.210		207.730			
166	T	2.1120		4.2938	2.1658		4.1219			25.1440		ļ	
	S	217.265	-	192.614	203.368	212.428	207.098	207.672	215.687	206.172		<b> </b>	
167	T	2.1423		4.2376	2.1499	2.0536	3.9722	3.9875	2.1103	24.7756		<u> </u>	ļ
	S	214.192	206.256	195.168	204.872	213.483	214.903	214.078	218.732	209.238		ļ	
168	T	2.0992	4.1081	4.2960	2.1662	2.0596	3.9985	4.0084	2.1103	24.8463		<u> </u>	
	S	218.590		192.515	203.331	212.861	213.489	212.962	218.732	208.643		<u> </u>	
169	T	2.1055			2.1902	2.0797	3.9870	3.9872	2.1058	25.0260		ļ	
	S	217.936		<del>                                     </del>	201.102	210.804	214.105		219.200	207.145		<del> </del>	<del> </del>
170	T	2.1050		4.3831	2.1897	2.0793	3.9834		2.1075	25.0523		<del> </del>	<b></b>
	S	217.987	201.710		201.148	210.845	214.298		219.023	206.927			
171	T	2.0988		4.3250	2.1776		3.9966		2.1165	24.9854		<u> </u>	
	S	218.631	204.004	191.224	202.266	212.428	213.591	211.328	218.092	207.481		I	

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1108	4.2328	4.4656	2.2189	2.0949	4.0344	4.0176	2.1092	25.2842			
1/2	S	217.388	200.866	185.204	198.501	209.274	211.589	212.474	218.846	205.029			
172	Т	2.0972	4.1730	4.4944	2.2325	2.1075	4.0221	4.0496	2.1290	25.3053			
173	S	218.798	203.745	184.017	197.292	208.023	212.236	210.795	216.811	204.858			
174	Т	2.1209	4.1576	4.3173	2.1724	2.0673	4.0032	4.0247	2.1187	24.9821			
1/4	S	216.353	204.500	191.565	202.750	212.068	213.239	212.099	217.865	207.509			
175	Т	2.1081	4.1903	4.4337	2.2099	2.0962	4.0048	3.9937	2.1102	25.1469			
1/3	S	217.667	202.904	186.536	199.310	209.145	213.153	213.746	218.743	206.149			
176	T	2.1003	4.1558	4.3312	2.1746	2.0636	3.9682	4.1102	2.1478	25.0517			
170	S	218.475	204.588	190.951	202.545	212.449	215.119	207.687	214.913	206.932			
177	Т	2.1257	4.2284	4.4155	2.2021	2.0846	4.0439	4.0323	2.1160	25.2485			
	S	215.865	201.075	187.305	200.016	210.308	211.092	211.700	218.143	205.319			
178	Т	2.1234	4.2985		2.2196	2.0917	4.0207	4.0948	2.1334	25.4494			
178	S	216.099	197.796	185.133	198.439	209.595	212.310	208.468	216.364	203.698			
179	Т	2.1628	4.3820	4.3965	2.1942	2.0743	4.0538	4.0595	2.1258	25.4489			
	S	212.162	194.027	188.115	200.736	211.353	210.577	210.281	217.138	203.702			
180	<u> </u>	2.1329	4.3236	4.4870		2.1014	4.0650	4.0432	2.1154	25.4959			
100	S	215.136	196.648	184.320	197.744	208.627	209.997	211.129	218.205	203.327			
181	LT_	2.1627	4.3899	4.4337	2.2099	2.0899	4.0337	4.0666	2.1209	25.5073			
	S	212.172	193.678	186.536	199.310	209.775	211.626	209.914	217.639	203.236			
182	Т	2.1461	4.3704	4.5240			5.8495			36.5250	-		29.0768
102	S	213.813	194.542	182.813		188.750				141.930	35.850		162.407
183	T				3.1286	2.6520	4.6081	4.2645	2.2021	52.5943		34.9095	
103	S				140.783	165.313	185.247	200.173	209.614	98.566		135.350	
184	Т	2.1760	4.1000	<b>.</b>	1	2.0309	3.9460		2.1049				
	S	210.875	207.373	201.345			216.330	215.081	219.294				
185	T	2.1052	4.0670					3.9296	2.0818				
_00	S	217.967	209.055	+		215.795	217.931	217.232	221.727	212.357			
186	T	2.0821	4.1649			<del></del>	4.0474		2.1063	24.8036			
	S	220.385	204.141	196.784	1	213.473	210.910	212.479	219.148	209.002			
187	Т	2.0915	4.1589			2.0806	3.9876		2.1108	24.8165			
	S	219.395	204.436		203.312	210.713	214.073	214.546	218.681	208.893			
188	T	2.1752	4.2595	+	+	2.0813	4.2997	4.1223	2.1393	25.4086			
<u> </u>	S	210.952	199.607	197.174	206.128	210.642	198.534	207.078	215.767	204.025			
189	T	2.1967	4.3146	4.2104	1	2.0878	4.0268	4.0455	2.1542	25.2015			
	S	208.888	197.058	1	1	209.986	211.989		214.275				
190	T	2.1612	4.0661	4.1435		2.0720		4.0324	2.1743	24.7971			
	S	212.319	209.101	199.601	205.580	211.587	213.137	211.694	212.294	209.057		l	

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

### Section Data for Car 22 - Pagenaud, Simon

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	2.4631	5.9658	7.1021	3.5507	3.2328	6.1192	5.8224	3.6564	37.9125			
191	S	186.295	142.517	116.451	124.047	135.613	139.501	146.612	126.242	136.736			
192	T	3.4967	5.8498	6.0669	4.0918	4.0740	7.6741	7.2961	4.1161	42.6655			
192	S	131.228	145.343	136.321	107.643	107.611	111.236	116.999	112.143	121.503			
193	Т	4.4947	8.7990	10.9152	5.3768	5.1414	8.7427	9.1373	4.6515	57.2586			
193	S	102.090	96.628	75.770	81.918	85.270	97.640	93.423	99.235	90.537			
194	Т	5.0270	9.9597	11.4439	6.7387	6.3877	10.1040	9.7801	5.7168	65.1579	·		
	S	91.280	85.367	72.270	65.362	68.633	84.485	87.283	80.743	79.561			
195	Т	5.6287	10.3845	12.0560	5.4282	5.8160	12.7237	11.8488	6.2781	70.1640	·		
193	S	81.522	81.875	68.600	81.142	75.380	67.090	72.044	73.524	73.884			
196	T	6.7335	11.8065	11.3804	5.9027	5.7809	8.5578	8.0988	4.3041	62.5647			
190	S	68.146	72.013	72.673	74.619	75.838	99.750	105.403	107.244	82.858			
197	Т	4.1098	9.0328	8.8418	4.7612	4.4389	8.5562	5.6606	2.4892	47.8905			
197	S	111.651	94.127	93.538	92.509	98.765	99.768	150.803	185.437	108.247			
198	Т	2.4087	4.7131	4.5131	2.2313	2.1870	4.4436	4.2163	2.1600	26.8731			
190	S	190.503	180.397	183.254	197.398	200.461	192.105	202.461	213.699	192.907			
199	Т	2.1384	4.3551	4.3343	2.1562	2.0756	4.1394	4.0065	2.0969	25.3024			
199	S	214.583	195.226	190.814	204.274	211.220	206.222	213.063	220.130	204.882			
200	┰	2.1372	4.3240	4.1940	2.1246	2.0288	3.9923	4.3521	2.3232	25.4762			
	S	214.703	196.630	197.197	207.312	216.093	213.821	196.144	198.688	203.484			
201	Т	2.5912	6.4113	8.5547	5.2506	5.6769							
	S	177.085	132.614	96.677	83.887	77.227							

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

### Section Data for Car 26 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.7638	4.8629	4.5565	2.3053	2.1963	4.2132	4.1196	2.1521	27.1697		59.8809	
	S	166.026	174.840	181.509	191.062	199.613	202.610	207.213	214.484	190.801		78.907	
2	T	2.1272	4.0880	4.2913	2.1839	2.0765	4.0263	4.0219	2.1171	24.9322			
	S	215.713	207.981	192.726	201.683	211.129	212.015	212.247	218.030	207.924			
3	T	2.1098	4.0783	4.2363	2.1695	2.0680	3.9744	3.9899	2.1053	24.7315			
	S	217.492	208.476	195.228	203.021	211.997	214.784	213.949	219.252	209.611			
4	Т	2.1043	4.0841	4.2282	2.1623	2.0596	3.9744	4.0024	2.1047	24.7200			
	S	218.060	208.180	195.602	203.697	212.861	214.784	213.281	219.314	209.709			
5	Т	2.0965	4.0574	4.2756	2.1759	2.0707	3.9716	3.9652	2.0960	24.7089			
	S	218.871	209.550	193.434	202.424	211.720	214.935	215.282	220.225	209.803			
6	T	2.0920	4.0759	4.2487	2.1622	2.0563	3.9722	3.9853	2.0994	24.6920			
	S	219.342	208.599	194.658	203.707	213.203	214.903	214.196	219.868	209.947			
7	T	2.0923	4.0576	4.3803	2.2136	2.0966	4.0194	4.0083	2.1126	24.9807			
	S	219.311	209.539	188.810	198.977	209.105	212.379	212.967	218.494	207.520			
8	T	2.1062	4.0793	4.3038	2.1946	2.0814	4.0250	4.0144	2.1118	24.9165			
	S	217.863	208.425	192.166	200.699	210.632	212.084	212.644	218.577	208.055			
9	T	2.1076	4.0684	4.3153	2.1975	2.0849	3.9793	3.9685	2.1024	24.8239			
	S	217.719	208.983	191.654	200.434	210.278	214.519	215.103	219.554	208.831			
10	Т	2.1017	4.1114	4.2648	2.1746	2.0693	3.9650	3.9741	2.0949	24.7558			
	S	218.330	206.798	193.924	202.545	211.863	215.293	214.800	220.340	209.405			
11	T	2.0982	4.0844	4.5004	2.2661	2.1374	4.0613	4.0431	2.1306	25.3215			
	S	218.694	208.165	183.772	194.367	205.113	210.188	211.134	216.648	204.727			
12	T	2.1237	4.1715	4.2868	2.1911	2.0855	4.0069	4.0152	2.1207	25.0014			
12	S	216.068	203.818	192.928	201.020	210.218	213.042	212.601	217.660	207.348			
13	LT.	2.1208	4.1434	4.3377	2.2107	2.0989	4.0365		2.1392	25.1265			
	S	216.363	205.200		199.238		211.479			206.316			
14	T	2.1305	4.1536		2.1976		4.2230	1		25.3408			
	S	215.378	204.696	+	200.425	+	202.140		+	-			
15	I	2.1338	4.3061	•	2.2326	•	4.0974		•	25.5367			
<u> </u>	S	215.045	197.447	188.080		206.738	208.336	1					
16	T	2.1463	4.1904		2.1969		4.0292						
<u> </u>	S	213.793	202.899		200.489	209.374	211.862		216.070	206.484			
17	T	2.1309	4.1602	4.3180	2.2088		4.0312		2.1399	25.1201		<del>                                     </del>	
<u> </u>	S	215.338	204.372	191.534	199.409	208.478	211.757			206.369		<b>_</b>	ļ
18	I	2.1327	4.1678		2.1796		4.0081	•	2.1324	24.9775		<b>_</b>	
<u> </u>	S	215.156	203.999	-			212.978	1					
19	I	2.1337	4.1358		2.1931	2.0920	4.0184						
	S	215.055	205.577	193.271	200.837	209.565	212.432	212.147	216.374	207.283			

Round 1

**Genesys 300 Event:** Round 1

1.5 mile(s) Track: **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

TAG

### Section Data for Car 26 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1331	4.1972	4.2863	2.1966	2.0954	4.0392	4.0379	2.1409	25.1266			
20	S	215.116	202.570	192.951	200.517	209.225	211.338	211.406	215.606	206.315			
34	Т	2.1395	4.2220	4.3517	2.2257	2.1168	4.0489	4.0406	2.1395	25.2847			
21	S	214.472	201.380	190.051	197.895	207.109	210.832	211.265	215.747	205.025			
	Т	2.1396	4.1966	4.3040	2.2031	2.0961	4.0259	4.0359	2.1337	25.1349			
22	S	214.462	202.599	192.157	199.925	209.155	212.036	211.511	216.334	206.247			
22	Т	2.1361	4.2730		2.2405	2.1215	4.0917		2.1491	25.4782			
23	S	214.814	198.977	188.449	196.588	206.651	208.626	209.348	214.783	203.468			
24	Т	2.1384	4.1996	4.3476	2.2216	2.1054	4.0151	4.0046	2.1153	25.1476			
24	S	214.583	202.454	190.230	198.260	208.231	212.607	213.164	218.215	206.143			
25	Т	2.1174	4.2052	4.4144	2.2476	2.1223	4.0993	4.0870	2.1443	25.4375			
25	S	216.711	202.185	187.352	195.967	206.573	208.240	208.866	215.264	203.794			
26	Т	2.1349	4.3030	4.4119	2.2372	2.1100	4.1372	4.1156	2.1598	25.6096			
20	S	214.934	197.589	187.458	196.878	207.777	206.332	207.415	213.719	202.424			
27	Т	2.1500	4.3094	4.4530	2.2617	2.1325	4.0866	4.0722	2.1409	25.6063			
	S	213.425	197.296	185.728	194.745	205.585	208.887	209.625	215.606	202.450			
28	Т	2.1324	4.3097	4.4657	2.2607	2.1293	4.1671	4.1725	2.1796	25.8170			
20	S	215.186	197.282	185.200	194.831	205.894	204.851	204.586	211.778	200.798			
29	T	2.1639	4.3337	4.4601	2.2655	2.1398	4.1286	4.0990	2.1486	25.7392			
	S	212.054	196.190	185.432	194.418	204.883	206.762	208.255	214.833	201.405			
30	Т	2.1367	4.2486	4.4143	2.2513	2.1326	4.1168	4.1089	2.1511	25.5603			
	S	214.753	200.119	187.356	195.645	205.575	207.354	207.753	214.584	202.815			
31	Т	2.1458	4.3067	4.5029	2.2740	2.1372	4.1257	4.1443	2.1671	25.8037			
31	S	213.843	197.420	183.670	193.692	205.132	206.907	205.978	212.999	200.901			
32	口	2.1459	4.2874	4.5015	2.2706		4.1425	4.1294	2.1547	25.7728			
	S	213.833	198.308		193.982	204.788	206.068		214.225	201.142			
33	T	2.1427	4.3694	4.4909	2.2685		4.1394		2.1602	25.8200			
	S	214.152	194.587	184.160	194.161		206.222		213.680	200.775			
34		2.1410	4.3194	<del></del>	2.2945	<del>                                     </del>	4.1191		2.1365	25.7610			
<u> </u>	S	214.322	196.839		191.961	201.753	207.239		216.050	201.234			
35	T	2.1380	4.2561	4.4450	2.2694		4.1449		2.1721	25.6973			
<u> </u>	S	214.623	199.767	186.062	194.084		205.949		212.509	201.733			
36	L	2.1662	4.2203		2.3339		6.4899			38.3892	28.5751		30.7181
<u> </u>	S	211.829	201.461	182.321	188.720	•	131.533	•		135.038	31.532		153.729
37				8.4224	3.1195	•	4.6425		2.2998	55.9117		35.0077	
L	S			98.196	141.194		183.874		200.709	92.718		134.970	
38	I	2.5182	5.0947		3.0465		6.2993		3.0426	34.8117			
	S	182.219	166.885	144.434	144.577	142.276	135.513	142.204	151.709	148.915			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

### Section Data for Car 26 - Veach, Zach

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Τ	3.1448	5.8248	6.0796	4.1960	5.5933	10.4057	10.3477	4.9125				
39	S	145.912	145.967		-		82.035		-				
	Т	5.3629	8.8007			-	10.5752	9.2867	4.4448	57.8405			
40	S	85.563	96.609	90.351	84.377	87.745	80.721	91.920	103.850	89.626		Ì	1
	Т	4.7380	8.5704	8.3108	4.7587	4.9359	10.9442	10.4458	4.7861	57.4899		Ì	Ti Ti
41	S	96.848	99.205	99.515	92.558	88.820	77.999	81.721	96.444	90.172		1	
42	Т	4.6157	8.1079			4.6127	9.8346		5.0448	55.6660		İ	
42	S	99.414	104.864	89.117	88.607	95.044	86.799	92.797	91.498	93.127			
42	T	4.8090	9.6106	9.4485	4.4263	4.7727	10.0349	9.5013	4.8836	57.4869			
43	S	95.418	88.468	87.532	99.509	91.858	85.067	89.844	94.519	90.177		Î	
44	Т	4.7931	9.5467	9.7718	5.0566	5.5054	11.2596	9.8006	4.8505	60.5843			
44	S	95.734	89.060	84.636	87.105	79.633	75.814	87.100	95.164	85.567			
45	Т	4.7794	9.1205	9.8709	4.5858	5.0879	9.4741	11.0307	5.1701	59.1194			
45	S	96.009	93.222	83.786	96.047	86.167	90.102	77.387	89.281	87.687			
46	Т	4.9429	8.2405	9.0872	4.6111	4.4900	8.5470	5.6810	2.5170	48.1167			
46	S	92.833	103.177	91.012	95.520	97.641	99.876	150.262	183.389	107.738			
47	Т	2.3936	4.6049	4.5968	2.2882	2.1556	4.3929	4.3342	2.1964	26.9626			
47	S	191.704	184.635	179.918	192.490	203.381	194.322	196.954	210.158	192.266			
48	Т	2.1632	4.3320	4.4095	2.2310	2.1278	4.4146	4.1897	2.1446	26.0124			
40	S	212.123	196.267	187.560	197.425	206.039	193.367	203.746	215.234	199.290			
49	Т	2.1430	4.3907	4.4009	2.2259	2.0937	4.0293	3.9570	2.0725	25.3130			
49	S	214.122	193.643	187.926	197.877	209.394	211.857	215.728	222.722	204.796			
50	T	2.0954	4.3743	4.3653	2.2135	2.0937	3.9868	3.9379	2.0728	25.1397			
50	S	218.986	194.369	189.459	198.986	209.394	214.116	216.775	222.690	206.208			
51	T	2.0660	4.3497	4.3832	2.2124	2.0890	4.0226	4.0197	2.1159	25.2585			
31	S	222.102	195.468	188.685	199.084	209.866	212.210	212.363	218.153	205.238			
52	Т	2.1015	4.1776	4.3602	2.2054	2.0807	4.0503	4.0100	2.1077	25.0934			
52	S	218.351	203.521	189.681	199.716	210.703	210.759	212.877	219.002	206.588			
53	LT	2.1152	4.2994				3.9703	3.9486					
	S	216.936	197.755	191.419	201.286	211.485	215.006	216.187	220.530				
54	Т	2.1158	4.3202	+			3.9758	-					
J-T	S	216.875	196.803	189.555	199.653	210.097	214.708			206.568			
55	Т	2.1227	4.3266	4.3549	2.2126	2.0914	3.9867	3.9599	2.0994	25.1542			
	S	216.170	196.512	189.911	199.067	209.625	214.121	215.570	219.868	206.089			
56	Т	2.1017	4.2300	4.3507	2.2088	2.0901	4.0102	3.9896	2.1102	25.0913			
	S	218.330	200.999				212.866						
57	Т	2.1063	4.2279	4.3294	2.1993	2.0814	3.9844	3.9645	2.1063	24.9995			
3/	S	217.853	201.099	191.030	200.270	210.632	214.245	215.320	219.148	207.364			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

### Section Data for Car 26 - Veach, Zach


Lap		SF to T1		SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
· ·	T	2.1233	4.3108	4.3663	2.2099	2.0891	4.0270	4.0141	1				
58	S	216.109											i
	Т	2.1173	4.2916	4.3482	2.2136		-		2.1300	25.3035			
59	S	216.721	198.114		1	209.535	209.893	211.113	216.709	204.873			
	Т	2.1226	•	4.3461	2.2077	2.0885	•		2.0991	25.0309	ì	T T	
60	S	216.180	202.551	190.296	199.508	209.916	213.148	215.325	219.899	207.104			
	Т	2.2156	1		2.2145	2.0943				25.5115			
61	S	207.106	191.381	188.802	198.896	209.334	211.789	212.564	217.989	203.202			
63	Т	2.1388	4.3137	7 4.3418	2.2131	2.0955	4.0047	3.9823	2.1140	25.2039			
62	S	214.543	197.099	190.484	199.022	209.215	213.159	214.358	218.350	205.682			
63	Т	2.1134	4.2310	4.3305	2.2078	2.0907	4.0129	3.9923	2.1124	25.0910			
63	S	217.121	200.952	190.982	199.499	209.695	212.723	213.821	218.515	206.608			
64	T	2.1164	4.2211	4.3502	2.2200	2.1024	4.0314	4.0193	2.1243	25.1851			
04	S	216.813	201.423	190.117	198.403	208.528	211.747	212.384	217.291	205.836			
65	Т	2.1276	4.2076	4.3069	2.2066	2.0932	4.0082	3.9855	2.1148	25.0504			
05	S	215.672	202.069	192.028	199.608	209.444	212.972	214.186	218.267	206.943			
66	Т	2.1138	4.2238	4.3407	2.2091	2.0945	4.0247	3.9982	2.1111	25.1159			
00	S	217.080	201.294	190.533	199.382	209.314	212.099	213.505	218.649	206.403			
67	Т	2.1135	4.2617	4.3920	2.2279	2.1028	4.0837	4.0481	2.1364	25.3661			
07	S	217.111	199.504	188.307	197.699	208.488	209.035	210.873	216.060	204.367			
68	Т	2.1301	4.2210	4.3458	2.2192	2.0979	4.0542	4.0494	2.1247	25.2423			
00	S	215.419	201.428	190.309	198.474	208.975	210.556	210.806	217.250	205.370			
69	Т	2.1172	4.2334	4.3846	2.2307	2.1036	4.0199	3.9979	2.1103	25.1976			
09	S	216.731	200.838	188.625	197.451	208.409	212.353	213.521	218.732	205.734			
70	Т	2.1200	4.2964	4.4456	2.2484	2.1160	4.0778	4.0339	2.1265	25.4646			
70	S	216.445		186.037	195.897	207.188	209.337	211.616	217.066	203.577			
71	Т	2.1504	4.3571	4.4163	2.2286	2.1016	4.0499	4.1220	2.1684	25.5943			
/1	S	213.385	195.136	187.271	197.637	208.607	210.780	207.093	212.872	202.545			
72	Т	2.1505	4.3535	4.4515	2.2434	2.1203	4.0684	4.0431	2.1381	25.5688			
, _	S	213.375	1	-	196.333	206.767	209.821		215.888	202.747			
73	T	2.1333	-	_		2.1065	-			25.2909			
,,	S	215.096	199.121	187.888	197.063	208.122	212.152	213.313	217.855	204.975			
74	Т	2.1321	+		<del></del>	2.1063		•	<b>!</b>	25.6151			
	S	215.217	<del>•</del>	+	+	208.142	206.167	+	215.344	202.381	ļ		
75	Т	2.1436	4.4242	4.5656		2.1382	4.2444	4.1357	2.1552	26.0884			
,,	S	214.062		_		205.037	201.121			198.709			
76	Т	2.1710	4.7480	4.7207	2.3288	2.1748	4.3360	4.4205	2.5576	27.4574			
70	S	211.360	179.071	175.196	189.134	201.586	196.872	193.109	180.478	188.802			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020



Race

Report:

**Session:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	2.7149	5.7747	6.4228	3.3042	3.1059	5.9283	5.6225	2.8607	35.7340			
	S	169.017	147.233	128.767	133.301	141.154	143.993	151.825	161.356	145.072			
70	T	2.8428	5.3148	5.5443	2.7890	2.6127	5.3842	7.0671	4.4397	35.9946			
78	S	161.413	159.974	149.170	157.926	167.799	158.545	120.790	103.969	144.022			
79	Т	3.9724	8.2027	9.4908	5.1507	6.5084	9.9410	8.3832	4.2597	55.9089			
/9	S	115.513	103.652	87.142	85.514	67.361	85.870	101.827	108.362	92.722			
80	Т	3.9512	7.7423	8.2554	4.7929	5.1986	9.5424			57.9200	27.4110		50.3276
80	S	116.133	109.816	100.182	91.897	84.332	89.457			89.503	32.871		93.831
81	Т			8.5248	3.3454	3.4429	7.8136	7.0720	3.6238	63.1583		43.3397	
61	S			97.016	131.660	127.337	109.250	120.706	127.378	82.079		109.022	
82	Т	3.7634	6.3779	6.9066	3.3941	3.4026	6.3724	7.2802	4.3942	41.8914			
62	S	121.928	133.308	119.747	129.771	128.845	133.958	117.255	105.045	123.749			
83	Т	4.6443	8.7052	8.9480	4.6851	4.4301	8.2730	8.4435	4.7993	52.9285			
63	S	98.801	97.669	92.428	94.012	98.961	103.183	101.100	96.179	97.943			
84	T	5.2991	8.6028	8.8031	4.3257	4.7815	9.1853	8.0034	4.6391	53.6400			
	S	86.593	98.831	93.949	101.823	91.689	92.935	106.659	99.500	96.644			
85	T	4.9376	8.8706	8.5509	4.3481	4.5124	8.8098	9.2275	5.0741	54.3310			
65	S	92.933	95.848	96.720	101.298	97.157	96.896	92.510	90.970	95.415			
86	T	3.6396	7.0634	7.9402	4.3720	3.7034	8.1217	7.6943	2.8200	45.3546			
	S	126.075	120.371	104.159	100.744	118.380	105.106	110.944	163.685	114.299			
87	T	2.5841	4.8339	4.6307	2.2802	2.1714	4.1024	4.0345	2.1123	26.7495			
	S	177.572	175.888	178.601	193.165	201.902	208.082	211.584	218.525	193.798			
88	T	2.1139	4.2632	4.2831	2.1704	2.0630	3.9601	3.9189	2.0720	24.8446			
	S	217.070	199.434	193.095	202.937	212.510	215.559	217.826	222.776	208.657			
89	T	2.0812	4.2763	4.2907	2.1824	2.0716	3.9480	3.9150	2.0679	24.8331			
	S	220.480	198.823	192.753	201.821	211.628	216.220	218.042	223.217	208.754			
90	T	2.0991	4.3446				3.9382	3.9169	2.0655	24.8885			
	S	218.600	195.697	192.609		+	216.758	-	223.477	208.289			
91	T	2.1023	4.2969		2.1925		3.9660	•	2.0735	24.9753			
<u> </u>	S	218.267	197.870		200.891	211.027	215.239	216.962	222.614	207.565			
92	Т	2.0821	4.2682				3.9579	3.9579	2.0945	24.8955			
	S	220.385	199.200			212.583	215.679	215.679	220.382	208.230			
93	Т	2.0893	4.2169	-			3.9394	3.9296	2.0775	24.7641			
	S	219.626	201.624	192.654	203.537	213.390	216.692	217.232	222.186	209.335			
94	T	2.1279	4.3335		2.2067	2.0822	3.9583	3.9206	2.0860	25.1096			
<u> </u>	S	215.642	196.199			-	215.657	217.731	221.280	206.455			
95	Т	2.1227	4.3496				3.9918		2.1011	25.1539			
	S	216.170	195.473	190.801	201.351	210.713	213.847	214.159	219.690	206.091			


Texas Motor Speedway 1.5 mile(s)



June 6, 2020

Round 1

TAG



Race

**Section Data Report** 

Track:

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.0948	4.2255	4.3484	2.2032	2.0854	3.9925	3.9786	2.0969	25.0253			
96	S	219.049	201.213	190.195	199.916	210.228	213.810	214.557	220.130	207.150			
97	T	2.1031	4.2445	4.2956	2.1754	2.0659	3.9495	3.9214	2.0774	24.8328			
97	S	218.184	200.313	192.533	202.471	212.212	216.138	217.687	222.196	208.756			
98	Т	2.1032	4.3094	4.3599	2.2004	2.0844	4.0128	4.0059	2.1091	25.1851			
90	S	218.174	197.296	189.694	200.170	210.329	212.728	213.095	218.857	205.836			
99	Т	2.1158	4.2577	4.2730	2.1711	2.0640	3.9774	3.9695	2.0956	24.9241			
99	S	216.875	199.692	193.551	202.872	212.408	214.622	215.049	220.267	207.991			
100	Т	2.1090	4.2515	4.3314	2.1938	2.0818	4.0401	4.0122	2.1170	25.1368			
100	S	217.574	199.983	190.942	200.772	210.591	211.291	212.760	218.040	206.232			
101	Т	2.1226	4.2351	4.3203	2.1921	2.0839	4.0103	4.0013	2.1205	25.0861			
101	S	216.180	200.757	191.432	200.928	210.379	212.861	213.340	217.680	206.648			
102	┙	2.1202	4.2241	4.3477	2.2047	2.0923	4.0241	3.9965	2.1051	25.1147			
102	S	216.425	201.280	190.226	199.780	209.535	212.131	213.596	219.273	206.413			
103	Т	2.1089	4.2436	4.3066	2.1765	2.0649	4.0463	4.0319	2.1256	25.1043			
103	S	217.584	200.355	192.041	202.368	212.315	210.967	211.721	217.158	206.498			
104	Т	2.1298	4.2891	4.3224	2.1952	2.0793	4.0136	4.0031	2.1203	25.1528			
104	S	215.449	198.230	191.339	200.644	210.845	212.686	213.244	217.701	206.100			
105	Т	2.1275	4.2611	4.3137	2.1864	2.0751	4.0153	4.0072	2.1089	25.0952			
103	S	215.682	199.532	191.725	201.452	211.271	212.596	213.026	218.878	206.573			
106	Т	2.1172	4.2498	4.3408	2.1970	2.0864	4.0353	4.0393	2.1138	25.1796			
100	S	216.731	200.063	190.528	200.480	210.127	211.542	211.333	218.370	205.881			
107	T	2.1473	4.3281	4.3570	•	2.0894	4.0277	4.0267	2.1250	25.3098			
107	S	213.693	196.444	189.820	199.427	209.825	211.941	211.994	217.219	204.822			
108	T	2.1311	4.2761	4.3557	2.2068	2.0937	4.0013	3.9912	2.1102	25.1661			
100	S	215.318	198.832	189.877	199.590	209.394	213.340	213.880	218.743	205.991			
109	Т	2.1114	4.2231			2.0869	3.9848	3.9725	2.1047	25.0106			
103	S	217.327	201.328	<del>•                                      </del>	-	210.077	214.223	214.886	219.314	207.272			
110	T	2.1067	4.2135	+	·	2.0859	4.0033	3.9907	2.1058	25.0404	ļ		
	S	217.812	201.786	+		210.177	213.233	213.906	219.200	207.025			
111	Т	2.1062	4.2561	-		2.1616	4.2167	4.1270	2.1640				
	S	217.863	199.767			202.817	202.442	206.842	213.304	200.886			
112	Т	2.1579	4.2898	1	-	2.0940	4.0163	4.0046	2.1192	25.2185			
	S	212.644	198.197		1	209.364	212.543	213.164	217.814	205.563			
113	T	2.1236	4.2665	+		2.0977	4.0233	4.0142	2.1209	25.1983			
	S	216.078	199.280	1		208.995	212.173	212.654	217.639	205.728			
114	Т	2.1185		+		2.0765			2.1020	24.9526			
	S	216.598	201.562	192.690	201.646	211.129	214.212	214.697	219.596	207.754			

> 1.5 mile(s) **Texas Motor Speedway**

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

TAG

Round 1

### Section Data for Car 26 - Veach, Zach T1 to SS1 SS1 to T2 T2 to BS

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
445	Т	2.1132	4.2962	2 4.3450	2.2087	2.1051	4.1258	4.0405	2.1259	25.3604			
115	S	217.142	197.902	2 190.344	199.418	208.260	206.902	211.270	217.127	204.413			
446	Т	2.1410	4.3418	3 4.3781	2.2529	2.1305	4.1832	4.1182	2.1404	25.6861			
116	S	214.322	195.824	4 188.905	195.506	205.778	204.063	207.284	215.656	201.821			
447	Т	2.1418	4.453	1 4.3863	2.2191	2.0978	4.0482	4.0342	2.1243	25.5048			
117	S	214.242	190.929	9 188.552	198.483	208.985	210.868	211.600	217.291	203.256			
118	Т	2.1360	4.3706	4.3886	2.2092	2.0893	4.0961	4.0928	2.1296	25.5122			
118	S	214.824	194.533	3 188.453	199.373	209.835	208.402	208.570	216.750	203.197			
110	Т	2.1752	4.6392	2 4.4782	2.2500	2.1210	4.1802	4.0976	2.1353	26.0767			
119	S	210.952	183.270	184.683	195.758	206.699	204.209	208.326	216.171	198.798			
130	Т	2.2099		_	2.2890	2.1598	4.1817	4.1154	2.1663	26.1149			
120	S	207.640	187.419	9 185.590	192.422	202.986	204.136	207.425	213.078	198.507			
121	Т	2.1593	4.4475	5 4.4941	2.2929	2.4708	6.1427			37.7655	27.4962		30.1840
121	S	212.506	191.170	184.029	192.095	177.436	138.968			137.268	32.769		156.450
122	T				3.0774	2.5956	4.5652	4.1924	2.1855	54.3667		34.4520	
122	S				143.126	168.905	186.988	203.615	211.206	95.352		137.147	
123	Т	2.1699	4.4670	4.4047	2.2107	2.1077	4.0412	3.9925	2.0977	25.4914			
123	S	211.468	190.335	5 187.764	199.238	208.004	211.233	213.810	220.046	203.363			
124	Т	2.0955	4.1466	4.1746	2.1233	2.0309	3.9519	3.9630	2.0858	24.5716			
124	S	218.976	205.042	198.114	207.439	215.869	216.007	215.402	221.302	210.975			
125	T	2.0808	4.1427	7 4.2196	2.1452	2.0435	3.9542	3.9501	2.0852	24.6213			
123	S	220.523	205.235	5 196.001	205.321	214.538	215.881	216.105	221.365	210.549			
126	T	2.0906		1 4.2149	2.1393	2.0375	3.9775	3.9531	2.0798	24.7328			
120	S	219.489	200.521	1 196.219	205.887	215.170	214.616	215.941	221.940	209.600			
127	T	2.1066	4.3442	4.3213	2.1912	2.0759	3.9643	3.9007	2.0658	24.9700			
127	S	217.822	195.715	5 191.388	201.011	211.190	215.331	218.842	223.444	207.609			
128	T	2.0578			2.1577	2.0520	4.0136		2.1090	24.7713			
120	S	222.987	205.443	3 195.205	204.132	213.650	212.686	213.095	218.867	209.274			
129	┰	2.1043	4.2290		2.1722	2.0650	3.9638	•	2.0800	24.8205			
	S	218.060	201.047	7 193.556	202.769	212.305	215.358	217.028	221.919	208.860			
130	Т	2.0802	4.2701		2.1783		4.0896		2.1132	25.1315			
	S	220.586	199.112	2 191.859	202.201	213.099	208.733	211.710	218.432	206.275			
131	T	2.1215	4.3774	4.4206	2.2189	2.0890	4.0280	4.0195	2.1128	25.3877			
	S	216.292	194.231		198.501	209.866	211.926		218.474	204.193			
132	T	2.1185	4.3927	7 4.4390	2.2303	2.1025	4.0487	4.0022	2.0990	25.4329			
	S	216.598	193.555		197.487	208.518	210.842	213.292	219.910	203.830			
133	T	2.0963	4.3801	1 4.4114	2.2238	2.1013	4.0091	3.9653	2.0968	25.2841			
	S	218.892	194.111	1 187.479	198.064	208.637	212.925	215.277	220.141	205.030			

Track:

1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

June 6, 2020 MDYCAR **Session: Race** 

Lap	T/S <sup>S</sup>	F to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap I	PI to PO	PO to SF	SF to PI
404	T	2.0991	4.3721	4.3943	2.2249	2.0987	4.0149	3.9773	2.0960	25.2773			
134	S	218.600	194.467	188.209	197.966	208.896	212.617	214.627	220.225	205.085			
405	Т	2.1089	4.4057	4.4210	2.2212	2.0962	3.9818	4.0555	2.1173	25.4076			
135	S	217.584	192.983	•	198.296	209.145	214.385	•	218.009	•			1
126	Т	2.1306	4.4652	4.4052	2.2121	2.0950	4.0248	3.9974	2.1140	25.4443			
136	S	215.368	190.412	187.743	199.111	209.264	212.094	213.548	218.350	203.739			
137	Т	2.1336	4.4289	4.4191	2.2241	2.1008	4.0080	3.9913	2.1064	25.4122			
13/	S	215.065	191.973	187.152	198.037	208.687	212.983	213.874	219.137	203.997			
138	Т	2.1057	4.3467	4.4131	2.2261	2.1030	4.0326	4.0054	2.1136	25.3462			
136	S	217.915	195.603	187.407	197.859	208.468	211.684	213.121	218.391	204.528			
139	Т	2.1091	4.3206	4.3989	2.2168	2.0924	4.0107	3.9805	2.0976	25.2266			
139	S	217.564	196.785	188.012	198.689	209.525	212.840	214.455	220.057	205.497			
140	Т	2.0988	4.3728	4.4215	2.2314	2.1026	4.0093	3.9782	2.1034	25.3180			
140	S	218.631	194.435	187.051	197.389	208.508	212.914	214.579	219.450	204.756			
141	Т	2.1077	4.3484	4.3796	2.2114	2.0888	4.0303	4.0101	2.1085	25.2848			
141	S	217.708	195.526	188.840	199.175	209.886	211.805	212.872	218.919	205.024			
142	Т	2.1145	4.3919	4.4271	2.2281	2.1008	4.0313	4.0094	2.1251	25.4282			
142	S	217.008	193.590	186.814	197.682	208.687	211.752	212.909	217.209	203.868			
143	Т	2.1232	4.3429	4.4050	2.2401	2.1134	4.0433	4.0065	2.1143	25.3887			
143	S	216.119	195.774	187.752	196.623	207.443	211.124	213.063	218.319	204.185			
144	Т	2.1133	4.3295	4.3881	2.2281	2.1055	4.0301	3.9882	2.1002	25.2830			
144	S	217.131	196.380	188.475	197.682	208.221	211.815	214.041	219.784	205.039			
145	Т	2.1160	4.3800	4.4003	2.2182	2.0899	4.0746	4.0405	2.1181	25.4376			
145	S	216.854	194.116	187.952	198.564	209.775	209.502	211.270	217.927	203.793			
146	Т	2.1288	4.3297	4.3707	2.2026	2.0838	4.0136	3.9909	2.1116	25.2317			
146	S	215.550	196.371	189.225	199.970	210.389	212.686	213.896	218.598	205.456			
147	Т	2.1194	4.2971	4.3550	2.2055	2.0891	4.0404	4.0011	2.1104	25.2180			
14/	S	216.506	197.861	189.907	199.707	209.855	211.275	213.350	218.722	205.567			
148	Т	2.1040	4.2775	4.3732	2.2220	2.1135	4.0285	3.9937	2.1112	25.2236			
140	S	218.091	198.767	189.117	198.224	207.433	211.899	213.746	218.639	205.522			
149	Т	2.1305	4.3682	4.4187	2.2315	2.1195	4.0407	4.0040	2.1142	25.4273			
149	S	215.378	194.640	187.169	197.380	206.846	211.260	213.196	218.329	203.875			
150	Т	2.1192	4.3650	4.4210	2.2356	2.1097	4.0317	4.0029	2.1164	25.4015			
130	S	216.527	194.783	187.072	197.018	207.806	211.731	213.254	218.102	204.082			
151	Т	2.1092	4.2990	4.4146	2.2352	2.1093	4.0174	3.9835	2.1093	25.2775			
131	S	217.553	197.773	187.343	197.054	207.846	212.485	214.293	218.836	205.084			
152	Т	2.1047	4.2431	4.3437	2.2195	2.0985	4.0467	4.0292	2.1273	25.2127			
152	S	218.019	200.379	190.401	198.448	208.915	210.946	211.862	216.984	205.611			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 



**Session:** Race

# TAG June 6, 2020 MDYCAR

### Section Data for Car 26 - Veach, Zach

**Section Data Report** 

Report:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
152	Т	2.1219	4.3400	4.3388	2.2070	2.0888	4.0659	4.0594	2.1308	25.3526			
153	S	216.251	195.905	190.616	199.572	209.886	209.950	210.286	216.628	204.476			
154	Т	2.1259	4.3167	4.3906	2.2589	2.5089	6.0927			37.2984	27.3363		29.7095
154	S	215.844	196.962	188.367	194.986	174.742	140.108			138.987	32.961		158.948
155	T				3.1141	2.6352	4.6464	4.3230	2.2283	54.5485		34.8011	
155	S				141.439	166.367	183.720	197.464	207.149	95.035		135.772	
156	Т	2.2033	4.1666	4.1323	2.1281	2.0523	3.9600	3.9538	2.1053	24.7017			
150	S	208.262	204.058	200.142	206.971	213.618	215.565	215.903	219.252	209.864			
157	Т	2.1142	3.9996	4.0967	2.1265	2.0546	3.9592	3.9649	2.1097	24.4254			
157	S	217.039	212.578	201.881	207.127	213.379	215.608	215.298	218.795	212.238			
158	Т	2.1177	4.0342	4.0779	2.1078	2.0336	3.9244	3.9354	2.0926	24.3236			
156	S	216.680	210.755	202.812	208.964	215.583	217.520	216.912	220.582	213.126			
159	T	2.0965	4.0415	4.0810	2.1002	2.0232	3.9078	3.9345	2.0882	24.2729			
139	S	218.871	210.374	202.658	209.720	216.691	218.444	216.962	221.047	213.572			
160	Т	2.1641	4.3584	4.2772	2.1817	2.0790	3.9772	3.9479	2.0925	25.0780			
100	S	212.034	195.078	193.361	201.886	210.875	214.632	216.225	220.593	206.715			
161	T	2.0967	4.2510	4.3095	2.1868	2.0800	3.9793	3.9523	2.0983	24.9539			
101	S	218.850	200.006	191.912	201.415	210.774	214.519	215.985	219.983	207.743			
162	T	2.0986	4.2063	4.2090	2.1551	2.0560	3.9447	3.9389	2.0958	24.7044			
102	S	218.652	202.132	196.495	204.378	213.234	216.401	216.719	220.246	209.841			
163	Т	2.2061	4.3363	4.2339	2.1616	2.0628	3.9611	3.9516	2.1039	25.0173			
105	S	207.998	196.072	195.339	203.763	212.531	215.505	216.023	219.398	207.217			
164	<u> </u>	2.1111	4.3034	4.2714	2.1773	2.0718	3.9690	3.9484	2.0944	24.9468			
107	S	217.358	197.571	193.624	202.294	211.608	215.076	216.198	220.393	207.802			
165	<u> </u>	2.1284	4.3308	4.2551	2.1674	2.0676	3.9631	3.9494	2.0919	24.9537			
	S	215.591	196.321	194.366		212.038	215.396	216.143	220.656	207.745			
166	T	2.1248	4.3213	4.2573		2.0660	3.9638	3.9604	2.0979	24.9577			
	S	215.956	196.753	194.265	-	212.202	215.358	215.543	220.025	207.711			
167	LT.	2.1585	4.3336	4.2636	<del></del>	2.0723	3.9813	3.9735	2.1056	25.0631			
	S	212.584	196.194	193.978		211.557	214.411	214.832	219.221	206.838			
168	T	2.1173	4.2689	4.2463		2.0616	3.9797	3.9723	2.1106	24.9179			
	S	216.721	199.168	194.768		212.655	214.498	214.897	218.701	208.043			
169	I	2.1427	4.3506	4.2640	1	2.0778	3.9816	3.9660	2.0973	25.0634			<b></b>
L	S	214.152	195.428	193.960	1	210.997	214.395	215.239	220.088	206.835			
170	I	2.1234	4.2708	4.2478		2.0627	4.0079	4.0194	2.1160	25.0113			
L	S	216.099	199.079	194.700		212.541	212.988	212.379	218.143	207.266			
171	LT.	2.1147	4.2452	4.3074		2.0817	4.0426	4.0439	2.1258	25.1544			<b></b>
	S	216.988	200.280	192.006	200.837	210.601	211.160	211.092	217.138	206.087			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report** 

**Session:** June 6, 2020 MDYCAR Race

Round 1

TAG

### Section Data for Car 26 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1240	4.1860	4.2858	2.1820	2.0726	4.0550	4.0702	2.1528	25.1284			
172	S	216.037	203.112	192.973	201.858	211.526	210.515	209.728	214.414	206.300			
173	T	2.1465	4.2848	4.3045	2.1963	2.0859	4.0058	3.9947	2.1023	25.1208			
1/3	S	213.773	198.429	192.135	200.544	210.177	213.100	213.692	219.565	206.363			
174	T	2.1041	4.3151	4.3564	2.2058	2.0835	4.0033	3.9948	2.0958	25.1588			
1/4	S	218.081	197.035	189.846	199.680	210.420	213.233	213.687	220.246	206.051			
175	Т	2.1406	4.3523	4.3505	2.2019	2.0807	4.0775	4.0719	2.1319	25.4073			
1/3	S	214.362	195.351	190.104	200.034	210.703	209.353	209.641	216.516	204.036			
176	T	2.1182	4.2859	4.3493	2.1935	2.0745	4.0473	4.0056	2.1091	25.1834			
176	S	216.629	198.378	190.156	200.800	211.332	210.915	213.111	218.857	205.850			
177	T	2.1530	4.4058	4.3563	2.2056	2.1097	4.1160	4.0422	2.1199	25.5085			
1//	S	213.128	192.979	189.850	199.698	207.806	207.395	211.181	217.742	203.226			
178	7	2.1810	4.4109	4.3739	2.2241	2.1207	4.1083	4.0719	2.1370	25.6278			
178	S	210.391	192.756	189.087	198.037	206.728	207.783	209.641	215.999	202.280			
179	T	2.1430	4.4612	4.3894	2.2177	2.1038	4.0469	4.0303	2.1286	25.5209			
1/9	S	214.122	190.583	188.419	198.609	208.389	210.936	211.805	216.852	203.128			
180	Т	2.1242	4.3616	4.3670	2.2119	2.0940	4.0806	4.0668	2.1326	25.4387			
100	S	216.017	194.935	189.385	199.130	209.364	209.194	209.904	216.445	203.784			
181	Т	2.1208	4.3566	4.3745	2.2172	2.1140	4.0536	4.0357	2.1464	25.4188			
101	S	216.363	195.158	189.061	198.654	207.384	210.587	211.521	215.054	203.944			
182	Т	2.1437	4.2739	4.3284	2.2218	2.1203	4.0548	4.0283	2.1428	25.3140			
102	S	214.052	198.935	191.074	198.242	206.767	210.525	211.910	215.415	204.788			
183	T	2.1409	4.2661	4.3455	2.2334	2.4070	6.0740			37.2238	27.5056		29.6601
103	S	214.332	199.298	190.322	197.213	182.139	140.539			139.266	32.758		159.213
184	T			8.4059	3.0981	2.6147	4.6018	4.2723	2.1956	54.6369		34.6950	
104	S			98.389	142.169	167.671	185.501	199.807	210.235	94.881		136.187	
185	T	2.1695	4.1048		2.0991	2.0194	3.9070	3.9278	2.0825	24.4204			
	S	211.507	207.130	-	<del></del>	217.099	218.489	217.332	221.652	212.282			
186	LT	2.0792	4.0375	4.0843	2.0913	2.0113	3.8941	3.9101	2.0772	24.1850			
100	S	220.692	210.583	202.494	•	217.973	219.213	218.316	222.218	214.348			
187	T	2.0694	4.0561	4.1490		2.0370	4.0386	3.9733	2.0815	24.5426			
	S	221.738	209.617	199.336	-	215.223	211.369	214.843	221.759	211.225			
188	T	2.1261	4.4243	4.4743	1	2.0994	4.0915	4.0086	2.1013	25.5624			
	S	215.824	192.172	184.844	196.904	208.826	208.637	212.951	219.669	202.798			
189	L	2.0989	4.2535	4.4222	2.2442	2.1099	4.0332	3.9804	2.0880	25.2303			
	S	218.621	199.889	187.021	196.263	207.787	211.652	214.460	221.068	205.467			
190	Т	2.0757	4.2326		2.2078	2.0960			2.5552	25.6392			
	S	221.065	200.876	188.905	199.499	209.165	213.004	208.907	180.648	202.190			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

### Section Data for Car 26 - Veach, Zach

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
101	Т	2.7842	5.914	7.1367	4.3769	3.9573	6.7290	6.0288	3.0971	40.0243			
191	S	164.810	143.75	115.886	100.632	110.785	126.859	141.593	149.040	129.521			
102	Т	3.3838	6.325	6.7357	3.6377	3.2824	6.8808	7.0381	4.1962	41.4798			
192	S	135.606	134.42	1 122.785	121.081	133.564	124.061	121.288	110.002	124.976			
193	Т	5.0065	8.945	9.7315	6.3638	5.3906	8.9535	8.5519	4.8309	57.7737			
193	S	91.654	95.05	1 84.986	69.213	81.328	95.341	99.818	95.550	89.729			
194	Т	5.1683	9.327	5 10.9300	6.5251	6.4603	10.8150	9.4303	5.0733	63.7298			
194	S	88.784	91.15	75.667	67.502	67.862	78.931	90.521	90.984	81.343			
195	T	5.7997	10.220	1 12.9730	5.9951	5.2557	12.1826	12.2056	5.3512	69.9830			
193	S	79.119	83.19	63.751	73.469	83.416	70.070	69.938	86.259	74.075			
196	T	6.9873	11.910	1 12.1608	5.4575	5.6595	9.4502	7.5843	4.0290	63.2387			
190	S	65.671	71.38	7 68.009	80.706	77.464	90.330	112.553	114.567	81.975			
197	T	4.0265	8.523	9.2604	4.3630	4.1387	7.9342	5.5687	2.4999	46.3153			
197	S	113.961	99.74	89.310	100.952	105.929	107.589	153.292	184.644	111.928			
198	T	2.4117	4.819	2 4.7199	2.3336	2.1889	4.2276	4.0914	2.1211	26.9134			
190	S	190.266	176.42	5 175.225	188.745	200.287	201.920	208.642	217.619	192.618			
199	T	2.1007	4.212	4.3624	2.2293	2.1006	4.0005	3.9392	2.0686	25.0139			
199	S	218.434	201.83	189.585	197.575	208.707	213.382	216.703	223.142	207.245			
200	<u>T</u>	2.0697	4.374	2 4.3780	2.1977	2.0703	4.0658	4.6781	2.8637	26.6975			
	S	221.705	194.37	188.909	200.416	211.761	209.955	182.475	161.187	194.175			
201	T	3.1677	6.513	7.6719	5.2121	5.8547							
	S	144.857	130.52	5 107.802	84.506	74.882							

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

### **Section Data for Car 27 - Rossi, Alexander**

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.6551	5.411	1 4.8073	2.2859	2.1851	4.7604	4.4875	2.2387	28.8311		34.3552	
1	S	172.823	1	_			179.320		206.187	179.806		137.534	
	Т	2.2571	4.7918	3 4.6041	2.2711	2.1660	4.3556	4.1721	2.1234	26.7412			
2	S	203.298	177.434	4 179.632	193.939	202.405	195.986	204.606	217.383	193.858			
	Т	2.1465	4.8452	2 4.9614	2.3416	2.1969	4.1893	4.0708	2.1278	26.8795			
3	S	213.773	175.478	166.696	188.100	199.558	203.766	209.697	216.933	192.861			
	Т	2.1193	4.322	1 4.2975	2.1869	2.2677				37.2235	15.5143		29.8652
4	S	216.517	196.71	5 192.448	201.406	193.328				139.267	58.077		158.120
5	T				3.1399	2.7545	6.2782			53.9324	15.1161		
	S				140.277	159.161	135.968			96.120	59.607		
6	T				3.1361	2.6402	4.6464	4.3511	2.2452	42.7214		35.0206	
	S				140.447	166.051	183.720	196.189	205.590	121.344		134.921	
7	T	2.2177	4.3480	4.3064	2.1990	2.0965	4.0266	4.0300	2.1349	25.3591			
	S	206.910	195.54	192.050	200.298	209.115	211.999	211.820	216.212	204.424			
8	T	2.1455	4.2659	9 4.2737	2.1853	2.0843	4.0068	4.0089	2.1263	25.0967			
<u> </u>	S	213.873	199.308	193.520	201.553	210.339	213.047	212.935	217.086	206.561			
9	Т	2.1408	4.1964	4.2209	2.1617	2.0699	3.9926	4.0092	2.1284	24.9199			
	S	214.342	202.609	9 195.941	203.754	211.802	213.805	212.919	216.872	208.027			
10	T	2.1478	4.2738	4.2570	2.1781	2.0772	3.9911	3.9838	2.1203	25.0291			
	S	213.644	198.939	9 194.279	202.220	211.058	213.885	214.277	217.701	207.119			
11	T	2.1576	4.316	4.2564	2.1786	2.0771	4.1553	4.0494	2.1361	25.3270			
	S	212.673	196.97	1 194.306	202.173	211.068	205.433	210.806	216.090	204.683			
12	T	2.1673	4.4334	4.3922	2.2414	2.1364	4.0663	4.0401	2.1525	25.6296			
12	S	211.721	191.778	188.299	196.509	205.209	209.930	211.291	214.444	202.266			
13	T	2.1620	4.2069	9 4.2442	2.1830	2.0893	4.0695	4.0665	2.1598	25.1812			
	S	212.240	202.103	3 194.865	201.766	209.835	209.764	209.919	213.719	205.868			
14	Т	2.1597	4.1424	4.1653	2.1482		3.9982	4.0413	2.1518	24.8718			
	S	212.466	205.250	198.556	205.034	212.315	213.505	211.228	214.514	208.429			
15	T	2.1558			2.1762	<del>•                                      </del>	4.0269	•	2.1593	25.0513			
	S	212.851	204.328	195.482	202.396	210.379	211.984	210.395	213.769	206.935			
16	Т	2.1575			2.1635			4.0880	2.1651	24.9879			
	S	212.683	205.87	196.902	203.584	211.485	212.840	208.815	213.196	207.460			
17	T	2.1614	-		2.1834	2.0870	4.0617	4.0465	2.1523	25.0936			
	S	212.299			201.729	<del>•                                      </del>	210.167	210.957	214.464	206.587			
18	T	2.1590	4.1872	4.2551	2.1894	2.0924	4.0329	4.0561	2.1575	25.1296			
	S	212.535	203.054		201.176		211.668		213.947	206.291			
19	Т	2.1566	4.1272	2 4.2041	2.1633	2.0730	4.0094	4.0428	2.1478	24.9242			
	S	212.772	206.000	196.724	203.603	211.485	212.909	211.150	214.913	207.991			

**Genesys 300 Event:** Round 1

1.5 mile(s) Track: **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session: Race** 

June 6, 2020 MDYCAR

### **Section Data for Car 27 - Rossi, Alexander**

Lap		SF to T1	T1 to SS1	SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1543	4.1665	4.2374	2.1745	2.0805	4.0226	4.0491	2.1516	25.0365			
20	S	212.999	204.063	195.178	202.554	210.723	212.210	210.821	214.534	207.058			
24	Т	2.1523	4.1290	4.2027	2.1607	2.0703	4.0091	4.0317	2.1421	24.8979			
21	S	213.197	205.916	196.789	203.848	211.761	212.925	211.731	215.485	208.210			
22	Т	2.1476	4.1830	4.2325	2.1731	2.0773	4.0212	4.0314	2.1443	25.0104			
	S	213.663	203.258	195.404	202.685	211.048	212.284	211.747	215.264	207.274			
23	Т	2.1403	4.1754	4.2624	2.1810	2.0814	4.0185	4.0315	2.1393	25.0298			
	S	214.392	203.628	194.033	201.951	210.632	212.427	211.742	215.767	207.113			
24	Т	2.1375	4.1476	4.2348	2.1735	2.0758	4.0099	4.0202	2.1345	24.9338			
	S	214.673	204.993	195.297	202.648	211.200	212.882	212.337	216.252	207.911			
25	Т	2.1340	4.1699	4.2709			4.0156	4.0244	2.1348	25.0168			
	S	215.025	203.896	193.647	201.627	210.500	212.580	212.115	216.222	207.221			
26	T	2.1345	4.1770	4.2863	2.1905	2.0874	4.0169	4.0220	2.1327	25.0473			
	S	214.975	203.550	192.951	201.075	210.026	212.511	212.242	216.435	206.968			
27	T	2.1368	4.2032	4.2797	2.1825	2.0821	4.0081	4.0211	2.1298	25.0433			
	S	214.743				210.561	212.978						
28	Т	2.1309			1	2.0937	4.0553		+				
	S	215.338	+	+	200.198	209.394	210.499	+	+	+			
29	T	2.1376			+	<del></del>	4.0312		·				
	S	214.663	1			209.245	211.757	1					
30	Т	2.1344					4.0684	+	+				
	S	214.985					209.821	+					
31	Т	2.1461					4.0469						
L	S	213.813	·	1	1		210.936	<del>•</del>					
32	T	2.1436				1	4.0805	1	1				
	S	214.062				207.168	209.199		1	203.908			
33	T	2.1464				2.1321	4.0868		+				
	S	213.783		+		205.623	208.876	1	1	1			
34	Ţ	2.1510	+		•	2.1355	4.0758	+	+	+		ļ	ļ
	S	213.326			1	1	209.440		214.943	1	1		00.015
35	T	2.1566					6.3408		-	37.4110		ļ	30.0125
	S	212.772	198.554			180.951	134.626		0.5440	138.569	34.192	40.4700	157.344
36	T		<u> </u>	9.0394		3.2330	7.1694	<del></del>	<del></del>			43.4702	
	S	2.5773	( 1110	91.493		135.604	119.067			83.046		108.695	
37	T	3.5667			•	3.5514	10.2470			•			
	S	128.652		-			83.306	-					
38	T	5.8636					10.0386			-			
L	S	78.256	96.229	99.464	81.878	82.250	85.035	88.792	90.841	88.680		l	

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

Session: Race June 6, 2020

### **Section Data for Car 27 - Rossi, Alexander**

**Section Data Report** 

Report:

Lap			T1 to SS1	SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
•	T	4.9800	8.6474	8.2867	4.4377	4.7428	9.2467	10.5691					
39	S	92.141											1
40	Т	4.9813	8.8666	8.1930	4.9631	5.3123	9.2713	8.8218	5.0243	55.4337			
40	S	92.117	95.89	1 100.945	88.746	82.527	92.073	96.764	91.872	93.517			
44	Т	5.2127	9.526	9.2712	4.7138	4.4830	9.7340	9.6326	5.0847	57.6581			
41	S	88.028	89.252	89.206	93.439	97.794	87.696	88.620	90.780	89.909			
42	Т	4.9116	9.4519	9.4858	5.5597	5.6134	11.1809	9.6452	4.7505	60.5990			
42	S	93.424	89.953	87.188	79.223	78.100	76.348	88.504	97.167	85.546			
43	Т	5.4298	9.0354	9.1619	4.9627	5.4769	9.3160	8.8902	7.3895	59.6624			
43	S	84.508	94.100	90.270	88.753	80.047	91.631	96.020	62.466	86.889			
44	T	4.9046	7.043	8.5042	5.2557	3.8531	7.1735	5.1037	2.4658	44.3041			
77	S	93.558	120.71	97.251	83.805	113.781	118.999	167.258	187.197	117.009			
45	Т	2.3787			+	2.3116			-	27.8709			
73	S	192.905	172.254	168.328	176.133	189.656	189.604	203.810	215.687	186.000		<u> </u>	
46	<u> </u>	2.1738	4.425	4.3005	2.1694	2.0601	4.1647			25.4610			
	S	211.088	1		-	212.810				203.606			
47	Т	2.1742								26.7501			
	S	211.049			<del>•                                      </del>	-		+	<del> </del>	193.794			
48	T	2.1831	•				•			25.2598		<u> </u>	
	S	210.189			1		211.962						
49	T	2.1169					4.1275			25.3835			
	S	216.762								204.227			
50	Т	2.0957			•	2.0944				25.4465			
	S	218.955	·			209.324			•	203.722		<u> </u>	
51	T	2.1469	•		+					25.5219			
	S	213.733	1		-	209.374	208.412	1	219.471	203.120			
52	I	2.1205	+							25.2624			
	S	216.394	+	_	<del>•                                      </del>	209.424	<del> </del>	+		205.206		<u> </u>	
53	T	2.1107	<del></del>	<del></del>	÷		<del></del>		2.1186	25.1507			
	S	217.399	1		1			1		206.118		+	+
54	T	2.1257				2.0761				25.1701		+	+
	S	215.865	+		-	211.170		1	218.515	205.959		+	+
55	S	2.1273	-		+	-			2.1231	25.4423		+	+
	_	215.702	+	+	•		206.652			203.755		+	+
56	S	2.1366			1	2.0967				25.4304		+	+
	T	214.763	1			209.095		1		203.851			+
57		2.1357	-							25.4085		+	+
	S	214.854	195.896	188.604	198.645	209.274	209.071	211.684	217.762	204.026			

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report** Report: **Session:** 

June 6, 2020 MDYCAR Race

### Section Data for Car 27 - Rossi, Alexander

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1371	4.3131	4.3630	2.2098	2.0939	4.0037	3.9849	2.1070	25.2125			
36	S	214.713	197.127	189.559	199.319	209.374	213.212	214.218	219.075	205.612			
59	T	2.1226	4.2860	4.3512	2.2192	2.0988	4.0202	4.0029	2.1141	25.2150			
39	S	216.180	198.373	190.073	198.474	208.886	212.337	213.254	218.339	205.592			
60	T	2.1343	4.3039	4.3569	2.2167	2.0951	4.0224	4.0111	2.1090	25.2494			
- 60	S	214.995	197.548	189.824	198.698	209.254	212.221	212.819	218.867	205.312			
61	Т	2.1268	4.2954	4.4319	2.2437	2.1143	4.0975	4.0363	2.1177	25.4636			
61	S	215.753	197.939	186.612	196.307	207.354	208.331	211.490	217.968	203.585			
62	Т	2.1364	4.3183	4.4151	2.2295	2.1075	4.0432	4.0059	2.1105	25.3664			
02	S	214.784	196.889	187.322	197.558	208.023	211.129	213.095	218.712	204.365			
63	T	2.1254	4.2907	4.3787	2.2162	2.0946	4.0790	4.0608	2.1238	25.3692			
	S	215.895	198.156	188.879	198.743	209.304	209.276	210.214	217.342	204.342			
64	Т	2.1437	4.3364	4.5387	2.2652	2.1435	4.2363	4.1418	2.1576	25.9632			
04	S	214.052	196.068	182.221	194.444	204.530	201.505	206.103	213.937	199.667			
65	T	2.1532	4.3342	4.3983	2.2331	2.1138	4.0403	4.0311	2.1210	25.4250			
	S	213.108	196.167	188.038	197.239	207.403	211.280	211.763	217.629	203.894			
66	T	2.1292	4.2863	4.3647	2.2016	2.0856	4.0855	4.0220	2.1082	25.2831			
	S	215.510	198.359	189.485	200.061	210.208	208.943	212.242	218.950	205.038			
67	Т	2.1302	4.3554	4.4797	2.2443	2.1150	4.1272	4.0618	2.1326	25.6462			
	S	215.409	195.212	184.621	196.255	207.286	206.832	210.162	216.445	202.135			
68	T	2.1425	4.3348	4.4132	2.2269	2.1034	4.0773	4.0221	2.1138	25.4340			
	S	214.172	196.140	187.403	197.788	208.429	209.363	212.236	218.370	203.822			
69	T	2.1346	4.3225	4.4276	2.2369	2.1122	4.1167	4.0550	2.1211	25.5266			
	S	214.965	196.698	186.793	196.904	207.560	207.359		217.619	203.082			
70	LT	2.1335	4.3338	4.4406			4.1682	4.1228	2.1771	25.7211			
	S	215.076	196.185	186.246	197.195	207.629	204.797	207.053	212.021	201.547			
71	T	2.3097	4.7563			2.1748	4.4198			27.1452			
L	S	198.668	178.758	+	+	201.586	193.139	+	<del></del>	190.973			
72	T	2.3184	<del></del>		•	2.1619	4.1534	•	<del>•</del>	26.4664			
<u></u>	S	197.923	180.911	179.290	1		205.527	209.158		195.871			
73	T	2.1544				2.1253	4.0886			25.6576			
	S	212.989	192.607			206.281	208.785		218.961	202.045			
74	T	2.2105	4.6200				4.9164	5.2253	2.8190	28.8574			
<b></b>	S	207.584	184.032	180.977	193.990	196.967	173.630	163.366	163.743	179.642			
75	T	2.9512	5.9574	6.3633		3.0271	6.6240		2.9148	37.8913			
	S	155.484			135.633	144.828	128.870	125.422	158.361	136.812			
76	Т	2.7916	5.4304	-		2.6022	5.6192	5.5345		33.2170			
	S	164.373	156.568	148.696	156.673	168.476	151.914	154.239	161.069	156.065			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

### Section Data for Car 27 - Rossi, Alexander

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	2.9415	6.6396	8.5385	5.6672	6.0951	11.2684	8.1680	4.2338	53.5521			
	S	155.996	128.054	96.861	77.720	71.928	75.755	104.510	109.025	96.803			
78	T	4.5675	8.1853	7.2266	3.6452	3.7293	8.1960	9.4072	3.2400	48.1971			
	S	100.463	103.872	114.445	120.831	117.558	104.153	90.743	142.466	107.558			
79	T	3.1559	6.9432	8.6324	4.2375	4.5402	8.7262	8.5236	4.5310	49.2900			
/9	S	145.399	122.455	95.807	103.942	96.562	97.825	100.150	101.874	105.173			
80	T	4.8009	9.1064	8.8724	4.2339	4.2358	8.5288	8.8277	5.1346	53.7405			
80	S	95.579	93.366	93.216	104.030	103.501	100.089	96.700	89.898	96.464			
81	T	4.8301	8.5912	8.2268	3.4600	3.0271	5.6131	5.0316	2.5910	41.3709			
01	S	95.001	98.965	100.531	127.299	144.828	152.079	169.655	178.152	125.305			
82	T	2.5876	5.5080	5.3813	2.5840	2.4573	5.0601	4.7016	2.8914	31.1713			
62	S	177.332	154.362	153.689	170.455	178.411	168.700	181.563	159.643	166.307			
83	T	3.2482	6.1881	8.0761	5.3308	4.4069	8.9476			53.6160	25.2664		46.2010
83	S	141.267	137.397	102.407	82.624	99.482	95.404			96.688	35.661		102.211
84	T				3.2169	2.7282	4.9371	4.5917	2.3763	53.7608		35.9094	
04	S				136.919	160.695	172.902	185.909	194.248	96.427		131.581	
85	T	2.3639	5.0231	4.8014	2.6913	3.0247	5.6185	5.7709	2.5567	31.8505			
85	S	194.113	169.263	172.251	163.659	144.943	151.933	147.921	180.542	162.760			
86	T	2.4156	5.0348	4.7365	2.2657	2.1943	4.6428	4.2783	2.2257	27.7937			
	S	189.958	168.870	174.611	194.401	199.795	183.862	199.527	207.391	186.517			
87	T	2.2639	4.6498	4.5602	2.2558	2.1050	4.2163	4.0807	2.1185	26.2502			
67	S	202.687	182.852	181.362	195.254	208.270	202.461	209.189	217.886	197.484			
88	T	2.1195	4.2885	4.3398	2.1903	2.0697	4.0303	3.9884	2.0911	25.1176			
	S	216.496	198.257	190.572	201.093	211.823	211.805	214.030	220.741	206.389			
89	T	2.1003	4.2739	4.2527	2.1434	2.0521	4.1267	3.9983	2.0817	25.0291			
09	S	218.475	198.935	194.475	205.493	213.639	206.857	213.500	221.737	207.119			
90	T	2.1338	4.3377	4.3243	2.1799	2.0640	3.9899	4.0393	2.1074	25.1763			
90	S	215.045	196.009	191.255	202.053	212.408	213.949	211.333	219.033	205.908			
91	T	2.1188	4.2706	4.3679	2.1978	2.0776	4.0287	4.0003	2.0986	25.1603			
	S	216.568	199.088	189.346	200.407	211.017	211.889	213.393	219.952	206.039			
92	Т	2.1332	4.3076	4.5092	2.2393	2.1055	4.0441	4.0107	2.1145	25.4641			
	S	215.106		183.413	196.693	208.221	211.082	212.840	218.298	203.581			
93	Т	2.1376		4.3774	2.2125	2.0919	3.9880	4.0044	2.0982	25.2397			
93	S	214.663	196.371	188.935	199.076	209.575	214.051	213.175	219.994	205.391			
94	T	2.1050	4.2729	4.4625	2.2279	2.0966	4.0508	4.0245	2.1114	25.3516			
	S	217.987	198.981	185.332	197.699	209.105	210.733	212.110	218.618	204.484			
95	T	2.1476	4.3128	4.2840	2.1744	2.0611	4.1529	4.0829	2.1284	25.3441			
75	S	213.663	197.140	193.054	202.564	212.706	205.552	209.076	216.872	204.545			

1.5 mile(s)

Round 1

TAG

**Section Data Report** Report:

Race

Track:

**Session:** 

**NTT IndyCar Series** 

June 6, 2020 MDYCAR

### **Section Data for Car 27 - Rossi, Alexander**

**Texas Motor Speedway** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
06	Т	2.1782	4.3718	4.3127	2.1820	2.0684	4.0359	4.0090	2.1049	25.2629			
96	S	210.662	194.480	191.770	201.858	211.956	211.511	212.930	219.294	205.202			
97	T	2.1454	4.3398	4.3240	2.1870	2.0762	3.9987	4.0761	2.1321	25.2793			
97	S	213.883	195.914	191.269	201.397	211.159	213.478	209.425	216.496	205.069			
98	Т	2.1414	4.2892	4.3900	2.2134	2.0910	4.0529	4.0156	2.1121	25.3056			
98	S	214.282	198.225	188.393	198.995	209.665	210.624	212.580	218.546	204.856			
99	Т	2.1430	4.3445	4.3863	2.2106	2.0898	4.0825	4.0474	2.1163	25.4204			
99	S	214.122	195.702	188.552	199.247	209.785	209.096	210.910	218.112	203.931			
100	Т	2.1354	4.3235	4.4127	2.2310	2.1046	4.1366	4.0387	2.1186	25.5011			
100	S	214.884	196.653	187.424	197.425	208.310	206.362	211.364	217.875	203.285			
101	Т	2.1526	4.3151	4.3468	2.2058	2.0878	4.0586	4.0081	2.1109	25.2857			
101	S	213.167	197.035	190.265	199.680	209.986	210.328	212.978	218.670	205.017			
102	Т	2.1356	4.3155	4.3744	2.2213	2.0967	4.1052	4.0439	2.1203	25.4129			
102	S	214.864	197.017	189.065	198.287	209.095	207.940	211.092	217.701	203.991			
103	Т	2.1490		4.3541	2.2003	2.0801	4.1367	4.0509	2.1273	25.3991			
103	S	213.524	197.695	189.946	200.179	210.763	206.357	210.728	216.984	204.102			
104	Т	2.1371	4.2864	4.3453	2.2080	2.0913	4.0868	4.0266	2.1191	25.3006			
104	S	214.713	198.355	190.331	199.481	209.635	208.876	211.999	217.824	204.896			
105	Т	2.1238	4.2536	4.3650	2.2109	2.0919	4.0985	4.0476	2.1289	25.3202			
103	S	216.058	199.884	189.472	199.220	209.575	208.280	210.899	216.821	204.738			
106	Т	2.1335	4.2624	4.3204	2.2017	2.0860	4.0991	4.0373	2.1242	25.2646			
100	S	215.076	199.471	191.428	200.052	210.167	208.250	211.437	217.301	205.188			
107	T	2.1366	4.2860	4.3391	2.2082	2.0917	4.1283	4.0560	2.1261	25.3720			
	S	214.763	•	190.603	199.463	209.595	206.777	210.463	217.107	204.320			
108	Т	2.1425	4.3128	4.3584	2.2077	2.0918	4.1007	4.0321	2.1228	25.3688			
100	S	214.172		189.759	199.508	209.585				204.345			
109	Т	2.1502		4.3710	2.2164	2.1009		4.0563		25.4476			
105	S	213.405		189.212	198.725	208.677	208.280	210.447	217.005	203.713			
110	T	2.1424	<del>                                     </del>	4.3597	2.2248	2.1078			2.1192	25.3206			
	S	214.182	198.735	189.702	197.975	207.994	210.214	211.941	217.814	204.734			
111	Т	2.1391	4.2980	4.3694	2.2168	2.0992	4.2099	-		25.8449			
	S	214.512	197.819	189.281	198.689	208.846				200.581			
112	Т	2.1996		4.4669	2.2606	2.1420	-	4.1065		25.9535			
	S	208.612	<del>                                     </del>	185.150	194.840		204.332			199.742			
113	T	2.1568		4.4097	2.2453	2.1318							
	S	212.752		187.551	196.167	205.652		210.910		202.991			
114	Т	2.1444		4.3699	2.2240					25.4243			
	S	213.982	197.884	189.260	198.046	207.659	208.647	210.837	215.888	203.899			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

### Section Data for Car 27 - Rossi, Alexander

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1402	4.2950	4.4282	2.2501	2.1339	4.1077	4.0599	2.1391	25.5541			
113	S	214.402	197.957	186.768	195.749	205.450	207.814	210.260	215.787	202.864			
116		2.1486	4.3318	4.4474	2.2503	2.1307	4.0929	4.0427	2.1308	25.5752			
110	S	213.564	196.276	185.962	195.731	205.758	208.565	211.155	216.628	202.696			
117	T	2.1422	4.3320	4.4334	2.2496	2.1239	4.1201	4.0595	2.1365	25.5972			
	S	214.202	196.267	186.549	195.792	206.417	207.188	210.281	216.050	202.522			
118	T	2.1469	4.3711	4.4784	2.2517	2.1283	4.1359	4.0529	2.1214	25.6866			
110	S	213.733	194.511	184.674	195.610	205.990	206.397	210.624	217.588	201.817			
119	T	2.1606	4.3871	4.4316	2.2428	2.1205	4.1321	4.0570	2.1316	25.6633			
119	S	212.378	193.802	186.625	196.386	206.748	206.587	210.411	216.547	202.001			
120	T	2.1667	4.4194	4.4943	2.2669	2.3882				38.3734	26.1157		30.9865
120	S	211.780	192.385	184.021	194.298	183.573				135.094	34.501		152.398
121	T				3.1322	2.6136	4.6597	4.3071	2.1862	53.7191		34.9903	
121	S				140.621	167.741	183.196	198.193	211.138	96.502		135.037	
122	T	2.1641	4.2814	4.1789	2.1142	2.0432	4.0767	3.9849	2.0858	24.9292			
122	S	212.034	198.586	197.910	208.332	214.570	209.394	214.218	221.302	207.949			
123	T	2.1230	4.2869	4.2382	2.1340	2.0373	4.1193	4.0284	2.1040	25.0711			
123	S	216.139	198.331	195.141	206.399	215.191	207.229	211.905	219.387	206.772			
124	7	2.1056	4.2103	4.2696	2.1598	2.0524	3.9938	4.0064	2.0999	24.8978			
124	S	217.925	201.940	193.706	203.933	213.608	213.740	213.068	219.816	208.211			
125	T	2.1278	4.2737	4.3083	2.1756	2.0642	4.0378	4.0193	2.1061	25.1128			
123	S	215.652	198.944	191.966	202.452	212.387	211.411	212.384	219.169	206.429			
126	T	2.1008	4.1925	4.2998	2.1625	2.0577	4.0107	3.9807	2.0950	24.8997			
120	S	218.423	202.797	192.345	203.678	213.058	212.840	214.444	220.330	208.195			
127	T	2.1121	4.2375	4.2492	2.1471	2.0453	4.0946	4.0542	2.1162	25.0562			
127	S	217.255	200.644	194.636	205.139	214.350	208.479	210.556	218.123	206.895			
128	T	2.1090	4.1999	4.4210	2.2295	2.1052	4.0730	4.0121	2.1139	25.2636			
128	S	217.574	202.440	187.072	197.558	208.251	209.584	212.765	218.360	205.196			
129	LT	2.1164	4.2124	4.2962	2.1876	2.0775	4.0032	3.9851	2.1017	24.9801			
123	S	216.813	201.839	192.506	201.341	211.027	213.239	214.207	219.627	207.525			
130	T	2.1159			2.1856	2.0778	4.0060		2.1032	24.9681			
130	S	216.865	202.339	192.699	201.526	210.997	213.089		219.471	207.625			
131	T	2.1158		4.2890	2.1839	2.0766	4.0074	3.9925	2.1021	25.0045			
131	S	216.875	200.658	192.829	201.683	211.119	213.015	213.810	219.586	207.323			
132	口	2.1175	4.2107	4.2854	2.1771	2.0712	4.0262	4.0159	2.1155	25.0195			
132	S	216.701	201.921	192.991	202.313	211.669	212.020	212.564	218.195	207.198			
133	7	2.1159	4.2349	4.4001	2.2261	2.1073	4.0334	4.0010	2.1099	25.2286			
133	S	216.865	200.767	187.961	197.859	208.043	211.642	213.356	218.774	205.481			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

# Report: Section Data Report Session: Race NTT IndyCar Series June 6, 2020

### Section Data for Car 27 - Rossi, Alexander T1 to SS1 SS1 to T2 T2 to BS T/SSF to T1 PI to PO BS to T3 T3 to SS2 SS2 to T4 T4 to SF Lap PO to SF SF to PI Т 25.1239 2.1220 4.2186 4.2962 2.1809 2.0794 3.9965 4.0862 2.1441 134 216.241 201.543 192.506 201.960 210.834 213.596 208.907 215.284 206.337 Т 2.1439 4.2479 4.2894 2.1722 2.0694 4.0021 4.0131 2.1147 25.0527 135 S 214.032 200.152 192.811 202.769 211.853 213.297 212.712 218.277 206.924 Т 2.1250 4.2054 4.3109 2.1863 2.0756 4.0122 4.0117 2.1145 25.0416 136 S 215.936 202.175 191.850 201.461 211.220 212.760 212.787 218.298 207.016 Т 2.1231 4.2323 4.3445 2.1993 2.0859 4.0808 4.0232 2.1182 25.2073 137 200.270 216.129 200.890 190.366 210.177 209.184 212.178 217.917 205.655 Т 2.1252 4.2333 2.2052 2.0895 4.0170 4.3448 4.0134 2.1163 25.1447 138 S 215.916 200.843 190.353 209.815 212.506 212.697 218.112 199.735 206.167 Т 2.1177 4.1999 4.3845 2.2252 2.1059 4.0569 4.0370 2.1256 25.2527 139 S 216.680 202.440 188.629 197.939 208.181 210.416 211.453 217.158 205.285 Т 2.1254 4.2203 4.3461 2.2056 2.0909 4.0389 4.0132 2.1198 25.1602 140 S 215.895 201.461 190.296 199.698 209.675 211.354 212.707 217.752 206.040 Т 4.2537 2.2071 2.0928 4.0460 2.1275 4.3527 4.0371 2.1311 25.2480 141 199.563 S 215.682 199.879 190.007 209.484 210.983 211.448 216.597 205.323 Т 2.0872 2.1248 4.1960 4.3156 2.1959 4.0144 3.9977 2.1082 25.0398 142 S 215.956 202.628 200.580 212.644 213.532 191.641 210.047 218.950 207.030 Т 2.1266 4.2690 4.3511 2.2073 2.0881 4.1292 4.0396 2.1139 25.3248 143 S 199.163 190.077 199.544 209.956 215.773 206.732 211.317 218.360 204.701 Т 2.1382 4.3281 4.3881 2.2152 2.0937 4.0964 4.0315 2.1176 25.4088 144 S 214.603 196.444 188.475 198.833 209.394 208.387 211.742 217.978 204.024 Т 2.1373 4.2951 4.5087 2.2595 2.1327 4.0532 4.0237 2.1241 25.5343 145 S 214.693 197.953 183.433 194.935 205.565 210.608 212.152 217.311 203.021 Т 4.0188 2.1383 4.3056 4.3760 2.2141 2.0955 4.0206 2.1163 25.2852 146 S 214.593 197,470 188.996 198.932 209.215 212.411 212.316 218.112 205.021 Т 2.1346 4.2934 2.2076 2.0935 4.0139 4.0035 2.1120 25.2163 4.3578 147 S 214.965 198.031 189.785 199.517 209.414 212.670 213.223 218.556 205.581 Т 2.1231 4.2583 4.3448 2.2085 2.0892 4.0615 4.0359 2.1178 25.2391 148 216.129 199.664 190.353 199.436 209.845 210.178 211.511 217.95 205.396 Т 2.1365 4.3063 4.3695 2.2233 2.1057 4.0981 4.0422 2.1324 25.4140 149 S 214.774 197.438 189.277 198.108 208.201 208.301 211.181 216.46 203.982 Т 2.1401 4.2441 4.3641 2.2275 2.1126 4.0554 4.0416 2.1360 25.3214 150 S 214.412 200.332 189.511 197.735 207.521 210.494 211.212 216.101 204.728 Т 2.1407 4.2637 4.3643 2.2215 2.1114 4.0414 4.0492 2.1450 25.3372 151 214.352 199,411 189.502 198.269 211.223 210.816 215.194 207.639 204.600

4.0496

210.795

2.1118

207.600

2.1451

213.912

Т

152

4.2466

200.214

2.2224

198.189

4.3382

190.643

2.1440

215.294

25.3021

204.884

4.0444

211.066

Round 1

INDYCAR

Track: 1.5 mile(s) **Texas Motor Speedway** 



**Session:** June 6, 2020 MDYCAR Race

### **Section Data for Car 27 - Rossi, Alexander**

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
450	Т	2.1471	4.3166	4.3998	2.2402	2.1301	4.0750	4.0520	2.1506	25.5114			
153	S	213.713	196.967	187.973	196.614	205.816	209.481	210.670	214.634	203.203			
454	Т	2.1570	4.2486	4.3360	2.2235	2.1201	4.0514	4.0626	2.1605	25.3597			
154	S	212.732	200.119	190.739	198.091	206.787	210.702	210.121	213.650	204.419			
455	Т	2.1622	4.3086	4.3816	2.2343	2.3696	6.1490		Î	37.2298	25.4309	ı İ	29.8270
155	S	212.221	197.333	188.754	197.133	185.014	138.825			139.243	35.430	)	158.322
156	T				3.1197	2.6186	4.6124	4.3192	2.2182	52.8974		34.8693	
150	S				141.185	167.421	185.074	197.638	208.093	98.001		135.506	
157	Т	2.1893	4.3028	4.2593	2.1683	2.0674	4.0477	4.0302	2.1243	25.1893			
15/	S	209.594	197.599	194.174	203.134	212.058	210.894	211.810	217.291	205.802			
158	Т	2.1230	4.1483	4.1899	2.1278	2.0357	3.9522	3.9937	2.1019	24.6725			
156	S	216.139	204.958	197.390	207.000	215.360	215.990	213.746	219.607	210.112			
159	Т	2.1020	4.1560	4.2083	2.1398	2.0408	3.9752	3.9669	2.0878	24.6768			
139	S	218.299	204.578	196.527	205.839	214.822	214.740	215.190	221.090	210.076			
160	Т	2.0948	4.1681	4.2770	2.1559	2.0449	3.9539	3.9410	2.0706	24.7062			
100	S	219.049	203.984	193.370	204.302	214.391	215.897	216.604	222.926	209.826			
161	Т	2.0918	4.2912	4.3243	2.1963	2.1060	4.1907	4.0375	2.0995	25.3373			
101	S	219.363	198.133	191.255	200.544	208.171	203.698	211.427	219.858	204.600			
162	Т	2.1200	4.2750	4.2977	2.1874	2.0740	4.0011	3.9798	2.0950	25.0300			
102	S	216.445	198.884	192.439	201.360	211.383	213.350	214.492	220.330	207.111			
163	Т	2.1041	4.2785	4.2988	2.1754	2.0627	3.9838	3.9959	2.1090	25.0082			
103	S	218.081	198.721	192.390	202.471	212.541	214.277	213.628	218.867	207.292			
164	T	2.1123	4.2126	4.3497	2.1990	2.0840	4.0064	3.9958	2.1045	25.0643			
107	S	217.234	201.830	190.139	200.298	210.369	213.068	213.633	219.335	206.828			
165	Т	2.0978	4.2478	4.3718	2.2089	2.0848	4.0166	4.0060	2.0926	25.1263			
103	S	218.736	200.157		199.400	210.288	212.527	213.089	220.582	206.318			
166	Т	2.0991	4.2941		2.2056	2.0881	4.0283		2.1002	25.2235			
100	S	218.600	1	_	199.698	209.956	211.910	1	219.784	205.523			
167	T	2.1012	+	+	2.2281	2.1027	4.3641	4.2315	2.1679	25.9034		ļ	
	S	218.382	1	-	197.682	208.498	195.604	1	212.921	200.128			
168	Т	2.1675			2.2419				2.1191	25.7738			
	S	211.702			196.465	207.885	208.209		217.824	201.134			
169	T	2.1255			2.2077	2.0904	4.0565	4.0555	2.1312	25.3204			
	S	215.885	+	+	199.508	209.725	210.437	210.489	216.587	204.736		ļ	
170	T	2.1328	1	1	2.2012	2.0858			2.1259	25.2662			
	S	215.146			200.097	210.188	210.754	211.045	217.127	205.175			
171	Т	2.1211	4.2246		2.2021	2.0865	4.0083		2.1254	25.1776			
	S	216.333	201.256	189.789	200.016	210.117	212.967	210.676	217.178	205.897			

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 

June 6, 2020 MDYCAR



Round 1

# **Section Data for Car 27 - Rossi, Alexander**

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1230	4.2103	4.4408	2.2392	2.1170	4.0476	4.0245	2.1177	25.3201			
1/2	S	216.139	201.940	186.238	196.702	207.090	210.899	212.110	217.968	204.739			
173	7	2.1205	4.1803	4.3126	2.1840	2.0737	4.0188	4.0563	2.1241	25.0703			
1/3	S	216.394	203.389	191.774	201.673	211.414	212.411	210.447	217.311	206.779			
174	T	2.1270	4.2224	4.3424	2.1941	2.0819	4.0087	4.0312	2.1187	25.1264			
1/4	S	215.733	201.361	190.458	200.745	210.581	212.946	211.757	217.865	206.317			
175	T	2.1226	4.2305	4.3810	2.2146	2.0971	4.0543	4.0588	2.1342	25.2931			
1/3	S	216.180	200.976	188.780	198.887	209.055	210.551	210.317	216.283	204.957			
176	ᆫᄑ	2.1326	4.2223	4.3450	2.2046	2.0923	4.0264	4.0249	2.1133	25.1614			
170	S	215.166	201.366	190.344	199.789	209.535	212.010	212.089	218.422	206.030			
177	Т	2.1213	4.2452	4.4664	2.2421	2.1177	4.0354	4.0107	2.1080	25.3468			
	S	216.312	200.280	185.170	196.447	207.021	211.537	212.840	218.971	204.523			
178	T	2.1127	4.2295	4.3928	2.2251	2.1082	4.0388	4.0075	2.1074	25.2220			
170	S	217.193	201.023	188.273	197.948	207.954	211.359	213.010	219.033	205.535			
179	Т	2.1161	4.2204	4.3895	2.2211	2.0940	4.0469		2.1197	25.2532			
1//	S	216.844	201.457	188.415	198.305	209.364	210.936	211.009	217.762	205.281			
180	T	2.1195	4.2348	4.5279	2.2683	2.1366	4.0657	4.0412	2.1281	25.5221			
100	S	216.496	200.772	182.655	194.178	205.190	209.960	211.233	216.903	203.118			
181	T	2.1228	4.2190	4.3645	2.2266	2.1144	4.0373	4.0223	2.1213	25.2282			
	S	216.160	201.523	189.494	197.815	207.344	211.437	212.226	217.598	205.484			
182	Т	2.1163	4.1751	4.3245		2.1047	4.0326	-	2.1258	25.1323			
102	S	216.824	203.642	191.246	198.296	208.300	211.684	211.710		206.268			
183	T	2.1376	4.2850	4.3976		2.1276	4.0615	+	2.1433	25.4457			
103	S	214.663	198.419	188.067	196.456	206.058	210.178	210.717	215.365	203.728			
184	T	2.1417	4.2350	4.3921	2.2448	2.1373	4.0681	4.0368	2.1460	25.4018			
	S	214.252	200.762	188.303	196.211	205.123	209.837	211.464	215.094	204.080			
185	Т	2.1514	4.2453	4.3083	2.2087	2.1121	4.0567	4.0638	2.1609	25.3072			
	S	213.286	200.275	191.966	199.418	207.570	210.426	210.059	213.610	204.843			
186	T	2.1614	4.2403	4.3460	2.2253	2.1251	4.0731		2.1546	25.3796			
	S	212.299	200.511	190.300	197.930	206.300	209.579	210.577	214.235	204.259			
187	Т	2.1565	4.2007	4.2708		2.1060	4.0583	4.0812	2.1711	25.2442			
	S	212.782	202.401	193.651	200.243	208.171	210.343	209.163	212.607	205.354			
188	T	2.1694	4.2172	4.2924	2.2120	2.1139	4.1646	4.1370		25.4896			
	S	211.516	201.609	192.677	199.120	207.393	204.974	206.342	211.438	203.377			
189	T	2.1831	4.2633	4.3393	2.2298		4.3394		2.1711	25.8489			
	S	210.189	199.429	190.594	197.531	203.080	196.718		212.607	200.550			
190	T	2.1713	4.2789	4.3646	-	2.3808	6.1092			41.7165	26.8585		34.0032
	S	211.331	198.702	189.489	195.462	184.144	139.730			124.267	33.547		138.877

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т				3.4530	3.7415	7.7405	7.2760	4.4200	63.9171		44.7719	
191	S				127.557	117.175	110.282	117.322	104.432	81.105		105.535	
192	Т	5.0414	8.6085	10.7600	5.9716	4.9100	8.7118	8.9177	4.9824	57.9034			
192	S	91.019	98.766	76.863	73.758	89.289	97.986	95.724	92.644	89.528			
193	Т	5.0466	9.8284	11.0884	6.8448	6.2610	10.6862	9.2146	5.5013	64.4713			
193	S	90.925	86.507	74.587	64.349	70.022	79.882	92.640	83.906	80.408			
194	T	5.7560	10.0642	12.3507	5.4623	5.7787	12.8886	11.4432	6.2738	70.0175			
134	S	79.719	84.480	66.963	80.635	75.866	66.232	74.598	73.574	74.039			
195	T	6.8491	11.6298	11.6072	5.6951	6.0784	8.8288	7.9468	3.9713	62.6065			
193	S	66.996	73.108	71.253	77.339	72.126	96.688	107.419	116.232	82.803			
196	Т	4.2722	8.7267	9.0702	4.6133	4.3198	8.4834	5.5619	2.4961	47.5436			
130	S	107.407	97.428	91.183	95.475	101.488	100.624	153.479	184.925	109.037			
197	T	2.3897	4.6263	4.5661	2.2742	2.1568	4.3453	4.1464	2.1650	26.6698			
197	S	192.017	183.781	181.127	193.674	203.268	196.451	205.874	213.206	194.377			
198	Т	2.1920	4.4707	4.3413	2.1798	2.0633	4.0773	4.0036	2.0867	25.4147			
190	S	209.336	190.178	190.506	202.062	212.480	209.363	213.217	221.206	203.976			
199	T	2.0988	4.3946	4.3463	2.1834	2.0660	4.0188	4.3630	2.4945	25.9654			
199	S	218.631	193.471	190.287	201.729	212.202	212.411	195.654	185.043	199.650			
200	┰	2.7411	6.0958	8.6635	5.4172	5.6460							
200	S	167.401	139.478	95.463	81.307	77.650							

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 

**Session:** Race

# TAG June 6, 2020 MDYCAR

# Section Data for Car 28 - Hunter-Reay, Ryan

Report:

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.8618	5.3601	5.0969	2.4103	2.2395	4.4634	4.3685	2.2243	29.0248		59.8511	
•	S	160.341	158.622	162.264	182.738	195.762	191.252	195.407	207.522	178.606		78.946	
	Т	2.1884	4.6385	4.6636	2.2477	2.1095	4.3495	4.2058	2.1340	26.5370			
2	S	209.680	183.298	177.341	195.958	207.826	196.261	202.966	216.303	195.350			
3	Т	2.1168	4.5287	4.5371	2.2351	2.1189	4.4776	4.1807	2.1449	26.3398			
	S	216.772	187.742	182.285	197.063	206.904	190.646	204.185	215.204	196.812			
4	Т	2.1264	4.2299	4.3125	2.1734	2.2534				36.7757	15.1250		29.3378
4	S	215.794	201.004	191.779	202.657	194.554				140.963	59.572		160.962
5	T			8.4852	3.1183	2.6327	4.6444	4.3425	2.2326	42.6856		34.9985	
	S			97.469	141.248	166.525	183.799	196.577	206.750	121.446		135.006	
6	T	2.2062	4.2809	4.2508	2.1751	2.0796	4.0095	4.0262	2.1280	25.1563			
	S	207.988	198.609	194.562	202.499	210.814	212.903	212.020	216.913	206.072			
7	Т	2.1293	4.0797	4.1651	2.1393	2.0557	3.9713	3.9890	2.1148	24.6442			
	S	215.500	208.404	198.566	205.887	213.265	214.951	213.998	218.267	210.354			
8	T	2.1166	4.0542	4.1873	2.1470	2.0572	3.9684	3.9902	2.1115	24.6324			
	S	216.793	209.715	197.513	205.149	213.110	215.108	213.933	218.608				
9	T	2.1144	4.0696	4.1922	2.1430	2.0525	3.9632	4.0209	2.1202	24.6760			
	S	217.018	208.922	197.282	205.532	213.598	215.391	212.300	217.711	210.083			
10	T	2.1219	4.1367	4.2357	2.1546	2.0590	3.9725	3.9861	2.1010	24.7675			
	S	216.251	205.533	195.256	204.425	212.923	214.886	214.153	219.701	209.307			
11	T	2.1041	4.1567	4.2909	2.1818	2.0693		4.0875	2.1211	25.0871			
	S	218.081	204.544	192.744	201.877	211.863	209.445	208.841	217.619	206.640			
12	<u> </u>	2.1161	4.3210	4.5559	2.2505	2.1192	4.0541	4.1197	2.1449	25.6814			
12	S	216.844	196.766	181.533	195.714	206.875	210.561	207.208	215.204	201.858			
13	T	2.1259				2.0842	4.0814		2.1349	25.3577			
	S	215.844	198.466	189.968	200.380	210.349	209.153	208.428	216.212	204.435			
14	T	2.1239					4.0849		2.1234	25.3875			
	S	216.048	198.424	<del></del>	<del>•                                      </del>	+	208.974	209.821	217.383	204.195			
15	LT.	2.1236				2.0750		•					
<u> </u>	S	216.078	197.833	1		211.281	211.511	208.631	216.720	204.713			
16	T	2.1237	4.2881	4.4076		2.0830			2.1238				
	S	216.068	198.276	187.641		210.470		209.332	217.342	203.992			
17	T	2.1288	4.3002	4.3966	<del>•                                      </del>	2.1002	4.0619	4.0715	2.1418	25.4191		ļ	
<u></u>	S	215.550	197.718	188.110	•	208.746	210.157	209.661	215.515	203.941			
18	T	2.1257	4.2362	4.4482		2.1111	4.0601	4.0527	2.1314				
	S	215.865	200.705			207.669		-	216.567				
19	T	2.1241	4.2918			2.0917	4.0600		2.1333				
	S	216.027	198.105	189.633	200.016	209.595	210.255	209.899	216.374	204.649			

**Genesys 300 Event:** 

1.5 mile(s) Track: **Texas Motor Speedway** 

**Section Data Report NTT IndyCar Series** Report: **Session: Race** 

June 6, 2020 MDYCAR


Round 1



Lap	T/S			SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Ť	2.1274	4.2296	4.4704	2.2369	2.1161	4.0566	4.0786	2.1371	25.4527			
20	S	215.692	201.018	185.005	196.904	207.178	210.431	209.296	215.989	203.672			
24	Т	2.1242	4.2752	4.3871	2.2128	2.0942	4.0556	4.0490	2.1297	25.3278			
21	S	216.017	198.874	188.518	199.049	209.344	210.483	210.826	216.740	204.676			
22	Т	2.1191	4.2894	4.3974	2.2121	2.0982	4.0493	4.0666	2.1307	25.3628			
22	S	216.537	198.216	188.076	199.111	208.945	210.811	209.914	216.638	204.394			
23	Т	2.1227	4.2794	4.3871	2.2111	2.0986	4.0378	4.0497	2.1327	25.3191			
	S	216.170	198.679	188.518	199.202	208.906	211.411	210.790	216.435	204.747			
24	┙	2.1255	4.2953	4.3747	2.2087	2.0927	4.0495	4.0453	2.1268	25.3185			
	S	215.885	197.944	189.052	199.418	209.494	210.800	211.019	217.035	204.751			
25	Т	2.1221	4.2755	4.4381	2.2240	2.1138	4.0511	4.0591	2.1325	25.4162			
	S	216.231	198.860	186.351	198.046	207.403	210.717	210.302	216.455	203.964			
26	Т	2.1259	+		2.1859		4.0315	4.0426	2.1231	25.1416			
	S	215.844	+	<del>•</del>	201.498		211.742	211.160	217.414	206.192			
27	T	2.1214	4.1996	4.3563	2.1980	2.0877	4.0351	4.0244	2.1134	25.1359			
	S	216.302	202.454	189.850	200.389	209.996	211.553	212.115	218.412	206.239			
28	T	2.1110			2.2069		4.0536	4.0765	2.1386	25.2224			
	S	217.368	<del>•                                      </del>	+	199.581	209.655	210.587	209.404	215.838	205.532			
29	LT	2.1273	+	•	2.2029		4.0352	4.0393	2.1279	25.2957			
	S	215.702	196.976	189.864	199.943	209.695	211.547	211.333	216.923	204.936			
30	T	2.1216	+	1	2.1893		4.0408		2.1323	25.1747			
	S	216.282			201.185		211.254	210.167	216.476	205.921			
31	LT	2.1231	+	+	2.2132		4.0750	-		25.3216			
<u> </u>	S	216.129			199.013	209.145	209.481	206.627	214.424	204.726			
32	L	2.1366	1		2.2220		4.1093	4.1555	2.1586	25.6343			
	S	214.763			198.224	208.251	207.733	205.423	213.838	202.229			
33	T	2.1384			2.2198		4.0580		2.1259	25.3949			
	S	214.583	+	+	198.421	208.241	210.359		217.127	204.135			
34	I	2.1223			2.2088		4.0531	4.0622	2.1548	25.2501			
<u> </u>	S	216.211	1	1	199.409	208.538	210.613	210.141	214.215	205.306			
35	I	2.1497			2.1839	2.0961	4.0363			25.0785			
<u> </u>	S	213.455			201.683	209.155	211.490	211.516	214.544	206.711			
36	I	2.1608	+	+	2.2106	-				36.9730	29.1026		29.1997
<u> </u>	S	212.358	201.242	<del></del>	199.247	190.265		,		140.210	30.960	10 ===	161.723
37	그			8.6755	3.4673	3.6293	7.2924	6.7200	3.3971	64.1066		42.7773	
	S	0.05		95.331	127.031	120.797	117.058	127.029	135.878	80.865		110.456	
38	T	3.2302			3.2016	3.6912	10.3308	10.2776	5.6126	48.5312			
	S	142.054	140.227	135.050	137.573	118.771	82.630	83.058	82.242	106.818			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series



TAG



Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap I	PI to PO	PO to SF	SF to PI
39	Т	5.2857	8.7326	9.0430	5.6898	5.1447	10.0884	9.4598	5.1178	58.5618			
39	S	86.812	97.362	91.457	77.411	85.216	84.616	90.238	90.193	88.522			
40	T	4.9108	8.4483	8.3133	4.6689	4.5072	9.3501	10.9653	5.0733	56.2372			
40	S	93.440	100.639	99.485	94.338	97.269	91.297	77.849	90.984	92.181			
41	T	5.1842	8.6458	8.5968	4.9827	4.8555	9.1725	9.1410	5.0392	55.6177			
41	S	88.512	98.340	96.204	88.397	90.291	93.065	93.385	91.600	93.208			
42	Т	5.1586	9.3340	9.3235	4.6206	4.6093	10.2777	9.0852	4.7571	57.1660			
42	S	88.951	91.089	88.705	95.324	95.114	83.057	93.959	97.032	90.683			
43	Т	4.8474	10.1386	9.6326	5.6699	5.0581	11.2836	9.0120	5.3536	60.9958			
43	S	94.662	83.860	85.859	77.683	86.675	75.653	94.722	86.221	84.989			
44	T	5.5599	8.9938	9.0214	5.2107	5.5318	8.3505	10.0248	7.2818	59.9747			
	S	82.531	94.535	91.676	84.529	79.253	102.226	85.152	63.390	86.436			
45	7	4.3644	7.5032	8.6270	5.1174	4.0395	7.2764	5.3579	2.4643	44.7501			
45	S	105.138	113.315	95.867	86.070	108.531	117.316	159.323	187.311	115.843			
46	T	2.3934	4.8543	4.5018	2.2083	2.1041	4.3228	4.1073	2.1064	26.5984			
40	S	191.720	175.149	183.714	199.454	208.359	197.473	207.834	219.137	194.899			
47	Т	2.1024	4.4819	4.4151	2.2003	2.0836	4.4126	4.2136	2.1440	26.0535			
,	S	218.257	189.702	187.322	200.179	210.409	193.454	202.591	215.294	198.975			
48	Т	2.1201	4.4420	4.4013	2.1814	2.0929	4.2746	4.0930	2.1175	25.7228			
40	S	216.435	191.406	187.909	201.914	209.474	199.700	208.560	217.989	201.533			
49	T	2.1122	4.2634		2.1655	2.0491	4.0377	4.0269	2.0937	25.0935			
	S	217.244	199.425	190.344	203.396	213.952	211.416	211.984	220.467	206.587			
50	T	2.0811	4.2958	4.4244	2.2075	2.1022	4.0695	4.0329	2.1036	25.3170			
	S	220.491	197.921	186.928	199.526	208.548	209.764	211.668	219.429	204.764			
51	LT	2.1287	4.3466	4.3522	2.2010	2.0872	4.0794	4.0752	2.1312	25.4015			
	S	215.561	195.607	190.029		210.047	209.255	209.471	216.587	204.082			
52	Т	2.1161	4.2720			2.0629	4.0535	4.0181	2.1050	25.1082			
	S	216.844	199.023		203.059	212.521	210.592	212.448	219.283	206.466			
53	T	2.1007	4.1757	<del>•</del>	2.1626	2.0508	4.0368	4.0283	2.1121	24.9578			
<u> </u>	S	218.434	203.613		203.669	213.775	211.464	211.910	218.546	207.711			
54	Т	2.1029	4.2170			2.0712	4.0743	4.0481	2.1224	25.2210			
<u> </u>	S	218.205	201.619		200.818	211.669	209.517	210.873	217.485	205.543		1	
55	T	2.1123	4.2580	1		2.0718	4.0565	4.0347	2.1095	25.2146			
<u> </u>	S	217.234	199.678	+	200.864	211.608	210.437	211.574	218.815	205.595			
56	T	2.1259	4.3303		2.1815	2.0656	4.0499	4.0292	2.1137	25.2294			
<u> </u>	S	215.844	196.344		201.904	212.243	210.780	211.862	218.381	205.475		1	
57	T	2.1078			2.2011	2.0792	4.0697	4.0712	2.1259	25.2757			
	S	217.698	200.096	189.182	200.107	210.855	209.754	209.677	217.127	205.098			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.1264	4.2403	4.3648	2.1952	2.0741	4.0429	4.0301	2.1107	25.1845			
58	S	215.794		1	200.644			-		205.841			
	Т	2.1190	4.3080	4.3440		-	4.0242	4.0326	2.1183	25.2078			
59	S	216.547	197.360	190.388	201.240	211.485	212.126	211.684	217.906	205.651			
	Т	2.1245	4.2701	4.3729	2.2047	2.0866	4.1244	4.0766	2.1247	25.3845			
60	S	215.987	199.112	189.130	199.780	210.107	206.972	209.399	217.250	204.219			
<b>C4</b>	Т	2.1181	4.3272		2.2059		4.0884	4.0677	2.1247	25.4002			
61	S	216.639	196.484	188.535	199.671	210.622	208.795	209.857	217.250	204.093			
63	Т	2.1168	4.2446	4.4110	2.2106	2.0849	4.0850	4.0682	2.1312	25.3523			
62	S	216.772	200.308	187.496	199.247	210.278	208.969	209.831	216.587	204.478			
63	Т	2.1151	4.2675	4.4517	2.2213	2.1109	4.1532	4.1031	2.1353	25.5581			
63	S	216.947	199.233		198.287	207.688	205.537	208.047	216.171	202.832			
61	Т	2.1257	4.3537	4.3838	2.2174	2.0985	4.0762	4.0638	2.1352	25.4543			
64	S	215.865	195.288	188.659	198.636	208.915	209.420	210.059	216.182	203.659			
65	Т	2.1268	4.2672	4.3867	2.2142	2.0964	4.0768	4.0671	2.1365	25.3717			
05	S	215.753	199.247	188.535	198.923	209.125	209.389	209.888	216.050	204.322			
66	Т	2.1268	4.2134	4.3007	2.1850	2.0762	4.0405	4.0392	2.1283	25.1101			
00	S	215.753	201.791	192.305	201.581	211.159	211.270	211.338	216.882	206.451			
67	Т	2.1221	4.2374	4.3200	2.1962	2.0815	4.0469	4.0459	2.1304	25.1804			
07	S	216.231	200.648	191.446	200.553	210.622	210.936	210.988	216.669	205.874			
68	Т	2.1228	4.2212	4.3266	2.1928	2.0801	4.0475	4.0334	2.1143	25.1387			
00	S	216.160	201.418	191.154	200.864	210.763	210.905	211.642	218.319	206.216			
69	Т	2.1267	4.3186	4.3658	2.2049	2.0869	4.0527	4.0600	2.1310	25.3466			
09	S	215.763	196.876	189.437	199.762	210.077	210.634	210.255	216.608	204.524			
70	Т	2.1239	4.3181	4.3326	2.1961	2.0789	4.0869	4.0562	2.1226	25.3153			
70	S	216.048	196.898	190.889	200.562	210.885	208.871	210.452	217.465	204.777			
71	Т	2.1274	4.3576	4.3537	2.2071	2.0870	4.0398	4.0424	2.1180	25.3330			
/1	S	215.692	195.114	189.964	199.563	210.067	211.307	211.171	217.937	204.634			
72	٦	2.1147	4.3182	4.3661	2.2056	2.0848	4.0512	<del></del>	2.1112	25.2850			
14	S	216.988	196.894	189.424	199.698	210.288	210.712	211.652	218.639	205.023			
73	Т	2.1213	4.3494	4.3834	2.2220	2.0974	4.0968	4.0605	2.1247	25.4555			
,,	S	216.312	195.482	188.677	198.224	209.025	208.367	210.229	217.250	203.650			
74	Т	2.1217	4.2827	4.3910	2.2147	2.0892	4.1259	4.1175	2.1439	25.4866			
/ 7	S	216.272	198.526	188.350	198.878	209.845	206.897	207.319	215.304	203.401			
75	┰	2.1274	4.4022	4.4774	2.2652	2.1964	4.5166	4.4979	2.6514	27.1345			
, 5	S	215.692	193.137	184.716	194.444	199.603	189.000	189.786	174.093	191.048			
76	┙	3.1323	6.4931	6.5747	3.4756	3.5971	6.4614	5.9471	2.9787	38.6600			
70	S	146.494	130.943	125.792	126.728	121.878	132.113	143.538	154.964	134.092			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 28 - Hunter-Reay, Ryan

Report:

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	2.8506	5.5830	5.5869	2.7315	2.6246	5.6074	5.4327	3.8106	34.2273			
	S	160.971	152.289	148.033	161.250	167.038	152.234	157.129	121.133	151.458			
70	T	4.2931	7.9524	9.7629	5.4179	5.8657	10.2759	8.1391	4.5572	56.2642			
78	S	106.884	106.915	84.713	81.296	74.741	83.072	104.881	101.288	92.137			
79	Т	4.5561	8.1369	7.9264	4.0217	4.4311	8.8495	9.9293	4.0020	51.8530			
/9	S	100.714	104.490	104.341	109.519	98.939	96.462	85.971	115.340	99.975			
80	Т	3.9170	7.4343	8.4686	4.3416	4.4981	8.6665	8.6269	4.5359	50.4889			
80	S	117.147	114.365	97.660	101.450	97.465	98.498	98.951	101.764	102.676			
81	T	4.6301	9.1745	8.6269	4.3114	4.3251	8.6462	9.0104	4.7854	53.5100			
01	S	99.104	92.673	95.868	102.160	101.364	98.730	94.739	96.458	96.879			
82	T	4.8148	8.7734	8.3503	3.4829	2.9447	5.5272	5.2809	2.6014	41.7756			
62	S	95.303	96.910	99.044	126.462	148.881	154.443	161.646	177.439	124.092			
83	Т	2.6128	5.4862	5.3914	2.6109	2.4163	4.7933	4.6893	3.0536	31.0538			
63	S	175.621	154.976	153.401	168.698	181.438	178.089	182.039	151.163	166.936			
84	T	3.1174	6.2062	8.1490	5.0501	4.3739	9.2942			53.4893	26.9429		46.0961
	S	147.194	136.996	101.490	87.217	100.233	91.846			96.917	33.442		102.444
85	T			8.5355	3.3213	3.0079	5.4283	4.7467	2.4088	56.7034		37.1537	
65	S			96.895		145.753	157.257	179.838	191.627	91.423		127.174	
86	T	2.3745	4.8169	4.9645	4	2.4258	4.9524	5.0175	2.5724	29.6390			
	S	193.246	176.509	166.592	175.131	180.728	172.368	170.132	179.440	174.905			
87	T	2.4695	4.9545	-	1	2.1567	4.5048		2.1652	27.5876			
	S	185.812	171.607	172.258		203.278	189.495	201.600	213.186				
88	Т	2.1477	4.5648	+	+	2.0847	4.1663	4.0218	2.0904	25.8079			
	S	213.654	186.257	183.056		210.298	204.891	212.252	220.815	200.869			
89	T	2.0989	4.3836			2.0392	4.0593		2.0905	25.1181			
	S	218.621	193.956	-			210.292	212.723	220.804	206.385			
90	Т	2.0806	4.3280			2.0712	4.0625	4.0114	2.0958	25.2168			<b></b>
<u> </u>	S	220.544	196.448	+	+	211.669	210.126	-	220.246	205.577			<b></b>
91	T	2.0878		•		2.0525	4.0533		2.0919	25.0251			<b></b>
	S	219.783	198.860		•	213.598	210.603	212.866	220.656	207.152			<u> </u>
92	T	2.0867	4.3196			2.0474	4.0899	4.0769	2.1199	25.1990			<u> </u>
<u> </u>	S	219.899	196.830			214.130	208.718	209.384	217.742	205.722			<b></b>
93	T	2.1048	4.3355	+	+	2.0797	4.0921	4.0329	2.1104	25.3705			<b></b>
<u> </u>	S	218.008	196.108	187.483		210.804	208.606	211.668	218.722	204.332			<b></b>
94	T	2.1168	4.2625		1	2.0567	4.1448	4.1148	2.1397	25.3046			<b>_</b>
<u> </u>	S	216.772	199.467	192.399		213.161	205.954		215.727	204.864			<b></b>
95	T	2.1169				2.0783	4.0710		2.1184				<u> </u>
	S	216.762	199.355	189.151	200.143	210.946	209.687	210.624	217.896	205.100			

Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 28 - Hunter-Reay, Ryan

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.1086	4.2261	4.4679	2.2272	2.1033	4.1020	4.0531	2.1329	25.4211			
96	S	217.615	201.185	185.108	197.762	208.439	208.102	210.613	216.415	203.925			
97	T	2.1200	4.2324	4.3218	2.1923	2.0799	4.0710	4.0529	2.1274	25.1977			
97	S	216.445	200.885	191.366	200.910	210.784	209.687	210.624	216.974	205.733			
98	T	2.1153	4.1879	4.3525	2.2021	2.0860	4.0641	4.0700	2.1253	25.2032			
96	S	216.926	203.020	190.016	200.016	210.167	210.043	209.739	217.189	205.688			
99	Т	2.1125	4.3130	4.4173	2.2181	2.0906	4.0790	4.0625	2.1303	25.4233			
99	S	217.214	197.131	187.229	198.573	209.705	209.276	210.126	216.679	203.907			
100	Т	2.1196	4.2607	4.3461	2.1999	2.0836	4.1650	4.1098	2.1454	25.4301			
100	S	216.486	199.551	190.296	200.216	210.409	204.955	207.708	215.154	203.853			
101	T	2.1251	4.2743	4.4202	2.2257	2.0995	4.0763	4.0744	2.1372	25.4327			
101	S	215.926	198.916	187.106	197.895	208.816	209.415	209.512	215.979	203.832			
102	T	2.1277	4.2486	4.3551	2.2034	2.0873	4.0780	4.0820	2.1419	25.3240			
102	S	215.662	200.119	189.903	199.898	210.036	209.327	209.122	215.505	204.707			
103	Т	2.1294	4.2253	4.3581	2.2085	2.0908	4.1151	4.0957	2.1458	25.3687			
103	S	215.490	201.223	189.772	199.436	209.685	207.440	208.423	215.114	204.346			
104	T	2.1246	4.2945	4.3771	2.2205	2.0978	4.0550	4.0339	2.1187	25.3221			
104	S	215.976	197.981	188.948	198.358	208.985	210.515	211.616	217.865	204.722			
105	Т	2.1074	4.2219	4.3377	2.2024	2.0844	4.0357	4.0406	2.1215	25.1516			
103	S	217.739	201.385	190.665	199.988	210.329	211.521	211.265	217.578	206.110			
106	T	2.1121	4.2677	4.3536	2.2027	2.0814	4.0689	4.1197	2.1459	25.3520			
100	S	217.255	199.224	189.968	199.961	210.632	209.795	207.208	215.104	204.481			
107	T	2.1241	4.2925	4.3716	2.2159	2.0927	4.0590	4.0526	2.1211	25.3295			
107	S	216.027	198.073	189.186	198.770	209.494	210.307	210.639	217.619	204.663			
108	Т	2.1153		4.3937			4.1143	4.0957	2.1483	25.5149			
100	S	216.926	197.131	188.234	197.549	208.270	207.480	208.423	214.863	203.175			
109	T	2.1314				2.1219	4.0798		2.1362	25.4364			
	S	215.287	198.443	<del></del>	<del>•                                      </del>	206.612	209.235	-	216.080	203.802		ļ	
110	T	2.1261	4.2239		÷	2.0978	4.0569	•				<u> </u>	
	S	215.824		1			210.416		215.214	205.501		<u> </u>	
111	T	2.1368				2.1056	4.0986		2.1468	25.3304			
	S	214.743				208.211	208.275	208.943	215.013	204.655			
112	Т	2.1362	-	4.4092		-	4.0556	4.0316	2.1315	25.3752		ļ	
	S	214.804	200.350	187.573	•	206.330	210.483	211.736	216.557	204.294		<u> </u>	
113	T	2.1237	4.2401	4.3693			4.0402	4.0168	2.1278	25.2498		<u> </u>	
	S	216.068		189.286		207.865	211.286		216.933	205.309			
114	Т	2.1247	4.2883	1		2.1223	4.0950			25.5793			
	S	215.966	198.267	187.803	196.342	206.573	208.458	206.412	213.078	202.664			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1453	4.3814	4.5272	2.2684	2.1361	4.0687	4.0498	2.1273	25.7042			
115	S	213.893	194.054	182.684	194.170	205.238	209.806	210.785	216.984	201.679			
116	T	2.1101	4.3426	4.5148	2.2692	2.1364	4.1271	4.1462	2.1694	25.8158			
110	S	217.461	195.788	183.185	194.101	205.209	206.837	205.884	212.774	200.807			
117	T	2.1494	4.4070	4.4814	2.2577	2.1292	4.0704	4.0178	2.1197	25.6326			
	S	213.485	192.927	184.551	195.090	205.903	209.718	212.464	217.762	202.242			
118	Т	2.1139	4.3478	4.4634	2.2489	2.1245	4.1652	4.1733	2.1679	25.8049			
110	S	217.070	195.553	185.295	195.853	206.359	204.945	204.547	212.921	200.892			
119	Т	2.1458	4.4762	4.5349	2.2747	2.1486	4.2213	4.1256	2.1550	26.0821			
119	S	213.843	189.944	182.373	193.632	204.044	202.221	206.912	214.195	198.757			
120	T	2.1384	4.3476	4.4492	2.2488	2.1305	4.1401	4.0730	2.1487	25.6763			
120	S	214.583	195.562	185.886	195.862	205.778	206.187	209.584	214.823	201.898			
121	T	2.1383	4.3996	4.4377	2.2508	2.3341	6.3156			37.6392	27.1159		30.2356
121	S	214.593	193.251	186.368	195.688	187.828	135.163			137.729	33.229		156.183
122	Т			8.4857	3.1123	2.6078	4.6153	4.2649		54.4992		34.7869	
122	S			97.463	141.521	168.115	184.958	200.154	212.597	95.121		135.827	
123	T	2.1401	4.2925	4.3401	2.1697	2.0601	4.0604	4.0186	2.0946	25.1761			
123	S	214.412	198.073	190.559	203.003	212.810	210.235	212.421	220.372	205.910			
124	ΙΤ	2.0755	4.2337	4.2642	2.1458	2.0477	4.0230	3.9984	2.0919	24.8802			
127	S	221.086	200.824	193.951	205.264	214.098	212.189	213.494	220.656	208.358			
125	Т	2.0750	4.2003	4.2679	2.1480	2.0392	4.0578	4.0374	2.1056	24.9312			
123	S	221.139	202.421	193.783	205.053	214.991	210.369	211.432	219.221	207.932			
126	T	2.0896	4.2304	4.2915	2.1598	2.0516	4.0791	4.0388	2.1162	25.0570			
120	S	219.594	•	•	+	213.691	209.271	211.359	•	206.888		<u> </u>	
127	Т	2.1053	4.2105	4.2684		2.0557	3.9949	4.0000	2.0976	24.8988			
127	S	217.956	201.930	193.760	203.312	213.265	213.682	213.409	220.057	208.203			
128	Т	2.0904				2.0758	4.0244		2.1066	25.0546			
	S	219.510		<del> </del>	<del>•                                      </del>	+	212.115	-	-	206.908	ļ	ļ	
129	T	2.0945		•	+		4.0319	•		25.0958	ļ	<u> </u>	
	S	219.080		189.229		210.753	211.721	212.263	218.412	206.568			
130	T	2.1028				2.0708	4.0094	4.0202	2.1139	24.9843			
	S	218.216				211.710	212.909	212.337	218.360	207.490			
131	Т	2.1057	4.1507	4.2986		2.0724	4.0028	4.0320		<del> </del>			
	S	217.915	204.839	192.399	•	211.547	213.260	211.715	216.913	207.603			
132	T	2.1179				2.0742	4.0326						
	S	216.660					211.684						
133	Т	2.1160			+	2.0918			2.1269				
	S	216.854	206.406	190.139	199.716	209.585	211.212	210.821	217.025	206.536			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.1197	4.1667	4.3642	2.2114	2.0952	4.0414	4.0450	2.1331	25.1767			
134	S	216.476	204.053	189.507	199.175	209.245	211.223	211.035	216.394	205.905			
135	T	2.1239	4.1541	4.3104	2.1899	2.0802	4.0635	4.0418	2.1335	25.0973			
135	S	216.048	204.672	191.872	201.130	210.753	210.074	211.202	216.354	206.556			
136	T	2.1229	4.1268	4.3146	2.1896	2.0804	4.0280	4.0240	2.1246	25.0109			
130	S	216.149	206.026	191.685	201.158	210.733	211.926	212.136	217.260	207.270			
137	Т	2.1204	4.1191	4.3369	2.1987	2.0861	4.0248	4.0192	2.1215	25.0267			
137	S	216.404	206.411	190.700	200.325	210.157	212.094	212.390	217.578	207.139			
138	Т	2.1209	4.1608	4.3505	2.2120	2.0949	4.0502	4.0518	2.1415	25.1826			
136	S	216.353	204.342	190.104	199.120	209.274	210.764	210.681	215.546	205.856			
139	Т	2.1265	4.1533	4.3232	2.1959	2.0819	4.0191	4.0406	2.1240	25.0645			
139	S	215.784	204.711	191.304	200.580	210.581	212.395	211.265	217.322	206.826			
140	Т	2.1130	4.1605	4.3776	2.2209	2.1008	4.0462	4.0566	2.1284	25.2040			
140	S	217.162	204.357	188.927	198.323	208.687	210.972	210.431	216.872	205.682			
141	Т	2.1169	4.1823	4.3730	2.2168	2.0977	4.0556	4.0291	2.1210	25.1924			
141	S	216.762	203.292	189.125	198.689	208.995	210.483	211.868	217.629	205.776			
142	T	2.1148	4.1894	4.3248	2.1970	2.0813	4.0224	4.0346	2.1194	25.0837			
142	S	216.977	202.947	191.233	200.480	210.642	212.221	211.579	217.793	206.668			
143	Т	2.1106	4.2359	4.4098	2.2393	2.1097	4.1196	4.0811	2.1429	25.4489			
145	S	217.409	200.719	187.547	196.693	207.806	207.213	209.168	215.405	203.702			
144	T	2.1262	4.2549	4.4288	2.2381	2.1166	4.0812	4.0673	2.1489	25.4620			
	S	215.814	199.823	186.743	196.798	207.129	209.163	209.878	214.803	203.598			
145	LI	2.1349	4.2904	4.4078	2.2284	2.1102	4.0416	4.0251	2.1320	25.3704			
143	S	214.934	198.170	187.632	197.655	207.757	211.212	212.078	216.506	204.333			
146	ഥ	2.1247	4.2089	4.3792	2.2220	2.1043	4.0902	4.0634	2.1442	25.3369			
140	S	215.966	202.007	188.858	198.224	208.340	208.703	210.079	215.274	204.603			
147	Т	2.1283	4.1903	4.3732		2.1068		4.0750	2.1448	25.3176			
L	S	215.601	202.904	189.117		-	209.394	209.481	215.214	204.759		ļ	
148	T	2.1324	4.1775	•	2.2045			4.0408	2.1369	25.1649		<u> </u>	
<u> </u>	S	215.186	203.525	191.282	1	209.665	210.354	211.254	216.010	206.001		<u> </u>	
149	T	2.1265	4.2156		2.2293				2.1431	25.3636			
	S	215.784	201.686			207.600		210.141	215.385	204.387			
150	T	2.1296	4.1455	<del> </del>		2.0919		4.0391	2.1407	25.1092		ļ	
	S	215.469	205.096	191.654		209.575	210.826	211.343	215.626	206.458		<b>↓</b>	
151	T	2.1325	4.1537	4.3170	•	2.0934	4.0365	4.0337	2.1330	25.1025		<u> </u>	
	S	215.176	204.692	191.579	1	209.424	211.479		216.405	206.513			
152	Т	2.1291	4.1280		2.1902	2.0853		4.0290	2.1329	25.0163			
	S	215.520	205.966	192.960	201.102	210.238	211.521	211.873	216.415	207.225			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report** 

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/S	SF to T1		SS1 to T2	·	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
452	Т	2.1292	4.1264	4.3228	2.2050	2.0948	4.0219	4.0179	2.1254	25.0434			
153	S	215.510	206.046	191.322	199.753	209.284	212.247	212.458	217.178	207.001			
454	Т	2.1226	4.1102	4.3125	2.2027	2.2855	6.0108			36.3570	25.8947		28.6747
154	S	216.180	206.858	191.779	199.961	191.822	142.017			142.586	34.796		164.684
455	Т				3.1233	2.6354	4.6645	4.3625	2.2484	53.2624	ĺ	35.0500	
155	S				141.022	166.354	183.007	1	205.298	97.329		134.807	
456	Т	2.2236	4.1266	4.1543	2.1451	2.0645	4.0138	-	2.1103	24.8456			
156	S	206.361	206.036	199.082	205.331	212.356	212.675	213.015	218.732	208.649			
457	T	2.1053	4.1267	4.2340	2.1565	2.0679	4.4359	4.2286	2.2020	25.5569			1
157	S	217.956	206.031	195.334	204.245	212.007	192.438	201.872	209.623	202.842			
150	Т	2.1719	4.4160		2.2358		4.2693	1	2.1008	25.9018			
158	S	211.273	192.533		197.001	204.263	199.948	210.759	219.721	200.141			
150	Т	2.0783	4.3119	4.3558	2.1928	2.0737	4.0099	4.0138	2.1035	25.1397			
159	S	220.788	197.182	189.872	200.864	211.414	212.882	212.675	219.439	206.208			
160	Т	2.0866	4.1052	4.3214	2.1737	2.0635	4.0679	4.0303	2.1086	24.9572			
160	S	219.910	207.110	191.384	202.629	212.459	209.847	211.805	218.909	207.716			
161	T	2.0993	4.1091	4.2843	2.1703	2.0588	3.9697	3.9565	2.0908	24.7388			
161	S	218.579	206.913	193.041	202.946	212.944	215.038	215.755	220.772	209.549			
162	Т	2.0873	4.2143	4.2981	2.1790	2.0708	3.9808	3.9603	2.0872	24.8778			
102	S	219.836	201.748	192.421	202.136	211.710	214.438	215.548	221.153	208.379			
163	Т	2.0876	4.2866	4.2777	2.1714	2.0714	3.9998	3.9839	2.1046	24.9830			
103	S	219.804	198.345	193.339	202.844	211.649	213.420	214.272	219.325	207.501			
164	T	2.1124	4.1529	4.3097	2.1833	2.0812	4.0476	4.0162	2.1192	25.0225			
104	S	217.224	204.731	191.903	201.738	210.652	210.899	212.548	217.814	207.174			
165	T	2.1124	4.1189	4.3327	2.1930	2.0799	4.0464	4.0304	2.1212	25.0349			
105	S	217.224	206.421	190.885	200.846	210.784	210.962	211.799	217.608	207.071			
166	Т	2.1178	4.2011	4.3237	2.2004	2.0855	4.0383	4.0427	2.1183	25.1278			
100	S	216.670	202.382	191.282	200.170		211.385	211.155	217.906	206.305			
167	┸	2.1069	4.2037	4.3482	2.1925	2.0819	4.3054	4.1897	2.1660	25.5943			
107	S	217.791	202.257	190.204	200.891	210.581	198.271	203.746	213.108	202.545			
168	Т	2.1474	4.1619	4.3621	2.2091	2.1044	4.0455	4.0414	2.1228	25.1946			
100	S	213.683	204.288	189.598	199.382	208.330	211.009	211.223	217.444	205.758			
169	T	2.1172	4.1869	4.3965	2.2140	2.0973	4.0909		2.1328	25.2840			
109	S	216.731	203.068	188.115	198.941	209.035	208.667	210.858	216.425	205.031			
170	T	2.1212	4.1973	4.3593	2.2013	2.0882	4.0334	4.0383	2.1193	25.1583			
	S	216.323	202.565	189.720	200.088	209.946	211.642	211.385	217.803	206.055			
171	Т	2.1113	4.1855	4.3894	2.2194	2.1013	4.0464	4.0147	2.1175	25.1855			
	S	217.337	203.136	188.419	198.457	208.637	210.962	212.628	217.989	205.833			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap I	PI to PO	PO to SF	SF to PI
470	Т	2.1206	4.1456	4.3824	2.2127	2.0964	4.0398	4.0256	2.1217	25.1448			
172	S	216.384						212.052	217.557				
470	Т	2.1172	4.229	4.3934	2.2288	2.1129	4.0494	4.0176	2.1225	25.2713			
173	S	216.731	201.023	188.247	197.620	207.492	210.806	212.474	217.475	205.134			
474	Т	2.1181	4.1532	4.3401	2.2003	2.0875	4.0335	4.0226	2.1221	25.0774			
174	S	216.639	204.716	190.559	200.179	210.016	211.637	212.210	217.516	206.720			
175	T	2.1203	4.134	4.3196	2.1956	2.0843	4.0603	4.0139	2.1193	25.0478			
175	S	216.414	205.642	191.463	200.608	210.339	210.240	212.670	217.803	206.964			
176	Т	2.1126	4.1360	4.4953	2.2532	2.1385	4.0860	4.0416	2.1396	25.4028			
170	S	217.203	205.568	183.980	195.480	205.008	208.917	211.212	215.737	204.072			
177	T	2.1308	4.1786	4.3641	2.2183	2.1058	4.0408	4.0279	2.1285	25.1948			
1//	S	215.348	203.472	189.511	198.555	208.191	211.254	211.931	216.862	205.757			
178	T	2.1255	4.1617	4.3171	2.1975	2.0895			2.1259	25.0653	· · · · · · · · · · · · · · · · · · ·		
1/0	S	215.885	204.298	191.574	200.434	209.815	211.920	212.347	217.127	206.820			
179	T	2.1208	4.1263	4.3001	2.1932	2.0876	4.0314	4.0227	2.1210	25.0031			
1/9	S	216.363	206.05	_	200.827	210.006	211.747	212.205	217.629	207.334			
180	T	2.1156	4.121	4.3129	2.1952	2.0866	4.0188	4.0144	2.1250	24.9900			
100	S	216.895	206.29	191.761	200.644	210.107	212.411	212.644	217.219	207.443			
181	T	2.1211	4.080	4.3145	2.1962	2.0868	4.0234	4.0178	2.1187	24.9590			
101	S	216.333	208.364	191.690	200.553	210.087	212.168	212.464	217.865	207.701			
182	Т	2.1165	4.0753	4.2931	2.1842	2.0796	4.0401	4.0288	2.1320	24.9496			
102	S	216.803	208.629	192.645	201.655	210.814	211.291	211.884	216.506	207.779			
183	T	2.1245	4.116	1 4.2790	2.1853	2.2174	5.7907			36.1781	26.5072		28.78
103	S	215.987	206.56	193.280	201.553	197.713	147.415			143.291	33.992		164.07
184	T				3.1256	2.6314	4.6411	4.3306	2.2249	54.1162		35.0059	
104	S				140.918		183.930	-	207.466	95.794		134.977	
185	T	2.2038	4.0597		2.0987		4.0082	4.0038	2.1102	24.5959			
	S	208.215	209.43		209.870		212.972	213.207	218.743	210.767			
186	LT	2.1116	<del></del>	<del></del>	2.1043	+	•		2.0844	24.4830			<u> </u>
	S	217.306	214.926	_	209.312	1	210.993		221.450	211.739			
187	Т	2.1491	4.287		2.1422				2.1846	26.0413			
	S	213.514	198.304		205.609	1			211.293	199.068			
188	T	2.1567	4.2248		2.1746	1			2.0851	24.9401			
	S	212.762	201.247	+	202.545	+	215.244	215.391	221.376	207.858			<u> </u>
189	T	2.0736	•	_		1	4.2688		2.1778	25.9226			
	S	221.288	196.97		192.237	202.116	199.971	204.527	211.953	199.980			
190	T	2.1615	3.9992			1	4.8107	5.3163	3.5999	28.2533			
190	S	212.289	212.599	200.302	207.214	207.669	177.445	160.570	128.223	183.483			

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR



Lap	T/S <sup>S</sup>	F to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	3.9920	6.459	6.9094	3.9187	3.6524	6.9271	6.5109	3.3667	41.7365	i		
191	S	114.946	131.62	119.699	112.398	120.033	123.231	131.109	137.105	124.208			
192	Т	3.2294	5.875	7.7336	4.4002	3.6650	6.5005	5.8911	3.2661	40.5612	!		
192	S	142.089	144.71	2 106.942	100.099	119.620	131.319	144.903	141.328	127.807	'		
193	T	3.1591	6.109	8.1164	5.3227	5.8242	9.7941	8.0986	4.3970	50.8213	l e		
193	S	145.251	139.17	2 101.898	82.750	75.274	87.158	105.405	104.979	102.004			
194	T	4.8327	9.696	5 10.4469	6.0609	6.1504	11.2994	9.5396	4.8178	62.8443	<mark> </mark>		
194	S	94.950	87.68	79.167	72.671	71.281	75.547	89.483	95.809	82.490	)		
195	T	5.1954	10.189	12.8657	6.6897	5.7275	11.4223	11.9771	5.9998	70.0665	i		
193	S	88.321	83.44	64.283	65.841	76.545	74.734	71.272	76.934	73.987	<u>'</u>		
196	T	5.9834	12.232	5 12.1136	6.2045	5.2735	9.8428	7.9830	3.6826	63.3159	)		
130	S	76.689	69.50	68.274	70.990	83.134	86.727	106.932	125.344	81.875			
197	I	4.1098	7.597	8.8405	4.2482	4.3036	7.1607	5.0338	2.4050	43.6990	)		
137	S	111.651	111.91	93.552	103.680	101.870	119.211	169.581	191.930	118.630	)		
198	LI	2.3101	4.601	5 4.4748	2.1912	2.1004	4.4530	4.1478	2.1169	26.3957			
	S	198.634	184.77	2 184.823	201.011	208.726	191.699	205.805	218.050	196.396			
199	T	2.1209	4.568	4.4638	2.2136	2.1293	4.2596	4.0719	2.0997	25.9268			
	S	216.353			1			<u> </u>	219.837	199.948			
200	LT	2.0842	4.325	3 4.4151	2.1981	2.0761	4.2946	4.7190	2.9336	27.0460			
	S	220.163	196.57	1 187.322	200.380	211.170	198.770	180.893	157.346	191.673			
201	T	3.2826	_	7 8.3952	5.4013								
	S	139.787	125.00	98.514	81.546								

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

Session: Race June 6, 2020

# **Section Data for Car 29 - Hinchcliffe, James**

Report:

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.8041	5.4094	4.7525	2.2928	2.1530	4.7425	4.4443	2.1966	28.7952		54.0625	
	S	163.640	157.176	174.023	192.103	203.627	179.997	192.074	210.139	180.030		87.399	
	Т	2.2455	4.5240	4.3337	2.1743	2.0599	4.0638	3.9811	2.0631	25.4454			
2	S	204.348	187.937	190.840	202.573	212.830	210.059	214.422	223.737	203.730			
3	Т	2.1047	4.2814	4.3191	2.1714	2.0590	4.2314	4.0932	2.1273	25.3875			
	S	218.019	198.586	191.486	202.844	212.923	201.739	208.550	216.984	204.195			
4	Т	2.1176	4.2262	4.5240	2.2408	2.1079	4.0580	3.9922	2.0947	25.3614			
	S	216.690	201.180	182.813	196.561	207.984	210.359	213.826	220.361	204.405			
5	T	2.0965	4.2254	4.2543	2.1520	2.0433	4.0507	4.0683	2.1172	25.0077			
	S	218.871	201.218	194.402	204.672	214.559	210.738	209.826	218.020	207.296			
6	Т	2.1120	4.3513	4.3122	2.1702	2.0578	4.0431	4.0283	2.1098	25.1847			
	S	217.265	195.396	191.792	202.956	213.047	211.134	211.910	218.784	205.839			
7	T	2.1091	4.2538	+		2.0700	4.2504			25.4055			
	S	217.564	199.875	193.687	203.415	211.792	200.837	205.968	215.455	204.050			
8	T	2.1270	4.2805	4.3189	2.1805	2.0683	4.0397	4.0110	2.1061	25.1320			
	S	215.733	198.628	191.494	201.997	211.966	211.312	212.824	219.169	206.271			
9	T	2.1016	4.2214	4.2847	2.1633	2.0536	4.0156	4.0199	2.1055	24.9656			
	S	218.340			203.603	213.483	212.580	212.353	219.231	207.646			
10	T	2.1054	4.2718	4.4342	2.2226	2.0967	4.0658	4.0212	2.1121	25.3298			
	S	217.946	199.033	186.515	198.171	209.095	209.955	212.284	218.546	204.660			
11	Т	2.1160	4.2919	4.4203	2.2130	2.0915	4.0225	3.9984	2.1037	25.2573			
	S	216.854	198.100		199.031	209.615	212.215		219.419				
12	T	2.1037	4.2016	+		2.0596	4.0639	+	+	+			
	S	218.122	202.358		•	•	210.053	•	216.964	206.835	•		
13	T	2.1232				2.0762	4.0524	•					
	S	216.119		190.152			210.650		218.081	205.629			
14	T	2.1190		4.3076			4.0402			25.0990		1	
<u> </u>	S	216.547	199.247	191.997		212.490	211.286	+	+	206.542		<del>                                     </del>	ļ
15	T	2.1002	4.2155	•	·	2.0593	4.0930		•	•		<b>_</b>	
	S	218.486	201.691	192.180		212.892	208.560	1		206.224		<del>                                     </del>	
16	T	2.1165			1		4.0679			25.2685			
<u> </u>	S	216.803	198.981	189.581	201.066	211.567	209.847						
17	T	2.1208	-	-	2.1855	2.0723	4.0221			+			
<u> </u>	S	216.363	200.781	191.948	•	211.557	212.236	+	218.360	206.700			
18	T	2.1102	4.2021	4.3183	1	2.0803	4.0548	1	2.1122	25.1067		+	
<u> </u>	S	217.450				210.743	210.525					+	
19	T	2.1096				2.0839	4.0711			25.1938			
	S	217.512	201.232	191.118	199.762	210.379	209.682	210.795	217.506	205.765			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# **Section Data for Car 29 - Hinchcliffe, James**

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1143	4.2383	4.3441	2.2025	2.0802	4.0847	4.0536	2.1267	25.2444			
20	S	217.029	200.606	190.384	199.979	210.753	208.984	210.587	217.046	205.352			
21	Т	2.1175	4.2304	4.3218	2.2055	2.0833	4.1066	4.0865	2.1391	25.2907			
	S	216.701	200.980	191.366	199.707	210.440	207.869	208.892	215.787	204.977			
22	Т	2.1437	4.3331	4.4130	2.2569	2.1242	4.1135	4.0886	2.1455	25.6185			
	S	214.052	196.217	187.411	195.159	206.388	207.521	208.785	215.144	202.354			
23	Т	2.1393	4.2772	4.3329	2.2064	2.0900	4.0836	4.0637	2.1296	25.3227			
	S	214.492	198.781	190.876	199.626	209.765	209.040	210.064	216.750	204.718			
24	Т	2.1269	4.2868	4.3803	2.2262	2.1023	4.0851	4.0634	2.1318	25.4028			
	S	215.743	198.336	188.810	197.850	208.538	208.963	210.079	216.526	204.072			
25	Т	2.1269	4.3027	4.3501	2.2130	2.0944	4.0871	4.0621	2.1308	25.3671			
	S	215.743	197.603	190.121	199.031	209.324	208.861	210.147	216.628	204.359			
26	Т	2.1249	4.2833	4.3921	2.2375	2.1108	4.1990	4.1142	2.1501	25.6119			
	S	215.946	198.498	188.303	196.851	207.698	203.295	207.485	214.683	202.406			
27	Т	2.1513	4.3239	4.3561	2.2086	2.0866	4.0848	4.0550	2.1314	25.3977			
	S	213.296	196.634	189.859	199.427	210.107	208.979	210.515	216.567	204.113			
28	Т	2.1192	4.2486	4.3441	2.2107	2.0890	4.1283	4.1298	2.1493	25.4190			
	S	216.527	200.119	190.384	199.238	209.866	206.777	206.702	214.763	203.942			
29	Т	2.1441	4.2799	4.3610	2.2161	2.0996	4.1163	4.1000	2.1465	25.4635			
	S	214.012	198.656	189.646	198.752	208.806	207.380	208.204	215.044	203.586			
30	Т	2.1403	4.2921	4.3602	2.2145	2.0923	4.2675	4.2082	2.1747	25.7498			
	S	214.392	198.091	189.681	198.896	209.535	200.032	202.851	212.255	201.322			
31	T	2.1556	4.3658	4.4196	2.2462	2.1199	4.1161	4.1064	2.1526	25.6822			
J.	S	212.870	•	187.131	196.089	206.806	207.390	207.879	214.434	201.852			
32	Т	2.1437		4.3711		2.1064	4.1495	4.1143	2.1589	25.5799			
	S	214.052		189.208	198.224	208.132	205.720	207.480	213.808	202.659			
33	Т	2.1567		4.3949		2.1066		4.0768	2.1447	25.5416			
	S	212.762	196.212	188.183	<del>•                                      </del>	208.112	208.087	209.389	215.224	202.963			
34	T	2.1385		4.4583	•		4.1350	•	2.1426	25.7598			
<u> </u>	S	214.573		185.507		206.145	206.442	207.526	215.435	201.244			
35	Т	2.1318		4.5307		2.1551	4.1959		2.1766	25.9742			
	S	215.247	196.058	182.543		203.429		204.950	212.070	199.583			
36	Т	2.1742	-	4.4669	<del>•                                      </del>	2.4625	6.5308			39.0367	27.5546		30.8008
	S	211.049	193.908	185.150	•	178.034	130.709			132.798	32.700		153.317
37	T			8.4952		2.6271	4.7955		2.9002	55.9931		36.6744	
<u> </u>	S			97.354		166.879			159.158	92.583		128.836	
38	Т	2.9783	6.0686	6.6680		3.6405	6.9610	6.0529	3.3225	39.3285			
	S	154.069	140.103	124.032	121.114	120.426	122.631	141.029	138.929	131.813			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### **Section Data for Car 29 - Hinchcliffe, James**

Lap				SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	3.6010	6.6934	6.1089	3.0390	3.2418	8.4820	10.8751	5.0256	47.0668			
39	S	127.427	127.025	135.384	144.934		100.641	78.495	91.848	110.141			
40	Т	6.0258	10.3933	8.2530	4.5324	4.9342	10.6085	9.2094	4.8867	58.8433			
40	S	76.150	81.805	100.211	97.179	88.851	80.467	92.692	94.459	88.098			
44	Т	5.4498	9.2356	8.0157	4.4342	4.7156	9.7870	9.4528	5.3973	56.4880			
41	S	84.198	92.060	103.178	99.331	92.970	87.221	90.305	85.523	91.772			
42	T	5.7082	9.3187			4.7928	9.7019	8.7869	4.4661	55.6580			
42	S	80.387	91.239	97.718	99.655	91.472	87.987	97.149	103.354	93.140			
43	T	4.7648	9.4199	9.5734	5.3825	5.2176	9.7420	8.9107	4.6412	57.6521			
43	S	96.303	90.259	86.390	81.831	84.025	87.624	95.799	99.455	89.919			
44	T	5.0197	9.3408	9.4337	5.4344	5.6394	11.1013	9.9877	4.9202	60.8772			
44	S	91.413	91.023	87.669	81.049	77.740	76.895	85.469	93.815	85.155			
45	⊣	5.1926	9.2807	9.1498			10.8158		5.3912	58.0284			
45	S	88.369	91.612			87.557	78.925	106.149	85.619	89.336			
46	T	6.4485	7.1269	7.2727	5.0164	3.7509	6.6232	4.9120	2.3817	43.5323			
_ +0	S	71.158	119.298	113.719	87.803	116.881	128.886	173.786	193.807	119.084			
47	T	2.2887	4.5522	4.4072	2.2111		4.3378	4.1121	2.1106	26.1184			
	S	200.491	186.773	187.658	199.202	208.896	196.790	207.591	218.701	198.481			
48	T	2.1119	4.3784	4.3681	2.1722	2.0710			2.1187	25.6376			
	S	217.275	194.187	189.338	202.769	211.690	198.515	207.334	217.865	202.203			
49	T	2.1979				-	4.2534		2.0990	25.9180			
	S	208.774	185.542	185.569	200.507	211.312	200.695	210.406	219.910	200.015			
50	T	2.1008		·		-	4.1160	+	2.1249	25.6200			
	S	218.423	191.986	185.549	198.260	210.117	207.395	209.004	217.229	202.342			
51	T	2.1205	•	1	•		4.0419		2.0955	25.1817			
	S	216.394	196.562	190.542	201.960	212.490	211.197	212.681	220.277	205.864			
52	T	2.1459							2.1473	25.8349			
	S	213.833	191.639	+	+	207.590	200.931	<del>•                                      </del>	214.963	200.659			
53	T	2.1363	•	·		•	•	÷	2.1076	25.0853		<u> </u>	
	S	214.794	197.498	1			211.427		219.013	206.655			
54	T	2.1059				-	4.0362		2.1095	25.0709			
ļ.,	S	217.894	200.200		1	211.598	211.495		218.815	206.774			
55	T	2.1018			1		4.0353		2.1141	25.0608			
	S	218.319	<del>•                                      </del>		202.016		211.542	+	218.339	206.857		4	<b></b>
56	T	2.1053		·			4.1733	•	2.1390	25.4684			<b></b>
L	S	217.956					204.547		215.798	203.546			
57	L	2.1162					4.1702		2.1437	25.6196			
L	S	216.834	197.429	185.038	197.770	208.459	204.699	209.061	215.324	202.345			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 29 - Hinchcliffe, James

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1305	4.2308	4.2431	2.1586	2.0615	4.0057	3.9896	2.1109	24.9307			
56	S	215.378	200.961	194.915	204.046	212.665	213.105	213.965	218.670	207.936			
59	T	2.1011	4.1966	4.2777	2.1732	2.0622	4.0443	4.0207	2.1117	24.9875			
39	S	218.392	202.599	193.339	202.676	212.593	211.071	212.310	218.587	207.464			
60	Т	2.1008	4.2576	4.3799	2.2065	2.0821	4.0943	4.0508	2.1222	25.2942			
80	S	218.423	199.696	188.827	199.617	210.561	208.494	210.733	217.506	204.948			
61	Т	2.1112	4.2654	4.4132	2.2187	2.0924	4.1191	4.0644	2.1264	25.4108			
61	S	217.347	199.331	187.403	198.519	209.525	207.239	210.028	217.076	204.008			
62	Т	2.1222	4.3088	4.3853	2.2142	2.0883	4.0692	4.0485	2.1213	25.3578			
62	S	216.221	197.323	188.595	198.923	209.936	209.780	210.853	217.598	204.434			
63	Т	2.1160	4.3078	4.3975	2.2195	2.0930	4.0984	4.0711	2.1320	25.4353			
63	S	216.854	197.369	188.072	198.448	209.464	208.285	209.682	216.506	203.811			
64	Т	2.1293	4.3089	4.4193	2.2310	2.1039	4.1127	4.0552	2.1251	25.4854			
04	S	215.500	197.319	187.144	197.425	208.379	207.561	210.504	217.209	203.411			
65	Т	2.1261	4.3162	4.3849	2.2347	2.1032	4.1280	4.0666	2.1241	25.4838			
05	S	215.824	196.985	188.612	197.098	208.449	206.792	209.914	217.311	203.423			
66	Т	2.1310	4.3626	4.4465	2.2579	2.1235	4.1315	4.0710	2.1387	25.6627			
00	S	215.328	194.890	185.999	195.073	206.456	206.617	209.687	215.828	202.005			
67	T	2.1366	4.3326	4.4190	2.2470	2.1190	4.1017	4.0712	2.1409	25.5680			
	S	214.763	196.240	187.157	196.019	206.894	208.118	209.677	215.606	202.753			
68	Т	2.1436	4.3325	4.4139	2.2409	2.1161	4.1003	4.0794	2.1477	25.5744			
	S	214.062	196.244	187.373	196.553	207.178	208.189	209.255	214.923	202.703			
69	T	2.1454	4.3221	4.3849	2.2290	2.1123	4.0801	4.0603	2.1447	25.4788			
09	S	213.883	196.716	188.612	197.602	207.551	209.219	210.240	215.224	203.463			
70	T	2.1431	4.2957	4.4011	2.2390	2.1231	4.1124	4.1063	2.1627	25.5834			
	S	214.112	197.925	187.918	196.719	206.495	207.576	207.885	213.433	202.631			
71	T	2.1598	4.3346	4.3978	2.2342	2.1208	4.0984			25.6058			
<b></b>	S	212.457	196.149	188.059	-	206.719	208.285		+	202.454			
72	T	2.1552	4.3271	4.4566		2.1541	4.4087	<del>                                     </del>		26.3880		1	
	S	212.910	196.489	185.578	194.272	203.523	193.625		205.517	196.453			
73	Т	2.2419	4.5367	4.5875	2.3212	2.2417	4.5998		2.2311	27.1180			
ļ	S	204.676	187.411	180.282	189.753	195.570	185.581		206.889	191.165			
74	Т	2.2161	4.4998	4.4866	2.2685	2.1464	4.1816	1					
	S	207.059	188.948	184.337	194.161	204.253	204.141	<del>•                                      </del>	213.749			1	
75	T	2.1675	4.4272	4.5050		2.1606	4.2192		2.1778				
	S	211.702	192.046				202.322		211.953				
76	Т	2.1791	4.4454		2.2723	2.1767	4.7670		2.6143				
	S	210.575	191.260	184.251	193.836	201.410	179.072	172.829	176.564	185.922			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 29 - Hinchcliffe, James

**Section Data Report** 

Report:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	2.7394	5.4663	5.8819	3.3457	3.4579	6.7928	6.0578	2.9650	36.7068			
	S	167.505	155.540	140.609	131.648	126.785	125.668	140.915	155.680	141.227			
78	Т	3.0512	5.9534	5.8296	2.8434	2.7367	5.9071	5.6446	2.9361	34.9021			
	S	150.388	142.814	141.870	154.904	160.196	144.510	151.231	157.212	148.530			
79	T	3.1695	6.6106	8.2718	5.4387	5.9236	11.0043	8.2357	4.4147	53.0689			
/9	S	144.775	128.616	99.984	80.985	74.011	77.573	103.651	104.558	97.684			
80	Т	4.6332	7.9648	7.3969	3.7756	3.8200	8.4276			54.8172	26.7345		46.9310
80	S	99.038	106.748	111.810	116.658	114.767	101.291			94.569	33.703		100.622
81	T			9.0012	3.8577	3.8290	7.6460	6.9951	3.7810	64.6295		45.7812	
01	S			91.882	114.175	114.497	111.645	122.033	122.082	80.211		103.208	
82	T	3.8197	7.0088	6.7293	3.3439	3.6905	7.6523	6.5870	3.6423	42.4738			
62	S	120.131	121.309	122.902	131.719	118.794	111.553	129.594	126.731	122.052			
83	7	3.9985	7.9360	9.2702	5.2290	5.0444	9.0286	7.6382	3.9826	52.1275			
63	S	114.759	107.135	89.215	84.233	86.910	94.548	111.759	115.902	99.448			
84	T	4.6309	8.5527	8.6373	5.0350	4.8987	8.9043	8.3458	4.2808	53.2855			
	S	99.087	99.410	95.753	87.479	89.495	95.868	102.283	107.828	97.287			
85	Т	4.5014	8.3744	8.9525	4.7054	4.6656	8.6043	8.2904	4.9316	53.0256			
85	S	101.938	101.527	92.382	93.606	93.966	99.210	102.967	93.599	97.764			
86	Т	4.6216	7.0292	7.0695	4.0424	3.7791	6.8019	6.8066	2.8209	42.9712			
	S	99.287	120.956	116.988	108.959	116.009	125.500	125.413	163.632	120.639			
87	T	2.6457	5.1299		2.3303	2.1776	4.5358		2.1720				
67	S	173.438	165.740		189.012	201.327	188.200	198.714	212.519				
88	T	2.1528	4.3533		2.1476	2.0667	4.2270	4.0431	2.1015	25.3765			
	S	213.147	195.306	193.032	205.092	212.130	201.949	211.134	219.648	204.283			
89	T	2.0855	4.2200	4.3771	2.1725	2.0566	4.0724	3.9985	2.0919	25.0745			
	S	220.026	201.476	188.948	202.741	213.172	209.615	213.489	220.656	206.744			
90	T	2.0864	4.2293		2.1635	2.0489	4.1661	4.0765	2.1212	25.1983			
	S	219.931	201.033	192.050	203.584	213.973	204.901	209.404	217.608	205.728			
91	┙	2.1132	4.2419	4.2893	2.1639	2.0593	3.9992	3.9630	2.0901	24.9199			
	S	217.142	200.435		203.547	212.892	213.452	215.402	220.846	208.027			
92	Т	2.0862	4.2329			2.0660	4.0962		2.1033	25.1231			
	S	219.952	200.862		201.793	212.202	208.397	212.284	219.460	206.344			
93	Т	2.1022	4.2280	4.2909	2.1636	2.0525	4.0190	4.0081	2.1024	24.9667			
	S	218.278	201.094	192.744	203.575	213.598	212.400	212.978	219.554	207.637			
94	T	2.1079	4.3057	4.3498	2.1822	2.0699	4.0528	4.0095	2.1043	25.1821			
	S	217.688	197.466			211.802	210.629		219.356				
95	T	2.0972	4.2885			2.0638	4.0654						
	S	218.798	198.257	191.335	202.275	212.428	209.976	213.223	219.962	206.395			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 29 - Hinchcliffe, James

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.0945	4.2745	4.4391	2.2163	2.0913	4.0043	3.9857	2.0954	25.2011			
96	S	219.080	198.907	186.309	198.734	209.635	213.180	214.175	220.288	205.705			
97	Т	2.0934	4.2680	4.4046	2.2047	2.0843	4.0728	4.0326	2.1190	25.2794			
9/	S	219.195	199.210	187.769	199.780	210.339	209.594	211.684	217.834	205.068			
98	Т	2.1133	4.2828	4.3328	2.1890	2.0766	4.0901	4.0548	2.1163	25.2557			
96	S	217.131	198.521	190.880	201.213	211.119	208.708	210.525	218.112	205.261			
99	Т	2.1087	4.2469	4.3700	2.2081	2.0834	4.1452	4.0600	2.1162	25.3385			
99	S	217.605	200.200	189.255	199.472	210.430	205.934	210.255	218.123	204.590			
100	Т	2.1081	4.3132	4.4228	2.2265	2.0987	4.0858	4.0561	2.1315	25.4427			
100	S	217.667	197.122	186.996	197.824	208.896	208.928	210.457	216.557	203.752			
101	Т	2.1258	4.2661	4.3408	2.1851	2.0733	4.0501	4.0156	2.1085	25.1653			
101	S	215.855	199.298	190.528	201.572	211.455	210.769	212.580	218.919	205.998			
102	T	2.1074	4.2646	4.3647	2.2052	2.0865	4.0866	4.0308	2.1189	25.2647			
102	S	217.739	199.369	189.485	199.735	210.117	208.887	211.778	217.845	205.187			
103	Т	2.1132	4.2531	4.3166	2.1750	2.0649	4.1215	4.0579	2.1241	25.2263			
103	S	217.142	199.908	191.597	202.508	212.315	207.118	210.364	217.311	205.500			
104	T	2.1147	4.2216	4.4154	2.2188	2.0933	4.0682	4.0480	2.1260	25.3060			
104	S	216.988	201.399	187.309	198.510	209.434	209.831	210.879	217.117	204.853			
105	T	2.1235	4.2984	4.3953	2.2034	2.0891	4.0849	4.0391	2.1259	25.3596			
103	S	216.088	197.801	188.166	199.898	209.855	208.974	211.343	217.127	204.420			
106	Т	2.1235	4.2798	4.3145	2.1816	2.0764	4.0700	4.0293	2.1184	25.1935			
100	S	216.088	198.661	191.690	201.895	211.139	209.739	211.857	217.896	205.767			
107	Т	2.1181	4.2456	4.2908	2.1763	2.0710	4.0531	4.0251	2.1174	<del> </del>			
107	S	216.639	200.261	192.749	202.387	211.690	210.613		217.999	206.555			
108	T	2.1180	4.2638	4.3533	2.2034	2.0898	4.0760		2.1260				
	S	216.649	199.406	189.981	199.898	209.785	209.430		217.117	205.070			
109	Т	2.1233	4.2600	4.3198		2.0775	4.0955		2.1300				
	S	216.109	199.584	191.455	201.341	211.027	208.433	210.561	216.709	205.325		<u> </u>	
110	Т	2.1229	4.3035	4.3490	·	2.0862	4.0653		2.1156			<del>                                     </del>	
<u> </u>	S	216.149	197.566	190.169	199.998	210.147	209.981	211.984	218.184	205.131		<del>                                     </del>	
111	T	2.1192	4.2950	4.3516		2.0849	4.1184		2.1298	-		<del>                                     </del>	
	S	216.527	197.957	190.055	200.152	210.278	207.274	209.204	216.730	204.256			
112	Т	2.1257	4.3274	4.4283	2.2202	2.0926	4.1404	4.0858	2.1322	25.5526		<u> </u>	
	S	215.865	196.475	186.764	198.385	209.504	206.172	208.928	216.486			<del>                                     </del>	
113	Т	2.1242	4.3470	4.4640		2.1008	4.1851	4.1009	2.1273			<del>                                     </del>	
	S	216.017	195.589	185.270		208.687	203.970		216.984				
114	T	2.1880	4.5496	4.5374		2.1439	4.2835		2.1265	26.1791			
	S	209.718	186.880	182.273	195.367	204.491	199.285	208.423	217.066	198.021			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 29 - Hinchcliffe, James

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1683	4.4530	4.4531	2.2500	2.1120	4.1527	4.0945	2.1397	25.8233			
115	S	211.624	190.934	185.724	195.758	207.580	205.562	208.484	215.727	200.749			
116	Т	2.1512	4.4158	4.4639	2.2397	2.1169	4.1080	4.0578	2.1339	25.6872			
110	S	213.306	192.542	185.274	196.658	207.100	207.799	210.369	216.313	201.813			
117	Т	2.1407	4.3768	4.4101	2.2302	2.1110	4.1331	4.0754	2.1441	25.6214			
	S	214.352	194.258	187.534	197.496	207.678	206.537	209.461	215.284	202.331			
118	Т	2.1512	4.3975	4.4105	2.2401	2.1259	4.1035	4.0847	2.1487	25.6621			
110	S	213.306	193.343	187.517	196.623	206.223	208.026	208.984	214.823	202.010			
119	Т	2.1502	4.3490	4.3778	2.2200	2.1101	4.0947	4.0723	2.1569	25.5310			
119	S	213.405	195.499	188.918	198.403	207.767	208.473	209.620	214.007	203.047			
120	Т	2.1632	4.3467	4.3797	2.2333	2.1247	4.1579	4.1151	2.1677	25.6883			
120	S	212.123	195.603	188.836	197.221	206.339	205.305	207.440	212.940	201.804			
121	Т	2.1710	4.3755	4.4985	2.2866	2.5743	6.4719			38.2495	89.7526		30.5415
121	S	211.360	194.315	183.849	192.624	170.302	131.899			135.531	10.039		154.618
122	T			8.4790	3.1463	2.6381	4.7985	4.4455	2.2578	117.4182		35.3736	
122	S			97.540	139.991	166.184	177.897	192.023	204.443	44.150		133.574	
123	Т	2.2304	4.3906	4.2431	2.1590	2.0718	4.0249	4.0199	2.1277	25.2674			
123	S	205.732	193.647	194.915	204.009	211.608	212.089	212.353	216.944	205.166			
124	T	2.1284	4.2117	4.1692	2.1377	2.0604	4.0194	4.0197	2.1321	24.8786			
124	S	215.591	201.873	198.370	206.041	212.779	212.379	212.363	216.496	208.372			
125	T	2.1332	4.1294	4.1403	2.1264	2.0508	3.9768	3.9918	2.1186	24.6673			
123	S	215.106	205.896	199.755	207.136	213.775	214.654	213.847	217.875	210.157			
126	T	2.1268	4.1288	4.1458	2.1369	2.0608	3.9886	3.9958	2.1261	24.7096			
120	S	215.753	205.926	199.490	206.118	212.737	214.019	213.633	217.107	209.797			
127	<u>T</u>	2.1280	4.1435	4.1879		2.0664	3.9983	4.0093	2.1310	24.8109			
127	S	215.631	205.195	197.485	205.197	212.161	213.500	212.914	216.608	208.940			
128	<u> </u>	2.1349	4.1301	4.1902	2.1480	2.0700	4.0103	4.0114	2.1373	24.8322			
120	S	214.934	205.861	197.376	205.053	211.792	212.861	212.803	215.969	208.761			
129	_T	2.1360	4.0668	4.1699	2.1409	2.0638	4.0042	4.0114	2.1369	24.7299			
129	S	214.824	209.065	198.337	205.733	212.428	213.185	212.803	216.010	209.625			
130	T	2.1371	4.0633	4.1107	2.1213	2.0503	3.9805	3.9999	2.1306	24.5937			
130	S	214.713	209.246	201.193	207.634	213.827	214.455	213.414	216.648	210.786			
131	Т	2.1315	4.0489	4.1382	2.1298	2.0557	3.9896	4.0031	2.1324	24.6292			
	S	215.277	209.990	199.856	206.806	213.265	213.965	213.244	216.465	210.482			
132	Т	2.1287	4.0816	4.1675		2.0588	3.9932	4.0052	2.1305	24.7011			
	S	215.561	208.307	198.451	206.244	212.944	213.773	213.132	216.658	209.869			
133	Т	2.1316	4.1018	4.1247		2.0530	3.9885		2.1277	24.6551			
	S	215.267	207.282	200.510	207.058	213.546	214.024	213.377	216.944	210.261			

Round 1

Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020 NOVCAR

# Section Data for Car 29 - Hinchcliffe, James

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1285	4.0433	4.1915	2.1485	2.0687	4.0069	4.0082	2.1317	24.7273			
134	S	215.581	210.281	197.315	205.006	211.925	213.042	212.972	216.537	209.647			
135	7	2.1320	4.1201	4.2504	2.1825	2.0885	4.0641	4.0517	2.1495	25.0388			
135	S	215.227	206.361	194.581	201.812	209.916	210.043	210.686	214.743	207.039			
136	T	2.1487	4.2520	4.2736	2.1864	2.0909	4.0444	4.0341	2.1454	25.1755			
130	S	213.554	199.959	193.524	201.452	209.675	211.066	211.605	215.154	205.914			
137	Т	2.1394	4.1823	4.2610	2.1830	2.0861	4.0332	4.0271	2.1427	25.0548			
13/	S	214.482	203.292	194.097	201.766	210.157	211.652	211.973	215.425	206.906			
138		2.1417	4.2102	4.2669	2.1807	2.0843	4.0697	4.0943	2.1676	25.2154			
136	S	214.252	201.945	193.828	201.979	210.339	209.754	208.494	212.950	205.589			
139	T	2.1574	4.2524	4.2740	2.1795	2.0837	4.0382	4.0354	2.1470	25.1676			
139	S	212.693	199.941	193.506	202.090	210.399	211.390	211.537	214.993	205.979			
140	T	2.1426	4.2329	4.2328	2.1685	2.0792	4.0247	4.0235	2.1427	25.0469			
140	S	214.162	200.862	195.390	203.115	210.855	212.099	212.163	215.425	206.972			
141	T	2.1362	4.2111	4.2804	2.1847	2.0883	4.0344	4.0289	2.1396	25.1036			
141	S	214.804	201.901	193.217	201.609	209.936	211.589	211.878	215.737	206.504			
142	Т	2.1363	4.1995	4.2107	2.1615	2.0750	4.0190	4.0181	2.1331	24.9532			
142	S	214.794	202.459	196.415	203.773	211.281	212.400	212.448	216.394	207.749			
143	T	2.1287	4.1732	4.2305	2.1725	2.0798	4.0305	4.0380	2.1442	24.9974			
143	S	215.561	203.735	195.496	202.741	210.794	211.794	211.401	215.274	207.382			
144	T	2.1381	4.1640	4.2403	2.1683	2.0754	4.0116	4.0113	2.1275	24.9365			
	S	214.613	204.185	195.044	203.134	211.241	212.792	212.808	216.964	207.888			
145	ഥ	2.1263	4.1547	4.2250	2.1637	2.0706	4.0175	4.0135	2.1248	24.8961			
143	S	215.804	204.642	195.750	203.565	211.730	212.479	212.691	217.240	208.225		ļ	
146	ഥ	2.1285	4.2400	4.2723		2.0786	4.0614	4.0601	2.1425	25.1590		ļ	
140	S	215.581	200.525	193.583	202.452	210.916	210.183	210.250	215.445	206.050			
147	LT	2.1366	4.1924	4.2623		2.0771	4.0331		2.1285	25.0209			
147	S	214.763	202.802	194.037	202.387	211.068	211.658	+	216.862	207.187			
148	T	2.1250	4.2071	4.2469	2.1694	2.0702	4.0693	4.0697	2.1478	25.1054			
	S	215.936	202.093	194.741	203.031	211.771	209.775	209.754	214.913	206.489			
149	T	2.1416	4.2805	4.2883		2.0834	4.0195		2.1175	25.1223			
	S	214.262	198.628	192.861	201.203	210.430	212.374		217.989	206.351			
150	Т	2.1178	4.2238	4.2608	1		4.0171	4.0018		24.9746			
	S	216.670	201.294	194.106	•	211.945	212.501	213.313	218.370	207.571		1	
151	T	2.1193	4.2536	4.3158		2.0738	4.0318		2.1000	25.0726			
	S	216.517	199.884	191.632		211.404	211.726		219.805	206.760			
152	Т	2.0984	4.2534	4.4078	1	2.0982	4.2697	4.0888	2.1147	25.5404			
	S	218.673	199.894	187.632	199.355	208.945	199.929	208.774	218.277	202.973			

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)



June 6, 2020 MDYCAR

# **Section Data for Car 29 - Hinchcliffe, James**

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1787	4.5886	4.5927	2.2993	2.1675	4.1564	4.0890	2.1583	26.2305			
155	S	210.614	185.291	180.078	191.560	202.265	205.379	208.764	213.868	197.633			
154	T	2.1517	4.2514	4.3209	2.1947	2.0980	4.1013	4.0857	2.1642	25.3679			
154	S	213.256	199.988	191.406	200.690	208.965	208.138	208.933	213.285	204.353			
155	T	2.1612	4.2069	4.2762	2.1906	2.1015	4.0642	4.0626	2.1685	25.2317			
155	S	212.319	202.103	193.407	201.066	208.617	210.038	210.121	212.862	205.456			
156	T	2.3101	4.5070	4.4520	2.2656	2.5667	6.4976			39.0062	27.4673		31.1678
130	S	198.634	188.646	185.769	194.410	170.807	131.377			132.902	32.803		151.511
157	T				3.1379	2.6256	4.6597	4.3843	2.2517	54.6456		35.0167	
15/	S				140.366	166.975	183.196	194.703	204.997	94.866		134.936	
150	Т	2.2214	4.2909	4.2173	2.1557	2.0743	4.0150	4.0180	2.1330	25.1256			
158	S	206.565	198.147	196.108	204.321	211.353	212.612	212.453	216.405	206.323			
159	Т	2.1373	4.0221	4.0648	2.1024	2.0352	3.9704	3.9890	2.1213	24.4425			
129	S	214.693	211.389	203.465	209.501	215.413	215.000	213.998	217.598	212.090			
160	Т	2.1265	4.0762	4.1059	2.1144	2.0448	3.9699	3.9965	2.1267	24.5609			
160	S	215.784	208.583	201.429	208.312	214.402	215.027	213.596	217.046	211.067			
161	T	2.1317	4.0661	4.1068	2.1143	2.0406	3.9611	3.9828	2.1211	24.5245			
161	S	215.257	209.101	201.384	208.322	214.843	215.505	214.331	217.619	211.380			
162	Т	2.1236	4.0375	4.0903	2.1064	2.0301	3.9428	3.9586	2.1069	24.3962			
102	S	216.078	210.583	202.197	209.103	215.954	216.505	215.641	219.085	212.492			
163	Т	2.1093	4.0936	4.2033	2.1525	2.0611	4.0045	4.0000	2.1154	24.7397			
163	S	217.543	207.697	196.761	204.625	212.706	213.169	213.409	218.205	209.542			
164	T	2.1058	4.1188	4.2300	2.1515	2.0524	4.0010	4.0208	2.1071	24.7874			
104	S	217.905	206.426	195.519	204.720	213.608	213.356	212.305	219.065	209.139			
165	T	2.0961	4.1663	4.3047	2.1656	2.0540	4.0412	4.0027	2.1009	24.9315			
105	S	218.913	204.073	192.126	203.387	213.442	211.233	213.265	219.711	207.930			
166	Т	2.1044	4.2764	4.3118	2.1650	2.0535	4.0685	4.0228	2.1067	25.1091			
	S	218.050	198.818	191.810	203.443	213.494	209.816	212.200	219.106	206.459			
167	Τ	2.1124	4.2754	4.3133	2.1651	2.0800	4.1795	4.0498	2.1123	25.2878			
	S	217.224	198.865	191.743	203.434	210.774	204.244	210.785	218.525	205.000			
168	T	2.1220	4.3425	4.3700	2.2207	2.0948	4.0800	4.0301	2.1129	25.3730			
100	S	216.241	195.792	189.255	198.340	209.284	209.225	211.815	218.463	204.312			
169	T	2.1150	4.3052	4.3595	2.1930	2.0754	4.0455	4.0241	2.1165				
109	S	216.957	197.488	189.711	200.846	211.241	211.009	212.131	218.092	205.435			
170	Т	2.1069	4.2261	4.2999	2.1632	2.0937	4.1833	4.0556	2.1224	25.2511			
	S	217.791	201.185	192.341	203.612	209.394	204.058	210.483	217.485	205.298			
171	Т	2.1161	4.2437	4.3605	2.2073	2.0879	4.0945	4.0428	2.1152	25.2680			
	S	216.844	200.350	189.668	199.544	209.976	208.484	211.150	218.226	205.161			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### **Section Data for Car 29 - Hinchcliffe, James**

Lap				SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1068	4.2849	4.4195	2.2314	2.1037	4.0531	4.0299					1
172	S	217.801											1
	Т	2.1149		_	1	•	-	1	2.1271	25.3288			1
173	S	216.967	199.528	189.143	198.896	209.565	208.545	210.608	217.005	204.668			
474	Т	2.1205	4.2690	4.3408	2.2048	2.0890	•	•	2.1330	25.2933	ì	1	
174	S	216.394	199.163	190.528	199.771	209.866	209.250	210.426	216.405	204.955			
175	T	2.1390	4.3505	4.4384	2.2549	2.1297	4.1625	4.1226	2.1695	25.7671			
1/5	S	214.523	195.432	186.339	195.332	205.855	205.078	207.063	212.764	201.187			
176	Т	2.1638	4.3070	4.3338	2.2122	2.1026	4.0744	4.0606	2.1471	25.4015			
	S	212.064	197.406	190.836	199.102	208.508	209.512	210.224	214.983	204.082			
177	Т	2.1382	4.2455	4.3154	2.1957	2.0919	4.1289	4.1186	2.1699	25.4041			
	S	214.603	200.266	191.650	200.599	209.575	206.747	207.264	212.725	204.062			
178	Т	2.1642	4.3055	4.3988	2.2429	2.1266	4.1758	4.1126	2.1626	25.6890			
170	S	212.025	+	+	1	206.155	•	•	213.443	201.798	ļ		
179	Т	2.1782	1	1		2.1149			2.1611	25.7013			
	S	210.662	+	+		207.295			213.591	201.702			
180	Т	2.1553						1	2.1605	25.6074			
	S	212.900	+	+		206.368		+	213.650	202.441			
181	Т	2.1599	+	+		2.1181	4.0916		2.1649	25.5851			+
	S	212.447		188.290					213.216				
182	Т	2.1668	1	1		2.1104				25.5588			
	S	211.770		-	1	207.737		1	213.137	202.826			
183	T	2.1606	+	+		2.1120			2.1487	25.5634			
	S	212.378	+	·		207.580	<del></del>		214.823	202.790			
184	T	2.1445			2.2052	2.0948		1	2.1307	25.3345			+
	S	213.972	1	1	1	209.284		1	216.638	204.622			+
185	T	2.1343	+						2.1217	25.1937	ļ	+	+
	S	214.995	+	+	+	209.815	<del></del>	+	217.557	205.766		+	+
186	T	2.1284	•	•		2.0886	<del></del>		•	•		+	+
	S	215.591							218.246	204.503		+	+
187	S	2.1364				2.1159			2.1112	25.7377		+	+
-	T	214.784			194.883	207.197	207.213		218.639	201.417		+	+
188	S	2.1662			1			1		27.9328		+	+
	T	211.829	+				172.480	•		185.588	<del> </del>	+	+
189	S	2.2516 203.794	1	+		2.7508 159.375	6.2944 135.618	•	3.9510 116.829	35.2419 147.098	<b>-</b>	+	+
	T	4.2056				5.6064			4.8379	55.3829		+	+
190	S											+	+
L	3	109.108	107.956	95.971	65.826	78.198	94.134	100.663	95.411	93.603	L		

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

# Section Data for Car 29 - Hinchcliffe, James

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
101	Т	5.1080	9.8719	10.6802	5.2315	5.0019	9.0087	9.2425	4.8661	59.0108			
191	S	89.832	86.126	77.437	84.193	87.649	94.757	92.360	94.858	87.848			
102	Т	5.3067	9.7017	11.7537	6.7114	6.0005	9.6850			68.6006	27.0493		60.5902
192	S	86.469	87.637	70.365	65.628	73.062	88.140			75.568	33.310		77.938
193	T				5.3247	5.1193	10.0641	12.6671	6.2041	77.1214		58.0825	
193	S				82.719	85.638	84.820	67.390	74.401	67.219		81.350	
194	Т	6.0621	11.7122	11.7545	6.6767	5.4891	10.3636	8.2299	3.8034	64.0915			
194	S	75.694	72.593	70.360	65.969	79.869	82.369	103.724	121.363	80.884			
195	T	4.0513	6.8381	8.1496	4.3701	3.9581	6.8801	4.9749	2.3762	41.5984			
193	S	113.263	124.337	101.483	100.788	110.763	124.073	171.589	194.256	124.620			
196	T	2.3150	4.7062	4.5136	2.2208	2.1019	4.3023	4.1021	2.1153	26.3772			
190	S	198.213	180.661	183.234	198.331	208.578	198.414	208.097	218.215	196.533			
197	T	2.1172	4.4726	4.4802	2.2211	2.0883	4.2923	4.0811	2.0967	25.8495			
197	S	216.731	190.097	184.600	198.305	209.936	198.876	209.168	220.151	200.545			
198	Т	2.0839	4.3895	4.8262	2.7452	2.5711	5.5479	5.6231	3.0857	30.8726			
198	S	220.195	193.696	171.366	160.445	170.514	153.867	151.809	149.590	167.916			
199	Т	3.3951	6.6596	7.1575	4.4859								
199	S	135.155	127.669	115.549	98.186								

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

# TAG

Round 1

#### Section Data for Car 4 - Kimball, Charlie

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
_	Т	2.7996	5.1846	4.5468	2.2597	2.1401	4.4576	4.2067	2.1617	27.7568		57.0196	
1	S	163.903	163.991			204.854	191.501		213.531	186.765		82.866	
_	Т	2.1299	4.1368	4.2179	2.1629	2.0618	4.0504	3.9656	2.0890	24.8143			
2	S	215.439	205.528	196.080	203.641	212.634	210.754	215.260	220.963	208.912			
	Т	2.0843	4.1028	4.2847	2.1613	2.0615	3.9752	3.9404	2.0860	24.6962		Ì	
3	S	220.152	207.231	193.023	203.791	212.665	214.740	216.637	221.280	209.911			
4	Т	2.0848	4.0973	4.2936	2.1673	2.0674	3.9669	3.9258	2.0868	24.6899			
4	S	220.100	207.509	192.623	203.227	212.058	215.190	217.443	221.196	209.964			
-	Т	2.0855	4.1499	4.2125	2.1317	2.0314	4.0159	3.9570	2.0831	24.6670			
5	S	220.026	204.879	196.331	206.621	215.816	212.564	215.728	221.588	210.159			
6	Т	2.1070	4.2257	4.3000	2.1590	2.0561	3.9814	3.9388	2.0932	24.8612			
6	S	217.781	201.204	192.336	204.009	213.224	214.406	216.725	220.519	208.518			
7	Т	2.0919	4.1432	4.2857	2.1698	2.0782	4.0888	3.9948	2.1108	24.9632			
7	S	219.353	205.210	192.978	202.993	210.956	208.774	213.687	218.681	207.666			
8	Т	2.1032	4.1368	4.2869	2.1683	2.0918	4.1509	4.0373	2.1241	25.0993			
0	S	218.174	205.528	192.924	203.134	209.585	205.651	211.437	217.311	206.540			
9	Т	2.1157	4.1139	4.3520	2.1848	2.0784	4.0181	3.9716	2.1088	24.9433			
9	S	216.885	206.672	190.038	201.599	210.936	212.448	214.935	218.888	207.831			
10	T	2.1075	4.1694	4.2922	2.1716	2.0724	3.9892	3.9608	2.1019	24.8650			
10	S	217.729	203.921	192.686	202.825	211.547	213.987	215.521	219.607	208.486			
11	Т	2.1135	4.2373	4.3239	2.1788	2.0771	4.0053	3.9866	2.1160	25.0385			
11	S	217.111	200.653	191.273	202.155	211.068	213.127	214.126	218.143	207.041			
12	Т	2.1149	4.1028	4.3120	2.1698	2.1207	4.2229	4.0733	2.1299	25.2463			
12	S	216.967	207.231	191.801	202.993	206.728	202.145	209.569	216.720	205.337			
13	T	2.1244	4.1759	4.4400	2.2205	2.1018	4.0257	3.9972	2.1127	25.1982			
13	S	215.997	203.603	186.271	198.358	208.587	212.047	213.559	218.484	205.729			
14	Т	2.1082	4.1526	4.4007	2.2016	2.0916	4.0467	4.0024	2.1102	25.1140			
17	S	217.657	204.746	187.935	200.061	209.605	210.946	213.281	218.743	206.419			
15	٦	2.1155	4.2626		2.2744	2.1336	4.0721	4.0259	2.1132	25.5640			
13	S	216.906	199.462	181.104	193.657	205.479	209.631	212.036	218.432	202.785			
16	Т	2.1481	4.3915	4.4657	2.2159	2.0950	4.0286	3.9985	2.1027	25.4460			
10	S	213.614	193.607	185.200	198.770	209.264	211.894	213.489	219.523	203.726			
17	Т	2.0912	4.1845	4.6020	2.2821	2.1423	4.0676	4.0146	2.1206	25.5049			
1/	S	219.426	203.185	179.714	193.004	204.644	209.862	212.633	217.670	203.255			
18	Т	2.1203	4.1909	4.4201	2.2197	2.1050	4.0503	4.0615	2.1387	25.3065			
10	S	216.414	202.875	187.110	198.430	208.270	210.759	210.178	215.828	204.849			
19	┙	2.1333	4.2785	4.3992	2.2152	2.1051	4.0617	4.0385	2.1346	25.3661			
19	S	215.096	198.721	187.999	198.833	208.260	210.167	211.375	216.242	204.367			

**Genesys 300 Event:** 

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session: Race** 

June 6, 2020 MDYCAR

# Section Data for Car 4 - Kimball, Charlie

Lap		F to T1		SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1369	4.2247	4.3306	2.1869	2.0877	4.0711	4.0492	2.1399	25.2270			
20	S	214.733	201.252	190.977	201.406	209.996	209.682	210.816	215.707	205.494			
24	Т	2.1474	4.3155	4.3854	2.2082	2.1038	4.0805	4.0559	2.1405	25.4372			
21	S	213.683	197.017	188.591	199.463	208.389	209.199	210.468	215.646	203.796			
22	Т	2.1409	4.1671	4.3228	2.1830	2.0869	4.0095	3.9967	2.1185	25.0254			
22	S	214.332	204.033	191.322	201.766	210.077	212.903	213.585	217.886	207.150			
22	Т	2.1169	4.1244	4.3350	2.1798	2.0809	4.0487	4.0092	2.1185	25.0134			
23	S	216.762	206.146	190.783	202.062	210.682	210.842	212.919	217.886	207.249			
24	Т	2.1264	4.2902	4.3853	2.2005	2.0932	4.0662	4.0186	2.1212	25.3016			
24	S	215.794	198.179	188.595	200.161	209.444	209.935	212.421	217.608	204.888			
25	Т	2.1238	4.2579	4.4178	2.2127	2.1006	4.0515	4.0027	2.1153	25.2823			
	S	216.058	199.682	187.208	199.058	208.707	210.696	213.265	218.215	205.045			
26	Т	2.1196	4.2678	4.3589	2.1852	2.0821	4.0272	4.0287	2.1223	25.1918			
	S	216.486	199.219	189.737	201.563	210.561	211.968	211.889	217.496	205.781			
27	Т	2.1241	4.2458	4.3517	2.1839	2.1057	4.2350	4.0973	2.1438	25.4873			
	S	216.027	200.251	190.051	201.683	208.201	201.567	208.341	215.314	203.395			
28	T	2.1335	4.2394	4.4202	2.2119		4.2987	4.1460	2.1673	25.7199			
	S	215.076	200.554	187.106	199.130	208.478	198.580	205.894	212.980	201.556			
29	工	2.1532	4.2974	4.4337	2.2140	2.0979	4.1812	4.0843	2.1325	25.5942			
	S	213.108	197.847	186.536	198.941	208.975	204.161	209.004	216.455	202.546			
30	T	2.1362	4.3329		2.2463	2.1214	4.1498		2.1321	25.7373			
	S	214.804	196.226		196.080	206.660	205.705	209.404	216.496	201.420			
31	T	2.1348	4.3238		2.2376		4.1921	4.0969	2.1461	25.7165			
	S	214.945	196.639		196.842	207.286	203.630		215.084	201.583			
32	工	2.1419	4.2895		2.1978	2.1037	4.3061	4.1602	2.1706	25.7870			
L	S	214.232	198.211		200.407	208.399	198.239	-	212.656	201.032			
33	T	2.1518	4.2380		2.2068	2.1319	4.2877	4.1056	2.1464	25.6717			
	S	213.246	200.620		199.590		199.090	-	215.054	201.934			
34	T	2.1527	4.3423		2.2203	2.1084	4.2526		2.1508	25.8114			
	S	213.157	195.801	1	198.376	207.934	200.733	•	214.614	200.841			
35	T	2.1420			2.2303	2.3942	6.2616			50.4958	27.0725		31.1433
	S	214.222	197.291	186.242	197.487	183.113	136.329			102.662	33.282		151.630
36	T				3.1359	2.6408	4.6939	+	2.1902	42.6818		34.9618	
	S		,		140.456	166.014	181.861	199.462	210.753	121.457		135.148	
37	T	2.1626	4.2863	1	2.1210		4.2921	4.2122	2.5955	25.9550			
	S	212.181	198.359		207.664	210.248			177.843	199.730			
38	T	2.7306	5.3551	6.5197	3.7327	3.6203	6.8409	6.1287	3.0239	37.9519			
	S	168.045	158.770	126.853	117.999	121.097	124.784	139.285	152.648	136.594			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 4 - Kimball, Charlie

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.8700	5.7318	5.7514	3.0828	4.7557	11.0561	10.0993	5.2604	48.6075			
39	S	159.883	148.335	143.799	142.875	92.186	77.210	84.524	87.748	106.650			
40	Т	5.1858	9.1533	8.9355	5.3755	5.2264	10.0751	9.5508	5.1178	58.6202			
40	S	88.485	92.888	92.557	81.937	83.884	84.727	89.379	90.193	88.434			
44	Т	4.6824	8.5412	8.5951	4.4253	4.4730	9.8813	11.3005	4.8430	56.7418			
41	S	97.998	99.544	96.223	99.531	98.012	86.389		95.311	91.361			
42	Т	4.7556	8.2481	8.7653	5.2085	4.9764	9.1128	9.2920	4.7410	55.0997			
42	S	96.489	103.082	94.354	84.565	88.098	93.674	91.868	97.362	94.084			
43	Т	5.0783	9.2296	9.7388	4.7540	4.5666	9.9939	9.5756	4.9924	57.9292			
43	S	90.358	92.120	84.923	92.649	96.003	85.416	89.147	92.459	89.489			
44	Т	5.3177	9.0933	9.4725	5.5418	5.4614	11.0359	9.8528	4.9670	60.7424			
44	S	86.290	93.500	87.310	79.479	80.274	77.351	86.639	92.932	85.344			
45	Т	4.9710	8.9448	9.9107	5.0316	4.7155	8.9654	11.0764	5.1277	58.7431			
45	S	92.308	95.053	83.450	87.538	92.972	95.215	77.068	90.019	88.249			
46	Т	4.4490	8.6511	8.7194	4.9276	4.1859	8.2000	5.6663	2.5166	47.3159			
40	S	103.139	98.280	94.851	89.385	104.735	104.102	150.651	183.418	109.561			
47	Т	2.3827	4.5349	4.4642	2.1840	2.1007	4.4682	4.1430	2.1379	26.4156			
47	S	192.581	187.485	185.262	201.673	208.697	191.047	206.043	215.909	196.248			
48	Т	2.1267	4.3604	4.5438	2.2355	2.1192	4.4339	4.2000	2.1602	26.1797			
40	S	215.763	194.988	182.016	197.027	206.875	192.525	203.247	213.680	198.016			
49	T	2.1475	4.3867	4.4018	2.1862	2.1004	4.2024	4.0277	2.1179	25.5706			
49	S	213.673	193.819	187.888	201.470	208.726	203.131	211.941	217.947	202.733			
50	Т	2.1082	4.1750	4.3600	2.1779	2.0801	4.1255	3.9910	2.0955	25.1132			
50	S	217.657	203.647	189.689	202.238	210.763	206.917	213.890	220.277	206.425			
51	Т	2.0916	4.1733	4.3856	2.1828	2.0793	4.0582	3.9504	2.0705	24.9917			
31	S	219.384	203.730	188.582	201.784	210.845	210.349	216.089	222.937	207.429			
52	T	2.1127	4.3416	4.2630	2.1389	2.0975	4.1243	4.0125	2.1032	25.1937			
52	S	217.193	195.833	194.006	205.926	209.015	206.977	212.744	219.471	205.766			
53	Т	2.1178	4.2710	4.4651	2.2073	2.0890	4.0041	3.9554	2.0928	25.2025			
	S	216.670	199.070	185.224	199.544	209.866	213.191	215.815	220.561	205.694			
54	Т	2.1026	4.2260	4.3919	2.1890	2.0735	4.0082	3.9930	2.0981	25.0823			
34	S	218.236	201.190	188.312	201.213	211.434	212.972	213.783	220.004	206.680			
55	Т	2.0882	4.1995	4.5225	2.2406	2.1090	4.0362	4.0172	2.1162	25.3294			
<u> </u>	S	219.741	202.459	182.874	196.579	207.875	211.495	212.495	218.123	204.663			
56	Т	2.1111	4.1940	4.3927	2.2025	2.0964	4.0434	4.0293	2.1297	25.1991			
50	S	217.358	202.725	188.277	199.979	209.125	211.118	211.857	216.740	205.722			
57	Т	2.1228	4.1760	4.3410	2.1832	2.0819	4.0186	4.0442	2.1367	25.1044			
3/	S	216.160	203.598	190.520	201.747	210.581	212.421	211.077	216.030	206.498			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 4 - Kimball, Charlie

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1351	4.2222	4.3693	2.1948	2.0922	4.0273	4.0267	2.1285	25.1961			
58	S	214.914	201.371				211.962		-				
	Т	2.1192	4.1379	4.3849	2.2048	2.0940	4.0326	4.0204	2.1229	25.1167			
59	S	216.527	205.473	188.612	199.771	209.364	211.684	212.326	217.434	206.397		İ	
	Т	2.1143	4.1532	4.4549	2.2217	2.1063	4.0536	4.0297	2.1245	25.2582		Î	
60	S	217.029	204.716	185.648	198.251	208.142	210.587	211.836	217.270	205.240			
<b>C4</b>	Т	2.1230	4.2367	4.4330	2.2139	2.0985	4.0851	4.0434	2.1280	25.3616			
61	S	216.139	200.681	186.566	198.950	208.915	208.963	211.118	216.913	204.404			
63	Т	2.1242	4.2177	4.4083	2.2096	2.0961	4.0647	4.0391	2.1314	25.2911			
62	S	216.017	201.586	187.611	199.337	209.155	210.012	211.343	216.567	204.973			
63	Т	2.1274	4.1545	4.4052	2.2161	2.1030	4.0638		2.1368	25.2582			
03	S	215.692	204.652	187.743	198.752	208.468	210.059	210.702	216.020	205.240			
64	Т	2.1327	4.1024	4.3598	2.1980	2.0952	4.0347	4.0288	2.1286	25.0802			
64	S	215.156	207.251	189.698	200.389	209.245	211.574	211.884	216.852	206.697			
65	Т	2.1246	4.1198	4.3505	2.1944	2.0896	4.0623	4.0475	2.1353	25.1240			
05	S	215.976	206.376	190.104	200.718	209.805	210.136	210.905	216.171	206.337			
66	Т	2.1312	4.1590	4.4174	2.2184	2.1093	4.0520	4.0268	2.1288	25.2429			
00	S	215.308	204.431	187.224	198.546	207.846	210.670	211.989	216.832	205.365			
67	Т	2.1315	4.1106	4.3775	2.2026	2.0952	4.0720	4.0472	2.1359	25.1725			
07	S	215.277	206.838	188.931	199.970	209.245	209.636	210.920	216.111	205.939			
68	Т	2.1352	4.1683	4.3975	2.2077	2.0975	4.0918	4.0662	2.1381	25.3023			
00	S	214.904	203.975	188.072	199.508	209.015	208.621	209.935	215.888	204.883			
69	Т	2.1328	4.1478	4.3866	2.2026	2.0967	4.0399	4.0154	2.1252	25.1470			
09	S	215.146	204.983	188.539	199.970	209.095	211.301	212.591	217.199	206.148			
70	Т	2.1203	4.0623	4.5134	2.2491	2.1211	4.0504	4.0105	2.1137	25.2408			
70	S	216.414	209.297	183.242	195.836	206.689	210.754	212.850	218.381	205.382			
71	Т	2.1124	4.2209	4.5191	2.2439	2.1157	4.1047	4.0600	2.1295	25.5062			
/ 1	S	217.224	201.433	183.011	196.290	207.217	207.966	210.255	216.760	203.245			
72	Т	2.1368	4.3472	4.4850	2.2339	2.1081	4.0825	4.0269	2.1168	25.5372			
12	S	214.743	195.580	184.403	197.168	207.964	209.096	211.984	218.061	202.998			
73	Т	2.1289	4.3099	4.4332	2.2132	2.0966	4.0970	4.0458	2.1273	25.4519			
73	S	215.540	197.273	186.557	199.013	209.105	208.356	210.993	216.984	203.678			
74	Т	2.1217	4.2192	4.4310	2.2082	2.0949	4.1018	4.1409	2.1646	25.4823			
/-	S	216.272	201.514	186.650	199.463	209.274	208.113	•	213.245	203.435			
75	Т	2.1614	4.3765	4.5453	2.2558	2.1432	4.2771	4.1116	2.1401	26.0110			
73	S	212.299	194.271	181.956	195.254	204.558	199.583	207.617	215.687	199.300			
76	Т	2.1453	4.4776	4.9215	2.4098	2.2620	4.5561	4.3487	2.6065	27.7275			
70	S	213.893	189.885	168.047	182.776	193.815	187.361	196.297	177.092	186.962			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 4 - Kimball, Charlie

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Τ	3.0118	5.9739	6.6206	3.5402	3.6044	6.4293	6.0281	2.9202	38.1285			
77	S	152.355					132.773						
70	Т	2.8224	5.4569	5.3899	2.6630	2.6203	5.3480	5.6387	4.2824	34.2216			
78	S	162.579	155.808	153.444	165.398	167.313	159.618	151.389	107.788	151.483			
70	Т	4.4744	8.0488	9.9312	5.2991	5.9393	9.8421	8.2465	4.4730	56.2544			
79	S	102.553	105.634	83.277	83.119	73.815	86.733	103.515	103.195	92.153			
80	T	4.4109	7.7967	7.9097	4.4836	4.9952	9.0570			68.9765	26.9262		49.7630
- 80	S	104.029	109.050	104.561	98.237	87.766	94.252			75.156	33.463		94.895
81	Т			8.6722			7.2191	7.0798	3.6502	51.2989		43.5862	
01	S			95.367	119.777	125.554	118.247	120.574	126.456	101.055		108.406	
82	Т	3.6474	6.2898	6.8002	3.7608	3.4497	6.4815	6.7763	4.4191	41.6248			
02	S	125.806			117.117		131.704		104.454	124.541			
83	T	4.7223					8.1231		4.6246				
	S	97.170		-			105.088	<del></del>	99.812				
84	L	5.2773	8.5638				9.1578		4.5710				
	S	86.950	99.282				93.214		100.982	96.896			
85	T	4.9235	8.8646				8.7048		5.1464	54.2064			
	S	93.199					98.065		89.692	95.634		ļ	
86	L	3.8749		•	+		7.7771	•	2.8481	45.2297		ļ	
	S	118.419					109.763		162.070				
87	T	2.5961	4.8871				4.2457		2.1048				
	S	176.751	173.974				201.059						
88	T	2.0965	<del></del>	+	•		4.2366		2.1171	25.1187		ļ	
	S	218.871	201.940				201.491			206.380			
89	T	2.1074	4.0748				4.0010		2.0824	24.6170			
	S	217.739	208.655			-	213.356	1	221.663	210.586			
90	T	2.0926					4.0170		2.0751	24.8469			
	S	219.279		·	+	<del>•                                      </del>	212.506	+	222.443	+		ļ	
91	I	2.0944		+	+	÷	4.0464		2.0771	24.9569		-	
	S	219.091	199.000	1			210.962	1	222.229			<b>.</b>	
92	T	2.0897	4.2165		-		4.1234		2.1018			-	
-	S	219.583	201.643	-	+	-	207.022		219.617	206.711		-	
93	S	2.0995	4.1864	-	+	+	3.9869		2.0875	+			
-	T	218.559	203.093		1	•	214.110		221.121	209.153 25.0374		-	
94	S	2.0900 219.552		+		<del></del>	4.0979		2.1035			1	
	T	2.0993	202.991 4.2196				208.311 4.0714		219.439 2.1132			1	
95	S				+	+						1	
	<b>&gt;</b>	218.579	201.495	187.212	200.635	210.581	209.667	212.898	218.432	205.649		<u> </u>	

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020

TAG

Round 1



Race

Report:

**Session:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.1211	4.2438	4.3266	2.1774	2.0779	4.0136	3.9802	2.1016	25.0422			
96	S	216.333	200.346	191.154	202.285	210.987	212.686	214.471	219.638	207.011			
97	T	2.0988	4.1665	4.3246	2.1733	2.0709	4.0061	3.9679	2.1039	24.9120			
97	S	218.631	204.063	191.242	202.666	211.700	213.084	215.136	219.398	208.092			
98	T	2.1019	4.1541	4.3459	2.1828	2.0780	4.0294	3.9713	2.0965	24.9599			
96	S	218.309	204.672	190.305	201.784	210.976	211.852	214.951	220.172	207.693			
99	Т	2.0940	4.1961	4.4689	2.2151	2.1018	4.0152	3.9721	2.1014	25.1646			
99	S	219.133	202.623	185.067	198.842	208.587	212.601	214.908	219.659	206.004			
100	Т	2.1023	4.1643	4.3174	2.1715	2.0688	4.0083	3.9592	2.0908	24.8826			
100	S	218.267	204.171	191.561	202.834	211.915	212.967	215.608	220.772	208.338			
101	T	2.0982	4.2405	4.3772	2.1904	2.0840	4.1243	4.0449	2.1273	25.2868			
101	S	218.694	200.502	188.944	201.084	210.369	206.977	211.040		205.008			
102	T	2.1246	4.2387	4.3201	2.1716	2.0734	4.0369	4.0059	2.1160	25.0872			
102	S	215.976	200.587	191.441	202.825	211.445	211.458	213.095	218.143	206.639			
103	T	2.1166	4.2245	4.3056	2.1681	2.0720	4.0222	3.9759	2.0971	24.9820			
103	S	216.793	201.261	192.086	203.152	211.587	212.231	214.703	220.109	207.509			
104	T	2.1055	4.2536	4.4202		2.0907	4.0436	3.9926	2.1190	25.2299			
104	S	217.936	199.884	187.106	199.780	209.695	211.108	213.805	217.834	205.470			
105	Т	2.1131	4.2033	4.4655	2.2313	2.1132	4.0449	4.0027	2.1141	25.2881			
103	S	217.152	202.276	185.208	197.398	207.462	211.040	213.265	218.339	204.998			
106	T	2.1153	4.2080	4.3241	2.1774	2.0802	4.0134	3.9907	2.1063	25.0154			
100	S	216.926	202.050	191.264	202.285	210.753	212.697	213.906	219.148	207.232			
107	T	2.1112	4.2426	4.4035	2.1980	2.0904	4.0296	3.9839	2.0991	25.1583			
107	S	217.347	200.402	187.815	200.389	209.725	211.841	214.272	219.899	206.055		ļ	
108	T	2.1248	4.3308	4.3871	2.2001	2.0920	4.0210	3.9911	2.1094	25.2563			
100	S	215.956	196.321	188.518	200.198	209.565	212.295	213.885	218.826	205.256			
109	T	2.1204				2.0719		3.9836		25.0280			
103	S	216.404	-	<del></del>		+	+	214.288	+	207.128			
110	T	2.1033		•	÷	2.0767	4.0099					ļ	
	S	218.164				211.109	212.882	214.935		207.381		ļ	
111	T	2.1171	4.2781	4.3087		2.1091	4.4923		2.1773	25.8835			
	S	216.742	198.739			207.865	190.022	201.891	212.002	200.282			
112	Т	2.1531	4.2495	<del></del>	+	2.0858	4.0288	3.9795	2.1050				
L	S	213.118		188.003	•	210.188	211.884	214.508	219.283	205.755		ļ	
113	T	2.1105				2.0822	4.0837	4.0201	2.1122	25.1944		ļ	
	S	217.419					209.035		218.536				
114	Т	2.1097				2.0801	4.0161	3.9933		25.0446			
	S	217.502	201.514	190.761	201.840	210.763	212.554	213.767	218.919	206.991			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020

TAG

Round 1



Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1134	4.2375	4.4176	2.2147	2.1051	4.0424	3.9872	2.0986	25.2165			
115	S	217.121	200.644	187.216	198.878	208.260	211.171	214.094	219.952	205.580			
116	Т	2.1187	4.3333	4.3797	2.1873	2.1221	4.1712	4.0215	2.0937	25.4275			
110	S	216.578	196.208	188.836	201.369	206.592	204.650	212.268	220.467	203.874			
117	Т	2.1229	4.5644	4.5894	2.2620	2.1324	4.0659	3.9964	2.1025	25.8359			
117	S	216.149	186.274	180.208	194.719	205.594	209.950	213.601	219.544	200.651			
110	T	2.1164	4.3103	4.4171	2.2038	2.1264	4.1463	4.0219	2.1097	25.4519			
118	S	216.813	197.255	187.237	199.861	206.174	205.879	212.247	218.795	203.678			
110	Т	2.1218	4.4386	4.6410	2.2852	2.1608	4.1854	4.0681	2.1114	26.0123			
119	S	216.261	191.553	178.204	192.742	202.892	203.956	209.837	218.618	199.290			
120	Т	2.1290	4.5772	4.4689	2.2250	2.1302	4.1817	4.0587	2.1189	25.8896			
120	S	215.530	185.753	185.067	197.957	205.807	204.136	210.323	217.845	200.235			
424	Т	2.1312	4.6063	4.5252	2.2653	2.4462	6.1563			49.3843	26.3341		30.7621
121	S	215.308	184.579	182.764	194.435	179.220	138.661			104.973	34.215		153.509
122	Т				3.1357	2.6366	4.6311	4.2683	2.2168	42.5996		34.8877	
122	S				140.465	166.278	184.327	199.994	208.224	121.691		135.435	
122	T	2.2027	4.2104	4.2064	2.1420	2.0612	3.9924	3.9963	2.1158	24.9272			
123	S	208.319	201.935	196.616	205.628	212.696	213.815	213.607	218.164	207.966			
124	T	2.1178	4.1461	4.1712	2.1282	2.0437	3.9509	3.9717	2.1047	24.6343			
124	S	216.670	205.067	198.275	206.961	214.517	216.061	214.930	219.314	210.438			
125	Т	2.1042	4.1069	4.1391	2.1108	2.0211	3.9758	3.9524	2.0860	24.4963			
125	S	218.070	207.024	199.813	208.667	216.916	214.708	215.979	221.280	211.624			
126	Т	2.0978	4.3387	4.2023	2.1295	2.0394	4.1041	3.9883	2.0872	24.9873			
120	S	218.736	195.964	196.808	206.835	214.970	207.996	214.035	221.153	207.465			
127	Т	2.1106	4.2874	4.2238	2.1207	2.0307	4.0454	4.0157	2.1239	24.9582			
12/	S	217.409	198.308	195.806	207.693	215.891	211.014	212.575	217.332	207.707			
120	Т	2.1190	4.1338	4.1647	2.1251	2.0354	3.9624	3.9383	2.0915	24.5702			
128	S	216.547	205.677	198.585	207.263	215.392	215.434	216.752	220.698	210.987			
129	Т	2.1134	4.2296	4.2634	2.1522	2.0525	3.9785	3.9500	2.0765	24.8161			
129	S	217.121	201.018	193.987	204.653	213.598	214.562	216.110	222.293	208.897			
130	Т	2.1004	4.4537	4.3899	2.1985	2.0855	4.1022	3.9927	2.1069	25.4298			
130	S	218.465	190.904	188.397	200.343	210.218	208.092	213.799	219.085	203.855			
131	Т	2.1095	4.3760	4.3902	2.1895	2.0892	4.1398	4.0038	2.1042	25.4022			
131	S	217.522	194.293	188.384	201.167	209.845	206.202	213.207	219.366	204.077			
132	T	2.1418	4.3886	4.3450	2.1747	2.0748	4.0674	3.9951	2.0917	25.2791			
132	S	214.242	193.735	190.344	202.536	211.302	209.873	213.671	220.677	205.071			
133	T	2.1550	4.4163	4.3148	2.1619	2.0680	4.0630	3.9783	2.1008	25.2581			
133	S	212.930	192.520	191.676	203.735	211.997	210.100	214.573	219.721	205.241			

> 1.5 mile(s) **Texas Motor Speedway**

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 4 - Kimball, Charlie

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1576	4.5009	4.3231	2.1657	2.0618	4.0035	3.9592	2.0887	25.2605			
134	S	212.673	188.902	191.308	203.377	212.634	213.223	215.608	220.994	205.222			
125	Т	2.1115	4.4646	4.4207	2.2031	2.0889	4.1061	4.0080	2.1215	25.5244			
135	S	217.316	190.438	187.085	199.925	209.876	207.895	212.983	217.578	203.100			
136	Т	2.1457	4.4923	4.3580	2.1759	2.0725	4.0722	4.0009	2.1034	25.4209			
136	S	213.853	189.263	189.776	202.424	211.536	209.625	213.361	219.450	203.927			
137	Т	2.1625	4.4723	4.3233	2.1647	2.0666	4.0373	3.9906	2.1035	25.3208			
13/	S	212.191	190.110	191.300	203.471	212.140	211.437	213.912	219.439	204.733			
138	Т	2.1275	4.4225	4.3555	2.1755	2.0737	4.0444	3.9824	2.0961	25.2776			
138	S	215.682	192.250	189.885	202.461	211.414	211.066	214.352	220.214	205.083			
120	Т	2.1266	4.4711	4.3828	2.1841	2.0801	4.0213	3.9526	2.0858	25.3044			
139	S	215.773	190.161	188.703	201.664	210.763	212.279	215.968	221.302	204.866			
140	Т	2.1039	4.4433	4.3770	2.1841	2.0757	4.0082	3.9590	2.0820	25.2332			
140	S	218.101	191.350	188.953	201.664	211.210	212.972	215.619	221.706	205.444			
141	Т	2.0925	4.5010	4.3545	2.1750	2.0849	4.1048	3.9763	2.0943	25.3833			
141	S	219.290	188.897	189.929	202.508	210.278	207.961	214.681	220.403	204.229			
142	Т	2.1266	4.4759	4.4016	2.1937	2.0818	4.0230	3.9546	2.0918	25.3490			
142	S	215.773	189.957	187.897	200.782	210.591	212.189	215.859	220.667	204.505			
143	Т	2.1011	4.4572	4.3960	2.1929	2.0833	4.0217	3.9637	2.0812	25.2971			
143	S	218.392	190.754	188.136	200.855	210.440	212.258	215.364	221.791	204.925			
144	Т	2.1026	4.4359	4.4234	2.2030	2.0925	4.0564	4.0075	2.1251	25.4464			
144	S	218.236	191.670	186.971	199.934	209.514	210.442	213.010	217.209	203.722			
145	T	2.1516	4.4449	4.4651	2.2225	2.1059	4.0290	3.9655	2.0932	25.4777			
145	S	213.266	191.282	185.224	198.180	208.181	211.873	215.266	220.519	203.472			
146	T	2.1368	4.3386	4.3342	2.1775	2.0766	3.9933	3.9526	2.0921	25.1017			
140	S	214.743	195.968	190.818	202.275	211.119	213.767	215.968	220.635	206.520			
147	T	2.1675	4.3507		2.1851	2.0782	4.0004		2.0897	25.2021			
	S	211.702	195.423	188.896	201.572	210.956	213.388	+	220.889	205.697			
148	T	2.1276	4.4230		2.1992	2.0878	4.0317	•	2.0949		ļ		
	S	215.672	192.229	187.246	200.279	209.986	211.731	215.071	220.340	204.495			
149	T	2.1399	4.4306		2.2047	2.0937	4.0328	3.9925	2.1061	25.4195			
	S	214.432	191.899	187.148	199.780	209.394	211.673	213.810	219.169	203.938		1	
150	T	2.1288	4.3806	4.3784	2.1957	2.0918	4.0016	3.9619	2.0927	25.2315			
130	S	215.550	194.089	•	200.599	209.585	213.324	<del></del>	220.572	205.457	ļ		
151	T	2.1057	4.3504	4.3848	2.1920	2.0864	4.0323	3.9654	2.0953	25.2123			
	S	217.915	195.437	188.616	200.937	210.127	211.700		220.298	205.614			
152	T	2.1326	4.3881	4.4160	2.2020	2.0865	4.0801	4.0247	2.1152	25.4452			
	S	215.166	193.757	187.284	200.025	210.117	209.219	212.099	218.226	203.732			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 4 - Kimball, Charlie

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
450	Т	2.1167	4.2813	4.4522	2.2418	2.1185	4.0516	3.9984	2.1157	25.3762			
153	S	216.783	198.591	185.761	196.474	206.943	210.691	213.494	218.174	204.286			
454	Т	2.1129	4.2203	4.3994	2.2020	2.0969	4.0171	3.9667	2.0836	25.0989			
154	S	217.172	201.461	187.991	200.025	209.075	212.501	215.201	221.535	206.543			
455	Т	2.1536	4.5558	4.4264	2.2144	2.0959	4.0760	4.0221	2.1061	25.6503			
155	S	213.068	186.625	186.844	198.905	209.175	209.430	212.236	219.169	202.103			
456	Т	2.1074	4.4799	4.4959	2.2419		7.5523			51.3540	26.3091		32.7631
156	S	217.739	189.787	183.955	196.465	172.656	113.030			100.946	34.248		144.134
457	Т		1		3.1101	2.6149	4.6767	4.2596	2.1754	42.5552		34.8370	
157	S		Î		141.621	167.658	182.530	200.403	212.187	121.818		135.632	
150	Т	2.1445	4.2418	4.2379	2.1331	2.0404	3.9725		2.0904	24.8129			
158	S	213.972	200.440		206.486		214.886		220.815				
150	Т	2.0848	4.1239	4.1710	2.1270	2.0393	3.9361	3.9131	2.0667	24.4619			
159	S	220.100	206.171	198.285	207.078	214.980	216.874	218.148	223.347	211.921			
160	Т	2.0864	4.1928	4.2045	2.1250	2.0334	3.9647	3.9094	2.0653	24.5815			
100	S	219.931	202.783	196.705	207.273	215.604	215.309	218.355	223.498	210.890			
161	Т	2.0995	4.2587	4.1720	2.1120	2.0207	3.9515	3.9411	2.0758	24.6313			
161	S	218.559	199.645	198.237	208.549	216.959	216.028	216.599	222.368	210.464			
162	Т	2.0858	4.2165	4.2272	2.1344	2.0360	3.9556	3.9165	2.0793	24.6513			
102	S	219.994	201.643	195.649	206.360	215.329	215.805	217.959	221.993	210.293			
163	Т	2.0952	4.2603	4.2151	2.1325	2.0350	3.9690	3.9258	2.0720	24.7049			
103	S	219.007	199.570	196.210	206.544	215.434	215.076	217.443	222.776	209.837			
164	Т	2.0914	4.2190	4.3057	2.1549	2.0550	3.9795	3.9299	2.0805	24.8159			
104	S	219.405	201.523	192.082	204.397	213.338	214.508	217.216	221.865	208.898			
165	T	2.0922	4.2520	4.3522	2.1706	2.0667	3.9742	3.9337	2.0837	24.9253			
105	S	219.321	199.959	190.029	202.918	212.130	214.795	217.006	221.525	207.981			
166	Т	2.1125	4.2915	4.3071	2.1625	2.0621	3.9707	3.9435	2.0930	24.9429			
100	S	217.214	198.119	192.019	203.678	212.603	214.984	216.467	220.540	207.835			
167	٦	2.1010	4.3841	4.3723	2.1766	2.0697	3.9518	3.9202	2.0785	25.0542			
107	S	218.402	193.934	189.156	202.359	211.823	216.012	217.753	222.079	206.911			
168	Т	2.0932	4.2129		2.1601	2.0549	3.9713		2.0818	24.8174			
100	S	219.216	201.815	192.278	203.905	213.348	214.951	216.555	221.727	208.886			
169	T	2.0983	4.2465	4.5078	2.2390	2.1144	4.0133	3.9603	2.0962	25.2758			
109	S	218.684	200.218		196.719	<del>•                                      </del>	212.702	<del>•                                      </del>	220.204	205.097			
170	L	2.0943	4.1437	4.3106	2.1622	2.0588	3.9599	3.9361	2.0728	24.7384			
1,5	S	219.101	205.186	191.863	203.707	212.944	215.570		222.690	209.553			
171	T	2.0984	4.2971	4.3402	2.1716	2.0638	3.9867	3.9593	2.0861	25.0032			
	S	218.673	197.861	190.555	202.825	212.428	214.121	215.603	221.270	207.333			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 4 - Kimball, Charlie


Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1070	4.2943	4.4805	2.2180	2.0972	4.0396	3.9907	2.0968	25.3241			
172	S	217.781	197.990		198.582	209.045	211.317	213.906	220.141	204.706			
470	Т	2.1101	4.2625	4.3614	2.1847	2.1062	4.1192	4.0106	2.0976	25.2523			
173	S	217.461	199.467	189.628	201.609	208.152	207.234	212.845	220.057	205.288			
474	Т	2.1112	4.3245	4.4199	2.2033	2.0897	3.9977	3.9600	2.0910	25.1973			
174	S	217.347	196.607	187.119	199.907	209.795	213.532	215.565	220.751	205.736			
475	Т	2.0950	4.2270	4.3414	2.1816	2.0768	4.0251	3.9884	2.1014	25.0367			
175	S	219.028	201.142	190.502	201.895	211.098	212.078	214.030	219.659	207.056			
176	Т	2.0983	4.1857	4.4980	2.2350	2.1083	4.0405	4.0018	2.1134	25.2810			
1/6	S	218.684	203.127	183.870	197.071	207.944	211.270	213.313	218.412	205.055			
177	Т	2.1047	4.1469	4.3609	2.1793	2.0697	4.0615	4.0031	2.0984	25.0245			
1//	S	218.019	205.027		202.108	211.823	210.178	213.244	219.973	207.157			
170	Т	2.1047	4.2767	4.5478	2.2407	2.1078	4.0855	3.9979	2.0980	25.4591			
178	S	218.019	198.805	181.856	196.570	207.994	208.943	213.521	220.015	203.621			
179	Т	2.1094	4.3480	4.5180	2.2267	2.0988	4.0560	4.0019	2.0923	25.4511			
1/9	S	217.533	195.544	183.056	197.806	208.886	210.463	213.308	220.614	203.685			
180	Т	2.1071	4.3835	4.4240	2.2045	2.0937	4.1281	4.0153	2.0938	25.4500			
100	S	217.770	193.961	186.945	199.798	209.394	206.787	212.596	220.456	203.694			
181	T	2.0893	4.3795	4.5550	2.2436	2.1139	4.0310	3.9704	2.0829	25.4656			
101	S	219.626	194.138	181.569	196.316	207.393	211.768	215.000	221.610	203.569			
182	T	2.0972	4.4547	4.5155	2.2448	2.1214	4.0375	3.9796	2.1071	25.5578			
102	S	218.798	190.861	183.157	196.211	206.660	211.427	214.503	219.065	202.834			
183	Т	2.1145	4.2718	4.4296	2.2330	2.1316	4.0900	4.0610	2.1599	25.4914			
103	S	217.008	199.033	186.709	197.248	205.671	208.713	210.203	213.709	203.363			
184	T	2.1632	4.2353	4.2878	2.1871	2.1057	4.0582	4.0495	2.1513	25.2381			
104	S	212.123	200.748	192.883	201.387	208.201	210.349	210.800	214.564	205.404			
185	Т	2.1560	4.2405	4.3413	2.2208	2.4795	6.5431			48.5397	25.5855		30.65
103	S	212.831	200.502	190.506	198.331	176.814	130.464			106.799	35.216		154.02
186	Т				3.1329	2.6231	4.5965	4.2227	2.1811	42.4108		34.7055	
	S				140.590	167.134	185.714	202.154	211.632	122.233		136.146	
187	Т	2.1603	4.1082	4.0873	2.1048	2.0253	3.9495	3.9462	2.0946	24.4762			
107	S	212.407	206.959	202.345	209.262	216.466	216.138	216.319	220.372	211.798			
188	Т	2.1030	4.0481	4.0651	2.0918	2.0140	3.9161	3.9036	2.0809	24.2226			
100	S	218.195	210.031	203.450	210.562	217.681	217.981	218.679	221.823	214.015			
189	T	2.0807	3.9934	4.0761	2.0847	2.0009	3.9665	3.9077	2.0560	24.1660			
109	S	220.533	212.908	202.901	211.280	219.106	215.211	218.450	224.509	214.516			
190	Т	2.1015	4.2522	4.2393	2.1369	2.0342	4.1346	4.1549	2.5640	25.6176			
190	S	218.351	199.950	195.090	206.118	215.519	206.462	205.453	180.028	202.361			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
101	Т	2.8422	6.1301	6.9676	4.0519	4.0291	7.0301	6.2798	3.3615	40.6923			
191	S	161.447	138.697	118.699	108.703	108.811	121.426	135.934	137.317	127.395			
192	Т	3.3603	6.2863	6.3726	3.4992	3.4608	6.7885	6.8330	4.1734	40.7741			
192	S	136.554	135.251	129.781	125.873	126.679	125.747	124.928	110.603	127.140			
193	T	4.9334	9.0956	9.2564	6.5164	5.5024	9.1176	8.5454	4.7718	57.7390			
193	S	93.012	93.477	89.348	67.592	79.676	93.625	99.894	96.733	89.783			
194	Т	5.2466	9.1038	11.0071	6.3328	6.4574	10.9441			79.2829	27.3668		59.6212
194	S	87.459	93.393	75.137	69.551	67.893	78.000			65.386	32.924		79.205
195	T			8.9192	3.9783	3.1999	8.1499	12.4174	6.5820	60.5688		52.8637	
193	S			92.726	110.714	137.007	104.742	68.745	70.129	85.589		89.381	
196	T	5.9449	11.5832	11.5823	6.8815	5.2867	10.3423	8.2024	3.7633	63.5866			
190	S	77.186	73.402	71.406	64.006	82.927	82.538	104.072	122.656	81.527			
197	T	4.0068	7.0111	8.0776	4.4410	3.8529	6.7178	4.9493	2.3984	41.4549			
197	S	114.521	121.269	102.388	99.179	113.787	127.071	172.476	192.458	125.052			
198	T	2.2936	4.8150	4.5463	2.2184	2.0994	4.2789	4.0249	2.0856	26.3621			
196	S	200.063	176.579	181.916	198.546	208.826	199.499	212.089	221.323	196.646			
199	T	2.0977	4.2188	4.3643	2.1397	2.0173	4.3451	4.1921	2.1345	25.5095			
199	S	218.746	201.533	189.502	205.849	217.325	196.460	203.630	216.252	203.218			
200	T	2.1031	4.0931	5.0611	5.6066								
200	S	218.184	207.722	163.412	78.560								

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# Section Data for Car 5 - O'Ward, Pato

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.8159	5.5519	4.9645	2.3440	2.1843	4.7000	4.3608	2.2317	29.1531		53.0616	
	S	162.955	153.142	166.592	187.907	200.709	181.625	195.752	206.834	177.820		89.047	
2	Т	2.2981	4.7315	4.5797	2.2387	2.1243	4.3949	4.2107	2.1547	26.7326			
	S	199.671	179.695	180.589	196.746	206.378	194.233	202.730	214.225	193.921			
3	T	2.1449	4.3096	4.3208	2.1687	2.0611	4.1712	4.1023	2.1264	25.4050			
	S	213.932	197.287	191.410	203.096	212.706	204.650	208.087	217.076	204.054			
4	T	2.1196	4.2031	4.2754	2.1430	2.0553	4.2914	4.1782	2.1552	25.4212			
4	S	216.486	202.286	193.443	205.532	213.307	198.918	204.307	214.175	203.924			
5	T	2.1352	4.1819	4.3696	2.1908	2.0822	4.2502	4.1300	2.1452	25.4851			
	S	214.904	203.311	189.273	201.047	210.551	200.846	206.692	215.174	203.413			
6	T	2.1360	4.2035	4.3251	2.1724	2.0724	4.1826	4.0998	2.1383	25.3301			
	S	214.824	202.267	191.220	202.750	211.547	204.092	208.214	215.868	204.658			
7	⊣	2.1328	4.1926	4.2500	2.1478	2.0531	4.1423	4.0963	2.1336	25.1485			
	S	215.146	202.792	194.599	205.072	213.535	206.078	208.392	216.344	206.136			
8	T	2.1356	4.1815	4.2448	2.1487	2.0511	4.1522	4.1098	2.1417	25.1654			
	S	214.864	203.331	194.837	204.987	213.743	205.587	207.708	215.525	205.997			
9	Т	2.1373	4.1605	4.2568	2.1466	2.0500	4.1679	4.1036	2.1333	25.1560			
	S	214.693	204.357	194.288	205.187	213.858	204.812	208.021	216.374	206.074			
10	T	2.1320	4.1732	4.3450	2.1826	2.0766	4.1820	4.1152	2.1423	25.3489			
	S	215.227	203.735		201.803	211.119	204.122	207.435	215.465	204.506			
11	T	2.1484	4.2959	4.4824	2.2209	2.0942	4.2229	4.2427	2.2020	25.9094			
	S	213.584	197.916	184.510	198.323	209.344	202.145	201.201	209.623	200.082			
12	T	2.1693	4.2373	4.3287	2.1848	2.0765	4.2056	4.1503	2.1593	25.5118			
12	S	211.526	200.653	191.061	201.599	211.129	202.976	205.681	213.769	203.200			
13	T	2.1463	4.1909	4.3042	2.1812	2.0776	4.1922	4.1377	2.1637	25.3938			
	S	213.793	202.875	192.148	201.932	211.017	203.625	206.307	213.334	204.144			
14	T	2.1556					4.1678		2.1574	25.2581			
	S	212.870	-	<del></del>		211.659	204.817	207.490	213.957	205.241		1	
15	T	2.1452		·		2.0694	4.1823		2.1696	25.3389		1	
	S	213.902	203.467	193.710	1		204.107	205.324	212.754	204.587		1	
16	T	2.1630					4.1310		2.1447	25.2771		1	
	S	212.142	202.551	192.565		•	206.642	208.698	215.224	205.087			
17	Т	2.1447	4.1643			2.0676	4.1252	4.0914	2.1416	25.1554		1	
	S	213.952	204.171	194.215	•	212.038	206.932	208.642	215.536	206.079		1	
18	T	2.1564	4.1861	4.3776	•	2.0956	4.1870		2.1538	25.4841		1	
	S	212.792	203.107		1		203.878		214.315	203.421			
19	Т	2.1424		4.3114			4.1872	4.1309	2.1531	25.3382			
	S	214.182	204.770	191.828	202.136	210.561	203.868	206.647	214.384	204.592			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# IndyCar Series June 6, 2020

Round 1

#### Section Data for Car 5 - O'Ward, Pato

**Section Data Report** 

Report:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap I	PI to PO	PO to SF	SF to PI
20	Т	2.1458	4.1563	4.3000	2.1789	2.0901	4.1950	4.1561	2.1694	25.3916			
20	S	213.843	204.563	192.336	202.145	209.755	203.489	205.394	212.774	204.162			
21	Т	2.1612	4.1955	4.2598	2.1598	2.0656	4.1135	4.0802	2.1425	25.1781			
	S	212.319	202.652	194.151	203.933	212.243	207.521	209.214	215.445	205.893			
22	T	2.1450	4.1282	4.2518	2.1627	2.0695	4.1472	4.1102	2.1534	25.1680			
	S	213.922	205.956	194.517	203.660	211.843	205.834	207.687	214.354	205.976			
23	Т	2.1493	4.1477	4.3060	2.1870	2.0876	4.1645	4.1228	2.1573	25.3222			
	S	213.494	204.988	192.068	201.397	210.006	204.979	207.053	213.967	204.722			
24	Т	2.1468	4.1427	4.2831	2.1704	2.0719	4.1363	4.0900	2.1416	25.1828			
24	S	213.743	205.235	193.095	202.937	211.598	206.377	208.713	215.536	205.855			
25	Т	2.1401	4.1218	4.3218	2.1899	2.0874	4.1793	4.1278	2.1575	25.3256			
	S	214.412	206.276	191.366	201.130	210.026	204.253	206.802	213.947	204.694			
26	T	2.1495	4.1330	4.2484	2.1655	2.0718	4.2334	4.1691	2.1793	25.3500			
	S	213.475	205.717	194.672	203.396	211.608	201.643	204.753	211.807	204.497			
27	T	2.1698	4.1738	4.2756	2.1732	2.0790	4.1639	4.1061	2.1563	25.2977			
	S	211.477	203.706	193.434	202.676	210.875	205.009	207.895	214.066	204.920			
28	Т	2.1507	4.1225	4.2590	2.1647	2.0823	4.1753	4.1276	2.1623	25.2444			
	S	213.355	206.241	194.188	203.471	210.541	204.449	206.812	213.472	205.352			
29	T	2.1528	4.1194	4.2691	2.1737	2.0800	4.1712	4.1166	2.1520	25.2348			
29	S	213.147	206.396	193.728	202.629	210.774	204.650	207.364	214.494	205.431			
30	T	2.1441	4.1392	4.2605	2.1598	2.0700	4.1967	4.1261	2.1527	25.2491			
	S	214.012	205.409	194.119	203.933	211.792	203.407	206.887	214.424	205.314			
31	T	2.1448	4.1963	4.3103	2.1771	2.0809	4.1984	4.1253	2.1555	25.3886			
	S	213.942	202.614	191.877	202.313	210.682	203.324	206.927	214.146	204.186			
32	T	2.1373	4.1448	4.3212	2.2064	2.1142	4.2011	4.1243	2.1502	25.3995			
	S	214.693	205.131	191.393	199.626	207.364	203.194	206.977	214.673	204.099			
33	T	2.1493	4.2001	4.3694		2.0837	4.1996	4.1344	2.1535	25.4823			
	S	213.494	202.430	189.281	200.910	210.399	203.266	206.472	214.345	203.435			
34	T	2.1466	4.1683	4.3383	<del>                                     </del>	2.0799	4.1774	4.0962	2.1270	25.3152			
	S	213.763	203.975	190.638	•	210.784	204.346	208.397	217.015	204.778			
35	T	2.1245	4.2265	4.6089		2.6269	6.2536			51.1808	27.6357		31.3251
	S	215.987	201.166	179.445	190.863	166.892	136.503			101.288	32.604		150.750
36	T				3.1570		4.7144	4.3496	2.2366	43.0751		35.2951	
	S				139.517	165.095	181.070	196.256	206.381	120.348		133.871	
37	LT.	2.2067	4.1866				4.2002	5.3155	3.1179	27.4792			
	S	207.941	203.083			211.475	203.237	160.594	148.045	188.652			
38	T	3.2777	6.6164	7.7051	3.8921	3.5819	7.0164	6.7602	3.4073	42.2571			
	S	139.996	128.503	107.337	113.166	122.396	121.663	126.274	135.471	122.678			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

#### Section Data for Car 5 - O'Ward, Pato

Lap		SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	<u>.,,,</u>	3.3045		_						44.4653	1		1
39	S	138.860					118.304	-		116.585			
	T	5.1086				4.7758				59.1489			
40	S	89.822				91.798		88.907		87.643		1	
	T	5.1084					8.8254	9.8196	·	56.1882		i	
41	S	89.825				101.785	96.725			92.261			
	Т	5.3032				-	9.3704	8.9820		55.8164			
42	S	86.526	-							92.876			
42	Т	4.3120			+	5.2786	10.3444	8.7243	4.7005	57.5266			ĺ
43	S	106.416	93.794	4 79.358	94.108	83.054	82.522	97.846	98.200	90.115		Î	Î
44	Т	4.5100	9.1192	2 10.3713	4.9770	5.3311	11.7781	10.2826	4.4037	60.7730			
44	S	101.744	93.23	5 79.744	88.498	82.236	72.477	83.018	104.819	85.301			
45	Т	4.6921	9.9093	8.9493	5.1931	5.0666	10.4407	10.2761	4.3374	58.8646			
45	S	97.795	85.80	92.415	84.815	86.529	81.760	83.070	106.421	88.067			
46	Т	5.1575	7.787	6.5265	4.1363	4.1637	5.8049	4.6579	2.3050	40.5394			
40	S	88.970	109.17	7 126.721	106.485	105.293	147.054	183.266	200.256	127.876			
47	Т	2.2534	4.663	7 4.5567	2.2247	2.1196	4.4028	4.2123	2.1483	26.5815			
47	S	203.632	182.307	7 181.501	197.984	206.836	193.885	202.653	214.863	195.023			
48	Т	2.1419	4.3309	9 4.4636	2.1906	2.0886	4.1853	4.0816	2.1178	25.6003			
40	S	214.232	196.317	7 185.287	201.066	209.906	203.961	209.143	217.958	202.498			
49	T	2.1059	4.389	1 4.5402	2.2153	2.0990	4.4007	4.2980	2.1897	26.2379			
49	S	217.894	193.713	3 182.161	198.824	208.866	193.977	198.612	210.801	197.577			
50	Т	2.1985	4.4170	4.4200	2.1987	2.0906	4.1947	4.0886	2.1363	25.7444			
50	S	208.717	192.490	187.114	200.325	209.705	203.504	208.785	216.070	201.364			
51	T	2.1376	4.2140	4.2896	2.1428	2.0394	4.0881	3.9982	2.0958	25.0055			
<u> </u>	S	214.663	201.763	3 192.802	205.551	214.970	208.810	213.505	220.246	207.314			
52	T	2.1017	4.2074	4.3922	2.1945	2.0899	4.2910	4.1455	2.1351	25.5573			
J2	S	218.330	202.079	9 188.299	200.708	209.775	198.936	205.919	216.192	202.838			
53	T	2.1284					4.1430	4.0253	2.0961	25.4591			
	S	215.591			198.555	209.165			+	203.621			
54	T	2.1008		_					-	25.3823			
<b>J</b> 4	S	218.423			196.895	207.109			220.446	204.237			
55	Т	2.1026	<del></del>		+				+	25.1005			
	S	218.236	+		÷	+	•		+	206.530			$\bot$
56	T	2.1092	1	_	1	1	1	1	1	25.2321			$\bot$
	S	217.553					207.430			205.453			
57	Т	2.1200	<del></del>							25.3176			
37	S	216.445	201.25	188.252	201.213	211.343	206.447	210.364	217.373	204.759		1	

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 5 - O'Ward, Pato

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1310	4.2759	4.4746	2.2251	2.0985	4.1463	4.0586	2.1235	25.5335			
56	S	215.328	198.842	184.831	197.948	208.915	205.879	210.328	217.373	203.027			
59	Т	2.1301	4.3032	4.4731	2.2397	2.1113	4.1241	4.0343	2.1136	25.5294			
39	S	215.419	197.580	184.893	196.658	207.649	206.987	211.595	218.391	203.060			
60	Т	2.1245	4.2849	4.4060	2.1994	2.0882	4.0750	4.0229	2.1138	25.3147			
	S	215.987	198.424	187.709	200.261	209.946	209.481	212.194	218.370	204.782			
61	T	2.1316	4.3114	4.3922	2.2015	2.0910	4.0946	4.0379	2.1254	25.3856			
01	S	215.267	197.204	188.299	200.070	209.665	208.479	211.406	217.178	204.210			
62	T	2.1352	4.2261	4.3413	2.1890	2.0811	4.0971	4.0445	2.1234	25.2377			
	S	214.904	201.185	190.506	201.213	210.662	208.351	211.061	217.383	205.407			
63	T	2.1280	4.1970	4.3294	2.1931	2.0797	4.1233	4.0527	2.1242	25.2274			
	S	215.631	202.580	191.030	200.837	210.804	207.027	210.634	217.301	205.491			
64	T	2.1330	4.2736	4.3714	2.1880	2.0770	4.1361	4.0656	2.1188	25.3635			
04	S	215.126	198.949	189.195	201.305	211.078	206.387	209.966	217.855	204.388			
65	T	2.1240	4.2282	4.3761	2.1875	2.0711	4.0957	4.0348	2.1050	25.2224			
	S	216.037	201.085	188.991	201.351	211.679	208.423	211.568	219.283	205.532			
66	<u>T</u>	2.1227	4.2591	4.4068	2.2042	2.1610	4.3363	4.1764	2.1425	25.8090			
	S	216.170	199.626	187.675	199.825	202.873	196.858	204.395	215.445	200.860			
67	T	2.1509	4.3224	4.5561	2.2656	2.1291	4.1187	4.0339	2.1131	25.6898			
	S	213.336	196.703	181.525	194.410	205.913	207.259	211.616	218.443	201.792			
68	T	2.1282	4.3099	4.4042	2.2040	2.0874	4.0725		2.1083	25.3251			
	S	215.611	197.273				209.610		218.940				
69	<u>T</u>	2.1240	4.2827	4.4231	2.2196	2.0915	4.1178	4.0391	2.1092	25.4070			
	S	216.037	198.526		198.439	•	207.304	•	218.846	•		ļ	
70	T	2.1151	4.2913	4.4540	2.2245	2.1064	4.1734		2.1268	25.5702			
	S	216.947	198.128				204.542		217.035				
71	T	2.1421	4.3347				4.1703			25.4972			
<u> </u>	S	214.212	196.144	+	201.286	<del></del>	204.694		-	+		ļ	
72	T	2.1283			2.2048	<del>•</del>	4.2271	·	2.1355	•		<u> </u>	
<u> </u>	S	215.601	199.098			1	201.944		216.151	202.421		<u> </u>	
73	T	2.1768	4.7680		2.3031	2.1552	4.2989	1	2.2323			ļ	
	S	210.797	178.319				198.571	196.954	206.778			<u> </u>	
74	I	2.3205	4.7482	4.7027	2.2896	<del></del>	4.2390		2.1260	-		ļ	
<u> </u>	S	197.743	179.063	175.866	192.372	204.721	201.377	207.996	217.117	194.364		<u> </u>	
75	T	2.1424	4.3662	4.4925	2.2419	1	4.1802		2.1075			<u> </u>	
	S	214.182	194.729				204.209					<u> </u>	
76	T	2.1091	4.5119		2.2625		5.1095		2.9322	29.5447		ļ	
	S	217.564	188.441	180.534	194.676	186.740	167.068	150.006	157.421	175.463			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 5 - O'Ward, Pato

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.8402	5.712	3 6.4396	3.3825	3.1780	6.4901	6.8320	3.3394	38.2141			
77	S	161.560		1 128.431		137.951	131.529	124.947					
	Т	3.1162	5.532	7 5.4685	2.8155	2.6310	5.3838	5.4394	2.7796	33.1667			
78	S	147.251	153.67	3 151.238	156.439	166.632	158.556	156.936	166.064	156.301			
70	Т	2.7784	5.874	0 8.6712	6.0114	6.2072	11.4343	8.5300	3.7678	53.2743			Î
79	S	165.154	144.74	4 95.378	73.270	70.629	74.656	100.075	122.509	97.308			
80	Т	4.2036	8.132	6 7.1149	3.5520	3.7000	8.2654			69.9878	31.7403	3	46.0323
80	S	109.160	104.54	6 116.241	124.002	118.489	103.278			74.070	28.387	<mark>'</mark>	102.586
81	Т			8.6360	3.4801	3.2361	7.3093	7.1208	3.1788	50.4537		42.6689	
91	S			95.767	126.564	135.475	116.788	119.879	145.209			110.736	
82	T	3.3765	7.359	7.1869	3.6611	3.9342	7.8129	8.1943	3.8343	45.3597			
02	S	135.899	115.52	8 115.077	120.307	111.435	109.260	104.174	120.385	114.286			
83	T	3.3691	6.735		•	5.6655	9.7891		3.9591	51.6637			
65	S	136.198	126.23	5 94.991	85.147	77.382	87.203	103.270	116.590	100.341			
84	T	3.8105	7.823	8.6522	4.7808	4.3389	10.1666	8.3741	4.6334	52.5799			
	S	120.421					83.965	101.938	99.623	98.593			
85	T	4.1106	7.035	9.2810			8.1960	7.4695	4.2176	51.4678			
	S	111.629			74.849		104.153		109.444	100.723			
86	T	5.1860	<del></del>				5.9347		2.6432				
	S	88.481	111.87	5 132.312	129.215	136.393	143.838	138.180	174.633	128.269			
87	T	2.4642	1	_	-			-	2.2302				
	S	186.212	+										
88	T	2.2303			•	<del></del>	4.1409	+	<del></del>	<del></del>			
	S	205.741	•			209.225	206.148	211.631	219.398	•		ļ	
89	T	2.1105	-	_		2.0479	4.1351	4.0209		25.0851			
	S	217.419				214.077	206.437			206.657			
90	Т	2.0976					4.0917						
	S	218.757	+		<del>•                                      </del>	212.068	208.626	+		<del></del>			
91	T	2.1010	<del></del>		+	2.0465	4.0847	•	<del>•                                      </del>	•			
<u></u>	S	218.402			1		208.984		217.978				
92	Т	2.1222			-	2.0731	4.1507	-					
	S	216.221	+	_		211.475	205.661		220.183				
93	T	2.1219	+		+	2.0612	4.0928	+	<del></del>			ļ	
	S	216.251	•		÷	212.696	208.570	•	•	•			
94	T	2.1022		_	1	2.0891	4.1317	1	2.1215	1		ļ	
<u> </u>	S	218.278			199.382	209.855	206.607		217.578				
95	Т	2.1199		_			4.1151					ļ	
	S	216.455	200.35	5 188.728	200.956	211.007	207.440	211.025	217.793	204.942		<u> </u>	

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 5 - O'Ward, Pato

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1300	4.2179	4.3217	2.1655	2.0638	4.1171	4.0354	2.1099	25.1613			
90	S	215.429	201.576	191.370	203.396	212.428	207.339	211.537	218.774	206.031			
97	Т	2.1156	4.1308	4.3737	2.1798	2.0697	4.1233	4.0537	2.1155	25.1621			
	S	216.895	205.826	189.095	202.062	211.823	207.027	210.582	218.195	206.024			
98	T	2.1210	4.2189	4.3147	2.1833	2.0830	4.2760	4.1548	2.1558	25.5075			
96	S	216.343	201.528	191.681	201.738	210.470	199.634	205.458	214.116	203.234			
99	Т	2.1551	4.2968	4.3396	2.1775	2.0658	4.0517	3.9960	2.0950	25.1775			
	S	212.920	197.875	190.581	202.275	212.222	210.686	213.623	220.330	205.898			
100	LT	2.1108	4.2863	4.4784	2.2265	2.1079	4.2245	4.1054	2.1377	25.6775			
100	S	217.388	198.359	184.674	197.824	207.984	202.068	207.930	215.929	201.889			
101	T	2.1361	4.2581			2.0781	4.0928			25.1953			
101	S	214.814	199.673				208.570		218.774	205.753			
102	T	2.1105	-		2.2104	2.0965	4.1328	<del></del>	2.1156	+			
102	S	217.419	203.044	187.233	199.265	209.115	206.552	<del>•</del>					
103	LT	2.1150	4.2056	4.4203	2.2024	2.0905	4.1601	4.0930	2.1368	25.4237			
103	S	216.957	202.166			-	205.196						
104	T	2.1422	4.2896				4.1401			25.3953			
104	S	214.202	198.207		201.784	211.281	206.187	209.471	216.394	204.132			
105	T	2.1288		·	<del>•                                      </del>	2.0731	4.1323	<del>•                                      </del>	2.1133	25.1613			
	S	215.550				211.475	206.577	1	218.422	206.031			
106	T	2.1258	-			2.1078	4.1291		2.1210	-			
	S	215.855				207.994	206.737		217.629				
107	T	2.1204	4.2112	<del></del>		+	4.1309	<del></del>		+			
107	S	216.404	201.897	1	1	210.763	206.647	•	•				
108	T	2.1308			•	2.0690	4.1022		2.1218				
	S	215.348			1	211.894	208.092			206.263			
109	T	2.1231	4.1453		2.1894	2.1032	4.1216		2.1274	25.2299		<u> </u>	
L	S	216.129				+	207.113		216.974	205.470		1	
110	T	2.1213		<del>•                                      </del>	•	•	4.1038	<del></del>	•			<del> </del>	
	S	216.312	205.091				208.011			206.164		<del> </del>	
111	T	2.1280					4.1410			25.2536		-	+
-	S	215.631	202.773				206.143			205.278			+
112	T	2.1329	-	<del></del>	2.2027	2.0903	4.0914		+	25.2471		<b>-</b>	+
<u> </u>	S	215.136	202.161	1	199.961	209.735	208.642	<del>                                     </del>	217.434	205.331	<u> </u>	<del>-</del>	+
113	I	2.1259			2.2073	2.0889	4.1278			25.3109		<u> </u>	-
	S	215.844					206.802					-	+
114	T	2.1225		1	1		4.2374			25.7078		<u> </u>	4
	S	216.190	198.221	184.538	198.439	208.876	201.453	206.642	216.974	201.651			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

### Section Data for Car 5 - O'Ward, Pato

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1402	4.4082	4.7336	2.3030	2.1434	4.2002	4.0800	2.1196	26.1282			
113	S	214.402	192.874	174.718	191.253	204.539	203.237	209.225	217.773	198.406			
116	Т	2.1283	4.3264	4.5839	2.2457	2.1137	4.1375	4.0747	2.1299	25.7401			
110	S	215.601	196.521	180.424	196.132	207.413	206.317	209.497	216.720	201.398			
117	T	2.1386	4.3256	4.4577	2.2217	2.0960	4.1238	4.0379	2.1119	25.5132			
117	S	214.563	196.557	185.532	198.251	209.165	207.002	211.406	218.567	203.189			
110	Т	2.1159	4.2962	4.5227	2.2314	2.1091	4.2043	4.1394	2.1585	25.7775			
118	S	216.865	197.902	182.865	197.389	207.865	203.039	206.222	213.848	201.106			
119	T	2.1573	4.3223	4.4633	2.2148	2.0964	4.2269	4.1498	2.1549	25.7857			
119	S	212.703	196.707	185.299	198.869	209.125	201.953	205.705	214.205	201.042			
120	T	2.1531	4.3651	4.4134	2.2061	2.0971	4.0939	4.0351	2.1291	25.4929			
120	S	213.118	194.778	187.394	199.653	209.055	208.514	211.553	216.801	203.351			
121	Т	2.1503	4.3722	4.3867	2.2296	2.4381	6.1211			50.0508	27.2676		30.5648
121	S	213.395	194.462	188.535	197.549	179.816	139.458			103.575	33.044		154.500
122	T				3.2221	2.6827	4.7825	4.3131	2.1915	43.2585		35.4769	
122	S				136.698	163.421	178.492	197.917	210.628	119.838		133.185	
123	Т	2.1737	4.2295	4.3437	2.1616	2.0671	4.0754	4.0197	2.1089	25.1796			
123	S	211.098	201.023	190.401	203.763	212.089	209.461	212.363	218.878	205.881			
124	T	2.0990	4.1593	4.2520	2.1344	2.0369	4.0203	3.9910	2.1040	24.7969			
124	S	218.611	204.416	194.507	206.360	215.233	212.332	213.890	219.387	209.058			
125	T	2.0934	4.1482	4.2873	2.1475	2.0485	4.0627	4.0179	2.1164	24.9219			
123	S	219.195	204.963	192.906	205.101	214.015	210.116	212.458	218.102	208.010			
126	T	2.1193	4.2162	4.2415	2.1369	2.0523	4.0989	4.0138	2.1111	24.9900			
120	S	216.517	201.657	194.989	206.118	213.618	208.260	212.675	218.649	207.443			
127	T	2.1122	4.0928	4.3354	2.1648	2.0524	4.0364	3.9832	2.0889	24.8661			
127	S	217.244	207.737	190.766	203.462	213.608	211.485	214.309	220.973	208.477			
128	Т	2.0931	4.1596	4.3352	2.1746	2.0683	4.0807	4.0100	2.1074	25.0289			
120	S	219.227	204.401	190.774	202.545	211.966	209.189	212.877	219.033	207.121			
129	T	2.1110	4.2059	4.3036	2.1639	2.0629	4.0574	3.9985	2.1101	25.0133			
129	S	217.368	202.151	192.175	203.547	212.521	210.390	213.489	218.753	207.250			
130	Т	2.1058	4.0560	4.3116	2.1732	2.0679	4.0359	3.9822	2.0973	24.8299			
130	S	217.905	209.622	191.819	202.676	212.007	211.511	214.363	220.088	208.781			
131	Т	2.1034	4.0823	4.3440		2.0794	4.0361	3.9924	2.1002	24.9177			
131	S	218.153	208.272	190.388	202.053	210.834	211.500	213.815	219.784	208.045			
132	T	2.1055	4.1096	4.3448	2.1759	2.0724	4.0410	4.0051	2.1069	24.9612			
132	S	217.936	206.888	190.353	202.424	211.547	211.244	213.137	219.085	207.682			
133	Т	2.1132	4.1398	4.3791	2.1854	2.0998	4.1074	4.0377	2.1159	25.1783			
133	S	217.142	205.379	188.862	201.544	208.786	207.829	211.416	218.153	205.892			

Round 1


**Texas Motor Speedway** 1.5 mile(s)



June 6, 2020 MDYCAR

TAG

Round 1



Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1193	4.1769	4.3384	2.1799	2.0736	4.0157	3.9772	2.0995	24.9805			
134	S	216.517	203.555	190.634	202.053	211.424	212.575	214.632	219.858	207.522			
135	Т	2.1075	4.1777	4.3134	2.1670	2.0638	4.0813	4.0365	2.1181	25.0653			
135	S	217.729	203.516	191.739	203.255	212.428	209.158	211.479	217.927	206.820			
136	Т	2.1270	4.1740	4.3460	2.1870	2.0813	4.0272	3.9939	2.1063	25.0427			
130	S	215.733	203.696	190.300	201.397	210.642	211.968	213.735	219.148	207.006			
137	Т	2.1125	4.1862	4.3222	2.1709	2.0671	4.0519	4.0234	2.1083	25.0425			
13/	S	217.214	203.102	191.348	202.890	212.089	210.676	212.168	218.940	207.008			
138	T	2.1181	4.1495	4.4450	2.2178	2.0953	4.0827	4.0258	2.1190	25.2532			
136	S	216.639	204.899	186.062	198.600	209.235	209.086	212.041	217.834	205.281			
139	Т	2.1232	4.1975	4.3532	2.1817	2.0725	4.0806	4.0296	2.1193	25.1576			
139	S	216.119	202.556	189.986	201.886	211.536	209.194	211.841	217.803	206.061			
140	Т	2.1243	4.2461	4.4177	2.2063	2.0906	4.0752	4.0135	2.1072	25.2809			
140	S	216.007	200.237	187.212	199.635	209.705	209.471	212.691	219.054	205.056			
141	Т	2.1186	4.2037	4.3357	2.1757	2.0744	4.0689	4.0147	2.1140	25.1057			
141	S	216.588	202.257	190.752	202.443	211.343	209.795	212.628	218.350	206.487			
142	Т	2.1328	4.1740	4.3467	2.1781	2.0770	4.1608	4.0610	2.1156	25.2460			
142	S	215.146	203.696	190.270	202.220	211.078	205.162	210.203	218.184	205.339			
143	Т	2.1234	4.2900	4.4677	2.2195	2.1002	4.0593	3.9948	2.1107	25.3656			
143	S	216.099	198.188	185.117	198.448	208.746	210.292	213.687	218.691	204.371			
144	Т	2.1178	4.1273	4.3997	2.1933	2.1000	4.0822	4.0101	2.1022	25.1326			
	S	216.670	206.001	187.978	200.818	208.766	209.112	212.872	219.575	206.266			
145	T	2.1142	4.2366	4.4287	2.2094	2.0911	4.0915	4.0329	2.1149	25.3193			
143	S	217.039	200.686	186.747	199.355	209.655	208.637	211.668	218.257	204.745			
146	T	2.1213	4.2147	4.3948	2.1918	2.0813	4.1119	4.0333	2.1064	25.2555			
140	S	216.312	201.729	188.187	200.956	210.642	207.601	211.647	219.137	205.262			
147	Т	2.1181	4.2317	4.3664	2.1855	2.0824	4.0683	4.0123	2.1042	25.1689			
	S	216.639	200.919	+	201.535	<del> </del>	209.826		219.366	<del></del>			
148	T	2.1187	4.2712		2.2046	·	4.0526	·	2.0962	<del></del>			
173	S	216.578	199.061	187.322	199.789	210.228	210.639	214.078	220.204	205.459			
149	T	2.1167	4.2718		2.1837	2.0763	4.0697						
	S	216.783	199.033	189.659	201.701	211.149	209.754		219.648				
150	T	2.1135	4.2367	4.4174	2.2363	<del> </del>	5.9775			48.6328	26.9150		29.5077
	S	217.111	200.681	187.224	196.957	188.709	142.808			106.595	33.477		160.035
151	T				3.2099	2.6842	4.7716	4.4107	2.2704	43.2493		35.4594	
	S				137.218	163.330	178.899		203.308	119.863		133.251	
152	Т	2.2465	4.2170	4.2078	2.1670	2.0928	4.0493						
	S	204.257	201.619	196.551	203.255	209.484	210.811	210.795	214.943	205.898			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 5 - O'Ward, Pato

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Τ	2.1466	4.0595	4.0920			4.0066	4.0243					İ
153	S	213.763					213.058					1	1
454	Т	2.1437	4.0324	4.0882	2.1247		3.9784	3.9909	2.1214	24.5299			
154	S	214.052	+	1	1	1	214.568	+	217.588				
4	Т	2.1449	4.0135	4.0792	2.1147	2.0391	4.1665	•	2.2622	25.1398			
155	S	213.932	211.842	202.747	208.282	215.001	204.881		204.045	206.207			
456	Т	2.2200			2.1663		3.9952			25.1049			
156	S	206.695	197.443	192.542	203.321	212.335	213.665	215.478	220.277	206.494			
457	Т	2.0851	4.0585	4.3209	2.1726	2.0696	4.4112	4.2568	2.1795	25.5542			
157	S	220.068	209.493	191.406	202.732	211.833	193.516	200.535	211.788	202.863			
158	Т	2.1488	4.3059	4.5229	2.2159	2.1081	4.3332	4.1533	2.1389	25.9270			
156	S	213.544	197.456	182.857	198.770	207.964	196.999	205.532	215.808	199.946			
159	T	2.1210	4.2121	4.3205	2.1512	2.0427	4.0835	4.0470	2.1197	25.0977			
159	S	216.343	201.854	191.424	204.748	214.622	209.045	210.931	217.762	206.553			
160	┙	2.1094	4.1116	4.2682	2.1494	2.0483	4.0335	3.9754	2.0858	24.7816			
100	S	217.533	206.787	193.769	204.920	214.036	211.637	214.730	221.302	209.187			
161	Т	2.0878	4.1856	4.3738	2.1794	2.0803	4.0464	3.9939	2.0996	25.0468			
101	S	219.783	203.132	189.091	202.099	210.743	210.962	213.735	219.847	206.973			
162	Т	2.0989	4.1388	4.4035	2.2048	2.0984	4.0187	3.9727	2.1023	25.0381			
102	S	218.621		187.815	199.771	208.925	212.416	214.876	219.565	207.044			
163	Т	2.0926	4.0159	4.4008	2.1999	2.0847	4.0206	3.9782	2.0968	24.8895			
103	S	219.279	211.715	187.931	200.216	210.298	212.316	214.579	220.141	208.281			
164	LI	2.0853	4.0443	4.3238	2.1731	2.0672	4.0350	3.9916	2.0953	24.8156			
107	S	220.047	210.229	191.277	202.685	212.079	211.558	213.858	220.298	208.901			
165	工	2.0859		4.4748	2.2745		4.1442	4.0751	2.1315	25.4385			
105	S	219.984			1		205.983		216.557	203.786			
166	T	2.1422					4.0324		2.1134				
100	S	214.202	+	190.801	201.341	210.450	211.694	213.409	218.412	206.551			
167	T	2.1067	<del>•</del>	+	+	<del>•                                      </del>	4.1208	+	2.1190				
107	S	217.812		-	201.766	211.302	207.153		217.834				
168	T	2.1163					4.0988		2.1150				
	S	216.824			1		208.265		218.246				
169	I	2.1065	<del></del>	+	1	1				25.1323			1
	S	217.832	•	+	•	<del>•                                      </del>	209.486	+	219.596	206.268			<u> </u>
170	L	2.1158	1	1	1	2.0771	4.0798	1	2.1045				ļ
	S	216.875					209.235		219.335	205.599			1
171	Т	2.1027			1	2.1022	4.0613		2.1067	25.2843			
	S	218.226	203.447	184.074	197.407	208.548	210.188	212.978	219.106	205.028			

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 

June 6, 2020 MDYCAR



#### Section Data for Car 5 - O'Ward, Pato

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1095	4.1949	4.3815	2.1993	2.0837	4.0858	4.0252	2.1113	25.1912			
172	S	217.522	202.681	188.759	200.270	210.399	208.928	212.073	218.629	205.786			
173	T	2.1116	4.2112	4.3888	2.2058	2.0889	4.0678	4.0085	2.1010	25.1836			
1/3	S	217.306	201.897	188.445	199.680	209.876	209.852	212.957	219.701	205.848			
174	T	2.1047	4.2198	4.3749	2.2043	2.0871	4.0791	4.0225	2.1165	25.2089			
1/4	S	218.019	201.485	189.043	199.816	210.057	209.271	212.215	218.092	205.642			
175	Т	2.1227	4.1751	4.3038	2.1699	2.0641	4.0520	4.0018	2.1109	25.0003			
1/5	S	216.170	203.642	192.166	202.984	212.397	210.670	213.313	218.670	207.358			
176	T	2.1151	4.1346	4.2881	2.1578	2.0819	4.1922	4.0766	2.1170	25.1633			
176	S	216.947	205.637	192.870	204.122	210.581	203.625	209.399	218.040	206.014			
177	T	2.1029	4.1986	4.4073	2.2081	2.0987	4.1541	4.0587	2.1160	25.3444			
1//	S	218.205	202.503	187.654	199.472	208.896	205.492	210.323	218.143	204.542			
178	7	2.1160	4.1540	4.3577	2.1861	2.0898	4.1062	4.0387	2.1177	25.1662			
178	S	216.854	204.677	189.789	201.480	209.785	207.890	211.364	217.968	205.991			
179	T	2.1142	4.2201	4.3424	2.1860	2.0794	4.0344	3.9955	2.1079	25.0799			
1/9	S	217.039	201.471	190.458	201.489	210.834	211.589	213.649	218.981	206.699			
180	Т	2.0994	4.1089	4.3245	2.1764	2.0722	4.0247	3.9839	2.0995	24.8895			
100	S	218.569	206.923	191.246	202.378	211.567	212.099	214.272	219.858	208.281			
181	Т	2.1064	4.1537	4.3894	2.2155	2.0972	4.0348	3.9913	2.1030	25.0913			
101	S	217.843	204.692	188.419	198.806	209.045	211.568	213.874	219.492	206.605			
182	Т	2.1043	4.1207	4.2843	2.1586	2.0636	4.0097	3.9929	2.1058	24.8399			
102	S	218.060	206.331	193.041	204.046	212.449	212.893	213.789	219.200	208.696			
183	LI	2.1076	4.1252	4.3842	2.2194	2.2726	5.6951	·		47.5726	26.3566		28.9336
103	S	217.719	206.106	188.642	198.457	192.911	149.890	<del></del>		108.970	34.186		163.211
184	T				3.1468	2.6371	4.6293		2.1797	42.5210		34.8034	
	S				139.969	166.247	184.399	-	211.768	-		135.763	
185	LT	2.1519	4.1521	4.1679		2.0195	3.9195		2.0835	24.5408			
	S	213.237	204.770	+	208.479	217.088	217.792	217.006	221.546	211.240			
186	L	2.0814	4.0919		<del>                                       </del>	2.0394	4.0003		2.0978	24.6078			
	S	220.459	207.783	198.456	•	214.970	213.393	213.847	220.036	210.665			
187	I	2.0850	4.1442	4.3300		2.0814	4.5078		2.1896	25.7659			
<u> </u>	S	220.078	205.161	191.004	203.068	210.632	189.369		210.811	201.196			
188	T	2.1888	4.4865	4.4331	2.2404	2.1288	4.0733		2.1142	25.6747			
	S	209.642	189.508	186.561	196.596	205.942	209.569		218.329	201.911			
189	I	2.1098	4.1281	4.2282	2.1388	2.1337	4.4207	4.2311	2.1847	25.5751			
	S	217.492	205.961	195.602	205.935	205.469	193.100		211.283				
190	I	2.1683	4.2472			2.1544	4.7369		3.7959	29.3785			
	S	211.624	200.185	189.169	202.025	203.495	180.210	149.143	121.602	176.456			

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

TAG

#### Section Data for Car 5 - O'Ward, Pato

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	4.0168	6.8844	11.9426	4.9340	4.6672	10.2314	10.2002	5.4631	58.3397	1		
191	S	114.236	123.501	69.252	89.269	93.934	83.433	83.688	84.492	88.859	<u> </u>		
192	Т	5.5617	9.5461	10.1025	4.6612	4.5394	9.9385	9.6863	5.1768	59.2125			
192	S	82.504	89.065	81.865	94.494	96.579	85.892	88.128	89.165	87.549			
193	Т	5.2178	10.4058	11.8234	6.6428	5.2406	10.8829	11.3867	5.7793	67.3793			
193	S	87.942	81.707	69.950	66.306	83.656	78.438	74.968	79.870	76.938			
194	Т	5.9782	10.9280	11.1747	5.1223	6.6175	12.1763	11.8845	6.3392	70.2207	'		
194	S	76.756	77.803	74.011	85.988	66.250	70.106	71.828	72.815	73.824			
195	Т	6.7447	11.7095	11.5403	5.5429	5.6763	9.3570	8.2628	4.6280	63.4615			
193	S	68.033	72.610	71.666	79.463	77.235	91.230	103.311	99.739	81.687	'		
196	T	4.6552	9.4397	9.0140	4.7253	4.7396	9.0201	5.7358	2.5886	49.9183	l e		
190	S	98.570	90.069	91.751	93.212	92.499	94.637	148.826	178.317	103.850	) e		
197	T	2.4521	4.4588	4.3490	2.1889	2.0893	4.0516	4.0062	2.1119	25.7078			
197	S	187.131	190.685	190.169	201.222	209.835	210.691	213.079	218.567	201.651			
198	T	2.1197	4.1469	4.1850	2.1298	2.0487	3.9808	3.9692	2.1085	24.6886	,		
190	S	216.476	205.027	197.621	206.806	213.994	214.438	215.065	218.919	209.975			
199	T	2.1122	4.0814	4.1367	2.1437	2.0628	4.0158	3.9914	2.1472	24.6912	!		
	S	217.244	208.318	199.929	205.465	212.531	212.569	213.869	214.973	209.953			
200	Т	2.3882	5.2430	6.9456	5.3872	5.6120							
	S	192.138	162.164	119.075	81.759	78.120							


Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session: Race** 

June 6, 2020 MDYCAR

TAG

Round 1



Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.8289	5.4437	4.9342	2.3599	2.2229	4.7007	4.4426	2.2590	29.1919		53.8609	
1	S	162.206	156.186	167.615	186.641	197.224	181.598	192.148	204.334	177.584		87.726	
	Т	2.2673	4.7067	4.5023	2.2599	2.1209	4.2481	4.0833	2.1301	26.3186			
2	S	202.383	180.642	183.694	194.900	206.709	200.945	209.056	216.699	196.971			
3	Т	2.1354	4.2573	4.2837	2.1733	2.1097	4.2333	4.0993	2.1357	25.4277			
	S	214.884	199.710	193.068	202.666	207.806	201.648	208.240	216.131	203.872			
4	Т	2.1268	4.2150	4.2861	2.1840	2.0742	4.0107	4.0863	2.1134	25.0965			
	S	215.753				211.363	212.840	208.902	218.412	206.563			
5	Т	2.1450	4.4347	4.4544	2.2632	2.1280	4.0826	4.0359	2.1284	25.6722			
	S	213.922	191.721	185.669	194.616	206.019	209.091	211.511	216.872	201.930			
6	Т	2.1355	4.2309	-		2.0715	-		-	25.0947			
	S	214.874								206.577			
7	T	2.1343							-	25.0945			
	S	214.995	+	191.988		•		•	218.277	206.579			
8	T	2.1379	4.2449			2.0937				25.2693			
	S	214.633				209.394	210.540			205.150			
9	Т	2.1507				2.1037	4.0768			25.4592			
	S	213.355	+		+	208.399	209.389	-	216.070				
10	T	2.1357	·			2.0995		•					
	S	214.854	•							205.729			
11	T	2.1380	+			2.0816				25.1585			
	S	214.623											
12	Т	2.1354				2.1216	-	-	-	25.4865			
	S	214.884	•			206.641	209.528	-	•	203.402			
13	T	2.1351				2.0894	4.0293			25.1662			
	S	214.914			199.445	209.825	211.857	212.099	-	205.991			
14	T	2.1290								25.1803			
	S	215.530	+	+	+	211.322	211.527	210.795	+	-			
15	T	2.1371	+							25.3988			
	S	214.713		1	1		211.176			204.104		+	
16	Ţ	2.1383				2.0775			-	25.1073			
	S	214.593				211.027	213.671	213.212		206.474		+	
17	T	2.1155	+			-	4.0298			25.2273		+	
	S	216.906	·	189.312		208.856	211.831	212.538		205.492			
18	T	2.1325	•	4.4708		2.1259							
	S	215.176		184.988		-	208.974			202.744			
19	T	2.1419											
	S	214.232	202.512	189.986	197.788	207.541	211.228	212.247	217.025	205.528			

**Genesys 300 Event:** 


1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Track:

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1363	4.3114	4.4017	2.2408	2.1229	4.0457	4.0290	2.1340	25.4218			
20	S	214.794	197.204	187.892	196.561	206.514	210.998	211.873	216.303	203.919			
21	Т	2.1345	4.2272	4.3698	2.2309	2.1141	4.0405	4.0262	2.1338	25.2770			
	S	214.975	201.132	189.264	197.434	207.374	211.270	212.020	216.323	205.088			
22	T	2.1316	4.1976	4.3523	2.2176	2.1057	4.0338	4.0195	2.1309	25.1890			
	S	215.267	202.551	190.025	198.618	208.201	211.621	212.374	216.618	205.804			
23	T	2.1261	4.1942	4.2932	2.1901	2.0837	4.0001	3.9964	2.1153	24.9991			
23	S	215.824	202.715	192.641	201.112	210.399	213.404	213.601	218.215	207.367			
24	T	2.1301	4.2798	4.2989	2.1869	2.0796	3.9984	4.0234	2.1249	25.1220			
	S	215.419	198.661	192.385	201.406	210.814	213.494	212.168	217.229	206.353			
25	T	2.1356	4.2719	4.3360	2.2018	2.0862	4.0557	4.0896	2.1531	25.3299			
	S	214.864	199.028	190.739	200.043	210.147	210.478	208.733	214.384	204.659			
26	T	2.1449	4.2327			2.1200	4.0387	4.0315	2.1303	25.3853			
	S	213.932		185.999	196.570	206.797	211.364	211.742	216.679	204.213			
27	T	2.1319	4.2409	4.3729	2.2129	2.0931	4.0478	4.0699	2.1456	25.3150			
	S	215.237	200.483	189.130	199.040	209.454			215.134	204.780			
28	T	2.1391	4.2281			2.1036			2.1463	25.4290			
	S	214.512	201.090	186.797	197.531	208.409	209.543	209.184	215.064	203.862			
29	LT.	2.1325	4.2370	4.3902	2.2132	2.0910	4.0765	4.1092	2.1567	25.4063			
	S	215.176	200.667	188.384	199.013	209.665	209.404	207.738	214.026	204.044			
30	T	2.1427	4.2546	4.4120	2.2315	2.1038	4.0799	4.0860	2.1357	25.4462			
	S	214.152	199.837	187.454	197.380	208.389	209.230	208.917	216.131	203.724			
31	<u> </u>	2.1364	4.2859	4.4792	2.2436	2.1135	4.0863	4.1045	2.1454	25.5948			
	S	214.784	198.378	184.641	196.316	207.433			215.154	202.541			
32	T	2.1388	1	1			1						
	S	214.543							-				
33	Т	2.1478							2.1539				
	S	213.644	•	+	+			208.097	214.305	+			
34	LT.	2.1440	+	+	•	<del></del>		•					
<u> </u>	S	214.022		1	•	208.736			213.255				
35	T	2.1564	+		-					53.1247	29.7598		31.1070
	S	212.792	197.040	178.987		173.353				97.582	30.277		151.807
36	T			ļ	3.1769							35.4105	
	S				138.643	165.425	180.328	195.456	206.843	120.132		133.435	
37	<u> </u>	2.2051											
	S	208.092	199.411	186.768									

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

Round 1



#### Section Data for Car 59 - Daly, Conor

Lap		SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
·	T	2.8531	5.4577	4.7522	2.2899	2.1489	4.5908	4.4497	2.2324	28.7747		52.3243	
1	S	160.830	155.785	174.034			185.945	191.841				90.302	
_	Т	2.2472	4.6587	4.4307	2.2276	2.1009	4.1602	4.1072	2.1397	26.0722			
2	S	204.194	182.503	186.662	197.726	208.677	205.191	207.839	215.727	198.832			
	Т	2.1299	4.3476	4.3930	2.2093	2.0962	4.1086	4.0333	2.1066	25.4245			
3	S	215.439	195.562	188.264	199.364	209.145	207.768	211.647	219.117	203.898			
4	Т	2.1153	4.2873	4.3073	2.1735	2.0631	4.1400	4.0667	2.1138	25.2670			
4	S	216.926	198.313	192.010	202.648	212.500	206.192	209.909	218.370	205.169			
5	Т	2.1400	4.4378	4.3014	2.1693	2.0611	4.0445	4.0095	2.1059	25.2695			
3	S	214.422	191.588	3 192.274	203.040	212.706	211.061	212.903	219.189	205.148			
6	T	2.1107	4.2849	4.2954	2.1820	2.0718	4.0636	4.0507	2.1191	25.1782			
	S	217.399	198.424	192.542	201.858	211.608	210.069	210.738	217.824	205.892			
7	Т	2.1162		<del></del>	+	2.0776				25.1662			
	S	216.834	<del>•</del>	<del></del>	•		<del></del>		•	205.991			
8	<u> </u>	2.1157	4.2549	4.4191	2.2191	2.0993	4.0909	4.0373	2.1158	25.3521			
	S	216.885				208.836				204.480			
9	Т	2.1199		4.4123	2.2147	2.0980			2.1108	25.3318			
	S	216.455	+			-		+		204.644			
10	T	2.1248			•	•	•		•	25.1313		Į	
	S	215.956			1		•		219.294			ļ	
11	T	2.1171			-								
	S	216.742	-	_						205.220			
12	T	2.1225		<del></del>	+	-				-			
	S	216.190	•	<del></del>	•	•	•		1			ļ	
13	T	2.1151	1	_	1			1		25.2276		<u> </u>	
	S	216.947											
14	T	2.1157								25.3461		ļ	
	S	216.885	+		1	+	210.978	+	217.824	204.529		<b> </b>	
15	I	2.1250	•	+	+	2.0980	<del></del>		•	25.2113		<b>.</b>	
	S	215.936		-		208.965			1	205.622		1	
16	T	2.1161	1		-	2.0970			2.1131	25.1362		1	
	S	216.844				209.065				206.236		1	
17	T	2.1254						+		25.2322		1	
	S	215.895	•	<del></del>	+	208.171	212.057		1	205.452		+	
18	I	2.1281	1		1		1	1	1	25.1844		-	
	S	215.621				209.484				205.842		1	
19	T	2.1254	-	_						25.2155		-	
_	S	215.895	199.378	190.445	200.983	209.755	210.759	211.778	217.701	205.588			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 59 - Daly, Conor

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1322	4.2902	4.3403	2.1935	2.0905	4.0408	4.0242	2.1252	25.2369			
20	S	215.207	198.179	190.550	200.800	209.715	211.254	212.126	217.199	205.414			
21	Т	2.1320	4.2780	4.3442	2.1912	2.0954	4.0338	4.0079	2.1217	25.2042			
	S	215.227	198.744	190.379	201.011	209.225	211.621	212.988	217.557	205.680			
22	T	2.1256	4.2568	4.3458	2.1914	2.0916	4.0474	4.0238	2.1198	25.2022			
	S	215.875	199.734	190.309	200.992	209.605	210.910	212.147	217.752	205.696			
23	Т	2.1227	4.2597	4.3348	2.1869	2.0889	4.0505	4.0199	2.1160	25.1794			
	S	216.170	199.598	190.792	201.406	209.876	210.748	212.353	218.143	205.883			
24	LT.	2.1439	4.3461	4.3879	2.1999	2.0921	4.0575	4.0287	2.1163	25.3724			
	S	214.032	195.630	188.483	200.216	209.555	210.385	211.889	218.112	204.317			
25	T	2.1195	4.2658	4.3958	2.2014	2.0928	4.0688	4.0356	2.1158	25.2955			
	S	216.496	199.313	188.144	200.079	209.484	209.801	211.527	218.164	204.938			
26	<u>T</u>	2.1210	4.2704	4.3730	<del> </del>		4.1041	4.0738	<del> </del>	+			
	S	216.343	199.098	189.125	199.970	209.254	207.996	209.543	217.168	204.372			
27	T	2.1415	4.3396	4.4603	2.2223	2.1087	4.0999	4.0361	2.1198	25.5282			
	S	214.272	195.923	185.424	198.198	207.905	208.209	211.500	217.752	203.070			
28	T	2.1184	4.2966	4.4406	2.2161	2.1045	4.0678	4.0459	2.1172	25.4071			
	S	216.609	197.884	186.246	198.752	208.320	209.852	210.988	218.020	204.037			
29	T	2.1385	4.3620	4.4259			4.0950	·	2.1350	25.5550			
	S	214.573	194.917	186.865	198.519	208.320	208.458	209.461	216.202	202.857			
30	T	2.1305	4.3101	4.4153	2.2179	-	4.1184		2.1309	25.5185			
	S	215.378	197.264	187.314	198.591	207.659	207.274		216.618				
31	T	2.1295	4.3591	4.4628	2.2272	2.1012	4.1148		<del> </del>	25.6115			
<u></u>	S	215.480	195.047	185.320	197.762	208.647	207.455	•	216.923	202.409	ļ		
32	T	2.1372	4.4175	4.4413	2.2190		4.0785			25.5363			
L	S	214.703	192.468	186.217	198.492	208.033	209.302			203.005			
33	I	2.1426	4.3982	4.4175	2.2075	2.0946	4.0929			25.5532			
	S	214.162	193.313	187.220	199.526	+	208.565		-	+			
34	I	2.1480	4.4656	•	2.2257	2.1052	4.1217	·		25.7493			
<u> </u>	S	213.624	190.395	184.164	197.895	208.251	207.108		218.071	201.326	04		04 155
35	I	2.1417	4.5298	4.5547	2.2812	2.3435	5.9984			50.0656	26.5810		31.1886
<u> </u>	S	214.252	187.696	181.581	193.080		142.311	( 2 ( 5 -	0.005-	103.544	33.897	04.057	151.410
36	T			8.4620	3.1294	2.6403	4.6343		<del> </del>	42.5581		34.8541	$\vdash$
<u> </u>	S	0.100-		97.736	140.747	166.045	184.200	·	209.101	121.810		135.565	
37	I	2.1833	4.2796			2.0609	4.3019	<del></del>	2.8222	27.0455			<b>—</b>
-	S	210.170	198.670		204.853		198.432		163.557	191.677			
38	T	3.0964	6.0162	6.3392	3.2454	3.3416	6.3089		3.3544	38.0028			
L	S	148.193	141.323	130.465	135.717	131.197	135.307	135.483	137.608	136.411			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

#### Section Data for Car 59 - Daly, Conor

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	Т	3.3816	5.9325	6.0780	3.3416	3.8663	9.7303	10.7170	5.3691	48.4164			
39	S	135.694	143.317	136.072	131.809	113.392	87.730	79.653	85.972	107.071			
40	Т	6.2033	9.5376	8.2229	4.6486	5.4069	10.3637	9.1241	5.0229	58.5300			
40	S	73.971	89.145	100.578	94.750	81.083	82.368	93.558	91.897	88.570			
41	Т	5.3283	8.7433	8.1677	4.7889	4.9547	9.5207	9.3853	5.5408	56.4297			
41	S	86.118	97.243	101.258	91.974	88.483	89.661	90.955	83.308	91.867			
42	Т	5.6200	8.3225	8.4570	4.5905	4.6056	10.2749	8.5856	4.7161	55.1722			
42	S	81.648	102.160	97.794	95.949	95.190	83.080	99.427	97.876	93.960			
43	T	4.9399	9.6418	9.5984	5.2269	5.0020	9.2649	9.0525	4.8574	57.5838			
	S	92.889	88.181	86.165	84.267	87.647	92.137	94.298	95.028	90.025			
44	T	5.4875	9.4701	9.2733	5.1800	5.7992	11.1993	10.0242	4.8846	61.3182			
	S	83.620	89.780	89.186		75.598	76.222	85.158	94.499	84.543			
45	Т	4.9661	9.1106	9.3859	4.9879	4.9714	10.8130	8.0232	5.9640	58.2221			
+5	S	92.399	93.323	88.116	88.305	88.186	78.945	106.396	77.396	89.038			
46	T	6.5049	6.5612	7.9277	4.7817	3.9559	6.6386	4.9249	2.3714	43.6663			
_ +0	S	70.541	129.584	104.324	92.113	110.824	128.587	173.331	194.649	118.719			
47	T	2.3348	4.8233	4.4956	2.2215	2.1168	4.3983	4.1414	2.1215	26.6532			
7/	S	196.532	176.275	183.968	198.269	207.109	194.083	206.123	217.578	194.498			
48	LT.	2.1225	4.4040	4.2818	2.1413	2.0843	4.4019		2.1125	25.6944			
_ +0	S	216.190	193.058	193.154	205.695	210.339	193.925	205.889	218.505	201.756			
49	T	2.1892	4.5881	4.4259	2.1951	2.0659	4.1640	4.0439	2.0968	25.7689			
	S	209.603	185.311	186.865			205.004		220.141	201.173			
50	T	2.1530	4.4544	4.3878		+	4.1002		+	25.4447			
	S	213.128	190.874	•	•		208.194	•	•	203.736			
51	LT.	2.1585			•		4.0535		2.0963				
	S	212.584	192.064	-			210.592		220.193				
52	T	2.1911	4.4980				4.0913						
	S	209.422	189.023			-	208.647		219.513	+			
53	I	2.1811	4.3701				3.9659	·	2.0789			<del>                                     </del>	
	S	210.382	194.556				215.244						
54	I	2.1251	4.3504		1	2.0723	4.0368	1					
<u> </u>	S	215.926	195.437	191.105		211.557	211.464		•	205.794			
55	Ţ	2.1182	4.2908		•		4.0571	4.0334	2.1182	25.2651		_	+
	S	216.629	198.151		200.956	210.510	210.406	<del>                                     </del>	217.917	205.184			+
56	I	2.1290	4.2676			2.0855	4.1256			25.3911		-	+
	S	215.530	199.228	-			206.912						+
57	T	2.1640					3.9955			25.3207		-	+
	S	212.044	194.160	187.773	199.526	208.697	213.649	215.249	219.419	204.734			

Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020

#### Section Data for Car 59 - Daly, Conor

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1078	4.1793	4.3088	2.1794	2.0762	3.9964	3.9846	2.1005	24.9330			
56	S	217.698	203.438	191.943	202.099	211.159	213.601	214.234	219.753	207.917			
59	T	2.1127	4.2584	4.4305	2.2257	2.1013	4.0816	4.0585	2.1258	25.3945			
39	S	217.193	199.659	186.671	197.895	208.637	209.143	210.333	217.138	204.139			
60	T	2.1161	4.2174	4.4139	2.2131	2.1065	4.0505	4.0113	2.1122	25.2410			
	S	216.844	201.600	187.373	199.022	208.122	210.748	212.808	218.536	205.380			
61	Т	2.1184	4.2498	4.3874	2.2037	2.0925	4.0788	4.0282	2.1099	25.2687			
01	S	216.609	200.063	188.505	199.870	209.514	209.286	211.915	218.774	205.155			
62	T	2.1407	4.3244	4.4173	2.2183	2.1073	4.0710	4.0491	2.1223	25.4504			
02	S	214.352	196.612	187.229	198.555	208.043	209.687	210.821	217.496	203.690			
63	T	2.1316	4.3653	4.4252	2.2133	2.0982	4.0652	4.0317	2.1226	25.4531			
	S	215.267	194.769	186.894	199.004	208.945	209.986	211.731	217.465	203.669			
64	T	2.1284	4.2833	4.3907	2.2096	2.0983	4.0876	4.0523	2.1268	25.3770			
04	S	215.591	198.498	188.363	199.337	208.935	208.836	210.655	217.035	204.279			
65	T	2.1692	4.3314	4.4394	2.2273	2.1081	4.1060	4.0665	2.1283	25.5762			
	S	211.536	196.294	186.297	197.753	207.964	207.900	209.919	216.882	202.688			
66	Т	2.1370	4.3109	4.4276	2.2220	2.1168	4.0886	4.0495	2.1244	25.4768			
	S	214.723	197.227	186.793	198.224	207.109	208.785	210.800	217.281	203.479			
67	T	2.1281	4.3415	4.3881	2.2062	2.1048	4.0900	4.0545	2.1316	25.4448			
	S	215.621	195.837	188.475	199.644	208.290	208.713	210.540	216.547	203.735			
68	T	2.1312	4.3108	4.3758	2.2043	2.0985	4.0562	4.0130	2.1208	25.3106			
	S	215.308	197.232	189.004	199.816	208.915	210.452	212.718	217.649	204.815			
69	LT	2.1275	4.2426	4.3139	2.1820	2.0837	4.0040	4.0258	2.1253	25.1048			
	S	215.682	200.402	191.716	201.858	210.399	213.196	212.041	217.189	206.494			
70	LT	2.1256	4.2161	4.3127	2.1768	2.0785	4.0538	4.0356	2.1245	25.1236			
	S	215.875	201.662	191.770	202.340	210.926	210.577	211.527	217.270	206.340			
71	T	2.1257	4.2578		2.1893		4.0467	1		25.1885			
	S	215.865	199.687	+	<del></del>	1	210.946		+	205.808		ļ	
72	工	2.1208			<del>•</del>	<del>•                                      </del>	4.0914		•	•		Ļ	
<u> </u>	S	216.363	199.490		200.225		208.642	<del> </del>		204.900		ļ	
73	LT.	2.1276				2.1002	4.0736		2.1325				
	S	215.672	199.317	189.043			209.553		216.455				
74	T	2.1284	4.2587	4.3442	2.1863	<del></del>	4.0436		2.1153			ļ	
<u> </u>	S	215.591	199.645	190.379	201.461	210.248	211.108	<del>•</del>	218.215			<u> </u>	
75	T	2.1250				1	4.1054	1				<u> </u>	
	S	215.936					207.930		215.304			<u> </u>	
76	T	2.1328			2.2285	1	4.3524		3.0095			ļ	
	S	215.146	196.830	185.962	197.646	207.865	196.130	181.981	153.378	189.959			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session: Race** 

June 6, 2020 MDYCAR

TAG

#### Section Data for Car 59 - Daly, Conor

Lap	T/S	SF to T1	T1 to SS1		T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	3.3192	6.525	5 6.9741	3.4477	3.3638	6.5437	6.0423	3.0827	39.2990			
77	S	138.245	130.29	3 118.588	127.753	130.331	130.452	141.277	149.736	131.912			
70	Т	3.2773	5.841	6 5.9668	3.0754	2.7992	5.3935	5.2808	3.0694	34.7040			
78	S	140.013	145.54	7 138.608	143.219	156.619	158.271	161.649	150.385	149.378			
70	Т	3.7982	7.341	9.4060	5.6487	6.0883	10.2217	7.8300	4.5022	54.8363			
79	S	120.811	115.81	6 87.927	77.974	72.008	83.512	109.021	102.526	94.536			
80	T	4.7333	8.228	9 8.0275	3.7233	4.1045	8.5964			70.1908	28.8463		49.0462
80	S	96.944	103.32	2 103.027	118.297	106.812	99.302			73.856	31.235		96.282
81	Т			8.9760	3.9954	3.7931	7.4725	7.0772	3.7068	52.7431		45.0414	
01	S			92.140	110.240	115.581	114.237	120.618	124.525	98.288		104.903	
82	Т	3.8300	6.972	2 6.9469	3.7602	3.7072	7.3777	6.7619	3.5464	42.9025			
02	S	119.808	121.94	5 119.052	117.136	118.259	115.705	126.242	130.158	120.832			
02	Т	3.9876	7.663	9.1990	5.3040	5.1965	8.7483	7.8180	3.9853	51.9020			
83	S	115.073	110.94	8 89.906	83.042	84.366	97.577	109.189	115.823	99.881			
84	Т	4.6645	8.660	5 8.4879	5.0258	5.0070	8.6800	8.3041	4.2072	53.0370			
04	S	98.374	98.17	3 97.438	87.639	87.559	98.345	102.797	109.715	97.743			
85	Т	4.6168	8.449	9.2437	4.7730	4.6659	8.2338	8.1876	5.3232	53.4939			
65	S	99.390	100.62	0 89.471	92.280	93.960	103.675	104.260	86.713	96.908			
86	Т	4.6247	6.810	9 6.9151	4.2162	3.6056	6.5538	6.8049	2.7291	42.2603			
- 80	S	99.220	124.83	3 119.600	104.467	121.591	130.251	125.444	169.137	122.668			
87	Т	2.5419	4.982	1 4.6531	2.2958	2.1837	4.3716	4.1604	2.1395	27.3281			
67	S	180.520	170.65	6 177.741	191.852	200.764	195.269	205.181	215.747	189.695			
88	T	2.1295	4.419	9 4.3442	2.1685	2.0611	4.0119	3.9331	2.0615	25.1297			
	S	215.480	192.36		203.115	212.706	212.776	217.039	223.910	206.290			
89	Т	2.0818	4.325	7 4.3319	2.1636	2.0536	4.0845	4.0207	2.0976	25.1594			
	S	220.417	196.55	_	203.575	213.483	208.994	212.310	220.057	206.046			
90	Т	2.1236	4.294		2.1504	2.0511	3.9699	3.9200	2.0751	24.8550			
	S	216.078	197.97		204.824	213.743	215.027	217.764	222.443	208.570			
91	T	2.0885	4.247		•		4.1010		2.1085	25.0818		ļ	
	S	219.710	200.18	5 193.370	203.669	213.556	208.153	211.082	218.919	206.684			
92	Т	2.1136	1		2.1787	2.0642	3.9858		2.0733	25.0340			
	S	217.101	196.05	_	202.164	212.387	214.169	217.177	222.636	207.078			
93	T	2.0907	4.366		2.1440		3.9931	3.9616	2.0743	24.9194			
	S	219.478	194.71	2 194.425	205.436	215.403	213.778	215.478	222.529	208.031			
94	T	2.0769	1	_			4.0346		2.1047	25.3667			
	S	220.937	191.63		200.188		211.579	213.928	219.314	204.362			
95	Т	2.1149			2.1912		4.0300		2.1125	25.1457			
	S	216.967	199.87	0 190.099	201.011	210.460	211.820	212.903	218.505	206.159			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 59 - Daly, Conor

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.1124	4.1769	4.2860	2.1650	2.0591	4.0185	4.0184	2.1066	24.9429			
90	S	217.224	203.555	192.964	203.443	212.913	212.427	212.432	219.117	207.835			
97	Т	2.1410	4.3147	4.3591	2.1936	2.0813	4.0351	4.0096	2.1100	25.2444			
9/	S	214.322	197.054	189.728	200.791	210.642	211.553	212.898	218.763	205.352			
98	T	2.1179	4.2839	4.3634	2.1990	2.0828	4.0271	4.0030	2.1000	25.1771			
96	S	216.660	198.470	189.542	200.298	210.490	211.973	213.249	219.805	205.901			
99	Т	2.1303	4.4171	4.3916	2.1996	2.0852	4.0681	4.0363	2.1185	25.4467			
	S	215.399	192.485	188.324	200.243	210.248	209.837	211.490	217.886	203.720			
100	T	2.1248	4.2701	4.3730	2.1955	2.0951	4.0519	4.0200	2.1185	25.2489			
100	S	215.956	199.112	189.125	200.617	209.254	210.676	212.347	217.886	205.316			
101	T	2.1172	4.2051	4.3499	2.1890	2.0909	4.0465	4.0259	2.1225	25.1470			
101	S	216.731	202.190	190.130	201.213	209.675	210.957	212.036	217.475	206.148			
102	Т	2.1204	4.2283	4.3643	2.2170	2.1064	4.0848	4.0606	2.1369	25.3187			
102	S	216.404	201.080	189.502	198.671	208.132	208.979	210.224	216.010	204.750			
103	T	2.1391	4.2715	4.3280	2.1926	2.0931	4.0079	3.9924	2.1140	25.1386			
103	S	214.512	199.047	191.092	200.882	209.454	212.988	213.815	218.350	206.217			
104	Т	2.1189	4.1762	4.3532	2.2012	2.0975	4.0233	3.9868	2.1107	25.0678			
104	S	216.557	203.589	189.986	200.097	209.015	212.173	214.116	218.691	206.799			
105	T	2.1272	4.2215	4.3357	2.1890	2.0850	4.0305	3.9986	2.1135	25.1010			
103	S	215.713	201.404	190.752	201.213	210.268	211.794	213.484	218.401	206.526			
106	T	2.1244	4.2381	4.3728	2.1961	2.0907	4.0582	4.0237	2.1237	25.2277			
100	S	215.997	200.615	189.134	200.562	209.695	210.349	212.152	217.352	205.488			
107	T	2.1315	4.2654			2.0846	4.0482	4.0213	2.1210	25.1947			
107	S	215.277	199.331	190.783	201.332	210.308	210.868	212.279	217.629	205.758	ļ		
108	T	2.1266	4.2704		2.1946	2.0894	4.0507	4.0133	2.1052	25.2100			
	S	215.773	199.098		200.699		210.738		219.262	205.633			
109	T	2.1446	4.5259		2.2047	2.0930	4.1130	1	2.1242	25.6888			
	S	213.962	187.858	<del></del>	199.780	+	207.546	+	217.301	201.800			
110	T	2.1473	4.3582	·	2.1871	2.0902	4.0005		2.0940	25.2078		<u> </u>	
L	S	213.693	195.087		201.387	209.745	213.382	1	220.435	205.651		<u> </u>	
111	Т	2.1529	4.5178		2.2155		4.0330		2.1232	25.6205			
L	S	213.137	188.195				211.663	1	217.403	202.338			
112	T	2.1548	4.4650		2.2094	2.0978	4.1109		2.1091	25.6350			
	S	212.950	190.420	<del>                                     </del>	199.355	208.985	207.652	•	218.857	202.224		<u> </u>	
113	T	2.1082	4.5673		2.2136		4.0318	1	2.1449	25.6858		<u> </u>	
L	S	217.657	186.155		198.977		211.726		215.204	201.824			
114	Т	2.1568					3.9995		2.1306	25.0511			
	S	212.752	198.221	195.214	203.575	210.571	213.436	213.799	216.648	206.937			

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR





#### Section Data for Car 59 - Daly, Conor

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1383	4.2070	4.1863	2.1474	2.0687	3.9776	3.9812	2.1261	24.8326			
115	S	214.593	202.098	197.560	205.111	211.925	214.611	214.417	217.107	208.758			
116	Т	2.1368	4.1543	4.1707	2.1463	2.0720	3.9845	3.9791	2.1197	24.7634			
110	S	214.743	204.662	198.299	205.216	211.587	214.239	214.530	217.762	209.341			
117	Т	2.1302	4.1368	4.2484	2.1677	2.0800	4.0119	4.0012	2.1235	24.8997			
	S	215.409	205.528	194.672	203.190	210.774	212.776	213.345	217.373	208.195			
118	Т	2.1354	4.2247	4.2896	2.1811	2.0847	4.0045	3.9894	2.1275	25.0369			
110	S	214.884	201.252	192.802	201.941	210.298	213.169	213.976	216.964	207.054			
119	Т	2.1397	4.2590	4.3502	2.2092	2.3143	6.0280			49.3445	26.2641		30.7890
119	S	214.452	199.631	190.117	199.373	189.435	141.612			105.057	34.306		153.375
120	Т			8.4285	3.1555	2.6592	4.7011	4.3443	2.2504	42.7648		35.0562	
120	S			98.125	139.583	164.865	181.582	196.496	205.115	121.221		134.784	
121	Т	2.2445	4.1747	4.1621	2.1673	2.0979	4.0401	4.0195	2.1414	25.0475			
121	S	204.439	203.662	198.709	203.227	208.975	211.291	212.374	215.556	206.967			
122	Т	2.1494	4.0634	4.1141	2.1369	2.0663	4.0557	4.0004	2.1065	24.6927			
122	S	213.485	209.240	201.027	206.118	212.171	210.478	213.388	219.127	209.941			
123	Т	2.1267	4.3580	4.2826	2.1606	2.0957	4.1744	4.0313	2.1072	25.3365			
123	S	215.763	195.096	193.118	203.858	209.195	204.493	211.752	219.054	204.606			
124	Т	2.1071	4.2137	4.2587	2.1590	2.0569	3.9621	3.9470	2.0869	24.7914			
124	S	217.770	201.777	194.201	204.009	213.141	215.450	216.275	221.185	209.105			
125	T	2.0921	4.1404	4.2437	2.1593	2.0656	3.9754	3.9463	2.0923	24.7151			
123	S	219.332	205.349	194.888	203.980	212.243	214.730	216.313	220.614	209.750			
126	<u> </u>	2.1012	4.2392	4.2632	2.1637	2.0632	3.9460	3.9237	2.0892	24.7894			
120	S	218.382	200.563	193.996	203.565	212.490	216.330	•	220.941	209.122			
127	T	2.0941	4.2130	4.3283	2.1769	2.0689	4.0268	3.9857	2.1017	24.9954			
	S	219.122	201.810			211.904	211.989		219.627	207.398			
128	Т	2.1179	4.3275				4.0505		2.0995	25.0669			
	S	216.660	196.471	194.430	+	212.490	210.748		219.858	206.807			
129	T	2.1301	4.3200	<del>                                     </del>		2.0440	3.9790	<del>                                     </del>	2.0769	24.9522			ļ
	S	215.419	196.812	193.145		214.486	214.535		222.250	207.757			<u> </u>
130	Т	2.0893	4.3782	4.3191	1	2.0666	4.0730		2.1109	25.2270			<u> </u>
	S	219.626	194.196	191.486	-	212.140	209.584		218.670				<u> </u>
131	T	2.1069	4.3801	4.4161		2.0941	4.0567	4.0434	2.1262	25.4381			<b></b> _
L	S	217.791	194.111	187.280	+	209.354	210.426	<del>•                                      </del>	217.097	203.789			<b>↓</b>
132	T	2.1301	4.3202	4.3851	1	2.0831	4.0152		2.0973	25.2112			<b> </b>
	S	215.419	196.803	188.604		210.460	212.601	214.277	220.088	205.623			<b>_</b>
133	T	2.1528	4.4102				4.0211			25.2657			<b></b>
	S	213.147	192.787	190.959	201.738	209.845	212.289	214.180	220.593	205.179		l	

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 59 - Daly, Conor

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1338	4.4578	4.4307	2.2228	2.1016	4.0655	4.0410	2.1254	25.5786			
134	S	215.045	190.728	186.662	198.153	208.607	209.971	211.244	217.178	202.669			
135	Т	2.1371	4.3355	4.3787	2.1969	2.0817	4.0371	4.0225	2.1134	25.3029			
135	S	214.713	196.108	188.879	200.489	210.601	211.448	212.215	218.412	204.878			
136	Т	2.1498	4.4026	4.4151	2.2190	2.1014	4.0589	4.0250	2.1194	25.4912			
130	S	213.445	193.119	187.322	198.492	208.627	210.312	212.084	217.793	203.364			
137	Т	2.1368	4.3125	4.3807	2.2025	2.0853	4.0634	4.0258	2.1208	25.3278			
137	S	214.743	197.154	188.793	199.979	210.238	210.079	212.041	217.649	204.676			
138	Т	2.1396	4.3813	4.4412	2.2235	2.1033	4.0843	4.0422	2.1265	25.5419			
136	S	214.462	194.058	186.221	198.091	208.439	209.004	211.181	217.066	202.961			
139	Т	2.1282	4.2962	4.3313	2.1840	2.0763	4.0435	4.0417	2.1279	25.2291			
139	S	215.611	197.902	190.946	201.673	211.149	211.113	211.207	216.923	205.477			
140	T	2.1295	4.2842	4.3507	2.1916	2.0802	4.0665	4.0397	2.1229	25.2653			
140	S	215.480	198.456	190.095	200.974	210.753	209.919	211.312	217.434	205.183			
141	T	2.1356	4.3302	4.3914	2.2082	2.0900	4.0710	4.0259	2.1160	25.3683			
141	S	214.864	196.348	188.333	199.463	209.765	209.687	212.036	218.143	204.350			
142	Т	2.1377	4.3226	4.3536	2.1957	2.0798	4.0091	3.9873	2.1028	25.1886			
142	S	214.653	196.693	189.968	200.599	210.794	212.925	214.089	219.513	205.807			
143	Т	2.1671	4.3527	4.3731	2.1989	2.0817	4.0474	4.0428	2.1201	25.3838			
143	S	211.741	195.333	189.121	200.307	210.601	210.910	211.150	217.721	204.225			
144	Т	2.1434	4.3367	4.3229	2.1865	2.1008	4.1169	4.0446	2.1140	25.3658			
	S	214.082	196.054	191.317	201.443	208.687	207.349	211.056	218.350	204.370			
145	T	2.1492	4.3578	4.3883	2.2075	2.0901	4.0668	4.0318	2.1177	25.4092			
173	S	213.504	195.105	188.466	199.526	209.755	209.904	211.726	217.968	204.021			
146	T	2.1485	4.3621	4.3815	2.2048	2.0897	4.0704	4.0369	2.1287	25.4226			
140	S	213.574	194.912	188.759	199.771	209.795	209.718	211.458	216.842	203.913			
147	T	2.1379					4.0643		2.1180				
	S	214.633	194.524	-	1	1	210.033		217.937	203.988		ļ	
148	T	2.1404	4.2914		2.1918	<del>•                                      </del>	4.0337		•	<del>•                                      </del>		<u> </u>	
	S	214.382	198.124		200.956	1	211.626	1		205.599		<u> </u>	
149	T	2.1174	4.3105		2.1985	1	4.0641						
<u> </u>	S	216.711	197.246		200.343	1	210.043		217.362				
150	T	2.1446	4.3067	4.3976	2.2126		4.0766		2.1331	25.4188		ļ	
L	S	213.962	197.420	188.067	199.067	209.545	209.399	•	216.394	1		<b>↓</b>	
151	T	2.1321	4.3701	4.4069	2.2101	2.1057	4.1217	1	2.1470			<u> </u>	
	S	215.217	194.556		199.292		207.108	1	214.993				
152	Т	2.1558				1	4.0533		2.1295	1			
	S	212.851	196.949	188.871	198.439	207.669	210.603	212.131	216.760	204.181			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 59 - Daly, Conor

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	Т	2.1335	4.2124	4.3111	2.2202	2.3699	5.9888			49.8879	27.1876		30.3965
153	S	215.076	201.839	191.841	198.385	184.991	142.539			103.913	33.141		155.356
154	T			8.4282	3.1368	2.6463	4.6888	4.3275	2.2369	42.6272		34.9310	
154	S			98.128	140.415	165.669	182.059	197.259	206.353	121.612		135.267	
155	Т	2.2179	4.1570	4.1079	2.1308	2.0593	3.9790	3.9714	2.1161	24.7394			
155	S	206.891	204.529	201.330	206.709	212.892	214.535	214.946	218.133	209.544			
156	Т	2.1268	4.0630	4.0902	2.1190	2.0473	3.9502	3.9348	2.0939	24.4252			
120	S	215.753	209.261	202.202	207.860	214.140	216.100	216.945	220.446	212.240			
157	Т	2.1047	4.1992	4.2373	2.1483	2.0579	4.0352	3.9790	2.1031	24.8647			
13/	S	218.019	202.474	195.182	205.025	213.037	211.547	214.535	219.481	208.488			
158	T	2.0982	4.0953	4.2192	2.1629	2.0763	4.0017	3.9826	2.1100	24.7462			
136	S	218.694	207.610			211.149	213.318	214.341	218.763	209.487			
159	T	2.1112	4.1290	4.1683	2.1420	2.0623	3.9555	3.9510	2.1013	24.6206			
139	S	217.347	205.916	198.413	205.628	212.583	215.810	216.056	219.669	210.555			
160	T	2.1036	4.0678	4.1551	2.1393	2.0574	3.9483	3.9396	2.0987	24.5098			
100	S	218.133	209.014	199.043	205.887	213.089	216.204	216.681	219.941	211.507			
161	T	2.1006	4.0866	4.2478	2.1629	2.0724	3.9855	3.9689	2.1132	24.7379			
101	S	218.444	208.052	194.700	203.641	211.547	214.186	215.081	218.432	209.557			
162	T	2.1159	4.0904	4.2168	2.1592	2.0699	3.9758	3.9699	2.1124	24.7103			
102	S	216.865	207.859	196.131	203.990	211.802	214.708	215.027	218.515	209.791			
163	T	2.1214	4.1268	4.1896	2.1523	2.0668	3.9728	3.9600	2.1107	24.7004			
105	S	216.302	206.026	197.404	204.644	212.120	214.870	215.565	218.691	209.875			
164	T	2.1161	4.1084	4.1955	2.1544	2.0682	4.0380	4.0267	2.1290	24.8363			
107	S	216.844	206.949	197.127	204.444	211.976	211.401		216.811	208.727	ļ		
165	<u>T</u>	2.1323	4.1726	4.2548		2.0751	3.9824	3.9668	2.1131	24.8652			
105	S	215.197	203.764	194.379	203.152	211.271	214.352	215.195	218.443	208.484			
166	<u> </u>	2.1192	4.1944	4.2851	2.1859	2.0980		3.9923	2.1229	25.0139			
100	S	216.527	202.705	193.005	201.498	208.965	212.554	213.821	217.434	207.245			
167	T	2.1288		•	÷			·		24.9115	ļ		
L	S	215.550	204.628			211.292	212.363		217.485	208.097			
168	T	2.1270	4.1502	4.3382		2.1044	4.0286	1		25.0811			
	S	215.733	204.864	190.643		208.330			•	206.689			
169	T	2.1229	4.1552	4.2956		2.0893	4.0130		2.1238	24.9786			
	S	216.149	204.618	192.533	•	209.835	212.718	•	217.342	207.538			
170	T	2.1256	4.2091	4.2909		2.0940			2.1207	25.0326			
<u> </u>	S	215.875	201.997			209.364							
171	Т	2.1242	4.1292	1		2.0910							
	S	216.017	205.906	193.443	201.664	209.665	211.061	212.194	217.015	207.374			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

Round 1

TAG

#### Section Data for Car 59 - Daly, Conor

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	<u>.,,,</u>	2.1315											
172	S	215.277										İ	
	T	2.1176								25.0382		İ	
173	S	216.690	+		1	210.450		+	1	207.044			
	Т	2.1158	•		-	2.0902	4.0211			•			
174	S	216.875		5 190.445	200.535	209.745							
	Т	2.1121					4.0130			25.0449			
175	S	217.255	201.77	2 191.233	201.121	210.198	212.718	213.676	218.712	206.988			
476	Т	2.1178	4.271			2.0889		-		25.1547			
176	S	216.670	199.02	8 190.042	200.654	209.876	213.441	212.263	218.961	206.085			
177	Т	2.1245	4.340	9 4.3724	2.1958	2.0857	4.0719	4.0474	2.1215	25.3601			
1//	S	215.987	195.86	4 189.151	200.590	210.198	209.641	210.910	217.578	204.416			
178	Т	2.1257	4.380	1 4.4354	2.2271	2.1070	4.0752	4.0341	2.1196	25.5042			
1/8	S	215.865	194.11	1 186.465	197.770	208.073	209.471	211.605	217.773	203.261			
179	Т	2.1361	4.316	6 4.4454	2.2316	2.1032	4.0894	4.0627	2.1259	25.5109			
1/9	S	214.814	196.96	7 186.045	197.372	208.449	208.744	210.116	217.127	203.207			
180	Т	2.1457	4.334	6 4.4296	2.2309	2.1122	4.0699	4.0252	2.1235	25.4716			
100	S	213.853	196.149	9 186.709	197.434	207.560	209.744	212.073	217.373	203.521			
181	T	2.1381	4.336	4.4447	2.2376	2.1180	4.0930	4.0422	2.1205	25.5305			
101	S	214.613	196.068	8 186.075	196.842	206.992	208.560	211.181	217.680	203.051			
182	Т	2.1428		_									
102	S	214.142		_		204.406			213.798				
183	Т	2.1577	4.383	9 4.5274	+	2.4499				49.5423	26.2766		30.9662
	S	212.663	193.943	3 182.676		<del>•</del>	•			104.638	34.290	·	152.498
184	T				3.1234				1	42.4482		34.7477	
	S				141.018		184.666					135.980	
185	Т	2.1738		_		2.0329				24.5415			
	S	211.088	1		1	215.657	217.443	+		211.234		ļ	
186	T	2.0783	+			<del>•                                      </del>	<del> </del>		+	24.6976		ļ	
	S	220.788		_		212.655			1				
187	T	2.1195				2.0560			2.1095	24.5154			
	S	216.496				213.234				211.459			
188	T	2.1168	+			2.0426		1	1				
	S	216.772			-	214.633	•	+	220.351	212.176		-	
189	I	2.0934			1	2.0673	1	3.9539		24.6305			
ļ	S	219.195		_		212.068			220.709	210.471			
190	T	2.0867					4.4463			26.6920			
	S	219.899	202.889	9 187.364	199.572	207.708	191.988	190.136	168.035	194.215			

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR


TAG

#### Section Data for Car 59 - Daly, Conor

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.9424	6.0031	7.3567	4.1843	4.0454	6.7947	6.0947	3.1507	40.5720			
191	S	155.949	141.631	112.421	105.264	108.372	125.633	140.062	146.504	127.773			
192	T	3.4228	6.9080	7.6226	3.6633	3.0876	5.9122	6.4198	3.7655	40.8018			
192	S	134.061	123.079	108.499	120.234	141.990	144.386	132.969	122.584	127.053			
193	T	4.8295	9.2998	9.3791	6.3166	5.7674	8.8873	8.5225	4.7779	57.7801			
193	S	95.013	91.424	88.180	69.730	76.015	96.051	100.163	96.610	89.719			
194	Т	5.3690	9.1068	10.9202	6.1080	6.3973	11.2056	9.4645	4.6271	63.1985			
194	S	85.465	93.362	75.735	72.111	68.530	76.179	90.193	99.758	82.027			
195	Т	5.6321	10.3604	13.1018	6.1378	5.1816	11.7880	12.1373	5.5655	69.9045			
195	S	81.473	82.065	63.125	71.761	84.609	72.416	70.332	82.938	74.158			
196	T	6.8660	11.9911	12.2527	5.4806	5.5503	9.5167	7.6071	3.9059	63.1704			
190	S	66.831	70.905	67.499	80.366	78.988	89.699	112.216	118.178	82.064			
197	T	3.9184	8.5525	9.0720	4.3517	4.1748	7.5613	5.4528	2.4838	45.5673			
197	S	117.105	99.413	91.165	101.214	105.013	112.895	156.550	185.841	113.766			
198	T	2.3967	4.7069	4.6973	2.3213	2.1672	4.3253	4.2079	2.1791	27.0017			
190	S	191.456	180.634	176.068	189.745	202.293	197.359	202.865	211.826	191.988			
199	Т	2.1840	4.5456	4.5265	2.2461	2.1387	4.1727	4.0633	2.1110	25.9879			
199	S	210.102	187.044	182.712	196.097	204.989	204.577	210.085	218.660	199.477			
200	T	2.0975	4.2999	4.4053	2.1994	2.0846	4.1789	4.7083	2.7363	26.7102			
200	S	218.767	197.732	187.739	200.261	210.308	204.273	181.305	168.692	194.083			
201	Т	3.1649	6.5045	8.3720	5.3755	5.4972							
201	S	144.985	130.714	98.787	81.937	79.751							

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 





#### Section Data for Car 60 - Harvey, Jack

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.2258	4.4175	4.4937	2.2636	2.1438	4.2781	4.2982	2.2174	26.3381	44.6037	38.0276	
	S	206.157	192.468	184.046	194.581	204.501	199.536	198.603	208.168	196.825	20.201	124.252	
2	Т	2.1958	4.3794	4.5259	2.2624	2.1383	4.2338	4.2385	2.1959	26.1700			
	S	208.973	194.142	182.736	194.685	205.027	201.624	201.401	210.206	198.089			
3	Т	2.1757	4.3728	4.4855	2.2498	2.1268	4.2404	4.2250	2.1976	26.0736			
	S	210.904	194.435	184.382	195.775	206.136	201.310	202.044	210.043	198.822			
4	Т	2.1773	4.3219	4.4221	2.2323	2.1158	4.1992	4.2354	2.2122	25.9162			
	S	210.749	196.725	187.025	197.310	207.207	203.285	201.548	208.657	200.029			
5	Т	2.1922	4.3389	4.4763	2.2490	2.1306	4.1850	4.1750	2.1839	25.9309			
	S	209.317	195.955	184.761	195.845	205.768	203.975	204.464	211.361	199.916			
6	Т	2.1668	4.2663	4.3953	2.2278	2.1197	4.2941	4.2682	2.2067	25.9449			
	S	211.770	199.289	188.166	197.708	206.826	198.793	199.999	209.177	199.808			
7	Т	2.1829	4.3186	4.4165	2.2416	2.1223	4.2118	4.2001	2.1829	25.8767			
	S	210.208	196.876	187.263	196.491	206.573	202.677	203.242	211.458	200.335			
8	Т	2.1682	4.3188	4.3658	2.2143	2.1069	4.1280	4.1432	2.1800	25.6252			
	S	211.633	196.867	189.437	198.914	208.083	206.792	206.033	211.739	202.301			
9	T	2.1708	4.3183	4.3495	2.2095	2.1058	4.1130	4.1226	2.1769	25.5664			
	S	211.380	196.889	190.147	199.346	208.191	207.546	207.063	212.040	202.766			
10	T	2.1783	4.5205	4.4795	2.2365	2.1119	4.1453	4.1498	2.1754	25.9972			
	S	210.652	188.083	184.629	196.939	207.590	205.929	205.705	212.187	199.406			
11	Т	2.1610	4.2885	4.3623		2.1087	4.1199		2.1893	25.5824			
	S	212.339	198.257	189.589	199.013	207.905	207.198	206.217	210.839	202.639			
12	T	2.1767	4.2421	4.3410	•	2.1093	4.0936	4.1019	2.1695	25.4468			
	S	210.807	200.426	190.520	199.058	207.846	208.530	•	212.764	203.719			
13	T	2.1634	4.2286	4.3389	2.2193	2.1142	4.1284	4.1657	2.1981	25.5566			
	S	212.103	201.066		198.466	207.364	206.772	204.920	209.995	202.844			
14	Т	2.2448	4.6932	4.5866		2.1411	4.1872	4.1669	2.1779	26.4724			
<u> </u>	S	204.412	181.162	180.318	-	204.759	203.868	+	211.943	195.827			
15	Т	2.1589	4.2725		<del></del>	2.1276	4.2227	4.2153	2.2008	25.8750			
<u> </u>	S	212.545	199.000	186.658		206.058	202.154	202.509	209.738	200.348			
16	Т	2.1852	4.3061	4.4177	2.2393	2.1269	4.1341	4.1448	2.1877	25.7418			
<u> </u>	S	209.987	197.447	187.212	196.693	206.126	206.487	205.954	210.994	201.385			
17	Т	2.1741	4.2872	4.4143	1	2.1333	4.1358		2.1872	25.7182			
<u> </u>	S	211.059	198.318	187.356		205.507	206.402	206.008	211.042	201.569			
18	Т	2.1767	4.2801	4.3597	2.2231	2.1167	4.1236		2.1929	25.6187			
<u> </u>	S	210.807	198.647	189.702		207.119	207.012	205.899	210.493	202.352			
19	Т	2.1794	4.2758			2.1256	4.1409		2.1907	25.6693			
	S	210.546	198.846	188.996	197.327	206.252	206.148	205.755	210.705	201.953			

**Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report Report: Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1783	4.2807	4.4062	2.2400	2.1312	4.1188	4.1232	2.1781	25.6565			
20	S	210.652	198.619	187.700	196.631	205.710	207.254	207.032	211.924	202.054			
21	Т	2.1701	4.2479	4.3602	2.2246	2.1210	4.1337	4.1211	2.1764	25.5550			
	S	211.448	200.152	189.681	197.993	206.699	206.507	207.138	212.089	202.857			
22	T	2.1700	4.2815	4.3682	2.2298	2.1252	4.1036	4.1014	2.1746	25.5543			
	S	211.458	198.582	189.333	197.531	206.291	208.021	208.133	212.265	202.862			
23	Т	2.1683	4.2532	4.3270	2.2085	2.1120	4.0992	4.1157	2.1828	25.4667			
	S	211.624	199.903	191.136	199.436	207.580	208.245	207.410	211.467	203.560			
24	T	2.1775	4.2577	4.3818	2.2333	2.1282	4.1105	4.1067	2.1770	25.5727			
	S	210.730	199.692	188.746	197.221	206.000	207.672	207.864	212.031	202.716			
25	T	2.1723	4.2263	4.3652	2.2271	2.1243	4.1118	4.1152	2.1777	25.5199			
	S	211.234	201.175	189.463	197.770	206.378	207.606	207.435	211.963	203.136			
26	<u>T</u>	2.1729	4.2310	<del></del>	2.2100		4.1038	<del></del>	2.1814	25.4422			
	S	211.176	200.952	191.193	199.301	207.777	208.011	207.829	211.603	203.756			
27	T	2.1758	4.2398	4.3171	2.2067	2.1097	4.0965	4.1042	2.1805	25.4303			
	S	210.894	200.535	191.574	199.599	207.806	208.382	207.991	211.690	203.851			
28	T	2.1728	4.2214	4.3348	2.2141	2.1146	4.1082	4.1052	2.1798	25.4509			
	S	211.185	201.409	190.792	198.932	207.325	207.788	207.940	211.758	203.686			
29	<u> </u>	2.1714	4.2468	4.3453	2.2189	2.1205	4.1066	4.1049	2.1779	25.4923			
	S	211.322	200.204	190.331	198.501	206.748	207.869	207.955	211.943	203.356			
30	T	2.1716	4.2451	4.3851	2.2363	2.1345	4.1423	4.1360	2.1920	25.6429			
	S	211.302	200.284			205.392	206.078		210.580	202.161			
31	<u>T</u>	2.1820	4.2784	<del></del>		+	4.1094	<del></del>	+	25.5809			
<u> </u>	S	210.295	198.726		197.425	205.749	207.728	<del>•</del>	211.817	202.651			
32	<u> </u>	2.1746	4.2795		•	2.1222	4.0963		2.1762	25.5066			
L	S	211.011	198.674				208.392						
33	T	2.1732	4.2508		2.2159		4.0997	4.0955					
	S	211.147	200.016	<del></del>		+	208.219		212.040	203.527			<b></b>
34	I	2.1739		<del></del>	•		4.0830	<del>                                     </del>	2.1709	25.4022			<b></b>
	S	211.079	200.209				209.071		212.627	204.077			
35	I	2.1655	4.3055		1		6.4744			50.5354	26.3977		31.8834
<u> </u>	S	211.897	197.475	187.547	195.428		131.848			102.582	34.133		148.111
36	Ţ				3.2011	2.6901	4.9370		+	<del> </del>		35.9644	
<u> </u>	S				137.595	162.971	172.906		197.135	118.600		131.380	
37	I	2.2954	5.0043	5.5243		3.1768	6.6647	6.7213	3.1624	35.7360			
	S	199.906	169.899			138.003	128.083	127.005	145.962	145.064			
38	I	3.3127	6.2423			5.4790	10.3391	10.0982	5.4871	52.4972			
L	S	138.517	136.204	123.325	91.142	80.016	82.564	84.534	84.123	98.748			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 60 - Harvey, Jack

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	4.5163	8.5888	10.0213	4.8829	5.0859	9.8440	9.4834	4.2858	56.7084			
39	S	101.602					86.716	90.014					
40	Т	4.7340	8.6061	8.8152	4.5680	5.1786	10.9599	9.2381	4.5180	56.6179			
40	S	96.929	98.794	93.820	96.422	84.658	77.887	92.404	102.167	91.561			
44	Т	4.9879	9.3059	9.6125	4.5205	5.0476	9.4761	9.6345	4.6996	57.2846			Î
41	S	91.995	91.364	86.039	97.435	86.855	90.083	88.602	98.219	90.496			
42	T	4.9165	9.9845	8.4467	4.8402	4.5360	10.0125	9.4515	4.9472	57.1351			
42	S	93.331	85.155	97.913	90.999	96.651	85.257	90.318	93.303	90.732			
43	T	5.8890	8.9007	9.8588	5.2445	5.7438	10.5653	9.4144	5.0330	60.6495			
43	S	77.919	95.524	83.889	83.984	76.327	80.796	90.673	91.713	85.475			
44	Т	4.9928	10.0072	8.9144	4.8841	4.6469	10.1780	10.6875	4.5488	58.8597			
44	S	91.905	84.962	92.776	90.181	94.344	83.871	79.872	101.475	88.074			
45	Т	4.9976	9.0158	9.2656	4.6916	4.6599	9.1966	5.7714	2.5718	50.1703			
45	S	91.817	94.304	89.260	93.882	94.081	92.821	147.908	179.482	103.328			
46	T	2.4432	4.7576	4.5376	2.2559	2.1839	4.4146	4.2109	2.1814	26.9851			
40	S	187.813	178.709	182.265	195.246	200.746	193.367	202.721	211.603	192.106			
47	Т	2.1714	4.3988	4.4458	2.2425	2.2010	4.4824	4.1945	2.1662	26.3026			
47	S	211.322	193.286	186.028	196.412	199.186	190.442	203.513	213.088	197.091			
48	T	2.1444	4.2477	4.3205	2.1794	2.0766	4.0294	4.0141	2.1203	25.1324			
70	S	213.982	200.162	191.424	202.099	211.119	211.852	212.659	217.701	206.268			
49	Т	2.1176	4.1807	4.2505	2.1672	2.0767	4.0631	4.0523	2.1371	25.0452			
77	S	216.690	203.370	194.576	203.237	211.109	210.095	210.655	215.989	206.986			
50	T	2.1307	4.1372	4.2567	2.1673	2.0754	4.0223	4.0315	2.1348	24.9559			
	S	215.358	205.508	194.293	203.227	211.241	212.226	211.742	216.222	207.726			ļ
51	T	2.1385	4.1590	4.2567	2.1724	2.0823	4.0603	4.0621	2.1523	25.0836			
	S	214.573					210.240						
52	T	2.1474			+		4.0156			24.9671			
	S	213.683	204.254	+	+	+	212.580	+	216.801	207.633			
53	T	2.1373		÷	+		4.0154	•	+	•			ļ
	S	214.693		1	1	1							
54	T	2.1374					4.0195	-					
	S	214.683				1			1	207.265			
55	Т	2.1470		+		1	-	+					
	S	213.723	204.854	·	+	+	212.120	•	+	•			
56	T	2.1395	1	1	•			1	•				
	S	214.472	205.285										
57	Т	2.1492					4.0267						
<i>J,</i>	S	213.504	203.287	192.901	201.480	209.655	211.994	212.395	216.283	206.730			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 60 - Harvey, Jack

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1383	4.1491	4.2351	2.1650	2.0756	4.0062	4.0114	2.1272	24.9079			
56	S	214.593	204.918	195.284	203.443	211.220	213.079	212.803	216.995	208.127			
59	T	2.1344	4.1703	4.2610	2.1782	2.0837	4.0228	4.0138	2.1356	24.9998			
39	S	214.985	203.877	194.097	202.210	210.399	212.200	212.675	216.141	207.362			
60	T	2.1393	4.1859	4.2624	2.1821	2.0852	4.0198	4.0285	2.1387	25.0419			
- 60	S	214.492	203.117	194.033	201.849	210.248	212.358	211.899	215.828	207.013			
61	Т	2.1378	4.1615	4.2472	2.1704	2.0763	4.0029	4.0066	2.1273	24.9300			
61	S	214.643	204.308	194.727	202.937	211.149	213.254	213.058	216.984	207.942			
62	Т	2.1275	4.1688	4.2776	2.1786	2.0804	4.0038	4.0011	2.1259	24.9637			
02	S	215.682	203.950	193.343	202.173	210.733	213.207	213.350	217.127	207.662			
63	Т	2.1347	4.1923	4.2693	2.1718	2.0760	3.9976	3.9983	2.1177	24.9577			
	S	214.955	202.807	193.719	202.806	211.180	213.537	213.500	217.968	207.711			
64	Т	2.1154	4.1915	4.3620	2.2111	2.0973	4.0837	4.0749	2.1480	25.2839			
04	S	216.916	202.846	189.602	199.202	209.035	209.035	209.486	214.893	205.032			
65	Т	2.1415	4.2760	4.4454	2.2378	2.1124	4.1134	4.1183	2.1619	25.6067			
	S	214.272	198.837	186.045	196.825	207.541	207.526	207.279	213.512	202.447			
66	Т	2.1529	4.3309	4.4060	2.2342	2.1140	4.0810	4.0554	2.1385	25.5129			
	S	213.137	196.317	187.709	197.142	207.384	209.173	210.494	215.848	203.191			
67	Т	2.1381	4.3126	4.4059	2.2281	2.1100	4.0604	4.0293	2.1222	25.4066			
	S	214.613	197.150	187.713	197.682	207.777	210.235	211.857	217.506	204.041			
68	Т	2.1509	4.3933	4.4362	2.2266	2.1066	4.1233	4.0989	2.1556	25.6914			
	S	213.336	193.528	186.431	197.815	208.112	207.027	208.260	214.136	201.780			
69	T	2.1564	4.3686	4.4493	2.2361	2.1107	4.1348	4.1028	2.1572	25.7159			
	S	212.792	194.622	185.882	196.974	207.708	206.452	208.062	213.977	201.587			
70	LT	2.1620		4.3883	2.2169			4.0489	2.1347	25.5354			
	S	212.240	192.573	188.466		208.836	209.728	210.832	216.232	203.012			
71	T	2.1455		4.3760		2.1024	4.0918		2.1424	25.4967			
	S	213.873	195.585	+		+	208.621	209.522	215.455	203.320			
72	T	2.1427	4.3742		2.2364	2.1151			2.1514	25.6344	•		
<u> </u>	S	214.152	194.373		196.948	207.276		209.076		202.228			
73	T	2.1548			1				2.1856	25.8996			
	S	212.950		186.524		206.553	202.447	204.307	211.196	200.158			
74	T	2.1828	-	4.6024	•	2.1601	4.2708	4.1952	2.1765	26.4390			
	S	210.218	186.441	179.699	192.263	202.958	199.877	203.479	212.079	196.074			
75	I	2.2553						4.2665	2.3712	26.9771			
<u> </u>	S	203.460						200.079	194.666	192.163			
76	T	2.6129	5.5619	5.8661	2.8528	2.6560		5.4620	2.7539	33.1758			
	S	175.615	152.866	140.987	154.394	165.064	157.783	156.286	167.614	156.258			

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 



#### Section Data for Car 60 - Harvey, Jack

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	2.6632	5.4915	5.5868	2.7261	2.6819	6.2274	8.3038	4.3612	38.0419			
	S	172.298	154.826	148.036	161.569	163.470	137.077	102.801	105.840	136.271			
78	Т	4.0679	8.6235	9.2570	5.2832	5.7052	9.6726	8.6251	4.1806	55.4151			
	S	112.801	98.594	89.343	83.369	76.844	88.253	98.971	110.413	93.549			
79	Т	3.9672	8.4598	8.3810	4.9336	5.2016	9.7605	9.3236	3.9409	53.9682			
/9	S	115.664	100.502	98.681	89.277	84.284	87.458	91.557	117.128	96.057			
80	Т	4.1416	8.3564	8.8112	4.4601	4.4485	8.8220	8.7044	4.6325	52.3767			
80	S	110.794	101.746	93.863	98.754	98.552	96.762	98.070	99.642	98.975			
81	T	4.5957	9.0344	8.7542	4.4364	4.3006	8.6320	8.8399	4.7431	53.3363			
01	S	99.846	94.110	94.474	99.282	101.941	98.892	96.566	97.318	97.195			
82	Т	4.9589	8.6486	8.5696	3.3480	2.8839	5.3863	5.1315	2.5513	41.4781			
02	S	92.533	98.308	96.509	131.558	152.020	158.483	166.352	180.924	124.982			
83	Т	2.6085	5.2077	4.9971	2.4773	2.4477	5.3030	5.1976	3.0261	31.2650			
	S	175.911	163.263	165.505	177.796	179.111	160.972	164.237	152.537	165.808			
84	Т	3.1857	6.3299	8.1666	4.9957	4.4650	9.3271			64.9906	26.0219		46.8046
04	S	144.039	134.319	101.272	88.167	98.188	91.522			79.765	34.626		100.893
85	T			8.6767	3.5203	2.8559	4.9761	4.5500	2.3115	44.4832		36.6473	
	S			95.318	125.118	153.510	171.547	187.612	199.693	116.538		128.932	
86	T	2.3270	5.1162	5.0666	2.4878	2.6632	5.4044	5.3006	2.5320	4			
	S	197.191	166.183	163.235	177.046	164.617	157.952	161.045	182.303	167.779			
87	Т	2.4566	5.1223	4.8197	2.3253	2.1980	4.6286	4.3677	2.1969	28.1151			
	S	186.788	165.985	171.597	189.418	199.458	184.426	195.443	210.110	184.385			
88	T	2.1891	4.6330		•	2.1355	4.2967	4.1826	2.1558	-			
	S	209.613	183.515		194.573	205.296	198.673	204.092	214.116	196.252			
89	T	2.1337	4.3528		2.2016	2.0851	4.0652	4.0385	2.1216	25.3761			
	S	215.055	195.329	188.927	200.061	210.258	209.986	211.375	217.567	204.287			
90	T	2.1123	4.2024	4.3710		2.0896	4.1792	4.1574	2.1622	25.4763			
	S	217.234	202.319	189.212	200.007	209.805	204.258	205.329	213.482	203.483			
91	T	2.1487	4.3069	<del>                                     </del>	2.2197	2.1060	4.0456	4.0345	2.1258	25.3799			
	S	213.554	197.410		198.430	208.171	211.004	211.584	217.138	204.256			
92	T	2.1245	4.2217	4.3749		2.1284	4.4017	4.2175	2.1866	-			
	S	215.987	201.395	189.043	198.968	205.981	193.933	202.403	211.100	200.394			
93	T	2.1797	4.5115	1	<del></del>	2.1773	4.4468	4.2190	2.1843	26.5073			
	S	210.517	188.458	<del>•                                      </del>	<del>•                                      </del>	201.354	191.966	202.331	211.322	195.569			
94	T	2.1619	4.2712	4.4296		2.1130	4.0952	4.0614	2.1448				
	S	212.250	199.061	186.709		207.482	208.448	210.183	215.214				
95	T	2.1396	4.2254			2.0877	4.0420	4.0349	2.1306				
	S	214.462	201.218	191.424	200.937	209.996	211.192	211.563	216.648	205.937			

1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 

Round 1

TAG

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 60 - Harvey, Jack

**Section Data Report** 

Track:

Report:

Lap			T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
•	T	2.1306	4.1856	4.3730	2.2199	2.1059	4.0672	4.0530					
96	S	215.368	1			-	209.883						
	Т	2.1373	+										
97	S	214.693	<del></del>		1	+	+	+	1	204.480			
	Т	2.1357			•	2.0991	4.0448	•	•	25.2516	ì		
98	S	214.854	200.459	-		208.856	211.045		216.506	205.294			
	Т	2.1366	1			2.1042	4.0538			25.2853			
99	S	214.763	201.743	188.561	198.662	208.350	210.577	211.207	216.567	205.020			
100	Т	2.1364	4.2705		1	2.1100	4.0458	-	2.1330	25.3325			
100	S	214.784	199.093	188.685	197.966	207.777	210.993	211.889	216.405	204.638			
101	Т	2.1329	4.2322	2 4.4458	2.2495	2.1264	4.0772	4.0571	2.1401	25.4612			
101	S	215.136	200.895	186.028	195.801	206.174	209.368	210.406	215.687	203.604			
102	Т	2.1446	4.2835	4.4117	2.2406	2.1216	4.0944	4.0750	2.1484	25.5198			
102	S	213.962	198.489	187.466	196.579	206.641	208.489	209.481	214.853	203.136			
103	Т	2.1472	4.2857	4.3851	2.2285	2.1149	4.0681	4.0561	2.1443	25.4299			
103	S	213.703	198.387	188.604	197.646	207.295	209.837	210.457	215.264	203.855			
104	Т	2.1421	4.3229	4.4649	2.2648	2.1425	4.1565	4.1302	2.1708	25.7947			
104	S	214.212	196.680	185.233	194.478	204.625	205.374	206.682	212.636	200.972			
105	Т	2.1551	4.2855	4.3522	2.2197	2.1090	4.0614	4.0676	2.1537	25.4042			
105	S	212.920	198.396	190.029	198.430	207.875	210.183	209.862	214.325	204.061			
106	T	2.1451	4.2657	4.4186	2.2413	2.1252	4.0891	4.0737	2.1564	25.5151			
100	S	213.912	199.317	187.174	196.517	206.291	208.759	209.548	214.056	203.174			
107	Т	2.1485	4.2675	4.3946	2.2389	2.1244	4.0925	4.0845	2.1546	25.5055			
107	S	213.574	199.233	188.196	196.728	206.368	208.586	208.994	214.235	203.250			
108	Т	2.1480	4.2745	4.3709	2.2241	2.1118	4.1103	4.0952	2.1634	25.4982			
100	S	213.624	198.907	189.216	198.037	207.600	207.682	208.448	213.364	203.308			
109	Т	2.1565	4.2717	4.3741	2.2307	2.1172	4.1020	4.1043	2.1657	25.5222			
109	S	212.782	199.037	189.078	197.451	207.070	208.102	207.986	213.137	203.117			
110	T	2.1574			+	•		•	<del>•                                      </del>	25.5042	ļ		
110	S	212.693	1	-	•	206.281	208.739		213.739	203.261			
111	Т	2.1527			-	2.1188		-		25.4806			
	S	213.157		_		206.914	208.703	209.071	213.858	203.449			
112	T	2.1513	+	<del></del>	1					25.4532			
112	S	213.296	<del>•</del>	<del></del>	+	207.580			•	203.668			
113	T	2.1576	4.2793	4.3613	2.2228	2.1119	4.0920	4.0901	2.1617	25.4767			
113	S	212.673				207.590	208.611	208.708	213.531	203.480			
114	Т	2.1509		4.3583			4.1158	4.1103	2.1670	25.4706			
114	S	213.336	201.047	189.763	197.993	207.315	207.405	207.682	213.009	203.529			

Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

# Section Data for Car 60 - Harvey, Jack

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1605	4.2802	4.3736	2.2241	2.1136	4.1499	4.1370	2.1749	25.6138			
115	S	212.388	198.642	189.099	198.037	207.423	205.700	206.342	212.235	202.391			
116	T	2.2124	4.5958	4.5220	2.2555	2.1269	4.2263	4.2997	2.2127	26.4513			
110	S	207.405	185.001	182.894	195.280	206.126	201.982	198.534	208.610	195.983			
117	Т	2.1935	4.4379	4.4592	2.2523	2.1332	4.2123	4.1984	2.2008	26.0876			
117	S	209.192	191.583	185.469	195.558	205.517	202.653	203.324	209.738	198.715			
110	Т	2.1854	4.3910		2.2525	2.1361	4.2039	4.2048	2.2093	26.0210			
118	S	209.968	193.630	186.355	195.540	205.238	203.058	203.015	208.931	199.224			
110	Т	2.1960	4.3902	4.4468	2.2567	2.1421	4.1810	4.1362	2.1742	25.9232			
119	S	208.954	193.665	185.987	195.176	204.663	204.170	206.382	212.304	199.975			
120	Т	2.1693	4.3588	4.4852	2.2784	2.5367	6.3165			53.1062	27.4213		33.4222
120	S	211.526	195.060	184.394	193.317	172.827	135.144			97.616	32.858		141.291
121	Т				3.1760	2.6657	4.7288	4.4303	2.2833	43.1552		35.4179	
121	S				138.682	164.463	180.519	192.681	202.160	120.125		133.407	
122	Т	2.2539	4.3973	4.3405	2.2123	2.1795	4.2789	4.1302	2.1493	25.9419			
122	S	203.587	193.352	190.542	199.093	201.151	199.499	206.682	214.763	199.831			
123	Т	2.1361	4.2855	4.3572	2.2053	2.0984	4.0363	4.0258	2.1279	25.2725			
123	S	214.814	198.396	189.811	199.725	208.925	211.490	212.041	216.923	205.124			
124	Т	2.1275	4.2272	4.3057	2.1904	2.0920	4.0518	4.0333	2.1222	25.1501			
124	S	215.682	201.132	192.082	201.084	209.565	210.681	211.647	217.506	206.122			
125	T	2.1233	4.3316	4.3943	2.2099	2.0958	4.0450	4.0296	2.1217	25.3512			
125	S	216.109	196.285	188.209	199.310	209.185	211.035	211.841	217.557	204.487			
126	T	2.1184	4.2100	4.4684	2.2465	2.1276	4.1003	4.0786	2.1502	25.5000			
120	S	216.609	201.954	185.088	196.063	206.058	208.189	209.296	214.673	203.294			
127	Т	2.1472	4.2692	4.3506	2.2115	2.1031	4.0472	4.0356	2.1366	25.3010			
127	S	213.703	199.154	190.099	199.166	208.459	210.920	211.527	216.040	204.893			
128	Т	2.1395	4.2289	4.3040	2.1933	2.0941	4.0609	4.0429	2.1446	25.2082			
120	S	214.472	201.052	192.157	200.818	209.354	210.209	211.145	215.234	205.647			
129	H	2.1444	4.2595	4.3269	2.2122	2.1055	4.0598	4.0568	2.1460	25.3111			
129	S	213.982	199.607	191.140	199.102	208.221	210.266	210.421	215.094	204.811			
130	T	2.1437	4.3253	4.3359	2.2088	2.1071	4.0531	4.0468	2.1489	25.3696			
130	S	214.052	196.571	190.744	199.409	208.063	210.613	210.941	214.803	204.339			
131	7	2.1549	4.2578	4.3126	2.2022	2.1031	4.0743	4.0717	2.1564	25.3330			
131	S	212.940	199.687	191.774	200.007	208.459	209.517	209.651	214.056	204.634			
132	Т	2.1545	4.2678		2.2095	2.1093	4.0728	4.0583	2.1499	25.3418			
132	S	212.979	199.219	191.459	199.346	207.846	209.594	210.343	214.703	204.563			
133	Т	2.1416	4.2585	4.3057	2.2060	2.1073	4.0624	4.0589	2.1476	25.2880			
133	S	214.262	199.654	192.082	199.662	208.043	210.131	210.312	214.933	204.998			

Round 1

> **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report Report:** 

June 6, 2020 MDYCAR Race

# **Session:**

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1541	4.3021	4.3503	2.2211	2.1198	4.0760	4.0722	2.1629	25.4585			
134	S	213.019	197.631	190.112	198.305	206.816	209.430	209.625	213.413	203.626			
135	Т	2.1630	4.2713	4.3060	2.2030	2.1077	4.0692	4.0680	2.1581	25.3463			
135	S	212.142	199.056	192.068	199.934	208.004	209.780	209.842	213.888	204.527			
136	Т	2.1555	4.2530	4.2848	2.2011	2.1067	4.0676	4.0682	2.1611	25.2980			
130	S	212.880	199.912	193.018	200.107	208.102	209.862	209.831	213.591	204.917			
137	Т	2.1556	4.2045	4.2849	2.2007	2.1058	4.0733	4.0697	2.1622	25.2567			
137	S	212.870	202.218	193.014	200.143	208.191	209.569	209.754	213.482	205.252			
138	Т	2.1622	4.2378	4.2633	2.1914	2.0999	4.0518	4.0651	2.1601	25.2316			
136	S	212.221	200.629	193.992	200.992	208.776	210.681	209.991	213.690	205.457			
139	Т	2.1562	4.2408	4.3492	2.2275	2.1245	4.0871	4.0764	2.1686	25.4303			
139	S	212.811	200.487	190.160	197.735	206.359	208.861	209.409	212.852	203.851			
140	Т	2.1639	4.2472	4.2883	2.2002	2.1062	4.0731	4.0659	2.1622	25.3070			
140	S	212.054	200.185	192.861	200.188	208.152	209.579	209.950	213.482	204.845			
141	Т	2.1593	4.2339	4.2860	2.2025	2.1078	4.0731	4.0628	2.1660	25.2914			
141	S	212.506	200.814	192.964	199.979	207.994	209.579	210.110	213.108	204.971			
142	Т	2.1669	4.2319	4.2951	2.2059	2.1097	4.0718	4.0718	2.1663	25.3194			
142	S	211.760	200.909	192.556	199.671	207.806	209.646	209.646	213.078	204.744			
143	Т	2.1646	4.2384	4.2895	2.2039	2.1093	4.0718	4.0655	2.1627	25.3057			
143	S	211.985	200.601	192.807	199.852	207.846	209.646	209.971	213.433	204.855			
144	Т	2.1630	4.2414	4.2994	2.2107	2.1150	4.0775	4.0717	2.1644	25.3431			
	S	212.142	200.459	192.363	199.238	207.286	209.353	209.651	213.265	204.553			
145	T	2.1632	4.2099	4.2953	2.2061	2.1110	4.0770	4.0653	2.1624	25.2902			
143	S	212.123	201.959	192.547	199.653	207.678	209.379	209.981	213.462	204.981			
146	T	2.1627	4.2354	4.2905		2.1080	4.0679	4.0587	2.1577	25.2844			
140	S	212.172	200.743	192.762	199.889	207.974	209.847	210.323	213.927	205.028			
147	Т	2.1595				2.1093	4.0719		2.1645	25.3410			
	S	212.486	-	192.749	+	207.846	209.641	209.086	213.255	204.570		ļ	
148	T	2.1619		<del></del>		2.1062	4.0673		2.1591	25.2972		<u> </u>	
	S	212.250			200.007	208.152	209.878		213.789	204.924		<u> </u>	
149	Т	2.1578				2.1129	4.0733		2.1616	25.3139			
	S	212.653			199.346	207.492	209.569	210.022	213.541	204.789			
150	Т	2.1610		4.2632	+	2.1006	4.0638	4.0699	2.1618	25.2348		ļ	
	S	212.339	201.418	193.996	-	208.707	210.059	209.744	213.522	205.431		<u> </u>	
151	Т	2.1601	4.2401	4.2762	1		4.0645	4.0634	2.1555	25.2654		<u> </u>	
	S	212.427	200.521	193.407	1	208.102	210.022	210.079	214.146	205.182			
152	Т	2.1587	4.2423	1	1		4.0461	4.0409	2.1386	25.1512			
	S	212.565	200.417	194.879	201.498	209.284	210.978	211.249	215.838	206.113			


Track:

Section Data for Car 60 - Harvey, Jack

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 





#### Section Data for Car 60 - Harvey, Jack

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	Т	2.1444	4.2734	4.3707	2.2246	2.1127	4.1565	4.1464	2.1789	25.6076			
155	S	213.982	198.958	189.225	197.993	207.511	205.374	205.874	211.846	202.440			
154	T	2.1653	4.2741	4.3197	2.2067	2.1028	4.1210	4.1224	2.1715	25.4835			
154	S	211.917	198.925	191.459	199.599	208.488	207.143	207.073	212.568	203.426			
155	Т	2.1591	4.3154	4.4417	2.2948	2.7855	7.6500			54.0322	26.4946		35.3110
155	S	212.525	197.022	186.200	191.936	157.390	111.586			95.943	34.008		133.734
156	Т			8.6212	3.2391	2.6687	4.7134	4.3785	2.2346	43.3670		35.5936	
156	S			95.932	135.981	164.278	181.108	194.961	206.565	119.538		132.749	
157	Т	2.2007	4.3936	4.3488	2.1959	2.0939	4.0512	4.0424	2.1313	25.4578			
15/	S	208.508	193.515	190.178	200.580	209.374	210.712	211.171	216.577	203.631			
158	Т	2.1348	4.2534	4.2313	2.1595	2.0715	4.0146	4.0174	2.1241	25.0066			
130	S	214.945	199.894	195.459	203.961	211.638	212.633	212.485	217.311	207.305			
159	T	2.1268	4.1845	4.2432	2.1665	2.0755	3.9981	3.9969	2.1185	24.9100			
159	S	215.753	203.185	194.911	203.302	211.231	213.511	213.575	217.886	208.109			
160	Т	2.1216	4.1692	4.2377	2.1705	2.0759	4.0078	4.0134	2.1256	24.9217			
100	S	216.282	203.931	195.164	202.928	211.190	212.994	212.697	217.158	208.011			
161	Т	2.1286	4.4083	5.7380	2.8739	2.5328	4.8245	4.5225	2.3025	29.3311			
101	S	215.571	192.870	144.135	153.260	173.093	176.938	188.753	200.474	176.741			
162	Т	2.2798	4.6541	4.5373	2.2759	2.1973	4.4973	4.2635	2.2023	26.9075			
102	S	201.274	182.683	182.277	193.530	199.522	189.811	200.220	209.595	192.660			
163	Т	2.2408	4.5386	4.4345	2.2208	2.0995	4.1307	4.1311	2.1641	25.9601			
103	S	204.777	187.332	186.503	198.331	208.816	206.657	206.637	213.295	199.691			
164	T	2.1468	4.2248	4.2624	2.1771	2.0754	4.0896	4.0912	2.1535	25.2208			
107	S	213.743	201.247	194.033	202.313	211.241	208.733	208.652	214.345	205.545			
165	T	2.1434	4.2562	4.3323	2.2144	2.1037	4.0468	4.0345	2.1316	25.2629			
103	S	214.082	199.762	190.902	198.905	208.399	210.941	211.584	216.547	205.202			
166	Т	2.1329	4.2312	1		2.0898	4.0200	4.0038	2.1227	25.0925			
100	S	215.136	200.942	192.399	<del></del>	209.785	212.347	213.207	217.455	206.596			
167	T	2.1280	4.2202	4.2629	·		4.0249	4.0229	2.1298	25.0478			
	S	215.631	201.466		•	210.652	212.089	212.194	216.730	206.964			
168	Т	2.1316	4.2418			2.0972	4.0392	4.0288	2.1331	25.1823			
	S	215.267	200.440	1		209.045	211.338	211.884	216.394	205.859			
169	Т	2.1368	4.1751	4.3396	<del></del>	2.1040	4.0574	4.0467	2.1416	25.2110			
	S	214.743	203.642	•	•	208.369	210.390	210.946	215.536	205.625		ļ	
170	T	2.1462	4.2370	•	•	2.1088	4.0486	4.0382	2.1402	25.2632			
	S	213.803	200.667	1	1	207.895	210.847	211.390	215.677	205.200			
171	Т	2.1401	4.2316				4.0636	4.0579	2.1507	25.2896			
	S	214.412	200.923	191.180	199.004	208.132	210.069	210.364	214.624	204.985			

Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

#### Section Data for Car 60 - Harvey, Jack

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1481	4.2324	4.3295	2.2168	2.1108	4.0604	4.0506	2.1438	25.2924			
1/2	S	213.614	200.885	191.026	198.689	207.698	210.235	210.743	215.314	204.963			
173	7	2.1422	4.1875	4.2911	2.1975	2.0960	4.0446	4.0362	2.1396	25.1347			
1/3	S	214.202	203.039	192.735	200.434	209.165	211.056	211.495	215.737	206.249			
174	T	2.1401	4.1729	4.2949	2.1956	2.0947	4.0397	4.0345	2.1385	25.1109			
1/4	S	214.412	203.750	192.565	200.608	209.294	211.312	211.584	215.848	206.444			
175	Т	2.1430	4.1998	4.2991	2.1967	2.0934	4.0306	4.0276	2.1354	25.1256			
1/3	S	214.122	202.445	192.376	200.507	209.424	211.789	211.947	216.161	206.323			
176	T	2.1396	4.1978	4.3240	2.2085	2.1031	4.0533	4.0468	2.1432	25.2163			
170	S	214.462	202.541	191.269	199.436	208.459	210.603	210.941	215.375	205.581			
177	T	2.1424	4.2178	4.3455	2.2226	2.1133	4.0637	4.0503	2.1432	25.2988			
1//	S	214.182	201.581	190.322	198.171	207.452	210.064	210.759	215.375	204.911			
178	T	2.1441	4.2140	4.3032	2.2018	2.0988	4.0373	4.0269	2.1356	25.1617			
1/8	S	214.012	201.763	192.193	200.043	208.886	211.437	211.984	216.141	206.027			
179	T	2.1401	4.2437	4.3203	2.2114	2.1037	4.0451	4.0353	2.1375	25.2371			
1/9	S	214.412	200.350	191.432	199.175	208.399	211.030	211.542	215.949	205.412			
180	Т	2.1406	4.2399	4.3340	2.2151	2.1063	4.0478	4.0392	2.1370	25.2599			
100	S	214.362	200.530	190.827	198.842	208.142	210.889	211.338	215.999	205.226			
181		2.1351	4.2182	4.3822	2.2376	2.1228	4.0758	4.0627	2.1462	25.3806			
101	S	214.914	201.562	188.728	196.842	206.524	209.440	210.116	215.074	204.250			
182	T	2.1468	4.2478	4.3619	2.2261	2.1152	4.0877	4.0657	2.1392	25.3904			
102	S	213.743	200.157	189.607	197.859	207.266	208.830	209.960	215.777	204.172			
183	T	2.1363	4.2323	4.3624	2.2224	2.1080	4.1514	4.1432	2.1680	25.5240			
165	S	214.794	200.890	189.585	198.189	207.974	205.626		212.911	203.103			
184	LT	2.1539			2.2492	2.1721	4.4972	4.2935	2.1967	26.3061			
104	S	213.039	197.622	186.221	195.827	201.837	189.815	198.821	210.129	197.065			
185	Т	2.1767		4.3746		2.0994	4.0602	4.0331	2.1309	25.4649		1	
103	S	210.807	194.395	+	+	208.826	210.245	-	216.618	203.574		ļ	
186	T	2.1595					4.3213	•	2.1826	26.4635			
	S	212.486	186.115	181.179	193.275	203.589	197.542	201.581	211.487	195.892			
187	T	2.1767				2.1709	4.4317	4.2674	2.1961	26.2994			
107	S	210.807	191.510	1	197.124	201.948	192.621	200.037	210.187	197.115			
188	T	2.1907	4.4068	+	+	2.1166	4.0876	4.0692	2.1463	25.6787		ļ	
100	S	209.460	192.935	186.975	196.790	207.129	208.836	209.780	215.064	201.879		ļ	
189	T	2.1452	4.2723	4.3720	2.2287	2.1143	4.0683	4.0508	2.1413	25.3929			
	S	213.902	199.009			207.354	209.826		215.566	204.152			
190	Т	2.1422	4.2919	4.3998	2.4845	2.9142	7.8947	8.8132	4.1018	37.0423			
130	S	214.202	198.100	187.973	177.281	150.439	108.128	96.859	112.534	139.948			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

#### Section Data for Car 60 - Harvey, Jack

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	4.4756	7.4206	9.4001	6.0620	5.4098	8.6799	9.1999	4.9918	55.6397			
191	S	102.526	114.577	87.983	72.658	81.040	98.346	92.788	92.470	93.171			
192	T	5.2812	9.1340	10.6787	5.3326	4.3620	9.1260	9.8160	4.8697	58.6002			
192	S	86.886	93.084	77.448	82.597	100.506	93.539	86.964	94.788	88.464			
193	T	5.2559	10.3624	11.8150	6.5752	5.3303	10.6605	11.2998	6.3738	67.6729			
193	S	87.304	82.049	70.000	66.987	82.248	80.075	75.544	72.420	76.604			
194	T	5.5378	11.0725	11.5216	5.3553	6.0311	12.4521	12.0551	6.0978	70.1233			
197	S	82.860	76.787	71.782	82.246	72.691	68.554	70.811	75.698	73.927			
195	T	6.9457	11.4661	11.5752	5.6872	5.3861	8.9305			78.8215	26.1875		60.3768
175	S	66.064	74.151	71.450	77.447	81.396	95.587			65.769	34.407		78.213
196	Т			8.5965	3.1901	2.6504	4.7799	4.4861	2.2941	43.4259		35.6831	
130	S			96.207	138.069	165.412	178.589	190.285	201.208	119.376		132.416	
197	T	2.2582	4.5483	4.4581	2.2483	2.1359	4.1178	4.0950	2.1598	26.0214			
137	S	203.199	186.933	185.515	195.906	205.257	207.304	208.458	213.719	199.221			
198	T	2.1610	4.2855	4.3154	2.1908	2.0954	4.0472	4.0392	2.1406	25.2751			
	S	212.339	198.396	191.650	201.047	209.225	210.920	211.338	215.636	205.103			
199	T	2.1444	4.1753	4.3392	2.3944	2.3086	4.5893	4.4224	2.4895	26.8631			
	S	213.982	203.633	190.599	183.952	189.903	186.006	193.026	185.415	192.978			
200	T	2.9530	6.8265	7.4056									
	S	155.389	124.548	111.678									

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

# Section Data for Car 7 - Askew, Oliver (R)

Lap	T/S	SF to T1		SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.9073	5.700	5.0394	2.3957	2.3035	4.7786	4.4076	2.2181	29.7507		50.9740	
1	S	157.832					-					92.694	
_	Т	2.2545	4.6359	9 4.5469	2.2129	2.1074	4.6459	4.5217	2.2587	27.1839			
2	S	203.532	183.40°	1 181.892	199.040	208.033	183.740	188.787	204.361	190.701			
	Т	2.2273	4.5380	0 4.4450	2.2081	2.2288	4.3876	4.1528	2.1494	26.3370			
3	S	206.018	187.35	7 186.062	199.472	196.702	194.557	205.557	214.753	196.833			
_	Т	2.1515	4.370	3 4.3632	2.1833	2.0846	4.1862	4.1325	2.1692	25.6413			
4	S	213.276	194.52	4 189.550	201.738	210.308	203.917	206.567	212.793	202.174			
-	Т	2.1565	4.263	5 4.3318	2.1853	2.0862	4.0706	4.0416	2.1334	25.2689			
5	S	212.782	199.420	190.924	201.553	210.147	209.708	211.212	216.364	205.153			
6	Т	2.1327	4.165 <sup>-</sup>		2.1715	2.0742	4.0399	4.0234	2.1254	25.0188			
6	S	215.156				211.363	211.301			207.204			
7	Т	2.1234	4.180°	1 4.2918	2.1703	2.0690	4.0292	4.0355	2.1280	25.0273			
	S	216.099	203.39	9 192.704	202.946	211.894	211.862	211.532	216.913	207.134			
8	Т	2.1238	4.149	7 4.3464	2.1903	2.0825	4.0505	4.0273	2.1254	25.0959			
0	S	216.058	204.889	9 190.283	201.093	210.521	210.748	211.962	217.178	206.568			
9	Т	2.1204	4.174	4.3345	2.1820	2.0744	4.0745	4.0498	2.1309	25.1412			
9	S	216.404	203.662	190.805	201.858	211.343	209.507	210.785	216.618	206.195			
10	T	2.1270	4.198	4.3043	2.1726	2.0669	4.0440	4.0534	2.1317	25.0983			
10	S	215.733	202.512	192.144	202.732	212.109	211.087	210.598	216.537	206.548			
11	T	2.1263	4.172	3 4.2996	2.1779	2.0731	4.0692	4.0591	2.1338	25.1113			
11	S	215.804	203.77	9 192.354	202.238	211.475	209.780	210.302	216.323	206.441			
12	T	2.1240			2.2167	2.0901	4.1653	4.1156	2.1447	25.5051			
12	S	216.037	202.879	9 185.524	198.698	209.755	204.940	207.415	215.224	203.253			
13	T	2.1358	4.250°	1 4.4278	2.2070	2.0835	4.1133	4.1128	2.1471	25.4774			
13	S	214.844	200.049	186.785	199.572	210.420	207.531	207.556	214.983	203.474			
14	Т	2.1300			2.2370		4.1007		2.1455	25.4848			
	S	215.429	<del></del>		196.895		208.168	+	215.144	203.415			
15	T	2.1308	4.213 <sup>-</sup>			<del>•                                      </del>	4.0941	•	2.1412	25.3113	ļ		
	S	215.348				210.097	208.504		215.576				
16	T	2.1417	4.276						2.1384	25.4153			
10	S	214.252	198.823	_			207.667		215.858				
17	T	2.1286				1				25.4117			
	S	215.571	199.85		198.887	208.965			215.787	204.001			
18	T	2.1270	1		2.1897	1			2.1368				
10	S	215.733	202.56		201.148		209.615		216.020	205.415			
19	Т	2.1280	4.217	4.3239	2.1748			4.0840	2.1372	25.2126			
19	S	215.631	201.590	191.273	202.526	211.812	209.363	209.020	215.979	205.611			


Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report Report: Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1271	4.2195	4.3941	2.2017	2.0856	4.1181	4.0955	2.1386	25.3802			
	S	215.723	201.500	188.217	200.052	210.208	207.289	208.433	215.838	204.254			
21	7	2.1268	4.2320	4.3916	2.1928	2.0769	4.1402	4.1097	2.1392	25.4092			
	S	215.753	200.904	188.324	200.864	211.088	206.182	207.713	215.777	204.021			
22	T	2.1303	4.2290	4.3996	2.1962	2.0844	4.1286	4.1198	2.1539	25.4418			
	S	215.399	201.047	187.982	200.553	210.329	206.762	207.203	214.305	203.759			
23	Т	2.1351	4.2103	4.3566	2.1832	2.0747	4.1198	4.1108	2.1472	25.3377			
	S	214.914	201.940	189.837	201.747	211.312	207.203	207.657	214.973	204.596			
24	T	2.1328	4.2512	4.3743	2.1906	2.0789	4.0838	4.0814	2.1384	25.3314			
	S	215.146	199.997	189.069	201.066	210.885	209.030	209.153	215.858	204.647			
25	T	2.1292	4.1941	4.3257	2.1785	2.0722	4.0582	4.0582	2.1319	25.1480			
	S	215.510	202.720	191.193	202.182	211.567	210.349	210.349	216.516	206.140			
26	Т	2.1185	4.1584	4.4754	2.2360	2.1091	4.0691	4.0367	2.1226	25.3258			
	S	216.598	204.460	184.798	196.983	207.865	209.785	211.469	217.465	204.692			
27	T	2.1130	4.1626	4.4379	2.2210	2.0989	4.0898	4.0735	2.1427	25.3394			
	S	217.162	204.254	186.360	198.314	208.876	208.723	209.558	215.425	204.583			
28	T	2.1324	4.1902	4.3211	2.1806	2.0810	4.0448	4.0404	2.1278	25.1183			
	S	215.186	202.909	191.397	201.988	210.672	211.045	211.275	216.933	206.383			
29	T	2.1182	4.1077	4.3872	2.1992	2.0898	4.0617	4.0620	2.1389	25.1647			
	S	216.629	206.984	188.513	200.279	209.785	210.167	210.152	215.808	206.003			
30	T	2.1245	4.1922	4.3450	2.1828	2.0752	4.0527	4.0391	2.1240	25.1355			
	S	215.987	202.812	190.344	201.784	211.261	210.634	211.343	217.322	206.242			
31	ഥ	2.1109	4.1734	4.3242	2.1723	2.0675	4.1621	4.1273	2.1544	25.2921			
J.	S	217.378	203.725	191.260	202.760	212.048	205.098	206.827	214.255	204.965			
32	ഥ	2.1365	4.2187	4.3732		2.0864	4.1877	4.1057	2.1299	25.4372			
	S	214.774	201.538	-	200.289	210.127	203.844	207.915	216.720	203.796			
33	T	2.1385	4.3325		1	2.0926	4.2146		2.1431	25.7171			
	S	214.573	196.244	<del> </del>	+	209.504	202.543		215.385	201.578			
34	T	2.1401	4.2836			2.4330	6.2234			49.5146	26.7823		30.6942
<u> </u>	S	214.412	198.484	186.125	1	180.193	137.166			104.696	33.642		153.849
35	Т				3.1503	2.6509	4.6880		2.2582	43.1338		35.1719	
	S				139.814	165.381	182.090	197.798	204.407	120.184		134.340	
36	T	2.2675	4.5811	4.4142	+	2.1199	4.3159	4.1761	2.1608	26.2483			
<u> </u>	S	202.365	185.595	187.360		206.806	197.789	204.410	213.620	197.499			
37	T	2.1501	4.3264	4.3951	2.2403	2.1519	4.7956	5.4256	3.5080	28.9930			
<u> </u>	S	213.415	196.521	188.174		203.731	178.004	157.335	131.582	178.802			
38	T	3.6659	6.4010	7.3624		4.0268	7.6127	7.0314	3.5777	43.6605			
	S	125.171	132.827	112.334	110.595	108.873	112.133	121.403	129.019	118.734			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 7 - Askew, Oliver (R)

Lap	T/S	SF to T1		SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	3.4521	6.2172	5.5523	2.9188	3.0246	6.3218	9.4719	5.8184	42.7771			
39	S	132.923	136.754	148.955	150.903	144.948	135.031	90.123	79.333	121.186			
40	Т	5.6524	10.6971	9.2972	4.5199	4.6043	10.7027	9.9421	4.6958	60.1115			
40	S	81.180	79.482	88.956	97.448	95.217	79.759	85.861	98.299	86.240			
44	Т	4.6444	9.4261	9.0808	4.6985	4.6866	9.0747	9.2865	5.1645	56.0621			
41	S	98.799	90.199	91.076	93.744	93.545	94.068	91.922	89.378	92.469			
42	Т	5.2000	8.9969	9.0204	4.4892	4.4817	9.4281	9.2939	4.6861	55.5963			
42	S	88.243	94.502	91.686	98.114	97.822	90.542	91.849	98.502	93.244			
43	Т	4.5923	8.2396	9.9065	5.1873	4.7965	10.7149	9.1914	4.5077	57.1362			
43	S	99.920	103.188	83.485	84.910	91.402	79.668	92.873	102.401	90.731			
44	Т	4.5497	8.4680	9.9658	5.4205	5.2891	12.0359	11.4231	4.9178	62.0699			
44	S	100.856	100.405	82.988	81.257	82.889	70.924	74.729	93.861	83.519			
4F	Т	4.5332	8.6401	8.7910	4.7650	5.2664	10.1272	10.3849	4.4978	57.0056			
45	S	101.223	98.405	94.079	92.435	83.246	84.291	82.200	102.626	90.938			
46	Т	4.5896	8.4740	6.6296	3.4484	3.8823	5.8553	4.6928	2.3159	39.8879			
40	S	99.979	100.334	124.750	127.727	112.925	145.789	181.903	199.314	129.964			
47	Т	2.2555	4.4976	4.4407	2.1965	2.0923	4.3314	4.1545	2.1376	26.1061			
4/	S	203.442	189.040	186.242	200.526	209.535	197.081	205.473	215.939	198.574			
48	_	2.1228	4.3358	4.3469	2.1656	2.1274	4.3143	4.0995	2.1226	25.6349			
40	S	216.160	196.095	190.261	203.387	206.077	197.862	208.229	217.465	202.224			
49	T	2.0988	4.2520	4.4261	2.2356	2.1264	4.3916	4.1805	2.1507	25.8617			
49	S	218.631	199.959	186.856	197.018	206.174	194.379	204.195	214.624	200.451			
50	T	2.1907	4.4739	4.3596	2.1698	2.0750	4.1484	4.0337	2.1165	25.5676			
50	S	209.460	190.042	189.707	202.993	211.281	205.775	211.626	218.092	202.757			
51	T	2.1896	4.3537	4.4544	2.2071	2.0860	4.0330	3.9775	2.0959	25.3972			
31	S	209.565	195.288	185.669	199.563	210.167	211.663	214.616	220.235	204.117			
52	T	2.0903	4.1859	4.3615	2.1840	2.0888	4.1528	4.0652	2.1038	25.2323			
52	S	219.520	203.117	189.624	201.673	209.886	205.557	209.986	219.408	205.451			
53	٦	2.1281	4.3364	4.5846	2.2591	2.1152	4.0840	4.0247	2.1064	25.6385			
	S	215.621	196.068	180.396	194.969	207.266	209.020	212.099	219.137	202.196			
54	Т	2.1284	4.3329		2.2075		4.0809		2.1344				
J-T	S	215.591	196.226	188.209	199.526	210.399			216.263	203.528			
55	T	2.1389	4.3092	4.3631	2.1921	2.0782	4.0566	4.0408	2.1287	25.3076			
	S	214.533	197.305	+	200.928	+		+	+	+	ļ		
56	T	2.1203	4.2582	4.3343	2.1761	2.0677	4.0432	4.0446	2.1299	25.1743			
	S	216.414	199.668		202.405		211.129						
57	Т	2.1274	4.2792	4.3794	2.1883	2.0770	4.0735	4.0752	2.1367	25.3367			
31	S	215.692	198.688	188.849	201.277	211.078	209.558	209.471	216.030	204.604			

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report Report: Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1280	4.2862	4.3853	2.1938	2.0780	4.1322	4.0901	2.1287	25.4223			
36	S	215.631	198.364	188.595	200.772	210.976	206.582	208.708	216.842	203.915			
59	T	2.1208	4.2616	4.4375	2.2127	2.0918	4.1899	4.1300	2.1535	25.5978			
39	S	216.363	199.509	186.376	199.058	209.585	203.737	206.692	214.345	202.517			
60	T	2.1449	4.3161	4.4072	2.2083	2.0950	4.1288	4.1046	2.1492	25.5541			
- 60	S	213.932	196.990	187.658	199.454	209.264	206.752	207.971	214.773	202.864			
61	Т	2.1436	4.2842	4.4100	2.2123	2.0974	4.1103	4.0946	2.1443	25.4967			
61	S	214.062	198.456	187.539	199.093	209.025	207.682	208.479	215.264	203.320			
62	Т	2.1421	4.2515	4.3663	2.2001	2.0895	4.0856	4.0516	2.1370	25.3237			
02	S	214.212	199.983	189.416	200.198	209.815	208.938	210.691	215.999	204.709			
63	T	2.1327	4.2660	4.3667	2.1984	2.0912	4.0605	4.0423	2.1310	25.2888			
	S	215.156				209.645	210.229	211.176	216.608	204.992			
64	Т	2.1330	4.2602	4.3615	2.1947	2.0875	4.0550	4.0226	2.1280	25.2425			
04	S	215.126	199.574	189.624	200.690	210.016	210.515	212.210	216.913	205.368			
65	Т	2.1238	4.2078	4.3016	2.1753	2.0707	4.0500	4.0391	2.1317	25.1000			
	S	216.058	202.060	192.265	202.480	211.720	210.774	211.343	216.537	206.534			
66	T	2.1219	4.2089	4.3229	2.1725	2.0718	4.1029	4.1745	2.1532	25.3286			
	S	216.251	202.007	191.317	202.741	211.608	208.057	204.488	214.374	204.670			
67	Т	2.1740	4.3943	4.4288	2.2152	2.0919	4.2184	4.1452	2.1474	25.8152			
	S	211.069	193.484	186.743	198.833	209.575	202.360	205.934	214.953	200.812			
68	Т	2.1344	4.2606	4.4799		2.1072	4.0988			25.5442			
	S	214.985	199.556	184.612	197.389	208.053	208.265	208.468	215.989	202.942			
69	T	2.1268		4.3766	2.1962	2.0848	4.0954	4.0544	2.1293	25.2991			
	S	215.753	•	188.970	200.553	210.288	208.438	210.546	216.781	204.908		<u> </u>	
70	Т	2.1249			2.2037	2.0887	4.0801	4.1394				<u> </u>	
	S	215.946	198.805	187.662	199.870	209.896	209.219	206.222	215.174	203.567			
71	T	2.1377	4.3079			2.0919	4.1009						
L	S	214.653	+	<del></del>	+	209.575	208.158	-	+	+			
72	T	2.1378		•			4.1372						
<u></u>	S	214.643			1	208.697	206.332	208.118		202.504		1	
73	Т	2.1724					4.2739			26.6062			
	S	211.224					199.732	203.368		194.842			
74	Т	2.3434	-	<del></del>	+	2.1425	4.3239	-	+	27.0090			
ļ , ,	S	195.811	176.348	1		204.625	197.423	204.161	213.769	191.936		1	
75	T	2.1557	4.3473		1		4.1899		2.1324			1	
<u> </u>	S	212.861	195.576		1		203.737						
76	Т	2.1496				2.4734	5.5737	5.7903	3.2271				
	S	213.465	193.577	184.934	196.307	177.250	153.154	147.425	143.036	170.964			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 7 - Askew, Oliver (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	3.2779	6.2473	6.1501	3.4702	3.3728	6.4818	6.0709	3.3962	38.4672			
"	S	139.987	136.095	134.477	126.925	129.984	131.697	140.611	135.914	134.764			
70	Т	3.3101	5.7235	5.1043	2.5808	2.6229	5.3349	5.5610	2.9604	33.1979			
78	S	138.625	148.550	162.029	170.666	167.147	160.010	153.504	155.922	156.154			
79	Т	2.9627	5.9094	7.6199	5.9875	6.5108	11.9273	9.1579	3.9904	54.0659			
/9	S	154.880	143.877	108.538	73.562	67.336	71.570	93.213	115.675	95.883			
80	Т	3.6996	7.3949	6.8208	3.5258	3.7555	8.1589			64.3052	27.2098		44.7884
80	S	124.031	114.975	121.253	124.923	116.738	104.626			80.616	33.114		105.435
81	Т			8.7277	3.5897	3.6817	7.6890	7.0957	3.4581	52.3623		44.6693	
01	S			94.761	122.700	119.078	111.020	120.303	133.481	99.003		105.777	
82	T	3.7236	7.4387	7.0335	3.5720	3.6088	8.1702	7.8912	3.3696	44.8076			
62	S	123.231	114.298	117.587	123.308	121.483	104.482	108.176	136.987	115.695			
83	T	3.3665	7.4761	8.6430	5.3476	5.6276	9.2101	8.0566	3.8225	51.5500			
	S	136.303	113.726	95.690	82.365	77.903	92.685	105.955	120.756	100.563			
84	T	4.2095	7.8426	9.0768	4.3946	4.7962	10.0378	8.4392	4.1819	52.9786			
	S	109.007	108.411	91.116	100.226	91.408	85.042	101.151	110.378	97.851			
85	T	3.8426	8.1602	9.0577	5.3256	4.6520	8.9231	7.4079	4.5809	51.9500			
85	S	119.415	104.192		82.705	94.241	95.666	115.233	100.764	99.788			
86	Т	5.2297	7.1949	6.5476	3.7212	3.3146	6.3317	6.3115	2.6616	41.3128			
	S	87.742	118.171	126.313	118.364	132.266	134.819		173.426	125.482			
87	T	2.5068	5.0520	4.6501	2.2469	2.2319	4.5883	4.2813	2.1773	27.7346			
	S	183.048	168.295	177.855	196.028	196.429	186.046	199.387	212.002	186.915			
88	T	2.1551	4.4126	4.3037	2.1426	2.0421	4.2387	4.0749	2.1139	25.4836			
	S	212.920	192.682	192.171	205.570	214.685	201.391	209.486	218.360	203.425			
89	T	2.0980	4.2155	4.2869	2.1554	2.0414	4.0787	4.0300		25.0096			
	S	218.715	201.691	192.924	204.349	214.759	209.291	211.820	219.419	207.280			
90	T	2.0900	4.1847	4.2851	2.1387	2.0632	4.1814		2.1084	25.1142			
	S	219.552	203.175	+	205.945	212.490	204.151	+	<del> </del>	206.417			
91	T	2.1041	4.2923		2.1706		4.0390			25.1155			
<u> </u>	S	218.081	198.082	190.265	202.918	213.639	211.348						
92	T	2.0875	4.1048		2.1940		4.0764						
<u> </u>	S	219.815	207.130		200.754	211.700	209.409						
93	T	2.1099	4.2232	4.2883	2.1463	2.0445	4.0440			24.9623		ļ	
	S	217.481	201.323	192.861	205.216		211.087	213.047	219.878	•	ļ		
94	T	2.0847	4.1643		2.2518		4.0151	3.9591	2.0947	25.2372			
<u> </u>	S	220.110	204.171	181.896		206.728	212.607	215.614	220.361	205.411			
95	T	2.0991	4.2497	4.3759		2.0777	4.0517			25.1302			
	S	218.600	200.068	189.000	201.231	211.007	210.686	214.272	219.450	206.286			

Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 7 - Askew, Oliver (R)

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.0996	4.2385	4.4167	2.2065	2.0867	4.0770	4.0230	2.1123	25.2603			
96	S	218.548	200.596	187.254	199.617	210.097	209.379	212.189	218.525	205.223			
97	T	2.1009	4.1768	4.3663	2.1896	2.0756	4.0620	4.0102	2.1163	25.0977			
97	S	218.413	203.559	189.416	201.158	211.220	210.152	212.866	218.112	206.553			
98	T	2.1389	4.3405	4.3749	2.1906	2.0760	4.0644	4.0564	2.1233	25.3650			
96	S	214.533	195.882	189.043	201.066	211.180	210.028	210.442	217.393	204.376			
99	Т	2.1374	4.2782	4.3233	2.1769	2.0644	4.0274	4.0124	2.0947	25.1147			
99	S	214.683	198.735	191.300	202.331	212.366	211.957	212.750	220.361	206.413			
100	Т	2.1556	4.3723	4.3579	2.1719	2.0996	4.1678	4.1250	2.1463	25.5964			
100	S	212.870	194.458	189.781	202.797	208.806	204.817	206.942	215.064	202.528			
101	T	2.1336	4.2870	4.3929	2.2010	2.0886	4.0796	4.0353	2.1214	25.3394			
101	S	215.065	198.327	188.269	200.116	209.906	209.245	211.542	217.588	204.583			
102	Т	2.1182	4.2401	4.3606	2.1947	2.0835	4.1193	4.0964	2.1443	25.3571			
102	S	216.629	200.521	189.663	200.690	210.420	207.229	208.387	215.264	204.440			
103	Т	2.1414	4.2564	4.3025	2.1652	2.0653	4.0557	4.0528	2.1284	25.1677			
103	S	214.282	199.753	192.224	203.424	212.274	210.478	210.629	216.872	205.978			
104	T	2.1294	4.2737	4.3297	2.1843	2.0780	4.0957	4.0600	2.1337	25.2845			
104	S	215.490	198.944	191.017	201.646	210.976	208.423	210.255	216.334	205.027			
105	Т	2.1291	4.2461	4.3721	2.1936	2.0819	4.1184	4.1026	2.1440	25.3878			
103	S	215.520	200.237	189.164	200.791	210.581	207.274	208.072	215.294	204.193			
106	T	2.1476	4.3239	4.3796	2.2009	2.0936	4.0672	4.0305	2.1256	25.3689			
100	S	213.663	196.634	188.840	200.125	209.404	209.883	211.794	217.158	204.345			
107	T	2.1215	4.2281	4.3166	2.1778	2.0768	4.0167	4.0219	2.1246	25.0840			
107	S	216.292	201.090	191.597	202.247	211.098	212.522	212.247	217.260	206.666		ļ	
108	Т	2.1224	4.2255	4.3458	2.1920	2.0840			2.1221	25.1440			
100	S	216.200	201.213	190.309	200.937	210.369	211.910	212.142	217.516	206.172			
109	T	2.1199	4.2403	4.3702	2.1966	2.0894	4.0926	4.0672	2.1420	25.3182			
109	S	216.455	200.511	189.247	200.517	209.825	208.580	209.883	215.495	204.754			
110	LT	2.1205	4.2261	4.3705	2.1930	2.0861	4.0578	4.0401	2.1220	25.2161		ļ	
	S	216.394	201.185	189.234	200.846	210.157	210.369	211.291	217.526	205.583		<u> </u>	
111	T	2.1185	4.2353	4.3306	2.1792	2.0728	4.0898						
	S	216.598	200.748	190.977	202.118	211.506	208.723	210.691	217.219	205.691			
112	T	2.1206	4.2724	4.4077	2.2007	2.1040	4.0989	4.0638	2.1257	25.3938			
	S	216.384	199.005	187.637	200.143	208.369	208.260	210.059	217.148	204.144			
113	T	2.1414	4.3889	4.4006	2.1825	2.1436	4.2161		2.1419				
	S	214.282	193.722	187.939		204.520	202.471		215.505				
114	T	2.1374	4.4866	4.6034	2.2725	2.1459			2.1511	26.2706			
	S	214.683	189.504	179.660	193.819	204.301	197.354	205.780	214.584	197.331			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 7 - Askew, Oliver (R)

**Report:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1432	4.3951	4.4148	2.2196	2.1542	4.1579	4.0728	2.1212	25.6788			
113	S	214.102	193.449	187.335	198.439	203.514	205.305	209.594	217.608	201.879			
116	Т	2.1420	4.4069	4.4584	2.2054	2.1227	4.1800	4.0703	2.1251	25.7108			
110	S	214.222	192.931	185.503	199.716	206.534	204.219	209.723	217.209	201.627			
117	T	2.1187	4.3953	4.4066	2.1946	2.1163	4.1340	4.0606	2.1174	25.5435			
	S	216.578	193.440	187.683	200.699	207.158	206.492	210.224	217.999	202.948			
118	Т	2.1637	4.4669	4.4126	2.2025	2.0916	4.0979	4.0377	2.1116	25.5845			
110	S	212.074	190.339	187.428	199.979	209.605	208.311	211.416	218.598	202.623			
119	Т	2.1293	4.5306	4.4967	2.2517	2.1247	4.0767	4.0383	2.1323	25.7803			
119	S	215.500	187.663	183.923	195.610	206.339	209.394	211.385	216.476	201.084			
120	Т	2.1388	4.3530	4.4444	2.2830	2.7065	6.7786			49.7079	25.7019		31.6910
120	S	214.543	195.320	186.087	192.928	161.984	125.931			104.289	35.057		149.010
121	Т			8.4572	3.1489	2.6555	4.7129	4.3392	2.2451	42.8701		35.1851	
121	S			97.792	139.876	165.095	181.128	196.727	205.599	120.923		134.290	
122	Т	2.2253	4.2870	4.1905	2.1549	2.1085	4.4458	4.2011	2.2348	25.8479			
122	S	206.203	198.327	197.362	204.397	207.925	192.010	203.194	206.547	200.558			
122	Т	2.2400	4.4311	4.2860	2.1574	2.0626	4.0595	4.0107	2.1170	25.3643			
123	S	204.850	191.877	192.964	204.160	212.552	210.281	212.840	218.040	204.382			
124	Т	2.1244	4.2369	4.2408	2.1551	2.0624	4.0048	3.9937	2.1173	24.9354			
124	S	215.997	200.672	195.021	204.378	212.572	213.153	213.746	218.009	207.897			
125	Т	2.1129	4.1229	4.1965	2.1459	2.0594	3.9530	3.9470	2.1075	24.6451			
125	S	217.172	206.221	197.080	205.254	212.882	215.946	216.275	219.023	210.346			
126	Т	2.1030	4.1060	4.1802	2.1407	2.0544	3.9538	3.9438	2.1011	24.5830			
120	S	218.195	207.069	197.848	205.753	213.400	215.903	216.450	219.690	210.877			
127	T	2.1068	4.0215	4.1537	2.1371	2.0514	3.9498	3.9428	2.1007	24.4638			
12/	S	217.801	211.420	199.111	206.099	213.712	216.121	216.505	219.732	211.905			
128	Т	2.1065	4.0408	4.1533	2.1354	2.0488	3.9481	3.9408	2.1039	24.4776			
120	S	217.832	210.411	199.130	206.263	213.983	216.214	216.615	219.398	211.785			
129	Т	2.1029	4.0691	4.1937	2.1430	2.0546	3.9514	3.9363	2.0912	24.5422			
	S	218.205	208.947	197.211	205.532	213.379	216.034	216.863	220.730	211.228			
130	Т	2.0921	4.0786	4.1917	2.1404	2.0451	3.9884	3.9820	2.1065	24.6248			
	S	219.332	208.461	197.305	205.781	214.370	214.030	214.374	219.127	210.519			
131	Т	2.1001	4.1699		2.1621	2.1041	4.0963	3.9994	2.1013	25.0154			
131	S	218.496	203.896	193.136	203.716	208.359	208.392	213.441	219.669	207.232			
132	Т	2.1372	4.2785	4.3919	2.1988	2.0847	4.0550	4.0418	2.1205	25.3084			
132	S	214.703	198.721	188.312	200.316	210.298	210.515	211.202	217.680	204.833			
133	Т	2.1109	4.2087	4.4274	2.2171	2.1006	4.0657	4.0320	2.1166	25.2790			
	S	217.378	202.017	186.802	198.662	208.707	209.960	211.715	218.081	205.071			

Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

June 6, 2020

Round 1



#### Section Data for Car 7 - Askew, Oliver (R)

Race

**Section Data Report** 

Track:

Report:

**Session:** 

Lap	T/S			SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
404	Т	2.1065	4.1647	4.3974	2.2092	2.0943	4.1281	4.0918	2.1413	25.3333			
134	S	217.832				209.334		208.621		204.632			
405	Т	2.1364	4.2619	4.3686	2.1994	2.0892	4.1353	•		25.4460			
135	S	214.784	199.495	189.316	200.261	209.845	206.427	207.981	214.614	203.726			
126	Т	2.1366	4.1692	4.3096	2.1824	2.0772	4.0610	4.0393	2.1287	25.1040			
136	S	214.763	203.931	191.908	201.821	211.058	210.203	211.333	216.842	206.501			
127	Т	2.1190		4.3394	2.1823	2.0783	4.0760	4.0744	2.1382	25.1221			
137	S	216.547	206.642	190.590	201.830	210.946	209.430	209.512	215.878	206.352			
138	Т	2.1230	4.1865	4.3381	2.1874	2.0793	4.0424	4.0038	2.1129	25.0734			
136	S	216.139	203.088	190.647	201.360	210.845	211.171	213.207	218.463	206.753			
120	Т	2.1106	4.2018	4.3941	2.1980	2.0837	4.0763	4.0377	2.1152	25.2174			
139	S	217.409	202.348	188.217	200.389	210.399	209.415	211.416	218.226	205.572			
140	Т	2.1090	4.2054	4.4165	2.2142	2.0967	4.0567	4.0287	2.1265	25.2537			
140	S	217.574	202.175	187.263	198.923	209.095	210.426	211.889	217.066	205.277			
141	Т	2.1230	4.2111	4.3471	2.1809	2.0726	4.0813	4.0713	2.1309	25.2182			
141	S	216.139	201.901	190.252	201.960	211.526	209.158	209.672	216.618	205.566			
142	Т	2.1195	4.1603	4.3532	2.1943	2.0860	4.0735	4.0352	2.1240	25.1460			
142	S	216.496	204.367	189.986	200.727	210.167	209.558	211.547	217.322	206.156			
143	T	2.1126	4.1395	4.4171	2.2181	2.0982	4.0904	4.0442	2.1245	25.2446			
143	S	217.203	205.394	187.237	198.573	208.945	208.693	211.077	217.270	205.351			
144	T	2.1165	4.1226	4.3375	2.1924	2.0889	4.0781	4.0359	2.1222	25.0941			
144	S	216.803	206.236	190.673	200.901	209.876	209.322	211.511	217.506	206.582			
145	T	2.1205	4.1968	4.4641	2.2359	2.1151	4.1115	4.0893	2.1436	25.4768			
143	S	216.394	202.589	185.266	196.992	207.276	207.622	208.749	215.334	203.479			
146	Т	2.1375	4.2406	4.3696	2.1905	2.0846	4.0881	4.0720	2.1370	25.3199			
140	S	214.673	200.497	189.273	201.075	210.308	208.810	209.636	215.999	204.740			
147	Т	2.1268			2.1761	2.0738	4.0268			25.0363		1	
17/	S	215.753	202.300	192.032	202.405	211.404	211.989	212.988	218.215	207.059			
148	T	2.1113	<del>•                                      </del>	-	2.1718	2.0695	4.0067	3.9900	2.1051	24.9455		1	
	S	217.337	1	1	202.806					207.813		<u> </u>	
149	T	2.1014	1		2.1760					25.0181			
177	S	218.361	203.360	1	202.415					207.210			
150	T	2.0988	4.1353	1	2.1977	2.0860			2.1257	25.1741			
	S	218.631	205.602	•	200.416	210.167	209.230		217.148	205.926		<u> </u>	
151	T	2.1056			2.2255	2.1059	4.0304		2.1078	25.2169		<u> </u>	
131	S	217.925			197.913	208.181	211.799		218.992	205.576			
152	Т	2.1031			2.1788		4.0102			25.0501			
132	S	218.184	201.361	189.546	202.155	211.669	212.866	213.548	219.419	206.945			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 7 - Askew, Oliver (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	Т	2.0951	4.1414	4.3581	2.1898	2.0849	4.0293	3.9929	2.1034	24.9949			
155	S	219.018	205.299	189.772	201.139	210.278	211.857	213.789	219.450	207.402			
154	Т	2.0927	4.1235	4.4976	2.2448	2.1192	4.0734	4.0373	2.1243	25.3128			
154	S	219.269	206.191	183.886	196.211	206.875	209.564	211.437	217.291	204.798			
155	Т	2.1138	4.1872	4.3919	2.2214	2.4012	6.0285			49.7721	27.4968		29.9839
155	S	217.080	203.054	188.312	198.278	182.579	141.600			104.155	32.768		157.494
156	Т				3.1560	2.6609	4.7052	4.3092	2.2231	42.8449		35.1363	
150	S				139.561	164.760	181.424	198.096	207.634	120.995		134.476	
157	T	2.1956	4.1665	4.1808	2.1415	2.1489	4.5785	4.2842	2.2762	25.9722			
13/	S	208.992	204.063	197.820	205.676	204.016	186.445	199.252	202.790	199.598			
158	T	2.2146	4.5109	4.4624	2.2505	2.1314	4.1169	4.0678	2.1351	25.8896			
136	S	207.199	188.483	185.336	195.714	205.691	207.349	209.852	216.192	200.235			
159	T	2.1162	4.1556	4.2212	2.1417	2.0486	4.0041	4.0026	2.1104	24.8004			
139	S	216.834	204.598	195.927	205.657	214.004	213.191	213.270	218.722	209.029			
160	T	2.0997	4.0989	4.3205	2.1784	2.0781	4.0037	3.9621	2.0914	24.8328			
100	S	218.538	207.428	191.424	202.192	210.966	213.212	215.450	220.709	208.756			
161	T	2.0850	4.1511	4.3175		2.0689	3.9835	3.9440	2.0776	24.7997			
101	S	220.078	204.820	191.557	202.778	211.904	214.293	216.439	222.175	209.035			
162	T	2.0702	4.2169	4.3432	2.1987	2.1041	4.0394	4.0086	2.1297	25.1108			
102	S	221.652	201.624	190.423	200.325	208.359	211.328	212.951	216.740	206.445			
163	T	2.1323	4.0896	4.2040	2.1500	2.0645	3.9735	3.9567	2.1031	24.6737			
103	S	215.197	207.900	196.728	204.863	212.356	214.832	215.745	219.481	210.102			
164	T	2.1023	4.0398	4.3101	2.1857	2.0889	4.0019	3.9639	2.1068	24.7994			
107	S	218.267	210.463	191.885	201.516	209.876	213.308	215.353	219.096	209.037			
165	T	2.1064	4.2467	4.3555	2.1891	2.0896	4.0004	3.9747	2.1130	25.0754			
105	S	217.843	200.209	189.885	201.203	209.805	213.388	214.767	218.453	206.736			
166	T	2.1164	4.2775			2.1045	4.0502	4.0081	2.1116	25.2763			
100	S	216.813	198.767	188.372	198.627	208.320	210.764	212.978	218.598	205.093			
167	T	2.1185	4.2101	4.5390		2.1386	4.0658	4.0305	2.1231	25.4957			
107	S	216.598	201.949	182.209	194.024	204.998	209.955	211.794	217.414	203.328			
168	T	2.1145	4.1463	4.4150		2.1154	4.0437	3.9855	2.1165	25.1628			
100	S	217.008	205.057	187.326	1	207.246	211.103	214.186	218.092	206.018			
169	T	2.1230	4.3029			2.0993	4.0308	4.0285	2.1205	25.2883			
109	S	216.139	197.594	188.875	199.798	208.836	211.778	211.899	217.680	204.996			
170	T	2.1244	4.2783	4.3883	•	2.1036	4.0240	4.0127	2.1208	25.2615			
	S	215.997	198.730	188.466	199.355	208.409	212.136		217.649	205.213			
171	T	2.1193	4.1904	4.4368	2.2310	2.1136	4.0335	3.9928	2.1182	25.2356			
	S	216.517	202.899	186.406	197.425	207.423	211.637	213.794	217.917	205.424			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

### Section Data for Car 7 - Askew, Oliver (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1167	4.2286	4.3375	2.1910	2.0917	4.0331	4.0113	2.1219	25.1318			
172	S	216.783	201.066	190.673	201.029	209.595	211.658	212.808	217.537	206.273			
173	Т	2.1163	4.1272	4.3861	2.2105	2.1021	4.0215	3.9860	2.1138	25.0635			
1/3	S	216.824	206.006	188.561	199.256	208.558	212.268	214.159	218.370	206.835			
174	T	2.1134	4.1627	4.3427	2.1904	2.0892	4.0086	3.9920	2.1165	25.0155			
1/4	S	217.121	204.249	190.445	201.084	209.845	212.951	213.837	218.092	207.232			
175	Т	2.1174	4.2125	4.4198	2.2309	2.1134	4.0362	3.9902	2.1174	25.2378			
1/5	S	216.711	201.834	187.123	197.434	207.443	211.495	213.933	217.999	205.406			
176	Т	2.1153	4.1673	4.4068	2.2232	2.1085	4.0284	3.9907	2.1149	25.1551			
176	S	216.926	204.024	187.675	198.117	207.925	211.905	213.906	218.257	206.081			
177	Т	2.1137	4.1068	4.4230	2.2398	2.1224	4.0469	3.9981	2.1164	25.1671			
1//	S	217.090	207.029	186.987	196.649	206.563	210.936	213.511	218.102	205.983			
170	T	2.1164	4.1223	4.3229	2.1895	2.0915	4.0088	3.9797	2.1120	24.9431			
178	S	216.813	206.251	191.317	201.167	209.615	212.941	214.498	218.556	207.833			
179	Т	2.1111	4.1148	4.3996	2.2192	2.1085	4.0267	3.9856	2.1082	25.0737			
1/9	S	217.358	206.627	187.982	198.474	207.925	211.994	214.180	218.950	206.750			
180	Т	2.1076	4.1130	4.3047	2.1765	2.0772	3.9823	3.9677	2.1060	24.8350			
190	S	217.719	206.717	192.126	202.368	211.058	214.358	215.146	219.179	208.738			
181	T	2.1018	4.1159	4.3919	2.2083	2.0994	4.0113	3.9750	2.1039	25.0075			
101	S	218.319	206.571	188.312	199.454	208.826	212.808	214.751	219.398	207.298			
182	Т	2.1060	4.0859	4.3301	2.1842	2.0834	3.9859	3.9992	2.1184	24.8931			
102	S	217.884	208.088	190.999	201.655	210.430	214.164	213.452	217.896	208.250			
183	Т	2.1085	4.1461	4.3546	2.1976	2.0961	4.0110	4.0171	2.1202	25.0512			
163	S	217.626	205.067	189.925	200.425	209.155	212.824	212.501	217.711	206.936			
184	Т	2.1192	4.0761	4.3766	2.2027	2.0988	4.0204	3.9888	2.1153	24.9979			
104	S	216.527	208.588	188.970	199.961	208.886	212.326	214.008	218.215	207.377			
185	Т	2.1122	4.1652	4.3847	2.2183	2.1122	4.0305	3.9935	2.1206	25.1372			
103	S	217.244	204.126	188.621	198.555	207.560	211.794	213.756	217.670	206.228			
186	Т	2.1191	4.1973	4.3974	2.2116	2.1180	4.0757	4.0391	2.1439	25.3021			
100	S	216.537	202.565	188.076	199.157	206.992	209.445	211.343	215.304	204.884			
187	Т	2.1539	4.2064	4.2375	2.1695	2.0896	4.0326	4.0133	2.1357	25.0385			
10/	S	213.039	202.127	195.173	203.021	209.805	211.684	212.702	216.131	207.041			
188	Т	2.1474	4.1299	4.2618	2.1767	2.0935	4.0283	4.0138	2.1361	24.9875			
100	S	213.683	205.871	194.060	202.350	209.414	211.910	212.675	216.090	207.464			
189	T	2.1468	4.1077	4.2352	2.1753	2.4348	5.9326			48.9763	26.2627		30.3974
109	S	213.743	206.984	195.279	202.480	180.060	143.889			105.847	34.308		155.351
190	T				3.1421	2.6336	4.7554	5.6145	3.7651	45.8765		38.1927	
190	S				140.178	166.468	179.509	152.041	122.597	112.999		123.715	

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

TAG

#### Section Data for Car 7 - Askew, Oliver (R)

Lap	T/SS	F to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	3.6389	5.7998	7.5916	4.1860	3.7580	6.8572	6.4633	3.0562	41.3510			
191	S	126.100	146.596	108.942	105.221	116.660	124.488	132.074	151.034	125.366			
192	T	2.9857	5.7560	7.9240	4.3908	3.7762	6.5952	6.0371	3.0534	40.5184			
192	S	153.687	147.711	104.372	100.313	116.098	129.433	141.398	151.173	127.942			
193	Т	3.0415	6.5240	8.0598	5.1718	5.9429	9.6108	8.3914	4.4379	51.1801			
193	S	150.868	130.323	102.614	85.165	73.770	88.821	101.728	104.011	101.289	•		
194	Т	4.8703	9.4583	10.4068	5.9225	6.2974	11.4314	9.5189	4.7385	62.6441			
	S	94.217	89.892	79.472	74.370	69.617	74.675	89.678	97.413	82.753			
195	Т	5.1565	10.4238	12.8575	6.6568	5.7582	11.3869	11.7919	5.8015	69.8331			
193	S	88.987	81.566	64.324	66.166	76.136	74.967	72.392	79.564	74.234			
196	Т	6.1089	12.3262	12.1330	6.0560	5.3595	9.8174	7.9289	3.6932	63.4231			
190	S	75.114	68.977	68.165	72.730	81.800	86.951	107.661	124.984	81.737			
197	T	3.9395	7.5166	9.1994	4.2218	4.3769	7.5122	5.2029	2.4519	44.4212			
197	S	116.478	113.113	89.902	104.329	100.164	113.633	164.069	188.258	116.701			
198	T	2.3385	4.4232	4.5171	2.2527	2.2406	4.6379	4.2585	2.1603	26.8288			
190	S	196.221	192.220	183.092	195.523	195.666	184.057	200.455	213.670	193.225			
199	T	2.1118	4.3525	4.4960	2.1945	2.0782	4.3258	4.1710	2.1438	25.8736			
199	S	217.286	195.342	183.951	200.708	210.956	197.336	204.660	215.314	200.359			
200	I	2.1087	4.1714	4.4395	2.1861	2.0670	4.3793	4.7920	2.9247	27.0687			
	S	217.605	203.823	186.292	201.480	212.099	194.925	178.138	157.825	191.513			
201	Т	3.3689	7.0259	8.1752	6.4046								
	S	136.206	121.013	101.165	68.772								

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

#### **Section Data for Car 8 - Ericsson, Marcus**

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.8052	5.4250	4.6768	2.2681	2.1306	4.6215	4.4234	2.2167	28.5673		52.4042	
	S	163.576	156.724	176.840	194.195	205.768	184.710	192.982	208.233	181.466		90.165	
	Т	2.1882	4.3421	4.3214	2.1642	2.0620	4.1923	4.0570	2.1126	25.4398			
2	S	209.699	195.810	191.384	203.518	212.614	203.620	210.411	218.494	203.775			
3	Т	2.1081	4.2017	4.7302	2.3464	2.1756	4.2290	4.1144	2.1414	26.0468			
_ 3	S	217.667	202.353	174.844	187.715	201.512	201.853	207.475	215.556	199.026			
	Т	2.1254	4.2338	4.3521	2.2098	2.0864	4.1987	4.0952	2.1361	25.4375			
4	S	215.895	200.819	190.034	199.319	210.127	203.310	208.448	216.090	203.794			
5	Т	2.1421	4.2590	4.2922	2.1672	2.0629	3.9726	3.9348	2.0937	24.9245			
	S	214.212	199.631	192.686	203.237	212.521	214.881	216.945	220.467	207.988			
6	Т	2.0984	4.2331	4.3943	2.1912	2.0760	4.0718	4.0011	2.1025	25.1684			
	S	218.673	200.852	188.209	201.011	211.180	209.646	213.350	219.544	205.973			
7	Т	2.1066	4.2473	4.3364	2.1922	2.0740	4.0678	4.0112	2.1064	25.1419			
<u> </u>	S	217.822	200.181	190.722	200.919	211.383	209.852	212.813	219.137	206.190			
8	T	2.1405	4.3371	4.4108	2.2142	2.0876	4.0889	4.0372	2.1250	25.4413			
	S	214.372	196.036	187.505	198.923	210.006	208.769	211.443	217.219	203.763			
9	Т	2.1387	4.3152	4.3397	2.1926	2.0793	4.0036	3.9709	2.1005	25.1405			
	S	214.553	197.031	190.577	200.882	210.845	213.217	214.973	219.753	206.201			
10	T	2.1086	4.2226	4.2973	2.1804	2.0690	4.0583	4.0142	2.1184	25.0688			
	S	217.615	201.352	192.457	202.006	211.894	210.343	212.654	217.896	206.791			
11	Т	2.1334	4.2634	4.3819	2.2240	2.0957	4.0814	4.0319	2.1203	25.3320			
	S	215.086	199.425	188.741	198.046	209.195	209.153	211.721	217.701	204.642			
12	LT	2.1312	4.2277	4.3085		2.0765	4.0474	4.0312	2.1262	25.1384			
	S	215.308	201.109	•	•	-	•	•	217.097	206.218			
13	工	2.1302	4.2388	4.3795		2.0979	4.0926	4.0558	2.1345	25.3498	•		
	S	215.409	200.582	188.845					216.252	204.499			
14	Т	2.1341	4.2917	4.3315		2.0870		4.0330	2.1274	25.2511			
	S	215.015	198.110	<del></del>	+	210.067	210.925	211.663	216.974	205.298		1	
15	I	2.1267	4.2176	•	•	2.0885		4.0163	2.1239	25.1437		ļ	<u> </u>
<u> </u>	S	215.763	201.590		1	209.916	210.561	212.543	217.332	206.175			
16	Т	2.1301	4.2150			2.0925				25.2274			
L	S	215.419		190.095		209.514	209.502	211.947	217.035	205.491			
17	T	2.1317	4.2071	4.2821	2.1889	2.0794	4.0292	4.0252	2.1256	25.0692			ļ
<u> </u>	S	215.257	202.093	193.140	•	210.834	211.862	212.073	217.158	206.788			
18	I	2.1262	4.2103		1	2.0948			2.1229	25.1714			
<u> </u>	S	215.814	201.940		1		210.837	212.194	217.434	205.948			
19	T	2.1263			1	2.1041	4.0839		2.1338	25.3369			
	S	215.804	200.762	188.840	198.091	208.359	209.025	210.738	216.323	204.603			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

#### Section Data for Car 8 - Ericsson, Marcus

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1456	4.2156	4.3125	2.2004	2.0888	4.0539	4.0319	2.1282	25.1769			
20	S	213.863	201.686	191.779	200.170	209.886	210.572	211.721	216.893	205.903			
21	T	2.1344	4.2139	4.3135	2.1956	2.0855	4.0128	3.9968	2.1137	25.0662			
	S	214.985	201.767	191.734	200.608	210.218	212.728	213.580	218.381	206.812			
22	Т	2.1308	4.2444	4.4162	2.2399	2.1127	4.0935	4.0706	2.1326	25.4407			
	S	215.348	200.317	187.275	196.640	207.511	208.535	209.708	216.445	203.768			
22	Т	2.1310	4.2672	4.4340	2.2413	2.1135	4.0576	4.0229	2.1185	25.3860			
23	S	215.328	199.247	186.524	196.517	207.433	210.380	212.194	217.886	204.207			
24	Т	2.1188	4.2555	4.3706	2.2244	2.1020	4.0935	4.0645	2.1343	25.3636			
24	S	216.568	199.795	189.229	198.010	208.568	208.535	210.022	216.273	204.387			
25	Т	2.1351	4.2678	4.3874	2.2303	2.1056	4.0705	4.0164	2.1154	25.3285			
25	S	214.914	199.219	188.505	197.487	208.211	209.713	212.538	218.205	204.671			
26	Т	2.1269	4.2625	4.3634	2.2048	2.0863	4.0861	4.0653	2.1326	25.3279			
26	S	215.743	199.467	189.542	199.771	210.137	208.912	209.981	216.445	204.675			
27	Т	2.1456	4.3781	4.4519	2.2358	2.1031	4.1234	4.0720	2.1466	25.6565			
	S	213.863	194.200	185.774	197.001	208.459	207.022	209.636	215.033	202.054			
28	Т	2.1493	4.3351	4.3694	2.2142	2.0957	4.0814	4.0347	2.1214	25.4012			
	S	213.494	196.126	189.281	198.923	209.195	209.153	211.574	217.588	204.085			
29	T	2.1316	4.2929	4.3567	2.2085	2.0913	4.0389	3.9945	2.1134	25.2278			
29	S	215.267	198.054	189.833	199.436	209.635	211.354	213.703	218.412	205.488			
30	T	2.1418	4.3528		2.2201	2.0930	4.1461	4.1234	2.1523	25.6371			
	S	214.242	195.329		198.394	209.464	205.889	207.022	214.464	202.207			
31	T	2.2126	4.4853	4.4468	2.2330	2.1020	4.0889	4.0382	2.1186	25.7254			
	S	207.387	189.559	185.987	197.248	208.568	208.769	211.390	217.875	201.513			
32	T	2.1815	4.4271	4.4142	2.2299	2.1021	4.0732		2.1067	25.5483			
32	S	210.343	192.051	187.360	197.522	208.558	209.574	212.686	219.106	202.910			
33	T	2.1511	4.3811	4.4575	2.2381	2.1053	4.1339		2.1333				
	S	213.316	194.067	185.540	-	208.241	206.497	<del> </del>	216.374	<del> </del>			
34	T	2.1707	4.4598	4.5416	2.2733	2.1343	4.0718	<del>                                     </del>	2.1052	<del>                                     </del>			
	S	211.390	190.642	182.104	193.751	205.411	209.646		219.262	•			
35	T	2.1647	4.4284	-	2.2116	2.0926	4.1578		2.1749				
	S	211.976	191.994	187.850	199.157	209.504	205.310	204.014	212.235				
36	T	2.2294	4.5539			2.4964	6.7371			39.4247	26.8262		32.0292
	S	205.824	186.703	183.462	193.360	175.617	126.707			131.491	33.587		147.436
37	Т				3.1532	2.6362	4.7481		3.0647	56.3301		36.8994	
<u></u>	S				139.685	166.303	179.785		150.615			128.051	
38	Т	3.3179	6.6330	7.0814		3.2610	7.4231	6.4207	2.8891				
	S	138.299	128.181	116.791	130.524	134.440	114.997	132.951	159.770	128.315			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020 NOVCAR

#### Section Data for Car 8 - Ericsson, Marcus

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	Т	2.8813	6.4890	6.3193	3.0041	3.0010	8.6485	10.6962	5.0764	46.1158			
39	S	159.256	131.026	130.876	146.618	146.088	98.703	79.807	90.929	112.413			
40	Т	5.8219	10.8495	8.2985	4.8206	4.7127	10.8960	8.9270	4.9256	59.2518			
40	S	78.817	78.366	99.662	91.369	93.027	78.344	95.624	93.713	87.491			
41	T	5.4617	10.0298	7.6818	3.9684	4.2142	9.6975	9.8998	5.1645	56.1177			
41	S	84.015	84.770	107.663	110.990	104.031	88.026	86.228	89.378	92.377			
42	Т	5.7690	9.8591	8.8159	3.8316	4.4160	10.0553	8.4270	4.3749	55.5488			
42	S	79.540	86.238	93.813	114.953	99.277	84.894	101.298	105.509	93.323			
43	T	4.8239	9.8246	9.4624	4.5915	5.2570	10.2802	9.2192	4.2275	57.6863			
3	S	95.123	86.541	87.403	95.928	83.395	83.037	92.593	109.188	89.865			
44	T	4.7594	9.6764	9.8933	4.6343	5.3955	12.2189	9.3854	4.7408	60.7040			
	S	96.412	87.866	83.597	95.042	81.255	69.862	90.954	97.366	85.398			
45	Т	5.3236	9.8878	8.7662	4.7679	5.0211	10.9496	9.1511	4.5035	58.3708			
45	S	86.194	85.988	94.345	92.379	87.313	77.961	93.282	102.496	88.812			
46	T	6.0400	7.1826	7.1914	4.7678	3.8982	6.2989	4.7934	2.3381	42.5104			
40	S	75.971	118.373	115.005	92.381	112.464	135.521	178.086	197.421	121.947			
47	T	2.2747	4.5762	4.4736	2.2202	2.0933	4.3764	4.1797	2.1431	26.3372			
4/	S	201.725	185.793	184.872	198.385	209.434	195.054	204.234	215.385	196.832			
48	T	2.1277	4.2695	4.3554	2.1686	2.0563	4.2717	4.1425	2.1184	25.5101			
	S	215.662	199.140	189.890	203.105	213.203	199.835	206.068	217.896	203.214			
49	T	2.1282	4.5401	4.6413	2.2400	2.0970	4.0864	3.9867	2.0826	25.8023			
	S	215.611	187.271	178.193	196.631	209.065	208.897	214.121	221.642	200.912			
50	<u> </u>	2.1694	4.4115		2.2517	2.1334	4.2801	4.0480	2.1242	25.9831			
	S	211.516	192.730		195.610	205.498	199.443	210.879	217.301	199.514			
51	<u> </u>	2.1648			2.1977	2.0749	4.0163						
	S	211.966	193.286	-	200.416	211.292	212.543	216.225	221.620	204.959			
52	T	2.1224	4.3389				4.1235		2.1165				
	S	216.200	195.955	<del> </del>		+	207.017		218.092	202.758			
53	L	2.1942	4.4709		2.2196		4.0114		2.0910			ļ	
	S	209.126	190.169				212.803	1	220.751	203.449		<u> </u>	
54	T	2.1237	4.3392	4.3390	1		3.9739		2.0895	25.0685			
<u></u>	S	216.068	195.941	190.607	201.047	211.332	214.811	216.775	220.910				
55	T	2.1462	4.3509	-		2.0674	3.9814		2.0873	25.0544			
	S	213.803	195.414	192.341	202.592	212.058	214.406	<del>•</del>	221.143			<u> </u>	
56	T	2.1504	4.3616			2.0778	4.0326	•	2.1015			<u> </u>	
	S	213.385	194.935	-			211.684		219.648				
57	T	2.1418			2.2272	2.1026	4.0751			25.4878			
	S	214.242	193.943	185.891	197.762	208.508	209.476	213.089	219.586	203.391			

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series

Round 1

TAG

Session: Race June 6, 2020

# Section Data for Car 8 - Ericsson, Marcus

**Report:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1687	4.4431	4.4698	2.2540	2.1204	4.0681	4.0204	2.1186	25.6631			
56	S	211.585	191.359	185.030	195.410	206.758	209.837	212.326	217.875	202.002			
59	Т	2.1397	4.3293	4.3065	2.1917	2.0819	4.0248	4.0029	2.1139	25.1907			
39	S	214.452	196.389	192.046	200.965	210.581	212.094	213.254	218.360	205.790			
60	T	2.1387	4.2494	4.2990	2.1869	2.0785	4.0122	3.9937	2.1147	25.0731			
- 00	S	214.553	200.082	192.381	201.406	210.926	212.760	213.746	218.277	206.755			
61	Т	2.1358	4.2740	4.3224	2.2003	2.0849	4.0226	3.9851	2.1089	25.1340			
01	S	214.844	198.930	191.339	200.179	210.278	212.210	214.207	218.878	206.254			
62	Т	2.1345	4.2908	4.4437	2.2317	2.1001	4.0739	4.0391	2.1244	25.4382			
02	S	214.975	198.151	186.116	197.363	208.756	209.538	211.343	217.281	203.788			
63	T	2.1530	4.3269	4.4255	2.2287	2.1025	4.0495	4.0087	2.1089	25.4037			
	S	213.128	196.498	186.882	197.628	208.518	210.800	212.946	218.878	204.065			
64	T	2.1328	4.3089	4.4584	2.2356	2.1072	4.0578	4.0073	2.1037	25.4117			
04	S	215.146	197.319	185.503	197.018	208.053	210.369	213.020	219.419	204.001			
65	T	2.1500	4.3367	4.5190	2.2545	2.1200	4.0702	4.0350	2.1209	25.6063			
	S	213.425	196.054	183.015	195.367	206.797	209.728	211.558	217.639	202.450			
66	T	2.1275	4.2981	4.4285	2.2240	2.0974	4.0577	4.0289	2.1101	25.3722			
	S	215.682	197.815	186.755	198.046	209.025	210.374	211.878	218.753	204.318			
67	Т	2.1433	4.3983	4.5061	2.2476	2.1134	4.0451	4.0294	2.1123	25.5955			
	S	214.092	193.308	183.539	195.967	207.443	211.030	211.852	218.525	202.536			
68	T	2.1600	4.3996	4.5283	2.2597	2.1258	4.0745	4.0336	2.1182	25.6997			
	S	212.437	193.251	182.639	194.917	206.233	209.507	211.631	217.917	201.714			
69	T	2.1422	4.3859	4.4226	2.2299	2.1010	4.0459	4.0082	2.1068	25.4425			
09	S	214.202	193.855	187.004	197.522	208.667	210.988	212.972	219.096	203.754	ļ	ļ	
70	LT	2.1392	4.3702	4.4348		2.1003	4.0371	4.0148	2.1131	25.4330		ļ	
	S	214.502	194.551	186.490	198.091	208.736	211.448	212.622	218.443	203.830			
71	T	2.1348			2.2617	2.1250			2.1136	25.5729			
<u> </u>	S	214.945	195.792	183.173		206.310	-	-	218.391	202.715			
72	T	2.1416		•	•	2.1161	4.1910		2.2244	26.0809			
<u> </u>	S	214.262	194.036			207.178	203.683	196.148	207.513	198.766		1	
73	T	2.2519	4.7093		1		4.4624		2.2463	27.1665			
	S	203.767	180.542	177.382	192.843	203.608	191.295	194.145	205.489	190.823			
74	T	2.2517	4.6178		2.2487	2.1187	4.1183	4.0860	2.1439	26.0844			
	S	203.785	184.120		1	206.924	207.279	208.917	215.304	198.739		1	
75	T	2.1712	4.4643			2.1243	4.1559		2.1472	25.9065		1	
	S	211.341	190.450				205.403		214.973	200.104			
76	Т	2.2277	4.5268		2.2266		4.9114	5.2431	2.6654	28.4098			
	S	205.981	187.821	186.814	197.815	200.948	173.807	162.811	173.179	182.472			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 8 - Ericsson, Marcus

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.8943	6.1587	6.3982	3.0644	2.9915	6.9738	6.4649	2.9191	37.8649			
77	S	158.540	138.053	129.262	143.733	146.552	122.406	132.042	158.128	136.908			
70	Т	2.7029	5.6050	5.7843	2.7363	2.6072	5.6850	5.4767	2.7650	33.3624			
78	S	169.767	151.691	142.981	160.967	168.153	150.156	155.867	166.941	155.385			
79	Т	3.1601	6.8136	8.3138	5.6171	6.0093	11.0639	8.4979	4.0563	53.5320			
/9	S	145.205	124.784	99.479	78.413	72.955	77.155	100.453	113.796	96.839			
80	Т	4.7169	7.9465	7.2490	3.5941	3.7570	8.4351			54.2284	28.5128		46.8263
80	S	97.281	106.994	114.091	122.549	116.691	101.201			95.596	31.601		100.847
81	Т			8.8145	3.8062	3.6986	7.5924	6.8081	3.6206	65.4884		44.3777	
01	S			93.828	115.720	118.534	112.433	125.385	127.490	79.159		106.472	
82	Т	3.9681	7.5607	6.7091	3.5477	3.8498	7.8341	7.9946	3.3180	44.7821			
62	S	115.638	112.454	123.272	124.152	113.878	108.964	106.777	139.117	115.761			
83	Т	3.6562	7.5755	8.6810	5.2667	5.6013	9.0708	7.7838	3.7081	51.3434			
63	S	125.503	112.234	95.271	83.630	78.269	94.108	109.668	124.482	100.967			
84	Т	4.1067	8.3411	9.2188	4.1230	4.9861	9.6382	8.5943	3.8950	52.9032			
04	S	111.735	101.932	89.713	106.829	87.926	88.568	99.326	118.509	97.990			
85	Т	4.0430	8.2014	9.2721	4.9946	4.6494	9.2572	7.2356	4.6427	52.2960			
85	S	113.496	103.669	89.197	88.186	94.294	92.213	117.977	99.423	99.128			
86	Т	5.4415	7.0574	6.5468	3.6152	3.4536	6.4807	6.6325	2.6916	41.9193			
	S	84.327	120.473	126.328	121.834	126.943	131.720	128.705	171.493	123.666			
87	Т	2.5819	5.0135	4.5763	2.2779	2.1500	4.4940	4.2290	2.1474	27.4700			
67	S	177.723	169.588	180.724	193.360	203.911	189.950	201.853	214.953	188.715			
88	T	2.1564	4.3589	4.4163	2.1948	2.0715	4.0410	3.9763	2.0931	25.3083			
	S	212.792	195.055	187.271	200.681	211.638	211.244	214.681	220.530	204.834			
89	Т	2.1128	4.2760	4.3384	2.1754	2.0758	3.9937		2.0811	25.0006			
09	S	217.183	198.837	190.634	202.471	211.200	213.746	216.253	221.801	207.355			
90	Т	2.1210			2.1712	2.0628	4.0087		2.0921	25.0797			
	S	216.343	196.753	•	202.862	212.531	212.946	<del>•                                      </del>	220.635	206.701			
91	Т	2.1088			2.1646		3.9787	÷	2.0859	24.8890			
	S	217.595	199.950	192.852	203.481	213.006	214.552	215.996	221.291	208.285			
92	Т	2.1332	4.3112		2.2146		3.9849		2.0885	25.1744			
	S	215.106	197.214	187.415	198.887	209.805	214.218	216.686	221.016	205.923			
93	Т	2.1119	4.2902	4.3896	2.2113	2.0919	4.0204		2.1082	25.2033			
	S	217.275	198.179		199.184	209.575	212.326	+	218.950	205.687			
94	T	2.1152	4.2324	4.2931	2.1699	2.0612	4.0335	4.0426	2.1158	25.0637			
	S	216.936	200.885		202.984	212.696	211.637		218.164	206.833			
95	T	2.1215			2.2202	2.0969	4.0033		2.1008				
	S	216.292	200.322	187.534	198.385	209.075	213.233	215.119	219.721	205.998			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 8 - Ericsson, Marcus

Lap	T/S	SF to T1		SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.1196	4.2906	4.3246	2.1986	2.0858	3.9922	3.9670	2.1023	25.0807			
96	S	216.486	198.160	191.242	200.334	210.188	213.826	215.184	219.565	206.693			
97	Т	2.1155	4.2559	4.3681	2.2092	2.0893	3.9924	3.9803	2.1006	25.1113			
97	S	216.906	199.776	189.338	199.373	209.835	213.815	214.465	219.742	206.441			
00	Т	2.1184	4.2513	4.4099	2.2201	2.0963	4.0742	4.0506	2.1272	25.3480			
98	S	216.609	199.992	187.543	198.394	209.135	209.522	210.743	216.995	204.513			
99	Т	2.1263	4.2742	4.4602	2.2464	2.1211	4.0790	4.0386	2.1229	25.4687			
99	S	215.804	198.921	185.428	196.071	206.689	209.276	211.369	217.434	203.544			
100	Т	2.1237	4.2873	4.4207	2.2309	2.1097	4.0302	4.0059	2.1264	25.3348			
100	S	216.068	198.313	187.085	197.434	207.806	211.810	213.095	217.076	204.620			
101	Т	2.1331	4.2290	4.3846	2.2192	2.1045	4.0550		2.1317	25.2849			T
101	S	215.116	201.047		198.474	208.320	210.515	211.936	216.537	205.024			
102	Т	2.1321	4.2072	4.3648	2.2134	2.1002	4.0288	4.0080	2.1213	25.1758			
102	S	215.217	202.089	189.481	198.995	208.746	211.884	212.983	217.598	205.912			
103	Т	2.1227	4.1972	4.3930	2.2210	2.1050	4.0340	4.0089	2.1232	25.2050			
103	S	216.170	202.570	188.264	198.314	208.270	211.610	212.935	217.403	205.673			
104	Т	2.1299	4.2862	4.4188	2.2410	2.1206	4.0633	4.0333	2.1376	25.4307			
104	S	215.439	198.364	187.165	196.544	206.738	210.085	211.647	215.939	203.848			
105	Т	2.1338	4.2101	4.3078	2.1948	2.0899	4.0198	4.0139	2.1267	25.0968			
105	S	215.045	201.949	191.988	200.681	209.775	212.358	212.670	217.046	206.560			
106	T	2.1365	4.2382	4.3366	2.2063	2.0993	4.0329	4.0169	2.1264	25.1931			
100	S	214.774	200.610	190.713	199.635	208.836	211.668	212.511	217.076	205.771			
107	Т	2.1336	4.1928	4.3095	2.1926	2.0898	4.0103	4.0097	2.1207	25.0590			
107	S	215.065	202.783	191.912	200.882	209.785	212.861	212.893	217.660	206.872			
108	<u>T</u>	2.1238	4.1872	4.3549	2.2090	2.0964	4.0154	4.0060	2.1165	25.1092			
100	S	216.058	203.054	189.911	199.391	209.125	212.591	213.089	218.092	206.458			
109	Т	2.1355			2.2231	2.1029	4.0555		2.1260	25.3889			
109	S	214.874	197.246		198.126	208.478	210.489	211.642	217.117	204.184			
110	Т	2.1303		•	2.2147	2.0948	4.0432	+	2.1196	25.3028		<u> </u>	
	S	215.399	198.429	188.038	198.878	209.284	211.129	212.501	217.773	204.879			
111	Т	2.1201	4.2937	4.4184	2.2201	2.0958	4.1396	4.1206	2.1563	25.5646			
	S	216.435	198.017	187.182	198.394	209.185	206.212	207.163	214.066	202.780			
112	Т	2.1547	4.4069	4.4552	2.2437	2.1146	4.0510	4.0041	2.1086	25.5388			
	S	212.959	192.931		196.307	207.325	210.722	+	218.909	202.985		<u> </u>	
113	T	2.1373	4.3955	4.4489	2.2247	2.1056	4.3215	4.1885	2.1726	25.9946			
	S	214.693	193.431		197.984	208.211	197.532		212.460	199.426			
114	T	2.2419			2.2464	2.1322	4.2542		2.1403	26.1530			
	S	204.676	187.510	183.515	196.071	205.613	200.657	208.356	215.666	198.218			

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

Report: **Section Data Report** 

**Session:** June 6, 2020 MDYCAR Race

# **NTT IndyCar Series**

Round 1



#### Section Data for Car 8 - Ericsson, Marcus

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1589	4.443	4 4.4073	2.2352	2.1140	4.0988	4.0483	2.1556	25.6615			
115	S	212.545	191.34	6 187.654	197.054	207.384	208.265	210.863	214.136	202.015			
116	T	2.2328	4.466	8 4.3755	2.2303	2.1254	4.1136	4.0830	2.1651	25.7925			
116	S	205.510	190.34	4 189.017	197.487	206.271	207.516	209.071	213.196	200.989			
117	Т	2.1632	4.209	6 4.2161	2.1714	2.0860	4.0396	4.0315	2.1498	25.0672			
117	S	212.123	201.97	3 196.164	202.844	210.167	211.317	211.742	214.713	206.804			
110	Т	2.1467	4.145	3 4.2211	2.1701	2.0862	4.0329	4.0294	2.1448	24.9765			
118	S	213.753	205.10	6 195.931	202.965	210.147	211.668	211.852	215.214	207.555			
110	Т	2.1484	4.197	8 4.2033	2.1645	2.0809	4.0302	4.0312	2.1446	25.0009			
119	S	213.584	202.54	1 196.761	203.490	210.682	211.810	211.757	215.234	207.353			
120	Т	2.1479	4.148	4 4.1923	2.1597	2.0782	4.0211	4.0201	2.1392	24.9069			
120	S	213.634	204.95	3 197.277	203.942	210.956	212.289	212.342	215.777	208.135			
121	Т	2.1417	4.201	6 4.2483	2.1905	2.4204	6.7368			38.7103	29.4302		31.3076
121	S	214.252	202.35	8 194.677	201.075	181.131	126.712			133.918	30.616		150.835
122	T				3.1480	2.6462	4.6686	4.3366	2.2391	57.1794		35.1519	
122	S				139.916	165.675	182.846	196.845	206.150	90.662		134.417	
123	Т	2.2216	4.316	7 4.1929	2.1573	2.0791	4.0249	4.0134	2.1362	25.1421			
123	S	206.546	196.96	2 197.249	204.169	210.865	212.089	212.697	216.080	206.188			
124	T	2.1421	4.118	0 4.0612	2.1147	2.0458	3.9850	3.9918	2.1295	24.5881			
124	S	214.212	206.46	6 203.646	208.282	214.297	214.212	213.847	216.760	210.834			
125	T	2.1349	4.076	4.0611	2.1111	2.0438	3.9706	3.9905	2.1242	24.5126			
123	S	214.934	208.57	3 203.651	208.637	214.507	214.989	213.917	217.301	211.483			
126	T	2.1328	4.048	2 4.0458	2.1064	2.0374	3.9685	3.9812	2.1227	24.4430			
120	S	215.146	210.02	6 204.421	209.103	215.181	215.103	214.417	217.455	212.085			
127	I	2.1313	4.041	9 4.0650	2.1075	2.0361	3.9595	3.9749	2.1200	24.4362			
12/	S	215.298	210.35	3 203.455	208.994	215.318	215.592	214.757	217.732	212.144			
128	T	2.1263	4.057	2 4.1014			3.9680	3.9714	2.1170	24.5069			
	S	215.804					215.130	214.946		211.532	ļ		
129	T	2.1275		4 4.2105	+		3.9951	3.9765	<del>,                                     </del>	24.7462			
	S	215.682			+	211.874	213.671	214.670		209.487			
130	T	2.1129			1	2.0742	3.9860	3.9637	2.0964	24.7027			
	S	217.172		_			214.159		220.183	209.856			
131	Т	2.1460		_	1		4.1056						
	S	213.823			+	208.677	207.920	209.759					
132	T	2.1334				2.0805	4.0192	4.0033	2.1113	25.0757			
	S	215.086				210.723	212.390						
133	Т	2.1365					4.0154						
	S	214.774	197.31	0 190.388	200.571	210.389	212.591	213.751	218.940	205.823			


Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.1420	4.3180	4.3184	2.1821	2.0736	4.0432	4.0253	2.1141	25.2167			
134	S	214.222	196.903	191.517	201.849	211.424	211.129	212.068	218.339	205.578			
135	T	2.1189	4.2824	4.3475	2.1954	2.0854	4.0402	4.0129	2.1123	25.1950			
135	S	216.557	198.540	190.235	200.626	210.228	211.286	212.723	218.525	205.755			
136	T	2.1335	4.2787	4.3538	2.1993	2.0890	4.0346	4.0028	2.1119	25.2036			
130	S	215.076	198.712	189.959	200.270	209.866	211.579	213.260	218.567	205.685			
137	Т	2.1196	4.2461	4.3827	2.2077	2.0925	4.0457	4.0239	2.1156	25.2338			
137	S	216.486	200.237	188.707	199.508	209.514	210.998	212.142	218.184	205.439			
138	T	2.1245	4.2615	4.3962	2.2130	2.0970	4.0619	4.0434	2.1341	25.3316			
136	S	215.987	199.514	188.127	199.031	209.065	210.157	211.118	216.293	204.646			
139	T	2.1376	4.2257	4.3611	2.2107	2.0940	4.0393	4.0302	2.1240	25.2226			
139	S	214.663	201.204	189.641	199.238	209.364	211.333	211.810	217.322	205.530			
140	7	2.1313	4.2194	4.3492	2.1944	2.0863	4.0545	4.0245	2.1213	25.1809			
140	S	215.298	201.504	190.160	200.718	210.137	210.540	212.110	217.598	205.870			
141	Т	2.1181	4.1941	4.3421	2.2003	2.0878	4.0184	3.9962	2.1055	25.0625			
141	S	216.639	202.720	190.471	200.179	209.986	212.432	213.612	219.231	206.843			
142	Т	2.1183	4.2307	4.3905	2.2110	2.0949	4.0303	4.0148	2.1234	25.2139			
142	S	216.619	200.966	188.372	199.211	209.274	211.805	212.622	217.383	205.601			
143	Т	2.1198	4.1868	4.3244	2.1872	2.0802	4.0110	4.0062	2.1137	25.0293			
145	S	216.466	203.073	191.251	201.378	210.753	212.824	213.079	218.381	207.117			
144	Т	2.1198	4.2232	4.4153	2.2233	2.1046	4.0273	3.9994	2.1114	25.2243			
	S	216.466	201.323	187.314	198.108	208.310	211.962	213.441	218.618	205.516			
145	LI	2.1154	4.2553	4.3891	2.2147	2.0977	4.0654	4.0476	2.1248	25.3100			
143	S	216.916	199.804	188.432	198.878	208.995	209.976	210.899	217.240	204.820			
146	工	2.1253	4.2728	4.3815		2.0957	4.0212	4.0253	2.1201	25.2515			
140	S	215.905	198.986	188.759	199.337	209.195	212.284	212.068	217.721	205.295			
147	Т	2.1217	4.2144						2.1185	25.0923			
L	S	216.272	201.743	<del></del>	200.974	1	212.189	213.020	217.886	206.597		ļ	
148	T	2.1215		<del>                                     </del>	2.1781	<del>•                                      </del>	3.9813	4.0304	2.1170	24.9971		Ļ	
<u> </u>	S	216.292	202.242	192.466			214.411	211.799	218.040	207.384		ļ	
149	T	2.1283	4.2200						2.1279	25.2198			
	S	215.601	201.476					211.139	216.923	205.553			
150	T	2.1199	-	4.3736	<del>•                                      </del>		4.1187	4.0707	2.1299	25.2662		ļ	
	S	216.455	203.093	189.099	200.763	211.475	207.259	209.703	216.720	205.175		Ļ	
151	T	2.1218				2.0965		4.0342	2.1320	25.2896		ļ	
	S	216.261	200.110		199.373			211.600	216.506	204.985			
152	Т	2.1302	4.2082	4.2583					2.1081	24.9084			
	S	215.409	202.041	194.220	203.839	211.935	214.341	213.858	218.961	208.123			

1.5 mile(s) Track: **Texas Motor Speedway** 

**NTT IndyCar Series** 

June 6, 2020 MDYCAR

Round 1

TAG




#### Section Data for Car 8 - Ericsson, Marcus

Lap			T1 to SS1	SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1068	4.1340	4.3977	2.2121	2.1004	4.0167	3.9852	2.1031	25.0560			
153	S	217.801	205.667	188.063	199.111	208.726	212.522		219.481	206.897			
454	Т	2.1058	4.2140	4.3424	2.1973	2.0902	4.0381	4.0406	2.1243	25.1527			
154	S	217.905	201.763	190.458	200.453	209.745	211.396	211.265	217.291	206.101			
155	Т	2.1208	4.2164	4.3456	2.2006	2.0978	4.0470	4.0285	2.1376	25.1943			
155	S	216.363	201.648	190.318	200.152	208.985	210.931	211.899	215.939	205.761			
156	Т	2.1375	4.1210	4.2276	2.1853	2.3582	6.6856			38.6346	26.7568		31.1531
130	S	214.673	206.316	195.630	201.553	185.908	127.683			134.180	33.675		151.583
157	Т				3.1447	2.6299	4.6210	4.2846	2.2085	54.2622		34.9869	
13/	S				140.063	166.702	184.730	199.234	209.007	95.536		135.051	
158	Т	2.1830	4.1968	4.0942	2.1090	2.0285	3.9463	3.9401	2.0973	24.5952			
136	S	210.199	202.589	202.004	208.845	216.125	216.313	216.653	220.088	210.773			
159	Т	2.1050		4.1629	2.1291	2.0341	4.0059	3.9559	2.0814	24.6486			
139	S	217.987	203.681	198.671	206.874	215.530	213.095	215.788	221.769	210.316			
160	Т	2.1285	4.2820	4.2112	2.1365	2.0412	4.0792	3.9735	2.0941	24.9462			
100	S	215.581	198.558	196.392	206.157	214.780	209.266	214.832	220.424	207.807			
161	Т	2.1158		4.2198		2.0652	4.0821	3.9978	2.0876	24.9602			
101	S	216.875	199.945	195.992	205.858	212.284	209.117	213.527	221.111	207.691			
162	T	2.1184	4.3245	4.2616	2.1476	2.0535	4.2382	4.1980	2.1582	25.5000			
102	S	216.609	196.607	194.069	205.092	213.494	201.415	203.344	213.878	203.294			
163	T	2.1749		4.3177	2.1765	2.0703	4.1374	4.0318		25.4096			
103	S	210.981	193.528	191.548		211.761	206.322	211.726		204.017			
164	Т	2.1910		4.2321	2.1405	2.0829	4.1519	4.0365	2.1396	25.2631	ļ	ļ	
	S	209.431	198.253	195.422	205.772	210.480	205.601	211.479	215.737	205.200	ļ	ļ	
165	Т	2.1904	•	4.2658		2.0740	4.0781		2.1085	25.1696			
	S	209.489		193.878	204.473	211.383	209.322	214.094	218.919	205.963			
166	Т	2.1584		4.3004	2.1592	2.0977	4.1206		2.1209	25.3457			
	S	212.594		192.318		208.995	207.163	+	217.639	204.532			
167	T	2.1947	•	4.2802	2.1780		4.0985		•	25.2288	ļ		
	S	209.078	•	193.226	202.229	211.608	208.280	213.143	218.360	205.479			
168	T	2.1545		4.2491	2.1492	2.0708	4.1346		2.1129	25.1882			
	S	212.979	1	194.640	204.939	211.710	206.462	211.432	218.463	205.811			
169	T	2.1508		4.3445	2.1926	2.0753	4.1181		2.1308	25.3582			
	S	213.346	+	190.366	200.882	211.251	207.289		216.628	204.431			
170	T	2.1585		4.2486	2.1650		4.0290		2.1184	25.1269			
	S	212.584		194.663	203.443	212.510	211.873			206.313			
171	T	2.1445		4.3090		2.0789	4.0326		2.1038	25.1307			
	S	213.972	198.013	191.934	201.268	210.885	211.684	214.498	219.408	206.282			

Texas Motor Speedway 1.5 mile(s)





Round 1



#### Section Data for Car 8 - Ericsson, Marcus

Race

**Section Data Report** 

Track:

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.1554	4.2830	4.3374	2.1889	2.0783	4.0460	4.0214	2.1194	25.2298			
172	S	212.890		_		210.946	210.983						
4-0	Т	2.1311	4.2680	4.2702	2.1754	2.0712	3.9972	3.9649	2.0973	24.9753			
173	S	215.318	199.210	193.678	202.471	211.669	213.559	215.298	220.088	207.565			
174	Т	2.1269	4.2613	4.3260	2.2000	2.0958	4.0738	4.0184	2.1143	25.2165			
174	S	215.743			200.207	209.185	209.543	212.432	218.319	205.580			
175	Т	2.1313	4.2939	4.3220	2.1943	2.0866	4.0143	3.9788	2.1091	25.1303			
175	S	215.298	198.008	191.357	200.727	210.107	212.649	214.546	218.857	206.285			
176	T	2.1209	4.2331	4.2695	2.1725	2.0691	4.0216	3.9850	2.1045	24.9762			
176	S	216.353	200.852	193.710	202.741	211.884	212.263	214.212	219.335	207.558			
177	Т	2.1213	4.2400	4.3436	2.1898	2.0837	4.0203	3.9807	2.1081	25.0875			
177	S	216.312	200.525	190.406	201.139	210.399	212.332	214.444	218.961	206.637			
178	Т	2.1238	4.2148	4.3116	2.1811	2.0776	4.0372	3.9977	2.1189	25.0627			
1/8	S	216.058	201.724	191.819	201.941	211.017	211.443	213.532	217.845	206.841			
179	Т	2.1378	4.2376	4.3114	2.1829	2.0754	4.0036	3.9740	2.0999	25.0226			
1/9	S	214.643	200.639	191.828	201.775	211.241	213.217	214.805	219.816	207.173			
180	Т	2.1214	4.2324	4.3166	2.1876	2.0814	4.0116	3.9753	2.1055	25.0318			
100	S	216.302	200.885	191.597	201.341	210.632	212.792	214.735	219.231	207.097			
181	Т	2.1134	4.1832	4.3049	2.1814	2.0744	4.0109	3.9822	2.0968	24.9472			
101	S	217.121	203.248	192.117	201.914	211.343	212.829	214.363	220.141	207.799			
182	Т	2.1194	4.2491	4.3328	2.1998	2.0898	4.0255	3.9880	2.1093	25.1137			
162	S	216.506	200.096	190.880	200.225	209.785	212.057	214.051	218.836	206.421			
183	Т	2.1123	4.1827	4.2657	2.1685	2.0805	4.0003	3.9712	2.1076	24.8888			
163	S	217.234	203.272	193.883	203.115	210.723	213.393	214.957	219.013	208.286			
184	Т	2.1270	4.1965	4.3046	2.1885	2.0826	4.0447	4.0059	2.1209	25.0707			
104	S	215.733	202.604	192.131	201.259	210.510	211.051	213.095	217.639	206.775			
185	Т	2.1215	4.2105	4.2726	2.1744	2.0780	4.0018	3.9770	2.1162	24.9520			
105	S	216.292	201.930	193.570	202.564	210.976	213.313	214.643	218.123	207.759			
186	Т	2.1514	4.3088	4.3074	2.2017	2.4427	6.4627			37.8711	26.7836		30.4444
100	S	213.286	197.323	192.006	200.052	179.477	132.087			136.885	33.641		155.111
187	Т				3.1267	2.6166	4.6047	4.2511	2.1990	54.2110		34.8541	
107	S				140.869	167.549	185.384	200.804	209.909	95.626		135.565	
188	Т	2.1721	4.2048	4.1803	2.1290	2.0299	4.0111	3.9417	2.0716	24.7405			
100	S	211.253	202.204	197.844	206.883	215.976	212.819	216.566	222.819	209.535			
189	Т	2.1551	4.4768	4.7673	2.3456	2.2120	4.4157	4.3883	2.2477	27.0085			
103	S	212.920	189.919	173.483	187.779	198.196	193.318	194.526	205.361	191.940			
100	Т	2.2164	4.373	4.2206	2.1598	2.3414	5.7325	5.8815	3.8693	30.7946			
190	S	207.031	194.422	195.954	203.933	187.242	148.912	145.139	119.296	168.341			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race



#### **Section Data for Car 8 - Ericsson, Marcus**

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	Т	3.8888	6.9329	11.8896	5.5287	6.1728				121.0098	228.6637		87.2432
191	S	117.996	122.637	69.560	79.667	71.023				42.840	3.940	·	54.128
192	7			8.7037	3.4382	2.8446	5.0757	4.6626	2.4081	231.8613		36.9642	
192	S			95.022	128.106	154.120	168.181	183.082	191.683	22.358		127.826	
193	T	2.3843	4.5527	4.7159	2.4365	2.3160	4.5082	4.4088	2.2899	27.6123			
193	S	192.452	186.752	175.374	180.773	189.296	189.352	193.621	201.577	187.742			
194	T	2.2794	4.3636	4.2668	2.1793	2.0881	4.0517	4.0276	2.1341	25.3906			
194	S	201.309	194.845	193.833	202.108	209.956	210.686	211.947	216.293	204.170			
195	T	2.1375	4.1108	4.1292	2.1337	2.0553	4.0128	4.0017	2.1211	24.7021			
193	S	214.673	206.828	3 200.292	206.428	213.307	212.728	213.318	217.619	209.861			
196	T	2.1334	4.1224	4.2201	2.4588	2.6917	5.1153	4.7338	2.8047	28.2802			
190	S	215.086	206.246	195.978	179.134	162.874	166.879	180.328	164.578	183.308			
197	Т	3.1375	6.5617	7.4766									
	S	146.251	129.574	110.618									

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report** 

**Session: Race** June 6, 2020 MDYCAR

TAG

#### Section Data for Car 88 - Herta, Colton

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.8009	5.3943	4.7914	2.2996	2.1622	4.6777	4.3618	2.2007	28.6886		55.7422	
1	S	163.827	157.616	172.610	191.535	202.761	182.491	195.707	209.747	180.699		84.765	
	T	2.1458	4.2717	4.2421	2.1820	2.1042	4.1892	4.0676	2.0987	25.3013			
2	S	213.843	199.037	194.961	201.858	208.350	203.771	209.862	219.941	204.891			
3	Т	2.0858	4.3445	4.4372	2.2027	2.0831	4.2299	4.0712	2.1068	25.5612			
	S	219.994	195.702	186.389	199.961	210.460	201.810	209.677	219.096	202.807			
4	Т	2.0908	4.3142	4.3034	2.1633	2.0439	4.1564	4.0571	2.1135	25.2426			
	S	219.468	197.076	192.184	203.603	214.496	205.379	210.406	218.401	205.367			
5	Т	2.1021	4.1992	4.3396	2.1911	2.0736	4.1312	4.0669	2.1214	25.2251			
	S	218.288	202.474	190.581	201.020	211.424	206.632	209.899	217.588	205.510			
6	Т	2.1153	4.1268	4.2858	2.1651	2.0547	4.0781	4.0384	2.1085	24.9727			
	S	216.926	206.026	192.973	203.434	213.369	209.322	211.380	218.919	207.587			
7	Т	2.0979	4.1468	4.5059	2.2557	2.1229	4.1421	4.1201	2.1497	25.5411			
<u> </u>	S	218.725	205.032	183.547	195.263	206.514	206.088	207.188	214.723	202.967			
8	<u>T</u>	2.1330	4.1160	4.2411	2.1654	2.0573	4.0659	4.0373	2.1176	24.9336			
	S	215.126	206.566	195.007	203.406	213.099	209.950	211.437	217.978	207.912			
9	Т	2.1091	4.1593	4.3096	2.1875	2.0701	4.0986	4.0820	2.1379	25.1541			
	S	217.564	204.416	191.908	201.351	211.782	208.275	209.122	215.909	206.090			
10	T	2.1253	4.1932	4.3317	2.2068	2.0936	4.1492	4.1023	2.1609	25.3630			
	S	215.905	202.763	190.929	199.590	209.404	205.735	208.087	213.610	204.392			
11	T	2.1483	4.1903	4.2145	2.1574	2.0549	4.0534	4.0469	2.1308	24.9965			
	S	213.594	202.904	196.238	204.160	213.348	210.598	210.936	216.628	207.389			
12	Т	2.1206		+		2.0688	4.1563		2.1410	25.1837			
	S	216.384		192.122	201.664	211.915	205.384	207.935	215.596	205.847			
13	<u> </u>	2.1237	4.2146	4.3166	2.1890	2.0746	4.0994	4.0733	2.1384	25.2296			
	S	216.068	1		201.213	211.322	208.234		215.858	205.473			
14	Т	2.1256			2.2065	2.0910	4.0670		2.1240	25.1164			
	S	215.875		+	199.617	209.665	209.893		217.322	206.399			
15	T	2.1161		+	2.2121	2.0978	4.1003		2.1386	25.2491		ļ	
	S	216.844		1	199.111	208.985	208.189	210.260	215.838	205.314		ļ	
16	Т	2.1295		4.2659	2.1723	2.0662	4.0453		2.1262	25.0242		1	
	S	215.480			202.760	212.181	211.019	211.260	217.097	207.159		1	
17	T	2.1188		4.2477	2.1706	2.0654	4.0622	4.0392	2.1185	24.9905		ļ	
<u> </u>	S	216.568	<del>•</del>		202.918	212.264	210.141	211.338	217.886	207.439		ļ	
18	T	2.1119	1		2.1945	2.0769	4.0995		2.1211	25.1354		ļ	
	S	217.275			200.708	211.088	208.229	209.857	217.619	206.243			
19	Т	2.1168			2.1910		4.1083		2.1315	25.2070		1	
	S	216.772	202.493	191.083	201.029	211.200	207.783	210.431	216.557	205.657			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report Report:** 

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 88 - Herta, Colton

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1161	4.1603	3 4.4458	2.2372	2.1148	4.0692	4.0377	2.1294	25.3105			
20	S	216.844	204.367	7 186.028	196.878	207.305	209.780	211.416	216.770	204.816			
24	Т	2.1190	4.1782	2 4.2788	2.1786	2.0685	4.1013	4.0795	2.1290	25.1329			
21	S	216.547	203.49	1 193.289	202.173	211.945	208.138	209.250	216.811	206.264			
22	Т	2.1161	4.280			2.0932	4.1289	4.1009	2.1431	25.4868		1	
22	S	216.844	198.623	3 187.607	198.797	209.444	206.747	208.158	215.385	203.399			
	Т	2.1261	4.252		2.2079	2.0884	4.1773	4.1098	2.1519	25.4646			
23	S	215.824	199.936	5 190.095	199.490	209.926	204.351	207.708	214.504	203.577			
24	Т	2.1352	4.2273	3 4.3368	2.1956	2.0817	4.0879	4.0497	2.1279	25.2421		1	
24	S	214.904	201.128	3 190.704	200.608	210.601	208.820	210.790	216.923	205.371		1	
25	Т	2.1194	4.2450	4.3298	2.2013	2.0851	4.2163		2.1613	25.5074			
25	S	216.506				210.258	202.461	205.735	213.571	203.235			
26	Т	2.1397	4.2362	2 4.3886	2.2174	2.1047	4.2007	4.1145	2.1336	25.5354			
26	S	214.452	200.70	5 188.453	198.636	208.300	203.213	207.470	216.344	203.012			
27	Т	2.1567	4.402	4.3768	2.2070	2.0885	4.1137	4.0622	2.1327	25.5402			
21	S	212.762	193.119	188.961	199.572	209.916	207.511	210.141	216.435	202.974			
20	T	2.1204	4.1909	4.4093	2.2175	2.0993	4.0845	4.0441	2.1341	25.3001			
28	S	216.404	202.87	187.568	198.627	208.836	208.994	211.082	216.293	204.900			
29	T	2.1240	4.2340	4.3158	2.1998	2.0897	4.0797	4.0522	2.1376	25.2328			
29	S	216.037	200.809	9 191.632	200.225	209.795	209.240	210.660	215.939	205.447			
30	Т	2.1269	4.1898	4.7890	2.3766	2.2274	4.2200	4.1109	2.1709	26.2115			
30	S	215.743	202.928	3 172.697	185.330	196.825	202.283	207.652	212.627	197.776			
31	Т	2.1611	4.272	4.2746	2.1958	2.0903	4.0806	4.0450	2.1350	25.2548			
31	S	212.329	199.00	193.479	200.590	209.735	209.194	211.035	216.202	205.268			
32	T	2.1288	4.1674	4.3400	2.1995	2.0922	4.1027	4.0627	2.1287	25.2220			
32	S	215.550	204.019	190.563	200.252	209.545	208.067	210.116	216.842	205.535			
33	Т	2.1201	4.2882		2.2569	2.1273	4.1837	4.1314	2.1473	25.8120			
	S	216.435	198.27	1 181.485	195.159	206.087	204.039	206.622	214.963	200.837			
34	T	2.1296		<del></del>	2.2892	2.1415	4.3818	4.2578	2.1853	26.3563			
	S	215.469	194.320	179.961	192.405	204.721	194.814	200.488	211.225	196.689			
35	Т	2.1523				2.4807	6.4703			38.1204	28.9971		30.7627
	S	213.197	198.322	183.960	192.313	176.728	131.931			135.990	31.073		153.506
36	T			8.4711	3.1051	2.6219	4.6349	4.3375	-	56.6242		34.9848	
	S			97.631	141.849	167.210	184.176		206.316	91.551		135.059	
37	Т	2.2022	4.2124	4.1968	2.1437	2.0944	4.7999	5.5493	3.0411	28.2398			
<i>J,</i>	S	208.366	201.839			209.324	177.845	153.828	151.784	183.571			
38	Т	3.2031	6.744	6.9528	3.3960	3.6152	7.2744	6.7475	3.2034	41.1368			
30	S	143.256	126.064	118.951	129.698	121.268	117.348	126.512	144.094	126.019			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 88 - Herta, Colton

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	3.0667	5.792	4 6.1773	3.0818	3.1384	8.2353	10.9762	4.9139	45.3820			
39	S	149.628	146.78	3 133.885	142.921	139.692	103.656	77.772	93.936	114.230			
40	Т	5.6397	11.128	8 8.2921	4.7322	4.8943	10.7303	9.4420	4.6208	59.4802			
40	S	81.363	76.39	9 99.739	93.076	89.575	79.554	90.408	99.894	87.155			
41	Т	5.2384	10.092	4 8.2496	4.1782	4.1367	8.9753	10.0144	5.0415	55.9265			
41	S	87.596	84.24	4 100.253	105.417	105.980	95.110	85.241	91.558	92.693			
42	T	5.7067	10.201	2 8.5983	4.4979	4.2378	9.3360	8.6814	4.2547	55.5140			
42	S	80.408	83.34	6 96.187	97.924	103.452	91.435	98.329	108.490	93.382			
43	Т	4.6846	9.616	2 10.1114	4.8033	5.5126	9.7115	8.9438	4.6548	58.0382			
43	S	97.952	88.41	6 81.793	91.698	79.529	87.900	95.444	99.164	89.320			
44	Т	4.5368	9.373	5 10.2717	4.8838	5.3116	11.7805	10.0277	4.5500	60.7356			
***	S	101.143	90.70	5 80.517	90.187	82.538	72.462	85.128	101.449	85.354			
45	⊣	4.8773	9.905	9 8.8826	4.8631	4.9376	10.9981	10.1138	4.4038	58.9822			
45	S	94.081	85.83	93.108	90.571	88.790	77.617	84.403	104.817	87.891			
46	Т	5.1791	7.947	1 6.5717	4.3182	4.1865	5.9326	4.6767	2.2995	41.1114			
40	S	88.599	106.98	6 125.850	102.000	104.720	143.889	182.530	200.735	126.096			
47	Т	2.2705	4.712	1 4.3876	2.1993	2.0963	4.4971	4.2163	2.1568	26.5360			
7/	S	202.098	180.43	5 188.496	200.270	209.135	189.819	202.461	214.017	195.357			
48	Т	2.1338	4.437	5 4.3309	2.1623	2.0541	4.2516	4.0717	2.1111	25.5530			
70	S	215.045	191.60	1 190.964	203.697	213.431	200.780	209.651	218.649	202.872			
49	Т	2.1093	4.524	1 4.3888	2.2020	2.1087	4.2955	4.1261	2.1452	25.8997			
7.7	S	217.543	187.93	3 188.445	200.025	207.905	198.728	206.887	215.174	200.157			
50	T	2.1303	4.348	7 4.2190	2.1726	2.0740	4.1529	4.0638	2.1217	25.2830			
	S	215.399			202.732	·	205.552	210.059	217.557	205.039			
51	L	2.0977	4.348	5 4.2738	2.1675	2.0526	4.1087	4.0065	2.1014	25.1567			
<u> </u>	S	218.746			203.209		207.763		219.659	206.068			
52	Т	2.1367			2.1413		4.3546		2.1438	25.6582			
	S	214.753			205.695		196.031	205.944	215.314	202.041			
53	T	2.1224			2.1792	·	4.0289		2.1053	25.2462		<b>_</b>	
	S	216.200	1		202.118		211.878		219.252	205.338		1	
54	Т	2.1048			2.1786	1	4.0703		2.1135	25.1165			
_ •	S	218.008		_	202.173		209.723	212.622	218.401	206.398			
55	ፗ	2.1019	+		2.1671	2.0539	4.0488	<del> </del>	2.1243	25.0377		4	
	S	218.309			203.246	·	210.837	212.707	217.291	207.048		<b>_</b>	_ <b> </b>
56	T	2.1102			2.2206		4.0663		2.0999	25.2524		1	
	S	217.450			198.349		209.930		219.816	205.287			
57	Т	2.1000			2.2007	2.0907	4.2518		2.1268	25.6683			
	S	218.506	191.89	9 188.728	200.143	209.695	200.771	208.943	217.035	201.961			


1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.1239	4.3849	4.3056	2.1820	2.0686	4.0425	4.0034	2.1159	25.2268			
58	S	216.048	193.899	192.086	201.858	211.935	211.165	213.228	218.153	205.496			
<b>F</b> 0	Т	2.1090	4.2089	4.3444	2.1976	2.0822	4.0544	4.0245	2.1268	25.1478			
59	S	217.574	202.007	190.370	200.425	210.551	210.546	212.110	217.035	206.141			
	Т	2.1181	4.1779	4.2758	2.1751	2.0610	4.0473	4.0078	2.1027	24.9657			
60	S	216.639	203.506	193.425	202.499	212.717	210.915	212.994	219.523	207.645			
61	Т	2.0905	4.2759	4.4950	2.2592	2.1248	4.0816	4.0273	2.1155	25.4698			
61	S	219.499	198.842	183.992	194.960	206.330	209.143	211.962	218.195	203.535			
62	Т	2.1099	4.3479	4.3880	2.2065	2.0872	4.1013	4.0408	2.1126	25.3942			
62	S	217.481	195.549	188.479	199.617	210.047	208.138	211.254	218.494	204.141			
63	Т	2.1172	4.3857		2.1993	2.0844	4.0885		2.1143	25.3790			
0.5	S	216.731	193.864		200.270	210.329	208.790	211.563	218.319	204.263			
61	Т	2.1118	4.3673	4.3949	2.2112	2.0887	4.1630	4.1082	2.1403	25.5854			
64	S	217.286	194.680	188.183	199.193	209.896	205.053	207.788	215.666	202.616			
65	Т	2.1211	4.3186	4.3724	2.2070	2.0862	4.1238	4.0582	2.1236	25.4109			
05	S	216.333	196.876	189.151	199.572	210.147	207.002	210.349	217.362	204.007			
66	Т	2.1253	4.3475	4.3206	2.1895	2.1134	4.2238	4.1506	2.1607	25.6314			
00	S	215.905	195.567	191.419	201.167	207.443	202.102	205.666	213.630	202.252			
67	Т	2.1383	4.3642	4.3461	2.2003	2.0849	4.1970	4.0872	2.1313	25.5493			
07	S	214.593	194.819	190.296	200.179	210.278	203.392	208.856	216.577	202.902			
68	Т	2.1211	4.3856	4.4281	2.2266	2.0991	4.1371	4.0955	2.1359	25.6290			
00	S	216.333	193.868	186.772	197.815	208.856	206.337	208.433	216.111	202.271			
69	Т	2.1305	4.3343	4.4134	2.2262	2.1042	4.1219	4.0577	2.1358	25.5240			
09	S	215.378	196.163	187.394	197.850	208.350	207.098	210.374	216.121	203.103			
70	Т	2.1263	4.3126	4.3133	2.1885	2.0738	4.1533	4.0794	2.1235	25.3707			
70	S	215.804	197.150	191.743	201.259	211.404	205.532	209.255	217.373	204.330			
71	┙	2.1383	4.4288		2.2229		4.1401	4.0671	2.1300	25.6105			
/1	S	214.593	191.977	188.647	198.144	208.846	206.187	209.888	216.709	202.417			
72	-	2.1339	4.4060	4.3495	2.2031	2.1282	4.4285	4.4139	2.2240	26.2871			
14	S	215.035	192.970	190.147	199.925	206.000	192.760	193.397	207.550	197.207			
73	Т	2.2258	4.6759	4.4709	2.2528	2.1421	4.1782	4.1325	2.1809	26.2591			
,,	S	206.157	181.832	184.984	195.514	204.663	204.307	206.567	211.652	197.417			
74	Т	2.1801	4.3039	4.2765	2.2008	2.1036	4.0684	4.0698	2.1660	25.3691			
/4	S	210.478	197.548	193.393	200.134	208.409	209.821	209.749	213.108	204.343			
75	Т	2.1640	4.1950	4.1996	2.1608	2.0736	4.0088	4.0271	2.1435	24.9724			
73	S	212.044	202.676	196.934	203.839	211.424	212.941	211.973	215.344	207.589			
76	┙	2.1493	4.1830	4.1937	2.1600	2.0696	4.0880	4.7577	2.8661	26.4674			
70	S	213.494	203.258	197.211	203.914	211.833	208.815	179.422	161.052	195.864			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 88 - Herta, Colton


Lap	T/S	SF to T1	T1 to SS1		T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	3.0551	6.1274	6.7336	3.3889	3.2408	6.4802	5.8664	2.8612	37.7536			
77	S	150.196	138.758	122.824	129.970	135.278	131.730	145.513	161.328	137.311			
70	Т	2.9369	5.7338	5.8380	3.0981	2.9998	5.7156	5.5986	2.9416	34.8624			
78	S	156.241	148.283	141.666	142.169	146.146	149.352	152.473	156.918	148.699			
70	Т	3.1955	7.2013	9.4364	5.5261	6.2152	10.6191	8.3083	4.2917	54.7936			
79	S	143.597	118.066	87.644	79.704	70.538	80.387	102.745	107.554	94.610			
- 00	Т	4.3323	7.6248	7.8979	3.9915	3.8917	8.3602			55.0196	26.5893	-	47.6130
80	S	105.917	111.508	104.717	110.348	112.652	102.107			94.221	33.887	<u>'</u>	99.180
81	Т				3.6910	3.4893	7.3733	7.0271	3.6252	63.0823		43.8996	
81	S				119.332	125.644	115.774	121.478	127.328	82.178		107.632	
62	Т	3.8941	6.5883	6.7687	3.5937	3.6276	6.7001	6.4623	4.2446	41.8794			
82	S	117.836	129.051	122.187	122.563	120.854	127.407	132.095	108.748	123.784			
92	Т	4.5715	8.5480	9.5352	5.1418	4.6166	7.9159	7.8807	4.7634	52.9731			
83	S	100.375	99.465	86.736	85.662	94.964	107.838	108.320	96.904	97.861			
84	Т	5.0826	8.7894	8.9814	4.6622	4.6062	9.0727	8.4018	4.1561	53.7524			
84	S	90.281	96.733	92.084	94.474	95.178	94.088	101.602	111.063	96.442			
0.5	Т	4.3536	8.5382	8.6951	4.5018	4.4248	8.4834	9.1270	5.2057	53.3296			
85	S	105.399	99.579	95.116	97.840	99.080	100.624	93.529	88.670	97.207			
86	Т	4.8053	7.1946	6.9641	3.8599	4.1828	7.2316	7.3354	2.8990	44.4727			
00	S	95.491	118.176	118.758	114.110	104.812	118.043	116.372	159.224	116.566			
87	Т	2.6293	4.9836	4.6823	2.2994	2.1603	4.3573	4.0982	2.1041	27.3145			
67	S	174.519	170.605	176.632	191.552	202.939	195.909	208.295	219.377	189.789			
88	Т	2.0892	4.3421	4.3134	2.1497	2.0528	4.1423	4.0027	2.0835	25.1757			
- 00	S	219.636	195.810	191.739	204.891	213.566	206.078	213.265	221.546	205.913			
89	Т	2.1006	4.2964	4.3388	2.1751	2.0561	4.0318	4.0349	2.1076	25.1413			
69	S	218.444	197.893	190.616	202.499	213.224	211.726	211.563	219.013	206.195			
90	Т	2.0980			2.1534	2.0495	4.0266		2.1012	24.8751			
	S	218.715	202.401	+	204.539	-	211.999	213.799	219.680	208.401			
91	T	2.0835		<del></del>	2.2064	2.0845	4.0882	4.0208	2.1119	25.1568		<u> </u>	
	S	220.237	203.336	1	199.626	210.319	208.805	212.305	218.567	206.068		ļ	
92	T	2.1111	4.2523		2.1798		4.0324	4.0160	2.1193	25.0784			
	S	217.358	199.945		202.062	211.485	211.694	212.559	217.803	206.712			
93	T	2.1132	4.1516	+	2.1899	2.0796	4.0012	3.9880	2.1061	24.9435		ļ	
	S	217.142	204.795		201.130	210.814	213.345	214.051	219.169	207.830		<u> </u>	
94	工	2.1037	4.2411		2.1887		3.9813	3.9694	2.0910	24.9811			
	S	218.122	200.473		201.240		214.411	215.054	220.751	207.517		ļ	
95	Т	2.0874			2.1996		4.0350		2.1265	25.1411		ļ	
	S	219.825	201.796	189.542	200.243	210.349	211.558	211.731	217.066	206.196			

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report Report: Session:** Race

June 6, 2020 MDYCAR

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1185	4.2047	4.3137	2.1825	2.0743	4.0473	4.0475	2.1325	25.1210			
90	S	216.598	202.209	191.725	201.812	211.353	210.915	210.905	216.455	206.361			
97	Т	2.1202	4.1942	4.3689	2.2027	2.0882	4.0640	4.0479	2.1286	25.2147			
97	S	216.425	202.715	189.303	199.961	209.946	210.048	210.884	216.852	205.594			
98	T	2.1195	4.1619	4.4958	2.2571	2.1357	4.0586	4.0468	2.1351	25.4105			
96	S	216.496	204.288	183.960	195.142	205.277	210.328	210.941	216.192	204.010			
99	Т	2.1252	4.2179	4.3492	2.2146	2.1065	4.0385	4.0337	2.1375	25.2231			
99	S	215.916	201.576	190.160	198.887	208.122	211.375	211.626	215.949	205.526			
100	Т	2.1332	4.1663	4.2595	2.1790	2.0786	4.0224	4.0517	2.1419	25.0326			
100	S	215.106	204.073	194.165	202.136	210.916	212.221	210.686	215.505	207.090			
101	Т	2.1330	4.1733	4.3152	2.2000	2.0947	4.0192	4.0217	2.1293	25.0864			
101	S	215.126	203.730	191.659	200.207	209.294	212.390	212.258	216.781	206.646			
102	Т	2.1285	4.2017	4.2975		2.0922	4.0516	4.0475	2.1401	25.1549			
102	S	215.581	202.353	192.448	200.590	209.545	210.691	210.905	215.687	206.083			
103	Т	2.1324	4.1822	4.3019	2.2002	2.0949	4.0661	4.0491	2.1366	25.1634			
103	S	215.186	203.297	192.251	200.188	209.274	209.940	210.821	216.040	206.013			
104	Т	2.1313	4.2213	4.3019	2.1902	2.0843	4.0454	4.0531	2.1402	25.1677			
104	S	215.298	201.414	192.251	201.102	210.339	211.014	210.613	215.677	205.978			
105	Т	2.1317	4.1859	4.3642	2.2166	2.1020	4.0575	4.0480	2.1427	25.2486			
103	S	215.257	203.117	189.507	198.707	208.568	210.385	210.879	215.425	205.318			
106	Т	2.1379	4.2356	4.2938	2.1929	2.0887	4.1018	4.0655	2.1443	25.2605			
100	S	214.633	200.734	192.614	200.855	209.896	208.113	209.971	215.264	205.222			
107	L	2.1366	4.1744	4.2557		2.0800	4.0820	4.0918	2.1645	25.1669			
107	S	214.763	203.677	194.338		210.774	209.122	208.621	213.255	205.985			
108	LT	2.1509	4.2785	4.4338		2.1416	4.1235	4.0785	2.1565	25.6218			
	S	213.336	198.721	186.532	1	204.711	207.017	209.302	214.046	202.328			
109	T	2.1502	4.3322	4.3757	2.2370	2.1257	4.0845	4.0668	2.1594	25.5315			
L	S	213.405	196.258	<del> </del>	+	206.242	208.994	209.904	213.759	203.043		ļ	
110	T	2.1542			•		4.0651	4.0739	2.1556	25.3418		<u> </u>	
L	S	213.009	200.308	191.211	198.851	207.964	209.991	209.538	214.136	204.563		<u> </u>	
111	T	2.1497	4.3567	4.3745		2.1329		4.1023	2.1695	25.6396			
L	S	213.455	195.154	189.061	196.667	205.546		208.087	212.764	202.187			
112	T	2.1560	+	4.4347		2.1451	4.1151	4.1015	2.1703	25.6916		ļ	
L	S	212.831	197.214	186.494		204.377	207.440	208.128	212.685	201.778		<b>↓</b>	
113	L	2.1608	4.4166		1	2.1876		4.2401	2.1983	26.4670		<u> </u>	
<u> </u>	S	212.358	192.507		1	200.406			209.976	195.867			
114	T	2.2052	4.4776		1	2.1647	4.1280		2.1679	26.0460			
	S	208.083	189.885	183.023	192.633	202.526	206.792	208.341	212.921	199.032			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 

**Session:** June 6, 2020 MDYCAR Race

# Section Data for Car 88 - Herta, Colton

Report:

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
445	Т	2.1616	4.3404	4.4057	2.2422	2.1364	4.1525	4.1577	2.1984	25.7949			
115	S	212.280	195.887	7 187.722	196.439	205.209	205.572	205.315	209.967	200.970			
446	Т	2.1813	4.3376	4.3515	2.2415	2.3388	6.0903			37.8902	27.3076		30.4989
116	S	210.362	196.013	3 190.060	196.500	187.450	140.163			136.816	32.995	i	154.834
447	Т			Î	3.1248	2.6375	4.6758	4.4125	2.2885	55.0082		35.0919	
117	S				140.954	166.221	182.565	193.459	201.700	94.240		134.646	
110	Т	2.2500	4.3439	4.3185	2.2123	2.1215	4.0884	4.1057	2.1807	25.6210			
118	S	203.939	195.729	9 191.512	199.093	206.651	208.795	207.915	211.671	202.334			
440	Т	2.1784	4.0934	4.1234	2.1355	2.0649	4.0361	4.2855	2.2700	25.1872			
119	S	210.643	207.70	7 200.574	206.254	212.315	211.500	199.192	203.344	205.819			
420	Т	2.2588	4.1560	4.1554	2.1512	2.0763	4.0377	4.0646	2.1674	25.0674			
120	S	203.145			204.748	211.149	211.416	210.017	212.970	206.802			
121	Т	2.1731	4.0236	4.1281	2.1362	2.0662	4.0254	4.0559	2.1640	24.7725			
121	S	211.156	211.310	200.345	206.186	212.181	212.062	210.468	213.304	209.264			
422	Т	2.1636	4.0166	4.2041	2.1670	2.0837	4.0372	4.0545	2.1547	24.8814			
122	S	212.083	211.678	3 196.724	203.255	210.399	211.443	210.540	214.225	208.348			
122	T	2.1513	4.0158	4.1299	2.1282	2.0545	3.9945	4.0334	2.1435	24.6511			
123	S	213.296	211.72	1 200.258	206.961	213.390	213.703	211.642	215.344	210.295			
124	T	2.1361	4.0574	4.1845	2.1540	2.0669	4.0176	4.0377	2.1481	24.8023			
124	S	214.814	209.550	197.645	204.482	212.109	212.474	211.416	214.883	209.013			
125	Т	2.1457	4.020	4.2636	2.1830	2.0873	4.0419	4.0575	2.1590	24.9586			
125	S	213.853	211.468	193.978	201.766	210.036	211.197	210.385	213.798	207.704			
126	Т	2.1531	4.0856	4.2750	2.1941	2.0938	4.0528	4.0548	2.1568	25.0660			
120	S	213.118	208.103	193.461	200.745	209.384	210.629	210.525	214.017	206.814			
127	Т	2.1536	4.108	4.2397	2.1742	2.0811	4.0474	4.0809	2.1683	25.0537			
127	S	213.068	206.943	195.072	202.582	210.662	210.910	209.178	212.881	206.916			
128	Т	2.1622	4.1070	4.2633	2.2095	2.1086	4.0688	4.0786	2.1665	25.1645			
120	S	212.221	207.019	193.992	199.346	207.915	209.801	209.296	213.058	206.004			
129	Т	2.1601	4.1470	4.2738	2.1963	2.0976	4.0517	4.0655	2.1570	25.1490			
129	S	212.427	205.022	193.515	200.544	209.005	210.686	209.971	213.997	206.131			
130	Т	2.1537	4.1984	4.3349	2.2225	2.1181	4.0815	4.0770	2.1662	25.3523			
130	S	213.058	202.512	190.788	198.180	206.982	209.148	209.379	213.088	204.478			
131	Т	2.1621	4.1954	4.2656	2.1946	2.0970	4.0657	4.0720	2.1643	25.2167			
131	S	212.231	202.65	7 193.887	200.699	209.065	209.960	209.636	213.275	205.578			
132	Т	2.1576	4.137	1 4.3194	2.2131	2.1113	4.0653	4.0700	2.1675	25.2413			
132	S	212.673	205.513	3 191.472	199.022	207.649	209.981	209.739	212.960	205.378			
133	Т	2.1609	4.2078	3 4.2705	2.1920	2.0944	4.0561	4.0703	2.1619	25.2139			
	S	212.348	202.060	193.665	200.937	209.324	210.457	209.723	213.512	205.601			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 88 - Herta, Colton

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1571	4.1902	4.2598	2.1886	2.0922	4.0513	4.0621	2.1558	25.1571			
134	S	212.722	202.909	194.151	201.249	209.545	210.707	210.147	214.116	206.065			
135	T	2.1545	4.1490	4.2793	2.1954	2.0970	4.0519	4.0578	2.1577	25.1426			
133	S	212.979	204.923	193.267	200.626	209.065	210.676	210.369	213.927	206.184			
136	T	2.1542	4.1837	4.2657	2.1858	2.0898	4.0359	4.0529	2.1556	25.1236			
130	S	213.009	203.224	193.883	201.507	209.785	211.511	210.624	214.136	206.340			
137	T	2.1519	4.1696	4.3386	2.2162	2.1129	4.0660	4.0620	2.1590	25.2762			
137	S	213.237	203.911	190.625	198.743	207.492	209.945	210.152	213.798	205.094			
138	T	2.1522	4.1813	4.2813	2.1972	2.0968	4.0522	4.0592	2.1570	25.1772			
136	S	213.207	203.340	193.176	200.462	209.085	210.660	210.297	213.997	205.901			
139	T	2.1536	4.2590	4.3105	2.2053	2.1029	4.0504	4.0602	2.1515	25.2934			
139	S	213.068	199.631	191.868	199.725	208.478	210.754	210.245	214.544	204.955			
140	T	2.1490	4.1626	4.2821	2.1961	2.0947	4.0427	4.0481	2.1521	25.1274			
140	S	213.524	204.254	193.140	200.562	209.294	211.155	210.873	214.484	206.309			
141	Т	2.1483	4.1910	4.2637	2.1908	2.0900	4.0374	4.0429	2.1470	25.1111			
141	S	213.594	202.870	193.974	201.047	209.765	211.432	211.145	214.993	206.443			
142	T	2.1424	4.1787	4.2716	2.1944	2.0940	4.0256	4.0383	2.1404	25.0854			
142	S	214.182	203.467	193.615	200.718	209.364	212.052	211.385	215.656	206.654			
143	T	2.1386	4.1838	4.3012	2.2019	2.0992	4.0340	4.0698	2.1594	25.1879			
143	S	214.563	203.219	192.282	200.034	208.846	211.610	209.749	213.759	205.813			
144	T	2.1510	4.1885	4.2951	2.2115	2.1068	4.0614	4.0501	2.1542	25.2186			
144	S	213.326	202.991	192.556	199.166	208.092	210.183	210.769	214.275	205.563			
145	T	2.1406	4.1401	4.4041	2.2416	2.1300	4.0686	4.0573	2.1528	25.3351			
143	S	214.362	205.364	187.790	196.491	205.826	209.811	210.395	214.414	204.617			
146	T	2.1444	4.1449	4.2568	2.1808	2.0784	4.0077	4.0245	2.1327	24.9702			
140	S	213.982	205.126	194.288	201.969	210.936	212.999	212.110	216.435	207.607			
147	T	2.1283	4.2214	4.3230	2.2039	2.0943	4.0180	4.0244	2.1331	25.1464			
17/	S	215.601	201.409	191.313	199.852	209.334	212.453	212.115	216.394	206.153			
148	T	2.1301	4.1552	4.3409	2.2102	2.0977	4.0534	•	2.1447	25.1760			
140	S	215.419	204.618	190.524	199.283	208.995	210.598	211.098	215.224	205.910			
149	T	2.1357	4.1780		2.2033	2.0909				25.1245			
	S	214.854	203.501	191.008	199.907	209.675	211.841	211.884	216.882	206.332			
150	T	2.1191	4.2939	-	2.2342	2.1156		4.0494	2.1390	25.4078			
130	S	216.537	198.008	187.564	197.142	207.227	210.920		215.798	204.032			
151	T	2.1299	4.2541	4.4431	2.2469	2.4022	6.4796			37.8684	26.8391		30.4556
	S	215.439	199.861	186.142	196.028	182.503	131.742			136.895	33.571		155.054
152	T				3.1271	2.6349	4.6641	4.4044	2.2833	54.5102		35.0839	
	S				140.851	166.385	183.023	193.814	202.160	95.101		134.677	

Round 1


Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report Report: Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	Т	2.2532	4.1819	4.1788	2.1540	2.0748	4.0447	4.0819	2.1696	25.1389			
155	S	203.650	203.311	197.915	204.482	211.302	211.051	209.127	212.754	206.214			
154	T	2.1651	4.0594	4.0892	2.1167	2.0496	4.0748	4.0498	2.1361	24.7407			
154	S	211.936	209.447	202.251	208.085	213.900	209.492	210.785	216.090	209.533			
155	Т	2.1383	4.2645	4.2909	2.1751	2.0755	4.0128	3.9996	2.1136	25.0703			
155	S	214.593	199.373	192.744	202.499	211.231	212.728	213.430	218.391	206.779			
156	Т	2.1150	4.0991	4.2596	2.1692	2.0715	3.9894	3.9869	2.1088	24.7995			
130	S	216.957	207.418	194.160	203.049	211.638	213.976	214.110	218.888	209.036			
157	T	2.1076	4.0839	4.2712	2.1690	2.0818	4.2636	4.1167	2.1296	25.2234			
137	S	217.719	208.190	193.633	203.068	210.591	200.215	207.359	216.750	205.523			
158	T	2.1329	4.2997	4.3919	2.2170	2.0997	4.0513	4.0443	2.1314	25.3682			
136	S	215.136	197.741	188.312	198.671	208.796	210.707	211.071	216.567	204.350			
159	┙	2.1199	4.1267	4.4033	2.2349	2.1218	4.0584	4.0345	2.1384	25.2379			
159	S	216.455	206.031	187.824	197.080	206.621	210.338	211.584	215.858	205.405			
160	T	2.1330	4.1611	4.2762	2.1798	2.0815	4.0170	4.0157	2.1356	24.9999			
100	S	215.126	204.328	193.407	202.062	210.622	212.506	212.575	216.141	207.361			
161	Т	2.1285	4.1453	4.2683	2.1826	2.0817	4.0214	4.0314	2.1398	24.9990			
101	S	215.581	205.106	193.765	201.803	210.601	212.273	211.747	215.717	207.368			
162	Т	2.1288	4.2371	4.3272	2.2127	2.1093	4.1350	4.1563	2.1887	25.4951			
102	S	215.550	200.663	191.127	199.058	207.846	206.442	205.384	210.897	203.333			
163	T	2.1758	4.2942	4.3461	2.2190	2.1145	4.0730	4.0715	2.1557	25.4498			
103	S	210.894	197.994	190.296	198.492	207.335	209.584	209.661	214.126	203.695			
164	T	2.1462	4.1867	4.2959	2.1994	2.1006	4.0729	4.0981	2.1693	25.2691			
107	S	213.803	203.078	192.520	200.261	208.707	209.589	208.301	212.783	205.152		ļ	
165	T	2.1581	4.1910			2.1008	4.0452	4.0589	2.1580	25.2007		ļ	
	S	212.624	202.870			208.687	211.025	210.312	213.898	205.709			
166	Т	2.1556				2.1134	4.0635	4.0716		25.3213			
	S	212.870	201.600	+	+	207.443	210.074	209.656	<del></del>	204.729			
167	T	2.1521	4.1850	•	·	•	4.0608	•	2.1583	25.2008		1	
	S	213.217	203.161	193.267	200.216		210.214	210.167	213.868	205.708		1	
168	Т	2.1511	4.1849		1	2.0987	4.0586	4.0652	2.1601	25.1816			
	S	213.316	203.165	193.692	200.837	208.896	210.328	209.986		205.865			
169	T	2.1538	4.2051	4.3184	+	2.1165	4.0752	4.0751	2.1649	25.3232			
	S	213.048	202.190	191.517	198.923	207.139	209.471	209.476	213.216	204.713		1	
170	T	2.1660	4.1416				4.0493	4.0566		25.1165		1	
	S	211.848	205.290				210.811	210.431	213.898				
171	Т	2.1590					4.0561	4.0635					
	S	212.535	204.058	193.597	200.526	208.607	210.457	210.074	213.541	205.903			

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 

June 6, 2020 MDYCAR



Round 1

#### Section Data for Car 88 - Herta, Colton

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1535	4.1709	4.2392	2.1847	2.0925	4.0422	4.0603	2.1559	25.0992			
172	S	213.078	203.847	195.095	201.609	209.514	211.181	210.240	214.106	206.540			
173	T	2.1551	4.1483	4.2256	2.1770	2.0862	4.0444	4.0538	2.1575	25.0479			
1/3	S	212.920	204.958	195.723	202.322	210.147	211.066	210.577	213.947	206.963			
174	T	2.1605	4.1199	4.2705	2.1933	2.0974	4.0508	4.0623	2.1614	25.1161			
1/4	S	212.388	206.371	193.665	200.818	209.025	210.733	210.136	213.561	206.401			
175	Т	2.1611	4.1073	4.2330	2.1797	2.0895	4.0441	4.0582	2.1592	25.0321			
1/3	S	212.329	207.004	195.380	202.071	209.815	211.082	210.349	213.779	207.094			
176	T	2.1599	4.1339	4.2557	2.1893	2.0949	4.0524	4.0570	2.1599	25.1030			
176	S	212.447	205.672	194.338	201.185	209.274	210.650	210.411	213.709	206.509			
177	T	2.1575	4.1163	4.2311	2.1797	2.0896	4.0452	4.0461	2.1556	25.0211			
1//	S	212.683	206.551	195.468	202.071	209.805	211.025	210.978	214.136	207.185			
178	Т	2.1577	4.1316	4.2429	2.1840	2.0905	4.0525	4.0495	2.1591	25.0678			
178	S	212.663	205.786	194.925	201.673	209.715	210.644	210.800	213.789	206.799			
179	T	2.1560	4.1665	4.2440	2.1822	2.0895	4.0425	4.0429	2.1513	25.0749			
1/9	S	212.831	204.063	194.874	201.840	209.815	211.165	211.145	214.564	206.741			
180	Т	2.1515	4.0878	4.2161	2.1727	2.0815	4.0272	4.0340	2.1517	24.9225			
100	S	213.276	207.991	196.164	202.722	210.622	211.968	211.610	214.524	208.005			
181	Т	2.1489	4.1091	4.2628	2.1888	2.0923	4.0404	4.0385	2.1451	25.0259			
101	S	213.534	206.913	194.015	201.231	209.535	211.275	211.375	215.184	207.145			
182	T	2.1504	4.0353	4.2228	2.1693	2.0794	4.0255	4.0334	2.1412	24.8573			
102	S	213.385	210.697	195.852	203.040	210.834	212.057	211.642	215.576	208.550			
183	T	2.1392	4.0708	4.2777	2.1875	2.0940	4.0381	4.0437	2.1505	25.0015			
105	S	214.502	208.860	193.339	201.351	209.364	211.396	211.103	214.644	207.348			
184	T	2.1549	4.0796	4.2376	2.1866	2.0840	4.0430	4.0380	2.1458	24.9695			
	S	212.940	208.409	195.168		210.369	211.139		215.114	207.613			
185	Т	2.1452	4.0879	4.2114	2.1728	2.0870	4.0499		2.1665	24.9825			
	S	213.902	207.986	196.383	202.713	210.067	210.780	210.162	213.058	207.505			
186	T	2.1702	4.1335	4.2664	2.2031	2.4008	6.2295		ļ	37.1152	25.7366		29.7079
	S	211.438	205.692	193.851	199.925	182.610	137.031			139.673	35.009		158.957
187	Т				3.1127	2.6196	4.6188		2.2246	53.1784		34.8491	
	S				141.502	167.357	184.818		207.494	97.483		135.585	
188	T	2.2055	4.1181	4.0709	1	2.0322	3.9528		2.1200	24.5812			
	S	208.054	206.461	203.160	209.481	215.731	215.957	214.530	217.732	210.893			
189	T	2.1276	3.9992	4.0875	2.1129	2.0408	3.9541	3.9796	2.1192	24.4209			
	S	215.672	212.599	202.335	208.460	214.822	215.886		217.814				
190	T	2.1262	4.0252	4.0631	2.1024	2.0370	3.9658		2.8370	25.6069			
	S	215.814	211.226	203.550	209.501	215.223	215.249	191.820	162.704	202.445			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race


June 6, 2020 MDYCAR



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
101	Т	3.1490	5.900	1 6.6501	4.1140	4.4450	7.1433	6.3357	3.1777	40.9149			
191	S	145.717	144.10	4 124.366	107.062	98.630	119.502	134.734	145.259	126.702			
102	Т	3.2899	6.910	7 7.5455	3.6472	2.9526	5.8385	5.9204	3.3107	39.4155			
192	S	139.476	123.03	1 109.608	120.765	148.482	146.208	144.186	139.424	131.522			
102	Т	4.3347	9.972	2 8.9659	6.5176	5.8760	8.9919	8.2664	4.7197	57.6444			
193	S	105.858	85.26	0 92.243	67.579	74.610	94.934	103.266	97.801	89.931			
104	T	5.4928	9.151	5 10.7096	6.2246	6.2865	11.0986	9.6122	4.7915	63.3673			
194	S	83.539	92.90	6 77.225	70.760	69.738	76.914	88.808	96.335	81.809			
195	Т	5.2667	10.516	0 12.8875	6.2899	5.4696	11.5853	12.1394	5.5269	69.6813			
195	S	87.125	80.85	1 64.174	70.026	80.154	73.683	70.319	83.517	74.396			
196	Т	6.7478	11.895	5 12.3234	5.6452	5.6913	9.7336	7.9160	3.9642	63.9170			
190	S	68.002	71.47	5 67.112	78.023	77.031	87.700	107.837	116.440	81.105			
197	7	3.9855	7.553	9.2173	4.2395	4.0760	7.5894	5.3727	2.4630	44.4966			
197	S	115.133	112.56	5 89.728	103.893	107.559	112.477	158.884	187.410	116.503			
198	T	2.3599	4.771	7 4.6240	2.3195	2.2020	4.4258	4.1566	2.1305	26.9900			
196	S	194.442	178.18	1 178.859	189.892	199.096	192.877	205.369	216.658	192.071			
199	Т	2.1219	4.437	8 4.4612	2.2394	2.1230	4.2282	4.0267	2.0819	25.7201			
133	S	216.251	191.58	8 185.386	196.684	206.505	201.891	211.994	221.716	201.554			
200	T	2.0872	4.348	8 4.4514	2.2129	2.0748	4.2339	4.8431	2.8733	27.1254			
	S	219.847	195.50	8 185.794	199.040	211.302	201.619	176.258	160.648	191.112			
201	Т	3.1207	6.576	7 8.3014	5.5076								
201	S	147.039	129.27	9 99.627	79.972								

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series** 





#### Section Data for Car 9 - Dixon, Scott

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	Т	2.7884	4.6828	4.4421	2.2460	2.1502	4.0749	4.0041	2.1124	26.5009		60.3768	
1	S	164.562	181.564	186.183	196.106	203.892	209.486	213.191	218.515	195.616		78.259	
2	T	2.1136	4.0747	4.1618	2.1397	2.0611	4.0560	3.9934	2.0938	24.6941			
	S	217.101	208.660	198.723	205.849	212.706	210.463	213.762	220.456	209.929			
3	T	2.1256	4.2466	4.1622	2.1463	2.0579	3.9368	3.9277	2.0860	24.6891			
	S	215.875	200.214	198.704	205.216	213.037	216.835	217.337	221.280	209.971			
4	Т	2.1346	4.2781	4.1869	2.1364	2.0505	3.9369	3.9351	2.0919	24.7504			
	S	214.965	198.739	197.532	206.167	213.806	216.830	216.929	220.656	209.451			
5	Т	2.1348	4.2592	4.1760	2.1301	2.0428	3.9923	3.9750	2.1027	24.8129			
	S	214.945	199.621	198.047	206.776	214.612	213.821	214.751	219.523	208.924			
6	T	2.1281	4.2529	4.1299	2.1159	2.0340	3.9679	3.9731	2.1037	24.7055			
	S	215.621	199.917	200.258	208.164	215.540	215.136	214.854	219.419	209.832			
7	T	2.1389	4.2006	4.1487	2.1269	2.0435	4.0367	4.0059	2.1140	24.8152			
	S	214.533	202.406	199.351	207.088	214.538	211.469	213.095	218.350	208.904			
8	Т	2.1208	4.1873	4.1619	2.1297	2.0420	3.9951	3.9901	2.1098	24.7367			
	S	216.363	203.049	198.718	206.815	214.696	213.671	213.939	218.784	209.567			
9	T	2.1071	4.1636	4.1945	2.1577	2.0678	4.0046	3.9889	2.1099	24.7941			
	S	217.770	204.205	197.174	204.132	212.017	213.164	214.003	218.774	209.082			
10	T	2.1117	4.1976	4.1696	2.1348	2.0446	4.0323	4.0027	2.1167	24.8100			
	S	217.296	202.551	198.351	206.321	214.423	211.700	213.265	218.071	208.948			
111	Т	2.1303	4.2129	4.1950	2.1410	2.0505	3.9903	3.9867	2.1081	24.8148			
	S	215.399	201.815	197.150	205.724	213.806	213.928	214.121	218.961	208.908			
12	T	2.1039	4.1763	•	•	2.0488	3.9975	3.9955	2.1197	24.7783			
	S	218.101	203.584	197.127	205.714	213.983	213.543	213.649	217.762	209.215			
13	LT	2.1383	4.2874	4.2120	2.1494	2.0552	4.0024	3.9965	2.1129	24.9541			
	S	214.593	198.308	196.355	204.920	213.317	213.281	213.596	218.463	207.741			
14	T	2.1171	4.2386			2.0605	4.0150	4.0004	2.1062	24.9127			
	S	216.742	200.592	<del>•                                      </del>	-	212.768	212.612	213.388	219.158	208.087			
15	T	2.1220			<del></del>	2.0674	4.0231	4.0280		24.9967		1	
	S	216.241	199.481	+		212.058	212.184	211.926	217.608	207.387			
16	T	2.1206		-		2.0726	3.9650	3.9593	2.0979	24.9284			
	S	216.384	199.415			211.526	215.293	215.603	220.025	207.956			
17	Т	2.1137	4.2901	4.3040		2.0791	4.0228	4.0176		25.1308			
	S	217.090		+		210.865	212.200	212.474	218.143	206.281			
18	T	2.1133	4.2289	1		2.0717	3.9902	3.9995	2.1108	24.9818			
	S	217.131	201.052			211.618	213.933	213.436		207.511			
19	T	2.1112		+		2.0894	4.0341	4.0288	2.1182	25.2029			
	S	217.347	199.140	190.204	199.889	209.825	211.605	211.884	217.917	205.691			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 9 - Dixon, Scott

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1283	4.3134	4.3524	2.1997	2.0821	4.0593	4.0290	2.1173	25.2815			
20	S	215.601	197.113	190.021	200.234	210.561	210.292	211.873	218.009	205.051			
21	Т	2.1460	4.4331	4.4308	2.2178	2.0986	4.1735	4.1041	2.1403	25.7442			
	S	213.823	191.791	186.658	198.600	208.906	204.537	207.996	215.666	201.366			
22	T	2.1368	4.4354	4.3856	2.2108	2.0909	4.0864	4.0455	2.1200	25.5114			
	S	214.743	191.691	188.582	199.229	209.675	208.897	211.009	217.732	203.203			
23	Т	2.1859	4.4518	4.3846	2.2014	2.1096	4.1828	4.0837	2.1336	25.7334			
	S	209.920	190.985	188.625	200.079	207.816	204.083	209.035	216.344	201.450			
24	T	2.1383	4.3781	4.4023	2.2196	2.1029	4.0986	4.0498	2.1201	25.5097			
	S	214.593	194.200	187.867	198.439	208.478	208.275	210.785	217.721	203.217			
25	T	2.1384	4.3619	4.3793	2.2073	2.1254	4.2769	4.1561	2.1627	25.8080			
	S	214.583	194.921	188.853	199.544	206.271	199.592	205.394	213.433	200.868			
26	<u>T</u>	2.1495	4.2956	+		+	4.1738		2.1449	<del></del>			
	S	213.475	197.930	190.410	200.974	209.845	204.523	208.489	215.204	203.434			
27	T	2.1598	4.3758	4.3441	2.1895	2.1150	4.1701	4.0773	2.1349	25.5665			
	S	212.457	194.302	190.384	201.167	207.286	204.704	209.363	216.212	202.765			
28	T	2.1814	4.4847	4.3277	2.1840	2.1051	4.3412	4.1466	2.1551	25.9258			
	S	210.353	189.584	191.105	201.673	208.260	196.636	205.864	214.185	199.955			
29	LT.	2.1422	4.2816	4.3335	2.1989	2.0955	4.1235	4.0393	2.1168	25.3313			
	S	214.202	198.577	190.849	200.307	209.215	207.017	211.333	218.061	204.648			
30	T	2.1428	4.4638	4.4294	2.2266	2.1316	4.4003	4.1795	2.1627	26.1367			
	S	214.142	190.472	186.717	197.815	205.671	193.995	204.244	213.433	198.342			
31	<u> </u>	2.1588	4.3800	4.3870	2.2131	2.1136	4.1560	4.0758	2.1286	25.6129			
J.	S	212.555	194.116	•	199.022	207.423	205.399	•	216.852	<del>•</del>			
32	<u> </u>	2.1475	4.3757	4.3336		2.0758	4.1179		2.1716	25.5314			
	S	213.673	194.307	190.845			207.299		212.558				
33	T	2.1637	4.1666			2.0860	4.0016		2.1244				
	S	212.074	204.058	+		+	213.324		217.281	207.544			
34	T	2.1460	4.2401	4.2672	•	•	4.0156	<del>                                     </del>		<del></del>			
<u> </u>	S	213.823	200.521	193.815	1		212.580		217.434	206.795			
35	T	2.1251	4.1789		1		6.3359			36.7744	26.9358		29.3923
	S	215.926	203.457	194.837	201.904	189.222	134.730			140.968	33.451		160.664
36	T		ļ	ļ	3.1972	2.6885	4.7143		2.2702	<del></del>		35.2337	
	S				137.763	163.068	181.074	•	203.326	<del>                                     </del>		134.105	<b></b>
37	T	2.2476	4.1391	4.1340			4.0121		2.1405				
<u> </u>	S	204.157	205.414				212.765		215.646				
38	Т	2.1455				2.7425	5.4284		3.6676				
	S	213.873	207.383	163.710	150.903	159.857	157.254	147.642	125.856	162.833			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 9 - Dixon, Scott

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	Т	3.8761	7.1571	8.2730	5.5888	5.2204	10.3094	10.2885	4.7386	55.4519			
39	S	118.383	118.795	99.969	78.810	83.980	82.802	82.970	97.411	93.486			
40	T	4.9258	9.1997	9.4809	4.9924	4.9348	9.8449	9.1697	4.9751	57.5233			
40	S	93.155	92.419	87.233	88.225	88.840	86.708	93.093	92.780	90.120			
41	T	4.3849	8.7256	8.7650	5.1318	4.9353	10.2902	9.4139	5.1876	56.8343			
41	S	104.646	97.441	94.358	85.828	88.831	82.956	90.678	88.980	91.213			
42	Т	4.7759	9.4645	9.4815	4.6146	4.9387	9.5970	9.4755	5.0491	57.3968			
42	S	96.079	89.833	87.227	95.448	88.770	88.948	90.089	91.420	90.319			
43	Т	5.0134	9.2956	8.8518	4.9047	4.9277	9.9153	9.6617	5.4501	58.0203			
3	S	91.527	91.466	93.432	89.803	88.968	86.093	88.353	84.694	89.348			
44	T	4.9674	9.6378	9.7801	5.3034	5.4260	10.2538	9.5630	4.6317	59.5632			
44	S	92.375	88.218	84.564	83.051	80.798	83.251	89.264	99.659	87.034			
45	T	5.2983	9.6948	9.5450	4.5981	5.0098	10.1396	9.3940	5.2391	58.9187			
45	S	86.606	87.699	86.647	95.791	87.510	84.188	90.870	88.105	87.986			
46	T	5.0171	9.7761	9.4456	4.7379	4.7028	9.2367	5.7055	2.5837	51.2054			
40	S	91.460	86.970	87.559	92.964	93.223	92.418	149.616	178.655	101.239			
47	Т	2.4843	4.2938	4.1422	2.1401	2.0768	4.0087	4.0137	2.1347	25.2943			
4/	S	184.705	198.013	199.663	205.810	211.098	212.946	212.681	216.232	204.947			
48	T	2.1476	3.9737	4.0754	2.1341	2.0683	3.9900	4.0019	2.1286	24.5196			
	S	213.663	213.964	202.936	206.389	211.966	213.944	213.308	216.852	211.423			
49	T	2.1413	3.9684	4.0630	2.1135	2.0522	3.9694	3.9877	2.1279	24.4234			
	S	214.292	214.249	203.555	208.401	213.629	215.054	214.067	216.923	212.255			
50	T	2.1415	3.9990	4.1010	2.1292	2.0655	3.9897	4.0004	2.1340	24.5603			
	S	214.272	212.610		206.864	212.253	213.960	213.388	216.303	211.072			
51	T	2.1460	4.0389	4.1637	2.1481	2.0778	4.0075	4.0129					
	S	213.823	210.510	198.632	205.044	210.997	213.010	212.723	215.878	209.598			
52	T	2.1486	4.0574		2.1423		4.0006		2.1374				
	S	213.564	209.550	+	205.599	+	213.377	212.850	+	<del></del>			
53	T	2.1483	4.0865	·	2.1479		4.0031	<del></del>	•	<del></del>		<u> </u>	
<u> </u>	S	213.594	208.058		205.063								
54	Т	2.1479	4.1542	1	2.1448		3.9997						
<u> </u>	S	213.634	204.667	199.158	205.359		213.425		215.838				
55	T	2.1464	4.0448		2.1474	2.0751	4.0005		2.1414			ļ	
<u> </u>	S	213.783	210.203	198.876	205.111	211.271	213.382	212.442	215.556	•		<u> </u>	
56	T	2.1489	4.0730		2.1540		4.0119		2.1438			<u> </u>	
	S	213.534	208.747		204.482		212.776		215.314			<u> </u>	
57	Т	2.1488	4.1598		2.1572								
	S	213.544	204.391	197.702	204.179	210.571	212.824	212.252	215.405	208.136			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

#### Section Data for Car 9 - Dixon, Scott

Lap		SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1474	4.130	1 4.1754	2.1543	2.0800	4.0064	4.0197	2.1413	24.8546		Ì	
58	S	213.683			1	1		1					
	Т	2.1450	+	_	+		-			1			
59	S	213.922	+		1		212.057	+	+	1			
<u> </u>	T	2.1495	+				4.0181	•		1			
60	S	213.475	205.329	9 197.334	203.839	210.399	212.448	212.173	215.405	208.108			
	Т	2.1458	4.142	1 4.1864	2.1564	2.0790	4.0082	4.0215	2.1402	24.8796			
61	S	213.843	205.26	197.555	204.255	210.875	212.972	212.268	215.677	208.363			
62	T	2.1476	4.1072	4.1728	2.1519	2.0745	3.9965	4.0092	2.1369	24.7966			
62	S	213.663	207.00	198.199	204.682	211.332	213.596	212.919	216.010	209.061			
63	T	2.1409				2.0835	4.0084			24.9450			
	S	214.332	203.53	196.392	203.199	210.420	212.962	212.384	216.020	207.817			
64	T	2.1435			2.1678	2.0851	4.0178	4.0238	2.1362	24.9724			
	S	214.072	203.598	195.880	203.180	210.258	212.464	212.147	216.080	207.589			
65	LT	2.1391	4.119	4.1744	2.1486	2.0691	3.9891	4.0058	2.1316	24.7772			
	S	214.512						-					
66	T	2.1378	4.126	4.2065					2.1304	24.8498			
	S	214.643	+		+	<del>•                                      </del>	213.548	+					
67	L	2.1357	•		÷	÷	4.0048						
	S	214.854		_	202.984		213.153	•		1			Į
68	T	2.1335					3.9804	-					
	S	215.076											
69	Т	2.1281	+		1	1		1	<del></del>	1			
	S	215.621	+	<del></del>				+	+	•			
70	T	2.1225				1			1	1			
	S	216.190											
71	T	2.1124											
<u> </u>	S	217.224	1	_	<del></del>	<del>•                                      </del>	215.636	+	1	1			1
72	T	2.1044	+	<del></del>	+		4.0077	•	+	+			-
	S	218.050			1	1	212.999			1		<del>                                     </del>	+
73	T	2.1064						-			ļ	<del>                                     </del>	+
-	S	217.843					210.566		1	1		<del>                                     </del>	-
74	T	2.1276	+		+	+	-						1
<u> </u>	S	215.672	+		+	÷		•	1			<del>                                     </del>	+
75	T	2.1570	1	-1	1	1		1	1	1			
-	S	212.732	188.36										+
76	T	2.2184				_						-	+
	S	206.844	181.91	185.740	200.544	213.047	198.946	206.997	216.679	198.286			

Round 1

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

#### Section Data for Car 9 - Dixon, Scott

Lap		F to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1532	4.4995	4.3967	2.2250	2.6283	6.2053	6.5606	3.2294				
77	S	213.108			197.957		137.566	130.116					
70	Т	3.5363	7.1675	8.5067	4.2288	4.4366	9.1441	8.9078	4.7010	50.6288			
78	S	129.758	118.623	97.223	104.156	98.816	93.354	95.830	98.190	102.392			
70	Т	4.8791	8.3390	9.4002	5.0697	4.7624	9.3788	8.6196	4.5146	54.9634			
79	S	94.047	101.958	87.982	86.880	92.056	91.018	99.034	102.244	94.317			
80	Т	4.5903	8.6677	8.8975	4.8250	4.9724	10.5399	<u>'</u>		59.5758	28.0604	ļ.	52.1711
80	S	99.964	98.091	92.953	91.286	88.169	80.991			87.015	32.110	)	90.515
81	T			9.0081	3.6537	3.8241	7.5433	6.6976	3.4804	65.6798		45.0241	
01	S			91.811	120.550	114.644	113.165	127.454	132.626	78.928		104.944	
82	Т	3.4162	6.9177	7.0955	3.0736	2.7759	6.7262	7.8004	4.4448	42.2503			
62	S	134.320	122.906	116.559	143.302	157.934	126.912	109.435	103.850	122.697			
83	Т	4.8004	8.8462	8.5893	4.3847	4.0392	8.5257	8.8054	5.3049	53.2958			
65	S	95.589	96.112	96.288	100.453	108.539	100.125	96.945	87.012	97.268			
84	Т	4.7239	8.7297	8.7166	4.5248	4.7636	8.8542	8.4160	4.9694	53.6982			
04	S	97.137			97.342	92.033	96.410		92.887				
85	Т	4.8454			3.9912	4.7037	8.6793		4.3262	52.6583			
	S	94.701	96.380	98.754	110.356	93.205	98.353	95.741	106.697	98.446			
86	I	4.2592	7.8068		4.2053		8.7789		2.8648				
	S	107.735	108.909	106.170	104.738	106.345	97.237	110.337	161.125	108.990			
87	LI	2.6446			2.1767		4.1122						
	S	173.510			202.350		207.586		218.474				
88	LI	2.1180		+	2.1409	+	3.9464	+	2.0808				
	S	216.649	•	÷	205.733			•	221.833				
89	ഥ	2.1323	1			1		1	1	1			
	S	215.197	196.389		204.910		216.681						
90	ഥ	2.1861	4.2731		2.1381		3.9351						
	S	209.901	198.972	+	206.003	+	216.929	+	1	+		ļ	
91	ഥ	2.0997	3.9281	÷	2.1227	+	3.9776	•	<del>•                                      </del>	+		ļ	
	S	218.538		1	207.497		214.611		1	1		<u> </u>	
92	LI	2.1454	1		2.1198		3.9690	-	2.1327				
	S	213.883	215.367		207.781		215.076			1			
93	I	2.1427	4.0423	+	2.1384			•	<del></del>				
<u> </u>	S	214.152	210.333	÷	205.974	•		-	<del>•                                      </del>			<b>_</b>	ļ
94	듸	2.1475		1	2.1335	•	3.9876	1	2.1373	1		<b>_</b>	
<u> </u>	S	213.673	210.656		206.447		214.073						
95	듸	2.1465					3.9875		2.1413			<u> </u>	
	S	213.773	212.366	201.630	206.796	212.593	214.078	213.137	215.566	210.921			

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

Round 1



Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1511	4.0509	4.1444	2.1472	2.0759	4.0042	4.0240	2.1457	24.7434			
90	S	213.316	209.886	199.557	205.130	211.190	213.185	212.136	215.124	209.510			
97	T	2.1536	4.0836	4.1468	2.1491	2.0759	4.0150	4.0246	2.1472	24.7958			
97	S	213.068	208.205	199.442	204.948	211.190	212.612	212.105	214.973	209.068			
98	T	2.1527	4.0783	4.1413	2.1479	2.0750	4.0093	4.0246	2.1469	24.7760			
96	S	213.157	208.476	199.707	205.063	211.281	212.914	212.105	215.003	209.235			
99	Т	2.1541	4.0879	4.1589	2.1532	2.0791	4.0169	4.0317	2.1498	24.8316			
99	S	213.019	207.986	198.862	204.558	210.865	212.511	211.731	214.713	208.766			
100	Т	2.1538	4.0637	4.1480	2.1499	2.0767	4.0146	4.0371	2.1528	24.7966			
100	S	213.048	209.225	199.384	204.872	211.109	212.633	211.448	214.414	209.061			
101	Т	2.1544	4.0712	4.1289	2.1419	2.0709	4.0042	4.0292	2.1501	24.7508			
101	S	212.989	208.839	200.306		211.700	213.185	211.862	214.683	209.448			
102	Т	2.1529	4.0763	4.1802	2.1611	2.0848	4.0220	4.0412	2.1540	24.8725			
102	S	213.137	208.578	197.848	203.810	210.288	212.242	211.233	214.295	208.423			
103	T	2.1557	4.0744	4.1619	2.1541	2.0793	4.0157	4.0368	2.1496	24.8275			
103	S	212.861	208.675	198.718	204.473	210.845	212.575	211.464	214.733	208.801			
104	T	2.1530	4.0643	4.1754	2.1587	2.0811	4.0189	4.0376	2.1505	24.8395			
104	S	213.128	209.194	198.076	204.037	210.662	212.405	211.422	214.644	208.700			
105	Т	2.1526	4.0469	4.1533	2.1481	2.0721	4.0059	4.0279	2.1455	24.7523			
103	S	213.167	210.093	199.130	205.044	211.577	213.095	211.931	215.144	209.435			
106	Т	2.1480	4.0760	4.1631	2.1504	2.0732	4.0047	4.0281	2.1449	24.7884			
100	S	213.624	208.594	198.661	204.824	211.465	213.159	211.920	215.204	209.130			
107	LI	2.1475	4.1500	4.1882	2.1649	2.0858	4.0207	4.0347	2.1457	24.9375			
107	S	213.673	204.874	197.470	203.453	210.188	212.310	211.574	215.124	207.880			
108	工	2.1466	4.0889	4.1689	2.1528	2.0739	4.0068	4.0281	2.1451	24.8111			
100	S	213.763	207.935	198.385	204.596	211.394	213.047	211.920	215.184	208.939			
109	Т	2.1451	4.1253				4.0150		2.1416	24.9062			
	S	213.912	206.101	196.822	+	210.601	212.612	211.742	215.536	208.141			
110	T	2.1450			•	2.0686	3.9930	•	2.1358	24.7949			
	S	213.922	206.586		1	211.935	213.783	212.914	216.121	209.075			
111	T	2.1378	4.1089			2.0744	3.9897	4.0089	2.1346	24.8281			
	S	214.643	206.923	196.331	1	211.343	213.960	212.935	216.242	208.796			
112	T	2.1379	4.1295	+	+	2.0816	4.0026	4.0112	-	24.8993			
	S	214.633	205.891	195.256		210.612	213.270	212.813	216.984	208.199			
113	T	2.1296	4.1126		1	2.0728	3.9862	3.9934	2.1189	24.7952			
	S	215.469	206.737		1		214.148		217.845	209.073			
114	Т	2.1183	4.1982		1	2.0745	3.9965		2.1191	24.9284			
	S	216.619	202.522	194.626	202.937	211.332	213.596	213.302	217.824	207.956			

**Texas Motor Speedway** 1.5 mile(s)



**Session:** June 6, 2020 MDYCAR Race

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	Т	2.1153	4.2137	4.2854	2.1810	2.0759	4.0112	4.0070	2.1143	25.0038			
113	S	216.926	201.777	192.991	201.951	211.190	212.813	213.036	218.319	207.328			
116	Т	2.1274	4.3627	4.3515	2.1910	2.0820	4.0770	4.0336	2.1146	25.3398			
110	S	215.692	194.886	190.060	201.029	210.571	209.379	211.631	218.288	204.579			
117	Т	2.1156	4.2375	4.3103	2.1901	2.0896	4.0070	4.0072	2.1210	25.0783			
	S	216.895	200.644	191.877	201.112	209.805	213.036	213.026	217.629	206.713			
118	Т	2.1244	4.2329	4.2530	2.1646	2.0706	3.9785	3.9821	2.1034	24.9095			
110	S	215.997	200.862	194.462	203.481	211.730	214.562	214.368	219.450	208.113			
119	Т	2.1018	4.1906	4.3175	2.1844	2.0761	3.9912	4.0695	2.1488	25.0799			
119	S	218.319	202.889	191.557	201.636	211.170	213.880	209.764	214.813	206.699			
120	Т	2.1354	4.2640	4.3202	2.1877	2.0760	4.0327	4.0049	2.1089	25.1298			
120	S	214.884	199.397	191.437	201.332	211.180	211.679	213.148	218.878	206.289			
121	Т	2.1295	4.3580	4.4426	2.2201	2.4505	6.3978			37.7085	26.5144		30.3145
121	S	215.480	195.096	186.162	198.394	178.906	133.427			137.476	33.982		155.776
122	Т				3.1795	2.6673	4.6718	4.3544	2.2443	54.2432		35.1228	
122	S				138.530	164.364	182.721	196.040	205.673	95.570		134.528	
123	Т	2.2224	4.1589	4.1594	2.1438	2.0727	4.0355	3.9953	2.1842	24.9722			
123	S	206.472	204.436	198.838	205.455	211.516	211.532	213.660	211.332	207.591			
124	T	2.1790	4.3973	4.2426	2.1322	2.0321	3.9700	3.9491	2.0724	24.9747			
124	S	210.585	193.352	194.938	206.573	215.742	215.022	216.160	222.733	207.570			
125	Т	2.1059	4.2967	4.2545	2.1421	2.0410	3.9300	3.9132	2.0663	24.7497			
123	S	217.894	197.879	194.393	205.618	214.801	217.210	218.143	223.390	209.457			
126	T	2.1343	4.3052	4.1800	2.1154	2.0204	4.0053	3.9754	2.0948	24.8308			
120	S	214.995	197.488	197.858	208.213	216.991	213.127	214.730	220.351	208.773			
127	Т	2.1186	4.3012	4.2434	2.1406	2.0381	4.0253	3.9607	2.0780	24.9059			
127	S	216.588	197.672	194.902	205.762	215.107	212.068	215.527	222.132	208.143			
128	T	2.1801	4.3948	4.2208	2.1289	2.0294	4.0133	3.9461	2.0707	24.9841			
120	S	210.478	193.462	195.945	206.893	216.029	212.702	216.324	222.915	207.492			
129	T	2.1477	4.3544	4.1937	2.1142	2.0714	4.1293	4.0133	2.0985	25.1225			
123	S	213.654	195.257	197.211	208.332	211.649	206.727	212.702	219.962	206.349			
130	Т	2.1228	4.3030	1		2.0354	4.0827	4.0044	2.0974	25.0193			
	S	216.160	197.589	195.334	205.858	215.392	209.086	213.175	220.078	207.200			
131	Т	2.1515	4.3866	4.2700	2.1494	2.0571	4.0790	3.9943	2.0877	25.1756			
	S	213.276	193.824	193.687	204.920	213.120	209.276	213.714	221.100	205.914			
132	T	2.1569	4.4197	4.3128		2.0577	3.9989	3.9558	2.0897	25.1664			
	S	212.742	192.372	191.765	202.517	213.058	213.468	215.794	220.889	205.989			
133	Т	2.1617	4.3738			2.0405	4.0567	4.0383	2.1177	25.1808			
	S	212.270	194.391	194.700	205.407	214.854	210.426	211.385	217.968	205.871			

Track:

Section Data for Car 9 - Dixon, Scott

Round 1

Track: **Texas Motor Speedway** 1.5 mile(s)

**NTT IndyCar Series Section Data Report** Report: **Session:** Race

June 6, 2020 MDYCAR

Round 1

TAG

#### Section Data for Car 9 - Dixon, Scott

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	Т	2.1273	4.3010	4.2652	2.1552	2.0463	3.9350	3.9164	2.0753	24.8217			
134	S	215.702	197.681	193.905	204.368	214.245	216.934	217.965	222.421	208.850			
135	Т	2.1575	4.3959	4.2444	2.1478	2.0399	4.0033	3.9544	2.0754	25.0186			
135	S	212.683	193.414	194.856	205.072	214.917	213.233	215.870	222.411	207.206			
136	T	2.1338	4.4064	4.2539	2.1515	2.0679	4.2009	4.0757	2.1292	25.4193			
130	S	215.045	192.953	194.421	204.720	212.007	203.203	209.445	216.791	203.940			
137	Т	2.1286	4.3258	4.2728	2.1581	2.0686	4.0670	4.0020	2.1099	25.1328			
137	S	215.571	196.548	193.561	204.094	211.935	209.893	213.302	218.774	206.264			
138	Т	2.1303	4.3180	4.2573	2.1512	2.0582	4.0845	4.0186	2.1142	25.1323			
136	S	215.399	196.903	194.265	204.748	213.006	208.994	212.421	218.329	206.268			
139	T	2.1293	4.3113	4.2600	2.1495	2.0590	4.1443	4.0372	2.1160	25.2066			
139	S	215.500	197.209	194.142	204.910	212.923	205.978	211.443	218.143	205.660			
140	Т	2.1289	4.3281	4.2082	2.1275	2.0421	4.0661	3.9940	2.0977	24.9926			
140	S	215.540	196.444	196.532	207.029	214.685	209.940	213.730	220.046	207.421			
141	Т	2.1195	4.3201	4.2348	2.1362	2.0562	4.2024	4.0796	2.1359	25.2847			
141	S	216.496	196.807	195.297	206.186	213.213	203.131	209.245	216.111	205.025			
142	T	2.1281	4.2649	4.2523	2.1470	2.0602	4.1921	4.0799	2.1305	25.2550			
142	S	215.621	199.355	194.494	205.149	212.799	203.630	209.230	216.658	205.266			
143	Т	2.1206	4.2449	4.2088	2.1331	2.0608	4.1717	4.0497	2.1204	25.1100			
145	S	216.384	200.294	196.504	206.486	212.737	204.626	210.790	217.690	206.452			
144	T	2.1288	4.2683	4.2898	2.1625	2.0508	4.0900	4.0391	2.1226	25.1519			
	S	215.550	199.196	192.793	203.678	213.775	208.713	211.343	217.465	206.108			
145	T	2.1557	4.3783	4.2646	2.1614	2.0534	4.0547	4.0356	2.1131	25.2168			
143	S	212.861	194.191	193.933	203.782	213.504	210.530	211.527	218.443	205.577			
146	LT	2.1327	4.3395	4.2658		2.0811	4.3393	4.1403	2.1520	25.5962			
140	S	215.156	195.927	193.878	205.292	210.662	196.722	206.177	214.494	202.530			
147	Т	2.1340		4.2675	2.1515	2.0518	4.1183			25.1662			
	S	215.025	199.800	193.801	204.720	-	207.279	-	<del> </del>	205.991			
148	T	2.1320	4.3543	4.2613	2.1414	2.0841	4.2742	4.1316	•	25.5254			
	S	215.227	195.262	194.083	1	210.359	199.718	206.612		203.092			
149	T	2.1363	4.2928	4.2713	2.1521	2.0476	4.1337	4.0727	2.1348				
	S	214.794	198.059	193.629	204.663	214.109	206.507	209.600		205.378			
150	Т	2.1425	4.3091	4.2406	2.1437	2.0456	4.1223	4.0466	<del> </del>	25.1717			
	S	214.172	197.310	195.030	205.465	214.318	207.078	210.952	217.598	205.946			
151	T	2.1217	4.3018	4.3914	2.2039	2.0821	4.0624			25.3386			
	S	216.272	197.645	188.333	199.852	210.561	210.131						
152	Т	2.1250		4.3845	2.1921	2.0831	4.1620						
	S	215.936	194.498	188.629	200.928	210.460	205.102	209.250	216.202	203.035			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 9 - Dixon, Scott

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	Т	2.1300	4.2752	4.2632	2.1550	2.0595	4.1097	4.0449	2.1247	25.1622			
153	S	215.429	198.874	193.996	204.387	212.872	207.713	211.040	217.250	206.023			
154	Т	2.1295	4.3197	4.2885	2.1634	2.0606	4.0657	4.0445	2.1183	25.1902			
154	S	215.480	196.826	192.852	203.594	212.758	209.960	211.061	217.906	205.794			
155	T	2.1058	4.2403	4.2674	2.1771	2.0871	4.3442	4.2572	2.1969	25.6760			
155	S	217.905	200.511	193.805	202.313	210.057	196.500	200.516	210.110	201.901			
156	Т	2.1657	4.2004	4.2470	2.1543	2.3141	6.0791			36.0055	26.0362		28.5875
150	S	211.878	202.416	194.736	204.454	189.451	140.422			143.978	34.607		165.187
157	T				3.1791	2.6556	4.6356	4.3108	2.2219	53.5911		34.9729	
13/	S				138.547	165.089	184.148	198.023	207.746	96.732		135.105	
158	T	2.1952	4.0237	4.0812	2.1097	2.0406	4.0903	4.1742	2.2069	24.9218			
136	S	209.030	211.305	202.648	208.776	214.843	208.698	204.503	209.158	208.011			
159	Т	2.1763	4.4200	4.2695	2.1402	2.0703	4.0635	3.9468	2.0755	25.1621			
139	S	210.846	192.359	193.710	205.801	211.761	210.074	216.286	222.400	206.024			
160	T	2.1044	4.3375	4.2209	2.1385	2.0402	3.9393	3.8945	2.0707	24.7460			
100	S	218.050	196.018	195.941	205.964	214.885	216.697	219.190	222.915	209.488			
161	T	2.1491	4.2968	4.1500	2.1034	2.0062	4.1026	4.0173	2.1065	24.9319			
101	S	213.514	197.875	199.288	209.401	218.527	208.072	212.490	219.127	207.926			
162	T	2.1128	4.2469	4.1370	2.1105	2.0274	4.0256	3.9447	2.0807	24.6856			
102	S	217.183	200.200	199.914	208.697	216.242	212.052	216.401	221.844	210.001			
163	T	2.1138	4.2777	4.4664	2.2305	2.1184	4.1282	4.0475	2.1144	25.4969			
105	S	217.080	198.758	185.170	197.469	206.953	206.782	210.905	218.308	203.319			
164	T	2.1206	4.2225	4.1512	2.1091	2.0258	4.0703	3.9770	2.0886	24.7651			
107	S	216.384	201.356	199.230	208.835	216.413	209.723	-	221.005	209.327			
165	T	2.1322	4.3005	4.2244	2.1380	2.0453	4.1213	4.0174	2.0975	25.0766			
105	S	215.207	197.704	195.778	206.012	214.350	-		220.067	206.727			
166	T	2.1339	4.3042	4.2210			3.9780						
100	S	215.035	197.534	195.936	+	211.997	214.589	217.017	222.711	208.266			
167	T	2.1417	4.4037	4.2847	2.1539	•	4.0964			25.2532		ļ	
	S	214.252	193.071	193.023	1	211.343	208.387	213.569		205.281			
168	T	2.1365	4.3185	4.3002		2.0617	4.0794			25.1633			
	S	214.774	196.880	192.327	203.293	212.644	209.255	212.861	220.846	206.014			
169	T	2.1492	4.3653	4.2595	+	2.0240		4.0464	2.1190				
	S	213.504	194.769	194.165		216.605	207.885	210.962	217.834	205.636			
170	T	2.1192	4.2638	4.2704	1		3.9937	4.0231	2.1061	24.9824			
	S	216.527	199.406	193.669	1	214.046	213.746						
171	Т	2.1060	4.5027	4.4248	1				2.0864	25.4473			
	S	217.884	188.826	186.911	199.771	209.735	211.150	213.971	221.238	203.715			

1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series Section Data Report** Report:

**Session:** June 6, 2020 MDYCAR Race

#### Section Data for Car 9 - Dixon, Scott

Track:

Lap		SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	<u>т</u>	2.1147											
172	S	216.988			1		212.178						
	Т	2.1557					4.0359	1		25.1284			
173	S	212.861				<del></del>	<del> </del>	213.249	1	206.300			
474	Т	2.1257	<del>-</del>		<del></del>	•	4.0885	•	<del>•                                      </del>	•			
174	S	215.865	195.84	6 192.090	1	1	208.790		220.120	205.719			
4	Т	2.1283	1		1		-	1	2.1051	25.2780			
175	S	215.601	193.92	1 190.125	201.803	212.007	210.998	212.665	219.273	205.080			
176	Т	2.1457	4.338	0 4.3029	2.1628	2.0512	4.0670	4.0352	2.1108	25.2136			
176	S	213.853	195.99	5 192.207	203.650	213.733	209.893	211.547	218.681	205.603			
177	Т	2.1197	4.307	1 4.3147	2.1661	2.0550	4.0423	4.0406	2.1149	25.1604			
	S	216.476	197.40	1 191.681	203.340	213.338	211.176	211.265	218.257	206.038			
178	Т	2.1349	4.380	2 4.3147	2.1644	2.0528	4.0754	4.0391	2.1097	25.2712			
178	S	214.934	194.10	7 191.681	203.500	213.566	209.461	211.343	218.795	205.135			
179	T	2.1476	4.380	3 4.3259	2.1758	2.0641	4.0555	4.0204	2.1059	25.2755			
1/9	S	213.663	194.10	3 191.185	202.433	212.397	210.489	212.326	219.189	205.100			
180	T	2.1485	4.410	1 4.3360	2.1866	2.0727	4.0471	4.0195	2.1084	25.3289			
100	S	213.574	192.79	1 190.739	201.434	211.516	210.925	212.374	218.929	204.667			
181	T	2.1243	<del>-</del>	_	<del>-</del>	•	4.0230		<del>•                                      </del>	•			
	S	216.007				•	212.189		219.492	204.643			
182	T	2.1257					4.0146						
	S	215.865		_		212.284	212.633			206.698			
183	T	2.1389	+			<del></del>	4.0542	+	2.1240				
	S	214.533	<del>-</del>			<del>•                                      </del>	210.556		217.322	205.507			
184	T	2.1420	1	_						1			
	S	214.222				209.615		212.469					
185	T	2.1373		_		2.0782	4.0055						
	S	214.693				210.956	213.116	+	216.425	1			
186	T	2.1392	+		+	<del>•                                      </del>			2.1316	<del>•                                      </del>			
	S	214.502		_	1	1			216.547	209.061			
187	T	2.1369					3.9924	1					
-	S	214.733			_		213.815						
188	T	2.1336	<del></del>		+				1	1			
-	S	215.065	•		÷	•	213.826	•	217.178	·	25 7200		20.007.4
189	S	2.1308	+		+	1			-	36.3942	25.7388		28.9974
	T	215.348	208.59	4 195.487		180.728 2.6530	138.022 4.6831		2.2075	142.440 53.2463	35.006	34.9043	162.852
190	S			+	3.1661								
	5				139.116	165.250	182.280	198.018	209.101	97.359		135.370	

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series


Session: Race June 6, 2020 NOVCAR

#### Section Data for Car 9 - Dixon, Scott

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
101	Т	2.1667	4.182	0 4.1446	2.1153	2.0946	4.5812	5.3225	3.6743	28.2812			
191	S	211.780	203.30	6 199.548	208.223	209.304	186.335	160.383	125.627	183.302			
102	T	4.0625	7.258	4 11.9528	5.1486	4.6869	10.1135	9.9850	5.5109	58.7186			
192	S	112.951	117.13	7 69.193	85.548	93.539	84.406	85.492	83.760	88.285			
193	T	5.2187	10.132	9.1575	4.6141	5.4152	9.9379	9.3577	4.8427	58.6766			
193	S	87.927	83.90	8 90.313	95.458	80.959	85.897	91.223	95.317	88.349			
194	Т	5.5843	10.721	9 11.6419	6.5502	5.1472	11.3026	11.3673	5.6519	67.9673			
194	S	82.170	79.29	8 71.040	67.243	85.174	75.526	75.096	81.670	76.272			
195	T	6.0821	11.083	4 10.9958	5.0970	6.5490	12.0212	12.1737	6.5508	70.5530			
195	S	75.445	76.71	2 75.215	86.414	66.943	71.011	70.121	70.463	73.477			
196	T	6.5005	11.827	3 11.3461	5.7183	5.6025	9.4042	8.4353	4.5391	63.3733			
190	S	70.589	71.88	7 72.892	77.025	78.252	90.772	101.198	101.692	81.801			
197	T	4.7691	9.432	9.1367	4.7309	4.7936	9.0557	5.7345	2.5808	50.2336			
197	S	96.216	90.14	0 90.519	93.102	91.457	94.265	148.860	178.856	103.198			
198	T	2.4867	4.386	0 4.2377	2.1742	2.0981	4.0317	4.0247	2.1392	25.5783			
196	S	184.527	193.85	0 195.164	202.582	208.955	211.731	212.099	215.777	202.672			
199	T	2.1492	3.979	1 4.0457	2.1059	2.0422	3.9527	3.9721	2.1201	24.3670			
199	S	213.504	213.67	3 204.426	209.153	214.675	215.963	214.908	217.721	212.747			
200	I	2.1348	3.913	3 4.0007	2.0970	2.0346	3.9451	3.9699	2.1168	24.2122			
200	S	214.945	217.26	6 206.725	210.040	215.477	216.379	215.027	218.061	214.107			
201	T	2.2588	5.384	4 7.2307	4.8870	5.3458							
201	S	203.145	157.90	6 114.380	90.128	82.010							

Track: Texas Motor Speedway 1.5 mile(s)

NTT IndyCar Series





#### Section Data for Car 98 - Andretti, Marco

Race

Report:

**Session:** 

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	Т	2.8009	5.3098	4.6687	2.2850	2.1532	4.4866	4.1587	2.1250	27.9879		56.7395	
1	S	163.827	160.124		-	203.608	190.264	-	217.219	185.223		83.275	
_	Т	2.1150	4.2934	4.3685	2.1637	2.1040	4.2373	4.1087	2.1283	25.5189			
2	S	216.957	198.031	189.320	203.565	208.369	201.458	207.763	216.882	203.144			
	Т	2.1360	4.3303	4.2755	2.1920	2.0960	4.0729	4.0357	2.1165	25.2549			
3	S	214.824	196.344	193.438	200.937	209.165	209.589	211.521	218.092	205.267			
_	Т	2.1181	4.1499	4.2260	2.1426	2.0472	4.0701	4.0374	2.1215	24.9128			
4	S	216.639	204.879	195.704	205.570	214.151	209.734	211.432	217.578	208.086			
-	Т	2.1152	4.1682	4.2484	2.1558	2.0543	4.0543	4.0320	2.1176	24.9458			
5	S	216.936	203.979	194.672	204.311	213.410	210.551	211.715	217.978	207.811			
•	Т	2.1436	4.2419	4.2922	2.1799	2.0772	4.0719	4.0514	2.1323	25.1904			
6	S	214.062	200.435	192.686	202.053	211.058	209.641	210.702	216.476	205.793			
7	Т	2.1337	4.2445	4.2311	2.1551	2.0567	4.0291	4.0208	2.1280	24.9990			
/	S	215.055	200.313	195.468	204.378	213.161	211.868	212.305	216.913	207.368			
	Т	2.1167	4.1745	4.2655	2.1675	2.0621	4.0361	4.0290	2.1278	24.9792			
8	S	216.783	203.672	193.892	203.209	212.603	211.500	211.873	216.933	207.533			
0	T	2.1302	4.1963	4.2230	2.1609	2.0665	4.0343	4.0358	2.1260	24.9730			
9	S	215.409	202.614	195.843	203.829	212.151	211.595	211.516	217.117	207.584			
10	T	2.1205	4.1628	4.2173	2.1446	2.0464	4.1754	4.1047	2.1504	25.1221			
10	S	216.394	204.244	196.108	205.378	214.234	204.444	207.966	214.654	206.352			
11	Т	2.1408	4.1870	4.3801	2.2238	2.1048	4.0222	4.0189	2.1309	25.2085			
11	S	214.342	203.064	188.819	198.064	208.290	212.231	212.405	216.618	205.645			
12	T	2.1332	4.2004	4.2709	2.1807	2.0767	3.9893	3.9997	2.1221	24.9730			
12	S	215.106	202.416	193.647	201.979	211.109	213.981	213.425	217.516	207.584			
13	T	2.1227	4.1293	4.2577	2.1681	2.0689	4.0142	4.0304	2.1294	24.9207			
13	S	216.170	205.901	194.247	203.152	211.904	212.654	211.799	216.770	208.020			
14	T	2.1266	4.1561	4.3201	2.1891	2.0792	4.0342	4.0425	2.1347	25.0825			
14	S	215.773	204.573	191.441	201.203	210.855	211.600	211.165	216.232	206.678			
15	Т	2.1390	4.2682	4.2927	2.1874	2.0778	4.0584	4.0744	2.1435	25.2414			
15	S	214.523	199.200	192.663	201.360	210.997	210.338	209.512	215.344	205.377			
16	Т	2.1418	4.3045	4.3680	2.2061	2.0895	4.0958	4.1048	2.1653	25.4758			
10	S	214.242	197.521	189.342	199.653	209.815	208.417	207.961	213.176	203.487			
17	Т	2.1663	4.2681	4.3129	2.1932	2.0844	4.0675	4.0739	2.1524	25.3187			
1/	S	211.819	199.205	191.761	200.827	210.329	209.868	209.538	214.454	204.750			
18	Т	2.1431	4.2030	4.2748	2.1800	2.0726	4.0563	4.0409	2.1349	25.1056			
19	S	214.112	202.291	193.470	202.043	211.526	210.447	211.249	216.212	206.488			
10	Т	2.1335	4.2315	4.3067	2.1792	2.0688	4.0719	4.0475	2.1394	25.1785			
19	S	215.076	200.928	192.037	202.118	211.915	209.641	210.905	215.757	205.890			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

## Section Data for Car 98 - Andretti, Marco

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	2.1369	4.2081	4.2575	2.1578	2.0521	4.1103	4.0769	2.1369	25.1365			
	S	214.733	202.045	194.256	204.122	213.639	207.682	209.384	216.010	206.234			
21	Т	2.1283	4.2590	4.3917	2.2188	2.0954	4.1243	4.0763	2.1392	25.4330			
	S	215.601	199.631	188.320	198.510	209.225	206.977	209.415	215.777	203.830			
22	Т	2.1364	4.2735	4.3352	2.2008	2.0888	4.1370	4.0879	2.1421	25.4017			
	S	214.784	198.953	190.774	200.134	209.886	206.342	208.820	215.485	204.081			
23	Т	2.1482	4.3163	4.3124	2.1916	2.0814	4.0496	4.0598	2.1438	25.3031			
	S	213.604	196.981	191.783	200.974	210.632	210.795	210.266	215.314	204.876			
24	Т	2.1308	4.2350	4.3378	2.2073	2.0892	4.1480	4.1259	2.1634	25.4374			
24	S	215.348	200.762	190.660	199.544	209.845	205.795	206.897	213.364	203.794			
25	Т	2.1606	4.2721	4.3037	2.1830	2.0781	4.0843	4.0675	2.1478	25.2971			
25	S	212.378	199.019	192.171	201.766	210.966	209.004	209.868	214.913	204.925			
26	T	2.1520	4.2834	4.3227	2.1951	2.0825	4.0597	4.0553	2.1414	25.2921			
26	S	213.227	198.494	191.326	200.654	210.521	210.271	210.499	215.556	204.965			
27	Т	2.1264	4.2098	4.2700	2.1664	2.0678	4.1080	4.0569	2.1328	25.1381			
	S	215.794	201.964	193.687	203.312	212.017	207.799	210.416	216.425	206.221			
28	Т	2.1325	4.2013	4.5116	2.2424	2.1138	4.1401	4.0681	2.1390	25.5488			
20	S	215.176	202.372	183.315	196.421	207.403	206.187	209.837	215.798	202.906			
29	Т	2.1464	4.3241	4.3420	2.1938	2.0921	4.2263	4.1219	2.1623	25.6089			
29	S	213.783	196.625	190.476	200.772	209.555	201.982	207.098	213.472	202.430			
30	Т	2.1652	4.2860	4.3548	2.2013	2.0850	4.0794	4.0396	2.1319	25.3432			
	S	211.927	198.373	189.916	200.088	210.268	209.255	211.317	216.516	204.552			
31	T	2.1474	4.3443	4.4295	2.2429	2.1117	4.1337	4.1227	2.1610	25.6932			
	S	213.683	195.711	186.713	196.377	207.610	206.507	207.058	213.601	201.765			
32	T	2.1854	4.4149	4.4209	2.2624	2.1362	4.2237	4.1671	2.1718	25.9824			
	S	209.968	192.581	187.076	194.685	205.228	202.106	204.851	212.538	199.520			
33	T	2.1656	4.3014	4.5204	2.3038		4.5501	4.3222	2.2093				
	S	211.888	197.663	<del></del>	<del></del>	1	187.608		208.931	195.266			
34	T	2.2059	4.5242		<del>•</del>	2.1608	4.1791	·	2.1513	•			
	S	208.017	187.929	180.035	191.777	202.892	204.263	208.652	214.564	197.840			
35	T	2.1590	4.4152			1	4.1135		2.1572				
	S	212.535	192.568			202.377	207.521	210.198	213.977	200.071			
36	T	2.1631	4.3214	4.4521	2.2772		6.1985			37.2377	28.4128		29.8022
	S	212.132	196.748	185.765	193.419	•	137.717			139.214	31.712		158.454
37	LT.			8.5845	3.1702		4.7464	<del></del>	2.3488	56.6161		35.6388	
	S			96.342	138.936				196.522	91.564		132.580	
38	T	2.4593	5.3849	5.7768	2.9138		6.8699		3.2402	36.3570			
	S	186.583	157.891	143.167	151.162	143.510	124.257	128.228	142.458	142.586			

Round 1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 98 - Andretti, Marco

Lap				SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	Т	3.0684	5.9784	5.9536	3.1291	3.9279	10.7513	10.1712	5.6017	48.5816			
39	S	149.545	142.217	138.915	140.761	111.614	79.398	83.927	82.402	106.707			
40	Т	5.2988	8.8655	8.8860	5.4075	5.4402	10.1671	9.1359	5.0668	58.2678			
40	S	86.598	95.903	93.073	81.453	80.587	83.961	93.438	91.101	88.969			
44	Т	4.8016	8.3341	8.2582	4.6812	4.4017	9.9278	11.0831	4.8878	56.3755			
41	S	95.565	102.018	100.148	94.090	99.600	85.984	77.021	94.437	91.955			
42	Т	5.3157	8.0165	8.6821	5.2305	4.8092	9.1592	9.2031	4.9835	55.3998			
42	S	86.322	106.060	95.259	84.209	91.161	93.200	92.755	92.624	93.574			
43	Т	5.3974	8.7316	9.6408	4.5497	4.7120	10.6207	9.0012	4.8925	57.5459			
43	S	85.016	97.374	85.786	96.810	93.041	80.375	94.836	94.347	90.085			
44	Т	4.9789	9.9887	9.5068	5.5193	5.2454	11.0342	9.5692	4.9439	60.7864			
44	S	92.162	85.119	86.995	79.803	83.580	77.363	89.207	93.366	85.282			
45	Т	5.3972	8.8804	9.3911	5.1178	4.9303	8.8238	10.8510	6.0819	59.4735			
45	S	85.019	95.742	88.067	86.063	88.921	96.742	78.669	75.896	87.165			
46	Т	4.0260	8.1256	9.0332	5.0796	3.9907	7.6071	5.5271	2.5025	45.8918			
40	S	113.975	104.636	91.556	86.710	109.858	112.216	154.446	184.452	112.961			
47	Т	2.4191	4.7440	4.4966	2.2310	2.1084	4.3151	4.1266	2.1299	26.5707			
4/	S	189.684	179.222	183.927	197.425	207.934	197.825	206.862	216.720	195.102			
48	T	2.1213	4.3374	4.3984	2.2026	2.1312	4.4293	4.1548	2.1269	25.9019			
	S	216.312	196.022	188.033	199.970	205.710	192.725	205.458	217.025	200.140			
49	T	2.1614	4.4513	4.4626	2.2163	2.0929	4.2319	4.0885	2.1297	25.8346			
	S	212.299	191.007	185.328	198.734	209.474	201.715	208.790	216.740	200.661			
50	ഥ	2.1113	4.1940	4.2855	2.1524	2.0521	4.1126	4.0291	2.1119	25.0489			
	S	217.337	202.725		204.634	213.639	207.566		218.567	206.955			
51	ഥ	2.1168	4.2348	4.2767	2.1648	2.0542	4.2054	4.1310	2.1566	25.3403			
	S	216.772	200.772		203.462	213.421	202.986		214.036	-			
52	Т	2.1418	4.2459		2.1970		4.0910		2.1303	25.2823			
	S	214.242	200.247				208.662	+	216.679	205.045			
53	T	2.1355	4.2293		2.1694		4.0079	+	2.1103			4	
	S	214.874	201.033			212.892	212.988	1	218.732	207.450		4	
54	Т	2.1200	4.2118		2.1903	2.0733	4.0426		2.1240				
<u> </u>	S	216.445	201.868			211.455	211.160		217.322	206.401			
55	T	2.1177	4.2229	<del> </del>	2.2023	2.0817	4.0636	<del>•                                      </del>	2.1281	25.1877		4	
	S	216.680	201.337	190.379	199.998	210.601	210.069		216.903	205.815			
56	T	2.1387	4.2593	•	2.2100		4.0772		2.1397	25.3301			
	S	214.553	199.617		199.301	209.725	209.368		215.727	204.658			
57	T	2.1349					4.0428		2.1280				
	S	214.934	202.730	191.557	201.341	211.068	211.150	211.642	216.913	206.409			1

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

# IndyCar Series June 6, 2020

Round 1

#### Section Data for Car 98 - Andretti, Marco

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	Т	2.1225	4.2054	4.3787	2.2127	2.0942	4.0508	4.0389	2.1346	25.2378			
36	S	216.190	202.175	188.879	199.058	209.344	210.733	211.354	216.242	205.406			
59	T	2.1369	4.2059	4.3519	2.2074	2.0902	4.0500	4.0349	2.1301	25.2073			
39	S	214.733	202.151	190.042	199.535	209.745	210.774	211.563	216.699	205.655			
60	T	2.1252	4.1892	4.3132	2.1905	2.0777	4.0522	4.0547	2.1355	25.1382			
- 60	S	215.916	202.957	191.748	201.075	211.007	210.660	210.530	216.151	206.220			
61	Т	2.1271	4.1915	4.4677	2.2671	2.1361	4.1278	4.0673	2.1444	25.5290			
01	S	215.723	202.846	185.117	194.281	205.238	206.802	209.878	215.254	203.063			
62	T	2.1456	4.2298	4.3717	2.2189	2.1015	4.0481	4.0179	2.1238	25.2573			
02	S	213.863	201.009	189.182	198.501	208.617	210.873	212.458	217.342	205.248			
63	Т	2.1361	4.2863	4.4029	2.2315	2.1108	4.0635	4.0307	2.1303	25.3921			
03	S	214.814	198.359	187.841	197.380	207.698	210.074	211.784	216.679	204.158			
64	T	2.1486	4.3132	4.4777	2.2666	2.1451	4.1015	4.0576	2.1421	25.6524			
04	S	213.564	197.122	184.703	194.324	204.377	208.128	210.380	215.485	202.086			
65	T	2.1476	4.2434	4.2958	2.1984	2.0937	4.0680	4.0476	2.1481	25.2426			
	S	213.663	200.365	192.524	200.352	209.394	209.842	210.899	214.883	205.367			
66	Т	2.1496	4.2242	4.3335	2.2144	2.1061	4.0329	4.0221	2.1328	25.2156			
	S	213.465	201.275	190.849	198.905	208.162	211.668	212.236	216.425	205.587			
67	Т	2.1376	4.1983	4.3095	2.2056	2.0970	4.0555	4.0361	2.1426	25.1822			
	S	214.663	202.517	191.912	199.698	209.065	210.489	211.500	215.435	205.860			
68	Т	2.1467	4.2193	4.3049	2.1968	2.0906	4.0529	4.0463	2.1430	25.2005			
	S	213.753	201.509	192.117	200.498	209.705	210.624	210.967	215.395	205.710			
69	口	2.1414	4.1866	4.3187	•	2.0970	4.1194	4.1306	2.1775	25.3768			
	S	214.282	203.083	191.503	199.698	209.065	207.223		211.982	204.281			
70	口	2.1706	4.2254	4.3158		2.1001	4.0799	4.0742	2.1635	25.3323			
	S	211.399	201.218		199.952	208.756	209.230		213.354	204.640			
71	T	2.1543	4.1897	4.3476		2.1077	4.1215		2.1556	25.3808			
<u></u>	S	212.999	202.933	190.230	<del></del>	208.004	207.118	+	214.136	204.249			
72	ഥ	2.1478	4.2104		<del>                                       </del>	2.0890	4.0710		2.1555	25.2661			
<u></u>	S	213.644	201.935	191.450		209.866	209.687	209.522	214.146	205.176			
73	L	2.1497	4.2191	4.3415		2.0985	4.0814	4.0700	2.1527	25.3215			
<u> </u>	S	213.455	201.519	190.498		208.915	209.153		214.424	204.727			
74	L	2.1483	4.2438	4.3042	1	2.0916	4.0726		2.1498	25.2795			
L'*	S	213.594	200.346	192.148	<del>•                                      </del>	209.605	209.605		214.713	205.067			
75	L	2.1404	4.2748			2.0927	4.1540		2.1428	25.5084			
<u> </u>	S	214.382	198.893	188.226		209.494	205.497	208.412	215.415	203.227			
76	T	2.1504	4.3619			2.1556	4.2217		2.7224	26.8801			
	S	213.385	194.921	179.165	190.731	203.381	202.202	196.568	169.553	192.856			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 98 - Andretti, Marco

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	Т	2.8743	6.0823	6.6801	3.5841	3.4662	6.3481	5.7538	2.8791	37.6680			
	S	159.644	139.787	123.807	122.891	126.481	134.471	148.360	160.325	137.623			
78	Т	2.7638	5.5090	5.4876	2.7185	2.5235	5.0831	5.8818	4.5703	34.5376			
	S	166.026	154.334	150.712	162.021	173.731	167.936	145.132	100.998	150.097			
79	Т	4.3362	8.4515	9.7563	5.1246	5.9510	9.4948	8.5486	4.4953	56.1583			
/9	S	105.822	100.601	84.770	85.949	73.670	89.906	99.857	102.683	92.310			
80	Т	4.3910	7.9742	8.0190	4.4905	4.7943	9.2082			57.2533	28.7161		49.7992
80	S	104.501	106.622	103.136	98.086	91.444	92.704			90.545	31.377		94.826
81	Т			8.6666	3.7416	3.9778	7.6157	7.0219	3.5894	66.4595		45.1975	
61	S			95.429	117.718	110.214	112.089	121.568	128.598	78.002		104.541	
82	T	3.8052	6.5659	6.7514	3.6887	3.7632	6.9865	6.0773	3.8944	41.5326			
62	S	120.589	129.491	122.500		116.499	122.184	140.463	118.527	124.818			
83	Т	4.8556	8.2209	9.3595	5.0938	4.9501	7.6890	7.7556	5.0584	52.9829			
65	S	94.502	103.423	88.364	86.469	88.566	111.020	110.067	91.252	97.843			
84	T	5.0003	8.6552	8.8101	4.8662	4.6066	8.8588	8.3823	4.2751	53.4546			
04	S	91.767	98.233	93.875	90.513	95.170	96.360	101.838	107.972	96.979			
85	T	4.7156	8.4072	8.8169	4.5271	4.5206	7.9306	9.0609	5.5147	53.4936			
65	S	97.308	101.131	93.802	97.293	96.980	107.638	94.211	83.702	96.909			
86	T	4.4223	7.1803	7.0960	4.1596	3.6764	7.0674	7.0730	2.7937	43.4687			
	S	103.761	118.411	116.551	105.889	119.250	120.785	120.689	165.226	119.258			
87	T	2.5808	4.9690	4.7024	2.2722	2.1443	4.3033	4.1333	2.1312	27.2365			
	S	177.799	171.106	175.877	193.845	204.453	198.368	206.527	216.587	190.333			
88	<u> </u>	2.1162			2.1724	2.0540	4.1239	4.0556	2.1184	25.2224			
	S	216.834	200.719	190.300	202.750	•	206.997	210.483	217.896	205.532			
89	Т	2.1033	4.1797			2.0710	3.9980	3.9794	2.1010	24.9287			
	S	218.164	203.418	191.605	202.053	211.690	213.516	214.514	219.701	207.953			
90	Т	2.1021	4.1368			2.0609	4.0383	4.0068	2.1123	24.8629			
	S	218.288		<del></del>	+	+	211.385	213.047	218.525	208.503			
91	T	2.1062		<del></del>	2.1599	•			2.1047	24.8992			
	S	217.863			1		212.353	213.537	219.314	208.199			
92	T	2.0988				2.0555	4.0021	3.9813	2.0961	24.8209			
	S	218.631	204.514	193.937	203.415	213.286	213.297	214.411	220.214	208.856			
93	Т	2.1022	4.2403			2.0848	4.0137	3.9886	2.1061	25.1137			
	S	218.278		189.087	199.834	210.288	212.681	214.019	219.169	206.421			ļ
94	T	2.1104		4.3334	1	2.0924	4.0502	4.0212	2.1219				
<u> </u>	S	217.430				-	210.764		217.537	-			
95	Т	2.1216		4.2810		2.0688	4.0190		2.1219				
	S	216.282	202.546	193.190	202.285	211.915	212.400	212.898	217.537	207.385			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

#### Section Data for Car 98 - Andretti, Marco

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	Т	2.1174	4.1870	4.3484	2.2000	2.0859	4.0779	4.0611	2.1369	25.2146			
90	S	216.711	203.064	190.195	200.207	210.177	209.332	210.198	216.010	205.595			
97	Т	2.1353	4.1985	4.2933	2.1857	2.0747	4.0395	4.0313	2.1261	25.0844			
97	S	214.894	202.507	192.636	201.516	211.312	211.322	211.752	217.107	206.662			
98	Т	2.1233	4.1812	4.3108	2.1896	2.0792	4.0124	4.0057	2.1161	25.0183			
90	S	216.109	203.345	191.854	201.158	210.855	212.750	213.105	218.133	207.208			
99	Т	2.1137	4.1928	4.2990	2.1845	2.0775	4.0197	4.0143	2.1227	25.0242			
99	S	217.090	202.783	192.381	201.627	211.027	212.363	212.649	217.455	207.159			
100	Т	2.1280	4.2013	4.3049	2.1909	2.0814	4.0354	4.0362	2.1371	25.1152			
100	S	215.631	202.372	192.117	201.038	210.632	211.537	211.495	215.989	206.409			
101	Т	2.1414	4.2101	4.2798	2.1882	2.0813	4.0417	4.0472	2.1399	25.1296			
101	S	214.282	201.949	193.244	201.286	210.642	211.207	210.920	215.707	206.291			
102	T	2.1326	4.1357	4.3338	2.2019	2.0906	4.1102	4.1020	2.1622	25.2690			
102	S	215.166	205.582	190.836	200.034	209.705	207.687	208.102	213.482	205.153			
103	Т	2.1587	4.2383	4.3790	2.2290	2.1147	4.1167	4.1035	2.1672	25.5071			
103	S	212.565	200.606	188.866	197.602	207.315	207.359	208.026	212.990	203.238			
104	T	2.1563	4.1797	4.2948	2.1956	2.0898	4.0249	4.0326	2.1320	25.1057			
104	S	212.801	203.418	192.569	200.608	209.785	212.089	211.684	216.506	206.487			
105	Т	2.1335	4.1810	4.3057	2.1972	2.0906	4.0081	4.0136	2.1320	25.0617			
103	S	215.076	203.355	192.082	200.462	209.705	212.978	212.686	216.506	206.849			
106	Т	2.1312	4.1965	4.3536	2.2195	2.1074	4.0246	4.0256	2.1376	25.1960			
100	S	215.308	202.604	189.968	198.448	208.033	212.105	212.052	215.939	205.747			
107	T	2.1369	4.1861	4.3002	2.2041	2.0960	4.0146	4.0167	2.1320				
107	S	214.733	203.107	192.327	199.834	209.165	212.633	212.522	216.506	206.644			
108	T	2.1328	4.2066	4.3534	2.2113	2.0999	4.0237	4.0300	2.1381	25.1958			
100	S	215.146	202.117	189.977	199.184	208.776	212.152	211.820	215.888	205.749			
109	T	2.1340					4.0437						
	S	215.025	202.986		1	+	211.103	-		1			
110	L	2.1379		<del></del>	<del>•                                      </del>		4.0304		2.1446	<del>•                                      </del>			
<u> </u>	S	214.633	204.146				211.799		215.234				
111	T	2.1398	4.2307	4.3023	2.1977	2.0932	4.0171		2.1311	25.1320			
<u> </u>	S	214.442	200.966		200.416		212.501	212.342	216.597	206.271			
112	T	2.1283	4.2167	4.3985	2.2325	+	4.1028	-	2.1571	25.4422			
L	S	215.601	201.633	188.029	197.292	207.492	208.062	208.540	213.987	203.756			
113	T	2.1427	4.1628			2.1123	4.0609		2.1470				
<u> </u>	S	214.152	204.244				210.209		214.993				
114	Т	2.1363	4.2056	1	2.2174		4.0502		2.1453	1			
	S	214.794	202.166	189.859	198.636	208.518	210.764	210.613	215.164	205.173			

Round 1


1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** Report: **Section Data Report Session:** Race

June 6, 2020 MDYCAR

TAG

Round 1



Track:

Lap				SS1 to T2		BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
	T	2.1380	4.2048	4.2941	2.1838	2.0794	4.0109	4.0244	2.1328	25.0682		1	
115	S	214.623	202.204	1	1	-	212.829			206.796			
446	Т	2.1281	4.2251	4.3685	2.2279	2.1123	4.0705	4.0528	2.1427	25.3279			
116	S	215.621	201.232	189.320	197.699	207.551	209.713	210.629	215.425	204.675			
117	Т	2.1353	4.2568	4.3084	2.1891	2.0821	4.1206	4.1120	2.1497	25.3540			
117	S	214.894	199.734	191.961	201.203	210.561	207.163	207.596	214.723	204.465			
118	Т	2.1413	4.2788	4.3396	2.2031	2.0849	4.1237	4.0866	2.1466	25.4046			
110	S	214.292	198.707	190.581	199.925	210.278	207.007	208.887	215.033	204.058			
119	T	2.1344	4.2409	4.3722	2.2116	2.1199	4.2582	4.1817	2.1584	25.6773			
119	S	214.985	200.483	189.160	199.157	206.806	200.469	204.136	213.858	201.890			
120	7	2.1398	4.3593	4.4668			4.3479	4.2085	2.1797	26.0398			
120	S	214.442	195.038	185.154	198.412	207.002	196.333	202.836	211.768	199.080			
121	Т	2.1515	4.3661	4.4047	2.2340	2.4333	6.2000			37.4398	34.8681		29.9671
121	S	213.276	194.734	187.764	197.160	180.171	137.683			138.462	25.841		157.582
122	Т				3.1454	2.6326	4.6362	4.3118	2.2166	62.4792		35.0838	
122	S				140.031	166.531	184.124	197.977	208.243	82.972		134.678	
123	ഥ	2.1888	4.3814	4.3039	2.1773	2.0696	4.1322	4.0716	2.1328	25.4576			
125	S	209.642	194.054	192.162	202.294	+	206.582	209.656	216.425	203.633			
124	工	2.1263	4.1921	4.2865	+		3.9928	3.9848	2.1103	24.9530		<u> </u>	
124	S	215.804	202.817	192.942	201.988	210.814	213.794	214.223	218.732	207.751			
125	T	2.1024					4.0415	4.0406	2.1335	24.9265		ļ	
	S	218.257	206.461	194.759	1	211.547	211.218	211.265	216.354	207.971			
126	T	2.1239				2.0439	3.9428	3.9622	2.1069	24.6000		ļ	
	S	216.048	206.091	198.637	206.670	•	216.505	215.445	219.085	210.732		ļ	
127	ㅗ	2.1040		<b>.</b>	•	2.0554	4.0217	4.0275	2.1360	24.8053		ļ	
	S	218.091	207.514		1		212.258		216.101	208.988		ļ	
128	T	2.1299			2.1511	2.0591	4.0257	4.0468	2.1448	24.8739			
	S	215.439	206.652	+	+	+	212.047	210.941	215.214	208.411		ļ	
129	I	2.1384	•		•	•	3.9976	•	2.1307	24.7590		<b> </b>	
	S	214.583	206.828			213.110	213.537	212.787	216.638	209.378		ļ	
130	I	2.1287	4.1181				4.0406	4.0445	2.1497	24.9771		ļ	
	S	215.561	206.461	194.966	1		211.265	211.061	214.723	207.550			
131	I	2.1463	4.1060	<b>!</b>		2.0597	4.0323	4.0439	2.1450	24.8509		<u> </u>	
	S	213.793		+	+	•	211.700	211.092	215.194	208.604		<del>                                     </del>	
132	H	2.1388				2.0741	4.0165	4.0264	2.1339	24.8845			
	S	214.543	207.854	1			212.532	212.010	216.313	208.322		1	
133	H	2.1308					4.0244		2.1319	24.9475			
	S	215.348	205.399	194.681	202.396	211.292	212.115	212.258	216.516	207.796		<u> </u>	

Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020 NOVCAR

# TT IndyCar Series June 6, 2020

Round 1

#### Section Data for Car 98 - Andretti, Marco

Track:

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
124	Т	2.1279	4.1633	4.2764	2.1845	2.0815	4.0375	4.0305	2.1342	25.0358			
134	S	215.642	204.220	193.398	201.627	210.622	211.427	211.794	216.283	207.063			
425	Т	2.1272	4.1523	4.2832	2.1821	2.0740	4.0108	4.0134	2.1209	24.9639			
135	S	215.713	204.761	193.091	201.849	211.383	212.834	212.697	217.639	207.660			
126	Т	2.1159	4.2013	4.3748	2.2207	2.1033	4.0687	4.0531	2.1389	25.2767			
136	S	216.865	202.372	189.048	198.340	208.439	209.806	210.613	215.808	205.090			
137	Т	2.1291	4.1744	4.3201	2.1983	2.0854	4.0665	4.0696	2.1476	25.1910			
13/	S	215.520	203.677	191.441	200.361	210.228	209.919	209.759	214.933	205.788			
138	Т	2.1351	4.1733	4.3102	2.1924	2.0807	4.0597	4.0548	2.1397	25.1459			
130	S	214.914	203.730	191.881	200.901	210.703	210.271	210.525	215.727	206.157			
139	T	2.1286	4.1485	4.4041	2.2314	2.1115	4.0743	4.0564	2.1355	25.2903			
135	S	215.571	204.948	187.790	197.389	207.629	209.517	210.442	216.151	204.980			
140	┙	2.1370	4.2424	4.3412	2.2074	2.0925	4.0701	4.0589	2.1421	25.2916			
140	S	214.723	200.412	190.511	199.535	209.514	209.734	210.312	215.485	204.969			
141	Т	2.1341	4.2125	4.3141	2.1986	2.0866	4.0724	4.0644	2.1477	25.2304			
141	S	215.015	201.834	191.708	200.334	210.107	209.615	210.028	214.923	205.466			
142	Т	2.1446	4.2191	4.3139	2.1944	2.0847	4.0505	4.0454	2.1393	25.1919			
142	S	213.962	201.519	191.716	200.718	210.298	210.748	211.014	215.767	205.780			
143	Т	2.1341	4.2158	4.3179	2.2040	2.0928	4.0615	4.0634	2.1508	25.2403			
143	S	215.015	201.676	191.539	199.843	209.484	210.178	210.079	214.614	205.386			
144	T	2.1473	4.2376	4.3351	2.2091	2.0968	4.0966	4.0726	2.1525	25.3476			
177	S	213.693	200.639	190.779	199.382	209.085	208.377	209.605	214.444	204.516			
145	T	2.1415	4.2088	4.2756	2.1778	2.0730	4.0262	4.0312	2.1346	25.0687			
143	S	214.272	202.012	193.434	202.247	211.485	212.020	211.757	216.242	206.792			
146	T	2.1298	4.2680	4.3629	2.2130	2.0979	4.0847	4.0780	2.1503	25.3846			
140	S	215.449	199.210	-	199.031	208.975	208.984	209.327	214.663	204.218			
147	Т	2.1445	4.2476		2.1999		4.0651	4.0554	2.1480	25.2639			
17/	S	213.972	200.167	_	200.216	1	209.991	210.494	214.893	205.194			
148	T	2.1362	4.2000	+	2.2096	•	4.0286	4.0272	2.1345	25.1894			
	S	214.804	202.435	1	199.337	209.005	211.894	211.968	216.252	205.801			
149	Т	2.1333			2.1776		4.0628		2.1577	25.1508			
177	S	215.096	202.223	_	202.266	1	210.110	209.456	213.927	206.117			
150	Т	2.1502	4.2198	_			4.0912	4.1032	2.1615	25.2349			
	S	213.405	201.485	+	202.294	211.109	208.652	208.042	213.551	205.430			
151	T	2.1540	1	1	2.1854	2.0803	4.0925	4.0833	2.1575	25.2774			
	S	213.029	200.762	-	201.544		208.586	209.056	213.947	205.084			
152	Т	2.1453		-	2.1675	1	4.0238		2.1371	24.9727			
132	S	213.893	204.117	195.440	203.209	212.027	212.147	211.600	215.989	207.587			

Track: Texas Motor Speedway 1.5 mile(s)



Session: Race June 6, 2020

### Section Data for Car 98 - Andretti, Marco


Report:

**Section Data Report** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	Т	2.1300	4.1201	4.2353	2.1728	2.0734	4.0737	4.0883	2.1626	25.0562			
153	S	215.429	206.361	195.274	202.713	211.445	209.548	208.800	213.443	206.895			
154	Т	2.1476	4.1428	4.2304	2.1672	2.0681	4.0558	4.0506	2.1440	25.0065			
154	S	213.663	205.230	195.501	203.237	211.986	210.473	210.743	215.294	207.306			
155	Т	2.1364	4.0903	4.2888	2.1912	2.0879	4.0476	4.0588	2.1510	25.0520			
155	S	214.784	207.864	192.838	201.011	209.976	210.899	210.317	214.594	206.930			
156	Т	2.1469	4.2164	4.2989	2.2065	2.3041	5.8454			37.1067	28.0846		29.5890
150	S	213.733	201.648	192.385	199.617	190.273	146.036			139.705	32.082		159.596
157	Т			8.5413	3.1387	2.6204	4.7697	4.4224	2.2445	55.8934		35.3265	
137	S			96.829	140.330	167.306	178.971	193.026	205.654	92.748		133.752	
158	Т	2.1916	4.3806	4.2811	2.1550	2.0818	4.4562	4.1986	2.1543	25.8992			
136	S	209.374	194.089	193.185	204.387	210.591	191.562	203.315	214.265	200.161			
159	Т	2.1292	4.2361	4.2245	2.1323	2.0348	4.1100	4.0544	2.1100	25.0313			
139	S	215.510	200.710	195.774	206.563	215.456	207.697	210.546	218.763	207.101			
160	Т	2.0950	4.2129	4.2130	2.1275	2.0414	4.1237	4.0683	2.1277	25.0095			
100	S	219.028	201.815	196.308	207.029	214.759	207.007	209.826	216.944	207.281			
161	Т	2.1082	4.1948	4.2167	2.1418	2.0359	4.0851	4.0241	2.1077	24.9143			
101	S	217.657	202.686	196.136	205.647	215.339	208.963	212.131	219.002	208.073			
162	Т	2.1127	4.3050	4.3790	2.2262	2.1025	4.1024	4.0585	2.1332	25.4195			
102	S	217.193	197.498	188.866	197.850	208.518	208.082	210.333	216.384	203.938			
163	Т	2.1201	4.0996	4.1697	2.1292	2.0340	4.1027	4.0527	2.1310	24.8390			
105	S	216.435	207.393	198.347	206.864	215.540	208.067	210.634	216.608	208.704			
164	T	2.1259	4.1223	4.2067	2.1391	2.0456	4.0751	4.0438	2.1343	24.8928			
107	S	215.844	206.251	196.602	205.906	214.318	209.476	211.098	216.273	208.253			
165	Т	2.1215	4.1346	4.2744	2.1773	2.0671	4.0432	4.0195	2.1119	24.9495			
105	S	216.292	205.637	193.488	202.294	212.089	211.129	212.374	218.567	207.780			
166	Т	2.1063		4.4149		2.0997	4.0947	4.0611	2.1263	25.3656			
	S	217.853	<del> </del>	187.331	+	208.796	208.473	210.198	<del> </del>	204.371			
167	T	2.1129		4.3187	2.1843	2.0709	4.0517	4.0189		25.0624			
	S	217.172	202.546	1	1	211.700	210.686	212.405	219.044	206.844			
168	Т	2.1064				2.0935	4.0972	4.0618		25.4045			
	S	217.843		186.288		209.414	208.346	210.162	216.944	204.058			
169	Т	2.1268		+	+	2.0707	4.1358	4.1411	2.1777	25.4231			
	S	215.753	199.917	190.977	201.351	211.720	206.402	206.138	211.963	203.909		ļ	ļ
170	Т	2.1565		•	•	2.0920	4.1015	4.0729		25.4140		Ļ	
	S	212.782		1	1	209.565	208.128						
171	Т	2.1239			1	2.0661	4.0656		2.1318				
	S	216.048	206.853	192.113	202.285	212.192	209.966	210.437	216.526	207.057			

Track: 1.5 mile(s) **Texas Motor Speedway** 

**NTT IndyCar Series** 





TAG

Round 1

#### Section Data for Car 98 - Andretti, Marco

Race

**Section Data Report** 

Report:

**Session:** 

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	Т	2.1170	4.1401	4.2885	2.1715	2.0612	4.0998	4.0368	2.1165	25.0314			
1/2	S	216.752	205.364	192.852	202.834	212.696	208.214	211.464	218.092	207.100			
173	Т	2.1110	4.2144	4.3492	2.1903	2.0779	4.0715	4.0640	2.1345	25.2128			
1/3	S	217.368	201.743	190.160	201.093	210.987	209.661	210.048	216.252	205.610			
174	Т	2.1162	4.2068	4.3434	2.1957	2.0777	4.0458	4.0364	2.1224	25.1444			
1/4	S	216.834	202.108	190.414	200.599	211.007	210.993	211.485	217.485	206.169			
175	Т	2.1234	4.2697	4.3693	2.2046	2.0878	4.0482	4.0324	2.1238	25.2592			
1/5	S	216.099	199.130	189.286	199.789	209.986	210.868	211.694	217.342	205.232			
176	Т	2.1222	4.2492	4.3176	2.1870	2.0820	4.0703	4.0616	2.1368	25.2267			
176	S	216.221	200.091	191.552	201.397	210.571	209.723	210.172	216.020	205.497			
177	Т	2.1318	4.2499	4.3098	2.1847	2.0783	4.0567	4.0528	2.1337	25.1977			
	S	215.247	200.058	191.899	201.609	210.946	210.426	210.629	216.334	205.733			
170	Т	2.1327	4.2725	4.3398	2.2040	2.0901	4.0807	4.0658	2.1403	25.3259			
178	S	215.156	199.000	190.572	199.843	209.755	209.189	209.955	215.666	204.692			
179	Т	2.1348	4.2723	4.3393	2.2047	2.0929	4.0504	4.0351	2.1325	25.2620			
1/9	S	214.945	199.009	190.594	199.780	209.474	210.754	211.553	216.455	205.209			
180	Т	2.1250	4.1931	4.3095	2.1897	2.0816	4.0412	4.0470	2.1382	25.1253			
180	S	215.936	202.768	191.912	201.148	210.612	211.233	210.931	215.878	206.326			
181	Т	2.1339	4.2108	4.3170	2.1966	2.0893	4.0458	4.0374	2.1378	25.1686			
101	S	215.035	201.916	191.579	200.517	209.835	210.993	211.432	215.919	205.971			
182	T	2.1284	4.2166	4.3023	2.1966	2.0913	4.0614	4.0635	2.1475	25.2076			
102	S	215.591	201.638	192.233	200.517	209.635	210.183	210.074	214.943	205.652			
183	T	2.1407	4.1822	4.2747	2.1917	2.2707	5.7202			35.8841	27.4625		28.4296
105	S	214.352	203.297	193.475	200.965	193.072	149.232			144.465	32.809		166.104
184	<u>T</u>			8.5107	3.1410	2.6356	4.6372	4.3336	2.2502	55.0633		35.0553	
104	S			97.177	140.227	166.341	184.084	196.981	205.133	94.146		134.787	
185	T	2.2308	4.1950	4.1340	2.1347	2.0577	3.9747	3.9902	2.1241	24.8412			
	S	205.695	202.676	200.059	206.331	213.058	214.767	213.933	217.311	208.686			
186	T	2.1290	4.0263	4.0413	2.0957	2.0345	4.4066	4.1996	2.1884	25.1214			
	S	215.530	211.168	204.648	210.171	215.487	193.718	203.266	210.926	206.358			
187	T	2.1757	4.3265	4.3566	2.2131	2.0935	3.9881	3.9553	2.0948	25.2036			
107	S	210.904	196.516	189.837	199.022	209.414	214.046	215.821	220.351	205.685			
188	T	2.0976	4.1330	4.1832	2.1378	2.0422	3.9487	3.9541	2.0967	24.5933			
	S	218.757	205.717	197.706	206.032	214.675	216.182	215.886	220.151	210.789			
189	T	2.0956	4.1122	4.2081	2.1334	2.0501	4.1012	4.1023	2.2122	25.0151			
	S	218.965	206.757	196.537	206.457	213.848	208.143		208.657	207.235			
190	Т	2.1879	4.2904	4.2651	2.2261	2.4756	5.6645		3.7075	30.7841			
	S	209.728	198.170	193.910	197.859	177.092	150.699	143.060	124.502	168.399			

Track: Texas Motor Speedway 1.5 mile(s)

Report: Section Data Report NTT IndyCar Series

Session: Race June 6, 2020

### Section Data for Car 98 - Andretti, Marco

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
101	Т	3.9520	7.0181	11.8031	5.4156	5.4895	8.5857	9.2655	5.1149	56.6444			
191	S	116.109	121.148	70.070	81.331	79.863	99.425	92.131	90.244	91.518			
192	T	5.5147	9.3277	10.6253	4.9411	4.5941	9.3940	9.5944	4.9046	58.8959			
192	S	83.207	91.151	77.837	89.141	95.429	90.870	88.972	94.114	88.020			
193	T	5.4173	10.6048	11.8845	6.5891	5.0540	10.8986	11.5398	5.9060	67.8941			
193	S	84.703	80.174	69.590	66.846	86.745	78.325	73.973	78.156	76.354			
194	Т	5.8069	11.2201	11.1304	5.2784	6.3319	12.4543	11.9775	6.1663	70.3658			
194	S	79.020	75.777	74.305	83.445	69.238	68.541	71.270	74.857	73.672			
195	T	6.7118	11.4068	11.7472	5.8893	5.2824	9.1483	8.5215	4.4193	63.1266			
195	S	68.367	74.537	70.404	74.789	82.994	93.311	100.174	104.449	82.121			
196	T	4.7164	9.1243	8.8752	4.9185	4.6562	8.8319	5.6914	2.5380	49.3519			
190	S	97.291	93.183	93.186	89.551	94.156	96.654	149.987	181.872	105.042			
197	T	2.4479	4.7996	4.5108	2.2703	2.1730	4.2618	4.1854	2.1916	26.8404			
197	S	187.452	177.145	183.348	194.007	201.753	200.299	203.956	210.618	193.142			
198	T	2.1794	4.4337	4.3767	2.1990	2.0881	4.0635	4.0349	2.1412	25.5165			
190	S	210.546	191.765	188.966	200.298	209.956	210.074	211.563	215.576	203.163			
199	T	2.1413	4.1609	4.1522	2.1305	2.0483	3.9911	4.1383	2.1947	24.9573			
199	S	214.292	204.337	199.182	206.738	214.036	213.885	206.277	210.321	207.715			
200	┰	2.6130	6.4940	8.0133	5.1425	5.3515							
200	S	175.608	130.925	103.209	85.650	81.923							

**Race** 

Track: **Texas Motor Speedway** 

**Section Data Report** 

Round 1 1.5 mile(s)



**NTT IndyCar Series** 

June 6, 2020 MDYCAR



#### **Section Data for Car**

Report:

**Session:** 

#### **Report Support Information**

S	ection Legend
Name	Length
SF to T1	0.127462 miles
T1 to SS1	0.236174 miles
SS1 to T2	0.229735 miles
T2 to BS	0.122348 miles
BS to T3	0.121780 miles
T3 to SS2	0.237121 miles
SS2 to T4	0.237121 miles
T4 to SF	0.128220 miles
T1 to T2	0.465909 miles
T2 to T3	0.244129 miles
T3 to T4	0.474242 miles
Lap	1.440000 miles
PI to PO	0.250284 miles
PO to SF	1.312500 miles
SF to PI	1.311742 miles
PO to T2	0.465909 miles
SS2 to PI	0.237121 miles
PO to PI	1.184280 miles

	Color Legend
	Fastest Lap
	Section Under Caution
	Section Under Green
Т	Section Time Data
S	Section Speed Data

