

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6318	5.0438	4.7588	2.2593	2.1460	4.6435	4.4650	2.2297	28.1779	62.7777	
	S	174.354	168.569	173.793	194.952	204.291	183.835	191.184	207.019	183.974	75.266	
2	T	2.2390	4.6297	4.5877	2.2462	2.1067	4.2673	4.1578	2.1503	26.3847		
	S	204.941	183.646	180.275	196.089	208.102	200.041	205.310	214.663	196.478		
3	T	2.1366	4.2711	4.2213	2.1293	2.0422	4.1621	4.0940	2.1402	25.1968		
	S	214.763	199.065	195.922	206.854	214.675	205.098	208.509	215.677	205.740		
4	T	2.1245	4.1918	4.1360	2.1109	2.0180	4.0751	4.0538	2.1182	24.8283		
	S	215.987	202.831	199.963	208.657	217.249	209.476	210.577	217.917	208.794		
5	T	2.1416	4.2145	4.1478	2.1452	2.0418	4.0404	4.0120	2.1098	24.8531		
	S	214.262	201.739	199.394	205.321	214.717	211.275	212.771	218.784	208.586		
6	T	2.1087	4.1489	4.1907	2.1579	2.0869	4.2241	4.1331	2.1586	25.2089		
	S	217.605	204.928	197.353	204.113	210.077	202.087	206.537	213.838	205.642		
7	T	2.1350	4.1084	4.1359	2.1529	2.0628	4.1138	4.0882	2.1524	24.9494		
	S	214.924	206.949	199.967	204.587	212.531	207.506	208.805	214.454	207.781		
8	T	2.1472	4.1453	4.1589	2.1615	2.0683	3.9939	3.9849	2.1169	24.7769		
	S	213.703	205.106	198.862	203.773	211.966	213.735	214.218	218.050	209.227		
9	T	2.1171	4.0764	4.0829	2.1277	2.0386	3.9615	3.9751	2.1111	24.4904		
	S	216.742	208.573	202.563	207.010	215.054	215.483	214.746	218.649	211.675		
10	T	2.1161	4.0540	4.0831	2.1240	2.0300	4.0076	4.0024	2.1190	24.5362		
	S	216.844	209.726	202.553	207.370	215.965	213.004	213.281	217.834	211.280		
11	T	2.1167	4.0745	4.1252	2.1428	2.0465	3.9570	3.9690	2.1093	24.5410		
	S	216.783	208.670	200.486	205.551	214.224	215.728	215.076	218.836	211.238		
12	T	2.1045	4.0502	4.1289	2.1400	2.0414	3.9681	3.9834	2.1083	24.5248		
	S	218.039	209.922	200.306	205.820	214.759	215.125	214.298	218.940	211.378		
13	T	2.1032	4.0576	4.1742	2.1591	2.0585	3.9778	3.9810	2.1048	24.6162		
	S	218.174	209.539	198.133	203.999	212.975	214.600	214.428	219.304	210.593		
14	T	2.1106	4.2031	4.2411	2.1685	2.0528	4.0272	3.9970	2.1112	24.9115		
	S	217.409	202.286	195.007	203.115	213.566	211.968	213.569	218.639	208.097		
15	T	2.1175	4.1592	4.2296	2.1460	2.0396	3.9888	3.9809	2.1061	24.7677		
	S	216.701	204.421	195.538	205.244	214.949	214.008	214.433	219.169	209.305		
16	T	2.1144	4.1792	4.1673	2.1399	2.0373	3.9268	3.9248	2.0914	24.5811		
	S	217.018	203.443	198.461	205.829	215.191	217.387	217.498	220.709	210.894		
17	T	2.0957	4.0708	4.1448	2.1479	2.0508	3.9582	3.9543	2.1012	24.5237		
	S	218.955	208.860	199.538	205.063	213.775	215.663	215.875	219.680	211.387		
18	T	2.1138	4.0885	4.1658	2.1626	2.0612	4.0062	3.9959	2.1141	24.7081		
	S	217.080	207.956	198.532	203.669	212.696	213.079	213.628	218.339	209.810		
19	T	2.1157	4.1849	4.2082	2.1539	2.0508	3.9356	3.9264	2.0929	24.6684		
	S	216.885	203.165	196.532	204.492	213.775	216.901	217.409	220.551	210.147		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0988	4.1108	4.1435	2.1588	2.0580	3.9376	3.9229	2.0906	24.5210		
	S	218.631	206.828	199.601	204.027	213.027	216.791	217.603	220.794	211.411		
21	T	2.0992	4.1120	4.1726	2.1489	2.0472	3.9836	3.9986	2.1102	24.6723		
	S	218.590	206.767	198.209	204.967	214.151	214.288	213.484	218.743	210.114		
22	T	2.1284	4.1937	4.2190	2.1794	2.0702	4.0350	4.0178	2.1092	24.9527		
	S	215.591	202.739	196.029	202.099	211.771	211.558	212.464	218.846	207.753		
23	T	2.1196	4.1809	4.1983	2.1672	2.0626	3.9840	3.9879	2.1103	24.8108		
	S	216.486	203.360	196.995	203.237	212.552	214.266	214.057	218.732	208.941		
24	T	2.1230	4.1705	4.1938	2.1703	2.0693	3.9843	3.9674	2.1063	24.7849		
	S	216.139	203.867	197.207	202.946	211.863	214.250	215.163	219.148	209.160		
25	T	2.1158	4.1288	4.1859	2.1719	2.0714	3.9959	3.9860	2.1175	24.7732		
	S	216.875	205.926	197.579	202.797	211.649	213.628	214.159	217.989	209.258		
26	T	2.1222	4.1152	4.1713	2.1711	2.0707	3.9576	3.9342	2.0957	24.6380		
	S	216.221	206.607	198.270	202.872	211.720	215.695	216.978	220.256	210.407		
27	T	2.1008	4.0914	4.1837	2.1610	2.0589	3.9363	3.9188	2.0855	24.5364		
	S	218.423	207.808	197.683	203.820	212.934	216.863	217.831	221.333	211.278		
28	T	2.1049	4.1595	4.2181	2.1847	2.0822	3.9793	3.9588	2.1061	24.7936		
	S	217.998	204.406	196.071	201.609	210.551	214.519	215.630	219.169	209.086		
29	T	2.1143	4.1250	4.1706	2.1648	2.0684	3.9695	3.9662	2.1075	24.6863		
	S	217.029	206.116	198.304	203.462	211.956	215.049	215.228	219.023	209.995		
30	T	2.1149	4.0983	4.1765	2.1652	2.0678	3.9619	3.9399	2.0998	24.6243		
	S	216.967	207.459	198.024	203.424	212.017	215.461	216.664	219.826	210.524		
31	T	2.1070	4.0915	4.1769	2.1688	2.0687	3.9814	3.9708	2.1061	24.6712		
	S	217.781	207.803	198.005	203.087	211.925	214.406	214.978	219.169	210.124		
32	T	2.1127	4.0845	4.1734	2.1602	2.0630	3.9485	3.9253	2.0911	24.5587		
	S	217.193	208.159	198.171	203.895	212.510	216.193	217.470	220.741	211.086		
33	T	2.0985	4.1302	4.2015	2.1579	2.0564	3.9931	3.9958	2.1177	24.7511		
	S	218.663	205.856	196.845	204.113	213.193	213.778	213.633	217.968	209.445		
34	T	2.1234	4.1396	4.1808	2.1653	2.0625	3.9424	3.9193	2.0826	24.6159		
	S	216.099	205.389	197.820	203.415	212.562	216.527	217.803	221.642	210.596		
35	T	2.0967	4.1478	4.2278	2.1766	2.0747	3.9602	3.9296	2.0864	24.6998		
	S	218.850	204.983	195.621	202.359	211.312	215.554	217.232	221.238	209.880		
36	T	2.0954	4.1259	4.1791	2.1653	2.0634	3.9706	3.9703	2.1016	24.6716		
	S	218.986	206.071	197.900	203.415	212.469	214.989	215.006	219.638	210.120		
37	T	2.1170	4.1260	4.1989	2.1776	2.0758	3.9677	3.9490	2.1015	24.7135		
	S	216.752	206.066	196.967	202.266	211.200	215.146	216.165	219.648	209.764		
38	T	2.1122	4.0856	4.1796	2.1675	2.0698	3.9647	3.9430	2.0983	24.6207		
	S	217.244	208.103	197.877	203.209	211.812	215.309	216.494	219.983	210.555		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1085	4.1165	4.1816	2.1727	2.0733	3.9752	3.9522	2.1003	24.6803		
	S	217.626	206.541	197.782	202.722	211.455	214.740	215.990	219.774	210.046		
40	T	2.1123	4.1172	4.2032	2.1806	2.0800	3.9771	3.9580	2.1014	24.7298		
	S	217.234	206.506	196.766	201.988	210.774	214.638	215.674	219.659	209.626		
41	T	2.1143	4.1605	4.2020	2.1772	2.0755	3.9755	3.9539	2.1041	24.7630		
	S	217.029	204.357	196.822	202.303	211.231	214.724	215.897	219.377	209.345		
42	T	2.1109	4.1324	4.1878	2.1699	2.0728	3.9967	3.9824	2.1156	24.7685		
	S	217.378	205.747	197.489	202.984	211.506	213.585	214.352	218.184	209.298		
43	T	2.1317	4.1308	4.1525	2.1564	2.0604	3.9516	3.9304	2.0948	24.6086		
	S	215.257	205.826	199.168	204.255	212.779	216.023	217.188	220.351	210.658		
44	T	2.1015	4.1063	4.2250	2.1841	2.0824	3.9803	3.9527	2.1050	24.7373		
	S	218.351	207.054	195.750	201.664	210.531	214.465	215.963	219.283	209.562		
45	T	2.1159	4.1373	4.1948	2.1656	2.0655	3.9467	3.9247	2.0900	24.6405		
	S	216.865	205.503	197.160	203.387	212.253	216.291	217.504	220.857	210.385		
46	T	2.1059	4.1215	4.1908	2.1621	2.0602	4.0174	4.0351	2.1290	24.8220		
	S	217.894	206.291	197.348	203.716	212.799	212.485	211.553	216.811	208.847		
47	T	2.1266	4.1893	4.2323	2.1724	2.0659	4.0281	4.0249	2.1160	24.9555		
	S	215.773	202.952	195.413	202.750	212.212	211.920	212.089	218.143	207.730		
48	T	2.1247	4.2667	4.2941	2.1873	2.0702	3.9917	3.9930	2.1123	25.0400		
	S	215.966	199.270	192.600	201.369	211.771	213.853	213.783	218.525	207.029		
49	T	2.1266	4.1640	4.2132	2.1484	2.0414	4.0398	4.0402	2.1163	24.8899		
	S	215.773	204.185	196.299	205.015	214.759	211.307	211.286	218.112	208.277		
50	T	2.1443	4.3234	4.3699	2.1961	2.0713	4.1922	4.1366	2.1560	25.5898		
	S	213.992	196.657	189.260	200.562	211.659	203.625	206.362	214.096	202.581		
51	T	2.1861	4.4003	4.3193	2.1714	2.0550	3.9785	3.9830	2.1175	25.2111		
	S	209.901	193.220	191.477	202.844	213.338	214.562	214.320	217.989	205.624		
52	T	2.1406	4.1923	4.1978	2.1687	2.0629	3.9910	3.9872	2.1146	24.8551		
	S	214.362	202.807	197.019	203.096	212.521	213.890	214.094	218.288	208.569		
53	T	2.1282	4.1659	4.1962	2.1636	2.0602	3.9866	3.9709	2.0990	24.7706		
	S	215.611	204.092	197.094	203.575	212.799	214.126	214.973	219.910	209.280		
54	T	2.1150	4.1740	4.2105	2.1724	2.0650	3.9678	3.9512	2.0921	24.7480		
	S	216.957	203.696	196.425	202.750	212.305	215.141	216.045	220.635	209.471		
55	T	2.1129	4.2240	4.2194	2.1498	2.0412	4.0041	3.9937	2.0978	24.8429		
	S	217.172	201.285	196.010	204.882	214.780	213.191	213.746	220.036	208.671		
56	T	2.1826	4.3639	4.2317	2.1479	2.0374	4.0266	3.9875	2.0978	25.0754		
	S	210.237	194.832	195.440	205.063	215.181	211.999	214.078	220.036	206.736		
57	T	2.1681	4.2606	4.2160	2.1718	2.0745	3.9708	3.9481	2.0992	24.9091		
	S	211.643	199.556	196.168	202.806	211.332	214.978	216.214	219.889	208.117		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1208	4.1482	4.1618	2.1560	2.0597	3.9513	3.9241	2.0830	24.6049		
	S	216.363	204.963	198.723	204.292	212.851	216.039	217.537	221.599	210.690		
59	T	2.1034	4.1401	4.1377	2.1271	2.0476	3.9488	3.9427	2.1058	24.5532		
	S	218.153	205.364	199.880	207.068	214.109	216.176	216.511	219.200	211.133		
60	T	2.1193	4.0434	4.0979	2.1402	2.0601	3.9580	3.9444	2.1057	24.4690		
	S	216.517	210.275	201.822	205.801	212.810	215.674	216.417	219.210	211.860		
61	T	2.1147	4.0743	4.1423	2.1521	2.0636	3.9491	3.9199	2.0807	24.4967		
	S	216.988	208.681	199.659	204.663	212.449	216.160	217.770	221.844	211.620		
62	T	2.1384	4.2237	4.3209	2.2145	2.4482	6.0644			36.7826	27.8322	29.3987
	S	214.583	201.299	191.406	198.896	179.074	140.762			140.936	32.373	160.629
63	T				3.1156	2.6096	4.5843	4.2586	2.1991	55.2604		
	S				141.371	167.999	186.209	200.450	209.900	93.810	34.8121	
64	T	2.2256	4.2543	4.1140	2.1022	2.0129	3.9290	3.9431	2.0824	24.6635		
	S	206.175	199.851	201.032	209.521	217.800	217.266	216.489	221.663	210.189		
65	T	2.0834	4.0149	4.0458	2.1043	2.0132	3.9036	3.9026	2.0736	24.1414		
	S	220.247	211.768	204.421	209.312	217.767	218.679	218.735	222.604	214.735		
66	T	2.0870	4.0696	4.1127	2.1076	2.0137	3.8998	3.8923	2.0743	24.2570		
	S	219.868	208.922	201.095	208.984	217.713	218.892	219.314	222.529	213.712		
67	T	2.0813	4.0419	4.0900	2.1044	2.0049	3.9664	3.9549	2.0917	24.3355		
	S	220.470	210.353	202.212	209.302	218.669	215.217	215.843	220.677	213.022		
68	T	2.1149	4.1422	4.1011	2.1238	2.0281	3.9064	3.9037	2.0821	24.4023		
	S	216.967	205.260	201.664	207.390	216.167	218.523	218.674	221.695	212.439		
69	T	2.0813	4.0170	4.0932	2.1271	2.0322	3.8994	3.8904	2.0729	24.2135		
	S	220.470	211.657	202.054	207.068	215.731	218.915	219.421	222.679	214.095		
70	T	2.0776	4.0090	4.2282	2.1438	2.0390	3.9060	3.8968	2.0774	24.3778		
	S	220.862	212.080	195.602	205.455	215.012	218.545	219.061	222.196	212.652		
71	T	2.0876	4.0939	4.1236	2.1371	2.0382	3.9100	3.8943	2.0737	24.3584		
	S	219.804	207.681	200.564	206.099	215.096	218.321	219.201	222.593	212.822		
72	T	2.0798	4.0444	4.1004	2.1288	2.0327	3.9115	3.9143	2.0767	24.2886		
	S	220.629	210.223	201.699	206.903	215.678	218.238	218.081	222.271	213.433		
73	T	2.0871	4.1448	4.3446	2.1915	2.1180	4.2187	4.1038	2.1499	25.3584		
	S	219.857	205.131	190.362	200.983	206.992	202.346	208.011	214.703	204.429		
74	T	2.1391	4.0589	4.0953	2.1093	2.0178	3.8806	3.8865	2.0775	24.2650		
	S	214.512	209.472	201.950	208.816	217.271	219.975	219.641	222.186	213.641		
75	T	2.0906	4.0597	4.0935	2.1325	2.0374	3.9139	3.9031	2.0795	24.3102		
	S	219.489	209.431	202.039	206.544	215.181	218.104	218.707	221.972	213.244		
76	T	2.0913	4.0585	4.1292	2.1452	2.0477	3.9286	3.9184	2.0866	24.4055		
	S	219.416	209.493	200.292	205.321	214.098	217.288	217.853	221.217	212.411		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0920	4.0299	4.1080	2.1323	2.0352	3.9192	3.9193	2.0891	24.3250		
	S	219.342	210.980	201.326	206.563	215.413	217.809	217.803	220.952	213.114		
78	T	2.1082	4.0805	4.0918	2.1346	2.0438	4.0874	4.0501	2.1291	24.7255		
	S	217.657	208.364	202.123	206.341	214.507	208.846	210.769	216.801	209.662		
79	T	2.1257	4.0826	4.1235	2.1216	2.0251	3.8907	3.8822	2.0750	24.3264		
	S	215.865	208.256	200.569	207.605	216.488	219.404	219.885	222.453	213.102		
80	T	2.0891	4.0609	4.1783	2.1387	2.0383	3.9255	3.9239	2.0853	24.4400		
	S	219.647	209.369	197.938	205.945	215.086	217.459	217.548	221.355	212.111		
81	T	2.0922	4.0550	4.1201	2.1374	2.0416	3.9172	3.9092	2.0798	24.3525		
	S	219.321	209.674	200.734	206.070	214.738	217.920	218.366	221.940	212.873		
82	T	2.0905	3.9866	4.1179	2.1320	2.0355	3.9099	3.9079	2.0818	24.2621		
	S	219.499	213.271	200.842	206.592	215.382	218.327	218.439	221.727	213.667		
83	T	2.0944	4.1031	4.1552	2.1370	2.0386	3.9220	3.9192	2.0886	24.4581		
	S	219.091	207.216	199.039	206.109	215.054	217.653	217.809	221.005	211.954		
84	T	2.1148	4.0187	4.0964	2.1335	2.0384	3.9154	3.9100	2.0808	24.3080		
	S	216.977	211.568	201.896	206.447	215.075	218.020	218.321	221.833	213.263		
85	T	2.0970	4.0663	4.1159	2.1201	2.0273	3.8971	3.8947	2.0751	24.2935		
	S	218.819	209.091	200.939	207.752	216.253	219.044	219.179	222.443	213.390		
86	T	2.1352	4.2113	4.1285	2.1224	2.0292	3.9017	3.9058	2.0815	24.5156		
	S	214.904	201.892	200.326	207.527	216.050	218.786	218.556	221.759	211.457		
87	T	2.1030	4.0958	4.1280	2.1433	2.0452	3.9189	3.9148	2.0855	24.4345		
	S	218.195	207.585	200.350	205.503	214.360	217.826	218.054	221.333	212.159		
88	T	2.1048	4.1320	4.1538	2.1569	2.0602	3.9450	3.9353	2.0952	24.5832		
	S	218.008	205.767	199.106	204.207	212.799	216.384	216.918	220.309	210.876		
89	T	2.1093	4.0971	4.1054	2.1342	2.0417	3.9250	3.9151	2.0858	24.4136		
	S	217.543	207.519	201.453	206.379	214.727	217.487	218.037	221.302	212.341		
90	T	2.1006	4.0618	4.1099	2.1385	2.0450	3.9659	3.9872	2.1092	24.5181		
	S	218.444	209.323	201.233	205.964	214.381	215.244	214.094	218.846	211.436		
91	T	2.1220	4.3600	4.4870	2.2244	2.0898	4.0698	4.0305	2.1167	25.5002		
	S	216.241	195.006	184.320	198.010	209.785	209.749	211.794	218.071	203.293		
92	T	2.1195	4.1432	4.1690	2.1397	2.0394	3.9704	3.9735	2.1108	24.6655		
	S	216.496	205.210	198.380	205.849	214.970	215.000	214.832	218.681	210.172		
93	T	2.1179	4.0893	4.1089	2.1387	2.0418	3.9498	3.9342	2.0907	24.4713		
	S	216.660	207.915	201.281	205.945	214.717	216.121	216.978	220.783	211.840		
94	T	2.0987	4.1161	4.1558	2.1439	2.0375	3.9759	3.9604	2.0894	24.5777		
	S	218.642	206.561	199.010	205.445	215.170	214.703	215.543	220.920	210.923		
95	T	2.1085	4.1519	4.2135	2.1625	2.0573	3.9563	3.9532	2.0995	24.7027		
	S	217.626	204.780	196.285	203.678	213.099	215.766	215.936	219.858	209.856		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1084	4.0944	4.1152	2.1320	2.0327	3.9371	3.9513	2.0960	24.4671		
	S	217.636	207.656	200.973	206.592	215.678	216.819	216.039	220.225	211.876		
97	T	2.1026	4.0589	4.2182	2.1696	2.0564	3.9547	3.9396	2.0906	24.5906		
	S	218.236	209.472	196.066	203.012	213.193	215.854	216.681	220.794	210.812		
98	T	2.1182	4.0973	4.1555	2.1558	2.0548	3.9321	3.9295	2.0962	24.5394		
	S	216.629	207.509	199.024	204.311	213.359	217.094	217.238	220.204	211.252		
99	T	2.1195	4.0965	4.1359	2.1501	2.0537	3.9366	3.9332	2.0933	24.5188		
	S	216.496	207.550	199.967	204.853	213.473	216.846	217.034	220.509	211.430		
100	T	2.1192	4.1283	4.1376	2.1466	2.0497	3.9273	3.9277	2.0939	24.5303		
	S	216.527	205.951	199.885	205.187	213.889	217.360	217.337	220.446	211.330		
101	T	2.1057	4.0750	4.1137	2.1443	2.0480	3.9238	3.9295	2.0981	24.4381		
	S	217.915	208.645	201.047	205.407	214.067	217.553	217.238	220.004	212.128		
102	T	2.1130	4.0988	4.1450	2.1487	2.0488	3.9192	3.9154	2.0815	24.4704		
	S	217.162	207.433	199.528	204.987	213.983	217.809	218.020	221.759	211.848		
103	T	2.1064	4.1083	4.1483	2.1459	2.0465	3.9207	3.9189	2.0872	24.4822		
	S	217.843	206.954	199.370	205.254	214.224	217.725	217.826	221.153	211.746		
104	T	2.0990	4.1007	4.1329	2.1438	2.0438	3.9182	3.9151	2.0876	24.4411		
	S	218.611	207.337	200.113	205.455	214.507	217.864	218.037	221.111	212.102		
105	T	2.1021	4.1240	4.2187	2.1572	2.0487	3.9517	3.9542	2.0934	24.6500		
	S	218.288	206.166	196.043	204.179	213.994	216.018	215.881	220.498	210.304		
106	T	2.1303	4.1712	4.2236	2.1666	2.0546	3.9270	3.9142	2.0826	24.6701		
	S	215.399	203.833	195.815	203.293	213.379	217.376	218.087	221.642	210.133		
107	T	2.1080	4.1223	4.1434	2.1429	2.0398	3.9076	3.9001	2.0790	24.4431		
	S	217.677	206.251	199.606	205.541	214.927	218.455	218.876	222.025	212.084		
108	T	2.0966	4.0881	4.2388	2.1664	2.0564	3.9374	3.9233	2.0892	24.5962		
	S	218.861	207.976	195.113	203.312	213.193	216.802	217.581	220.941	210.764		
109	T	2.0978	4.0909	4.1523	2.1454	2.0420	3.9342	3.9343	2.0888	24.4857		
	S	218.736	207.834	199.178	205.302	214.696	216.978	216.973	220.984	211.715		
110	T	2.1275	4.1711	4.1840	2.1674	2.0640	3.9341	3.9194	2.0845	24.6520		
	S	215.682	203.838	197.669	203.218	212.408	216.984	217.798	221.440	210.287		
111	T	2.1013	4.0867	4.1259	2.1349	2.0375	3.9106	3.8980	2.0748	24.3697		
	S	218.371	208.047	200.452	206.312	215.170	218.288	218.993	222.475	212.723		
112	T	2.0953	4.1159	4.2695	2.1650	2.0512	3.9173	3.9051	2.0755	24.5948		
	S	218.997	206.571	193.710	203.443	213.733	217.914	218.595	222.400	210.776		
113	T	2.0946	4.1370	4.2891	2.1851	2.0721	3.9634	3.9483	2.1027	24.7923		
	S	219.070	205.518	192.825	201.572	211.577	215.380	216.204	219.523	209.097		
114	T	2.1161	4.0674	4.0988	2.1405	2.0494	3.9347	3.9302	2.0976	24.4347		
	S	216.844	209.035	201.777	205.772	213.921	216.951	217.199	220.057	212.157		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.1057	4.0497	4.0907	2.1339	2.0425	3.9285	3.9262	2.0897	24.3669		
	S	217.915	209.948	202.177	206.408	214.643	217.293	217.420	220.889	212.748		
116	T	2.0976	4.0643	4.1289	2.1476	2.0682	3.9851	3.9919	2.1317	24.6153		
	S	218.757	209.194	200.306	205.092	211.976	214.207	213.842	216.537	210.601		
117	T	2.1334	3.9978	4.0495	2.1281	2.0499	3.9602	3.9771	2.1237	24.4197		
	S	215.086	212.674	204.234	206.971	213.869	215.554	214.638	217.352	212.288		
118	T	2.1239	3.9660	4.0617	2.1292	2.0536	3.9585	3.9451	2.0919	24.3299		
	S	216.048	214.379	203.621	206.864	213.483	215.646	216.379	220.656	213.071		
119	T	2.1216	4.1346	4.1228	2.1363	2.0450	3.9350	3.9386	2.0900	24.5239		
	S	216.282	205.637	200.603	206.176	214.381	216.934	216.736	220.857	211.386		
120	T	2.0890	4.0319	4.1084	2.1369	2.0496	3.9481	3.9559	2.1077	24.4275		
	S	219.657	210.875	201.306	206.118	213.900	216.214	215.788	219.002	212.220		
121	T	2.1103	3.9894	4.0907	2.1338	2.0518	3.9791	3.9707	2.1182	24.4440		
	S	217.440	213.122	202.177	206.418	213.670	214.530	214.984	217.917	212.077		
122	T	2.1161	3.9713	4.0672	2.1262	2.0442	3.9447	3.9492	2.1071	24.3260		
	S	216.844	214.093	203.345	207.156	214.465	216.401	216.154	219.065	213.105		
123	T	2.1131	3.9903	4.0894	2.1417	2.3742	5.7517			34.9504	26.6995	27.5793
	S	217.152	213.074	202.241	205.657	184.656	148.415			148.324	33.747	171.225
124	T				3.1869	2.9436	6.1341			64.8908	15.1538	
	S				138.208	148.936	139.162			79.888	59.459	
125	T			8.5288	3.1563	2.6258	4.5946	4.2376	2.1659	42.5998	34.8798	
	S			96.971	139.548	166.962	185.791	201.443	213.117	121.691	135.465	
126	T	2.1441	4.1627	4.1409	2.1379	2.0461	3.9409	3.9353	2.0904	24.5983		
	S	214.012	204.249	199.726	206.022	214.266	216.609	216.918	220.815	210.746		
127	T	2.0952	4.0467	4.0482	2.1108	2.0242	3.9063	3.9002	2.0778	24.2094		
	S	219.007	210.104	204.300	208.667	216.584	218.528	218.870	222.154	214.132		
128	T	2.0794	3.9879	4.0183	2.0978	2.0122	3.8795	3.8785	2.0687	24.0223		
	S	220.671	213.202	205.820	209.960	217.876	220.038	220.094	223.131	215.799		
129	T	2.0789	4.0646	4.0893	2.1230	2.0298	3.9008	3.8884	2.0715	24.2463		
	S	220.724	209.179	202.246	207.468	215.986	218.836	219.534	222.829	213.806		
130	T	2.0750	3.9871	4.0445	2.0991	2.0092	3.8898	3.8808	2.0679	24.0534		
	S	221.139	213.245	204.486	209.830	218.201	219.455	219.964	223.217	215.520		
131	T	2.0772	4.0899	4.0960	2.1023	2.0423	4.1225	4.0232	2.1078	24.6612		
	S	220.905	207.885	201.915	209.511	214.664	207.068	212.178	218.992	210.209		
132	T	2.1024	4.0331	4.2007	2.1712	2.6019	7.8753	8.0552	4.2496	35.2894		
	S	218.257	210.812	196.883	202.862	168.496	108.394	105.973	108.620	146.900		
133	T	3.5604	6.0715	5.8333	3.1647	3.7056	9.2705	7.6286	3.5435	42.7781		
	S	128.880	140.036	141.780	139.177	118.310	92.081	111.899	130.264	121.184		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	3.7951	7.2818	6.1892	3.2747	3.0200	6.5211	5.8491	3.7702	39.7012		
	S	120.909	116.761	133.627	134.502	145.169	130.904	145.943	122.431	130.575		
135	T	4.9137	11.0415	10.4862	5.0256	6.1100	10.7736			67.3605	26.2830	59.9410
	S	93.385	77.003	78.870	87.642	71.753	79.234			76.959	34.282	78.782
136	T				3.3445	2.8532	6.0190	9.3522	5.2215	63.7795		44.9160
	S				131.695	153.655	141.824	91.277	88.402	81.280		105.196
137	T	6.1203	10.9355	10.1585	4.4625	4.7239	12.4368	11.7114	5.1241	65.6730		
	S	74.974	77.749	81.414	98.701	92.807	68.638	72.889	90.082	78.937		
138	T	5.7097	10.4918	9.8500	5.7233	5.0108	9.7874	9.4686	4.6094	60.6510		
	S	80.366	81.037	83.964	76.958	87.493	87.218	90.154	100.141	85.473		
139	T	4.9323	9.0450	9.2209	4.6911	5.0302	9.8393	9.0005	4.8811	56.6404		
	S	93.032	94.000	89.692	93.892	87.155	86.758	94.843	94.567	91.525		
140	T	4.1551	8.3211	10.4202	4.1919	4.3691	9.7616	10.3077	4.7164	56.2431		
	S	110.434	102.177	79.369	105.073	100.343	87.448	82.815	97.869	92.171		
141	T	5.6563	8.4299	8.4027	3.5595	3.4158	5.7588	5.0998	2.4433	42.7661		
	S	81.124	100.859	98.426	123.741	128.347	148.232	167.386	188.921	121.218		
142	T	2.4123	4.8280	4.5761	2.2467	2.1255	4.4748	4.4114	2.2528	27.3276		
	S	190.218	176.103	180.732	196.045	206.262	190.765	193.507	204.897	189.698		
143	T	2.2564	4.4098	4.2889	2.1488	2.0385	4.2280	4.0894	2.1146	25.5744		
	S	203.361	192.804	192.834	204.977	215.065	201.901	208.744	218.288	202.703		
144	T	2.0974	4.1945	4.2451	2.1126	2.0431	4.0341	3.9208	2.0626	24.7102		
	S	218.777	202.701	194.824	208.489	214.580	211.605	217.720	223.791	209.792		
145	T	2.0835	4.1331	4.1510	2.1076	2.0001	4.0031	3.9517	2.0792	24.5093		
	S	220.237	205.712	199.240	208.984	219.194	213.244	216.018	222.004	211.512		
146	T	2.1149	4.1189	4.1880	2.1350	2.0630	3.9691	3.9010	2.0593	24.5492		
	S	216.967	206.421	197.480	206.302	212.510	215.071	218.825	224.149	211.168		
147	T	2.1480	4.2170	4.2102	2.1260	2.0188	3.9020	3.8800	2.0650	24.5670		
	S	213.624	201.619	196.439	207.175	217.163	218.769	220.009	223.531	211.015		
148	T	2.0799	4.0625	4.1251	2.1191	2.0418	4.0366	3.9642	2.0925	24.5217		
	S	220.618	209.287	200.491	207.850	214.717	211.474	215.336	220.593	211.405		
149	T	2.0938	4.0199	4.1686	2.1196	2.0205	3.8915	3.8841	2.0540	24.2520		
	S	219.154	211.505	198.399	207.801	216.980	219.359	219.777	224.728	213.756		
150	T	2.0837	4.0964	4.1228	2.1300	2.0355	3.9072	3.9005	2.0805	24.3566		
	S	220.216	207.555	200.603	206.786	215.382	218.478	218.853	221.865	212.838		
151	T	2.0881	3.9663	4.0163	2.1009	2.0122	3.8666	3.8678	2.0617	23.9799		
	S	219.752	214.363	205.922	209.650	217.876	220.772	220.703	223.888	216.181		
152	T	2.0714	4.0136	4.1306	2.1203	2.0196	3.8738	3.8585	2.0563	24.1441		
	S	221.523	211.837	200.224	207.732	217.077	220.361	221.235	224.476	214.711		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0740	4.1205	4.2687	2.1775	2.0682	3.9376	3.9078	2.0764	24.6307		
	S	221.246	206.341	193.746	202.275	211.976	216.791	218.444	222.303	210.469		
154	T	2.0868	4.0667	4.2011	2.1579	2.0523	3.9310	3.9177	2.0788	24.4923		
	S	219.889	209.071	196.864	204.113	213.618	217.155	217.892	222.047	211.658		
155	T	2.0832	4.0618	4.1593	2.1359	2.0323	3.8863	3.8713	2.0559	24.2860		
	S	220.269	209.323	198.842	206.215	215.721	219.653	220.504	224.520	213.456		
156	T	2.0749	4.0348	4.2724	2.1791	2.0637	3.9261	3.8919	2.0673	24.5102		
	S	221.150	210.724	193.579	202.127	212.438	217.426	219.337	223.282	211.504		
157	T	2.0753	4.1036	4.2102	2.1417	2.0299	3.9202	3.9068	2.0614	24.4491		
	S	221.107	207.191	196.439	205.657	215.976	217.753	218.500	223.921	212.032		
158	T	2.0894	4.1360	4.2972	2.1796	2.0608	3.9458	3.9280	2.0825	24.7193		
	S	219.615	205.568	192.461	202.080	212.737	216.341	217.321	221.652	209.715		
159	T	2.0886	4.0962	4.1573	2.1215	2.0235	3.8796	3.8773	2.0618	24.3058		
	S	219.699	207.565	198.938	207.615	216.659	220.032	220.163	223.878	213.282		
160	T	2.0796	4.0700	4.3368	2.2107	2.0760	3.9656	3.9251	2.0781	24.7419		
	S	220.650	208.901	190.704	199.238	211.180	215.260	217.481	222.122	209.523		
161	T	2.0822	4.1893	4.3036	2.1872	2.0630	3.9266	3.9094	2.0816	24.7429		
	S	220.374	202.952	192.175	201.378	212.510	217.398	218.355	221.748	209.515		
162	T	2.0978	4.1506	4.2256	2.1519	2.0420	3.9326	3.9287	2.0878	24.6170		
	S	218.736	204.844	195.723	204.682	214.696	217.067	217.282	221.090	210.586		
163	T	2.1065	4.0745	4.1412	2.1328	2.0303	3.9351	3.9164	2.0692	24.4060		
	S	217.832	208.670	199.712	206.515	215.933	216.929	217.965	223.077	212.407		
164	T	2.0890	4.1281	4.2073	2.1427	2.0403	4.0621	3.9971	2.1021	24.7687		
	S	219.657	205.961	196.574	205.561	214.875	210.147	213.564	219.586	209.296		
165	T	2.1025	4.1117	4.3126	2.2109	2.0789	3.9416	3.9110	2.0716	24.7408		
	S	218.247	206.782	191.774	199.220	210.885	216.571	218.265	222.819	209.532		
166	T	2.0844	4.1496	4.2211	2.1548	2.0436	3.8940	3.8760	2.0622	24.4857		
	S	220.142	204.894	195.931	204.406	214.528	219.218	220.236	223.834	211.715		
167	T	2.0885	4.1301	4.4061	2.2187	2.0888	3.9572	3.9098	2.0684	24.8676		
	S	219.710	205.861	187.705	198.519	209.886	215.717	218.332	223.163	208.464		
168	T	2.0836	4.2085	4.3337	2.1996	2.0710	3.9342	3.8989	2.0688	24.7983		
	S	220.226	202.026	190.840	200.243	211.690	216.978	218.943	223.120	209.047		
169	T	2.0953	4.1572	4.1646	2.1327	2.0304	3.8921	3.8852	2.0725	24.4300		
	S	218.997	204.519	198.589	206.524	215.923	219.325	219.715	222.722	212.198		
170	T	2.0881	4.1269	4.1946	2.1607	2.0528	3.9138	3.9009	2.0718	24.5096		
	S	219.752	206.021	197.169	203.848	213.566	218.109	218.831	222.797	211.509		
171	T	2.0897	4.1276	4.2805	2.1832	2.0605	3.9205	3.8973	2.0659	24.6252		
	S	219.583	205.986	193.212	201.747	212.768	217.737	219.033	223.433	210.516		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0958	4.1771	4.1643	2.1236	2.0215	3.8755	3.8795	2.0608	24.3981		
	S	218.944	203.545	198.604	207.409	216.873	220.265	220.038	223.986	212.476		
173	T	2.0809	4.1527	4.2284	2.1513	2.0363	3.9002	3.8855	2.0655	24.5008		
	S	220.512	204.741	195.593	204.739	215.297	218.870	219.698	223.477	211.585		
174	T	2.1099	4.2098	4.2630	2.1576	2.0423	3.9684	3.9363	2.0726	24.7599		
	S	217.481	201.964	194.006	204.141	214.664	215.108	216.863	222.711	209.371		
175	T	2.1451	4.2911	4.3462	2.2026	2.0768	3.9764	3.9450	2.0826	25.0658		
	S	213.912	198.137	190.292	199.970	211.098	214.676	216.384	221.642	206.816		
176	T	2.0977	4.1570	4.2575	2.1566	2.0407	3.9039	3.8927	2.0613	24.5674		
	S	218.746	204.529	194.256	204.236	214.833	218.662	219.292	223.932	211.011		
177	T	2.0900	4.1317	4.2352	2.1468	2.0325	3.8991	3.8829	2.0563	24.4745		
	S	219.552	205.781	195.279	205.168	215.699	218.932	219.845	224.476	211.812		
178	T	2.0802	4.0834	4.3511	2.1918	2.0695	3.9387	3.9072	2.0792	24.7011		
	S	220.586	208.216	190.077	200.956	211.843	216.730	218.478	222.004	209.869		
179	T	2.0902	4.1353	4.1938	2.1415	2.0386	3.8996	3.8777	2.0635	24.4402		
	S	219.531	205.602	197.207	205.676	215.054	218.904	220.140	223.693	212.110		
180	T	2.0835	4.0822	4.1507	2.1266	2.0311	3.8932	3.8904	2.0688	24.3265		
	S	220.237	208.277	199.254	207.117	215.848	219.263	219.421	223.120	213.101		
181	T	2.0883	4.0476	4.1058	2.1116	2.0222	3.8830	3.8887	2.0733	24.2205		
	S	219.731	210.057	201.433	208.588	216.798	219.839	219.517	222.636	214.034		
182	T	2.0839	4.0106	4.0903	2.1252	2.0357	3.9083	3.9070	2.0825	24.2435		
	S	220.195	211.995	202.197	207.253	215.360	218.416	218.489	221.652	213.831		
183	T	2.0908	3.9871	4.0983	2.1333	2.0429	3.9227	3.9154	2.0891	24.2796		
	S	219.468	213.245	201.802	206.466	214.601	217.614	218.020	220.952	213.513		
184	T	2.0936	3.9829	4.0879	2.1351	2.0469	3.9266	3.9261	2.0886	24.2877		
	S	219.174	213.469	202.315	206.292	214.182	217.398	217.426	221.005	213.441		
185	T	2.0978	3.9755	4.0545	2.1212	2.0354	3.9219	3.9154	2.0868	24.2085		
	S	218.736	213.867	203.982	207.644	215.392	217.659	218.020	221.196	214.140		
186	T	2.0997	3.9486	4.0182	2.1023	2.0201	3.8921	3.9029	2.0879	24.0718		
	S	218.538	215.324	205.825	209.511	217.023	219.325	218.718	221.079	215.356		
187	T	2.0918	3.9290	4.0494	2.1129	2.0280	3.8991	3.9043	2.0902	24.1047		
	S	219.363	216.398	204.239	208.460	216.178	218.932	218.640	220.836	215.062		
188	T	2.0871	3.9324	4.0474	2.1071	2.0214	3.8848	3.8919	2.0800	24.0521		
	S	219.857	216.211	204.340	209.034	216.884	219.738	219.337	221.919	215.532		
189	T	2.0826	3.9295	4.1662	2.1306	2.0368	3.9071	3.8978	2.0818	24.2324		
	S	220.332	216.370	198.513	206.728	215.244	218.483	219.005	221.727	213.928		
190	T	2.0827	3.9831	4.1271	2.1156	2.0215	3.8721	3.8733	2.0649	24.1403		
	S	220.322	213.459	200.394	208.194	216.873	220.458	220.390	223.542	214.745		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0781	4.1422	4.1835	2.1271	2.0222	4.0164	3.9706	2.0863	24.6264		
	S	220.809	205.260	197.692	207.068	216.798	212.538	214.989	221.249	210.506		
192	T	2.0930	4.1431	4.3486	2.2046	2.0700	3.9133	4.0277	2.1245	24.9248		
	S	219.237	205.215	190.187	199.789	211.792	218.137	211.941	217.270	207.986		
193	T	2.1298	4.2252	4.2856	2.1625	2.0500	3.9470	3.9412	2.0800	24.8213		
	S	215.449	201.228	192.982	203.678	213.858	216.275	216.593	221.919	208.853		
194	T	2.0857	4.1111	4.2297	2.1486	2.0404	3.9053	3.8929	2.0669	24.4806		
	S	220.005	206.813	195.533	204.996	214.864	218.584	219.280	223.325	211.760		
195	T	2.0941	4.1103	4.2368	2.1511	2.0450	3.9351	3.9218	2.0801	24.5743		
	S	219.122	206.853	195.205	204.758	214.381	216.929	217.664	221.908	210.952		
196	T	2.0888	4.0702	4.1904	2.1334	2.0331	3.8873	3.8788	2.0709	24.3529		
	S	219.678	208.891	197.367	206.457	215.636	219.596	220.077	222.894	212.870		
197	T	2.0775	4.0752	4.2365	2.1380	2.0349	3.9319	3.9226	2.0769	24.4935		
	S	220.873	208.634	195.219	206.012	215.445	217.105	217.620	222.250	211.648		
198	T	2.0842	4.0938	4.1901	2.1339	2.0350	3.8984	3.8877	2.0709	24.3940		
	S	220.163	207.687	197.381	206.408	215.434	218.971	219.574	222.894	212.511		
199	T	2.0800	4.0446	4.1669	2.1294	2.0326	3.9252	3.9365	2.0898	24.4050		
	S	220.608	210.213	198.480	206.844	215.689	217.476	216.852	220.878	212.415		
200	T	2.0940	4.0469	4.2497	2.1729	2.0716	3.9771	3.9662	2.1118	24.6902		
	S	219.133	210.093	194.613	202.704	211.628	214.638	215.228	218.577	209.962		
201	T	2.1224	4.0821	4.1233	2.1509	2.4581	5.9302			36.3966	26.8675	29.0150
	S	216.200	208.282	200.579	204.777	178.353	143.947			142.431	33.536	162.753
202	T				3.1408	2.6255	4.6127	4.3205	2.2344	54.4585	34.9726	
	S				140.236	166.981	185.062	197.578	206.584	95.192	135.106	
203	T	2.2441	4.5078	4.2824	2.1649	2.0564	3.9538	3.9270	2.0774	25.2138		
	S	204.476	188.612	193.127	203.453	213.193	215.903	217.376	222.196	205.602		
204	T	2.0841	4.1044	4.0467	2.0757	1.9935	3.8781	3.8775	2.0580	24.1180		
	S	220.174	207.150	204.375	212.196	219.919	220.117	220.151	224.291	214.943		
205	T	2.1009	4.1588	4.1048	2.1008	2.0127	3.8574	3.8577	2.0627	24.2558		
	S	218.413	204.441	201.483	209.660	217.821	221.298	221.281	223.780	213.722		
206	T	2.0784	4.0994	4.0945	2.0973	2.0097	3.8554	3.8463	2.0520	24.1330		
	S	220.777	207.403	201.989	210.010	218.147	221.413	221.937	224.947	214.810		
207	T	2.0666	4.1387	4.1297	2.1146	2.0244	3.8864	3.8771	2.0648	24.3023		
	S	222.038	205.433	200.268	208.292	216.562	219.647	220.174	223.552	213.313		
208	T	2.0920	4.1334	4.1431	2.1213	2.0292	3.8993	3.8959	2.0720	24.3862		
	S	219.342	205.697	199.620	207.634	216.050	218.920	219.111	222.776	212.579		
209	T	2.0810	4.0216	4.0722	2.0994	2.0364	3.9849	3.9629	2.0895	24.3479		
	S	220.502	211.415	203.095	209.800	215.286	214.218	215.407	220.910	212.914		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0795	4.1191	4.3038	2.1898	2.0763	3.9722	3.9356	2.0899	24.7662		
	S	220.661	206.411	192.166	201.139	211.149	214.903	216.901	220.867	209.318		
211	T	2.0921	4.0329	4.1053	2.1331	2.0434	3.9294	3.9110	2.0804	24.3276		
	S	219.332	210.823	201.458	206.486	214.549	217.243	218.265	221.876	213.091		
212	T	2.0862	4.0327	4.1926	2.1487	2.0504	3.9377	3.9221	2.0840	24.4544		
	S	219.952	210.833	197.263	204.987	213.816	216.786	217.648	221.493	211.986		
213	T	2.1071	4.0853	4.1616	2.1400	2.0437	3.9086	3.8823	2.0874	24.4160		
	S	217.770	208.119	198.733	205.820	214.517	218.400	219.879	221.132	212.320		
214	T	2.1706	4.2500	4.1800	2.1371	2.0440	3.9332	3.9044	2.0751	24.6944		
	S	211.399	200.053	197.858	206.099	214.486	217.034	218.634	222.443	209.926		
215	T	2.1304	4.1869	4.1156	2.1186	2.0316	3.9156	3.9113	2.1319	24.5419		
	S	215.388	203.068	200.954	207.899	215.795	218.009	218.249	216.516	211.231		
216	T	2.2134	4.0282	4.0937	2.1324	2.0426	3.9270	3.9001	2.1517	24.4891		
	S	207.312	211.069	202.029	206.553	214.633	217.376	218.876	214.524	211.686		
217	T	2.4878	5.2627	7.4157	4.5499	3.9755	6.5284	5.9281	2.8976	39.0457		
	S	184.446	161.557	111.526	96.805	110.278	130.757	143.998	159.301	132.768		
218	T	2.7143	5.4965	7.1187	4.1764	4.1594	7.1542	6.4399	3.0708	40.3302		
	S	169.054	154.685	116.179	105.463	105.402	119.320	132.554	150.316	128.539		
219	T	2.9467	5.7192	6.1180	3.5120	3.6511	6.9108	7.3653	3.4883	39.7114		
	S	155.721	148.662	135.182	125.414	120.076	123.522	115.900	132.325	130.542		
220	T	3.5241	6.8834	7.6642	7.8367	7.7548	9.6875	8.8373	4.5237	56.7117		
	S	130.207	123.519	107.910	56.204	56.534	88.117	96.595	102.038	91.410		
221	T	5.3976	8.5318	8.9600	4.4269	5.6790	9.7927	8.3625	4.7077	55.8582		
	S	85.013	99.654	92.304	99.495	77.198	87.171	102.079	98.050	92.806		
222	T	4.1928	8.3761	10.2939	5.2592	6.4780	9.5356	9.4501	4.4717	58.0574		
	S	109.441	101.506	80.343	83.749	67.677	89.521	90.331	103.225	89.291		
223	T	6.1004	8.0119	8.5919	4.8475	6.1472	7.5148	7.4428	6.7407	55.3972		
	S	75.219	106.121	96.259	90.862	71.319	113.594	114.693	68.478	93.579		
224	T	6.2351	6.7509	7.3262	3.6477	3.2878	7.1220	5.9828	2.5328	42.8853		
	S	73.594	125.943	112.889	120.749	133.344	119.859	142.682	182.245	120.881		
225	T	2.4092	4.8481	4.7308	2.3322	2.2265	4.6377	4.3950	2.2333	27.8128		
	S	190.463	175.373	174.821	188.858	196.905	184.065	194.229	206.686	186.389		
226	T	2.2487	4.4561	4.4524	2.2162	2.0940	4.1462	4.0937	2.1387	25.8460		
	S	204.057	190.801	185.753	198.743	209.364	205.884	208.524	215.828	200.573		
227	T	2.1235	4.1322	4.1699	2.1420	2.0862	5.0540	8.9192	4.6235	33.2505		
	S	216.088	205.757	198.337	205.628	210.147	168.903	95.708	99.836	155.907		
228	T	3.9456	6.6222	6.6841	3.6003	4.6061	9.6900	12.0353	4.4975	51.6811		
	S	116.298	128.390	123.733	122.338	95.180	88.095	70.928	102.633	100.307		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 10 - Rosenqvist, Felix (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	4.6534	7.3657	7.2729	4.5480	5.1914	10.8811	14.0813	5.9548	59.9486		
	S	98.608	115.431	113.716	96.846	84.449	78.451	60.622	77.516	86.474		
230	T	5.3154	8.9890	9.9616	6.4069	6.2163	9.9666			65.2397	25.1195	57.8470
	S	86.327	94.585	83.023	68.747	70.526	85.650			79.461	35.869	81.634
231	T			8.5408	3.1992	2.7447	5.5979	7.3835	4.9449	59.6869	41.9601	
	S			96.835	137.676	159.729	152.492	115.614	93.347	86.853	112.607	
232	T	5.4457	7.4027	6.8770	5.2582	6.1525	9.1667	8.1554	4.5517	53.0099		
	S	84.262	114.854	120.263	83.765	71.257	93.124	104.671	101.411	97.793		
233	T	5.0922	9.5493	8.7508	4.7596	6.8851	8.8465	7.9228	4.5194	56.3257		
	S	90.111	89.036	94.511	92.540	63.675	96.494	107.744	102.135	92.036		
234	T	6.7520	7.9841	6.4576	3.7323	3.1021	6.7443	7.1665	2.8309	44.7698		
	S	67.960	106.490	128.073	118.012	141.327	126.572	119.115	163.054	115.792		
235	T	2.6451	5.0488	4.7341	2.3162	2.1661	4.6433	4.3491	2.1892	28.0919		
	S	173.477	168.402	174.700	190.163	202.396	183.843	196.279	210.849	184.537		
236	T	2.1968	4.4870	4.3762	2.1617	2.0724	4.1081	4.0007	2.0749	25.4778		
	S	208.878	189.487	188.987	203.754	211.547	207.793	213.372	222.464	203.471		
237	T	2.0950	4.2285	4.2493	2.1409	2.0254	3.9473	3.8967	2.0564	24.6395		
	S	219.028	201.071	194.631	205.733	216.456	216.258	219.066	224.466	210.394		
238	T	2.0723	4.0655	4.0788	2.1036	1.9982	3.8887	3.8630	2.0456	24.1157		
	S	221.427	209.132	202.767	209.381	219.402	219.517	220.978	225.651	214.964		
239	T	2.1212	4.1279	4.0697	2.1016	2.0045	3.8557	3.8655	2.0565	24.2026		
	S	216.323	205.971	203.220	209.581	218.712	221.396	220.835	224.455	214.192		
240	T	2.0734	4.0207	4.0690	2.1038	2.0060	3.8579	3.8522	2.0533	24.0363		
	S	221.310	211.462	203.255	209.361	218.549	221.270	221.597	224.804	215.674		
241	T	2.0662	4.0106	4.0944	2.1154	2.0157	3.8634	3.8662	2.0579	24.0898		
	S	222.081	211.995	201.994	208.213	217.497	220.955	220.795	224.302	215.195		
242	T	2.0648	3.9493	4.0759	2.1103	2.0072	3.8471	3.8490	2.0460	23.9496		
	S	222.232	215.286	202.911	208.717	218.418	221.891	221.781	225.607	216.455		
243	T	2.1145	4.1381	4.1607	2.1290	2.0267	3.8786	3.8601	2.0572	24.3649		
	S	217.008	205.463	198.776	206.883	216.317	220.089	221.144	224.378	212.765		
244	T	2.0718	3.9941	4.0789	2.1046	2.0056	3.8518	3.9062	2.0653	24.0783		
	S	221.481	212.871	202.762	209.282	218.592	221.620	218.534	223.498	215.298		
245	T	2.0977	4.1320	4.1270	2.1252	2.0260	3.8758	3.8701	2.0637	24.3175		
	S	218.746	205.767	200.399	207.253	216.391	220.248	220.572	223.672	213.180		
246	T	2.0786	4.0501	4.1677	2.1514	2.0509	3.9097	3.8923	2.0755	24.3762		
	S	220.756	209.927	198.442	204.729	213.764	218.338	219.314	222.400	212.666		
247	T	2.2891	5.1658									
	S	200.456	164.588									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5796	4.8719	4.6129	2.2530	2.1051	4.3242	4.2666	2.1908	27.2041	62.8994	
	S	177.882	174.517	179.290	195.497	208.260	197.409	200.074	210.695	190.560	75.120	
2	T	2.1583	4.2836	4.3990	2.1736	2.0645	4.0282	3.9579	2.0724	25.1375		
	S	212.604	198.484	188.008	202.638	212.356	211.915	215.679	222.733	206.226		
3	T	2.0808	4.1852	4.4950	2.2320	2.0960	3.9801	3.9918	2.0977	25.1586		
	S	220.523	203.151	183.992	197.336	209.165	214.476	213.847	220.046	206.053		
4	T	2.0948	4.1324	4.2040	2.1325	2.0384	3.9270	3.9487	2.0955	24.5733		
	S	219.049	205.747	196.728	206.544	215.075	217.376	216.182	220.277	210.961		
5	T	2.0908	3.9514	4.4306	2.2439	2.1119	4.1540	4.0795	2.1264	25.1885		
	S	219.468	215.171	186.667	196.290	207.590	205.497	209.250	217.076	205.808		
6	T	2.1028	4.0928	4.6986	2.3178	2.1516	4.2349	4.0929	2.1371	25.8285		
	S	218.216	207.737	176.020	190.031	203.760	201.572	208.565	215.989	200.709		
7	T	2.1191	4.1838	4.3564	2.1725	2.0590	3.9621	3.9804	2.1088	24.9421		
	S	216.537	203.219	189.846	202.741	212.923	215.450	214.460	218.888	207.841		
8	T	2.1081	4.1082	4.2384	2.1640	2.0687	3.9846	3.9755	2.1208	24.7683		
	S	217.667	206.959	195.132	203.537	211.925	214.234	214.724	217.649	209.300		
9	T	2.1260	4.0270	4.2545	2.1676	2.0720	3.9931	3.9848	2.1234	24.7484		
	S	215.834	211.132	194.393	203.199	211.587	213.778	214.223	217.383	209.468		
10	T	2.1330	4.0325	4.2054	2.1511	2.0635	3.9898	3.9931	2.1293	24.6977		
	S	215.126	210.844	196.663	204.758	212.459	213.955	213.778	216.781	209.898		
11	T	2.1373	3.9937	4.1809	2.1478	2.0624	3.9804	3.9906	2.1308	24.6239		
	S	214.693	212.892	197.815	205.072	212.572	214.460	213.912	216.628	210.527		
12	T	2.1295	4.0212	4.2027	2.1449	2.0508	3.9447	3.9392	2.0989	24.5319		
	S	215.480	211.436	196.789	205.350	213.775	216.401	216.703	219.920	211.317		
13	T	2.1035	4.1116	4.2936	2.1874	2.0887	4.0222	4.0210	2.1398	24.9678		
	S	218.143	206.787	192.623	201.360	209.896	212.231	212.295	215.717	207.627		
14	T	2.1404	4.1089	4.1835	2.1374	2.0464	3.9431	3.9479	2.1069	24.6145		
	S	214.382	206.923	197.692	206.070	214.234	216.489	216.225	219.085	210.608		
15	T	2.1090	4.0958	4.2215	2.1493	2.0572	3.9606	3.9506	2.1065	24.6505		
	S	217.574	207.585	195.913	204.929	213.110	215.532	216.078	219.127	210.300		
16	T	2.1090	4.1003	4.2397	2.1552	2.0576	3.9636	3.9506	2.1062	24.6822		
	S	217.574	207.357	195.072	204.368	213.068	215.369	216.078	219.158	210.030		
17	T	2.1066	4.0554	4.2158	2.1472	2.0538	3.9560	3.9403	2.1016	24.5767		
	S	217.822	209.653	196.178	205.130	213.462	215.783	216.642	219.638	210.931		
18	T	2.1033	4.0744	4.2280	2.1506	2.0549	3.9562	3.9407	2.0986	24.6067		
	S	218.164	208.675	195.612	204.805	213.348	215.772	216.620	219.952	210.674		
19	T	2.1048	4.0929	4.2168	2.1486	2.0582	3.9774	3.9537	2.1049	24.6573		
	S	218.008	207.732	196.131	204.996	213.006	214.622	215.908	219.294	210.242		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1109	4.1215	4.2390	2.1594	2.0604	3.9656	3.9435	2.0998	24.7001		
	S	217.378	206.291	195.104	203.971	212.779	215.260	216.467	219.826	209.878		
21	T	2.1077	4.1447	4.2547	2.1603	2.0596	3.9622	3.9601	2.1073	24.7566		
	S	217.708	205.136	194.384	203.886	212.861	215.445	215.559	219.044	209.399		
22	T	2.1206	4.2054	4.3012	2.1771	2.0722	3.9815	3.9638	2.1101	24.9319		
	S	216.384	202.175	192.282	202.313	211.567	214.401	215.358	218.753	207.926		
23	T	2.1155	4.1119	4.2388	2.1549	2.0581	3.9766	3.9643	2.1093	24.7294		
	S	216.906	206.772	195.113	204.397	213.016	214.665	215.331	218.836	209.629		
24	T	2.1149	4.1056	4.2231	2.1489	2.0562	3.9522	3.9429	2.1020	24.6458		
	S	216.967	207.090	195.838	204.967	213.213	215.990	216.500	219.596	210.340		
25	T	2.1175	4.1327	4.2557	2.1648	2.0672	3.9795	3.9653	2.1132	24.7959		
	S	216.701	205.732	194.338	203.462	212.079	214.508	215.277	218.432	209.067		
26	T	2.1271	4.1523	4.2087	2.1470	2.0555	3.9581	3.9551	2.1152	24.7190		
	S	215.723	204.761	196.509	205.149	213.286	215.668	215.832	218.226	209.717		
27	T	2.1258	4.0769	4.1774	2.1349	2.0459	3.9474	3.9448	2.1069	24.5600		
	S	215.855	208.547	197.981	206.312	214.287	216.253	216.395	219.085	211.075		
28	T	2.1170	4.0725	4.2095	2.1424	2.0564	3.9604	3.9512	2.1090	24.6184		
	S	216.752	208.773	196.471	205.589	213.193	215.543	216.045	218.867	210.574		
29	T	2.1242	4.0870	4.2179	2.1564	2.0614	3.9715	3.9578	2.1078	24.6840		
	S	216.017	208.032	196.080	204.255	212.675	214.941	215.685	218.992	210.015		
30	T	2.1155	4.0815	4.2281	2.1512	2.0531	3.9607	3.9559	2.1057	24.6517		
	S	216.906	208.312	195.607	204.748	213.535	215.527	215.788	219.210	210.290		
31	T	2.1173	4.0977	4.2233	2.1478	2.0553	3.9601	3.9480	2.1056	24.6551		
	S	216.721	207.489	195.829	205.072	213.307	215.559	216.220	219.221	210.261		
32	T	2.1212	4.0690	4.2109	2.1497	2.0611	3.9736	3.9664	2.1234	24.6753		
	S	216.323	208.952	196.406	204.891	212.706	214.827	215.217	217.383	210.089		
33	T	2.1419	4.1105	4.2531	2.1647	2.0703	3.9870	3.9860	2.1204	24.8339		
	S	214.232	206.843	194.457	203.471	211.761	214.105	214.159	217.690	208.747		
34	T	2.1251	4.0786	4.2168	2.1458	2.0560	3.9655	3.9663	2.1207	24.6748		
	S	215.926	208.461	196.131	205.264	213.234	215.266	215.222	217.660	210.093		
35	T	2.1328	4.0985	4.1550	2.1267	2.0442	3.9512	3.9559	2.1110	24.5753		
	S	215.146	207.448	199.048	207.107	214.465	216.045	215.788	218.660	210.944		
36	T	2.1192	4.0647	4.1427	2.1212	2.0385	3.9463	3.9501	2.1090	24.4917		
	S	216.527	209.173	199.639	207.644	215.065	216.313	216.105	218.867	211.664		
37	T	2.1141	4.0461	4.1986	2.1411	2.0652	3.9800	3.9705	2.1157	24.6313		
	S	217.049	210.135	196.981	205.714	212.284	214.481	214.995	218.174	210.464		
38	T	2.1226	4.0388	4.1911	2.1671	2.0679	3.9819	3.9679	2.1139	24.6512		
	S	216.180	210.515	197.334	203.246	212.007	214.379	215.136	218.360	210.294		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1256	4.0665	4.1825	2.1424	2.0534	3.9645	3.9652	2.1132	24.6133		
	S	215.875	209.081	197.739	205.589	213.504	215.320	215.282	218.432	210.618		
40	T	2.1243	4.0763	4.2113	2.1475	2.0548	3.9641	3.9635	2.1123	24.6541		
	S	216.007	208.578	196.387	205.101	213.359	215.342	215.374	218.525	210.269		
41	T	2.1232	4.1390	4.2101	2.1406	2.0499	3.9530	3.9535	2.1083	24.6776		
	S	216.119	205.419	196.443	205.762	213.869	215.946	215.919	218.940	210.069		
42	T	2.1173	4.1531	4.2292	2.1460	2.0544	3.9585	3.9557	2.1079	24.7221		
	S	216.721	204.721	195.556	205.244	213.400	215.646	215.799	218.981	209.691		
43	T	2.1254	4.1126	4.2651	2.1598	2.0613	3.9637	3.9558	2.1081	24.7518		
	S	215.895	206.737	193.910	203.933	212.686	215.364	215.794	218.961	209.439		
44	T	2.1216	4.1234	4.2630	2.1608	2.0639	3.9725	3.9604	2.1114	24.7770		
	S	216.282	206.196	194.006	203.839	212.418	214.886	215.543	218.618	209.226		
45	T	2.1267	4.1819	4.2478	2.1558	2.0585	3.9590	3.9525	2.1079	24.7901		
	S	215.763	203.311	194.700	204.311	212.975	215.619	215.974	218.981	209.116		
46	T	2.1184	4.1427	4.3004	2.1628	2.0574	3.9660	4.0134	2.1228	24.8839		
	S	216.609	205.235	192.318	203.650	213.089	215.239	212.697	217.444	208.327		
47	T	2.1385	4.2471	4.3838	2.1994	2.0795	3.9785	3.9544	2.1039	25.0851		
	S	214.573	200.190	188.659	200.261	210.824	214.562	215.870	219.398	206.657		
48	T	2.1293	4.2097	4.3416	2.1802	2.0697	3.9685	3.9354	2.0960	24.9304		
	S	215.500	201.969	190.493	202.025	211.823	215.103	216.912	220.225	207.939		
49	T	2.1174	4.2134	4.3796	2.1870	2.0895	4.1171	4.0827	2.1379	25.3246		
	S	216.711	201.791	188.840	201.397	209.815	207.339	209.086	215.909	204.702		
50	T	2.1862	4.3806	4.4539	2.2110	2.0856	4.0730	4.0083	2.1205	25.5191		
	S	209.891	194.089	185.690	199.211	210.208	209.584	212.967	217.680	203.142		
51	T	2.1460	4.2423	4.3027	2.1682	2.0605	3.9452	3.9685	2.1074	24.9408		
	S	213.823	200.417	192.215	203.143	212.768	216.373	215.103	219.033	207.852		
52	T	2.1242	4.1327	4.2837	2.1555	2.0521	3.9372	3.9215	2.0888	24.6957		
	S	216.017	205.732	193.068	204.340	213.639	216.813	217.681	220.984	209.915		
53	T	2.1183	4.1308	4.3300	2.1844	2.0706	3.9602	3.9445	2.1006	24.8394		
	S	216.619	205.826	191.004	201.636	211.730	215.554	216.412	219.742	208.701		
54	T	2.1234	4.1320	4.3349	2.1831	2.0732	3.9666	3.9450	2.0974	24.8556		
	S	216.099	205.767	190.788	201.756	211.465	215.206	216.384	220.078	208.565		
55	T	2.1286	4.3121	4.3772	2.2044	2.0878	3.9893	3.9567	2.1082	25.1643		
	S	215.571	197.172	188.944	199.807	209.986	213.981	215.745	218.950	206.006		
56	T	2.1278	4.2248	4.3313	2.1874	2.0774	3.9779	3.9465	2.0996	24.9727		
	S	215.652	201.247	190.946	201.360	211.037	214.595	216.302	219.847	207.587		
57	T	2.1288	4.1477	4.2778	2.1652	2.0621	3.9545	3.9319	2.0878	24.7558		
	S	215.550	204.988	193.334	203.424	212.603	215.865	217.105	221.090	209.405		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1108	4.1861	4.2855	2.1689	2.0632	3.9525	3.9430	2.0982	24.8082		
	S	217.388	203.107	192.987	203.077	212.490	215.974	216.494	219.994	208.963		
59	T	2.1151	4.1681	4.3309	2.2126	2.5894	6.5708			37.9982	26.0218	30.6231
	S	216.947	203.984	190.964	199.067	169.309	129.914			136.428	34.626	154.206
60	T			8.4875	3.1331	2.6312	4.6638	4.3450	2.2403	53.9096	35.2629	
	S			97.443	140.581	166.619	183.035	196.464	206.040	96.161	133.994	
61	T	2.2108	4.1843	4.0430	2.0842	2.0146	3.9152	3.9281	2.0885	24.4687		
	S	207.555	203.195	204.562	211.330	217.616	218.031	217.315	221.016	211.863		
62	T	2.1037	4.0253	4.1498	2.1548	2.0529	3.9370	3.9193	2.0824	24.4252		
	S	218.122	211.221	199.298	204.406	213.556	216.824	217.803	221.663	212.240		
63	T	2.0790	3.9839	4.0609	2.0856	2.0105	3.9011	3.9184	2.0847	24.1241		
	S	220.714	213.416	203.661	211.188	218.060	218.819	217.853	221.418	214.889		
64	T	2.0845	4.0689	4.1732	2.1171	2.0253	3.9043	3.8923	2.0594	24.3250		
	S	220.131	208.958	198.180	208.046	216.466	218.640	219.314	224.139	213.114		
65	T	2.0662	4.0380	4.3228	2.1704	2.0999	4.1222	3.9730	2.0889	24.8814		
	S	222.081	210.557	191.322	202.937	208.776	207.083	214.859	220.973	208.348		
66	T	2.0833	3.9972	4.2672	2.1513	2.0539	3.9406	3.9127	2.0821	24.4883		
	S	220.258	212.706	193.815	204.739	213.452	216.626	218.171	221.695	211.693		
67	T	2.0851	4.0297	4.1582	2.1267	2.0365	3.9260	3.9231	2.0935	24.3788		
	S	220.068	210.990	198.895	207.107	215.276	217.432	217.592	220.488	212.644		
68	T	2.0982	3.9206	4.0757	2.0973	2.0186	3.9096	3.9207	2.1000	24.1407		
	S	218.694	216.862	202.921	210.010	217.185	218.344	217.725	219.805	214.741		
69	T	2.1039	3.9044	4.0838	2.1123	2.0301	3.9306	3.9397	2.1029	24.2077		
	S	218.101	217.761	202.519	208.519	215.954	217.177	216.675	219.502	214.147		
70	T	2.1079	3.9312	4.1342	2.1240	2.0401	3.9461	3.9472	2.1122	24.3429		
	S	217.688	216.277	200.050	207.370	214.896	216.324	216.264	218.536	212.957		
71	T	2.1170	3.9231	4.0910	2.1092	2.0325	3.9449	3.9503	2.1138	24.2818		
	S	216.752	216.723	202.162	208.825	215.699	216.390	216.094	218.370	213.493		
72	T	2.1245	3.9199	4.1043	2.1208	2.0408	3.9475	3.9544	2.1123	24.3245		
	S	215.987	216.900	201.507	207.683	214.822	216.247	215.870	218.525	213.118		
73	T	2.1178	3.9396	4.0314	2.0986	2.0272	3.9311	3.9444	2.1117	24.2018		
	S	216.670	215.816	205.151	209.880	216.263	217.149	216.417	218.587	214.199		
74	T	2.1209	3.9287	4.0928	2.1134	2.0383	3.9548	3.9532	2.1155	24.3176		
	S	216.353	216.414	202.073	208.410	215.086	215.848	215.936	218.195	213.179		
75	T	2.1229	3.9244	4.0503	2.0989	2.0279	3.9387	3.9497	2.1125	24.2253		
	S	216.149	216.652	204.194	209.850	216.189	216.730	216.127	218.505	213.991		
76	T	2.1195	3.8908	4.0714	2.1099	2.0351	3.9513	3.9535	2.1126	24.2441		
	S	216.496	218.522	203.135	208.756	215.424	216.039	215.919	218.494	213.825		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.1237	3.8891	4.0562	2.1287	2.0461	3.9637	3.9584	2.1194	24.2853		
	S	216.068	218.618	203.897	206.912	214.266	215.364	215.652	217.793	213.462		
78	T	2.1264	3.9147	4.0528	2.0994	2.0263	3.9379	3.9510	2.1158	24.2243		
	S	215.794	217.188	204.068	209.800	216.359	216.775	216.056	218.164	214.000		
79	T	2.1227	3.9163	4.0515	2.0988	2.0241	3.9294	3.9450	2.1112	24.1990		
	S	216.170	217.100	204.133	209.860	216.595	217.243	216.384	218.639	214.224		
80	T	2.1212	3.9155	4.0702	2.1007	2.0241	3.9203	3.9327	2.1022	24.1869		
	S	216.323	217.144	203.195	209.670	216.595	217.748	217.061	219.575	214.331		
81	T	2.1079	3.9422	4.0801	2.1064	2.0265	3.9296	3.9367	2.0992	24.2286		
	S	217.688	215.673	202.702	209.103	216.338	217.232	216.841	219.889	213.962		
82	T	2.1034	3.9231	4.1511	2.1247	2.0371	3.9336	3.9364	2.1005	24.3099		
	S	218.153	216.723	199.235	207.302	215.212	217.011	216.857	219.753	213.246		
83	T	2.1068	3.9383	4.1430	2.1217	2.0360	3.9350	3.9434	2.1041	24.3283		
	S	217.801	215.887	199.625	207.595	215.329	216.934	216.472	219.377	213.085		
84	T	2.1082	3.9300	4.1232	2.1197	2.0354	3.9382	3.9430	2.1103	24.3080		
	S	217.657	216.343	200.583	207.791	215.392	216.758	216.494	218.732	213.263		
85	T	2.1121	3.9314	4.1215	2.1125	2.0280	3.9246	3.9355	2.1051	24.2707		
	S	217.255	216.266	200.666	208.499	216.178	217.509	216.907	219.273	213.591		
86	T	2.1068	3.9720	4.1588	2.1245	2.0340	3.9124	3.9101	2.0862	24.3048		
	S	217.801	214.055	198.866	207.322	215.540	218.187	218.316	221.259	213.291		
87	T	2.1172	4.2295	4.3212	2.1775	2.0660	3.9831	3.9651	2.0887	24.9483		
	S	216.731	201.023	191.393	202.275	212.202	214.315	215.287	220.994	207.790		
88	T	2.1314	4.3280	4.3355	2.1842	2.0707	4.2362	4.0840	2.1491	25.5191		
	S	215.287	196.448	190.761	201.655	211.720	201.510	209.020	214.783	203.142		
89	T	2.1429	4.0679	4.2441	2.1393	2.0410	3.9410	3.9217	2.0857	24.5836		
	S	214.132	209.009	194.869	205.887	214.801	216.604	217.670	221.312	210.872		
90	T	2.0792	4.0618	4.2649	2.1495	2.0933	4.2176	4.0704	2.1299	25.0666		
	S	220.692	209.323	193.919	204.910	209.434	202.399	209.718	216.720	206.809		
91	T	2.1657	4.4493	4.4701	2.2443	2.1134	4.0734	4.0076	2.1202	25.6440		
	S	211.878	191.092	185.017	196.255	207.443	209.564	213.004	217.711	202.153		
92	T	2.1151	4.0497	4.2170	2.1530	2.0539	3.9462	3.9367	2.1039	24.5755		
	S	216.947	209.948	196.122	204.577	213.452	216.319	216.841	219.398	210.942		
93	T	2.1058	3.9385	4.1449	2.1149	2.0284	3.9074	3.9129	2.0925	24.2453		
	S	217.905	215.876	199.533	208.263	216.135	218.467	218.160	220.593	213.815		
94	T	2.1003	4.0109	4.2034	2.1360	2.0364	3.9136	3.9259	2.0918	24.4183		
	S	218.475	211.979	196.756	206.205	215.286	218.120	217.437	220.667	212.300		
95	T	2.1000	4.0951	4.2779	2.1616	2.0558	3.9385	3.9730	2.1139	24.7158		
	S	218.506	207.621	193.330	203.763	213.255	216.741	214.859	218.360	209.744		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1234	4.1035	4.1915	2.1474	2.0617	3.9518	3.9506	2.1151	24.6450		
	S	216.099	207.196	197.315	205.111	212.644	216.012	216.078	218.236	210.347		
97	T	2.1180	4.0020	4.2020	2.1460	2.0520	3.9481	3.9530	2.1184	24.5395		
	S	216.649	212.451	196.822	205.244	213.650	216.214	215.946	217.896	211.251		
98	T	2.1128	4.0230	4.1976	2.1375	2.0479	3.9466	3.9484	2.1149	24.5287		
	S	217.183	211.342	197.028	206.061	214.077	216.297	216.198	218.257	211.344		
99	T	2.1335	4.2828	4.3871	2.2005	2.0834	3.9813	3.9537	2.1098	25.1321		
	S	215.076	198.521	188.518	200.161	210.430	214.411	215.908	218.784	206.270		
100	T	2.1122	3.9893	4.1764	2.1347	2.0453	3.9393	3.9393	2.1048	24.4413		
	S	217.244	213.127	198.028	206.331	214.350	216.697	216.697	219.304	212.100		
101	T	2.1120	4.0025	4.1916	2.1463	2.0610	3.9802	3.9860	2.1279	24.6075		
	S	217.265	212.424	197.310	205.216	212.717	214.471	214.159	216.923	210.667		
102	T	2.1337	3.9597	4.1432	2.1260	2.0424	3.9545	3.9655	2.1223	24.4473		
	S	215.055	214.720	199.615	207.175	214.654	215.865	215.266	217.496	212.048		
103	T	2.1338	3.9437	4.1233	2.1278	2.0481	3.9641	3.9744	2.1254	24.4406		
	S	215.045	215.591	200.579	207.000	214.056	215.342	214.784	217.178	212.106		
104	T	2.1409	3.9816	4.1825	2.1446	2.0543	3.9564	3.9607	2.1148	24.5358		
	S	214.332	213.539	197.739	205.378	213.410	215.761	215.527	218.267	211.283		
105	T	2.1186	3.9720	4.2730	2.1794	2.0820	3.9950	3.9862	2.1260	24.7322		
	S	216.588	214.055	193.551	202.099	210.571	213.676	214.148	217.117	209.605		
106	T	2.1337	3.9761	4.2080	2.1495	2.0614	3.9730	3.9773	2.1199	24.5989		
	S	215.055	213.834	196.541	204.910	212.675	214.859	214.627	217.742	210.741		
107	T	2.1335	3.9786	4.1863	2.1436	2.0562	3.9743	3.9739	2.1215	24.5679		
	S	215.076	213.700	197.560	205.474	213.213	214.789	214.811	217.578	211.007		
108	T	2.1284	3.9636	4.1769	2.1471	2.0643	3.9897	3.9872	2.1269	24.5841		
	S	215.591	214.509	198.005	205.139	212.377	213.960	214.094	217.025	210.868		
109	T	2.1359	3.9653	4.1445	2.1244	2.0442	3.9662	3.9685	2.1221	24.4711		
	S	214.834	214.417	199.553	207.331	214.465	215.228	215.103	217.516	211.842		
110	T	2.1320	3.9610	4.1914	2.1475	2.0611	3.9691	3.9672	2.1167	24.5460		
	S	215.227	214.650	197.320	205.101	212.706	215.071	215.174	218.071	211.195		
111	T	2.1268	3.9900	4.2164	2.1517	2.0614	3.9743	3.9696	2.1176	24.6078		
	S	215.753	213.090	196.150	204.701	212.675	214.789	215.043	217.978	210.665		
112	T	2.1268	3.9893	4.2046	2.1514	2.0639	3.9762	3.9713	2.1216	24.6051		
	S	215.753	213.127	196.700	204.729	212.418	214.686	214.951	217.567	210.688		
113	T	2.1297	3.9490	4.3186	2.2031	2.0874	3.9755	3.9492	2.1050	24.7175		
	S	215.459	215.302	191.508	199.925	210.026	214.724	216.154	219.283	209.730		
114	T	2.1159	4.0019	4.2321	2.1653	2.0771	3.9936	3.9788	2.1206	24.6853		
	S	216.865	212.456	195.422	203.415	211.068	213.751	214.546	217.670	210.004		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T 2.1255	3.9466	4.1249	2.1222	2.0483	3.9634	3.9588	2.1171	24.4068			
	S 215.885	215.433	200.501	207.546	214.036	215.380	215.630	218.030	212.400			
116	T 2.1263	3.9370	4.1189	2.1223	2.2577	5.6956			35.7674	26.5885		28.3801
	S 215.804	215.958	200.793	207.536	194.184	149.876			144.936	33.888		166.394
117	T			3.1277	2.6309	4.6626	4.3656	2.2423	54.1740		34.9728	
	S			140.824	166.638	183.082	195.537	205.856	95.692		135.105	
118	T 2.2278	4.2055	4.1210	2.1103	2.0279	3.9172	3.9190	2.0858	24.6145			
	S 205.972	202.170	200.690	208.717	216.189	217.920	217.820	221.302	210.608			
119	T 2.0927	3.9642	4.0719	2.0908	2.0142	3.9058	3.9246	2.0943	24.1585			
	S 219.269	214.476	203.110	210.663	217.659	218.556	217.509	220.403	214.583			
120	T 2.0962	3.8575	4.0226	2.0756	2.0058	3.9042	3.9259	2.0941	23.9819			
	S 218.903	220.409	205.600	212.206	218.571	218.646	217.437	220.424	216.163			
121	T 2.0982	3.8696	4.0607	2.0976	2.0282	3.9220	3.9329	2.0947	24.1039			
	S 218.694	219.720	203.671	209.980	216.157	217.653	217.050	220.361	215.069			
122	T 2.0992	3.9412	4.1228	2.1036	2.0203	3.9108	3.9537	2.1083	24.2599			
	S 218.590	215.728	200.603	209.381	217.002	218.277	215.908	218.940	213.686			
123	T 2.1142	3.9102	4.1209	2.1238	2.0423	3.9403	3.9596	2.1139	24.3252			
	S 217.039	217.438	200.695	207.390	214.664	216.642	215.587	218.360	213.112			
124	T 2.1259	3.9076	4.1692	2.1518	2.0622	3.9658	3.9600	2.1136	24.4561			
	S 215.844	217.583	198.370	204.691	212.593	215.249	215.565	218.391	211.972			
125	T 2.1171	3.9431	4.1390	2.1292	2.0498	3.9578	3.9565	2.1095	24.4020			
	S 216.742	215.624	199.818	206.864	213.879	215.685	215.755	218.815	212.442			
126	T 2.1155	3.9497	4.2377	2.1549	2.0668	3.9734	3.9636	2.1120	24.5736			
	S 216.906	215.264	195.164	204.397	212.120	214.838	215.369	218.556	210.958			
127	T 2.1131	3.9358	4.2412	2.1613	2.0618	3.9562	3.9349	2.0898	24.4941			
	S 217.152	216.024	195.003	203.791	212.634	215.772	216.940	220.878	211.643			
128	T 2.0857	3.9585	4.3036	2.1806	2.1356	4.1081	3.9960	2.1036	24.8717			
	S 220.005	214.785	192.175	201.988	205.286	207.793	213.623	219.429	208.430			
129	T 2.0967	4.1039	4.2681	2.1588	2.0584	3.9397	3.9367	2.1067	24.6690			
	S 218.850	207.175	193.774	204.027	212.985	216.675	216.841	219.106	210.142			
130	T 2.1083	4.0172	4.2698	2.1647	2.0629	3.9490	3.9384	2.0966	24.6069			
	S 217.646	211.647	193.697	203.471	212.521	216.165	216.747	220.162	210.673			
131	T 2.0943	3.9604	4.2740	2.1632	2.0661	3.9668	3.9483	2.0979	24.5710			
	S 219.101	214.682	193.506	203.612	212.192	215.195	216.204	220.025	210.980			
132	T 2.1016	4.0307	4.2014	2.1365	2.0438	3.9311	3.9134	2.0779	24.4364			
	S 218.340	210.938	196.850	206.157	214.507	217.149	218.132	222.143	212.143			
133	T 2.1158	4.1635	4.2633	2.1597	2.0667	3.9657	4.2419	2.6347	25.6113			
	S 216.875	204.210	193.992	203.942	212.130	215.255	201.239	175.197	202.411			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.9780	6.6066	7.8521	4.0207	4.0999	10.2935	8.0447	3.5910	47.4865		
	S	154.084	128.694	105.328	109.547	106.932	82.930	106.112	128.541	109.168		
135	T	3.1873	5.4851	5.5722	2.7421	2.9866	7.6471	8.6867	5.1092	41.4163		
	S	143.966	155.007	148.424	160.627	146.792	111.629	98.269	90.345	125.168		
136	T	5.4556	11.2242	10.0982	5.3574	5.1720	10.6315			65.5953	28.2614	58.1857
	S	84.109	75.749	81.900	82.214	84.766	80.293			79.030	31.882	81.159
137	T			8.6329	3.3792	3.0740	7.9212	9.7681	5.1376	68.4385	47.5867	
	S			95.802	130.343	142.618	107.766	87.390	89.846	75.747	99.292	
138	T	6.3521	11.2462	8.7879	5.0000	5.5195	11.7677	10.4861	6.0195	65.1790		
	S	72.238	75.601	94.112	88.091	79.429	72.541	81.406	76.683	79.535		
139	T	5.0584	10.2995	10.7156	5.3689	4.5013	9.3206	10.2027	4.6394	60.1064		
	S	90.713	82.550	77.181	82.038	97.396	91.586	83.668	99.494	86.247		
140	T	4.9492	9.4536	9.1133	4.4797	4.5474	10.0542	8.6925	4.8646	56.1545		
	S	92.715	89.937	90.751	98.322	96.409	84.903	98.204	94.888	92.317		
141	T	5.2195	8.8493	9.3457	4.9186	4.9386	10.2865	9.8704	5.1215	58.5501		
	S	87.913	96.078	88.495	89.549	88.772	82.986	86.484	90.128	88.540		
142	T	5.7379	7.6780	9.7095	3.8327	3.4945	6.3631	5.7164	2.5089	45.0410		
	S	79.971	110.736	85.179	114.920	125.457	134.154	149.331	183.981	115.095		
143	T	2.4389	4.8388	4.6806	2.3000	2.1826	4.5095	4.2465	2.1919	27.3888		
	S	188.144	175.710	176.696	191.502	200.866	189.297	201.021	210.589	189.274		
144	T	2.1712	4.3693	4.3965	2.1616	2.0457	4.1830	4.0564	2.0888	25.4725		
	S	211.341	194.591	188.115	203.763	214.308	204.073	210.442	220.984	203.514		
145	T	2.0855	4.1505	4.1920	2.1050	2.0043	3.9325	3.9705	2.0769	24.5172		
	S	220.026	204.849	197.291	209.242	218.734	217.072	214.995	222.250	211.443		
146	T	2.1067	4.1741	4.1535	2.1168	2.0188	3.8923	3.9309	2.0588	24.4519		
	S	217.812	203.691	199.120	208.076	217.163	219.314	217.161	224.204	212.008		
147	T	2.0659	4.2072	4.3006	2.1373	2.0309	3.8909	3.8846	2.0534	24.5708		
	S	222.113	202.089	192.309	206.080	215.869	219.393	219.749	224.793	210.982		
148	T	2.0736	4.1377	4.1894	2.1162	2.0202	3.8836	3.8709	2.0507	24.3423		
	S	221.288	205.483	197.414	208.135	217.013	219.805	220.527	225.089	212.963		
149	T	2.0589	4.0877	4.2515	2.1359	2.0338	3.9012	3.8926	2.0639	24.4255		
	S	222.868	207.996	194.530	206.215	215.562	218.814	219.297	223.650	212.237		
150	T	2.0687	4.0054	4.1317	2.1019	2.0130	3.8868	3.8845	2.0642	24.1562		
	S	221.813	212.270	200.171	209.551	217.789	219.624	219.755	223.617	214.603		
151	T	2.0623	3.9833	4.1450	2.1072	2.0139	3.8774	3.8828	2.0624	24.1343		
	S	222.501	213.448	199.528	209.024	217.692	220.157	219.851	223.813	214.798		
152	T	2.0773	4.1080	4.2390	2.1348	2.0378	3.9124	3.9076	2.0710	24.4879		
	S	220.894	206.969	195.104	206.321	215.138	218.187	218.455	222.883	211.696		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0674	3.9830	4.2952	2.1630	2.0569	3.9316	3.8985	2.0676	24.4632		
	S	221.952	213.464	192.551	203.631	213.141	217.122	218.965	223.250	211.910		
154	T	2.0654	3.9839	4.2395	2.1342	2.0339	3.8986	3.8972	2.0677	24.3204		
	S	222.167	213.416	195.081	206.379	215.551	218.960	219.038	223.239	213.154		
155	T	2.0616	4.0642	4.2606	2.1489	2.0438	3.9133	3.9107	2.0739	24.4770		
	S	222.576	209.199	194.115	204.967	214.507	218.137	218.282	222.571	211.791		
156	T	2.0742	4.0737	4.2477	2.1341	2.0299	3.8953	3.8911	2.0589	24.4049		
	S	221.224	208.711	194.704	206.389	215.976	219.145	219.382	224.193	212.416		
157	T	2.0688	4.1465	4.2493	2.1457	2.0401	3.9106	3.9007	2.0655	24.5272		
	S	221.802	205.047	194.631	205.273	214.896	218.288	218.842	223.477	211.357		
158	T	2.0803	4.1249	4.1882	2.1239	2.0285	3.8931	3.8886	2.0623	24.3898		
	S	220.576	206.121	197.470	207.380	216.125	219.269	219.523	223.823	212.548		
159	T	2.0584	4.0018	4.2735	2.1619	2.0480	3.9206	3.9303	2.0722	24.4667		
	S	222.922	212.461	193.529	203.735	214.067	217.731	217.194	222.754	211.880		
160	T	2.0859	4.1667	4.3189	2.1651	2.0533	3.9179	3.9030	2.0666	24.6774		
	S	219.984	204.053	191.494	203.434	213.514	217.881	218.713	223.358	210.071		
161	T	2.0719	4.1312	4.3000	2.1581	2.0509	3.9196	3.9072	2.0682	24.6071		
	S	221.470	205.806	192.336	204.094	213.764	217.787	218.478	223.185	210.671		
162	T	2.0750	4.1585	4.3032	2.1648	2.0537	3.9191	3.9064	2.0759	24.6566		
	S	221.139	204.455	192.193	203.462	213.473	217.814	218.523	222.357	210.248		
163	T	2.0650	4.0316	4.3344	2.1758	2.0559	3.9197	3.8955	2.0612	24.5391		
	S	222.210	210.891	190.810	202.433	213.244	217.781	219.134	223.943	211.255		
164	T	2.0655	4.1135	4.3340	2.1707	2.0619	3.9126	3.9175	2.0720	24.6477		
	S	222.156	206.692	190.827	202.909	212.624	218.176	217.903	222.776	210.324		
165	T	2.0913	4.2004	4.3152	2.1552	2.0455	3.9140	3.9304	2.0677	24.7197		
	S	219.416	202.416	191.659	204.368	214.329	218.098	217.188	223.239	209.711		
166	T	2.0935	4.2147	4.3040	2.1578	2.0433	3.9141	3.9253	2.0678	24.7205		
	S	219.185	201.729	192.157	204.122	214.559	218.093	217.470	223.228	209.704		
167	T	2.0766	4.1631	4.3064	2.1588	2.0444	3.9139	3.9160	2.0627	24.6419		
	S	220.969	204.229	192.050	204.027	214.444	218.104	217.987	223.780	210.373		
168	T	2.0841	4.1962	4.3264	2.1698	2.0542	3.9176	3.9216	2.0705	24.7404		
	S	220.174	202.618	191.163	202.993	213.421	217.898	217.676	222.937	209.536		
169	T	2.0781	4.1594	4.3072	2.1601	2.0514	3.9223	3.9096	2.0697	24.6578		
	S	220.809	204.411	192.015	203.905	213.712	217.637	218.344	223.023	210.238		
170	T	2.0722	4.0797	4.2651	2.1497	2.0432	3.9164	3.9155	2.0774	24.5192		
	S	221.438	208.404	193.910	204.891	214.570	217.965	218.015	222.196	211.426		
171	T	2.0773	4.1075	4.2361	2.1392	2.0406	3.9192	3.9082	2.0725	24.5006		
	S	220.894	206.994	195.237	205.897	214.843	217.809	218.422	222.722	211.587		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0775	4.1593	4.2596	2.1490	2.0491	3.9245	3.9008	2.0753	24.5951		
	S	220.873	204.416	194.160	204.958	213.952	217.515	218.836	222.421	210.774		
173	T	2.0765	4.0768	4.2630	2.1442	2.0352	3.9091	3.9484	2.0806	24.5338		
	S	220.979	208.553	194.006	205.417	215.413	218.372	216.198	221.855	211.300		
174	T	2.0941	4.1950	4.2678	2.1474	2.0490	3.9271	3.9135	2.0751	24.6690		
	S	219.122	202.676	193.787	205.111	213.962	217.371	218.126	222.443	210.142		
175	T	2.0775	4.0904	4.2471	2.1475	2.0425	3.9559	4.0211	2.0982	24.6802		
	S	220.873	207.859	194.732	205.101	214.643	215.788	212.289	219.994	210.047		
176	T	2.0888	4.0144	4.2627	2.1546	2.0541	3.9318	3.9092	2.0834	24.4990		
	S	219.678	211.794	194.019	204.425	213.431	217.111	218.366	221.557	211.600		
177	T	2.0828	3.9328	4.1774	2.1302	2.0387	3.9213	3.9100	2.0799	24.2731		
	S	220.311	216.189	197.981	206.767	215.043	217.692	218.321	221.929	213.570		
178	T	2.0846	3.9097	4.1267	2.1104	2.0241	3.9078	3.9081	2.0817	24.1531		
	S	220.121	217.466	200.413	208.707	216.595	218.444	218.427	221.737	214.631		
179	T	2.0822	3.8904	4.1028	2.1062	2.0242	3.9063	3.9026	2.0806	24.0953		
	S	220.374	218.545	201.581	209.123	216.584	218.528	218.735	221.855	215.146		
180	T	2.0805	3.8943	4.0749	2.0934	2.0113	3.8994	3.9116	2.0831	24.0485		
	S	220.554	218.326	202.961	210.402	217.973	218.915	218.232	221.588	215.564		
181	T	2.0826	3.8836	4.1320	2.1144	2.0262	3.9068	3.9107	2.0838	24.1401		
	S	220.332	218.928	200.156	208.312	216.370	218.500	218.282	221.514	214.746		
182	T	2.0840	3.8977	4.1305	2.1095	2.0217	3.9134	3.9207	2.0878	24.1653		
	S	220.184	218.136	200.229	208.796	216.852	218.132	217.725	221.090	214.522		
183	T	2.0854	3.9053	4.2004	2.1296	2.0364	3.9102	3.8969	2.0712	24.2354		
	S	220.036	217.711	196.897	206.825	215.286	218.310	219.055	222.862	213.902		
184	T	2.0690	3.9943	4.2806	2.1627	2.0551	3.9266	3.9074	2.0782	24.4739		
	S	221.780	212.860	193.208	203.660	213.327	217.398	218.467	222.111	211.817		
185	T	2.0694	4.0502	4.2949	2.1616	2.0514	3.9229	3.9011	2.0726	24.5241		
	S	221.738	209.922	192.565	203.763	213.712	217.603	218.819	222.711	211.384		
186	T	2.0709	3.9087	4.2432	2.1567	2.0593	3.9437	3.9078	2.0766	24.3669		
	S	221.577	217.522	194.911	204.226	212.892	216.456	218.444	222.282	212.748		
187	T	2.0775	3.9343	4.1780	2.1240	2.0298	3.9010	3.8946	2.0764	24.2156		
	S	220.873	216.106	197.952	207.370	215.986	218.825	219.185	222.303	214.077		
188	T	2.0736	3.8982	4.2990	2.1607	2.0560	3.9354	3.9145	2.0799	24.4173		
	S	221.288	218.108	192.381	203.848	213.234	216.912	218.070	221.929	212.308		
189	T	2.0867	3.9470	4.1575	2.1198	2.0305	3.9020	3.8986	2.0728	24.2149		
	S	219.899	215.411	198.929	207.781	215.912	218.769	218.960	222.690	214.083		
190	T	2.0724	3.9802	4.2483	2.1474	2.0460	3.9171	3.8925	2.0696	24.3735		
	S	221.417	213.614	194.677	205.111	214.276	217.926	219.303	223.034	212.690		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0732	4.1011	4.2742	2.1585	2.0430	3.9906	3.9571	2.0795	24.6772		
	S	221.331	207.317	193.497	204.056	214.591	213.912	215.723	221.972	210.072		
192	T	2.1054	4.3201	4.4456	2.2069	2.0829	3.9531	3.9091	2.0657	25.0888		
	S	217.946	196.807	186.037	199.581	210.480	215.941	218.372	223.455	206.626		
193	T	2.1379	4.2563	4.2757	2.1620	2.0550	3.9198	3.8931	2.0644	24.7642		
	S	214.633	199.757	193.429	203.726	213.338	217.775	219.269	223.596	209.334		
194	T	2.1178	4.2043	4.2433	2.1430	2.0447	3.9156	3.8919	2.0700	24.6306		
	S	216.670	202.228	194.906	205.532	214.412	218.009	219.337	222.991	210.470		
195	T	2.1093	4.1412	4.2173	2.1365	2.2794	5.7393			35.8970	26.4637	28.4942
	S	217.543	205.309	196.108	206.157	192.335	148.735			144.413	34.047	165.728
196	T			8.4689	3.1343	2.6383	4.6681	4.3716	2.2478	54.1307		
	S			97.657	140.527	166.171	182.866	195.269	205.352	95.768	35.0698	
197	T	2.2292	4.0239	3.9570	2.0729	2.0146	3.9311	4.0363	2.1681	24.4331		
	S	205.842	211.294	209.008	212.482	217.616	217.149	211.490	212.901	212.171		
198	T	2.1656	3.9201	3.9168	2.0607	2.0015	3.9181	3.9560	2.1145	24.0533		
	S	211.888	216.889	211.153	213.740	219.040	217.870	215.783	218.298	215.521		
199	T	2.1344	3.8857	3.8991	2.0546	1.9989	3.9097	3.9663	2.1262	23.9749		
	S	214.985	218.809	212.112	214.375	219.325	218.338	215.222	217.097	216.226		
200	T	2.1308	3.8557	3.8786	2.0486	1.9951	3.9172	3.9563	2.1210	23.9033		
	S	215.348	220.512	213.233	215.003	219.743	217.920	215.766	217.629	216.874		
201	T	2.1311	3.8319	3.9180	2.0613	2.0001	3.9095	3.9576	2.1172	23.9267		
	S	215.318	221.881	211.089	213.678	219.194	218.349	215.695	218.020	216.662		
202	T	2.1252	3.8925	3.9184	2.0625	1.9994	3.9140	3.9565	2.1118	23.9803		
	S	215.916	218.427	211.067	213.554	219.270	218.098	215.755	218.577	216.177		
203	T	2.1245	3.8451	3.9320	2.0640	2.0019	3.9507	3.9579	2.1146	23.9907		
	S	215.987	221.120	210.337	213.399	218.996	216.072	215.679	218.288	216.084		
204	T	2.1274	3.8844	3.9309	2.0612	1.9988	3.9010	3.9430	2.1123	23.9590		
	S	215.692	218.883	210.396	213.688	219.336	218.825	216.494	218.525	216.370		
205	T	2.1341	3.9039	4.0913	2.1139	2.0397	3.9461	3.9567	2.1106	24.2963		
	S	215.015	217.789	202.147	208.361	214.938	216.324	215.745	218.701	213.366		
206	T	2.1207	3.8670	3.9517	2.0688	2.0027	3.9058	3.9434	2.1082	23.9683		
	S	216.374	219.867	209.289	212.903	218.909	218.556	216.472	218.950	216.286		
207	T	2.1153	3.8624	3.9623	2.0708	1.9997	3.9386	3.9589	2.1137	24.0217		
	S	216.926	220.129	208.729	212.698	219.237	216.736	215.625	218.381	215.805		
208	T	2.1214	3.8968	4.0404	2.0916	2.0167	3.9223	3.9491	2.1108	24.1491		
	S	216.302	218.186	204.694	210.583	217.389	217.637	216.160	218.681	214.666		
209	T	2.1144	3.9140	4.1027	2.1139	2.0320	3.9322	3.9257	2.0988	24.2337		
	S	217.018	217.227	201.586	208.361	215.753	217.089	217.448	219.931	213.917		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1041	3.9892	4.1462	2.1279	2.0325	3.9376	3.9909	2.1183	24.4467		
	S	218.081	213.132	199.471	206.990	215.699	216.791	213.896	217.906	212.053		
211	T	2.1296	3.9019	4.0031	2.0940	2.0261	3.9414	3.9627	2.1202	24.1790		
	S	215.469	217.901	206.601	210.341	216.381	216.582	215.418	217.711	214.401		
212	T	2.1336	3.9213	4.0087	2.0975	2.0311	3.9475	3.9656	2.1227	24.2280		
	S	215.065	216.823	206.313	209.990	215.848	216.247	215.260	217.455	213.967		
213	T	2.1327	3.9491	4.0539	2.1067	2.0369	3.9511	3.9687	2.1213	24.3204		
	S	215.156	215.296	204.012	209.073	215.233	216.050	215.092	217.598	213.154		
214	T	2.1304	3.9625	4.0954	2.1222	2.0505	3.9724	3.9763	2.1277	24.4374		
	S	215.388	214.568	201.945	207.546	213.806	214.892	214.681	216.944	212.134		
215	T	2.1348	3.8954	3.9832	2.0863	2.0192	3.9331	3.9524	2.1177	24.1221		
	S	214.945	218.264	207.633	211.118	217.120	217.039	215.979	217.968	214.907		
216	T	2.1265	3.8975	4.0490	2.1019	2.0314	3.9509	3.9601	2.1166	24.2339		
	S	215.784	218.147	204.259	209.551	215.816	216.061	215.559	218.081	213.915		
217	T	2.1267	3.8976	4.0078	2.0879	2.0184	3.9275	3.9459	2.1095	24.1213		
	S	215.763	218.141	206.359	210.956	217.206	217.349	216.335	218.815	214.914		
218	T	2.1173	3.8799	4.3898	2.7558	3.0239	6.5731	7.0407	3.5321	33.3126		
	S	216.721	219.136	188.402	159.828	144.981	129.868	121.243	130.685	155.617		
219	T	3.5630	7.1690	7.2764	3.4912	3.3129	6.7636	7.1654	3.6952	42.4367		
	S	128.786	118.598	113.661	126.161	132.334	126.210	119.133	124.916	122.158		
220	T	3.6123	6.4497	6.5932	3.8557	4.2545	7.9429	7.2825	4.1514	44.1422		
	S	127.028	131.824	125.439	114.235	103.046	107.472	117.217	111.189	117.439		
221	T	4.5991	7.3078	9.0978	7.0021	6.6153	9.5770	10.4121	5.2908	59.9020		
	S	99.772	116.345	90.906	62.903	66.272	89.134	81.985	87.244	86.541		
222	T	4.9713	8.0271	9.5019	4.9490	6.9159	8.7569			60.0769	24.9146	52.6908
	S	92.303	105.920	87.040	88.999	63.391	97.482			86.289	36.164	89.622
223	T			9.1958	3.6104	3.0200	6.0989	7.1735	4.0036	60.4524	42.9239	
	S			89.937	121.996	145.169	139.966	118.999	115.294	85.753	110.079	
224	T	5.4703	8.7060	8.1525	4.8024	6.2764	7.6108	7.5854	6.3962	55.0000		
	S	83.883	97.660	101.447	91.716	69.850	112.161	112.537	72.166	94.255		
225	T	6.8040	6.3997	7.0497	3.7791	3.0988	6.5727	5.7713	2.5098	41.9851		
	S	67.440	132.854	117.316	116.550	141.477	129.876	147.911	183.915	123.472		
226	T	2.3774	4.6133	4.5817	2.2205	2.0758	4.0985	3.9451	2.0817	25.9940		
	S	193.011	184.299	180.511	198.358	211.200	208.280	216.379	221.737	199.431		
227	T	2.1652	4.2850	4.2198	2.1641	2.0500	3.9088	3.9699	2.0568	24.8196		
	S	211.927	198.419	195.992	203.528	213.858	218.388	215.027	224.422	208.867		
228	T	2.0580	4.0767	4.2246	2.1063	2.0098	4.5382	7.7694	3.2268	30.0098		
	S	222.966	208.558	195.769	209.113	218.136	188.100	109.872	143.049	172.744		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	3.4251	6.3804	7.1747	3.4949	3.6988	9.9313	12.1736	4.2727	50.5515		
	S	133.971	133.256	115.272	126.028	118.527	85.954	70.122	108.033	102.549		
230	T	4.3620	8.1299	8.0490	4.2804	6.1476	11.0893	12.6306	5.5176	60.2064		
	S	105.196	104.580	102.751	102.900	71.314	76.978	67.585	83.658	86.104		
231	T	5.7682	10.5492	10.3244	5.9809	5.6138	10.3010	10.6268	4.7072	63.8715		
	S	79.551	80.596	80.106	73.644	78.095	82.869	80.329	98.061	81.163		
232	T	5.6159	9.7694	8.9104	5.9731	5.5293	9.2405	10.6419	4.9518	60.6323		
	S	81.708	87.030	92.818	73.740	79.288	92.380	80.215	93.217	85.499		
233	T	4.6534	8.3865	9.4683	5.4775	5.5562	8.7238	9.4711	5.3685	57.1053		
	S	98.608	101.380	87.349	80.412	78.904	97.851	90.131	85.981	90.780		
234	T	5.2293	9.8032	7.7014	5.7761	6.1013	8.7132	8.1088	5.0543	56.4876		
	S	87.749	86.730	107.389	76.255	71.855	97.970	105.273	91.326	91.772		
235	T	5.5477	7.5360	7.8208	3.7045	3.2457	8.2280	8.1746	2.9511	47.2084		
	S	82.712	112.822	105.749	118.897	135.074	103.748	104.425	156.413	109.811		
236	T	2.6216	4.9368	4.8743	2.3308	2.2109	4.6549	4.2619	2.1586	28.0498		
	S	175.032	172.222	169.675	188.971	198.294	183.384	200.295	213.838	184.814		
237	T	2.1598	4.3713	4.2295	2.1317	2.0908	4.1825	3.9561	2.0827	25.2044		
	S	212.457	194.502	195.542	206.621	209.685	204.097	215.777	221.631	205.678		
238	T	2.1182	4.1412	4.0376	2.0438	1.9573	3.8541	3.8730	2.0461	24.0713		
	S	216.629	205.309	204.836	215.508	223.987	221.488	220.407	225.595	215.360		
239	T	2.0537	3.9232	3.9816	2.0483	1.9763	3.8205	3.8190	2.0398	23.6624		
	S	223.433	216.718	207.717	215.034	221.833	223.436	223.524	226.292	219.082		
240	T	2.0596	3.9342	4.0596	2.0784	1.9898	3.8295	3.8173	2.0279	23.7963		
	S	222.793	216.112	203.726	211.920	220.328	222.911	223.623	227.620	217.849		
241	T	2.1009	4.1378	4.0691	2.0739	1.9877	3.8291	3.8267	2.0383	24.0635		
	S	218.413	205.478	203.250	212.380	220.561	222.934	223.074	226.459	215.430		
242	T	2.0625	4.0341	4.0277	2.0783	1.9916	3.8258	3.8067	2.0358	23.8625		
	S	222.479	210.760	205.339	211.930	220.129	223.126	224.246	226.737	217.245		
243	T	2.1551	4.0968	4.0882	2.1034	2.0083	3.8588	3.8484	2.0463	24.2053		
	S	212.920	207.534	202.301	209.401	218.299	221.218	221.816	225.573	214.168		
244	T	2.1221	4.1290	4.0636	2.0853	2.0005	3.9406	3.8858	2.0517	24.2786		
	S	216.231	205.916	203.525	211.219	219.150	216.626	219.681	224.980	213.521		
245	T	2.1149	4.1382	4.0510	2.0805	1.9905	3.8345	3.8318	2.0427	24.0841		
	S	216.967	205.458	204.158	211.706	220.251	222.620	222.777	225.971	215.246		
246	T	2.0749	4.0512	4.0931	2.0969	2.0042	3.8855	3.8697	2.0532	24.1287		
	S	221.150	209.870	202.058	210.050	218.745	219.698	220.595	224.815	214.848		
247	T	2.1204	4.1693	4.0583	2.0802	2.0258	4.0853	3.9794	2.1377	24.6564		
	S	216.404	203.926	203.791	211.737	216.413	208.953	214.514	215.929	210.250		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 12 - Power, Will

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.3515	5.1447									
	S	195.137	165.263									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.4929	4.9997	4.8784	2.3058	2.1391	4.6640	4.2860	2.1628	27.9287	61.2139	
	S	184.068	170.056	169.532	191.020	204.950	183.027	199.169	213.423	185.616	77.188	
2	T	2.1189	4.4439	4.6451	2.2839	2.1309	4.4600	4.1644	2.1498	26.3969		
	S	216.557	191.325	178.047	192.852	205.739	191.398	204.984	214.713	196.387		
3	T	2.1262	4.2871	4.3026	2.1607	2.0518	4.0821	3.9847	2.0865	25.0817		
	S	215.814	198.322	192.220	203.848	213.670	209.117	214.229	221.227	206.685		
4	T	2.0825	4.2388	4.3203	2.1693	2.0563	4.0187	3.9581	2.0799	24.9239		
	S	220.343	200.582	191.432	203.040	213.203	212.416	215.668	221.929	207.993		
5	T	2.0688	4.3302	4.3237	2.1688	2.0525	3.9461	3.9145	2.0667	24.8713		
	S	221.802	196.348	191.282	203.087	213.598	216.324	218.070	223.347	208.433		
6	T	2.0680	4.2173	4.2961	2.1633	2.0534	4.1625	4.0727	2.1221	25.1554		
	S	221.888	201.605	192.511	203.603	213.504	205.078	209.600	217.516	206.079		
7	T	2.1102	4.2181	4.2650	2.1514	2.0496	4.1776	4.0409	2.1043	25.1171		
	S	217.450	201.566	193.915	204.729	213.900	204.337	211.249	219.356	206.393		
8	T	2.1226	4.3676	4.3745	2.1844	2.0654	3.9432	3.9066	2.0756	25.0399		
	S	216.180	194.667	189.061	201.636	212.264	216.483	218.511	222.389	207.030		
9	T	2.0733	4.1816	4.2961	2.1700	2.0559	3.9300	3.9040	2.0726	24.6835		
	S	221.320	203.326	192.511	202.974	213.244	217.210	218.657	222.711	210.019		
10	T	2.0726	4.1356	4.2726	2.1486	2.0449	3.9209	3.8932	2.0692	24.5576		
	S	221.395	205.587	193.570	204.996	214.391	217.714	219.263	223.077	211.096		
11	T	2.0691	4.1009	4.2866	2.1649	2.0582	3.9356	3.9084	2.0825	24.6062		
	S	221.770	207.327	192.937	203.453	213.006	216.901	218.411	221.652	210.679		
12	T	2.0764	4.0488	4.3037	2.1598	2.0499	3.9263	3.9139	2.0849	24.5637		
	S	220.990	209.995	192.171	203.933	213.869	217.415	218.104	221.397	211.043		
13	T	2.0735	4.0752	4.2958	2.1748	2.0640	3.9600	3.9441	2.1011	24.6885		
	S	221.299	208.634	192.524	202.526	212.408	215.565	216.434	219.690	209.976		
14	T	2.0930	4.0312	4.3092	2.1757	2.0655	3.9551	3.9269	2.0809	24.6375		
	S	219.237	210.912	191.926	202.443	212.253	215.832	217.382	221.823	210.411		
15	T	2.0730	4.1736	4.4080	2.1985	2.0802	3.9760	3.9466	2.0993	24.9552		
	S	221.352	203.716	187.624	200.343	210.753	214.697	216.297	219.878	207.732		
16	T	2.0866	4.1083	4.3170	2.1828	2.0642	3.9460	3.9260	2.0845	24.7154		
	S	219.910	206.954	191.579	201.784	212.387	216.330	217.432	221.440	209.748		
17	T	2.0774	4.0358	4.3092	2.1734	2.0635	3.9446	3.9251	2.0877	24.6167		
	S	220.884	210.671	191.926	202.657	212.459	216.406	217.481	221.100	210.589		
18	T	2.0852	3.9812	4.3039	2.1797	2.0682	3.9657	3.9400	2.0954	24.6193		
	S	220.057	213.561	192.162	202.071	211.976	215.255	216.659	220.288	210.567		
19	T	2.0882	4.0055	4.2847	2.1774	2.0682	3.9524	3.9179	2.0743	24.5686		
	S	219.741	212.265	193.023	202.285	211.976	215.979	217.881	222.529	211.001		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0695	4.1173	4.4260	2.2266	2.1021	3.9892	3.9631	2.1082	25.0020		
	S	221.727	206.501	186.861	197.815	208.558	213.987	215.396	218.950	207.343		
21	T	2.1000	3.9887	4.2825	2.1675	2.0618	3.9783	3.9568	2.1067	24.6423		
	S	218.506	213.159	193.122	203.209	212.634	214.573	215.739	219.106	210.370		
22	T	2.0970	4.0018	4.2610	2.1622	2.0593	3.9456	3.9279	2.0915	24.5463		
	S	218.819	212.461	194.097	203.707	212.892	216.351	217.326	220.698	211.193		
23	T	2.0851	4.0481	4.3899	2.2045	2.0846	3.9918	3.9630	2.1072	24.8742		
	S	220.068	210.031	188.397	199.798	210.308	213.847	215.402	219.054	208.409		
24	T	2.1013	4.0271	4.3757	2.2089	2.0923	3.9684	3.9548	2.1045	24.8330		
	S	218.371	211.126	189.009	199.400	209.535	215.108	215.848	219.335	208.754		
25	T	2.0996	4.0682	4.2671	2.1641	2.0598	3.9431	3.9308	2.0949	24.6276		
	S	218.548	208.993	193.819	203.528	212.841	216.489	217.166	220.340	210.496		
26	T	2.0890	3.9852	4.3636	2.1945	2.0752	3.9821	3.9649	2.1036	24.7581		
	S	219.657	213.346	189.533	200.708	211.261	214.368	215.298	219.429	209.386		
27	T	2.0939	3.9534	4.2848	2.1715	2.0602	3.9414	3.9276	2.0874	24.5202		
	S	219.143	215.062	193.018	202.834	212.799	216.582	217.343	221.132	211.418		
28	T	2.0799	4.0315	4.3140	2.1857	2.0703	3.9741	3.9566	2.1009	24.7130		
	S	220.618	210.896	191.712	201.516	211.761	214.800	215.750	219.711	209.768		
29	T	2.0907	4.0207	4.2881	2.1732	2.0653	3.9497	3.9348	2.0904	24.6129		
	S	219.478	211.462	192.870	202.676	212.274	216.127	216.945	220.815	210.621		
30	T	2.0863	4.0704	4.4133	2.2035	2.1259	4.4808	4.1535	2.1555	25.6892		
	S	219.941	208.881	187.398	199.889	206.223	190.510	205.522	214.146	201.797		
31	T	2.2212	4.4308	4.4068	2.1898	2.0724	3.9590	3.9390	2.0946	25.3136		
	S	206.584	191.890	187.675	201.139	211.547	215.619	216.714	220.372	204.791		
32	T	2.0850	3.9762	4.3163	2.1866	2.0739	3.9844	3.9579	2.1062	24.6865		
	S	220.078	213.829	191.610	201.434	211.394	214.245	215.679	219.158	209.993		
33	T	2.0991	3.9887	4.2247	2.1509	2.0475	3.9293	3.9282	2.0964	24.4648		
	S	218.600	213.159	195.764	204.777	214.119	217.249	217.310	220.183	211.896		
34	T	2.0908	3.9369	4.2150	2.1438	2.0438	3.9210	3.9108	2.0795	24.3416		
	S	219.468	215.964	196.215	205.455	214.507	217.709	218.277	221.972	212.969		
35	T	2.0705	4.0821	4.3769	2.1948	2.0767	3.9610	3.9278	2.0869	24.7767		
	S	221.620	208.282	188.957	200.681	211.109	215.510	217.332	221.185	209.229		
36	T	2.0782	3.9951	4.2627	2.1599	2.0519	3.9290	3.9155	2.0779	24.4702		
	S	220.799	212.818	194.019	203.924	213.660	217.266	218.015	222.143	211.850		
37	T	2.0708	3.9994	4.4104	2.2063	2.0817	3.9647	3.9354	2.0920	24.7607		
	S	221.588	212.589	187.522	199.635	210.601	215.309	216.912	220.646	209.364		
38	T	2.0855	4.0067	4.2821	2.1648	2.0557	3.9425	3.9294	2.0882	24.5549		
	S	220.026	212.201	193.140	203.462	213.265	216.522	217.243	221.047	211.119		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0796	4.0084	4.3064	2.1664	2.0548	3.9366	3.9178	2.0823	24.5523		
	S	220.650	212.111	192.050	203.312	213.359	216.846	217.887	221.674	211.141		
40	T	2.0767	4.0416	4.3691	2.1796	2.0625	3.9392	3.9137	2.0760	24.6584		
	S	220.958	210.369	189.294	202.080	212.562	216.703	218.115	222.346	210.233		
41	T	2.0695	4.1315	4.4156	2.2083	2.0785	4.0025	3.9617	2.0987	24.9663		
	S	221.727	205.791	187.301	199.454	210.926	213.276	215.472	219.941	207.640		
42	T	2.0900	4.0884	4.3218	2.1687	2.0589	3.9396	3.9277	2.0923	24.6874		
	S	219.552	207.961	191.366	203.096	212.934	216.681	217.337	220.614	209.986		
43	T	2.0871	3.9592	4.2969	2.1621	2.0507	3.9226	3.9162	2.0891	24.4839		
	S	219.857	214.747	192.475	203.716	213.785	217.620	217.976	220.952	211.731		
44	T	2.0779	4.0464	4.3317	2.1786	2.0650	3.9487	3.9268	2.0925	24.6676		
	S	220.830	210.119	190.929	202.173	212.305	216.182	217.387	220.593	210.154		
45	T	2.0821	4.0792	4.3692	2.1786	2.0629	3.9392	3.9182	2.0860	24.7154		
	S	220.385	208.430	189.290	202.173	212.521	216.703	217.864	221.280	209.748		
46	T	2.0812	4.1021	4.3401	2.1783	2.0607	3.9287	3.9032	2.0664	24.6607		
	S	220.480	207.266	190.559	202.201	212.748	217.282	218.702	223.379	210.213		
47	T	2.0695	4.2549	4.3677	2.1775	2.0625	3.9337	3.9185	2.0866	24.8709		
	S	221.727	199.823	189.355	202.275	212.562	217.006	217.848	221.217	208.436		
48	T	2.0737	4.1519	4.3858	2.2007	2.0770	3.9679	3.9303	2.0825	24.8698		
	S	221.278	204.780	188.573	200.143	211.078	215.136	217.194	221.652	208.446		
49	T	2.0980	4.3561	4.3661	2.1832	2.0629	3.9256	3.8982	2.0644	24.9545		
	S	218.715	195.181	189.424	201.747	212.521	217.454	218.982	223.596	207.738		
50	T	2.0862	4.4583	4.4229	2.1975	2.0728	3.9580	3.9151	2.0814	25.1922		
	S	219.952	190.707	186.992	200.434	211.506	215.674	218.037	221.769	205.778		
51	T	2.1017	4.5748	4.4681	2.2163	2.0871	4.1742	4.0621	2.1348	25.8191		
	S	218.330	185.850	185.100	198.734	210.057	204.503	210.147	216.222	200.782		
52	T	2.1401	4.3947	4.3387	2.1715	2.0585	3.9335	3.9864	2.1063	25.1297		
	S	214.412	193.467	190.621	202.834	212.975	217.017	214.137	219.148	206.290		
53	T	2.0856	4.3532	4.3696	2.1844	2.0681	3.9420	3.9086	2.0731	24.9846		
	S	220.015	195.311	189.273	201.636	211.986	216.549	218.400	222.657	207.488		
54	T	2.0679	4.2103	4.3290	2.1699	2.0573	3.9317	3.9032	2.0727	24.7420		
	S	221.898	201.940	191.048	202.984	213.099	217.116	218.702	222.700	209.522		
55	T	2.0666	4.1696	4.3903	2.1929	2.0727	3.9694	3.9373	2.0898	24.8886		
	S	222.038	203.911	188.380	200.855	211.516	215.054	216.808	220.878	208.288		
56	T	2.0829	4.0869	4.3232	2.1636	2.0560	3.9232	3.8941	2.0660	24.5959		
	S	220.300	208.037	191.304	203.575	213.234	217.587	219.213	223.423	210.767		
57	T	2.0680	4.2755	4.4158	2.2042	2.0867	3.9734	3.9319	2.0815	25.0370		
	S	221.888	198.860	187.292	199.825	210.097	214.838	217.105	221.759	207.054		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.0731	4.1646	4.3214	2.1662	2.0571	3.9318	3.9102	2.0769	24.7013		
	S	221.342	204.156	191.384	203.331	213.120	217.111	218.310	222.250	209.867		
59	T	2.0687	4.0797	4.2832	2.1584	2.4611	6.4227			50.8154	28.9909	29.5218
	S	221.813	208.404	193.091	204.065	178.135	132.909			102.016	31.080	159.959
60	T			8.5538	3.1708	2.6511	4.6987	4.2903	2.1973	42.8109	35.1136	
	S			96.687	138.910	165.369	181.675	198.969	210.072	121.091	134.563	
61	T	2.1689	4.0742	4.1255	2.1123	2.0292	3.9151	3.8990	2.0631	24.3873		
	S	211.565	208.686	200.472	208.519	216.050	218.037	218.937	223.737	212.570		
62	T	2.0620	4.1637	4.1136	2.0978	2.0103	3.8707	3.8589	2.0375	24.2145		
	S	222.533	204.200	201.052	209.960	218.081	220.538	221.212	226.548	214.087		
63	T	2.0690	4.1958	4.1200	2.1179	2.0183	3.8668	3.8428	2.0406	24.2712		
	S	221.780	202.638	200.739	207.968	217.217	220.760	222.139	226.204	213.586		
64	T	2.0832	4.0812	4.1811	2.1230	2.0174	3.9746	3.9280	2.0643	24.4528		
	S	220.269	208.328	197.806	207.468	217.314	214.773	217.321	223.607	212.000		
65	T	2.0585	4.0472	4.3293	2.1950	2.1065	4.1649	4.0210	2.1214	25.0438		
	S	222.912	210.078	191.034	200.663	208.122	204.960	212.295	217.588	206.997		
66	T	2.1064	3.9381	4.1805	2.1347	2.0385	3.9308	3.9277	2.0931	24.3498		
	S	217.843	215.898	197.834	206.331	215.065	217.166	217.337	220.530	212.897		
67	T	2.0855	3.9305	4.2342	2.1482	2.0421	3.9201	3.9092	2.0749	24.3447		
	S	220.026	216.315	195.325	205.034	214.685	217.759	218.366	222.464	212.942		
68	T	2.0698	4.2137	4.3262	2.1880	2.0635	4.0617	3.9886	2.1016	25.0131		
	S	221.695	201.777	191.171	201.305	212.459	210.167	214.019	219.638	207.251		
69	T	2.0908	4.0165	4.2888	2.1695	2.0606	3.9633	3.9451	2.0977	24.6323		
	S	219.468	211.684	192.838	203.021	212.758	215.385	216.379	220.046	210.455		
70	T	2.0916	3.9626	4.2405	2.1627	2.0598	3.9601	3.9527	2.1015	24.5315		
	S	219.384	214.563	195.035	203.660	212.841	215.559	215.963	219.648	211.320		
71	T	2.1076	4.3577	4.3447	2.1812	2.0698	3.9695	3.9598	2.1101	25.1004		
	S	217.719	195.109	190.357	201.932	211.812	215.049	215.576	218.753	206.531		
72	T	2.1019	3.9299	4.2851	2.1759	2.0709	3.9671	3.9656	2.1117	24.6081		
	S	218.309	216.348	193.005	202.424	211.700	215.179	215.260	218.587	210.662		
73	T	2.1067	3.9277	4.1912	2.1377	2.0440	3.9509	3.9535	2.1070	24.4187		
	S	217.812	216.470	197.329	206.041	214.486	216.061	215.919	219.075	212.296		
74	T	2.1042	3.9077	4.1870	2.1397	2.0447	3.9410	3.9449	2.1035	24.3727		
	S	218.070	217.577	197.527	205.849	214.412	216.604	216.390	219.439	212.697		
75	T	2.1009	3.9591	4.2023	2.1397	2.0447	3.9410	3.9414	2.1008	24.4299		
	S	218.413	214.753	196.808	205.849	214.412	216.604	216.582	219.721	212.199		
76	T	2.1022	3.9677	4.2189	2.1427	2.0448	3.9299	3.9237	2.0871	24.4170		
	S	218.278	214.287	196.033	205.561	214.402	217.216	217.559	221.164	212.311		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0797	4.0649	4.3621	2.1790	2.1278	4.3279	4.0760	2.1344	25.3518		
	S	220.639	209.163	189.598	202.136	206.039	197.240	209.430	216.263	204.483		
78	T	2.1248	4.0676	4.2657	2.1601	2.0523	3.9295	3.9146	2.0833	24.5979		
	S	215.956	209.024	193.883	203.905	213.618	217.238	218.065	221.567	210.750		
79	T	2.0868	4.0942	4.2474	2.1564	2.0511	3.9529	3.9477	2.0771	24.6136		
	S	219.889	207.666	194.718	204.255	213.743	215.952	216.236	222.229	210.615		
80	T	2.0599	4.3058	4.4251	2.2078	2.0940	3.9836	3.9606	2.1078	25.1446		
	S	222.760	197.461	186.899	199.499	209.364	214.288	215.532	218.992	206.168		
81	T	2.1078	4.0470	4.3007	2.1691	2.0676	3.9735	3.9474	2.1030	24.7161		
	S	217.698	210.088	192.305	203.059	212.038	214.832	216.253	219.492	209.742		
82	T	2.0980	4.0506	4.3255	2.1783	2.0706	3.9666	3.9466	2.0954	24.7316		
	S	218.715	209.902	191.202	202.201	211.730	215.206	216.297	220.288	209.610		
83	T	2.1049	4.2075	4.2261	2.1486	2.0561	3.9673	3.9534	2.1057	24.7696		
	S	217.998	202.074	195.699	204.996	213.224	215.168	215.925	219.210	209.289		
84	T	2.1200	4.3810	4.3778	2.1894	2.0737	3.9594	3.9364	2.0896	25.1273		
	S	216.445	194.072	188.918	201.176	211.414	215.597	216.857	220.899	206.309		
85	T	2.0841	4.0586	4.3476	2.1832	2.0765	3.9783	3.9663	2.1152	24.8098		
	S	220.174	209.488	190.230	201.747	211.129	214.573	215.222	218.226	208.950		
86	T	2.1118	3.9969	4.2447	2.1600	2.0594	3.9649	3.9405	2.0973	24.5755		
	S	217.286	212.722	194.842	203.914	212.882	215.298	216.631	220.088	210.942		
87	T	2.1001	4.1124	4.3586	2.1832	2.0706	3.9694	3.9545	2.1020	24.8508		
	S	218.496	206.747	189.750	201.747	211.730	215.054	215.865	219.596	208.605		
88	T	2.1020	4.0422	4.3154	2.1741	2.0665	3.9690	3.9515	2.1008	24.7215		
	S	218.299	210.338	191.650	202.592	212.151	215.076	216.028	219.721	209.696		
89	T	2.1041	4.1422	4.3038	2.1683	2.0659	3.9690	3.9450	2.0997	24.7980		
	S	218.081	205.260	192.166	203.134	212.212	215.076	216.384	219.837	209.049		
90	T	2.1057	4.1743	4.2660	2.1621	2.0643	3.9757	3.9448	2.0952	24.7881		
	S	217.915	203.681	193.869	203.716	212.377	214.713	216.395	220.309	209.133		
91	T	2.1137	4.3118	4.2915	2.1627	2.0602	3.9608	3.9320	2.0882	24.9209		
	S	217.090	197.186	192.717	203.660	212.799	215.521	217.100	221.047	208.018		
92	T	2.1038	4.0502	4.2118	2.1547	2.0669	4.0056	4.0191	2.1555	24.7676		
	S	218.112	209.922	196.364	204.416	212.109	213.111	212.395	214.146	209.306		
93	T	2.1599	3.9630	4.1356	2.1371	2.0542	3.9870	4.0142	2.1534	24.6044		
	S	212.447	214.541	199.982	206.099	213.421	214.105	212.654	214.354	210.694		
94	T	2.1608	3.9253	4.1203	2.1316	2.0483	3.9757	4.0096	2.1487	24.5203		
	S	212.358	216.602	200.725	206.631	214.036	214.713	212.898	214.823	211.417		
95	T	2.1478	3.9646	4.1092	2.1274	2.0469	3.9786	4.0070	2.1482	24.5297		
	S	213.644	214.455	201.267	207.039	214.182	214.557	213.036	214.873	211.336		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1492	4.1424	4.3195	2.2019	2.0900	4.0095	3.9905	2.1237	25.0267		
	S	213.504	205.250	191.468	200.034	209.765	212.903	213.917	217.352	207.139		
97	T	2.1134	4.1568	4.2123	2.1439	2.0497	3.9663	3.9597	2.1117	24.7138		
	S	217.121	204.539	196.341	205.445	213.889	215.222	215.581	218.587	209.761		
98	T	2.1054	3.9469	4.1069	2.1145	2.0282	3.9396	3.9501	2.1116	24.3032		
	S	217.946	215.416	201.379	208.302	216.157	216.681	216.105	218.598	213.305		
99	T	2.1182	3.9254	4.1439	2.1389	2.0500	3.9613	3.9736	2.1270	24.4383		
	S	216.629	216.596	199.581	205.926	213.858	215.494	214.827	217.015	212.126		
100	T	2.1244	3.9107	4.1462	2.1301	2.0450	3.9683	3.9827	2.1281	24.4355		
	S	215.997	217.411	199.471	206.776	214.381	215.114	214.336	216.903	212.150		
101	T	2.1311	3.9209	4.1319	2.1251	2.0402	3.9615	3.9770	2.1293	24.4170		
	S	215.318	216.845	200.161	207.263	214.885	215.483	214.643	216.781	212.311		
102	T	2.1279	4.1454	4.1943	2.1422	2.0523	3.9732	3.9845	2.1313	24.7511		
	S	215.642	205.101	197.183	205.609	213.618	214.849	214.239	216.577	209.445		
103	T	2.1312	4.0145	4.1402	2.1298	2.0447	3.9652	3.9847	2.1319	24.5422		
	S	215.308	211.789	199.760	206.806	214.412	215.282	214.229	216.516	211.228		
104	T	2.1973	4.3019	4.2731	2.1542	2.0542	3.9557	3.9497	2.1110	24.9971		
	S	208.831	197.640	193.547	204.463	213.421	215.799	216.127	218.660	207.384		
105	T	2.1078	3.9228	4.2040	2.1427	2.0468	3.9505	3.9527	2.1138	24.4411		
	S	217.698	216.740	196.728	205.561	214.192	216.083	215.963	218.370	212.102		
106	T	2.1121	3.9218	4.1284	2.1260	2.0350	3.9378	3.9492	2.1130	24.3233		
	S	217.255	216.795	200.331	207.175	215.434	216.780	216.154	218.453	213.129		
107	T	2.1142	3.9087	4.1470	2.1299	2.0406	3.9490	3.9632	2.1168	24.3694		
	S	217.039	217.522	199.432	206.796	214.843	216.165	215.391	218.061	212.726		
108	T	2.1170	3.8967	4.1432	2.1266	2.0391	3.9559	3.9652	2.1180	24.3617		
	S	216.752	218.192	199.615	207.117	215.001	215.788	215.282	217.937	212.793		
109	T	2.1183	3.9419	4.1309	2.1249	2.0382	3.9465	3.9719	2.1219	24.3945		
	S	216.619	215.690	200.210	207.282	215.096	216.302	214.919	217.537	212.507		
110	T	2.1261	3.8994	4.1076	2.1262	2.0396	3.9528	3.9728	2.1217	24.3462		
	S	215.824	218.041	201.345	207.156	214.949	215.957	214.870	217.557	212.929		
111	T	2.1259	3.9070	4.0945	2.1189	2.0343	3.9480	3.9712	2.1233	24.3231		
	S	215.844	217.616	201.989	207.869	215.509	216.220	214.957	217.393	213.131		
112	T	2.1279	3.8962	4.1625	2.1361	2.0491	3.9636	3.9852	2.1299	24.4505		
	S	215.642	218.220	198.690	206.196	213.952	215.369	214.202	216.720	212.020		
113	T	2.1304	3.9081	4.1256	2.1274	2.0437	3.9609	3.9815	2.1262	24.4038		
	S	215.388	217.555	200.467	207.039	214.517	215.516	214.401	217.097	212.426		
114	T	2.1313	3.8948	4.1082	2.1218	2.0413	3.9599	3.9860	2.1303	24.3736		
	S	215.298	218.298	201.316	207.585	214.770	215.570	214.159	216.679	212.689		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.1361	3.9044	4.1105	2.1249	2.0424	3.9607	3.9909	2.1309	24.4008		
	S	214.814	217.761	201.203	207.282	214.654	215.527	213.896	216.618	212.452		
116	T	2.1389	3.9350	4.1153	2.1334	2.0493	3.9693	3.9924	2.1317	24.4653		
	S	214.533	216.068	200.968	206.457	213.931	215.060	213.815	216.537	211.892		
117	T	2.1400	3.9431	4.1458	2.1381	2.0542	3.9752	3.9966	2.1382	24.5312		
	S	214.422	215.624	199.490	206.003	213.421	214.740	213.591	215.878	211.323		
118	T	2.1440	3.9754	4.1505	2.1373	2.3597	6.2473			48.9006	27.0310	29.5540
	S	214.022	213.872	199.264	206.080	185.790	136.641			106.011	33.333	159.785
119	T			8.5287	3.1542	2.6412	4.6633	4.2768	2.1937	42.8223		
	S			96.972	139.641	165.989	183.054	199.597	210.417	121.058	35.1379	
120	T	2.1701	3.9380	4.0546	2.0883	2.0122	3.8921	3.9141	2.0884	24.1578		
	S	211.448	215.903	203.977	210.915	217.876	219.325	218.093	221.026	214.589		
121	T	2.0954	3.8366	3.9992	2.0718	2.0022	3.8762	3.9049	2.0859	23.8722		
	S	218.986	221.610	206.803	212.595	218.964	220.225	218.606	221.291	217.156		
122	T	2.0849	3.7873	4.0293	2.0993	2.0555	4.5745	4.2823	2.2191	25.1322		
	S	220.089	224.494	205.258	209.810	213.286	186.608	199.341	208.008	206.269		
123	T	2.1950	4.2177	4.1496	2.1177	2.0266	3.9116	3.9089	2.0843	24.6114		
	S	209.049	201.586	199.307	207.987	216.327	218.232	218.383	221.461	210.634		
124	T	2.0867	3.9758	4.1355	2.1161	2.0276	3.9270	3.9267	2.0973	24.2927		
	S	219.899	213.851	199.987	208.144	216.221	217.376	217.393	220.088	213.397		
125	T	2.0912	3.8656	4.0539	2.0984	2.0195	3.9059	3.9187	2.0964	24.0496		
	S	219.426	219.947	204.012	209.900	217.088	218.550	217.837	220.183	215.555		
126	T	2.0998	3.8528	4.0970	2.1169	2.0301	3.9259	3.9458	2.1006	24.1689		
	S	218.527	220.678	201.866	208.066	215.954	217.437	216.341	219.742	214.491		
127	T	2.1018	3.8802	4.0200	2.0911	2.0185	3.9175	3.9390	2.1102	24.0783		
	S	218.319	219.119	205.733	210.633	217.195	217.903	216.714	218.743	215.298		
128	T	2.1124	3.8981	4.1005	2.1211	2.0357	3.9419	3.9550	2.1125	24.2772		
	S	217.224	218.113	201.694	207.654	215.360	216.555	215.837	218.505	213.534		
129	T	2.1149	3.9144	4.0944	2.1227	2.0366	3.9433	3.9649	2.1220	24.3132		
	S	216.967	217.205	201.994	207.497	215.265	216.478	215.298	217.526	213.218		
130	T	2.1203	3.9312	4.0648	2.1132	2.0333	3.9437	3.9721	2.1230	24.3016		
	S	216.414	216.277	203.465	208.430	215.615	216.456	214.908	217.424	213.319		
131	T	2.1244	3.8930	4.0902	2.1196	2.0389	3.9591	3.9831	2.1302	24.3385		
	S	215.997	218.399	202.202	207.801	215.022	215.614	214.315	216.689	212.996		
132	T	2.1299	3.9168	4.0915	2.1209	2.0393	3.9550	3.9807	2.1319	24.3660		
	S	215.439	217.072	202.137	207.673	214.980	215.837	214.444	216.516	212.755		
133	T	2.1370	3.8864	4.1096	2.3383	2.7861	8.2195	7.5801	3.2389	34.2959		
	S	214.723	218.770	201.247	188.365	157.356	103.855	112.615	142.515	151.155		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	3.2044	8.3275	9.1440	5.0768	5.7171	15.1953	11.0978	5.5535	63.3164		
	S	143.198	102.099	90.447	86.758	76.684	56.178	76.919	83.117	81.875		
135	T	5.7795	11.7019	9.3256	4.4002	4.9246	12.9003	11.8103	6.0033	66.8457		
	S	79.395	72.657	88.685	100.099	89.024	66.172	72.279	76.890	77.552		
136	T	6.5060	10.3945	10.3868	5.2672	5.4276	11.3207	10.7677	5.2717	65.3422		
	S	70.529	81.796	79.625	83.622	80.774	75.405	79.278	87.560	79.336		
137	T	5.1985	9.3170	10.7782	5.8231	5.7960	10.7595	10.2104	5.3443	63.2270		
	S	88.268	91.255	76.733	75.639	75.640	79.338	83.605	86.371	81.990		
138	T	5.4541	9.7595	9.7134	4.8281	5.1388	9.9188	9.6472	4.9624	59.4223		
	S	84.132	87.118	85.145	91.227	85.314	86.062	88.485	93.018	87.240		
139	T	5.1359	9.5620	9.0420	5.0943	4.4763	9.5390			71.9280	27.0277	52.6050
	S	89.344	88.917	91.467	86.460	97.940	89.489			72.072	33.337	89.769
140	T			8.9576	4.0053	3.4623	8.6895	10.2190	4.9162	57.6304	49.9257	
	S			92.329	109.968	126.624	98.238	83.534	93.892	89.953	94.641	
141	T	5.3611	8.7465	7.9427	3.7047	3.2216	5.2254	4.9036	2.4611	41.5667		
	S	85.591	97.208	104.126	118.891	136.084	163.363	174.084	187.555	124.715		
142	T	2.3806	4.8316	4.4886	2.2061	2.1488	4.7279	4.4567	2.2371	27.4774		
	S	192.751	175.972	184.255	199.653	204.025	180.553	191.540	206.334	188.664		
143	T	2.1805	4.2595	4.3332	2.1560	2.0632	4.2407	4.0036	2.0720	25.3087		
	S	210.440	199.607	190.863	204.292	212.490	201.296	213.217	222.776	204.831		
144	T	2.0918	4.2703	4.2809	2.1416	2.0326	4.0236	3.9278	2.0661	24.8347		
	S	219.363	199.102	193.194	205.666	215.689	212.157	217.332	223.412	208.740		
145	T	2.0586	4.0709	4.1881	2.1175	2.0296	4.0006	3.9010	2.0487	24.4150		
	S	222.901	208.855	197.475	208.007	216.008	213.377	218.825	225.309	212.328		
146	T	2.0526	4.1170	4.2827	2.1321	2.0345	4.0359	3.9275	2.0601	24.6424		
	S	223.552	206.516	193.113	206.582	215.487	211.511	217.349	224.062	210.369		
147	T	2.0691	4.1813	4.2292	2.1263	2.0212	3.8664	3.8521	2.0490	24.3946		
	S	221.770	203.340	195.556	207.146	216.905	220.783	221.603	225.276	212.506		
148	T	2.0564	4.1128	4.2355	2.1327	2.0229	3.8643	3.8515	2.0419	24.3180		
	S	223.139	206.727	195.265	206.524	216.723	220.903	221.637	226.060	213.175		
149	T	2.0572	4.1004	4.2734	2.1477	2.0370	3.9352	3.9581	2.0942	24.6032		
	S	223.053	207.352	193.533	205.082	215.223	216.923	215.668	220.414	210.704		
150	T	2.0827	3.9429	4.3901	2.2523	2.3629	6.0272			36.7301	15.0857	29.3224
	S	220.322	215.635	188.389	195.558	185.539	141.631			141.138	59.727	161.047
151	T			8.4945	3.1744	2.6584	4.6306	4.2853	2.2234	42.7083	35.0303	
	S			97.362	138.752	164.915	184.347	199.201	207.606	121.382	134.883	
152	T	2.1993	4.0131	4.1129	2.1276	2.0481	3.9679	3.9985	2.1394	24.6068		
	S	208.641	211.863	201.086	207.019	214.056	215.136	213.489	215.757	210.673		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1463	3.8912	4.0231	2.0965	2.0292	3.9448	3.9754	2.1289	24.2354		
	S	213.793	218.500	205.574	210.090	216.050	216.395	214.730	216.821	213.902		
154	T	2.1361	3.8812	3.9979	2.0918	2.0247	3.9336	3.9674	2.1273	24.1600		
	S	214.814	219.063	206.870	210.562	216.530	217.011	215.163	216.984	214.570		
155	T	2.1316	3.8544	3.9830	2.0870	2.0243	3.9426	3.9730	2.1284	24.1243		
	S	215.267	220.586	207.644	211.047	216.573	216.516	214.859	216.872	214.887		
156	T	2.1334	3.8841	4.0149	2.0978	2.0281	3.9498	3.9721	2.1276	24.2078		
	S	215.086	218.899	205.994	209.960	216.167	216.121	214.908	216.954	214.146		
157	T	2.1335	3.8630	4.0649	2.1140	2.0375	3.9581	3.9825	2.1303	24.2838		
	S	215.076	220.095	203.460	208.351	215.170	215.668	214.347	216.679	213.476		
158	T	2.1348	3.8871	4.0555	2.1109	2.0339	3.9420	3.9706	2.1258	24.2606		
	S	214.945	218.730	203.932	208.657	215.551	216.549	214.989	217.138	213.680		
159	T	2.1320	3.8789	4.0525	2.1065	2.0312	3.9425	3.9699	2.1255	24.2390		
	S	215.227	219.193	204.083	209.093	215.837	216.522	215.027	217.168	213.870		
160	T	2.1331	3.8780	4.1027	2.1244	2.0410	3.9527	3.9790	2.1257	24.3366		
	S	215.116	219.244	201.586	207.331	214.801	215.963	214.535	217.148	213.012		
161	T	2.1310	3.8980	4.0937	2.1217	2.0388	3.9478	3.9748	2.1233	24.3291		
	S	215.328	218.119	202.029	207.595	215.033	216.231	214.762	217.393	213.078		
162	T	2.1271	3.9277	4.0783	2.1164	2.0353	3.9484	3.9680	2.1224	24.3236		
	S	215.723	216.470	202.792	208.115	215.403	216.198	215.130	217.485	213.126		
163	T	2.1317	3.9021	4.1029	2.1210	2.0368	3.9455	3.9741	2.1283	24.3424		
	S	215.257	217.890	201.576	207.664	215.244	216.357	214.800	216.882	212.962		
164	T	2.1300	3.9266	4.1342	2.1352	2.0442	3.9578	3.9735	2.1232	24.4247		
	S	215.429	216.530	200.050	206.283	214.465	215.685	214.832	217.403	212.244		
165	T	2.1271	3.9260	4.1295	2.1319	2.0433	3.9480	3.9699	2.1191	24.3948		
	S	215.723	216.563	200.277	206.602	214.559	216.220	215.027	217.824	212.504		
166	T	2.1216	3.9314	4.1221	2.1287	2.0404	3.9475	3.9625	2.1175	24.3717		
	S	216.282	216.266	200.637	206.912	214.864	216.247	215.429	217.989	212.706		
167	T	2.1193	3.9136	4.1602	2.1329	2.0421	3.9380	3.9571	2.1153	24.3785		
	S	216.517	217.249	198.799	206.505	214.685	216.769	215.723	218.215	212.646		
168	T	2.1128	3.9072	4.1906	2.1442	2.0485	3.9518	3.9636	2.1122	24.4309		
	S	217.183	217.605	197.357	205.417	214.015	216.012	215.369	218.536	212.190		
169	T	2.1116	3.9475	4.1949	2.1472	2.0494	3.9468	3.9530	2.1090	24.4594		
	S	217.306	215.384	197.155	205.130	213.921	216.286	215.946	218.867	211.943		
170	T	2.1082	3.9474	4.1892	2.1353	2.0412	3.9324	3.9441	2.1070	24.4048		
	S	217.657	215.389	197.423	206.273	214.780	217.078	216.434	219.075	212.417		
171	T	2.1068	3.9684	4.1931	2.1382	2.0409	3.9283	3.9385	2.1030	24.4172		
	S	217.801	214.249	197.240	205.993	214.812	217.304	216.741	219.492	212.309		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T 2.0975	3.9112	4.2955	2.1716	2.0646	3.9559	3.9574	2.1101	24.5638			
	S 218.767	217.383	192.538	202.825	212.346	215.788	215.706	218.753	211.042			
173	T 2.0945	3.9571	4.2490	2.1604	2.0565	3.9416	3.9437	2.1027	24.5055			
	S 219.080	214.861	194.645	203.876	213.182	216.571	216.456	219.523	211.544			
174	T 2.0905	3.9487	4.2608	2.1642	2.0561	3.9328	3.9296	2.0865	24.4692			
	S 219.499	215.318	194.106	203.518	213.224	217.056	217.232	221.227	211.858			
175	T 2.0705	4.0754	4.2648	2.1498	2.0428	3.9134	3.9085	2.0687	24.4939			
	S 221.620	208.624	193.924	204.882	214.612	218.132	218.405	223.131	211.645			
176	T 2.0690	4.1625	4.3272	2.1809	2.0648	3.9509	3.9395	2.0869	24.7817			
	S 221.780	204.259	191.127	201.960	212.325	216.061	216.686	221.185	209.187			
177	T 2.0770	4.0089	4.2675	2.1566	2.0508	3.9308	3.9321	2.0920	24.5157			
	S 220.926	212.085	193.801	204.236	213.775	217.166	217.094	220.646	211.456			
178	T 2.0799	4.0124	4.3040	2.1717	2.0639	3.9734	3.9454	2.0916	24.6423			
	S 220.618	211.900	192.157	202.816	212.418	214.838	216.362	220.688	210.370			
179	T 2.0801	4.0261	4.2246	2.1398	2.0419	3.9298	3.9393	2.0930	24.4746			
	S 220.597	211.179	195.769	205.839	214.706	217.221	216.697	220.540	211.811			
180	T 2.0862	3.9582	4.2069	2.1432	2.0444	3.9321	3.9452	2.1019	24.4181			
	S 219.952	214.801	196.593	205.513	214.444	217.094	216.373	219.607	212.302			
181	T 2.0970	3.9324	4.2148	2.1414	2.0465	3.9474	3.9592	2.1138	24.4525			
	S 218.819	216.211	196.224	205.685	214.224	216.253	215.608	218.370	212.003			
182	T 2.1092	3.9796	4.1731	2.1301	2.0397	3.9379	3.9546	2.1121	24.4363			
	S 217.553	213.646	198.185	206.776	214.938	216.775	215.859	218.546	212.143			
183	T 2.1056	3.9291	4.1776	2.1358	2.0443	3.9474	3.9592	2.1129	24.4119			
	S 217.925	216.392	197.971	206.225	214.454	216.253	215.608	218.463	212.355			
184	T 2.1138	3.9172	4.1545	2.1291	2.0411	3.9476	3.9579	2.1101	24.3713			
	S 217.080	217.050	199.072	206.874	214.791	216.242	215.679	218.753	212.709			
185	T 2.1095	3.9225	4.1386	2.1254	2.0383	3.9491	3.9586	2.1141	24.3561			
	S 217.522	216.756	199.837	207.234	215.086	216.160	215.641	218.339	212.842			
186	T 2.1116	3.9253	4.1527	2.1309	2.0419	3.9460	3.9635	2.1151	24.3870			
	S 217.306	216.602	199.158	206.699	214.706	216.330	215.374	218.236	212.572			
187	T 2.1161	3.9513	4.1364	2.1262	2.0391	3.9500	3.9670	2.1165	24.4026			
	S 216.844	215.177	199.943	207.156	215.001	216.110	215.184	218.092	212.436			
188	T 2.1139	3.9338	4.1751	2.1382	2.0478	3.9565	3.9671	2.1213	24.4537			
	S 217.070	216.134	198.090	205.993	214.088	215.755	215.179	217.598	211.992			
189	T 2.1230	3.9153	4.1847	2.1387	2.0499	3.9643	3.9825	2.1237	24.4821			
	S 216.139	217.155	197.636	205.945	213.869	215.331	214.347	217.352	211.747			
190	T 2.1248	3.9316	4.1451	2.1262	2.0402	3.9527	3.9720	2.1216	24.4142			
	S 215.956	216.255	199.524	207.156	214.885	215.963	214.913	217.567	212.335			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.1250	3.9480	4.1488	2.1307	2.0426	3.9492	3.9739	2.1227	24.4409		
	S	215.936	215.356	199.346	206.718	214.633	216.154	214.811	217.455	212.103		
192	T	2.1218	3.9205	4.1807	2.1460	2.0515	3.9627	3.9776	2.1201	24.4809		
	S	216.261	216.867	197.825	205.244	213.702	215.418	214.611	217.721	211.757		
193	T	2.1205	3.9372	4.1501	2.1296	2.0404	3.9517	3.9750	2.1231	24.4276		
	S	216.394	215.947	199.283	206.825	214.864	216.018	214.751	217.414	212.219		
194	T	2.1253	3.9337	4.1407	2.1268	2.0417	3.9533	3.9714	2.1212	24.4141		
	S	215.905	216.139	199.736	207.097	214.727	215.930	214.946	217.608	212.336		
195	T	2.1302	3.9190	4.1675	2.1347	2.0467	3.9582	3.9771	2.1273	24.4607		
	S	215.409	216.950	198.451	206.331	214.203	215.663	214.638	216.984	211.932		
196	T	2.1285	3.9432	4.1696	2.1494	2.2436	6.3448			48.6869	27.0984	29.2818
	S	215.581	215.619	198.351	204.920	195.404	134.541			106.476	33.250	161.270
197	T			8.5679	3.1923	2.6702	4.7442	4.3523	2.2431	43.1070	35.4137	
	S			96.528	137.974	164.186	179.933	196.135	205.783	120.259	133.423	
198	T	2.1992	4.2534	4.1895	2.1484	2.0514	3.9340	3.9277	2.0808	24.7844		
	S	208.650	199.894	197.409	205.015	213.712	216.989	217.337	221.833	209.164		
199	T	2.1286	4.3188	4.2752	2.1600	2.0581	3.9490	3.9306	2.0785	24.8988		
	S	215.571	196.867	193.452	203.914	213.016	216.165	217.177	222.079	208.203		
200	T	2.1525	3.9233	4.0099	2.0903	2.0235	3.9413	3.9855	2.1289	24.2552		
	S	213.177	216.712	206.251	210.714	216.659	216.588	214.186	216.821	213.727		
201	T	2.1361	3.8701	3.9658	2.0745	2.0104	3.9048	3.9452	2.1134	24.0203		
	S	214.814	219.691	208.544	212.318	218.071	218.612	216.373	218.412	215.817		
202	T	2.1169	3.8181	3.9228	2.0543	1.9934	3.8715	3.9085	2.0903	23.7758		
	S	216.762	222.683	210.830	214.406	219.930	220.492	218.405	220.825	218.037		
203	T	2.0981	3.8410	3.9622	2.0658	1.9979	3.8711	3.9016	2.0840	23.8217		
	S	218.704	221.356	208.734	213.213	219.435	220.515	218.791	221.493	217.617		
204	T	2.0831	3.8145	3.9968	2.0723	1.9984	3.8657	3.8803	2.0658	23.7769		
	S	220.279	222.894	206.927	212.544	219.380	220.823	219.992	223.444	218.027		
205	T	2.0635	3.9014	4.2050	2.1490	2.0443	3.9267	3.9063	2.0768	24.2730		
	S	222.372	217.929	196.681	204.958	214.454	217.393	218.528	222.261	213.571		
206	T	2.0668	3.9200	4.1613	2.1267	2.0313	3.9106	3.9018	2.0747	24.1932		
	S	222.016	216.895	198.747	207.107	215.827	218.288	218.780	222.486	214.275		
207	T	2.0757	4.0191	4.1859	2.1390	2.0407	3.9266	3.9127	2.0760	24.3757		
	S	221.065	211.547	197.579	205.916	214.833	217.398	218.171	222.346	212.671		
208	T	2.0671	3.9666	4.1481	2.1269	2.0311	3.9052	3.8888	2.0650	24.1988		
	S	221.984	214.347	199.379	207.088	215.848	218.590	219.512	223.531	214.225		
209	T	2.0640	4.1294	4.2180	2.1419	2.0442	3.9372	3.9191	2.0821	24.5359		
	S	222.318	205.896	196.075	205.637	214.465	216.813	217.814	221.695	211.282		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0774	3.9798	4.2259	2.1428	2.0454	3.9286	3.9221	2.0846	24.4066		
	S	220.884	213.636	195.709	205.551	214.339	217.288	217.648	221.429	212.402		
211	T	2.0734	3.9163	4.2021	2.1382	2.0387	3.9132	3.9071	2.0765	24.2655		
	S	221.310	217.100	196.817	205.993	215.043	218.143	218.483	222.293	213.637		
212	T	2.0709	3.9840	4.3771	2.1966	2.0851	3.9671	3.9380	2.0814	24.7002		
	S	221.577	213.410	188.948	200.517	210.258	215.179	216.769	221.769	209.877		
213	T	2.0695	4.1490	4.3477	2.1750	2.0713	3.9667	3.9334	2.0921	24.8047		
	S	221.727	204.923	190.226	202.508	211.659	215.201	217.023	220.635	208.993		
214	T	2.0797	4.1023	4.3474	2.1822	2.0724	3.9578	3.9249	2.0747	24.7414		
	S	220.639	207.256	190.239	201.840	211.547	215.685	217.493	222.486	209.527		
215	T	2.0827	4.3183	4.3244	2.1750	2.0673	3.9725	4.0480	2.4701	25.4583		
	S	220.322	196.889	191.251	202.508	212.068	214.886	210.879	186.871	203.627		
216	T	2.7664	5.8027	6.6339	3.8888	4.0707	7.2693	6.2891	3.1245	39.8454		
	S	165.870	146.523	124.670	113.262	107.699	117.430	135.733	147.733	130.103		
217	T	3.0448	5.2307	5.7357	3.8832	4.0837	7.1800	6.4075	3.2344	38.8000		
	S	150.704	162.546	144.193	113.426	107.356	118.891	133.225	142.713	133.608		
218	T	3.3358	5.8673	6.0200	3.1681	3.1694	6.5626	7.2263	3.5079	38.8574		
	S	137.557	144.909	137.383	139.028	138.326	130.076	118.129	131.586	133.411		
219	T	3.3774	6.7955	7.7587	7.9469	7.9610	9.6558	8.7619	4.9943	57.2515		
	S	135.863	125.116	106.596	55.425	55.070	88.407	97.426	92.424	90.548		
220	T	5.4575	8.8878	8.2951	4.5905	4.9199	10.2435			70.8523	27.1725	51.3870
	S	84.079	95.662	99.703	95.949	89.109	83.334			73.166	33.159	91.896
221	T			8.6139	3.3797	2.9216	5.3902	5.3924	3.4975	46.4674	38.7602	
	S			96.013	130.324	150.058	158.368	158.304	131.977	111.562	121.903	
222	T	4.6356	9.2554	7.6417	4.5270	5.9471	8.5751	7.2645	6.1235	53.9699		
	S	98.987	91.863	108.228	97.295	73.718	99.548	117.508	75.380	96.054		
223	T	6.4913	6.9198	6.3405	3.8943	3.1652	5.4811	5.1681	2.4535	39.9138		
	S	70.689	122.869	130.439	113.102	138.509	155.742	165.174	188.136	129.880		
224	T	2.6177	4.8470	4.5173	2.2278	2.1265	4.5298	4.3100	2.1992	27.3753		
	S	175.293	175.413	183.084	197.708	206.165	188.449	198.059	209.890	189.368		
225	T	2.1662	4.0913	4.2529	2.1410	2.0606	4.1120	3.9448	2.0614	24.8302		
	S	211.829	207.813	194.466	205.724	212.758	207.596	216.395	223.921	208.778		
226	T	2.0625	4.1299	4.1416	2.1193	2.0326	4.9926	8.8250	4.3247	32.6282		
	S	222.479	205.871	199.692	207.830	215.689	170.980	96.729	106.734	158.881		
227	T	3.6485	6.7058	7.2946	3.6017	5.0383	9.7096	11.9722	4.6941	52.6648		
	S	125.768	126.790	113.378	122.291	87.015	87.917	71.302	98.334	98.434		
228	T	4.5566	7.2851	7.2992	4.6537	4.8486	11.3498	13.7431	6.1077	59.8438		
	S	100.703	116.708	113.306	94.646	90.420	75.212	62.114	75.575	86.626		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 14 - Kanaan, Tony

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	5.3407	9.0318	10.0237	6.4124	6.1026	10.0387	10.3650	4.8499	62.1648		
	S	85.918	94.137	82.509	68.688	71.840	85.035	82.358	95.175	83.391		
230	T	4.9181	9.3575	9.2708	5.3089	6.7660	10.0709	9.8276	6.0377	61.5575		
	S	93.301	90.861	89.210	82.965	64.796	84.763	86.861	76.451	84.214		
231	T	6.7756	9.5670	6.7486	4.3376	6.0506	9.2367	8.2727	4.7076	55.6964		
	S	67.723	88.871	122.551	101.543	72.457	92.418	103.187	98.052	93.076		
232	T	5.4500	9.0518	8.8873	4.4682	6.7194	9.0001	7.8818	4.4124	55.8710		
	S	84.195	93.929	93.059	98.575	65.245	94.847	108.305	104.612	92.785		
233	T	6.7166	8.1067	6.3516	3.8040	3.1079	6.5957	7.1151	2.9340	44.7316		
	S	68.318	104.880	130.211	115.787	141.063	129.423	119.975	157.325	115.891		
234	T	2.6441	5.1220	4.7254	2.2816	2.1688	4.6690	4.3510	2.1950	28.1569		
	S	173.542	165.995	175.021	193.046	202.144	182.831	196.193	210.292	184.111		
235	T	2.1521	4.5939	4.7790	2.3262	2.2441	4.5217	4.2140	2.1661	26.9971		
	S	213.217	185.077	173.058	189.345	195.361	188.787	202.572	213.098	192.021		
236	T	2.1382	4.1345	4.1727	2.1182	2.0212	3.8725	3.8741	2.0575	24.3889		
	S	214.603	205.642	198.204	207.938	216.905	220.435	220.344	224.346	212.556		
237	T	2.0571	3.9272	4.1158	2.1017	2.0106	3.8557	3.8559	2.0482	23.9722		
	S	223.063	216.497	200.944	209.571	218.049	221.396	221.384	225.364	216.250		
238	T	2.0584	3.9543	4.1098	2.1022	2.0083	3.8421	3.8400	2.0343	23.9494		
	S	222.922	215.013	201.237	209.521	218.299	222.180	222.301	226.904	216.456		
239	T	2.0626	4.0988	4.1630	2.1169	2.0117	3.8602	3.8450	2.0372	24.1954		
	S	222.469	207.433	198.666	208.066	217.930	221.138	222.012	226.581	214.256		
240	T	2.0696	4.0690	4.1804	2.1165	2.0176	3.8678	3.8651	2.0606	24.2466		
	S	221.716	208.952	197.839	208.105	217.292	220.703	220.858	224.008	213.803		
241	T	2.0559	4.0703	4.1855	2.1218	2.0221	3.8730	3.8743	2.0657	24.2686		
	S	223.194	208.886	197.598	207.585	216.809	220.407	220.333	223.455	213.609		
242	T	2.0631	4.0190	4.1275	2.1069	2.0108	3.8881	3.9052	2.0702	24.1908		
	S	222.415	211.552	200.374	209.053	218.027	219.551	218.590	222.969	214.296		
243	T	2.0639	4.1048	4.1845	2.1343	2.0328	3.8982	3.8946	2.0715	24.3846		
	S	222.328	207.130	197.645	206.370	215.668	218.982	219.185	222.829	212.593		
244	T	2.0669	4.0781	4.2100	2.1360	2.0351	3.8992	3.8969	2.0704	24.3926		
	S	222.006	208.486	196.448	206.205	215.424	218.926	219.055	222.948	212.523		
245	T	2.0759	4.1804	4.2337	2.1481	2.0451	3.9146	3.9084	2.0885	24.5947		
	S	221.043	203.384	195.348	205.044	214.370	218.065	218.411	221.016	210.777		
246	T	2.2858	5.2240									
	S	200.745	162.754									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6044	4.9086	4.5304	2.2296	2.1000	4.4495	4.2108	2.1573	27.1906		63.8229
	S	176.188	173.212	182.555	197.549	208.766	191.850	202.725	213.967	190.654		74.033
2	T	2.1241	4.2404	4.2197	2.1259	2.0380	4.0838	4.0559	2.0914	24.9792		
	S	216.027	200.506	195.996	207.185	215.117	209.030	210.468	220.709	207.533		
3	T	2.0918	4.2257	4.2148	2.1350	2.0381	3.9374	3.9504	2.0717	24.6649		
	S	219.363	201.204	196.224	206.302	215.107	216.802	216.089	222.808	210.177		
4	T	2.0637	4.1319	4.1772	2.1231	2.0242	3.9017	3.9430	2.0736	24.4384		
	S	222.350	205.772	197.990	207.458	216.584	218.786	216.494	222.604	212.125		
5	T	2.0749	4.0613	4.1310	2.1263	2.0326	3.8998	3.9239	2.0758	24.3256		
	S	221.150	209.349	200.205	207.146	215.689	218.892	217.548	222.368	213.109		
6	T	2.0711	4.0551	4.1643	2.1326	2.0387	3.9337	3.9640	2.0913	24.4508		
	S	221.556	209.669	198.604	206.534	215.043	217.006	215.347	220.720	212.018		
7	T	2.0730	4.0815	4.2099	2.1369	2.0346	3.9013	3.9039	2.0645	24.4056		
	S	221.352	208.312	196.453	206.118	215.477	218.808	218.662	223.585	212.410		
8	T	2.0683	4.0760	4.1205	2.1127	2.0231	3.8889	3.8943	2.0704	24.2542		
	S	221.855	208.594	200.715	208.479	216.702	219.506	219.201	222.948	213.736		
9	T	2.0702	4.0410	4.0836	2.1017	2.0147	3.8774	3.8821	2.0665	24.1372		
	S	221.652	210.400	202.529	209.571	217.605	220.157	219.890	223.368	214.772		
10	T	2.0693	4.0431	4.1344	2.1278	2.0530	4.0048	3.9891	2.1206	24.5421		
	S	221.748	210.291	200.040	207.000	213.546	213.153	213.992	217.670	211.229		
11	T	2.1651	4.2229	4.3958	2.2019	2.0909	4.2044	4.2438	2.1897	25.7145		
	S	211.936	201.337	188.144	200.034	209.675	203.034	201.149	210.801	201.598		
12	T	2.1599	4.1081	4.1741	2.1285	2.0308	3.9006	3.9145	2.0745	24.4910		
	S	212.447	206.964	198.137	206.932	215.880	218.847	218.070	222.507	211.670		
13	T	2.0719	3.9846	4.1025	2.1079	2.0166	3.8719	3.8818	2.0624	24.0996		
	S	221.470	213.378	201.595	208.954	217.400	220.470	219.907	223.813	215.107		
14	T	2.0647	3.9830	4.0973	2.1042	2.0107	3.8707	3.8781	2.0571	24.0658		
	S	222.242	213.464	201.851	209.322	218.038	220.538	220.117	224.389	215.409		
15	T	2.0666	4.0352	4.1688	2.1269	2.0244	3.8757	3.8741	2.0513	24.2230		
	S	222.038	210.703	198.389	207.088	216.562	220.253	220.344	225.024	214.011		
16	T	2.0805	4.0710	4.1372	2.1129	2.0140	3.8687	3.8765	2.0523	24.2131		
	S	220.554	208.850	199.905	208.460	217.681	220.652	220.208	224.914	214.099		
17	T	2.0939	4.1252	4.1372	2.1154	2.0174	3.8689	3.8703	2.0540	24.2823		
	S	219.143	206.106	199.905	208.213	217.314	220.641	220.561	224.728	213.489		
18	T	2.0876	4.1596	4.1512	2.1303	2.0293	3.9091	3.9338	2.0793	24.4802		
	S	219.804	204.401	199.230	206.757	216.040	218.372	217.000	221.993	211.763		
19	T	2.1036	4.1753	4.2050	2.1415	2.0380	3.9187	3.9440	2.0744	24.6005		
	S	218.133	203.633	196.681	205.676	215.117	217.837	216.439	222.518	210.727		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0785	4.1493	4.2958	2.1770	2.0595	3.9452	3.9492	2.0805	24.7350		
	S	220.767	204.909	192.524	202.322	212.872	216.373	216.154	221.865	209.582		
21	T	2.0732	4.1135	4.1957	2.1380	2.0378	3.9053	3.9057	2.0684	24.4376		
	S	221.331	206.692	197.117	206.012	215.138	218.584	218.562	223.163	212.132		
22	T	2.0774	4.1094	4.1513	2.1222	2.0256	3.8952	3.9178	2.0766	24.3755		
	S	220.884	206.898	199.226	207.546	216.434	219.151	217.887	222.282	212.673		
23	T	2.1130	4.1686	4.1578	2.1287	2.0266	3.8832	3.8894	2.0596	24.4269		
	S	217.162	203.960	198.914	206.912	216.327	219.828	219.478	224.117	212.225		
24	T	2.0787	4.1493	4.1781	2.1337	2.0298	3.9400	3.9540	2.0822	24.5458		
	S	220.745	204.909	197.948	206.428	215.986	216.659	215.892	221.684	211.197		
25	T	2.1291	4.2209	4.2328	2.1518	2.0455	3.9151	3.9256	2.0797	24.7005		
	S	215.520	201.433	195.390	204.691	214.329	218.037	217.454	221.951	209.874		
26	T	2.1533	4.2869	4.2536	2.1582	2.0494	3.9663	4.0233	2.1122	25.0032		
	S	213.098	198.331	194.434	204.084	213.921	215.222	212.173	218.536	207.333		
27	T	2.1667	4.3321	4.2593	2.1623	2.0521	3.9272	3.9446	2.0822	24.9265		
	S	211.780	196.262	194.174	203.697	213.639	217.365	216.406	221.684	207.971		
28	T	2.1432	4.2372	4.2067	2.1525	2.0450	3.9084	3.9117	2.0692	24.6739		
	S	214.102	200.658	196.602	204.625	214.381	218.411	218.226	223.077	210.101		
29	T	2.1139	4.2011	4.2193	2.1528	2.0477	3.9144	3.9120	2.0711	24.6323		
	S	217.070	202.382	196.015	204.596	214.098	218.076	218.210	222.872	210.455		
30	T	2.1150	4.2459	4.1924	2.1354	2.0372	3.9365	3.9596	2.0882	24.7102		
	S	216.957	200.247	197.273	206.263	215.202	216.852	215.587	221.047	209.792		
31	T	2.1537	4.3091	4.2246	2.1517	2.0659	4.0132	3.9894	2.1086	25.0162		
	S	213.058	197.310	195.769	204.701	212.212	212.707	213.976	218.909	207.226		
32	T	2.1620	4.3227	4.2776	2.1953	2.0916	4.0570	4.0194	2.1122	25.2378		
	S	212.240	196.689	193.343	200.635	209.605	210.411	212.379	218.536	205.406		
33	T	2.1295	4.3660	4.3169	2.1869	2.0791	4.0135	3.9749	2.0967	25.1635		
	S	215.480	194.738	191.583	201.406	210.865	212.691	214.757	220.151	206.013		
34	T	2.1282	4.2134	4.1747	2.1347	2.0325	3.9560	3.9488	2.0927	24.6810		
	S	215.611	201.791	198.109	206.331	215.699	215.783	216.176	220.572	210.040		
35	T	2.1026	4.2022	4.3015	2.2180	2.0895	3.9761	3.9697	2.0988	24.9584		
	S	218.236	202.329	192.269	198.582	209.815	214.692	215.038	219.931	207.706		
36	T	2.0985	4.1552	4.1868	2.1428	2.0409	3.9035	3.9194	2.0786	24.5257		
	S	218.663	204.618	197.536	205.551	214.812	218.685	217.798	222.068	211.370		
37	T	2.0935	4.1463	4.2607	2.1825	2.0673	3.9511	3.9496	2.0889	24.7399		
	S	219.185	205.057	194.110	201.812	212.068	216.050	216.132	220.973	209.540		
38	T	2.0795	4.0788	4.1954	2.1431	2.0407	3.9008	3.9089	2.0723	24.4195		
	S	220.661	208.450	197.131	205.522	214.833	218.836	218.383	222.743	212.289		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0944	4.2309	4.2596	2.1744	2.0627	3.9326	3.9107	2.0711	24.7364		
	S	219.091	200.957	194.160	202.564	212.541	217.067	218.282	222.872	209.570		
40	T	2.0892	4.2998	4.3741	2.2487	2.1119	4.0767	4.0685	2.1465	25.4154		
	S	219.636	197.736	189.078	195.871	207.590	209.394	209.816	215.044	203.971		
41	T	2.1402	4.1521	4.1958	2.1578	2.0644	3.9697	3.9721	2.1093	24.7614		
	S	214.402	204.770	197.113	204.122	212.366	215.038	214.908	218.836	209.358		
42	T	2.1113	4.0001	4.1251	2.1221	2.0368	3.9151	3.9287	2.0900	24.3292		
	S	217.337	212.552	200.491	207.556	215.244	218.037	217.282	220.857	213.077		
43	T	2.1084	4.1535	4.1892	2.1496	2.0550	3.9356	3.9295	2.0926	24.6134		
	S	217.636	204.701	197.423	204.901	213.338	216.901	217.238	220.582	210.617		
44	T	2.1218	4.1902	4.1519	2.1283	2.0411	3.9181	3.9145	2.0845	24.5504		
	S	216.261	202.909	199.197	206.951	214.791	217.870	218.070	221.440	211.157		
45	T	2.1586	4.2326	4.1530	2.1302	2.0415	3.9202	3.9198	2.0925	24.6484		
	S	212.575	200.876	199.144	206.767	214.749	217.753	217.775	220.593	210.318		
46	T	2.1144	4.1088	4.1241	2.1229	2.0316	3.9008	3.9074	2.0772	24.3872		
	S	217.018	206.928	200.540	207.478	215.795	218.836	218.467	222.218	212.571		
47	T	2.1737	4.2021	4.1035	2.1161	2.0292	3.8917	3.8790	2.0735	24.4688		
	S	211.098	202.334	201.546	208.144	216.050	219.348	220.066	222.614	211.862		
48	T	2.1955	4.2784	4.1518	2.1275	2.0367	3.9086	3.9094	2.0776	24.6855		
	S	209.002	198.726	199.202	207.029	215.255	218.400	218.355	222.175	210.002		
49	T	2.1413	4.1767	4.0996	2.1090	2.0228	3.8820	3.8991	2.0781	24.4086		
	S	214.292	203.564	201.738	208.845	216.734	219.896	218.932	222.122	212.384		
50	T	2.1694	4.2551	4.1441	2.1230	2.0337	3.9055	3.9386	2.0960	24.6654		
	S	211.516	199.814	199.572	207.468	215.572	218.573	216.736	220.225	210.173		
51	T	2.1026	4.0897	4.1249	2.1159	2.0288	3.9053	3.9182	2.0894	24.3748		
	S	218.236	207.895	200.501	208.164	216.093	218.584	217.864	220.920	212.679		
52	T	2.0887	4.0779	4.0983	2.1094	2.0235	3.8913	3.8974	2.0792	24.2657		
	S	219.689	208.496	201.802	208.806	216.659	219.370	219.027	222.004	213.635		
53	T	2.1277	4.1209	4.1110	2.1082	2.0205	3.8864	3.8882	2.0718	24.3347		
	S	215.662	206.321	201.179	208.924	216.980	219.647	219.545	222.797	213.029		
54	T	2.1372	4.1484	4.1816	2.1432	2.0481	3.9293	3.9467	2.0939	24.6284		
	S	214.703	204.953	197.782	205.513	214.056	217.249	216.291	220.446	210.489		
55	T	2.0902	4.0567	4.1168	2.1140	2.0253	3.8912	3.8929	2.0794	24.2665		
	S	219.531	209.586	200.895	208.351	216.466	219.376	219.280	221.983	213.628		
56	T	2.0916	4.0887	4.1049	2.1096	2.0238	3.8861	3.8919	2.0698	24.2664		
	S	219.384	207.946	201.478	208.786	216.627	219.664	219.337	223.012	213.629		
57	T	2.0895	4.1316	4.1658	2.1307	2.0361	3.9020	3.9010	2.0855	24.4422		
	S	219.605	205.786	198.532	206.718	215.318	218.769	218.825	221.333	212.092		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1024	4.1735	4.1813	2.1529	2.0668	3.9969	3.9941	2.1271	24.7950		
	S	218.257	203.720	197.796	204.587	212.120	213.575	213.724	217.005	209.074		
59	T	2.1306	3.9867	4.0769	2.1112	2.0389	3.9368	3.9528	2.1102	24.3441		
	S	215.368	213.266	202.861	208.628	215.022	216.835	215.957	218.743	212.947		
60	T	2.1190	3.8949	3.9941	2.0837	2.0176	3.9076	3.9124	2.0948	24.0241		
	S	216.547	218.292	207.067	211.381	217.292	218.455	218.187	220.351	215.783		
61	T	2.1106	3.8732	3.9896	2.0867	2.0267	3.9244	3.9339	2.1064	24.0515		
	S	217.409	219.515	207.300	211.077	216.317	217.520	216.995	219.137	215.537		
62	T	2.1182	3.8624	3.9639	2.0724	2.0103	3.8994	3.9228	2.1016	23.9510		
	S	216.629	220.129	208.644	212.534	218.081	218.915	217.609	219.638	216.442		
63	T	2.1135	3.9043	4.0579	2.1160	2.2734	5.8474			47.0156	26.4070	28.3018
	S	217.111	217.767	203.811	208.154	192.843	145.986			110.261	34.121	166.854
64	T				3.1930	2.6519	4.5935	4.2991	2.2232	42.6050	34.9118	
	S				137.944	165.319	185.836	198.562	207.625	121.676	135.341	
65	T	2.1972	3.9995	4.0669	2.1010	2.0289	3.9263	3.9667	2.1122	24.3987		
	S	208.840	212.583	203.360	209.640	216.082	217.415	215.201	218.536	212.470		
66	T	2.1187	3.8708	3.9698	2.0699	1.9993	3.8837	3.9318	2.0971	23.9411		
	S	216.578	219.652	208.334	212.790	219.281	219.800	217.111	220.109	216.531		
67	T	2.1037	3.8378	3.9293	2.0536	1.9865	3.8693	3.9102	2.0867	23.7771		
	S	218.122	221.540	210.482	214.479	220.694	220.618	218.310	221.206	218.025		
68	T	2.0921	3.8178	3.9310	2.0512	1.9799	3.8491	3.9004	2.0769	23.6984		
	S	219.332	222.701	210.391	214.730	221.430	221.776	218.859	222.250	218.749		
69	T	2.0735	3.8384	4.0068	2.0734	1.9890	3.8624	3.8993	2.0587	23.8015		
	S	221.299	221.506	206.410	212.431	220.417	221.012	218.920	224.215	217.801		
70	T	2.1182	4.1023	4.1895	2.1359	2.0336	3.9929	3.9440	2.0700	24.5864		
	S	216.629	207.256	197.409	206.215	215.583	213.789	216.439	222.991	210.848		
71	T	2.1228	4.1362	4.1479	2.1152	2.0139	3.9266	3.9217	2.0634	24.4477		
	S	216.160	205.558	199.389	208.233	217.692	217.398	217.670	223.704	212.044		
72	T	2.0575	3.9994	4.1164	2.1248	2.0320	3.8931	3.9196	2.0833	24.2261		
	S	223.020	212.589	200.915	207.292	215.753	219.269	217.787	221.567	213.984		
73	T	2.0763	4.0186	4.1052	2.1067	2.0163	3.8696	3.8886	2.0680	24.1493		
	S	221.001	211.573	201.463	209.073	217.432	220.601	219.523	223.206	214.665		
74	T	2.0726	4.0537	4.1031	2.1022	2.0105	3.8868	3.8851	2.0547	24.1687		
	S	221.395	209.741	201.566	209.521	218.060	219.624	219.721	224.651	214.492		
75	T	2.0948	4.1595	4.1665	2.1369	2.0306	3.8793	3.8893	2.0642	24.4211		
	S	219.049	204.406	198.499	206.118	215.901	220.049	219.483	223.617	212.275		
76	T	2.1056	4.2235	4.2418	2.1570	2.0596	3.9463	3.9084	2.0641	24.7063		
	S	217.925	201.309	194.975	204.198	212.861	216.313	218.411	223.628	209.825		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.1234	4.2406	4.2425	2.1617	2.0593	3.9405	3.9515	2.0838	24.8033		
	S	216.099	200.497	194.943	203.754	212.892	216.631	216.028	221.514	209.004		
78	T	2.0972	4.1093	4.1722	2.1496	2.0617	3.9617	3.9901	2.1194	24.6612		
	S	218.798	206.903	198.228	204.901	212.644	215.472	213.939	217.793	210.209		
79	T	2.1241	3.9283	4.0557	2.0991	2.0218	3.8973	3.9335	2.1013	24.1611		
	S	216.027	216.436	203.922	209.830	216.841	219.033	217.017	219.669	214.560		
80	T	2.1089	3.8818	4.0369	2.0947	2.0155	3.8870	3.9146	2.0912	24.0306		
	S	217.584	219.029	204.871	210.271	217.519	219.613	218.065	220.730	215.725		
81	T	2.0952	3.9206	4.0816	2.1130	2.0299	3.8970	3.9122	2.0797	24.1292		
	S	219.007	216.862	202.628	208.450	215.976	219.050	218.199	221.951	214.843		
82	T	2.0790	3.9664	4.0616	2.0971	2.0134	3.8728	3.9015	2.0701	24.0619		
	S	220.714	214.357	203.626	210.030	217.746	220.418	218.797	222.980	215.444		
83	T	2.0754	4.0531	4.1330	2.1254	2.0326	3.8904	3.9120	2.0739	24.2958		
	S	221.096	209.772	200.108	207.234	215.689	219.421	218.210	222.571	213.370		
84	T	2.0869	4.1343	4.1609	2.1313	2.0353	3.8993	3.9146	2.0766	24.4392		
	S	219.878	205.652	198.766	206.660	215.403	218.920	218.065	222.282	212.118		
85	T	2.1013	4.1175	4.1269	2.1214	2.0274	3.8885	3.9214	2.0809	24.3853		
	S	218.371	206.491	200.404	207.624	216.242	219.528	217.687	221.823	212.587		
86	T	2.0689	4.0070	4.1271	2.1214	2.0238	3.8801	3.9064	2.0731	24.2078		
	S	221.791	212.185	200.394	207.624	216.627	220.004	218.523	222.657	214.146		
87	T	2.0789	4.1088	4.1706	2.1301	2.0296	3.8847	3.9068	2.0765	24.3860		
	S	220.724	206.928	198.304	206.776	216.008	219.743	218.500	222.293	212.581		
88	T	2.0968	4.1511	4.1813	2.1397	2.0410	3.9025	3.9279	2.0833	24.5236		
	S	218.840	204.820	197.796	205.849	214.801	218.741	217.326	221.567	211.388		
89	T	2.0911	4.0908	4.1665	2.1364	2.0371	3.9015	3.9181	2.0790	24.4205		
	S	219.436	207.839	198.499	206.167	215.212	218.797	217.870	222.025	212.281		
90	T	2.0825	4.0872	4.1605	2.1367	2.0432	3.9213	3.9693	2.1038	24.5045		
	S	220.343	208.022	198.785	206.138	214.570	217.692	215.060	219.408	211.553		
91	T	2.0958	4.0518	4.1952	2.1528	2.0559	3.9353	3.9568	2.0982	24.5418		
	S	218.944	209.839	197.141	204.596	213.244	216.918	215.739	219.994	211.231		
92	T	2.0943	4.0145	4.1984	2.1597	2.0584	3.9446	3.9556	2.1017	24.5272		
	S	219.101	211.789	196.991	203.942	212.985	216.406	215.805	219.627	211.357		
93	T	2.1009	4.0754	4.2358	2.1559	2.0542	3.9390	3.9634	2.1072	24.6318		
	S	218.413	208.624	195.251	204.302	213.421	216.714	215.380	219.054	210.460		
94	T	2.1087	4.0506	4.2024	2.1547	2.0553	3.9363	3.9584	2.1028	24.5692		
	S	217.605	209.902	196.803	204.416	213.307	216.863	215.652	219.513	210.996		
95	T	2.0995	4.0635	4.1984	2.1474	2.0476	3.9156	3.9335	2.0886	24.4941		
	S	218.559	209.235	196.991	205.111	214.109	218.009	217.017	221.005	211.643		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.0822	4.0413	4.1880	2.1420	2.0448	3.9153	3.9318	2.0814	24.4268		
	S	220.374	210.385	197.480	205.628	214.402	218.026	217.111	221.769	212.226		
97	T	2.0719	4.0913	4.2308	2.1513	2.0463	3.9141	3.9241	2.0784	24.5082		
	S	221.470	207.813	195.482	204.739	214.245	218.093	217.537	222.090	211.521		
98	T	2.0846	4.1309	4.1731	2.1310	2.0306	3.8967	3.9486	2.0864	24.4819		
	S	220.121	205.821	198.185	206.689	215.901	219.066	216.187	221.238	211.748		
99	T	2.1063	4.2014	4.2559	2.1658	2.0561	3.9315	3.9826	2.1044	24.8040		
	S	217.853	202.368	194.329	203.368	213.224	217.127	214.341	219.346	208.999		
100	T	2.0978	4.1307	4.1815	2.1412	2.0381	3.9086	3.9535	2.0884	24.5398		
	S	218.736	205.831	197.787	205.705	215.107	218.400	215.919	221.026	211.249		
101	T	2.0856	4.1173	4.2138	2.1521	2.0488	3.9193	3.9558	2.0901	24.5828		
	S	220.015	206.501	196.271	204.663	213.983	217.803	215.794	220.846	210.879		
102	T	2.0838	4.2331	4.4627	2.2146	2.0882	3.9826	3.9953	2.1077	25.1680		
	S	220.205	200.852	185.324	198.887	209.946	214.341	213.660	219.002	205.976		
103	T	2.1008	4.1432	4.2473	2.1581	2.0535	3.9365	3.9820	2.1039	24.7253		
	S	218.423	205.210	194.723	204.094	213.494	216.852	214.374	219.398	209.664		
104	T	2.1003	4.0926	4.2053	2.1432	2.0470	3.9260	3.9641	2.1001	24.5786		
	S	218.475	207.747	196.667	205.513	214.172	217.432	215.342	219.795	210.915		
105	T	2.1002	4.0529	4.1968	2.1444	2.0475	3.9323	3.9772	2.1077	24.5590		
	S	218.486	209.782	197.066	205.398	214.119	217.083	214.632	219.002	211.084		
106	T	2.1081	4.0183	4.1756	2.1339	2.0388	3.9079	3.9384	2.0883	24.4093		
	S	217.667	211.589	198.066	206.408	215.033	218.439	216.747	221.037	212.378		
107	T	2.0878	4.0351	4.1731	2.1323	2.0393	3.9112	3.9353	2.0886	24.4027		
	S	219.783	210.708	198.185	206.563	214.980	218.254	216.918	221.005	212.436		
108	T	2.0898	4.0192	4.1570	2.1213	2.0278	3.9051	3.9290	2.0840	24.3332		
	S	219.573	211.541	198.952	207.634	216.199	218.595	217.266	221.493	213.042		
109	T	2.0810	4.0560	4.1755	2.1425	2.0433	3.9144	3.9397	2.0840	24.4364		
	S	220.502	209.622	198.071	205.580	214.559	218.076	216.675	221.493	212.143		
110	T	2.0758	4.1022	4.1589	2.1183	2.0211	3.8884	3.9185	2.0731	24.3563		
	S	221.054	207.261	198.862	207.928	216.916	219.534	217.848	222.657	212.840		
111	T	2.0891	4.1371	4.2121	2.1481	2.0430	3.9099	3.9440	2.0838	24.5671		
	S	219.647	205.513	196.350	205.044	214.591	218.327	216.439	221.514	211.014		
112	T	2.0809	4.1610	4.2631	2.1572	2.0464	3.9066	3.9283	2.0760	24.6195		
	S	220.512	204.332	194.001	204.179	214.234	218.511	217.304	222.346	210.565		
113	T	2.0821	4.1507	4.2170	2.1445	2.0426	3.9099	3.9574	2.0894	24.5936		
	S	220.385	204.839	196.122	205.388	214.633	218.327	215.706	220.920	210.787		
114	T	2.0774	4.1236	4.1943	2.1292	2.0322	3.8946	3.9254	2.0756	24.4523		
	S	220.884	206.186	197.183	206.864	215.731	219.185	217.465	222.389	212.005		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.0701	4.0975	4.2113	2.1401	2.0416	3.8992	3.9259	2.0735	24.4592		
	S	221.663	207.499	196.387	205.810	214.738	218.926	217.437	222.614	211.945		
116	T	2.0905	4.1558	4.1838	2.1265	2.0320	3.9498	3.9831	2.1012	24.6227		
	S	219.499	204.588	197.678	207.127	215.753	216.121	214.315	219.680	210.537		
117	T	2.0951	4.0281	4.1734	2.1300	2.0361	3.8955	3.9219	2.0745	24.3546		
	S	219.018	211.074	198.171	206.786	215.318	219.134	217.659	222.507	212.855		
118	T	2.0697	4.0380	4.1929	2.1407	2.0411	3.9060	3.9149	2.0719	24.3752		
	S	221.705	210.557	197.249	205.753	214.791	218.545	218.048	222.786	212.675		
119	T	2.0678	4.0728	4.2389	2.1603	2.2730	5.8004			46.4661	26.0001	28.1669
	S	221.909	208.757	195.109	203.886	192.877	147.169			111.565	34.655	167.653
120	T				3.2029	2.6786	4.6322	4.3447	2.2393	42.8240		
	S				137.517	163.671	184.283	196.478	206.132	121.054	35.1231	
121	T	2.2211	4.0257	4.0523	2.0977	2.0252	3.9209	3.9372	2.0922	24.3723		
	S	206.593	211.200	204.093	209.970	216.477	217.714	216.813	220.625	212.700		
122	T	2.1029	3.8993	4.0018	2.0882	2.0148	3.9077	3.9611	2.1034	24.0792		
	S	218.205	218.046	206.668	210.925	217.594	218.450	215.505	219.450	215.290		
123	T	2.0840	3.9223	4.0036	2.0698	1.9854	3.8304	3.8482	2.0402	23.7839		
	S	220.184	216.768	206.575	212.801	220.817	222.858	221.827	226.248	217.963		
124	T	2.0673	3.8661	3.9757	2.0664	1.9932	3.8710	3.9081	2.0855	23.8333		
	S	221.963	219.919	208.025	213.151	219.952	220.521	218.427	221.333	217.511		
125	T	2.0902	3.8595	3.9850	2.0685	1.9932	3.8843	3.9121	2.0779	23.8707		
	S	219.531	220.295	207.540	212.934	219.952	219.766	218.204	222.143	217.170		
126	T	2.0810	3.8489	3.9884	2.0620	1.9834	3.8239	3.8453	2.0435	23.6764		
	S	220.502	220.901	207.363	213.606	221.039	223.237	221.995	225.883	218.952		
127	T	2.0938	4.1150	4.1138	2.0933	1.9960	3.8744	3.8783	2.0468	24.2114		
	S	219.154	206.617	201.042	210.412	219.644	220.327	220.106	225.518	214.114		
128	T	2.1035	4.1808	4.1134	2.1001	1.9985	3.8764	3.8844	2.0511	24.3082		
	S	218.143	203.365	201.061	209.730	219.369	220.214	219.760	225.046	213.261		
129	T	2.0853	4.1144	4.0484	2.0871	2.0115	3.8815	3.9046	2.0658	24.1986		
	S	220.047	206.647	204.289	211.037	217.951	219.924	218.623	223.444	214.227		
130	T	2.0889	4.1075	4.1429	2.1209	2.0228	3.8682	3.8796	2.0474	24.2782		
	S	219.668	206.994	199.630	207.673	216.734	220.681	220.032	225.452	213.525		
131	T	2.1369	4.3211	4.2044	2.1265	2.0310	3.8880	3.8821	2.0484	24.6384		
	S	214.733	196.762	196.710	207.127	215.859	219.557	219.890	225.342	210.403		
132	T	2.1405	4.2372	4.1389	2.1106	2.0152	3.8730	3.8565	2.0435	24.4154		
	S	214.372	200.658	199.823	208.687	217.551	220.407	221.350	225.883	212.325		
133	T	2.0807	4.0675	4.1734	2.1339	2.0469	3.9159	3.9277	2.0827	24.4287		
	S	220.533	209.029	198.171	206.408	214.182	217.992	217.337	221.631	212.209		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.0822	3.9570	4.1167	2.1069	2.0151	3.8723	4.0274	2.5060	24.6836		
	S	220.374	214.867	200.900	209.053	217.562	220.447	211.957	184.194	210.018		
135	T	2.8993	6.3840	7.2185	4.2398	4.1410	8.6782	7.0734	3.3373	43.9715		
	S	158.267	133.181	114.573	103.886	105.870	98.366	120.683	138.313	117.895		
136	T	3.1524	5.8476	5.7487	2.8315	2.8461	7.5397	12.0240	5.2091	45.1991		
	S	145.560	145.398	143.867	155.555	154.039	113.219	70.994	88.612	114.693		
137	T	6.0388	11.1864	10.3344	5.1712	5.0648	10.5010	10.8793	6.3925	65.5684		
	S	75.986	76.005	80.028	85.175	86.560	81.291	78.464	72.208	79.062		
138	T	5.4386	11.4561	10.3527	5.2557	5.1196	11.6134	10.8928	6.1423	66.2712		
	S	84.372	74.216	79.887	83.805	85.633	73.504	78.367	75.150	78.224		
139	T	6.4945	8.6285	9.4760	6.1036	5.2103	11.5133	10.7095	5.2160	63.3517		
	S	70.654	98.537	87.278	72.163	84.143	74.144	79.708	88.495	81.829		
140	T	5.8372	10.2739	10.0011	4.4807	4.9003	9.8242	10.1145	5.2571	60.6890		
	S	78.610	82.756	82.695	98.300	89.466	86.891	84.397	87.803	85.419		
141	T	4.5723	9.1124	8.9471	5.0818	4.6947	8.6453	9.9878	4.5877	55.6291		
	S	100.357	93.304	92.437	86.673	93.384	98.740	85.468	100.615	93.189		
142	T	5.0542	10.4850	8.5921	5.1299	4.8398	9.8577	9.3858	5.3648	58.7093		
	S	90.789	81.090	96.256	85.860	90.584	86.596	90.950	86.041	88.299		
143	T	5.5489	8.5651	10.2297	4.6037	3.6756	8.1783	6.1488	2.5891	49.5392		
	S	82.695	99.266	80.847	95.674	119.276	104.378	138.830	178.282	104.644		
144	T	2.4177	4.7715	4.6055	2.2691	2.1208	4.1847	4.1178	2.1310	26.6181		
	S	189.793	178.189	179.578	194.110	206.719	203.990	207.304	216.608	194.755		
145	T	2.1069	4.2183	4.2575	2.1527	2.0513	3.9368	3.9639	2.0859	24.7733		
	S	217.791	201.557	194.256	204.606	213.723	216.835	215.353	221.291	209.258		
146	T	2.0812	4.0122	4.0834	2.0923	2.0071	3.8754	3.9202	2.0721	24.1439		
	S	220.480	211.910	202.538	210.512	218.429	220.271	217.753	222.765	214.713		
147	T	2.0620	3.9909	4.0547	2.0866	1.9999	3.8716	3.9095	2.0722	24.0474		
	S	222.533	213.041	203.972	211.087	219.216	220.487	218.349	222.754	215.574		
148	T	2.0803	3.9659	4.0633	2.0951	2.0081	3.8694	3.8917	2.0636	24.0374		
	S	220.576	214.384	203.540	210.231	218.320	220.612	219.348	223.682	215.664		
149	T	2.0656	4.0462	4.1044	2.1150	2.0178	3.8742	3.8914	2.0602	24.1748		
	S	222.145	210.130	201.502	208.253	217.271	220.339	219.365	224.052	214.438		
150	T	2.0749	4.1235	4.1272	2.1126	2.0229	3.8763	3.8794	2.0577	24.2745		
	S	221.150	206.191	200.389	208.489	216.723	220.219	220.043	224.324	213.557		
151	T	2.0669	4.1016	4.1281	2.1182	2.0282	3.8943	3.9213	2.0762	24.3348		
	S	222.006	207.292	200.345	207.938	216.157	219.201	217.692	222.325	213.028		
152	T	2.0890	4.1601	4.1231	2.1113	2.0192	3.8836	3.9044	2.0625	24.3532		
	S	219.657	204.377	200.588	208.618	217.120	219.805	218.634	223.802	212.867		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1028	4.1871	4.1217	2.1151	2.0280	3.8994	3.9166	2.0751	24.4458		
	S	218.216	203.059	200.656	208.243	216.178	218.915	217.953	222.443	212.061		
154	T	2.0715	4.0528	4.1240	2.1173	2.0349	3.9113	3.9270	2.0803	24.3191		
	S	221.513	209.788	200.544	208.027	215.445	218.249	217.376	221.887	213.166		
155	T	2.0857	4.0942	4.1207	2.1296	2.0486	3.9509	3.9653	2.0964	24.4914		
	S	220.005	207.666	200.705	206.825	214.004	216.061	215.277	220.183	211.666		
156	T	2.1217	4.1544	4.1007	2.1087	2.0177	3.8873	3.9230	2.0825	24.3960		
	S	216.272	204.657	201.684	208.875	217.282	219.596	217.598	221.652	212.494		
157	T	2.1046	4.1778	4.1251	2.1258	2.0361	3.9159	3.9409	2.0868	24.5130		
	S	218.029	203.511	200.491	207.195	215.318	217.992	216.609	221.196	211.480		
158	T	2.0867	3.9923	4.1309	2.1333	2.0411	3.9303	3.9691	2.0956	24.3793		
	S	219.899	212.967	200.210	206.466	214.791	217.194	215.071	220.267	212.639		
159	T	2.1165	4.1526	4.1320	2.1340	2.0505	3.9582	3.9859	2.1091	24.6388		
	S	216.803	204.746	200.156	206.399	213.806	215.663	214.164	218.857	210.400		
160	T	2.0970	4.0411	4.1320	2.1312	2.0529	3.9524	3.9707	2.1057	24.4830		
	S	218.819	210.395	200.156	206.670	213.556	215.979	214.984	219.210	211.739		
161	T	2.1027	4.0350	4.0902	2.1129	2.0313	3.9081	3.9341	2.0958	24.3101		
	S	218.226	210.713	202.202	208.460	215.827	218.427	216.984	220.246	213.245		
162	T	2.0938	4.0015	4.1196	2.1233	2.0389	3.9185	3.9501	2.0891	24.3348		
	S	219.154	212.477	200.759	207.439	215.022	217.848	216.105	220.952	213.028		
163	T	2.1136	4.1672	4.1555	2.1271	2.0385	3.9170	3.9504	2.0887	24.5580		
	S	217.101	204.028	199.024	207.068	215.065	217.931	216.089	220.994	211.092		
164	T	2.0818	4.0512	4.1335	2.1258	2.0306	3.9598	3.9803	2.1046	24.4676		
	S	220.417	209.870	200.084	207.195	215.901	215.576	214.465	219.325	211.872		
165	T	2.0944	4.1227	4.1778	2.1388	2.0448	3.9261	3.9493	2.0874	24.5413		
	S	219.091	206.231	197.962	205.935	214.402	217.426	216.149	221.132	211.236		
166	T	2.0783	4.0533	4.1598	2.1332	2.0414	3.9245	3.9733	2.1013	24.4651		
	S	220.788	209.762	198.819	206.476	214.759	217.515	214.843	219.669	211.894		
167	T	2.0911	4.0664	4.1471	2.1319	2.0381	3.9143	3.9422	2.0876	24.4187		
	S	219.436	209.086	199.427	206.602	215.107	218.081	216.538	221.111	212.296		
168	T	2.0824	3.9904	4.0964	2.1124	2.0228	3.8909	3.9102	2.0791	24.1846		
	S	220.353	213.068	201.896	208.509	216.734	219.393	218.310	222.015	214.351		
169	T	2.0732	4.0467	4.1380	2.1276	2.0403	3.9188	3.9408	2.0897	24.3751		
	S	221.331	210.104	199.866	207.019	214.875	217.831	216.615	220.889	212.676		
170	T	2.0905	3.9629	4.0860	2.1039	2.0227	3.8954	3.9381	2.0895	24.1890		
	S	219.499	214.547	202.410	209.351	216.744	219.140	216.764	220.910	214.312		
171	T	2.0890	3.9646	4.1008	2.1104	2.0322	3.9117	3.9317	2.0880	24.2284		
	S	219.657	214.455	201.679	208.707	215.731	218.226	217.116	221.068	213.964		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0882	3.9453	4.0877	2.1064	2.0257	3.9061	3.9478	2.0857	24.1929		
	S	219.741	215.504	202.325	209.103	216.424	218.539	216.231	221.312	214.278		
173	T	2.0762	3.9749	4.1469	2.1167	2.0279	3.8982	3.9526	2.0790	24.2724		
	S	221.011	213.899	199.437	208.085	216.189	218.982	215.968	222.025	213.576		
174	T	2.1612	4.2413	4.2559	2.1457	2.0489	3.9331	3.9840	2.1014	24.8715		
	S	212.319	200.464	194.329	205.273	213.973	217.039	214.266	219.659	208.431		
175	T	2.0926	4.0188	4.1771	2.1353	2.0432	3.9229	3.9509	2.0921	24.4329		
	S	219.279	211.562	197.995	206.273	214.570	217.603	216.061	220.635	212.173		
176	T	2.0878	4.1407	4.2178	2.1525	2.0541	3.9420	3.9789	2.0978	24.6716		
	S	219.783	205.334	196.085	204.625	213.431	216.549	214.541	220.036	210.120		
177	T	2.0848	4.0904	4.2146	2.1598	2.0579	3.9556	4.0070	2.1024	24.6725		
	S	220.100	207.859	196.233	203.933	213.037	215.805	213.036	219.554	210.112		
178	T	2.0903	4.0694	4.1526	2.1359	2.0410	3.9154	3.9814	2.1036	24.4896		
	S	219.520	208.932	199.163	206.215	214.801	218.020	214.406	219.429	211.682		
179	T	2.0955	4.1246	4.1664	2.1445	2.0496	3.9431	4.0122	2.1220	24.6579		
	S	218.976	206.136	198.504	205.388	213.900	216.489	212.760	217.526	210.237		
180	T	2.1108	3.9784	4.1471	2.1292	2.0386	3.9237	3.9803	2.1081	24.4162		
	S	217.388	213.711	199.427	206.864	215.054	217.559	214.465	218.961	212.318		
181	T	2.1051	3.9644	4.1139	2.1249	2.0376	3.9235	3.9704	2.1039	24.3437		
	S	217.977	214.466	201.037	207.282	215.160	217.570	215.000	219.398	212.950		
182	T	2.1013	3.9386	4.1276	2.1283	2.0480	3.9521	4.0144	2.1150	24.4253		
	S	218.371	215.870	200.370	206.951	214.067	215.996	212.644	218.246	212.239		
183	T	2.1140	3.9642	4.0975	2.1126	2.0381	3.9311	3.9814	2.1049	24.3438		
	S	217.059	214.476	201.841	208.489	215.107	217.149	214.406	219.294	212.949		
184	T	2.1036	3.9225	4.0917	2.1111	2.0315	3.9168	3.9712	2.1033	24.2517		
	S	218.133	216.756	202.128	208.637	215.806	217.942	214.957	219.460	213.758		
185	T	2.1009	3.9476	4.1544	2.1206	2.0342	3.9120	3.9610	2.0948	24.3255		
	S	218.413	215.378	199.077	207.703	215.519	218.210	215.510	220.351	213.110		
186	T	2.0876	4.0405	4.1777	2.1488	2.0547	3.9318	3.9598	2.0921	24.4930		
	S	219.804	210.426	197.967	204.977	213.369	217.111	215.576	220.635	211.652		
187	T	2.0840	4.0742	4.1647	2.1247	2.0385	3.9127	3.9377	2.0891	24.4256		
	S	220.184	208.686	198.585	207.302	215.065	218.171	216.786	220.952	212.236		
188	T	2.0868	4.0161	4.1908	2.1662	2.3543	6.0863			47.9118	26.5406	29.0643
	S	219.889	211.705	197.348	203.331	186.216	140.255			108.199	33.949	162.477
189	T			8.5631	3.1903	2.6639	4.5973	4.3163	2.2186	42.7056	35.0125	
	S			96.582	138.061	164.574	185.682	197.770	208.055	121.389	134.952	
190	T	2.1878	4.1712	4.1867	2.1195	2.0321	4.1523	4.0392	2.1059	24.9947		
	S	209.737	203.833	197.541	207.811	215.742	205.582	211.338	219.189	207.404		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0899	3.9754	4.0079	2.0622	1.9837	3.8439	3.9004	2.0611	23.9245		
	S	219.562	213.872	206.354	213.585	221.006	222.076	218.859	223.954	216.682		
192	T	2.0641	3.8967	3.9979	2.0613	1.9806	3.8304	3.8616	2.0457	23.7383		
	S	222.307	218.192	206.870	213.678	221.352	222.858	221.058	225.640	218.381		
193	T	2.0620	3.9379	4.0182	2.0717	1.9888	3.8723	3.9112	2.0689	23.9310		
	S	222.533	215.909	205.825	212.605	220.439	220.447	218.254	223.109	216.623		
194	T	2.0689	3.9184	4.0193	2.0787	1.9976	3.8588	3.9062	2.0711	23.9190		
	S	221.791	216.983	205.769	211.889	219.468	221.218	218.534	222.872	216.731		
195	T	2.0655	3.9305	4.0626	2.0991	2.0123	3.8821	3.9192	2.0791	24.0504		
	S	222.156	216.315	203.575	209.830	217.865	219.890	217.809	222.015	215.547		
196	T	2.0730	3.9037	4.0513	2.0907	2.0082	3.8725	3.9011	2.0748	23.9753		
	S	221.352	217.800	204.143	210.673	218.309	220.435	218.819	222.475	216.223		
197	T	2.0696	3.8867	4.0190	2.0807	2.0012	3.9089	3.9293	2.0842	23.9796		
	S	221.716	218.753	205.784	211.686	219.073	218.383	217.249	221.472	216.184		
198	T	2.0741	3.9254	4.0755	2.1057	2.0233	3.8918	3.9094	2.0730	24.0782		
	S	221.235	216.596	202.931	209.173	216.680	219.342	218.355	222.668	215.298		
199	T	2.0863	4.1555	4.2436	2.1760	2.0663	4.0867	4.0316	2.1262	24.9722		
	S	219.941	204.603	194.892	202.415	212.171	208.882	211.736	217.097	207.591		
200	T	2.1096	3.9745	4.1132	2.1083	2.0261	3.8995	3.9160	2.0795	24.2267		
	S	217.512	213.921	201.071	208.915	216.381	218.909	217.987	221.972	213.979		
201	T	2.0798	3.9085	4.0692	2.0959	2.0133	3.8847	3.9269	2.0805	24.0588		
	S	220.629	217.533	203.245	210.151	217.756	219.743	217.382	221.865	215.472		
202	T	2.0839	3.9102	4.0473	2.0884	2.0052	3.8678	3.9075	2.0793	23.9896		
	S	220.195	217.438	204.345	210.905	218.636	220.703	218.461	221.993	216.094		
203	T	2.0778	3.9540	4.1277	2.1331	2.0431	3.9133	3.9039	2.0748	24.2277		
	S	220.841	215.030	200.365	206.486	214.580	218.137	218.662	222.475	213.970		
204	T	2.0702	4.0398	4.1205	2.1189	2.0251	3.8892	3.9004	2.0701	24.2342		
	S	221.652	210.463	200.715	207.869	216.488	219.489	218.859	222.980	213.913		
205	T	2.0676	3.9902	4.1083	2.1145	2.0227	3.8806	3.9016	2.0675	24.1530		
	S	221.931	213.079	201.311	208.302	216.744	219.975	218.791	223.260	214.632		
206	T	2.0675	4.0571	4.1630	2.1330	2.0371	3.9041	3.9210	2.0761	24.3589		
	S	221.941	209.565	198.666	206.495	215.212	218.651	217.709	222.336	212.817		
207	T	2.0820	4.0745	4.0999	2.1074	2.0203	3.8894	3.9167	2.0762	24.2664		
	S	220.396	208.670	201.723	209.004	217.002	219.478	217.948	222.325	213.629		
208	T	2.0792	4.0858	4.1166	2.1333	2.0386	3.9163	3.9290	2.0795	24.3783		
	S	220.692	208.093	200.905	206.466	215.054	217.970	217.266	221.972	212.648		
209	T	2.0733	4.0282	4.1163	2.1122	2.0202	3.8814	3.8947	2.0633	24.1896		
	S	221.320	211.069	200.920	208.529	217.013	219.930	219.179	223.715	214.307		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0734	4.1292	4.1485	2.1262	2.0313	3.8950	3.9064	2.0730	24.3830		
	S	221.310	205.906	199.360	207.156	215.827	219.162	218.523	222.668	212.607		
211	T	2.0681	4.0748	4.1052	2.1047	2.0173	3.8804	3.8821	2.0619	24.1945		
	S	221.877	208.655	201.463	209.272	217.325	219.987	219.890	223.867	214.264		
212	T	2.0645	4.0352	4.1543	2.1323	2.0341	3.9019	3.9393	2.0784	24.3400		
	S	222.264	210.703	199.082	206.563	215.530	218.775	216.697	222.090	212.983		
213	T	2.0981	4.1528	4.1433	2.1195	2.0302	3.9060	3.9224	2.0811	24.4534		
	S	218.704	204.736	199.610	207.811	215.944	218.545	217.631	221.801	211.995		
214	T	2.0716	4.0132	4.1594	2.1279	2.0359	3.9047	3.9162	2.0737	24.3026		
	S	221.502	211.858	198.838	206.990	215.339	218.618	217.976	222.593	213.311		
215	T	2.0691	4.0262	4.1773	2.1305	2.0387	3.9201	3.9170	2.0779	24.3568		
	S	221.770	211.174	197.986	206.738	215.043	217.759	217.931	222.143	212.836		
216	T	2.0764	4.0679	4.1660	2.1334	2.0356	3.9011	3.9433	2.0879	24.4116		
	S	220.990	209.009	198.523	206.457	215.371	218.819	216.478	221.079	212.358		
217	T	2.0803	4.1046	4.2091	2.1588	2.0532	3.9327	3.9624	2.0883	24.5894		
	S	220.576	207.140	196.490	204.027	213.525	217.061	215.434	221.037	210.823		
218	T	2.0936	4.1652	4.1762	2.1352	2.0369	3.8990	3.9596	2.0900	24.5557		
	S	219.174	204.126	198.038	206.283	215.233	218.937	215.587	220.857	211.112		
219	T	2.0960	4.1600	4.1991	2.2076	2.5321	6.0718	6.3045	3.5799	31.1510		
	S	218.923	204.382	196.958	199.517	173.141	140.590	135.401	128.940	166.415		
220	T	3.8466	7.7365	7.0098	4.0666	3.7868	6.8774	6.3719	3.2315	42.9271		
	S	119.291	109.898	117.984	108.310	115.773	124.122	133.969	142.841	120.763		
221	T	3.2738	7.1186	8.7018	4.7741	4.1606	7.7173	7.7342	4.2054	47.6858		
	S	140.162	119.437	95.043	92.259	105.372	110.613	110.372	109.761	108.712		
222	T	4.1152	7.8580	10.3645	7.1701	5.7431	9.5129	10.3608	4.7076	59.8322		
	S	111.505	108.199	79.796	61.429	76.337	89.735	82.391	98.052	86.642		
223	T	4.8086	9.1135	10.2567	5.3532	6.2534	8.9819	9.0506	4.4116	58.2295		
	S	95.426	93.293	80.635	82.279	70.107	95.040	94.318	104.631	89.027		
224	T	5.0748	9.6117	9.5494	5.4263	4.8249	10.8473	8.5336	4.9217	58.7897		
	S	90.420	88.458	86.607	81.170	90.864	78.696	100.032	93.787	88.179		
225	T	4.8655	8.4604	8.4369	6.7266	5.2906	7.4043	8.9629	5.9739	56.1211		
	S	94.310	100.495	98.027	65.480	82.866	115.289	95.241	77.268	92.372		
226	T	4.3625	8.0098	7.9701	3.9599	3.8467	8.9354	6.2081	2.5687	45.8612		
	S	105.184	106.148	103.769	111.229	113.970	95.534	137.504	179.698	113.037		
227	T	2.4185	4.6763	4.4414	2.2002	2.0765	4.0506	4.0353	2.0901	25.9889		
	S	189.731	181.816	186.213	200.188	211.129	210.743	211.542	220.846	199.470		
228	T	2.0792	4.1768	4.1579	2.1077	2.0103	3.8931	3.9734	2.0768	24.4752		
	S	220.692	203.559	198.909	208.974	218.081	219.269	214.838	222.261	211.806		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.0692	4.1197	4.1426	2.1052	2.0121	4.0239	4.8791	2.6253	25.9771		
	S	221.759	206.381	199.644	209.222	217.886	212.142	174.958	175.824	199.560		
230	T	2.7387	6.0840	6.5786	4.2460	4.6594	10.1666	11.6591	5.1411	51.2735		
	S	167.548	139.748	125.718	103.734	94.091	83.965	73.216	89.784	101.105		
231	T	5.2423	8.3016	7.7434	5.3237	5.4493	10.9591	12.4602	5.3994	60.8790		
	S	87.531	102.417	106.807	82.735	80.452	77.893	68.509	85.489	85.153		
232	T	5.6480	10.6516	10.0885	6.1345	5.8344	9.7606	10.6915	5.1171	63.9262		
	S	81.244	79.822	81.979	71.800	75.142	87.457	79.843	90.206	81.094		
233	T	5.3444	9.1650	9.9045	5.8572	4.9921	9.2490	10.4913	5.1542	60.1577		
	S	85.859	92.769	83.502	75.199	87.821	92.295	81.366	89.556	86.174		
234	T	4.9644	9.0361	9.1893	5.4766	4.9987	8.6544	10.0782	5.4195	57.8172		
	S	92.431	94.092	90.001	80.425	87.705	98.636	84.701	85.172	89.662		
235	T	5.4196	8.0361	9.2388	5.3814	5.2170	8.5588	9.1301	5.6251	56.6069		
	S	84.667	105.801	89.519	81.848	84.035	99.738	93.497	82.059	91.579		
236	T	4.4349	7.6841	8.9491	4.2182	4.0254	9.1119	8.9420	3.0726	50.4382		
	S	103.467	110.648	92.417	104.418	108.911	93.684	95.464	150.228	102.779		
237	T	2.6941	5.0052	4.6946	2.2962	2.1670	4.1009	4.0532	2.1428	27.1540		
	S	170.322	169.869	176.170	191.819	202.312	208.158	210.608	215.415	190.911		
238	T	2.1316	3.9936	4.0673	2.0929	2.0302	3.9285	3.9706	2.1019	24.3166		
	S	215.267	212.897	203.340	210.452	215.944	217.293	214.989	219.607	213.188		
239	T	2.1032	3.8794	4.0319	2.0892	2.0215	3.9022	3.9325	2.0865	24.0464		
	S	218.174	219.165	205.125	210.825	216.873	218.758	217.072	221.227	215.583		
240	T	2.0831	3.8809	4.0061	2.0743	2.0148	3.8915	3.9171	2.0823	23.9501		
	S	220.279	219.080	206.447	212.339	217.594	219.359	217.926	221.674	216.450		
241	T	2.0899	3.9396	4.0522	2.0938	2.0273	3.9123	3.9456	2.0927	24.1534		
	S	219.562	215.816	204.098	210.361	216.253	218.193	216.351	220.572	214.628		
242	T	2.0925	3.8904	4.0081	2.0824	2.0242	3.9050	3.9321	2.0947	24.0294		
	S	219.290	218.545	206.344	211.513	216.584	218.601	217.094	220.361	215.736		
243	T	2.0952	3.8738	4.0016	2.0741	2.0147	3.8904	3.9130	2.0881	23.9509		
	S	219.007	219.481	206.679	212.359	217.605	219.421	218.154	221.058	216.443		
244	T	2.0934	3.8814	4.0112	2.0844	2.0228	3.9000	3.9201	2.0890	24.0023		
	S	219.195	219.052	206.184	211.310	216.734	218.881	217.759	220.963	215.979		
245	T	2.0932	3.9196	4.0318	2.0855	2.0247	3.9027	3.9181	2.0796	24.0552		
	S	219.216	216.917	205.131	211.199	216.530	218.730	217.870	221.961	215.504		
246	T	2.0809	3.8742	4.0154	2.0802	2.0175	3.8948	3.9149	2.0789	23.9568		
	S	220.512	219.459	205.968	211.737	217.303	219.173	218.048	222.036	216.390		
247	T	2.0759	3.9145	4.0587	2.1083	2.0375	3.9159	3.9474	2.0931	24.1513		
	S	221.043	217.199	203.771	208.915	215.170	217.992	216.253	220.530	214.647		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 15 - Rahal, Graham

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.0935	3.9047	4.0570	2.0908	2.0147	3.8835	3.9248	2.0830	24.0520		
	S	219.185	217.745	203.856	210.663	217.605	219.811	217.498	221.599	215.533		
249	T	2.2072	4.7654	5.7754								
	S	207.894	178.417	143.201								

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6149	4.6747	4.4714	2.2039	2.0966	4.0117	3.9733	2.0914	26.1379	67.4398	
	S	175.480	181.878	184.963	199.852	209.105	212.787	214.843	220.709	198.333	70.062	
2	T	2.1393	4.2231	4.1867	2.1233	2.0260	3.8910	3.9005	2.0713	24.5612		
	S	214.492	201.328	197.541	207.439	216.391	219.387	218.853	222.851	211.065		
3	T	2.1284	4.1410	4.1675	2.1331	2.0354	3.9019	3.8956	2.0754	24.4783		
	S	215.591	205.319	198.451	206.486	215.392	218.775	219.128	222.411	211.779		
4	T	2.0825	3.9520	4.0855	2.1081	2.0218	3.8901	3.9028	2.0735	24.1163		
	S	220.343	215.138	202.434	208.934	216.841	219.438	218.724	222.614	214.958		
5	T	2.0964	4.0167	4.0853	2.1030	2.0204	3.8882	3.8911	2.0739	24.1750		
	S	218.882	211.673	202.444	209.441	216.991	219.545	219.382	222.571	214.436		
6	T	2.0865	4.0037	4.0973	2.1054	2.0258	3.8995	3.9083	2.0806	24.2071		
	S	219.920	212.360	201.851	209.202	216.413	218.909	218.416	221.855	214.152		
7	T	2.0906	4.0016	4.1447	2.1313	2.0427	3.9288	3.9258	2.0958	24.3613		
	S	219.489	212.472	199.543	206.660	214.622	217.277	217.443	220.246	212.797		
8	T	2.1026	3.8922	4.0540	2.0962	2.0184	3.9026	3.9270	2.0942	24.0872		
	S	218.236	218.444	204.007	210.120	217.206	218.735	217.376	220.414	215.218		
9	T	2.0951	3.9044	4.0885	2.1201	2.0346	3.9186	3.9355	2.0927	24.1895		
	S	219.018	217.761	202.286	207.752	215.477	217.842	216.907	220.572	214.308		
10	T	2.0974	3.8947	4.0921	2.1099	2.0332	3.9219	3.9316	2.0955	24.1763		
	S	218.777	218.304	202.108	208.756	215.625	217.659	217.122	220.277	214.425		
11	T	2.0983	3.9119	4.1212	2.1169	2.0303	3.9159	3.9231	2.0962	24.2138		
	S	218.684	217.344	200.681	208.066	215.933	217.992	217.592	220.204	214.093		
12	T	2.1011	3.9813	4.1315	2.1229	2.0339	3.9230	3.9273	2.0924	24.3134		
	S	218.392	213.555	200.180	207.478	215.551	217.598	217.360	220.604	213.216		
13	T	2.0930	3.9556	4.2698	2.1720	2.0656	3.9630	3.9574	2.1046	24.5810		
	S	219.237	214.943	193.697	202.788	212.243	215.402	215.706	219.325	210.895		
14	T	2.0970	3.9492	4.1327	2.1221	2.0380	3.9249	3.9375	2.0977	24.2991		
	S	218.819	215.291	200.122	207.556	215.117	217.493	216.797	220.046	213.341		
15	T	2.0963	3.9686	4.1413	2.1248	2.0398	3.9330	3.9486	2.0995	24.3519		
	S	218.892	214.239	199.707	207.292	214.927	217.045	216.187	219.858	212.879		
16	T	2.0996	3.9312	4.1106	2.1144	2.0323	3.9225	3.9319	2.0964	24.2389		
	S	218.548	216.277	201.198	208.312	215.721	217.626	217.105	220.183	213.871		
17	T	2.0976	3.9535	4.1265	2.1269	2.0399	3.9317	3.9384	2.0995	24.3140		
	S	218.757	215.057	200.423	207.088	214.917	217.116	216.747	219.858	213.210		
18	T	2.0983	3.9332	4.1412	2.1306	2.0428	3.9408	3.9521	2.1053	24.3443		
	S	218.684	216.167	199.712	206.728	214.612	216.615	215.996	219.252	212.945		
19	T	2.1016	3.9416	4.1310	2.1277	2.0416	3.9390	3.9437	2.0997	24.3259		
	S	218.340	215.706	200.205	207.010	214.738	216.714	216.456	219.837	213.106		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0986	3.9239	4.1372	2.1301	2.0440	3.9401	3.9469	2.0988	24.3196		
	S	218.652	216.679	199.905	206.776	214.486	216.653	216.280	219.931	213.161		
21	T	2.0995	3.9295	4.1424	2.1336	2.0479	3.9460	3.9527	2.1038	24.3554		
	S	218.559	216.370	199.654	206.437	214.077	216.330	215.963	219.408	212.848		
22	T	2.1006	3.9129	4.1118	2.1257	2.0391	3.9422	3.9518	2.1014	24.2855		
	S	218.444	217.288	201.140	207.204	215.001	216.538	216.012	219.659	213.461		
23	T	2.0980	3.9414	4.1341	2.1338	2.0453	3.9443	3.9639	2.1062	24.3670		
	S	218.715	215.717	200.055	206.418	214.350	216.423	215.353	219.158	212.747		
24	T	2.1039	3.9294	4.1226	2.1248	2.0426	3.9394	3.9557	2.1063	24.3247		
	S	218.101	216.376	200.613	207.292	214.633	216.692	215.799	219.148	213.117		
25	T	2.1069	3.9274	4.1102	2.1201	2.0392	3.9334	3.9473	2.1064	24.2909		
	S	217.791	216.486	201.218	207.752	214.991	217.023	216.258	219.137	213.413		
26	T	2.1034	3.9335	4.1202	2.1272	2.0419	3.9427	3.9521	2.1073	24.3283		
	S	218.153	216.150	200.729	207.058	214.706	216.511	215.996	219.044	213.085		
27	T	2.1023	3.8922	4.1262	2.1347	2.0443	3.9431	3.9599	2.1089	24.3116		
	S	218.267	218.444	200.438	206.331	214.454	216.489	215.570	218.878	213.232		
28	T	2.1082	3.9091	4.1314	2.1300	2.0448	3.9368	3.9564	2.1079	24.3246		
	S	217.657	217.499	200.185	206.786	214.402	216.835	215.761	218.981	213.118		
29	T	2.1045	3.9493	4.1373	2.1271	2.0401	3.9312	3.9463	2.1018	24.3376		
	S	218.039	215.286	199.900	207.068	214.896	217.144	216.313	219.617	213.004		
30	T	2.0992	3.9389	4.1554	2.1273	2.0324	3.9137	3.9115	2.0810	24.2594		
	S	218.590	215.854	199.029	207.049	215.710	218.115	218.238	221.812	213.690		
31	T	2.1021	4.2063	4.2861	2.1842	2.0701	3.9821	3.9295	2.0783	24.8387		
	S	218.288	202.132	192.960	201.655	211.782	214.368	217.238	222.100	208.707		
32	T	2.0889	4.2545	4.3389	2.1981	2.0904	4.0088	3.9982	2.1334	25.1112		
	S	219.668	199.842	190.612	200.380	209.725	212.941	213.505	216.364	206.442		
33	T	2.1301	3.9467	4.1346	2.1325	2.0469	3.9498	3.9649	2.1143	24.4198		
	S	215.419	215.427	200.030	206.544	214.182	216.121	215.298	218.319	212.287		
34	T	2.1138	3.9099	4.0842	2.1126	2.0353	3.9357	3.9628	2.1140	24.2683		
	S	217.080	217.455	202.499	208.489	215.403	216.896	215.412	218.350	213.612		
35	T	2.1170	3.9148	4.0765	2.1092	2.0328	3.9256	3.9535	2.1140	24.2434		
	S	216.752	217.183	202.881	208.825	215.668	217.454	215.919	218.350	213.831		
36	T	2.1097	3.9376	4.0944	2.1179	2.0385	3.9348	3.9524	2.1095	24.2948		
	S	217.502	215.925	201.994	207.968	215.065	216.945	215.979	218.815	213.379		
37	T	2.1097	3.9284	4.0906	2.1127	2.0348	3.9306	3.9537	2.1064	24.2669		
	S	217.502	216.431	202.182	208.479	215.456	217.177	215.908	219.137	213.624		
38	T	2.1112	3.9099	4.1008	2.1160	2.0369	3.9319	3.9475	2.1057	24.2599		
	S	217.347	217.455	201.679	208.154	215.233	217.105	216.247	219.210	213.686		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1054	3.9254	4.0790	2.1104	2.0303	3.9215	3.9371	2.1017	24.2108		
	S	217.946	216.596	202.757	208.707	215.933	217.681	216.819	219.627	214.119		
40	T	2.1035	3.9137	4.0773	2.1030	2.0246	3.9139	3.9335	2.0969	24.1664		
	S	218.143	217.244	202.841	209.441	216.541	218.104	217.017	220.130	214.513		
41	T	2.0996	3.9328	4.1057	2.1138	2.0312	3.9195	3.9338	2.0931	24.2295		
	S	218.548	216.189	201.438	208.371	215.837	217.792	217.000	220.530	213.954		
42	T	2.0985	3.9256	4.1437	2.1184	2.0287	3.9084	3.9182	2.0861	24.2276		
	S	218.663	216.585	199.591	207.918	216.103	218.411	217.864	221.270	213.971		
43	T	2.0847	3.9214	4.1446	2.1145	2.0227	3.8885	3.8970	2.0750	24.1484		
	S	220.110	216.817	199.548	208.302	216.744	219.528	219.050	222.453	214.673		
44	T	2.0864	3.9755	4.2491	2.1589	2.0465	3.9134	3.8975	2.0665	24.3938		
	S	219.931	213.867	194.640	204.018	214.224	218.132	219.022	223.368	212.513		
45	T	2.0587	3.9991	4.5330	2.2482	2.1473	4.1332	3.9848	2.1015	25.2058		
	S	222.890	212.605	182.450	195.914	204.168	206.532	214.223	219.648	205.667		
46	T	2.1018	4.1966	4.2865	2.1685	2.0607	3.9328	3.9055	2.0742	24.7266		
	S	218.319	202.599	192.942	203.115	212.748	217.056	218.573	222.539	209.653		
47	T	2.0767	4.1547	4.2311	2.1527	2.0462	3.9132	3.9006	2.0730	24.5482		
	S	220.958	204.642	195.468	204.606	214.255	218.143	218.847	222.668	211.176		
48	T	2.0731	4.1302	4.2428	2.1473	2.0388	3.9591	3.9647	2.0862	24.6422		
	S	221.342	205.856	194.929	205.120	215.033	215.614	215.309	221.259	210.371		
49	T	2.1073	4.2004	4.2131	2.1342	2.0343	4.0350	3.9867	2.0967	24.8077		
	S	217.750	202.416	196.303	206.379	215.509	211.558	214.121	220.151	208.967		
50	T	2.1104	4.2602	4.3170	2.1735	2.0537	3.9273	3.9220	2.0859	24.8500		
	S	217.430	199.574	191.579	202.648	213.473	217.360	217.653	221.291	208.612		
51	T	2.2353	4.3768	4.3297	2.1795	2.0564	3.9902	3.9947	2.1061	25.2687		
	S	205.281	194.258	191.017	202.090	213.193	213.933	213.692	219.169	205.155		
52	T	2.1223	4.3010	4.3362	2.1798	2.0592	4.1657	4.0584	2.1065	25.3291		
	S	216.211	197.681	190.730	202.062	212.903	204.920	210.338	219.127	204.666		
53	T	2.1973	4.4159	4.4028	2.1963	2.0639	3.9781	3.9642	2.0874	25.3059		
	S	208.831	192.538	187.845	200.544	212.418	214.584	215.336	221.132	204.853		
54	T	2.1155	4.3233	4.3595	2.1939	2.0639	3.9467	3.9858	2.1042	25.0928		
	S	216.906	196.662	189.711	200.763	212.418	216.291	214.169	219.366	206.593		
55	T	2.1217	4.3095	4.3250	2.1836	2.0593	3.9972	3.9733	2.0883	25.0579		
	S	216.272	197.291	191.224	201.710	212.892	213.559	214.843	221.037	206.881		
56	T	2.0996	4.2736	4.3497	2.1943	2.0706	3.9510	3.9245	2.0772	24.9405		
	S	218.548	198.949	190.139	200.727	211.730	216.056	217.515	222.218	207.855		
57	T	2.0963	4.1810	4.3123	2.1770	2.0597	3.9414	3.9152	2.0837	24.7666		
	S	218.892	203.355	191.788	202.322	212.851	216.582	218.031	221.525	209.314		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.0977	4.2128	4.2519	2.1528	2.0496	3.9392	3.9226	2.0813	24.7079		
	S	218.746	201.820	194.512	204.596	213.900	216.703	217.620	221.780	209.811		
59	T	2.0942	4.1624	4.2734	2.1903	2.5067	6.1626			36.7766	27.7845	29.3795
	S	219.112	204.264	193.533	201.093	174.895	138.519			140.959	32.429	160.734
60	T				3.1122	2.6367	4.5834	4.2588	2.1970	55.0391	34.6517	
	S				141.525	166.272	186.245	200.441	210.101	94.188	136.357	
61	T	2.1679	3.9618	3.9804	2.0497	1.9714	3.9168	3.9106	2.0454	24.0040		
	S	211.663	214.606	207.779	214.887	222.385	217.942	218.288	225.673	215.964		
62	T	2.0406	4.1107	4.3371	2.1539	2.0524	4.1341	4.0639	2.1049	24.9976		
	S	224.867	206.833	190.691	204.492	213.608	206.487	210.053	219.294	207.380		
63	T	2.0835	3.8775	4.3144	2.1627	2.0706	3.9872	3.9482	2.0861	24.5302		
	S	220.237	219.272	191.694	203.660	211.730	214.094	216.209	221.270	211.331		
64	T	2.0728	3.9497	4.1238	2.0879	1.9888	3.8768	3.9446	2.0777	24.1221		
	S	221.374	215.264	200.554	210.956	220.439	220.191	216.406	222.164	214.907		
65	T	2.0614	4.0846	4.3154	2.1364	2.0491	4.0084	3.9099	2.0469	24.6121		
	S	222.598	208.154	191.650	206.167	213.952	212.962	218.327	225.507	210.628		
66	T	2.0545	4.1974	4.4195	2.1903	2.0735	3.9759	3.9428	2.0867	24.9406		
	S	223.346	202.560	187.136	201.093	211.434	214.703	216.505	221.206	207.854		
67	T	2.0817	3.9635	4.0953	2.0890	2.0031	3.8526	3.8720	2.0483	24.0055		
	S	220.427	214.514	201.950	210.845	218.865	221.574	220.464	225.353	215.951		
68	T	2.0567	4.1814	4.2363	2.1428	2.0281	3.9114	3.8825	2.0460	24.4852		
	S	223.107	203.336	195.228	205.551	216.167	218.243	219.868	225.607	211.720		
69	T	2.1361	4.4509	4.4227	2.2089	2.0783	3.9452	3.9047	2.0665	25.2133		
	S	214.814	191.024	187.000	199.400	210.946	216.373	218.618	223.368	205.606		
70	T	2.0684	4.0806	4.1596	2.1181	2.0321	3.8939	3.8761	2.0638	24.2926		
	S	221.845	208.358	198.828	207.948	215.742	219.224	220.231	223.661	213.398		
71	T	2.0597	4.0410	4.1605	2.1109	2.0106	3.8459	3.8442	2.0411	24.1139		
	S	222.782	210.400	198.785	208.657	218.049	221.960	222.058	226.148	214.980		
72	T	2.1015	4.2656	4.2546	2.1690	2.0548	3.9220	3.8961	2.0664	24.7300		
	S	218.351	199.322	194.389	203.068	213.359	217.653	219.100	223.379	209.624		
73	T	2.0681	4.0822	4.1484	2.1111	2.0139	3.8538	3.8374	2.0335	24.1484		
	S	221.877	208.277	199.365	208.637	217.692	221.505	222.452	226.993	214.673		
74	T	2.0591	4.3122	4.2347	2.1481	2.0413	3.9025	3.8804	2.0479	24.6262		
	S	222.847	197.168	195.302	205.044	214.770	218.741	219.987	225.397	210.508		
75	T	2.0840	4.1696	4.1091	2.1060	2.0106	3.8647	3.8719	2.0463	24.2622		
	S	220.184	203.911	201.272	209.143	218.049	220.880	220.470	225.573	213.666		
76	T	2.0884	4.0678	4.1474	2.1188	2.0475	3.9438	3.9380	2.0929	24.4446		
	S	219.720	209.014	199.413	207.879	214.119	216.450	216.769	220.551	212.071		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0901	3.9554	4.1083	2.1079	2.0235	3.8959	3.9048	2.0775	24.1634		
	S	219.541	214.954	201.311	208.954	216.659	219.111	218.612	222.186	214.539		
78	T	2.0798	3.9330	4.1197	2.1064	2.0173	3.8883	3.9000	2.0771	24.1216		
	S	220.629	216.178	200.754	209.103	217.325	219.540	218.881	222.229	214.911		
79	T	2.0773	3.9281	4.1381	2.1191	2.0223	3.8795	3.8739	2.0544	24.0927		
	S	220.894	216.447	199.861	207.850	216.787	220.038	220.356	224.684	215.169		
80	T	2.0861	4.2057	4.2452	2.1464	2.0359	3.8934	3.8756	2.0704	24.5587		
	S	219.962	202.161	194.819	205.206	215.339	219.252	220.259	222.948	211.086		
81	T	2.1758	4.2686	4.2242	2.1378	2.0383	3.9159	3.9072	2.0764	24.7442		
	S	210.894	199.182	195.787	206.032	215.086	217.992	218.478	222.303	209.504		
82	T	2.0772	4.0951	4.1648	2.1229	2.0292	3.9055	3.8980	2.0693	24.3620		
	S	220.905	207.621	198.580	207.478	216.050	218.573	218.993	223.066	212.790		
83	T	2.0736	4.1314	4.2001	2.1344	2.0460	3.9263	3.9179	2.0808	24.5105		
	S	221.288	205.796	196.911	206.360	214.276	217.415	217.881	221.833	211.501		
84	T	2.0773	4.0749	4.1427	2.1218	2.0274	3.9030	3.8999	2.0756	24.3226		
	S	220.894	208.650	199.639	207.585	216.242	218.713	218.887	222.389	213.135		
85	T	2.0745	3.9925	4.1658	2.1152	2.0188	3.8800	3.8797	2.0621	24.1886		
	S	221.192	212.956	198.532	208.233	217.163	220.009	220.026	223.845	214.316		
86	T	2.0567	4.0995	4.1684	2.1124	2.0130	3.8697	3.8784	2.0649	24.2630		
	S	223.107	207.398	198.408	208.509	217.789	220.595	220.100	223.542	213.659		
87	T	2.1661	4.2465	4.1653	2.1198	2.0261	3.8913	3.8911	2.0721	24.5783		
	S	211.839	200.218	198.556	207.781	216.381	219.370	219.382	222.765	210.918		
88	T	2.0919	4.1554	4.1582	2.1159	2.0199	3.8854	3.8881	2.0693	24.3841		
	S	219.353	204.608	198.895	208.164	217.045	219.704	219.551	223.066	212.598		
89	T	2.0726	4.1172	4.1800	2.1266	2.0260	3.8889	3.8838	2.0653	24.3604		
	S	221.395	206.506	197.858	207.117	216.391	219.506	219.794	223.498	212.804		
90	T	2.0650	4.0438	4.1473	2.1140	2.0219	3.8868	3.8796	2.0638	24.2222		
	S	222.210	210.255	199.418	208.351	216.830	219.624	220.032	223.661	214.019		
91	T	2.0943	4.1512	4.1512	2.1135	2.0171	3.8690	3.8663	2.0573	24.3199		
	S	219.101	204.815	199.230	208.401	217.346	220.635	220.789	224.367	213.159		
92	T	2.0824	4.1888	4.2205	2.1379	2.0337	3.9766	3.9403	2.0809	24.6611		
	S	220.353	202.976	195.959	206.022	215.572	214.665	216.642	221.823	210.210		
93	T	2.0966	4.2012	4.2430	2.1469	2.0384	3.9114	3.8925	2.0706	24.6006		
	S	218.861	202.377	194.920	205.158	215.075	218.243	219.303	222.926	210.727		
94	T	2.0679	4.1107	4.2583	2.1494	2.0382	3.8947	3.8720	2.0585	24.4497		
	S	221.898	206.833	194.220	204.920	215.096	219.179	220.464	224.237	212.027		
95	T	2.2057	4.2799	4.2248	2.1338	2.0282	3.9337	3.9153	2.0831	24.8045		
	S	208.035	198.656	195.760	206.418	216.157	217.006	218.026	221.588	208.994		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.0866	4.1735	4.2565	2.1541	2.0438	3.9071	3.8846	2.0565	24.5627		
	S	219.910	203.720	194.302	204.473	214.507	218.483	219.749	224.455	211.052		
97	T	2.1103	4.2578	4.2747	2.1543	2.0465	3.9207	3.9027	2.0693	24.7363		
	S	217.440	199.687	193.475	204.454	214.224	217.725	218.730	223.066	209.571		
98	T	2.0638	4.0279	4.2583	2.1581	2.0497	3.9121	3.8799	2.0537	24.4035		
	S	222.339	211.085	194.220	204.094	213.889	218.204	220.015	224.761	212.429		
99	T	2.1666	4.2768	4.2126	2.1298	2.0297	3.8926	3.8970	2.0775	24.6826		
	S	211.790	198.800	196.327	206.806	215.997	219.297	219.050	222.186	210.026		
100	T	2.0739	4.0438	4.2820	2.1602	2.0453	3.9242	3.9123	2.0664	24.5081		
	S	221.256	210.255	193.145	203.895	214.350	217.531	218.193	223.379	211.522		
101	T	2.1104	4.2205	4.2685	2.1562	2.0438	3.9097	3.8893	2.0699	24.6683		
	S	217.430	201.452	193.756	204.274	214.507	218.338	219.483	223.002	210.148		
102	T	2.1419	4.2839	4.2032	2.1221	2.0237	3.9186	3.8944	2.0715	24.6593		
	S	214.232	198.470	196.766	207.556	216.637	217.842	219.196	222.829	210.225		
103	T	2.1615	4.2315	4.1991	2.1332	2.0337	3.9037	3.8899	2.0687	24.6213		
	S	212.289	200.928	196.958	206.476	215.572	218.674	219.449	223.131	210.549		
104	T	2.0830	4.1770	4.2107	2.1411	2.0358	3.8998	3.8847	2.0642	24.4963		
	S	220.290	203.550	196.415	205.714	215.350	218.892	219.743	223.617	211.624		
105	T	2.0627	4.1271	4.2405	2.1425	2.0365	3.9040	3.8834	2.0689	24.4656		
	S	222.458	206.011	195.035	205.580	215.276	218.657	219.817	223.109	211.889		
106	T	2.0920	4.1698	4.1954	2.1254	2.0250	3.8861	3.8713	2.0632	24.4282		
	S	219.342	203.901	197.131	207.234	216.498	219.664	220.504	223.726	212.214		
107	T	2.0812	4.1608	4.1885	2.1272	2.0242	3.8810	3.8694	2.0538	24.3861		
	S	220.480	204.342	197.456	207.058	216.584	219.953	220.612	224.750	212.580		
108	T	2.1220	4.2081	4.1722	2.1105	2.0115	3.8612	3.8511	2.0409	24.3775		
	S	216.241	202.045	198.228	208.697	217.951	221.081	221.660	226.170	212.655		
109	T	2.1265	4.2660	4.2314	2.1435	2.0336	3.8964	3.8806	2.0572	24.6352		
	S	215.784	199.303	195.454	205.484	215.583	219.083	219.975	224.378	210.431		
110	T	2.1148	4.2358	4.2497	2.1524	2.0408	3.8993	3.8754	2.0536	24.6218		
	S	216.977	200.724	194.613	204.634	214.822	218.920	220.271	224.772	210.545		
111	T	2.1151	4.1975	4.2557	2.1447	2.0321	3.8845	3.8774	2.0506	24.5576		
	S	216.947	202.556	194.338	205.369	215.742	219.755	220.157	225.100	211.096		
112	T	2.1159	4.2342	4.2065	2.1246	2.0220	3.8776	3.8940	2.0596	24.5344		
	S	216.865	200.800	196.611	207.312	216.820	220.146	219.218	224.117	211.295		
113	T	2.0781	4.1998	4.2328	2.1463	2.0382	3.8998	3.8859	2.0510	24.5319		
	S	220.809	202.445	195.390	205.216	215.096	218.892	219.675	225.057	211.317		
114	T	2.0835	4.2204	4.2232	2.1355	2.0309	3.8779	3.8690	2.0543	24.4947		
	S	220.237	201.457	195.834	206.254	215.869	220.129	220.635	224.695	211.638		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T 2.0876	4.1796	4.2306	2.1381	2.0327	3.8881	3.8719	2.0572	24.4858			
	S 219.804	203.423	195.491	206.003	215.678	219.551	220.470	224.378	211.715			
116	T 2.0684	4.1836	4.3232	2.1597	2.0420	3.9291	3.9237	2.0759	24.7056			
	S 221.845	203.229	191.304	203.942	214.696	217.260	217.559	222.357	209.831			
117	T 2.0823	4.1602	4.2474	2.1579	2.0447	3.9066	3.8948	2.0704	24.5643			
	S 220.364	204.372	194.718	204.113	214.412	218.511	219.173	222.948	211.038			
118	T 2.0777	4.1072	4.2282	2.1353	2.0323	3.9029	3.8907	2.0579	24.4322			
	S 220.852	207.009	195.602	206.273	215.721	218.718	219.404	224.302	212.179			
119	T 2.0630	4.1183	4.2052	2.1255	2.0292	3.8881	3.8798	2.0615	24.3706			
	S 222.425	206.451	196.672	207.224	216.050	219.551	220.021	223.910	212.715			
120	T 2.0645	4.1052	4.2244	2.1369	2.0399	3.9179	3.9139	2.0610	24.4637			
	S 222.264	207.110	195.778	206.118	214.917	217.881	218.104	223.965	211.906			
121	T 2.0711	4.1775	4.3190	2.1670	2.1088	4.2630	4.1121	2.1500	25.3685			
	S 221.556	203.525	191.490	203.255	207.895	200.243	207.591	214.693	204.348			
122	T 2.1645	4.2677	4.2784	2.1844	2.4435	6.0153			36.6867	26.6542		29.3024
	S 211.995	199.224	193.307	201.636	179.418	141.911			141.305	33.804		161.157
123	T			3.1031	2.6244	4.5639	4.2589	2.1868	53.8463		34.5764	
	S			141.940	167.051	187.041	200.436	211.081	96.274		136.654	
124	T 2.1599	3.8960	4.0021	2.0649	1.9881	3.8560	3.9145	2.0747	23.9562			
	S 212.447	218.231	206.653	213.306	220.517	221.379	218.070	222.486	216.395			
125	T 2.0718	3.8415	3.9853	2.0565	1.9772	3.8272	3.8574	2.0483	23.6652			
	S 221.481	221.327	207.524	214.177	221.732	223.045	221.298	225.353	219.056			
126	T 2.0457	3.9596	4.0456	2.0712	2.0059	4.1840	4.0486	2.0965	24.4571			
	S 224.306	214.726	204.431	212.657	218.560	204.024	210.847	220.172	211.963			
127	T 2.1310	4.1643	4.1090	2.1008	2.0086	3.8711	3.8743	2.0539	24.3130			
	S 215.328	204.171	201.277	209.660	218.266	220.515	220.333	224.739	213.219			
128	T 2.0597	4.0466	4.0776	2.0874	2.0020	3.8532	3.8580	2.0499	24.0344			
	S 222.782	210.109	202.827	211.006	218.986	221.540	221.264	225.177	215.691			
129	T 2.0467	3.9479	4.1516	2.1172	2.0215	3.8695	3.8368	2.0350	24.0262			
	S 224.197	215.362	199.211	208.036	216.873	220.606	222.487	226.826	215.764			
130	T 2.0510	4.1087	4.1203	2.1039	2.0023	3.8426	3.8572	2.0369	24.1229			
	S 223.727	206.933	200.725	209.351	218.953	222.151	221.310	226.614	214.900			
131	T 2.0564	4.1576	4.2266	2.1310	2.0181	3.9200	3.9241	2.0803	24.5141			
	S 223.139	204.500	195.676	206.689	217.239	217.764	217.537	221.887	211.470			
132	T 2.1332	4.2664	4.2806	2.1675	2.0502	3.9080	3.8594	2.0408	24.7061			
	S 215.106	199.284	193.208	203.209	213.837	218.433	221.184	226.181	209.827			
133	T 2.1111	4.2137	4.3134	2.1717	2.0585	3.9359	3.8748	2.0425	24.7216			
	S 217.358	201.777	191.739	202.816	212.975	216.885	220.305	225.993	209.695			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.0967	4.2096	4.2074	2.1429	2.6685	7.2189	6.9308	3.0872	32.5620		
	S	218.850	201.973	196.569	205.541	164.290	118.250	123.166	149.518	159.204		
135	T	2.8291	4.9795	5.8286	4.5618	4.7974	8.1144	8.0562	3.9189	43.0859		
	S	162.194	170.746	141.894	96.553	91.385	105.200	105.960	117.786	120.318		
136	T	4.1375	5.9973	5.9131	2.7843	2.9502	6.3201	6.7710	5.2141	40.0876		
	S	110.904	141.768	139.867	158.192	148.603	135.067	126.072	88.527	129.317		
137	T	6.0687	10.9598	10.1334	5.7692	5.4467	11.2330			66.7294	29.3841	59.3466
	S	75.612	77.577	81.616	76.346	80.491	75.994			77.687	30.664	79.571
138	T				3.2057	2.8221	6.4385	9.4462	5.3791	67.2714		
	S				137.397	155.349	132.583	90.368	85.812	77.061	45.2701	
139	T	6.1372	10.8983	9.8507	4.2306	4.7670	12.6851	11.3568	5.0386	64.9643		
	S	74.768	78.015	83.958	104.112	91.968	67.294	75.165	91.611	79.798		
140	T	5.8303	10.3367	10.3082	5.5391	4.9447	9.3625	9.6544	4.5295	60.5054		
	S	78.703	82.253	80.232	79.517	88.662	91.176	88.419	101.908	85.678		
141	T	5.0251	9.2688	9.3648	4.7425	5.0379	9.8471	8.9462	4.2741	56.5065		
	S	91.314	91.730	88.314	92.874	87.022	86.689	95.419	107.997	91.742		
142	T	4.2430	8.8971	10.7362	3.7423	4.2930	10.1883	9.6856	5.0826	56.8681		
	S	108.146	95.562	77.033	117.696	102.122	83.786	88.135	90.818	91.158		
143	T	6.0169	7.8379	8.7466	3.6422	3.4560	5.8267	5.2727	2.4436	43.2426		
	S	76.262	108.476	94.556	120.931	126.854	146.504	161.897	188.898	119.882		
144	T	2.3390	4.5582	4.5922	2.2715	2.1739	4.6134	4.2554	2.1673	26.9709		
	S	196.179	186.527	180.098	193.905	201.669	185.034	200.601	212.980	192.207		
145	T	2.1425	4.3606	4.4357	2.2020	2.1277	4.2514	4.0272	2.0794	25.6265		
	S	214.172	194.979	186.452	200.025	206.048	200.789	211.968	221.983	202.291		
146	T	2.1102	4.2342	4.2714	2.1328	2.0183	3.8898	3.8627	2.0309	24.5503		
	S	217.450	200.800	193.624	206.515	217.217	219.455	220.995	227.284	211.158		
147	T	2.0958	4.2475	4.2715	2.1334	2.0198	3.8748	3.9275	2.0651	24.6354		
	S	218.944	200.171	193.619	206.457	217.056	220.305	217.349	223.520	210.429		
148	T	2.0660	4.1557	4.2052	2.1304	2.1067	4.0419	3.9293	2.0632	24.6984		
	S	222.102	204.593	196.672	206.747	208.102	211.197	217.249	223.726	209.892		
149	T	2.0672	4.0998	4.0975	2.0971	2.0012	3.8563	3.8599	2.0315	24.1105		
	S	221.974	207.383	201.841	210.030	219.073	221.362	221.155	227.217	215.010		
150	T	2.0757	4.2367	4.2195	2.1222	2.0155	3.8506	3.8568	2.0484	24.4254		
	S	221.065	200.681	196.006	207.546	217.519	221.689	221.333	225.342	212.238		
151	T	2.0701	4.1589	4.2063	2.1250	2.0217	3.8646	3.8504	2.0550	24.3520		
	S	221.663	204.436	196.621	207.273	216.852	220.886	221.701	224.618	212.878		
152	T	2.0688	4.0841	4.1213	2.0968	2.0025	3.8486	3.8914	2.0601	24.1736		
	S	221.802	208.180	200.676	210.060	218.931	221.804	219.365	224.062	214.449		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0665	3.9965	4.2596	2.1413	2.0324	3.8842	3.8778	2.0386	24.2969		
	S	222.049	212.743	194.160	205.695	215.710	219.771	220.134	226.425	213.361		
154	T	2.0893	4.1749	4.1956	2.1166	2.0126	3.8656	3.8888	2.0505	24.3939		
	S	219.626	203.652	197.122	208.095	217.832	220.829	219.512	225.111	212.512		
155	T	2.1232	4.2163	4.1548	2.1070	1.9997	3.9173	3.8966	2.0658	24.4807		
	S	216.119	201.652	199.058	209.043	219.237	217.914	219.072	223.444	211.759		
156	T	2.0895	4.2106	4.2241	2.1349	2.0264	3.8700	3.8363	2.0323	24.4241		
	S	219.605	201.925	195.792	206.312	216.349	220.578	222.516	227.127	212.249		
157	T	2.0945	4.1922	4.2178	2.1304	2.0204	3.8582	3.8456	2.0336	24.3927		
	S	219.080	202.812	196.085	206.747	216.991	221.252	221.977	226.982	212.523		
158	T	2.0585	4.1799	4.2744	2.1518	2.0347	3.8789	3.8665	2.0488	24.4935		
	S	222.912	203.409	193.488	204.691	215.466	220.072	220.778	225.298	211.648		
159	T	2.0835	4.2223	4.2957	2.1580	2.0379	3.9140	3.9259	2.0784	24.7157		
	S	220.237	201.366	192.529	204.103	215.128	218.098	217.437	222.090	209.745		
160	T	2.0905	4.1686	4.2261	2.1452	2.0368	3.8878	3.8579	2.0513	24.4642		
	S	219.499	203.960	195.699	205.321	215.244	219.568	221.270	225.024	211.901		
161	T	2.0569	4.0965	4.1628	2.1155	2.0232	3.9329	3.8917	2.0562	24.3357		
	S	223.085	207.550	198.675	208.204	216.691	217.050	219.348	224.487	213.020		
162	T	2.0868	4.2360	4.3356	2.1952	2.0628	3.9109	3.8623	2.0556	24.7452		
	S	219.889	200.715	190.757	200.644	212.531	218.271	221.018	224.553	209.495		
163	T	2.1120	4.2748	4.2705	2.1508	2.0347	3.8840	3.9771	2.0951	24.7990		
	S	217.265	198.893	193.665	204.786	215.466	219.783	214.638	220.319	209.041		
164	T	2.0849	4.0664	4.2410	2.1484	2.0378	3.8885	3.9510	2.0830	24.5010		
	S	220.089	209.086	195.012	205.015	215.138	219.528	216.056	221.599	211.583		
165	T	2.0750	4.1082	4.2304	2.1355	2.0292	4.0008	3.9569	2.0808	24.6168		
	S	221.139	206.959	195.501	206.254	216.050	213.366	215.734	221.833	210.588		
166	T	2.0861	4.1019	4.3971	2.2031	2.0804	3.9514	3.8878	2.0572	24.7650		
	S	219.962	207.276	188.089	199.925	210.733	216.034	219.568	224.378	209.328		
167	T	2.0849	4.1902	4.2533	2.1508	2.0383	3.8867	3.8625	2.0500	24.5167		
	S	220.089	202.909	194.448	204.786	215.086	219.630	221.006	225.166	211.448		
168	T	2.1035	4.2248	4.2747	2.1665	2.0447	3.8945	3.9067	2.0515	24.6669		
	S	218.143	201.247	193.475	203.302	214.412	219.190	218.506	225.002	210.160		
169	T	2.0956	4.2607	4.2886	2.1536	2.0379	3.9167	4.0011	2.1035	24.8577		
	S	218.965	199.551	192.847	204.520	215.128	217.948	213.350	219.439	208.547		
170	T	2.1436	4.2885	4.2749	2.1543	2.0437	3.9401	3.9665	2.0978	24.9094		
	S	214.062	198.257	193.465	204.454	214.517	216.653	215.211	220.036	208.114		
171	T	2.0936	3.9734	4.1495	2.1139	2.0133	3.8489	3.8252	2.0255	24.0433		
	S	219.174	213.980	199.312	208.361	217.756	221.787	223.161	227.890	215.611		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.1188	4.2391	4.2289	2.1326	2.0209	3.8655	3.9977	2.1265	24.7300		
	S	216.568	200.568	195.570	206.534	216.938	220.835	213.532	217.066	209.624		
173	T	2.1535	4.1866	4.2499	2.1582	2.0459	3.8993	3.8671	2.0528	24.6133		
	S	213.078	203.083	194.604	204.084	214.287	218.920	220.743	224.859	210.618		
174	T	2.0590	4.1210	4.2657	2.1545	2.0393	3.8871	3.8596	2.0483	24.4345		
	S	222.858	206.316	193.883	204.435	214.980	219.608	221.172	225.353	212.159		
175	T	2.0685	4.1624	4.3075	2.1694	2.0447	3.8905	3.9009	2.0588	24.6027		
	S	221.834	204.264	192.001	203.031	214.412	219.416	218.831	224.204	210.709		
176	T	2.0947	4.2421	4.3113	2.1732	2.0568	3.9710	3.9465	2.0823	24.8779		
	S	219.059	200.426	191.832	202.676	213.151	214.968	216.302	221.674	208.378		
177	T	2.1064	4.2499	4.3243	2.1845	2.0618	3.9429	3.9162	2.0803	24.8663		
	S	217.843	200.058	191.255	201.627	212.634	216.500	217.976	221.887	208.475		
178	T	2.1188	4.2486	4.2521	2.1532	2.0391	3.8848	3.8442	2.0324	24.5732		
	S	216.568	200.119	194.503	204.558	215.001	219.738	222.058	227.116	210.962		
179	T	2.0626	4.1936	4.3014	2.1737	2.0534	3.9097	3.8710	2.0520	24.6174		
	S	222.469	202.744	192.274	202.629	213.504	218.338	220.521	224.947	210.583		
180	T	2.0480	4.0649	4.2352	2.1493	2.0455	3.8976	3.8643	2.0513	24.3561		
	S	224.055	209.163	195.279	204.929	214.329	219.016	220.903	225.024	212.842		
181	T	2.0721	4.1933	4.2801	2.1657	2.0576	3.9330	3.8959	2.0658	24.6635		
	S	221.449	202.759	193.230	203.377	213.068	217.045	219.111	223.444	210.189		
182	T	2.0680	3.9981	4.1244	2.1169	2.0307	3.9060	3.8992	2.0742	24.2175		
	S	221.888	212.658	200.525	208.066	215.891	218.545	218.926	222.539	214.060		
183	T	2.0750	3.8967	4.0751	2.0969	2.0115	3.8711	3.8821	2.0633	23.9717		
	S	221.139	218.192	202.951	210.050	217.951	220.515	219.890	223.715	216.255		
184	T	2.0686	3.8875	4.1154	2.1078	2.0215	3.8868	3.8863	2.0636	24.0375		
	S	221.823	218.708	200.964	208.964	216.873	219.624	219.653	223.682	215.663		
185	T	2.0696	3.9281	4.0887	2.1041	2.0189	3.8775	3.8746	2.0638	24.0253		
	S	221.716	216.447	202.276	209.332	217.152	220.151	220.316	223.661	215.773		
186	T	2.0623	3.8846	4.1236	2.1029	2.0159	3.8766	3.8885	2.0641	24.0185		
	S	222.501	218.871	200.564	209.451	217.476	220.202	219.528	223.628	215.834		
187	T	2.0667	3.9301	4.0848	2.0918	2.0053	3.8557	3.8589	2.0557	23.9490		
	S	222.027	216.337	202.469	210.562	218.625	221.396	221.212	224.542	216.460		
188	T	2.0623	3.9464	4.1267	2.1083	2.0150	3.8610	3.8619	2.0526	24.0342		
	S	222.501	215.444	200.413	208.915	217.573	221.092	221.041	224.881	215.693		
189	T	2.0543	4.0329	4.2256	2.1399	2.0350	3.8835	3.8574	2.0432	24.2718		
	S	223.367	210.823	195.723	205.829	215.434	219.811	221.298	225.916	213.581		
190	T	2.0691	4.1597	4.1962	2.1276	2.0441	3.9134	3.8820	2.0550	24.4471		
	S	221.770	204.396	197.094	207.019	214.475	218.132	219.896	224.618	212.050		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0697	4.1124	4.2131	2.1432	2.0388	3.8977	3.8749	2.0610	24.4108		
	S	221.705	206.747	196.303	205.513	215.033	219.010	220.299	223.965	212.365		
192	T	2.0604	3.9635	4.3047	2.1803	2.0650	3.9350	3.9115	2.0751	24.4955		
	S	222.706	214.514	192.126	202.016	212.305	216.934	218.238	222.443	211.631		
193	T	2.0802	4.1352	4.3190	2.1737	2.1330	4.0889	3.9545	2.0796	24.9641		
	S	220.586	205.607	191.490	202.629	205.536	208.769	215.865	221.961	207.658		
194	T	2.0837	4.1595	4.3992	2.1957	2.0656	3.9602	3.9145	2.0682	24.8466		
	S	220.216	204.406	187.999	200.599	212.243	215.554	218.070	223.185	208.640		
195	T	2.1133	4.2497	4.2861	2.1721	2.0547	3.9149	3.9163	2.0712	24.7783		
	S	217.131	200.068	192.960	202.778	213.369	218.048	217.970	222.862	209.215		
196	T	2.0701	4.1135	4.2103	2.1280	2.0243	3.8933	3.9144	2.0810	24.4349		
	S	221.663	206.692	196.434	206.981	216.573	219.258	218.076	221.812	212.156		
197	T	2.0936	4.1266	4.2188	2.1389	2.0386	3.9004	3.8789	2.0713	24.4671		
	S	219.174	206.036	196.038	205.926	215.054	218.859	220.072	222.851	211.876		
198	T	2.0789	4.0104	4.2032	2.1486	2.0402	3.8961	3.8852	2.0563	24.3189		
	S	220.724	212.006	196.766	204.996	214.885	219.100	219.715	224.476	213.168		
199	T	2.1021	4.1982	4.2461	2.1546	2.0504	3.9232	3.8962	2.0720	24.6428		
	S	218.288	202.522	194.778	204.425	213.816	217.587	219.095	222.776	210.366		
200	T	2.0712	3.9649	4.1691	2.1313	2.0366	3.9028	3.8787	2.0658	24.2204		
	S	221.545	214.439	198.375	206.660	215.265	218.724	220.083	223.444	214.034		
201	T	2.0743	4.0459	4.1810	2.1342	2.0369	3.9047	3.8954	2.0725	24.3449		
	S	221.214	210.145	197.810	206.379	215.233	218.618	219.140	222.722	212.940		
202	T	2.0770	3.9681	4.2102	2.1959	2.5265	6.4532		36.9789	27.2564		29.6083
	S	220.926	214.266	196.439	200.580	173.524	132.281		140.188	33.057		159.492
203	T				3.1324	2.6432	4.6040	4.3006	2.2226	54.6626	34.7768	
	S				140.612	165.863	185.412	198.492	207.681	94.836	135.866	
204	T	2.2120	3.9958	4.0351	2.0912	2.0248	4.0910	4.0484	2.1463	24.6446		
	S	207.443	212.780	204.963	210.623	216.520	208.662	210.858	215.064	210.350		
205	T	2.1472	3.8925	3.9396	2.0661	2.0045	3.8938	3.9348	2.1060	23.9845		
	S	213.703	218.427	209.931	213.182	218.712	219.230	216.945	219.179	216.140		
206	T	2.1077	3.8525	3.9186	2.0654	2.0031	3.9093	3.9128	2.0749	23.8443		
	S	217.708	220.695	211.056	213.254	218.865	218.360	218.165	222.464	217.410		
207	T	2.0920	3.7884	3.9680	2.0674	2.0038	3.8902	3.9291	2.0985	23.8374		
	S	219.342	224.429	208.429	213.048	218.789	219.433	217.260	219.962	217.473		
208	T	2.1003	3.8552	3.9497	2.0715	2.0040	3.8925	3.9317	2.0947	23.8996		
	S	218.475	220.540	209.394	212.626	218.767	219.303	217.116	220.361	216.907		
209	T	2.0988	3.8350	3.9284	2.0664	1.9994	3.8877	3.9290	2.0936	23.8383		
	S	218.631	221.702	210.530	213.151	219.270	219.574	217.266	220.477	217.465		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0976	3.8266	3.9582	2.0741	2.0047	3.8914	3.9248	2.0951	23.8725		
	S	218.757	222.189	208.945	212.359	218.691	219.365	217.498	220.319	217.154		
211	T	2.0950	3.8636	3.9609	2.0744	2.0037	3.8863	3.9105	2.0858	23.8802		
	S	219.028	220.061	208.802	212.329	218.800	219.653	218.293	221.302	217.084		
212	T	2.0908	3.8600	3.9885	2.0847	2.0113	3.8900	3.9146	2.0869	23.9268		
	S	219.468	220.266	207.358	211.280	217.973	219.444	218.065	221.185	216.661		
213	T	2.0925	3.8849	3.9624	2.0759	2.0013	3.8756	3.8994	2.0775	23.8695		
	S	219.290	218.854	208.723	212.175	219.062	220.259	218.915	222.186	217.181		
214	T	2.0844	3.8753	3.9926	2.0784	1.9998	3.8673	3.8846	2.0690	23.8514		
	S	220.142	219.397	207.145	211.920	219.226	220.732	219.749	223.099	217.346		
215	T	2.0697	3.9998	4.0849	2.1104	2.0177	3.8791	3.8549	2.0467	24.0632		
	S	221.705	212.567	202.464	208.707	217.282	220.060	221.442	225.529	215.433		
216	T	2.0506	3.8671	4.0937	2.1040	2.0230	3.9011	3.9074	2.0748	24.0217		
	S	223.770	219.862	202.029	209.342	216.712	218.819	218.467	222.475	215.805		
217	T	2.0747	3.9081	4.0448	2.0867	2.0067	3.8791	3.8899	2.0711	23.9611		
	S	221.171	217.555	204.471	211.077	218.473	220.060	219.449	222.872	216.351		
218	T	2.0801	3.9032	4.0580	2.0880	2.0043	3.8864	3.8833	2.0600	23.9633		
	S	220.597	217.828	203.806	210.946	218.734	219.647	219.822	224.073	216.331		
219	T	2.0614	3.9102	4.5793	2.9718	3.3642	7.8795	7.3684	3.5590	35.6938		
	S	222.598	217.438	180.605	148.211	130.316	108.336	115.851	129.697	145.235		
220	T	3.4879	6.4681	8.2853	4.3272	5.7462	8.3144	5.8508	2.8293	45.3092		
	S	131.559	131.449	99.821	101.787	76.295	102.670	145.901	163.147	114.414		
221	T	2.8638	5.5889	5.7979	3.7854	4.1190	7.6601	7.1368	3.4802	40.4321		
	S	160.229	152.128	142.646	116.356	106.436	111.439	119.611	132.633	128.215		
222	T	3.7681	7.5704	8.8995	7.7429	7.5594	9.6614	9.0356	5.1049	59.3422		
	S	121.776	112.309	92.932	56.885	57.995	88.355	94.475	90.421	87.358		
223	T	5.4323	8.4076	9.0437	4.6176	6.1977	9.9409	8.5307	4.5728	56.7433		
	S	84.469	101.126	91.450	95.386	70.737	85.871	100.066	100.943	91.359		
224	T	3.8041	9.2946	9.4085	5.7711	6.0984	9.9912	8.7959	5.3233	58.4871		
	S	120.623	91.475	87.904	76.321	71.889	85.439	97.049	86.711	88.635		
225	T	5.4178	8.5609	8.4306	4.9454	5.9737	7.5400	7.4794	7.3943	55.7421		
	S	84.696	99.315	98.100	89.063	73.390	113.214	114.132	62.425	93.000		
226	T	5.1635	6.9556	7.6337	3.6225	3.4207	7.9408	6.1248	2.5540	43.4156		
	S	88.867	122.236	108.341	121.589	128.164	107.500	139.374	180.733	119.404		
227	T	2.3929	4.4234	4.5374	2.2487	2.1213	4.2924	4.1796	2.1678	26.3635		
	S	191.760	192.211	182.273	195.871	206.670	198.872	204.239	212.931	196.635		
228	T	2.1455	4.0036	4.1812	2.1271	2.0359	3.8981	3.8842	2.0619	24.3375		
	S	213.873	212.366	197.801	207.068	215.339	218.988	219.771	223.867	213.005		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.0561	3.9057	4.0879	2.0938	2.0039	3.9475	5.3829	3.0157	26.4935		
	S	223.172	217.689	202.315	210.361	218.778	216.247	158.583	153.063	195.671		
230	T	3.2567	6.1673	6.4032	4.0857	4.6727	10.5411	12.2179	4.4681	51.8127		
	S	140.898	137.861	129.161	107.804	93.824	80.982	69.868	103.308	100.053		
231	T	4.9977	8.5253	8.0256	4.7196	5.8145	10.7061	12.7057	5.3426	60.8371		
	S	91.815	99.730	103.051	93.325	75.399	79.734	67.185	86.398	85.211		
232	T	5.9602	10.5548	10.1924	5.9338	5.8796	9.6037	10.9813	4.8567	63.9625		
	S	76.988	80.554	81.143	74.228	74.564	88.886	77.735	95.042	81.047		
233	T	5.1553	9.5856	9.1372	6.2621	5.6368	8.5320	11.0341	4.7358	60.0789		
	S	89.008	88.698	90.514	70.337	77.776	100.051	77.363	97.468	86.287		
234	T	4.9231	8.9579	9.1678	5.4494	5.9571	8.1565	9.7371	5.0693	57.4182		
	S	93.206	94.914	90.212	80.826	73.594	104.657	87.668	91.056	90.285		
235	T	5.9897	7.9762	8.6590	6.2891	5.6770	7.6790	8.8407	5.1178	56.2285		
	S	76.609	106.596	95.513	70.035	77.225	111.165	96.558	90.193	92.195		
236	T	5.4672	7.2487	8.6957	3.7426	3.6897	9.0825	8.7322	3.0684	49.7270		
	S	83.930	117.294	95.110	117.687	118.820	93.987	97.757	150.434	104.249		
237	T	2.6656	4.8173	4.7736	2.3009	2.2853	4.5581	4.2251	2.1723	27.7982		
	S	172.143	176.495	173.254	191.427	191.839	187.279	202.039	212.489	186.487		
238	T	2.1473	4.2632	4.3977	2.2337	2.1293	4.0798	3.9876	2.0875	25.3261		
	S	213.693	199.434	188.063	197.186	205.894	209.235	214.073	221.121	204.690		
239	T	2.0678	3.9856	4.1516	2.1009	2.0134	3.8684	3.8543	2.0527	24.0947		
	S	221.909	213.325	199.211	209.650	217.746	220.669	221.476	224.870	215.151		
240	T	2.0457	3.8948	4.0831	2.0776	1.9921	3.8293	3.8239	2.0354	23.7819		
	S	224.306	218.298	202.553	212.002	220.074	222.922	223.237	226.781	217.981		
241	T	2.0346	4.0223	4.0530	2.0827	2.0039	3.8471	3.8420	2.0417	23.9273		
	S	225.530	211.378	204.058	211.482	218.778	221.891	222.185	226.082	216.656		
242	T	2.0356	3.9685	4.0791	2.0838	1.9957	3.8341	3.8295	2.0372	23.8635		
	S	225.419	214.244	202.752	211.371	219.677	222.643	222.911	226.581	217.236		
243	T	2.0313	3.9555	4.2027	2.1392	2.0402	3.9038	3.8743	2.0617	24.2087		
	S	225.897	214.948	196.789	205.897	214.885	218.668	220.333	223.888	214.138		
244	T	2.0605	3.9053	4.0504	2.0804	1.9870	3.8174	3.8068	2.0139	23.7217		
	S	222.695	217.711	204.189	211.716	220.639	223.617	224.240	229.202	218.534		
245	T	2.1217	4.1971	4.2193	2.1510	2.0438	3.9097	3.8819	2.0668	24.5913		
	S	216.272	202.575	196.015	204.767	214.507	218.338	219.902	223.336	210.806		
246	T	2.0610	3.9835	4.0775	2.0888	2.0023	3.8482	3.8460	2.0442	23.9515		
	S	222.641	213.437	202.832	210.865	218.953	221.827	221.954	225.805	216.437		
247	T	2.0487	3.9564	4.1069	2.1000	2.0061	3.8395	3.8109	2.0378	23.9063		
	S	223.978	214.899	201.379	209.740	218.538	222.330	223.999	226.514	216.847		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 18 - Bourdais, Sebastien

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.0650	4.1503	4.1576	2.1285	2.0553	4.2839	4.0715	2.1289	25.0410		
	S	222.210	204.859	198.924	206.932	213.307	199.266	209.661	216.821	207.020		
249	T	2.3004	5.1025									
	S	199.471	166.630									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5325	4.9702	4.6006	2.2779	2.1361	4.4051	4.1108	2.1367	27.1699	63.0700	
	S	181.190	171.065	179.769	193.360	205.238	193.784	207.657	216.030	190.799	74.917	
2	T	2.1382	4.2243	4.4894	2.3032	2.1547	4.1598	4.0245	2.0939	25.5880		
	S	214.603	201.271	184.222	191.236	203.466	205.211	212.110	220.446	202.595		
3	T	2.0798	4.1873	4.2402	2.1347	2.0314	4.0835	4.0248	2.0919	24.8736		
	S	220.629	203.049	195.049	206.331	215.816	209.045	212.094	220.656	208.414		
4	T	2.0904	4.2005	4.3273	2.1490	2.0360	3.9522	3.9657	2.0925	24.8136		
	S	219.510	202.411	191.123	204.958	215.329	215.990	215.255	220.593	208.918		
5	T	2.0743	4.0642	4.1637	2.1144	2.0167	3.9783	4.0118	2.0868	24.5102		
	S	221.214	209.199	198.632	208.312	217.389	214.573	212.781	221.196	211.504		
6	T	2.0851	4.0664	4.1994	2.1302	2.0361	3.9684	4.0006	2.1106	24.5968		
	S	220.068	209.086	196.944	206.767	215.318	215.108	213.377	218.701	210.759		
7	T	2.0961	4.0420	4.1343	2.1144	2.0252	3.9310	3.9367	2.0961	24.3758		
	S	218.913	210.348	200.045	208.312	216.477	217.155	216.841	220.214	212.670		
8	T	2.0924	3.9417	4.1262	2.1115	2.0252	3.9527	3.9470	2.0944	24.2911		
	S	219.300	215.701	200.438	208.598	216.477	215.963	216.275	220.393	213.411		
9	T	2.0923	3.9079	4.1306	2.1095	2.0199	3.9128	3.9190	2.0879	24.1799		
	S	219.311	217.566	200.224	208.796	217.045	218.165	217.820	221.079	214.393		
10	T	2.0875	3.9441	4.1585	2.1312	2.0402	3.9554	3.9353	2.0921	24.3443		
	S	219.815	215.569	198.881	206.670	214.885	215.815	216.918	220.635	212.945		
11	T	2.0888	3.9668	4.2324	2.1468	2.0505	3.9243	3.8902	2.0713	24.3711		
	S	219.678	214.336	195.408	205.168	213.806	217.526	219.433	222.851	212.711		
12	T	2.0637	4.0281	4.1898	2.1263	2.0224	4.0107	4.0008	2.1050	24.5468		
	S	222.350	211.074	197.395	207.146	216.777	212.840	213.366	219.283	211.188		
13	T	2.0920	4.0250	4.2115	2.1419	2.0379	4.0370	4.0354	2.1185	24.6992		
	S	219.342	211.237	196.378	205.637	215.128	211.453	211.537	217.886	209.885		
14	T	2.1029	4.0036	4.1841	2.1290	2.0358	3.9923	3.9782	2.1072	24.5331		
	S	218.205	212.366	197.664	206.883	215.350	213.821	214.579	219.054	211.306		
15	T	2.1111	3.9458	4.1369	2.1180	2.0290	3.8965	3.8897	2.0732	24.2002		
	S	217.358	215.477	199.919	207.958	216.072	219.078	219.461	222.647	214.213		
16	T	2.0706	3.8885	4.1306	2.1128	2.0222	3.8865	3.8756	2.0660	24.0528		
	S	221.609	218.652	200.224	208.470	216.798	219.641	220.259	223.423	215.526		
17	T	2.0654	3.9706	4.1283	2.1237	2.0338	3.9006	3.8854	2.0714	24.1792		
	S	222.167	214.131	200.336	207.400	215.562	218.847	219.704	222.840	214.399		
18	T	2.0678	3.9358	4.2083	2.1400	2.0559	3.9265	3.8995	2.0793	24.3131		
	S	221.909	216.024	196.527	205.820	213.244	217.404	218.909	221.993	213.218		
19	T	2.0751	3.9966	4.2031	2.1482	2.0479	3.9393	3.9029	2.0743	24.3874		
	S	221.128	212.738	196.770	205.034	214.077	216.697	218.718	222.529	212.569		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0663	3.9782	4.1912	2.1272	2.0284	4.0113	4.0113	2.1127	24.5266		
	S	222.070	213.722	197.329	207.058	216.135	212.808	212.808	218.484	211.362		
21	T	2.1096	3.9212	4.3940	2.2569	2.1153	4.0035	3.9393	2.0942	24.8340		
	S	217.512	216.828	188.222	195.159	207.256	213.223	216.697	220.414	208.746		
22	T	2.0876	3.9937	4.1863	2.1415	2.0395	3.9118	3.8855	2.0717	24.3176		
	S	219.804	212.892	197.560	205.676	214.959	218.221	219.698	222.808	213.179		
23	T	2.0693	4.0171	4.2584	2.1709	2.0620	3.9459	3.9131	2.0765	24.5132		
	S	221.748	211.652	194.215	202.890	212.614	216.335	218.148	222.293	211.478		
24	T	2.0778	3.9866	4.1987	2.1461	2.0470	3.9151	3.8867	2.0750	24.3330		
	S	220.841	213.271	196.977	205.235	214.172	218.037	219.630	222.453	213.044		
25	T	2.0770	4.0708	4.3253	2.1926	2.0742	3.9476	3.9084	2.0800	24.6759		
	S	220.926	208.860	191.211	200.882	211.363	216.242	218.411	221.919	210.084		
26	T	2.0732	4.0924	4.2469	2.1586	2.0497	3.9885	3.9659	2.0888	24.6640		
	S	221.331	207.758	194.741	204.046	213.889	214.024	215.244	220.984	210.185		
27	T	2.0753	4.0557	4.2476	2.1518	2.0408	3.9812	3.9335	2.0774	24.5633		
	S	221.107	209.638	194.709	204.691	214.822	214.417	217.017	222.196	211.047		
28	T	2.1243	4.1604	4.3329	2.1903	2.0557	4.1173	4.0533	2.1207	25.1549		
	S	216.007	204.362	190.876	201.093	213.265	207.329	210.603	217.660	206.083		
29	T	2.1030	4.1660	4.3221	2.1898	2.0693	4.0656	4.0364	2.1273	25.0795		
	S	218.195	204.087	191.353	201.139	211.863	209.966	211.485	216.984	206.703		
30	T	2.1120	4.0946	4.2418	2.1520	2.0622	3.9348	3.9016	2.0810	24.5800		
	S	217.265	207.646	194.975	204.672	212.593	216.945	218.791	221.812	210.903		
31	T	2.0802	4.0629	4.2639	2.1612	2.0510	3.9558	3.9519	2.0978	24.6247		
	S	220.586	209.266	193.965	203.801	213.754	215.794	216.007	220.036	210.520		
32	T	2.0866	4.0877	4.3094	2.1919	2.0653	4.1743	4.1723	2.1741	25.2616		
	S	219.910	207.996	191.917	200.946	212.274	204.498	204.596	212.314	205.213		
33	T	2.1395	4.0878	4.2839	2.1684	2.0478	4.1398	4.0919	2.1312	25.0903		
	S	214.472	207.991	193.059	203.124	214.088	206.202	208.616	216.587	206.614		
34	T	2.1097	4.1085	4.2588	2.1582	2.0476	4.1154	4.0559	2.1292	24.9833		
	S	217.502	206.943	194.197	204.084	214.109	207.425	210.468	216.791	207.499		
35	T	2.1107	4.1393	4.2661	2.1767	2.0598	4.0109	3.9672	2.0989	24.8296		
	S	217.399	205.404	193.865	202.350	212.841	212.829	215.174	219.920	208.783		
36	T	2.0999	4.0859	4.2140	2.1458	2.0447	3.9147	3.8789	2.0590	24.4429		
	S	218.517	208.088	196.261	205.264	214.412	218.059	220.072	224.182	212.086		
37	T	2.0594	4.1057	4.2869	2.1594	2.0474	3.9432	3.9094	2.0716	24.5830		
	S	222.814	207.085	192.924	203.971	214.130	216.483	218.355	222.819	210.877		
38	T	2.0855	4.1783	4.2407	2.1429	2.0369	3.9164	3.8989	2.0691	24.5687		
	S	220.026	203.486	195.026	205.541	215.233	217.965	218.943	223.088	211.000		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T 2.0759	4.1634	4.2205	2.1430	2.0407	3.9589	3.9092	2.0712	24.5828			
	S 221.043	204.215	195.959	205.532	214.833	215.625	218.366	222.862	210.879			
40	T 2.0671	4.1049	4.3231	2.1703	2.0836	4.4882	4.3065	2.1945	25.7382			
	S 221.984	207.125	191.308	202.946	210.409	190.196	198.220	210.340	201.413			
41	T 2.1848	4.5291	4.4842	2.2509	2.1031	4.1675	4.0769	2.1307	25.9272			
	S 210.025	187.725	184.435	195.679	208.459	204.832	209.384	216.638	199.944			
42	T 2.1254	4.2356	4.2773	2.1692	2.0614	3.9827	3.9412	2.0905	24.8833			
	S 215.895	200.734	193.357	203.049	212.675	214.336	216.593	220.804	208.332			
43	T 2.0942	4.1272	4.2674	2.1667	2.0634	3.9441	3.9059	2.0846	24.6535			
	S 219.112	206.006	193.805	203.284	212.469	216.434	218.550	221.429	210.274			
44	T 2.0878	4.1075	4.1728	2.1406	2.0464	3.9195	3.8840	2.0788	24.4374			
	S 219.783	206.994	198.199	205.762	214.234	217.792	219.783	222.047	212.134			
45	T 2.1267	4.4047	4.3251	2.1595	2.0573	3.9306	3.8922	2.0801	24.9762			
	S 215.763	193.027	191.220	203.961	213.099	217.177	219.320	221.908	207.558			
46	T 2.0951	4.1562	4.2065	2.1402	2.0417	3.9642	3.9314	2.0912	24.6265			
	S 219.018	204.568	196.611	205.801	214.727	215.336	217.133	220.730	210.505			
47	T 2.0911	4.1473	4.2598	2.1620	2.0582	3.9344	3.9003	2.0823	24.6354			
	S 219.436	205.007	194.151	203.726	213.006	216.967	218.864	221.674	210.429			
48	T 2.0934	4.1198	4.1840	2.1331	2.0399	3.9105	3.8791	2.0714	24.4312			
	S 219.195	206.376	197.669	206.486	214.917	218.293	220.060	222.840	212.188			
49	T 2.0767	4.1122	4.1962	2.1429	2.0411	3.8992	3.8625	2.0558	24.3866			
	S 220.958	206.757	197.094	205.541	214.791	218.926	221.006	224.531	212.576			
50	T 2.0725	4.1314	4.2294	2.1608	2.0515	3.9175	3.8751	2.0615	24.4997			
	S 221.406	205.796	195.547	203.839	213.702	217.903	220.288	223.910	211.594			
51	T 2.0762	4.1610	4.1912	2.1289	2.0264	3.9142	3.8786	2.0592	24.4357			
	S 221.011	204.332	197.329	206.893	216.349	218.087	220.089	224.160	212.149			
52	T 2.0742	4.1414	4.2394	2.1421	2.0363	4.0061	3.9524	2.0948	24.6867			
	S 221.224	205.299	195.085	205.618	215.297	213.084	215.979	220.351	209.992			
53	T 2.1066	4.1926	4.2731	2.1706	2.0574	4.0366	4.0042	2.1145	24.9556			
	S 217.822	202.792	193.547	202.918	213.089	211.474	213.185	218.298	207.729			
54	T 2.1081	4.0949	4.2543	2.1389	2.0418	3.9010	3.8558	2.0494	24.4442			
	S 217.667	207.631	194.402	205.926	214.717	218.825	221.390	225.232	212.075			
55	T 2.1171	4.3181	4.3370	2.1940	2.0738	3.9503	3.8976	2.0729	24.9608			
	S 216.742	196.898	190.695	200.754	211.404	216.094	219.016	222.679	207.686			
56	T 2.0837	4.2450	4.2750	2.1706	2.0632	3.9381	3.8803	2.0663	24.7222			
	S 220.216	200.289	193.461	202.918	212.490	216.764	219.992	223.390	209.690			
57	T 2.1604	4.2879	4.2310	2.1418	2.0422	3.9005	3.8644	2.0414	24.6696			
	S 212.398	198.285	195.473	205.647	214.675	218.853	220.898	226.115	210.137			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T 2.1040	4.3615	4.4383	2.2102	2.0851	3.9943	3.9348	2.0822	25.2104			
	S 218.091	194.939	186.343	199.283	210.258	213.714	216.945	221.684	205.629			
59	T 2.1071	4.3247	4.3330	2.1764	2.0770	4.1110	4.0313	2.1162	25.2767			
	S 217.770	196.598	190.871	202.378	211.078	207.647	211.752	218.123	205.090			
60	T 2.1175	4.2340	4.2625	2.1763	2.5008	5.8596			54.9152	32.6537		29.9591
	S 216.701	200.809	194.028	202.387	175.308	145.682			94.400	27.593		157.624
61	T			3.1647	2.6497	4.6025	4.2817	2.2223	42.6150		34.9174	
	S			139.177	165.456	185.472	199.369	207.709	121.647		135.319	
62	T 2.2108	4.1311	4.0094	2.0801	2.0038	3.8834	3.8985	2.0904	24.3075			
	S 207.555	205.811	206.277	211.747	218.789	219.817	218.965	220.815	213.268			
63	T 2.0904	3.9763	3.9653	2.0677	1.9924	3.8742	3.8837	2.0836	23.9336			
	S 219.510	213.824	208.571	213.017	220.041	220.339	219.800	221.535	216.599			
64	T 2.0926	3.9169	3.9520	2.0744	2.0083	3.9013	3.9150	2.0976	23.9581			
	S 219.279	217.066	209.273	212.329	218.299	218.808	218.042	220.057	216.378			
65	T 2.1097	3.9282	3.9871	2.0848	2.0168	3.9145	3.9196	2.1024	24.0631			
	S 217.502	216.442	207.430	211.269	217.379	218.070	217.787	219.554	215.434			
66	T 2.1151	3.8544	3.9412	2.0717	2.0065	3.8965	3.9167	2.0991	23.9012			
	S 216.947	220.586	209.846	212.605	218.494	219.078	217.948	219.899	216.893			
67	T 2.1112	3.8833	3.9740	2.0808	2.0093	3.9040	3.9132	2.0980	23.9738			
	S 217.347	218.945	208.114	211.676	218.190	218.657	218.143	220.015	216.236			
68	T 2.1087	3.8435	3.9372	2.0666	1.9999	3.8930	3.9057	2.0981	23.8527			
	S 217.605	221.212	210.059	213.130	219.216	219.275	218.562	220.004	217.334			
69	T 2.1187	3.8909	3.9986	2.0893	2.0166	3.9135	3.9144	2.1010	24.0430			
	S 216.578	218.517	206.834	210.814	217.400	218.126	218.076	219.701	215.614			
70	T 2.1099	3.8546	3.9663	2.0779	2.0061	3.8937	3.9038	2.0968	23.9091			
	S 217.481	220.575	208.518	211.971	218.538	219.235	218.668	220.141	216.821			
71	T 2.1074	3.8725	3.9623	2.0739	2.0024	3.8899	3.9029	2.0946	23.9059			
	S 217.739	219.555	208.729	212.380	218.942	219.449	218.718	220.372	216.850			
72	T 2.1013	3.8997	4.0008	2.0960	2.0184	3.9106	3.9073	2.0914	24.0255			
	S 218.371	218.024	206.720	210.141	217.206	218.288	218.472	220.709	215.771			
73	T 2.0968	3.8437	3.9793	2.0731	2.0006	3.8802	3.8902	2.0802	23.8441			
	S 218.840	221.200	207.837	212.462	219.139	219.998	219.433	221.897	217.412			
74	T 2.0839	3.9282	4.0427	2.0914	2.0143	3.9558	3.9010	2.0684	24.0857			
	S 220.195	216.442	204.577	210.603	217.648	215.794	218.825	223.163	215.231			
75	T 2.0773	4.0510	4.1260	2.1156	2.0279	3.9554	3.9430	2.0938	24.3900			
	S 220.894	209.881	200.447	208.194	216.189	215.815	216.494	220.456	212.546			
76	T 2.0896	4.0025	4.1309	2.1232	2.0315	3.9121	3.8875	2.0784	24.2557			
	S 219.594	212.424	200.210	207.448	215.806	218.204	219.585	222.090	213.723			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0803	3.9900	4.1068	2.1028	2.0121	3.9219	3.9276	2.0954	24.2369			
	S	220.576	213.090	201.384	209.461	217.886	217.659	217.343	220.288	213.889			
78	T	2.1048	4.1345	4.2426	2.1453	2.0484	3.9305	3.9165	2.1057	24.6283			
	S	218.008	205.642	194.938	205.311	214.025	217.183	217.959	219.210	210.490			
79	T	2.1200	4.1621	4.2037	2.1433	2.0534	3.9598	3.9312	2.0954	24.6689			
	S	216.445	204.278	196.742	205.503	213.504	215.576	217.144	220.288	210.143			
80	T	2.1046	4.1331	4.2197	2.1515	2.0548	3.9431	3.9192	2.0948	24.6208			
	S	218.029	205.712	195.996	204.720	213.359	216.489	217.809	220.351	210.554			
81	T	2.0979	4.0136	4.1049	2.1100	2.0264	3.9089	3.8972	2.0848	24.2437			
	S	218.725	211.837	201.478	208.746	216.349	218.383	219.038	221.408	213.829			
82	T	2.0848	3.9799	4.0684	2.1032	2.0238	3.9074	3.8994	2.0933	24.1602			
	S	220.100	213.630	203.285	209.421	216.627	218.467	218.915	220.509	214.568			
83	T	2.0957	3.9330	4.0697	2.1116	2.0318	3.9215	3.9222	2.1015	24.1870			
	S	218.955	216.178	203.220	208.588	215.774	217.681	217.642	219.648	214.330			
84	T	2.1066	3.9085	4.0671	2.1042	2.0265	3.9203	3.9239	2.1021	24.1592			
	S	217.822	217.533	203.350	209.322	216.338	217.748	217.548	219.586	214.577			
85	T	2.1092	3.9129	4.0427	2.0990	2.0233	3.9237	3.9241	2.1006	24.1355			
	S	217.553	217.288	204.577	209.840	216.680	217.559	217.537	219.742	214.787			
86	T	2.1377	4.0395	4.0775	2.1170	2.0438	3.9603	3.9685	2.1242	24.4685			
	S	214.653	210.478	202.832	208.056	214.507	215.548	215.103	217.301	211.864			
87	T	2.1283	3.9880	4.0484	2.1060	2.0344	3.9432	3.9622	2.1176	24.3281			
	S	215.601	213.196	204.289	209.143	215.498	216.483	215.445	217.978	213.087			
88	T	2.1275	3.9349	3.9765	2.0836	2.0170	3.9225	3.9388	2.1084	24.1092			
	S	215.682	216.073	207.983	211.391	217.357	217.626	216.725	218.929	215.022			
89	T	2.1166	3.9106	3.9908	2.0862	2.0146	3.9066	3.9243	2.1008	24.0505			
	S	216.793	217.416	207.238	211.128	217.616	218.511	217.526	219.721	215.546			
90	T	2.1080	3.8983	3.9758	2.0774	2.0070	3.9008	3.9112	2.1005	23.9790			
	S	217.677	218.102	208.020	212.022	218.440	218.836	218.254	219.753	216.189			
91	T	2.1081	3.9197	3.9948	2.0858	2.0139	3.9068	3.9187	2.0988	24.0466			
	S	217.667	216.911	207.031	211.168	217.692	218.500	217.837	219.931	215.581			
92	T	2.1058	3.8907	3.9742	2.0763	2.0069	3.8932	3.9061	2.0916	23.9448			
	S	217.905	218.528	208.104	212.134	218.451	219.263	218.539	220.688	216.498			
93	T	2.0971	3.8914	4.0029	2.0859	2.0103	3.8807	3.8831	2.0862	23.9376			
	S	218.809	218.489	206.612	211.158	218.081	219.970	219.834	221.259	216.563			
94	T	2.0870	3.9894	4.0457	2.0841	1.9970	3.9268	3.8988	2.0952	24.1240			
	S	219.868	213.122	204.426	211.340	219.534	217.387	218.948	220.309	214.890			
95	T	2.1018	3.9682	4.1299	2.1212	2.0295	3.9070	3.9024	2.0895	24.2495			
	S	218.319	214.260	200.258	207.644	216.018	218.489	218.747	220.910	213.778			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.0892	3.9797	4.2036	2.1518	2.0519	3.9447	3.9373	2.1029	24.4611			
	S	219.636	213.641	196.747	204.691	213.660	216.401	216.808	219.502	211.928			
97	T	2.1132	3.9759	4.1701	2.1419	2.0475	3.9487	3.9489	2.1071	24.4533			
	S	217.142	213.845	198.327	205.637	214.119	216.182	216.171	219.065	211.996			
98	T	2.0981	4.0412	4.2329	2.1727	2.0637	3.9625	3.9307	2.1069	24.6087			
	S	218.704	210.390	195.385	202.722	212.438	215.429	217.172	219.085	210.657			
99	T	2.1059	3.9890	4.1848	2.1504	2.0495	3.9191	3.8951	2.0774	24.3712			
	S	217.894	213.143	197.631	204.824	213.910	217.814	219.156	222.196	212.710			
100	T	2.0729	4.0157	4.1247	2.1070	2.0217	3.9190	3.9098	2.0846	24.2554			
	S	221.363	211.726	200.510	209.043	216.852	217.820	218.332	221.429	213.726			
101	T	2.0942	4.1453	4.1980	2.1536	2.0544	3.9361	3.9143	2.0832	24.5791			
	S	219.112	205.106	197.009	204.520	213.400	216.874	218.081	221.578	210.911			
102	T	2.0879	4.0643	4.1209	2.1072	2.0157	3.8887	3.8777	2.0651	24.2275			
	S	219.773	209.194	200.695	209.024	217.497	219.517	220.140	223.520	213.972			
103	T	2.0537	4.1771	4.3622	2.1799	2.0633	3.9363	3.8903	2.0743	24.7371			
	S	223.433	203.545	189.594	202.053	212.480	216.863	219.427	222.529	209.564			
104	T	2.0596	4.1074	4.2804	2.1585	2.0488	3.9123	3.8809	2.0619	24.5098			
	S	222.793	206.999	193.217	204.056	213.983	218.193	219.958	223.867	211.507			
105	T	2.0528	3.9417	4.0041	2.0882	2.0199	3.9147	3.9317	2.1077	24.0608			
	S	223.531	215.701	206.550	210.925	217.045	218.059	217.116	219.002	215.454			
106	T	2.1194	3.9387	4.0580	2.1052	2.0336	3.9352	3.9396	2.1093	24.2390			
	S	216.506	215.865	203.806	209.222	215.583	216.923	216.681	218.836	213.870			
107	T	2.1196	3.9253	4.0507	2.1017	2.0292	3.9320	3.9335	2.1075	24.1995			
	S	216.486	216.602	204.173	209.571	216.050	217.100	217.017	219.023	214.219			
108	T	2.1190	3.9234	4.0506	2.1000	2.0275	3.9309	3.9327	2.0989	24.1830			
	S	216.547	216.707	204.179	209.740	216.231	217.161	217.061	219.920	214.365			
109	T	2.1053	3.8922	4.0292	2.0907	2.0191	3.9130	3.9028	2.0924	24.0447			
	S	217.956	218.444	205.263	210.673	217.131	218.154	218.724	220.604	215.598			
110	T	2.1013	3.9095	4.0181	2.0853	2.0113	3.8941	3.8990	2.0897	24.0083			
	S	218.371	217.477	205.830	211.219	217.973	219.213	218.937	220.889	215.925			
111	T	2.1009	3.8595	4.0459	2.0884	2.0154	3.9011	3.9001	2.0869	23.9982			
	S	218.413	220.295	204.416	210.905	217.530	218.819	218.876	221.185	216.016			
112	T	2.0968	3.8924	4.0372	2.0907	2.0147	3.8948	3.8928	2.0863	24.0057			
	S	218.840	218.433	204.856	210.673	217.605	219.173	219.286	221.249	215.949			
113	T	2.0930	3.9397	4.0401	2.0916	2.0153	3.8907	3.8913	2.0805	24.0422			
	S	219.237	215.810	204.709	210.583	217.540	219.404	219.370	221.865	215.621			
114	T	2.0917	3.9329	4.0486	2.0933	2.0156	3.8907	3.8889	2.0798	24.0415			
	S	219.374	216.183	204.279	210.412	217.508	219.404	219.506	221.940	215.627			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.0907	3.8828	4.0255	2.0859	2.0091	3.8822	3.8789	2.0826	23.9377		
	S	219.478	218.973	205.452	211.158	218.212	219.885	220.072	221.642	216.562		
116	T	2.0899	3.8829	4.0714	2.1022	2.0280	3.9269	3.9287	2.0894	24.1194		
	S	219.562	218.967	203.135	209.521	216.178	217.382	217.282	220.920	214.931		
117	T	2.0934	3.9558	4.1355	2.1213	2.0318	3.8951	3.8775	2.0716	24.1820		
	S	219.195	214.932	199.987	207.634	215.774	219.156	220.151	222.819	214.374		
118	T	2.0788	3.9080	4.1247	2.1085	2.0220	3.8905	3.8914	2.0761	24.1000		
	S	220.735	217.561	200.510	208.895	216.820	219.416	219.365	222.336	215.104		
119	T	2.0832	3.9898	4.2065	2.1740	2.6191	6.5703			51.3187	28.5495	30.4717
	S	220.269	213.100	196.611	202.601	167.389	129.923			101.016	31.560	154.972
120	T				3.1563	2.6434	4.5958	4.2654	2.2104	42.5052		
	S				139.548	165.850	185.743	200.130	208.827	121.962	34.8027	
121	T	2.1871	3.9370	3.9919	2.0763	1.9979	3.8772	3.9072	2.0906	24.0652		
	S	209.805	215.958	207.181	212.134	219.435	220.168	218.478	220.794	215.415		
122	T	2.0882	3.9363	3.9869	2.0710	2.0036	3.8974	3.9258	2.0987	24.0079		
	S	219.741	215.997	207.441	212.677	218.811	219.027	217.443	219.941	215.929		
123	T	2.1059	3.8532	3.9216	2.0633	1.9955	3.8845	3.9044	2.0918	23.8202		
	S	217.894	220.655	210.895	213.471	219.699	219.755	218.634	220.667	217.630		
124	T	2.1001	3.8238	3.9294	2.0605	1.9919	3.8875	3.9233	2.0932	23.8097		
	S	218.496	222.351	210.476	213.761	220.096	219.585	217.581	220.519	217.726		
125	T	2.1000	3.8206	3.9759	2.0792	2.0076	3.8942	3.9128	2.0914	23.8817		
	S	218.506	222.538	208.015	211.838	218.375	219.207	218.165	220.709	217.070		
126	T	2.1020	3.8336	3.9901	2.0790	2.0069	3.9035	3.9412	2.1072	23.9635		
	S	218.299	221.783	207.274	211.859	218.451	218.685	216.593	219.054	216.329		
127	T	2.1078	3.8492	3.9719	2.0722	1.9992	3.8724	3.8984	2.0839	23.8550		
	S	217.698	220.884	208.224	212.554	219.292	220.441	218.971	221.503	217.313		
128	T	2.0851	3.9027	4.0789	2.1032	2.0206	3.8912	3.8919	2.0809	24.0545		
	S	220.068	217.856	202.762	209.421	216.970	219.376	219.337	221.823	215.511		
129	T	2.0803	3.8844	4.0099	2.0770	1.9955	3.8999	3.8879	2.0771	23.9120		
	S	220.576	218.883	206.251	212.063	219.699	218.887	219.562	222.229	216.795		
130	T	2.0738	3.9039	4.1257	2.1084	2.0183	3.8844	3.8765	2.0723	24.0633		
	S	221.267	217.789	200.462	208.905	217.217	219.760	220.208	222.743	215.432		
131	T	2.0661	3.9248	4.0849	2.0971	2.0063	3.8737	3.8717	2.0619	23.9865		
	S	222.092	216.629	202.464	210.030	218.516	220.367	220.481	223.867	216.122		
132	T	2.0630	4.0296	4.1109	2.1052	2.0118	3.8762	3.8687	2.0654	24.1308		
	S	222.425	210.995	201.184	209.222	217.919	220.225	220.652	223.487	214.829		
133	T	2.0680	3.9754	4.1821	2.1255	2.0252	3.9180	3.9027	2.0594	24.2563		
	S	221.888	213.872	197.758	207.224	216.477	217.876	218.730	224.139	213.718		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.0578	4.0881	4.2726	2.1520	2.4638	7.3746	7.4886	3.9252	33.8227		
	S	222.987	207.976	193.570	204.672	177.940	115.754	113.991	117.597	153.270		
135	T	3.6820	6.1135	5.9162	3.2704	4.0707	9.0637	7.5199	3.6561	43.2925		
	S	124.623	139.074	139.793	134.679	107.699	94.182	113.517	126.252	119.744		
136	T	3.9663	7.2658	6.1656	2.9740	2.7712	5.6235	6.1044	4.4870	39.3578		
	S	115.691	117.018	134.139	148.102	158.202	151.798	139.840	102.873	131.715		
137	T	5.6538	11.0780	10.4065	5.2497	6.0215	10.5748	9.5349	4.0746	62.5938		
	S	81.160	76.749	79.474	83.901	72.807	80.724	89.528	113.285	82.820		
138	T	4.6581	10.4337	11.4323	5.1302	5.0977	10.9511	11.6208	5.2183	64.5422		
	S	98.509	81.489	72.343	85.855	86.001	77.950	73.458	88.456	80.320		
139	T	6.2514	9.9502	9.0212	5.5779	6.0450	10.6952	11.3117	5.3963	64.2489		
	S	73.402	85.448	91.678	78.964	72.524	79.815	75.465	85.538	80.686		
140	T	4.9993	11.4070	9.9425	5.0001	4.7101	10.2650	9.0970	5.1262	60.5472		
	S	91.786	74.536	83.183	88.089	93.079	83.160	93.837	90.045	85.619		
141	T	5.7189	8.3987	8.2500	5.0260	5.4422	9.4517	8.4517	5.1749	55.9141		
	S	80.236	101.233	100.248	87.635	80.557	90.316	101.002	89.198	92.714		
142	T	4.9075	9.3061	9.6030	4.6400	5.4792	10.4846	9.7447	4.9699	59.1350		
	S	93.503	91.362	86.124	94.926	80.013	81.418	87.600	92.877	87.664		
143	T	5.8388	7.9237	9.1663	3.9652	3.9589	6.9613	5.9339	2.5283	46.2764		
	S	78.589	107.302	90.227	111.080	110.740	122.626	143.858	182.570	112.023		
144	T	2.3928	4.8157	4.6380	2.2334	2.0832	4.2013	4.0254	2.0831	26.4729		
	S	191.768	176.553	178.319	197.213	210.450	203.184	212.062	221.588	195.823		
145	T	2.0682	4.4058	4.3348	2.1757	2.0547	3.9706	3.9512	2.0618	25.0228		
	S	221.866	192.979	190.792	202.443	213.369	214.989	216.045	223.878	207.171		
146	T	2.1009	4.2456	4.3275	2.1514	2.0366	4.0311	4.0093	2.0996	25.0020		
	S	218.413	200.261	191.114	204.729	215.265	211.763	212.914	219.847	207.343		
147	T	2.0875	4.1483	4.1765	2.0913	1.9889	3.9288	3.9134	2.0634	24.3981		
	S	219.815	204.958	198.024	210.613	220.428	217.277	218.132	223.704	212.476		
148	T	2.0683	4.0521	4.1555	2.1059	2.0089	3.8704	3.8815	2.0772	24.2198		
	S	221.855	209.824	199.024	209.153	218.233	220.555	219.924	222.218	214.040		
149	T	2.0742	3.8940	4.1792	2.1180	2.0213	3.8736	3.8681	2.0700	24.0984		
	S	221.224	218.343	197.896	207.958	216.895	220.373	220.686	222.991	215.118		
150	T	2.0629	3.9332	4.0776	2.0939	2.0043	3.8976	3.9032	2.0865	24.0592		
	S	222.436	216.167	202.827	210.351	218.734	219.016	218.702	221.227	215.469		
151	T	2.0820	3.9729	4.1335	2.1161	2.0253	3.8791	3.8728	2.0634	24.1451		
	S	220.396	214.007	200.084	208.144	216.466	220.060	220.418	223.704	214.702		
152	T	2.0605	4.0117	4.1458	2.1083	2.0173	3.8956	3.8800	2.0592	24.1784		
	S	222.695	211.937	199.490	208.915	217.325	219.128	220.009	224.160	214.406		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0716	4.1074	4.2716	2.1698	2.0581	4.0114	3.9957	2.1109	24.7965		
	S	221.502	206.999	193.615	202.993	213.016	212.803	213.639	218.670	209.062		
154	T	2.1121	4.0421	4.1774	2.1583	2.0540	3.9292	3.9054	2.0836	24.4621		
	S	217.255	210.343	197.981	204.075	213.442	217.254	218.578	221.535	211.920		
155	T	2.0781	3.9964	4.2018	2.1634	2.0556	3.9137	3.8890	2.0723	24.3703		
	S	220.809	212.748	196.831	203.594	213.275	218.115	219.500	222.743	212.718		
156	T	2.0641	3.9653	4.1528	2.1206	2.0201	3.8860	3.9004	2.0638	24.1731		
	S	222.307	214.417	199.154	207.703	217.023	219.670	218.859	223.661	214.453		
157	T	2.1075	4.1718	4.1822	2.1211	2.0220	3.8668	3.8595	2.0577	24.3886		
	S	217.729	203.803	197.754	207.654	216.820	220.760	221.178	224.324	212.558		
158	T	2.1267	4.1011	4.1645	2.1219	2.0182	3.9551	3.9541	2.0872	24.5288		
	S	215.763	207.317	198.594	207.576	217.228	215.832	215.886	221.153	211.343		
159	T	2.0764	3.9933	4.2549	2.1456	2.0335	3.8947	3.8996	2.0615	24.3595		
	S	220.990	212.913	194.375	205.283	215.593	219.179	218.904	223.910	212.812		
160	T	2.0827	4.1239	4.3749	2.1965	2.0741	3.9478	3.9058	2.0774	24.7831		
	S	220.322	206.171	189.043	200.526	211.373	216.231	218.556	222.196	209.175		
161	T	2.0797	4.1056	4.2526	2.1569	2.0506	3.9234	3.9015	2.0749	24.5452		
	S	220.639	207.090	194.480	204.207	213.796	217.576	218.797	222.464	211.202		
162	T	2.0682	4.0458	4.2412	2.1492	2.0382	3.9439	3.9373	2.0789	24.5027		
	S	221.866	210.151	195.003	204.939	215.096	216.445	216.808	222.036	211.569		
163	T	2.0827	4.1138	4.2446	2.1587	2.0480	3.9091	3.8758	2.0544	24.4871		
	S	220.322	206.677	194.847	204.037	214.067	218.372	220.248	224.684	211.703		
164	T	2.0590	4.0908	4.1962	2.1202	2.0173	3.9536	3.9583	2.0977	24.4931		
	S	222.858	207.839	197.094	207.742	217.325	215.914	215.657	220.046	211.651		
165	T	2.0936	4.0536	4.1567	2.1140	2.0183	3.8735	3.8649	2.0593	24.2339		
	S	219.174	209.746	198.967	208.351	217.217	220.379	220.869	224.149	213.915		
166	T	2.0629	4.0632	4.2245	2.1532	2.0564	3.9389	3.9198	2.0853	24.5042		
	S	222.436	209.251	195.774	204.558	213.193	216.719	217.775	221.355	211.556		
167	T	2.1046	4.0799	4.2046	2.1347	2.0305	3.9558	3.9481	2.0904	24.5486		
	S	218.029	208.394	196.700	206.331	215.912	215.794	216.214	220.815	211.173		
168	T	2.1141	4.0664	4.2259	2.1546	2.0471	3.9447	3.9281	2.0914	24.5723		
	S	217.049	209.086	195.709	204.425	214.161	216.401	217.315	220.709	210.969		
169	T	2.0905	4.0473	4.1917	2.1377	2.0390	3.9690	3.9631	2.1019	24.5402		
	S	219.499	210.073	197.305	206.041	215.012	215.076	215.396	219.607	211.245		
170	T	2.0981	3.9904	4.1503	2.1319	2.0379	3.9053	3.9022	2.0841	24.3002		
	S	218.704	213.068	199.274	206.602	215.128	218.584	218.758	221.482	213.332		
171	T	2.0895	3.9821	4.1511	2.1373	2.0443	3.9238	3.9142	2.0900	24.3323		
	S	219.605	213.512	199.235	206.080	214.454	217.553	218.087	220.857	213.050		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0881	3.9552	4.2101	2.1525	2.0517	3.9295	3.9156	2.0915	24.3942		
	S	219.752	214.964	196.443	204.625	213.681	217.238	218.009	220.698	212.510		
173	T	2.0951	3.9703	4.1320	2.1200	2.0302	3.9004	3.8994	2.0809	24.2283		
	S	219.018	214.147	200.156	207.762	215.944	218.859	218.915	221.823	213.965		
174	T	2.0782	3.9403	4.2457	2.1538	2.0515	3.9275	3.9217	2.0858	24.4045		
	S	220.799	215.777	194.796	204.501	213.702	217.349	217.670	221.302	212.420		
175	T	2.0854	3.9693	4.2217	2.1571	2.0533	3.9329	3.9161	2.0864	24.4222		
	S	220.036	214.201	195.903	204.188	213.514	217.050	217.981	221.238	212.266		
176	T	2.0853	3.9901	4.2682	2.1699	2.0629	3.9470	3.9294	2.0875	24.5403		
	S	220.047	213.084	193.769	202.984	212.521	216.275	217.243	221.121	211.244		
177	T	2.0882	4.0225	4.2399	2.1689	2.0606	3.9439	3.9357	2.0869	24.5466		
	S	219.741	211.368	195.062	203.077	212.758	216.445	216.896	221.185	211.190		
178	T	2.0821	3.9995	4.2967	2.1900	2.0747	3.9604	3.9365	2.0947	24.6346		
	S	220.385	212.583	192.484	201.121	211.312	215.543	216.852	220.361	210.436		
179	T	2.0945	3.9902	4.2464	2.1580	2.0516	3.9229	3.9157	2.0814	24.4607		
	S	219.080	213.079	194.764	204.103	213.691	217.603	218.004	221.769	211.932		
180	T	2.0810	4.0172	4.3000	2.1913	2.0771	3.9782	3.9738	2.1067	24.7253		
	S	220.502	211.647	192.336	201.001	211.068	214.579	214.816	219.106	209.664		
181	T	2.1075	4.0602	4.2373	2.1547	2.0521	3.9360	3.9272	2.0932	24.5682		
	S	217.729	209.405	195.182	204.416	213.639	216.879	217.365	220.519	211.004		
182	T	2.0965	4.0053	4.2526	2.1804	2.0729	3.9682	3.9546	2.1052	24.6357		
	S	218.871	212.276	194.480	202.006	211.496	215.119	215.859	219.262	210.426		
183	T	2.1079	3.9972	4.2763	2.1816	2.0733	3.9709	3.9603	2.1094	24.6769		
	S	217.688	212.706	193.402	201.895	211.455	214.973	215.548	218.826	210.075		
184	T	2.1084	3.9920	4.1717	2.1432	2.0507	3.9322	3.9626	2.1050	24.4658		
	S	217.636	212.983	198.251	205.513	213.785	217.089	215.423	219.283	211.888		
185	T	2.1228	4.0385	4.2981	2.1584	2.0525	3.9415	3.9432	2.0928	24.6478		
	S	216.160	210.530	192.421	204.065	213.598	216.577	216.483	220.561	210.323		
186	T	2.0916	3.9847	4.3080	2.2027	2.6097	6.1533			50.7632	28.9220	29.5427
	S	219.384	213.373	191.979	199.961	167.992	138.728			102.121	31.154	159.846
187	T				3.1771	2.6574	4.5988	4.2796	2.2155	42.5940		34.8925
	S				138.634	164.977	185.622	199.466	208.346	121.707		135.416
188	T	2.1973	3.9308	3.9659	2.0826	2.0232	3.9440	3.9565	2.1164	24.2167		
	S	208.831	216.299	208.539	211.493	216.691	216.439	215.755	218.102	214.067		
189	T	2.1273	3.8602	3.9140	2.0615	2.0017	3.8934	3.9178	2.0941	23.8700		
	S	215.702	220.255	211.304	213.657	219.018	219.252	217.887	220.424	217.176		
190	T	2.1032	3.8152	3.9072	2.0525	1.9861	3.8833	3.9058	2.0894	23.7427		
	S	218.174	222.853	211.672	214.594	220.739	219.822	218.556	220.920	218.341		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0945	3.7856	3.9252	2.0524	1.9862	3.8819	3.9076	2.0934	23.7268			
	S	219.080	224.595	210.701	214.605	220.728	219.902	218.455	220.498	218.487			
192	T	2.0910	3.7977	3.9268	2.0519	1.9853	3.8741	3.8984	2.0889	23.7141			
	S	219.447	223.880	210.616	214.657	220.828	220.344	218.971	220.973	218.604			
193	T	2.0895	3.7829	3.9730	2.0762	2.0010	3.8802	3.8834	2.0797	23.7659			
	S	219.605	224.755	208.166	212.145	219.095	219.998	219.817	221.951	218.128			
194	T	2.0829	3.8052	3.9697	2.0700	1.9937	3.8839	3.9007	2.0871	23.7932			
	S	220.300	223.438	208.340	212.780	219.897	219.788	218.842	221.164	217.877			
195	T	2.0875	3.8062	4.0306	2.0851	2.0066	3.8981	3.9108	2.0948	23.9197			
	S	219.815	223.380	205.192	211.239	218.484	218.988	218.277	220.351	216.725			
196	T	2.0929	3.8897	4.0867	2.1126	2.0324	3.9257	3.9139	2.1025	24.1564			
	S	219.248	218.584	202.375	208.489	215.710	217.448	218.104	219.544	214.602			
197	T	2.1467	4.0553	4.0617	2.1021	2.0255	3.9251	3.9138	2.0956	24.3258			
	S	213.753	209.658	203.621	209.531	216.445	217.481	218.109	220.267	213.107			
198	T	2.1124	3.9322	4.0200	2.0925	2.0170	3.9073	3.9033	2.0956	24.0803			
	S	217.224	216.222	205.733	210.492	217.357	218.472	218.696	220.267	215.280			
199	T	2.1096	3.8918	4.0183	2.0854	2.0105	3.8966	3.8922	2.0891	23.9935			
	S	217.512	218.466	205.820	211.209	218.060	219.072	219.320	220.952	216.059			
200	T	2.1117	3.9761	4.0725	2.1048	2.0239	3.9092	3.9032	2.0891	24.1905			
	S	217.296	213.834	203.081	209.262	216.616	218.366	218.702	220.952	214.299			
201	T	2.1010	3.9532	4.0282	2.0857	2.0094	3.8932	3.8857	2.0821	24.0385			
	S	218.402	215.073	205.314	211.178	218.179	219.263	219.687	221.695	215.654			
202	T	2.1293	4.0019	4.0510	2.0990	2.0189	3.8858	3.8722	2.0651	24.1232			
	S	215.500	212.456	204.158	209.840	217.152	219.681	220.453	223.520	214.897			
203	T	2.0833	3.8636	4.1077	2.1283	2.0491	3.9606	3.9579	2.1167	24.2672			
	S	220.258	220.061	201.340	206.951	213.952	215.532	215.679	218.071	213.622			
204	T	2.1348	4.0086	4.0588	2.1139	2.0381	3.9953	4.0519	2.1526	24.5540			
	S	214.945	212.101	203.766	208.361	215.107	213.660	210.676	214.434	211.126			
205	T	2.1446	3.9657	4.0609	2.1079	2.0364	3.9513	3.9562	2.1144	24.3374			
	S	213.962	214.395	203.661	208.954	215.286	216.039	215.772	218.308	213.005			
206	T	2.1394	3.9777	4.0234	2.1001	2.0292	3.9507	3.9791	2.1224	24.3220			
	S	214.482	213.748	205.559	209.730	216.050	216.072	214.530	217.485	213.140			
207	T	2.1509	3.9672	4.0387	2.0993	2.0299	3.9278	3.9389	2.1192	24.2719			
	S	213.336	214.314	204.780	209.810	215.976	217.332	216.719	217.814	213.580			
208	T	2.1528	3.9589	4.0030	2.0883	2.0188	3.9261	3.9359	2.1132	24.1970			
	S	213.147	214.764	206.606	210.915	217.163	217.426	216.885	218.432	214.241			
209	T	2.1425	3.9251	3.9758	2.0830	2.0135	3.9378	3.9596	2.1191	24.1564			
	S	214.172	216.613	208.020	211.452	217.735	216.780	215.587	217.824	214.602			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1494	3.9777	4.0302	2.0974	2.0255	3.9298	3.9399	2.1128	24.2627		
	S	213.485	213.748	205.212	210.000	216.445	217.221	216.664	218.474	213.661		
211	T	2.1564	3.9712	4.0013	2.0880	2.0198	3.9154	3.9386	2.1196	24.2103		
	S	212.792	214.098	206.694	210.946	217.056	218.020	216.736	217.773	214.124		
212	T	2.1664	3.9741	3.9830	2.0921	2.0247	3.9295	3.9396	2.1196	24.2290		
	S	211.809	213.942	207.644	210.532	216.530	217.238	216.681	217.773	213.958		
213	T	2.1516	3.9747	4.0183	2.0936	2.0244	3.9207	3.9437	2.1335	24.2605		
	S	213.266	213.910	205.820	210.381	216.562	217.725	216.456	216.354	213.681		
214	T	2.1967	4.0744	4.1012	2.1285	2.0524	3.9939	4.0195	2.1512	24.7178		
	S	208.888	208.675	201.659	206.932	213.608	213.735	212.374	214.574	209.727		
215	T	2.1869	3.9848	4.0058	2.1087	2.0367	3.9470	3.9554	2.1256	24.3509		
	S	209.824	213.368	206.462	208.875	215.255	216.275	215.815	217.158	212.887		
216	T	2.1685	3.9952	4.0449	2.1203	2.0458	3.9785	4.0247	2.1504	24.5283		
	S	211.604	212.812	204.466	207.732	214.297	214.562	212.099	214.654	211.348		
217	T	2.1534	3.9917	4.0286	2.1166	2.0406	3.9526	3.9655	2.1236	24.3726		
	S	213.088	212.999	205.294	208.095	214.843	215.968	215.266	217.362	212.698		
218	T	2.1522	4.0453	4.0201	2.1113	2.0365	3.9816	4.0393	2.1482	24.5345		
	S	213.207	210.177	205.728	208.618	215.276	214.395	211.333	214.873	211.294		
219	T	2.1618	4.0678	4.0858	2.3564	2.7350	6.2548	7.2189	3.5135	32.3940		
	S	212.260	209.014	202.419	186.918	160.296	136.477	118.250	131.376	160.030		
220	T	3.2689	6.3326	7.0341	3.4139	3.5204	7.5477	6.6181	3.2505	40.9862		
	S	140.372	134.262	117.577	129.018	124.534	113.099	128.985	142.006	126.482		
221	T	3.1684	6.2542	7.3405	5.3319	4.8864	7.5763	7.4537	4.5856	46.5970		
	S	144.825	135.945	112.669	82.607	89.720	112.672	114.525	100.661	111.252		
222	T	4.5242	6.9982	9.6226	7.1836	6.6692	9.5912	10.4928	4.6194	59.7012		
	S	101.424	121.492	85.948	61.314	65.736	89.002	81.354	99.924	86.832		
223	T	4.5920	9.3974	9.5641	4.9435	6.7601	9.0935	8.9858	4.4161	57.7525		
	S	99.927	90.475	86.474	89.098	64.852	93.873	94.998	104.525	89.762		
224	T	4.4891	9.8104	9.2137	5.7791	5.0406	10.8234	9.3773	5.2439	59.7775		
	S	102.217	86.666	89.763	76.215	86.976	78.870	91.032	88.024	86.722		
225	T	4.6023	8.4019	7.5982	6.2730	5.8798	7.4856	8.3749	6.7511	55.3668		
	S	99.703	101.195	108.848	70.214	74.562	114.037	101.928	68.373	93.630		
226	T	4.7862	7.2802	7.5788	4.0940	3.5374	8.6659	6.0741	2.5850	44.6016		
	S	95.872	116.786	109.126	107.585	123.935	98.505	140.537	178.565	116.229		
227	T	2.4519	4.7489	4.4879	2.2365	2.0928	4.0788	4.0283	2.1056	26.2307		
	S	187.146	179.037	184.283	196.939	209.484	209.286	211.910	219.221	197.631		
228	T	2.0850	4.0625	4.2110	2.1374	2.0246	3.9143	3.9029	2.0603	24.3980		
	S	220.078	209.287	196.401	206.070	216.541	218.081	218.718	224.041	212.476		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.0475	4.0642	4.1261	2.0829	1.9867	4.2503	5.2508	2.7157	26.5242		
	S	224.109	209.199	200.442	211.462	220.672	200.841	162.573	169.971	195.444		
230	T	2.7595	5.6696	6.5847	4.3908	4.7074	10.5040	12.0424	4.6635	51.3219		
	S	166.285	149.962	125.601	100.313	93.132	81.268	70.886	98.980	101.010		
231	T	4.9781	8.8295	7.8464	5.1212	5.3989	10.5677	12.7010	5.4903	60.9331		
	S	92.176	96.294	105.404	86.006	81.203	80.778	67.210	84.074	85.077		
232	T	5.3476	10.7183	9.9418	6.1941	5.9821	9.8812	10.9904	4.8571	63.9126		
	S	85.807	79.325	83.189	71.109	73.287	86.390	77.671	95.034	81.111		
233	T	5.3584	8.9866	9.7003	6.0346	5.3859	8.9162	10.7970	4.7749	59.9539		
	S	85.634	94.611	85.260	72.988	81.399	95.740	79.062	96.670	86.466		
234	T	5.1593	9.0350	9.1040	5.3913	5.3193	8.5158	10.0643	5.2092	57.7982		
	S	88.939	94.104	90.844	81.697	82.419	100.241	84.818	88.611	89.691		
235	T	5.6390	8.3340	8.5630	6.2427	5.1913	8.2942	9.0744	4.9880	56.3266		
	S	81.373	102.019	96.584	70.555	84.451	102.920	94.071	92.540	92.035		
236	T	4.8439	7.8345	8.5178	4.0989	3.9543	9.0746	8.8221	3.0457	50.1918		
	S	94.730	108.523	97.096	107.457	110.869	94.069	96.761	151.555	103.284		
237	T	2.6603	5.0231	4.7319	2.3451	2.2162	4.1477	4.0317	2.1243	27.2803		
	S	172.486	169.263	174.781	187.819	197.820	205.810	211.731	217.291	190.027		
238	T	2.1117	4.0868	4.1441	2.1194	2.0324	3.8896	3.8759	2.0651	24.3250		
	S	217.296	208.042	199.572	207.820	215.710	219.466	220.242	223.520	213.114		
239	T	2.0544	3.9048	4.1501	2.1093	2.0190	3.8658	3.8680	2.0684	24.0398		
	S	223.357	217.739	199.283	208.816	217.142	220.818	220.692	223.163	215.642		
240	T	2.0624	3.9901	4.1470	2.1241	2.0366	3.8929	3.8794	2.0589	24.1914		
	S	222.490	213.084	199.432	207.361	215.265	219.280	220.043	224.193	214.291		
241	T	2.0581	3.9037	4.0750	2.0947	2.0125	3.8621	3.8529	2.0743	23.9333		
	S	222.955	217.800	202.956	210.271	217.843	221.029	221.557	222.529	216.602		
242	T	2.0695	3.9240	4.0600	2.0738	1.9970	3.8596	3.8641	2.0581	23.9061		
	S	221.727	216.674	203.706	212.390	219.534	221.172	220.915	224.280	216.848		
243	T	2.0629	4.0155	4.1191	2.1138	2.0269	3.8710	3.8581	2.0566	24.1239		
	S	222.436	211.736	200.783	208.371	216.295	220.521	221.258	224.444	214.891		
244	T	2.0649	4.0160	4.0508	2.0868	2.0070	3.8584	3.8592	2.0610	24.0041		
	S	222.221	211.710	204.168	211.067	218.440	221.241	221.195	223.965	215.963		
245	T	2.0686	3.9899	4.0631	2.0783	2.0013	3.8909	3.8904	2.0750	24.0575		
	S	221.823	213.095	203.550	211.930	219.062	219.393	219.421	222.453	215.484		
246	T	2.0661	3.9896	4.1055	2.1133	2.0294	3.8823	3.8773	2.0694	24.1329		
	S	222.092	213.111	201.448	208.420	216.029	219.879	220.163	223.055	214.810		
247	T	2.0622	3.9273	4.0543	2.0936	2.0159	3.8616	3.8593	2.0767	23.9509		
	S	222.512	216.492	203.992	210.381	217.476	221.058	221.189	222.271	216.443		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 19 - Ferrucci, Santino (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.0660	3.9621	4.0590	2.0876	2.0010	3.8478	3.8726	2.0773	23.9734		
	S	222.102	214.590	203.756	210.986	219.095	221.851	220.430	222.207	216.240		
249	T	2.2482	4.8925	5.9158								
	S	204.103	173.782	139.803								

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5867	4.7866	4.4229	2.2130	2.0834	4.1837	4.0415	2.1329	26.4507	64.9900	
	S	177.393	177.627	186.992	199.031	210.430	204.039	211.218	216.415	195.987	72.703	
2	T	2.1340	4.1192	4.4103	2.2261	2.1093	4.1399	4.0289	2.0819	25.2496		
	S	215.025	206.406	187.526	197.859	207.846	206.197	211.878	221.716	205.310		
3	T	2.0722	4.1283	4.1766	2.1056	2.0073	3.8566	3.9152	2.0582	24.3200		
	S	221.438	205.951	198.019	209.182	218.407	221.344	218.031	224.269	213.158		
4	T	2.0639	4.0607	4.0921	2.0860	2.0002	3.8933	3.9010	2.0542	24.1514		
	S	222.328	209.379	202.108	211.148	219.183	219.258	218.825	224.706	214.646		
5	T	2.0824	4.0401	4.1787	2.1203	2.0207	3.9231	3.9221	2.0619	24.3493		
	S	220.353	210.447	197.919	207.732	216.959	217.592	217.648	223.867	212.901		
6	T	2.0773	4.0191	4.3487	2.1800	2.0838	4.0064	3.9670	2.0930	24.7753		
	S	220.894	211.547	190.182	202.043	210.389	213.068	215.184	220.540	209.241		
7	T	2.1036	3.9366	4.1047	2.1044	2.0202	3.8895	3.9008	2.0738	24.1336		
	S	218.133	215.980	201.487	209.302	217.013	219.472	218.836	222.582	214.804		
8	T	2.0809	3.9299	4.0632	2.0870	2.0019	3.8798	3.8817	2.0581	23.9825		
	S	220.512	216.348	203.545	211.047	218.996	220.021	219.913	224.280	216.158		
9	T	2.0825	4.0257	4.1612	2.1210	2.0290	3.9859	3.9738	2.1090	24.4881		
	S	220.343	211.200	198.752	207.664	216.072	214.164	214.816	218.867	211.695		
10	T	2.1225	4.2982	4.4009	2.2031	2.0962	4.1010	4.1409	2.1426	25.5054		
	S	216.190	197.810	187.926	199.925	209.145	208.153	206.148	215.435	203.251		
11	T	2.1379	4.0656	4.1499	2.1075	2.0177	3.9879	3.9774	2.0990	24.5429		
	S	214.633	209.127	199.293	208.994	217.282	214.057	214.622	219.910	211.222		
12	T	2.1243	4.0735	4.1527	2.1230	2.0322	3.9269	3.9246	2.0869	24.4441		
	S	216.007	208.722	199.158	207.468	215.731	217.382	217.509	221.185	212.076		
13	T	2.0949	4.0252	4.1003	2.1085	2.0253	3.9132	3.9248	2.0911	24.2833		
	S	219.038	211.226	201.704	208.895	216.466	218.143	217.498	220.741	213.480		
14	T	2.0999	3.9843	4.0716	2.0993	2.0175	3.9250	3.9310	2.0883	24.2169		
	S	218.517	213.394	203.125	209.810	217.303	217.487	217.155	221.037	214.065		
15	T	2.0914	3.9768	4.0988	2.1088	2.0218	3.9129	3.9065	2.0773	24.1943		
	S	219.405	213.797	201.777	208.865	216.841	218.160	218.517	222.207	214.265		
16	T	2.0876	4.0238	4.1576	2.1184	2.0291	3.9175	3.9142	2.0787	24.3269		
	S	219.804	211.300	198.924	207.918	216.061	217.903	218.087	222.057	213.097		
17	T	2.0827	3.9850	4.0727	2.1041	2.0166	3.9554	3.9468	2.0828	24.2461		
	S	220.322	213.357	203.071	209.332	217.400	215.815	216.286	221.620	213.808		
18	T	2.0912	4.1096	4.1698	2.1185	2.0194	3.9668	3.9740	2.0956	24.5449		
	S	219.426	206.888	198.342	207.909	217.099	215.195	214.805	220.267	211.205		
19	T	2.1059	4.1558	4.2309	2.1516	2.0505	3.9318	3.9138	2.0773	24.6176		
	S	217.894	204.588	195.477	204.710	213.806	217.111	218.109	222.207	210.581		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0838	4.0665	4.2042	2.1339	2.0363	3.9408	3.9300	2.0810	24.4765		
	S	220.205	209.081	196.719	206.408	215.297	216.615	217.210	221.812	211.795		
21	T	2.0912	4.0767	4.1757	2.1273	2.0348	3.9312	3.9188	2.0831	24.4388		
	S	219.426	208.558	198.062	207.049	215.456	217.144	217.831	221.588	212.122		
22	T	2.1010	4.1013	4.2109	2.1422	2.0443	3.9250	3.9107	2.0783	24.5137		
	S	218.402	207.307	196.406	205.609	214.454	217.487	218.282	222.100	211.474		
23	T	2.0839	4.0556	4.1764	2.1324	2.0355	3.9468	3.9428	2.0849	24.4583		
	S	220.195	209.643	198.028	206.553	215.382	216.286	216.505	221.397	211.953		
24	T	2.1001	4.1494	4.2233	2.1393	2.0379	3.9526	3.9234	2.0706	24.5966		
	S	218.496	204.904	195.829	205.887	215.128	215.968	217.576	222.926	210.761		
25	T	2.1081	4.2753	4.2493	2.1420	2.0443	3.9309	3.9175	2.0766	24.7440		
	S	217.667	198.870	194.631	205.628	214.454	217.161	217.903	222.282	209.505		
26	T	2.0951	4.1790	4.2539	2.1500	2.0460	3.9497	3.9306	2.0878	24.6921		
	S	219.018	203.452	194.421	204.863	214.276	216.127	217.177	221.090	209.946		
27	T	2.1285	4.4034	4.3592	2.1625	2.0503	4.0387	3.9366	2.0688	25.1480		
	S	215.581	193.084	189.724	203.678	213.827	211.364	216.846	223.120	206.140		
28	T	2.1205	4.2283	4.1981	2.1243	2.0235	3.9140	3.9067	2.0612	24.5766		
	S	216.394	201.080	197.005	207.341	216.659	218.098	218.506	223.943	210.932		
29	T	2.0978	4.1967	4.1303	2.1083	2.0194	3.9277	3.9050	2.0611	24.4463		
	S	218.736	202.594	200.239	208.915	217.099	217.337	218.601	223.954	212.057		
30	T	2.0834	4.3133	4.4680	2.2218	2.0894	4.0859	3.9849	2.0921	25.3388		
	S	220.247	197.118	185.104	198.242	209.825	208.922	214.218	220.635	204.587		
31	T	2.1059	4.2621	4.3313	2.1816	2.0688	3.9558	3.9171	2.0877	24.9103		
	S	217.894	199.486	190.946	201.895	211.915	215.794	217.926	221.100	208.107		
32	T	2.0970	4.0227	4.0837	2.1097	2.0401	3.9423	3.9413	2.1095	24.3463		
	S	218.819	211.357	202.524	208.776	214.896	216.533	216.588	218.815	212.928		
33	T	2.1177	3.9214	4.0079	2.0881	2.0166	3.9221	3.9346	2.1031	24.1115		
	S	216.680	216.817	206.354	210.936	217.400	217.648	216.956	219.481	215.001		
34	T	2.1102	3.8909	4.0074	2.0813	2.0074	3.8930	3.9097	2.0826	23.9825		
	S	217.450	218.517	206.380	211.625	218.396	219.275	218.338	221.642	216.158		
35	T	2.0887	4.0898	4.2126	2.1338	2.0791	4.1202	4.0036	2.1079	24.8357		
	S	219.689	207.890	196.327	206.418	210.865	207.183	213.217	218.981	208.732		
36	T	2.1158	3.9139	4.0532	2.1055	2.0350	3.9318	3.9417	2.1042	24.2011		
	S	216.875	217.233	204.048	209.192	215.434	217.111	216.566	219.366	214.205		
37	T	2.1156	3.8691	3.9876	2.0837	2.0162	3.9109	3.9295	2.1040	24.0166		
	S	216.895	219.748	207.404	211.381	217.443	218.271	217.238	219.387	215.851		
38	T	2.1140	3.8864	3.9890	2.0857	2.0168	3.9340	3.9452	2.1079	24.0790		
	S	217.059	218.770	207.332	211.178	217.379	216.989	216.373	218.981	215.291		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1185	3.8667	3.9460	2.0722	2.0060	3.9130	3.9428	2.1085	23.9737		
	S	216.598	219.884	209.591	212.554	218.549	218.154	216.505	218.919	216.237		
40	T	2.1192	3.8625	3.9520	2.0723	2.0057	3.9126	3.9350	2.1026	23.9619		
	S	216.527	220.124	209.273	212.544	218.582	218.176	216.934	219.533	216.343		
41	T	2.1120	3.8491	3.9578	2.0691	2.0022	3.9082	3.9302	2.1017	23.9303		
	S	217.265	220.890	208.966	212.873	218.964	218.422	217.199	219.627	216.629		
42	T	2.1119	3.8733	3.9836	2.0864	2.0140	3.9214	3.9391	2.1006	24.0303		
	S	217.275	219.510	207.613	211.107	217.681	217.687	216.708	219.742	215.728		
43	T	2.1081	3.8652	3.9700	2.0731	2.0031	3.8968	3.9317	2.1001	23.9481		
	S	217.667	219.970	208.324	212.462	218.865	219.061	217.116	219.795	216.468		
44	T	2.1101	3.8584	3.9268	2.0545	1.9889	3.8760	3.9108	2.0925	23.8180		
	S	217.461	220.357	210.616	214.385	220.428	220.236	218.277	220.593	217.651		
45	T	2.1027	3.8529	3.9735	2.0683	1.9974	3.8827	3.9022	2.0887	23.8684		
	S	218.226	220.672	208.140	212.955	219.490	219.856	218.758	220.994	217.191		
46	T	2.0965	3.8884	4.0312	2.0832	2.0075	3.8906	3.9118	2.0854	23.9946		
	S	218.871	218.657	205.161	211.432	218.386	219.410	218.221	221.344	216.049		
47	T	2.0899	3.9254	4.0505	2.0922	2.0067	3.8853	3.8940	2.0727	24.0167		
	S	219.562	216.596	204.184	210.522	218.473	219.709	219.218	222.700	215.850		
48	T	2.1107	4.1023	4.1152	2.0992	2.0104	3.9167	3.9168	2.0770	24.3483		
	S	217.399	207.256	200.973	209.820	218.071	217.948	217.942	222.239	212.910		
49	T	2.0802	4.0296	4.1215	2.1159	2.0209	3.9931	3.9700	2.0801	24.4113		
	S	220.586	210.995	200.666	208.164	216.938	213.778	215.022	221.908	212.361		
50	T	2.0822	4.1869	4.3294	2.1597	2.0467	3.9286	3.9501	2.0798	24.7634		
	S	220.374	203.068	191.030	203.942	214.203	217.288	216.105	221.940	209.341		
51	T	2.1035	4.2203	4.2384	2.1243	2.0604	4.1029	3.9975	2.1050	24.9523		
	S	218.143	201.461	195.132	207.341	212.779	208.057	213.543	219.283	207.756		
52	T	2.1887	4.3716	4.3870	2.1705	2.0451	3.9935	3.9243	2.0863	25.1670		
	S	209.651	194.489	188.522	202.928	214.370	213.756	217.526	221.249	205.984		
53	T	2.1704	4.3679	4.3086	2.1862	2.1021	4.2906	4.0591	2.1119	25.5968		
	S	211.419	194.654	191.952	201.470	208.558	198.955	210.302	218.567	202.525		
54	T	2.1565	4.3525	4.3095	2.1449	2.0380	4.1035	4.1075	2.1376	25.3500		
	S	212.782	195.342	191.912	205.350	215.117	208.026	207.824	215.939	204.497		
55	T	2.1575	4.3309	4.2512	2.1418	2.0397	4.0773	3.9954	2.0985	25.0923		
	S	212.683	196.317	194.544	205.647	214.938	209.363	213.655	219.962	206.597		
56	T	2.1175	4.2293	4.2397	2.1401	2.0328	3.9951	4.0084	2.0915	24.8544		
	S	216.701	201.033	195.072	205.810	215.668	213.671	212.962	220.698	208.575		
57	T	2.1042	4.2290	4.2124	2.1284	2.0323	4.1038	4.0443	2.1052	24.9596		
	S	218.070	201.047	196.336	206.942	215.721	208.011	211.071	219.262	207.696		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1270	4.3027	4.2593	2.1412	2.0416	4.0210	3.9395	2.0758	24.9081		
	S	215.733	197.603	194.174	205.705	214.738	212.295	216.686	222.368	208.125		
59	T	2.0746	4.1535	4.1955	2.1164	2.3179	6.1435			36.2418	25.1565	28.8566
	S	221.182	204.701	197.127	208.115	189.141	138.950			143.039	35.817	163.646
60	T				3.1292	2.6262	4.5945	4.2177	2.1665	52.9670	35.1957	
	S				140.756	166.937	185.795	202.394	213.058	97.872	134.249	
61	T	2.1539	4.2424	4.1427	2.1000	2.0139	3.9811	3.9704	2.0831	24.6875		
	S	213.039	200.412	199.639	209.740	217.692	214.422	215.000	221.588	209.985		
62	T	2.0813	4.1202	4.2145	2.1292	2.0339	4.0017	3.9475	2.0784	24.6067		
	S	220.470	206.356	196.238	206.864	215.551	213.318	216.247	222.090	210.674		
63	T	2.0867	4.1726	4.1698	2.1159	2.0186	3.9439	3.9281	2.0694	24.5050		
	S	219.899	203.764	198.342	208.164	217.185	216.445	217.315	223.055	211.549		
64	T	2.0839	4.1353	4.1125	2.0900	2.0028	3.9541	3.9211	2.0623	24.3620		
	S	220.195	205.602	201.105	210.744	218.898	215.886	217.703	223.823	212.790		
65	T	2.1035	4.1421	4.1722	2.1161	2.0184	3.9292	3.9042	2.0623	24.4480		
	S	218.143	205.265	198.228	208.144	217.206	217.254	218.646	223.823	212.042		
66	T	2.0766	4.1192	4.1204	2.0939	2.0037	3.8741	3.8699	2.0502	24.2080		
	S	220.969	206.406	200.720	210.351	218.800	220.344	220.584	225.144	214.144		
67	T	2.0808	4.0990	4.2154	2.1198	2.0128	4.0480	4.0790	2.1091	24.7639		
	S	220.523	207.423	196.196	207.781	217.811	210.879	209.276	218.857	209.337		
68	T	2.1349	4.2635	4.2109	2.1203	2.0239	3.9584	3.9437	2.0881	24.7437		
	S	214.934	199.420	196.406	207.732	216.616	215.652	216.456	221.058	209.508		
69	T	2.1116	4.0527	4.1260	2.0984	2.0103	3.8836	3.8885	2.0701	24.2412		
	S	217.306	209.793	200.447	209.900	218.081	219.805	219.528	222.980	213.851		
70	T	2.1023	4.2190	4.1855	2.1353	2.0426	3.9404	3.9236	2.0930	24.6417		
	S	218.267	201.523	197.598	206.273	214.633	216.637	217.565	220.540	210.375		
71	T	2.0940	3.9572	4.1091	2.1117	2.0260	3.9414	3.9381	2.0937	24.2712		
	S	219.133	214.856	201.272	208.578	216.391	216.582	216.764	220.467	213.586		
72	T	2.1028	4.0225	4.0705	2.1025	2.0176	3.9115	3.9186	2.0855	24.2315		
	S	218.216	211.368	203.180	209.491	217.292	218.238	217.842	221.333	213.936		
73	T	2.0948	4.0833	4.0990	2.1155	2.0321	3.9290	3.9291	2.0923	24.3751		
	S	219.049	208.221	201.768	208.204	215.742	217.266	217.260	220.614	212.676		
74	T	2.1097	4.0928	4.1236	2.1184	2.0330	3.9393	3.9432	2.1012	24.4612		
	S	217.502	207.737	200.564	207.918	215.646	216.697	216.483	219.680	211.927		
75	T	2.1071	4.0344	4.1105	2.1098	2.0263	3.9282	3.9267	2.0947	24.3377		
	S	217.770	210.744	201.203	208.766	216.359	217.310	217.393	220.361	213.003		
76	T	2.1268	4.0275	4.0855	2.1070	2.0250	3.9313	3.9291	2.0922	24.3244		
	S	215.753	211.105	202.434	209.043	216.498	217.138	217.260	220.625	213.119		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.1057	4.0288	4.0736	2.1060	2.0242	3.9244	3.9295	2.0932	24.2854		
	S	217.915	211.037	203.026	209.143	216.584	217.520	217.238	220.519	213.462		
78	T	2.1324	4.1169	4.1187	2.1165	2.0315	3.9271	3.9309	2.0950	24.4690		
	S	215.186	206.521	200.803	208.105	215.806	217.371	217.161	220.330	211.860		
79	T	2.1165	4.0723	4.1374	2.1237	2.0376	3.9347	3.9399	2.0945	24.4566		
	S	216.803	208.783	199.895	207.400	215.160	216.951	216.664	220.382	211.967		
80	T	2.1229	4.1896	4.1697	2.1209	2.0294	3.9237	3.9157	2.0846	24.5565		
	S	216.149	202.938	198.347	207.673	216.029	217.559	218.004	221.429	211.105		
81	T	2.1205	4.1340	4.1246	2.1171	2.0332	3.9247	3.9263	2.0849	24.4653		
	S	216.394	205.667	200.515	208.046	215.625	217.504	217.415	221.397	211.892		
82	T	2.0949	4.0676	4.1402	2.1210	2.0342	3.9318	3.9264	2.0844	24.4005		
	S	219.038	209.024	199.760	207.664	215.519	217.111	217.409	221.450	212.455		
83	T	2.1083	4.1519	4.1137	2.1068	2.0186	3.9146	3.9213	2.0848	24.4200		
	S	217.646	204.780	201.047	209.063	217.185	218.065	217.692	221.408	212.285		
84	T	2.1019	4.0993	4.1470	2.1216	2.0298	3.9234	3.9214	2.0854	24.4298		
	S	218.309	207.408	199.432	207.605	215.986	217.576	217.687	221.344	212.200		
85	T	2.1028	4.0409	4.1617	2.1246	2.0320	3.9163	3.9198	2.0866	24.3847		
	S	218.216	210.405	198.728	207.312	215.753	217.970	217.775	221.217	212.592		
86	T	2.1091	4.0670	4.0961	2.1024	2.0164	3.9133	3.9267	2.0867	24.3177		
	S	217.564	209.055	201.910	209.501	217.422	218.137	217.393	221.206	213.178		
87	T	2.1042	4.0125	4.1880	2.1219	2.0287	3.9176	3.9239	2.0906	24.3874		
	S	218.070	211.895	197.480	207.576	216.103	217.898	217.548	220.794	212.569		
88	T	2.1198	4.0612	4.1201	2.1157	2.0224	3.9027	3.9041	2.0785	24.3245		
	S	216.466	209.354	200.734	208.184	216.777	218.730	218.651	222.079	213.118		
89	T	2.0996	4.1062	4.1291	2.1171	2.0221	3.8941	3.8900	2.0640	24.3222		
	S	218.548	207.059	200.297	208.046	216.809	219.213	219.444	223.639	213.139		
90	T	2.1149	4.1325	4.1399	2.1120	2.0178	3.8938	3.8909	2.0738	24.3756		
	S	216.967	205.742	199.774	208.549	217.271	219.230	219.393	222.582	212.672		
91	T	2.0848	4.0681	4.1590	2.1183	2.0240	3.9186	3.9134	2.0765	24.3627		
	S	220.100	208.999	198.857	207.928	216.605	217.842	218.132	222.293	212.784		
92	T	2.0949	4.1788	4.1824	2.1250	2.0258	3.9257	3.9165	2.0785	24.5276		
	S	219.038	203.462	197.744	207.273	216.413	217.448	217.959	222.079	211.354		
93	T	2.1406	4.2805	4.1995	2.1259	2.0289	3.9190	3.9014	2.0771	24.6729		
	S	214.362	198.628	196.939	207.185	216.082	217.820	218.803	222.229	210.109		
94	T	2.1110	4.1719	4.2182	2.1353	2.0292	3.9685	3.9277	2.0828	24.6446		
	S	217.368	203.799	196.066	206.273	216.050	215.103	217.337	221.620	210.350		
95	T	2.1004	4.1433	4.2375	2.1367	2.0315	3.9333	3.9177	2.0759	24.5763		
	S	218.465	205.205	195.173	206.138	215.806	217.028	217.892	222.357	210.935		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1176	4.2262	4.2130	2.1314	2.0297	3.9214	3.9430	2.0915	24.6738		
	S	216.690	201.180	196.308	206.650	215.997	217.687	216.494	220.698	210.101		
97	T	2.1006	4.1209	4.1922	2.1229	2.0238	3.9383	3.9383	2.0838	24.5208		
	S	218.444	206.321	197.282	207.478	216.627	216.752	216.752	221.514	211.412		
98	T	2.1209	4.2051	4.2161	2.1332	2.0346	3.9410	3.9313	2.0895	24.6717		
	S	216.353	202.190	196.164	206.476	215.477	216.604	217.138	220.910	210.119		
99	T	2.0958	4.0772	4.2015	2.1286	2.0276	3.9214	3.9061	2.0698	24.4280		
	S	218.944	208.532	196.845	206.922	216.221	217.687	218.539	223.012	212.215		
100	T	2.1094	4.1828	4.2218	2.1369	2.0355	3.9610	3.9552	2.0957	24.6983		
	S	217.533	203.267	195.899	206.118	215.382	215.510	215.826	220.256	209.893		
101	T	2.1207	4.1840	4.2258	2.1396	2.0453	3.9510	3.9320	2.0964	24.6948		
	S	216.374	203.209	195.713	205.858	214.350	216.056	217.100	220.183	209.923		
102	T	2.1325	4.1847	4.2159	2.1415	2.0432	3.9420	3.9314	2.1033	24.6945		
	S	215.176	203.175	196.173	205.676	214.570	216.549	217.133	219.460	209.925		
103	T	2.1183	4.1039	4.1477	2.1238	2.0335	3.9274	3.9309	2.0925	24.4780		
	S	216.619	207.175	199.399	207.390	215.593	217.354	217.161	220.593	211.782		
104	T	2.1278	4.1623	4.1624	2.1265	2.0348	3.9240	3.9269	2.0984	24.5631		
	S	215.652	204.269	198.694	207.127	215.456	217.542	217.382	219.973	211.048		
105	T	2.1124	4.0936	4.1783	2.1317	2.0377	3.9325	3.9273	2.0928	24.5063		
	S	217.224	207.697	197.938	206.621	215.149	217.072	217.360	220.561	211.537		
106	T	2.1054	4.0948	4.1471	2.1209	2.0325	3.9272	3.9258	2.0899	24.4436		
	S	217.946	207.636	199.427	207.673	215.699	217.365	217.443	220.867	212.080		
107	T	2.0923	4.0776	4.1438	2.1179	2.0282	3.9435	3.9300	2.0898	24.4231		
	S	219.311	208.512	199.586	207.968	216.157	216.467	217.210	220.878	212.258		
108	T	2.1043	4.0965	4.1436	2.1119	2.0209	3.9278	3.9339	2.0872	24.4261		
	S	218.060	207.550	199.596	208.558	216.938	217.332	216.995	221.153	212.232		
109	T	2.1275	4.1132	4.1994	2.1314	2.0322	3.9249	3.9031	2.0763	24.5080		
	S	215.682	206.707	196.944	206.650	215.731	217.493	218.707	222.314	211.523		
110	T	2.0882	4.1044	4.2275	2.1397	2.0351	3.9775	3.9452	2.0847	24.6023		
	S	219.741	207.150	195.635	205.849	215.424	214.616	216.373	221.418	210.712		
111	T	2.1346	4.2056	4.2229	2.1396	2.0378	3.9203	3.9113	2.0760	24.6481		
	S	214.965	202.166	195.848	205.858	215.138	217.748	218.249	222.346	210.320		
112	T	2.0972	4.1402	4.1640	2.1178	2.0242	3.9202	3.9136	2.0807	24.4579		
	S	218.798	205.359	198.618	207.977	216.584	217.753	218.120	221.844	211.956		
113	T	2.0939	4.1145	4.2064	2.1272	2.0309	3.9478	3.9243	2.0805	24.5255		
	S	219.143	206.642	196.616	207.058	215.869	216.231	217.526	221.865	211.372		
114	T	2.1272	4.1876	4.1405	2.1119	2.0200	3.9086	3.9081	2.0762	24.4801		
	S	215.713	203.035	199.745	208.558	217.034	218.400	218.427	222.325	211.764		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.0894	4.1600	4.2050	2.1304	2.0323	3.9164	3.9037	2.0801	24.5173		
	S	219.615	204.382	196.681	206.747	215.721	217.965	218.674	221.908	211.443		
116	T	2.1280	4.2328	4.1839	2.1191	2.0243	3.9353	3.9247	2.0803	24.6284		
	S	215.631	200.866	197.673	207.850	216.573	216.918	217.504	221.887	210.489		
117	T	2.1270	4.1881	4.1972	2.1315	2.0357	3.9061	3.9075	2.0731	24.5662		
	S	215.733	203.010	197.047	206.641	215.360	218.539	218.461	222.657	211.022		
118	T	2.0983	4.1519	4.1601	2.1179	2.0278	3.9069	3.9031	2.0788	24.4448		
	S	218.684	204.780	198.804	207.968	216.199	218.495	218.707	222.047	212.070		
119	T	2.1021	4.1221	4.1078	2.1067	2.0185	3.8908	3.8964	2.0685	24.3129		
	S	218.288	206.261	201.335	209.073	217.195	219.399	219.083	223.152	213.220		
120	T	2.0807	4.1378	4.2131	2.1308	2.0319	3.9189	3.9517	2.0959	24.5608		
	S	220.533	205.478	196.303	206.709	215.763	217.826	216.018	220.235	211.068		
121	T	2.1110	4.1991	4.1912	2.1174	2.2801	5.8578			35.8868	26.0747	28.4628
	S	217.368	202.478	197.329	208.017	192.276	145.726			144.454	34.555	165.910
122	T				3.1225	2.6293	4.6291	4.2554	2.1959	54.0403		
	S				141.058	166.740	184.407	200.601	210.206	95.928	35.3896	
123	T	2.1826	4.2621	4.1152	2.0806	1.9894	4.0014	4.0212	2.1035	24.7560		
	S	210.237	199.486	200.973	211.696	220.373	213.334	212.284	219.439	209.404		
124	T	2.0988	4.0521	4.0558	2.0852	2.0005	3.8835	3.9041	2.0709	24.1509		
	S	218.631	209.824	203.917	211.229	219.150	219.811	218.651	222.894	214.650		
125	T	2.0741	3.9680	4.0820	2.0872	2.0043	3.8766	3.8957	2.0786	24.0665		
	S	221.235	214.271	202.608	211.027	218.734	220.202	219.123	222.068	215.403		
126	T	2.0828	3.9188	4.0849	2.0897	2.0055	3.8794	3.8971	2.0806	24.0388		
	S	220.311	216.961	202.464	210.774	218.603	220.043	219.044	221.855	215.651		
127	T	2.0812	3.9083	4.0741	2.0953	2.0119	3.9492	3.9595	2.0983	24.1778		
	S	220.480	217.544	203.001	210.211	217.908	216.154	215.592	219.983	214.412		
128	T	2.1090	3.9940	4.0810	2.1036	2.0242	3.9142	3.9262	2.0901	24.2423		
	S	217.574	212.876	202.658	209.381	216.584	218.087	217.420	220.846	213.841		
129	T	2.0974	4.0585	4.0916	2.1053	2.0193	3.8993	3.9160	2.0813	24.2687		
	S	218.777	209.493	202.133	209.212	217.109	218.920	217.987	221.780	213.608		
130	T	2.0842	4.0466	4.1822	2.1143	2.0150	3.9021	3.9614	2.0848	24.3906		
	S	220.163	210.109	197.754	208.322	217.573	218.763	215.489	221.408	212.541		
131	T	2.0856	4.1271	4.2475	2.1539	2.0783	4.2069	4.0118	2.1075	25.0186		
	S	220.015	206.011	194.713	204.492	210.946	202.913	212.781	219.023	207.206		
132	T	2.1018	4.0227	4.1804	2.1205	2.0218	3.9759	3.9525	2.0927	24.4683		
	S	218.319	211.357	197.839	207.713	216.841	214.703	215.974	220.572	211.866		
133	T	2.0985	4.1670	4.2608	2.1457	2.0395	3.9709	3.9212	2.0801	24.6837		
	S	218.663	204.038	194.106	205.273	214.959	214.973	217.698	221.908	210.017		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.0875	4.1040	4.1617	2.1811	2.7774	6.5531	5.6159	2.7712	30.2519		
	S	219.815	207.170	198.728	201.941	157.849	130.265	152.003	166.567	171.361		
135	T	2.8489	5.4608	6.0128	4.1987	4.1815	9.0165	8.7306	4.0776	44.5274		
	S	161.067	155.696	137.547	104.903	104.845	94.675	97.775	113.202	116.423		
136	T	3.7468	6.2163	5.6551	2.7894	2.9328	6.4841	7.0157	5.4484	40.2886		
	S	122.468	136.774	146.248	157.903	149.485	131.651	121.675	84.720	128.672		
137	T	5.3167	11.8068	10.0895	5.5433	5.3764	11.4964			66.7765	25.2002	59.3832
	S	86.306	72.012	81.971	79.457	81.543	74.252			77.632	35.755	79.522
138	T				3.4261	3.1995	7.5541	10.4402	5.3744	66.8260	49.0191	
	S				128.559	137.024	113.003	81.764	85.887	77.575	96.391	
139	T	4.9447	11.4737	8.7395	4.8399	5.4045	11.9093	10.5578	6.4003	64.2697		
	S	92.799	74.102	94.633	91.005	81.119	71.678	80.854	72.120	80.660		
140	T	5.7781	9.4728	10.3972	5.4034	4.5995	9.0791	10.1909	4.7845	59.7055		
	S	79.414	89.755	79.545	81.514	95.317	94.022	83.765	96.476	86.826		
141	T	5.0030	9.4917	9.1329	5.1178	4.3835	9.3669	8.7296	4.8332	56.0586		
	S	91.718	89.576	90.557	86.063	100.013	91.133	97.786	95.504	92.475		
142	T	5.5716	8.7972	9.2273	4.6814	4.8432	10.4797	9.7519	5.5133	58.8656		
	S	82.358	96.647	89.630	94.086	90.521	81.456	87.535	83.723	88.065		
143	T	5.6301	8.1573	9.1133	3.7420	3.6050	6.2554	5.5301	2.4942	44.5274		
	S	81.502	104.229	90.751	117.706	121.611	136.464	154.362	185.066	116.423		
144	T	2.3634	4.6267	4.5790	2.2147	2.0982	4.1737	4.1187	2.1180	26.2924		
	S	194.154	183.765	180.617	198.878	208.945	204.527	207.259	217.937	197.167		
145	T	2.1195	4.2554	4.2060	2.1045	2.0229	3.9199	3.8927	2.0575	24.5784		
	S	216.496	199.800	196.635	209.292	216.723	217.770	219.292	224.346	210.917		
146	T	2.0853	4.1751	4.2367	2.1169	2.0086	4.0395	4.0141	2.1142	24.7904		
	S	220.047	203.642	195.210	208.066	218.266	211.322	212.659	218.329	209.113		
147	T	2.1082	3.9135	3.9898	2.0606	1.9877	3.8426	3.8592	2.0620	23.8236		
	S	217.657	217.255	207.290	213.751	220.561	222.151	221.195	223.856	217.599		
148	T	2.0788	3.9273	4.0156	2.0654	1.9844	3.8277	3.8368	2.0459	23.7819		
	S	220.735	216.492	205.958	213.254	220.928	223.015	222.487	225.618	217.981		
149	T	2.0812	3.9772	4.0850	2.0747	1.9856	3.8400	3.8396	2.0355	23.9188		
	S	220.480	213.775	202.459	212.298	220.794	222.301	222.324	226.770	216.733		
150	T	2.0745	4.0772	4.1555	2.1046	1.9993	3.9251	3.9888	2.0738	24.3988		
	S	221.192	208.532	199.024	209.282	219.281	217.481	214.008	222.582	212.469		
151	T	2.1004	4.1877	4.1503	2.1118	2.0165	3.8681	3.8424	2.0519	24.3291		
	S	218.465	203.030	199.274	208.568	217.411	220.686	222.162	224.958	213.078		
152	T	2.1068	4.1495	4.2205	2.1218	2.0215	3.8836	3.8619	2.0538	24.4194		
	S	217.801	204.899	195.959	207.585	216.873	219.805	221.041	224.750	212.290		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1201	4.1067	4.1804	2.1151	2.0225	3.9012	3.8979	2.0569	24.4008			
	S	216.435	207.034	197.839	208.243	216.766	218.814	218.999	224.411	212.452			
154	T	2.0797	4.0924	4.1553	2.1005	2.0060	3.9447	3.9101	2.0609	24.3496			
	S	220.639	207.758	199.034	209.690	218.549	216.401	218.316	223.975	212.899			
155	T	2.1126	4.1330	4.1480	2.1073	2.0157	3.9617	3.9319	2.0738	24.4840			
	S	217.203	205.717	199.384	209.014	217.497	215.472	217.105	222.582	211.730			
156	T	2.0769	4.1134	4.1589	2.1071	2.0159	3.8910	3.8764	2.0486	24.2882			
	S	220.937	206.697	198.862	209.034	217.476	219.387	220.214	225.320	213.437			
157	T	2.1016	4.1503	4.1957	2.1148	2.0173	3.9536	3.9040	2.0579	24.4952			
	S	218.340	204.859	197.117	208.272	217.325	215.914	218.657	224.302	211.633			
158	T	2.1010	4.1424	4.1796	2.1212	2.0211	3.9204	3.8963	2.0581	24.4401			
	S	218.402	205.250	197.877	207.644	216.916	217.742	219.089	224.280	212.110			
159	T	2.0973	4.2099	4.2224	2.1341	2.0339	3.9155	3.9058	2.0722	24.5911			
	S	218.788	201.959	195.871	206.389	215.551	218.015	218.556	222.754	210.808			
160	T	2.1004	4.1967	4.1906	2.1204	2.0251	3.8997	3.8992	2.0740	24.5061			
	S	218.465	202.594	197.357	207.722	216.488	218.898	218.926	222.561	211.539			
161	T	2.0780	4.1628	4.2111	2.1333	2.0372	3.9365	3.9090	2.0737	24.5416			
	S	220.820	204.244	196.397	206.466	215.202	216.852	218.377	222.593	211.233			
162	T	2.0884	4.1495	4.1606	2.1234	2.0284	3.9033	3.9044	2.0760	24.4340			
	S	219.720	204.899	198.780	207.429	216.135	218.696	218.634	222.346	212.163			
163	T	2.1178	4.1413	4.1613	2.1245	2.0314	3.9147	3.8997	2.0716	24.4623			
	S	216.670	205.304	198.747	207.322	215.816	218.059	218.898	222.819	211.918			
164	T	2.0832	4.0679	4.1889	2.1313	2.0340	3.9158	3.9009	2.0740	24.3960			
	S	220.269	209.009	197.437	206.660	215.540	217.998	218.831	222.561	212.494			
165	T	2.0794	4.0135	4.2896	2.1469	2.0406	3.9627	3.9250	2.0757	24.5334			
	S	220.671	211.842	192.802	205.158	214.843	215.418	217.487	222.378	211.304			
166	T	2.0942	4.1626	4.1903	2.1221	2.0264	3.8880	3.8759	2.0582	24.4177			
	S	219.112	204.254	197.371	207.556	216.349	219.557	220.242	224.269	212.305			
167	T	2.1007	4.1670	4.1543	2.1034	2.0081	3.9195	3.9110	2.0628	24.4268			
	S	218.434	204.038	199.082	209.401	218.320	217.792	218.265	223.769	212.226			
168	T	2.0814	4.1457	4.1572	2.1139	2.0204	3.8904	3.8984	2.0656	24.3730			
	S	220.459	205.087	198.943	208.361	216.991	219.421	218.971	223.466	212.694			
169	T	2.0784	4.0362	4.1297	2.1003	2.0068	3.8746	3.9084	2.0683	24.2027			
	S	220.777	210.650	200.268	209.710	218.462	220.316	218.411	223.174	214.191			
170	T	2.0866	4.1108	4.2058	2.1264	2.0306	3.9198	3.8969	2.0723	24.4492			
	S	219.910	206.828	196.644	207.136	215.901	217.775	219.055	222.743	212.031			
171	T	2.0955	4.0651	4.1279	2.1173	2.0509	3.9261	3.9214	2.0832	24.3874			
	S	218.976	209.153	200.355	208.027	213.764	217.426	217.687	221.578	212.569			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0890	4.0460	4.1612	2.1204	2.0299	3.9127	3.9173	2.0862	24.3627		
	S	219.657	210.140	198.752	207.722	215.976	218.171	217.914	221.259	212.784		
173	T	2.1034	4.0441	4.1009	2.0981	2.0145	3.8977	3.9127	2.0827	24.2541		
	S	218.153	210.239	201.674	209.930	217.627	219.010	218.171	221.631	213.737		
174	T	2.1009	4.0981	4.1463	2.1253	2.0325	3.9525	3.9358	2.0855	24.4769		
	S	218.413	207.469	199.466	207.243	215.699	215.974	216.890	221.333	211.792		
175	T	2.1031	4.1496	4.1666	2.1255	2.0386	3.9212	3.9081	2.0725	24.4852		
	S	218.184	204.894	198.494	207.224	215.054	217.698	218.427	222.722	211.720		
176	T	2.0852	4.0873	4.1566	2.1097	2.0178	3.9468	3.9255	2.0782	24.4071		
	S	220.057	208.017	198.972	208.776	217.271	216.286	217.459	222.111	212.397		
177	T	2.0846	4.1709	4.2191	2.1342	2.0305	3.9179	3.9179	2.0687	24.5438		
	S	220.121	203.847	196.024	206.379	215.912	217.881	217.881	223.131	211.214		
178	T	2.1034	4.2550	4.2613	2.1377	2.0323	3.8910	3.8654	2.0525	24.5986		
	S	218.153	199.818	194.083	206.041	215.721	219.387	220.840	224.892	210.744		
179	T	2.1397	4.2559	4.1423	2.1028	2.0107	3.9051	3.8982	2.0581	24.5128		
	S	214.452	199.776	199.659	209.461	218.038	218.595	218.982	224.280	211.481		
180	T	2.1062	4.2421	4.1705	2.1122	2.0140	3.8925	3.9135	2.0616	24.5126		
	S	217.863	200.426	198.308	208.529	217.681	219.303	218.126	223.899	211.483		
181	T	2.0815	4.2439	4.1992	2.1170	2.0201	3.8846	3.8926	2.0759	24.5148		
	S	220.449	200.341	196.953	208.056	217.023	219.749	219.297	222.357	211.464		
182	T	2.1021	4.1715	4.1085	2.0976	2.0095	3.8725	3.8931	2.0725	24.3273		
	S	218.288	203.818	201.301	209.980	218.168	220.435	219.269	222.722	213.094		
183	T	2.1002	4.1234	4.1292	2.0980	2.0074	3.9131	3.9291	2.0743	24.3747		
	S	218.486	206.196	200.292	209.940	218.396	218.148	217.260	222.529	212.680		
184	T	2.1015	4.1337	4.1362	2.1003	2.0095	3.9007	3.8888	2.0572	24.3279		
	S	218.351	205.682	199.953	209.710	218.168	218.842	219.512	224.378	213.089		
185	T	2.0793	4.1118	4.1738	2.1085	2.0142	3.8877	3.8906	2.0618	24.3277		
	S	220.682	206.777	198.152	208.895	217.659	219.574	219.410	223.878	213.090		
186	T	2.0823	4.1518	4.1673	2.1140	2.0217	3.8783	3.9096	2.0642	24.3892		
	S	220.364	204.785	198.461	208.351	216.852	220.106	218.344	223.617	212.553		
187	T	2.1017	4.1486	4.1897	2.1319	2.0375	3.9170	3.9129	2.0854	24.5247		
	S	218.330	204.943	197.400	206.602	215.170	217.931	218.160	221.344	211.379		
188	T	2.0947	4.0008	4.0466	2.0898	2.0174	3.9178	3.9327	2.0972	24.1970		
	S	219.059	212.514	204.380	210.764	217.314	217.887	217.061	220.099	214.241		
189	T	2.1066	3.9124	3.9858	2.0714	2.0066	3.9042	3.9126	2.0854	23.9850		
	S	217.822	217.316	207.498	212.636	218.484	218.646	218.176	221.344	216.135		
190	T	2.0941	3.9501	4.0342	2.0895	2.0172	3.9153	3.9225	2.0907	24.1136		
	S	219.122	215.242	205.009	210.794	217.335	218.026	217.626	220.783	214.982		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0985	3.8434	4.0158	2.0756	2.0037	3.8876	3.8974	2.0769	23.8989		
	S	218.663	221.217	205.948	212.206	218.800	219.579	219.027	222.250	216.914		
192	T	2.0819	3.8844	3.9700	2.0593	1.9886	3.8654	3.8862	2.0749	23.8107		
	S	220.406	218.883	208.324	213.886	220.461	220.840	219.658	222.464	217.717		
193	T	2.0803	3.8405	4.0372	2.0796	2.0020	3.8867	3.9033	2.0791	23.9087		
	S	220.576	221.385	204.856	211.798	218.986	219.630	218.696	222.015	216.825		
194	T	2.0825	3.8569	4.0227	2.0790	2.0035	3.8893	3.9083	2.0846	23.9268		
	S	220.343	220.443	205.595	211.859	218.822	219.483	218.416	221.429	216.661		
195	T	2.0872	3.8423	3.9826	2.0707	1.9984	3.8850	3.9044	2.0807	23.8513		
	S	219.847	221.281	207.665	212.708	219.380	219.726	218.634	221.844	217.347		
196	T	2.0834	3.8443	3.9562	2.0569	1.9887	3.8734	3.8972	2.0785	23.7786		
	S	220.247	221.166	209.050	214.135	220.450	220.384	219.038	222.079	218.011		
197	T	2.0833	3.8296	3.9574	2.0570	1.9878	3.8679	3.8850	2.0740	23.7420		
	S	220.258	222.015	208.987	214.125	220.550	220.698	219.726	222.561	218.347		
198	T	2.0813	3.8513	4.0223	2.0800	2.1965	5.6788			34.7431	25.2644	27.3344
	S	220.470	220.764	205.615	211.757	199.594	150.320			149.209	35.664	172.759
199	T				3.1390	2.6358	4.6253	4.2797	2.2090	53.2192		35.3635
	S				140.317	166.329	184.558	199.462	208.959	97.408		133.612
200	T	2.1963	3.9862	4.0020	2.0815	2.0120	3.9206	3.9488	2.1035	24.2509		
	S	208.926	213.293	206.658	211.604	217.897	217.731	216.176	219.439	213.765		
201	T	2.1178	3.9194	4.0252	2.0850	2.0157	3.9217	3.9473	2.1038	24.1359		
	S	216.670	216.928	205.467	211.249	217.497	217.670	216.258	219.408	214.784		
202	T	2.1116	3.9526	4.0530	2.0905	2.0229	3.9395	3.9756	2.1181	24.2638		
	S	217.306	215.106	204.058	210.693	216.723	216.686	214.719	217.927	213.652		
203	T	2.1269	3.9225	3.9966	2.0812	2.0133	3.9331	3.9544	2.1106	24.1386		
	S	215.743	216.756	206.937	211.635	217.756	217.039	215.870	218.701	214.760		
204	T	2.1273	3.9828	4.0351	2.0944	2.0222	3.9299	3.9677	2.1143	24.2737		
	S	215.702	213.475	204.963	210.301	216.798	217.216	215.146	218.319	213.564		
205	T	2.1278	3.9481	4.0175	2.0890	2.0184	3.9287	3.9496	2.1088	24.1879		
	S	215.652	215.351	205.861	210.845	217.206	217.282	216.132	218.888	214.322		
206	T	2.1201	3.8999	3.9832	2.0767	2.0079	3.9117	3.9484	2.1023	24.0502		
	S	216.435	218.013	207.633	212.093	218.342	218.226	216.198	219.565	215.549		
207	T	2.1095	3.9521	4.0331	2.0909	2.0200	3.9245	3.9527	2.1019	24.1847		
	S	217.522	215.133	205.064	210.653	217.034	217.515	215.963	219.607	214.350		
208	T	2.1149	3.9778	4.0421	2.0938	2.0208	3.9266	3.9466	2.1025	24.2251		
	S	216.967	213.743	204.608	210.361	216.948	217.398	216.297	219.544	213.993		
209	T	2.1095	3.9296	4.0220	2.0896	2.0146	3.9141	3.9374	2.1002	24.1170		
	S	217.522	216.365	205.630	210.784	217.616	218.093	216.802	219.784	214.952		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1081	3.9077	4.0322	2.0889	2.0131	3.9137	3.9288	2.0967	24.0892		
	S	217.667	217.577	205.110	210.855	217.778	218.115	217.277	220.151	215.200		
211	T	2.1034	3.9340	4.0335	2.0862	2.0092	3.8940	3.9240	2.0894	24.0737		
	S	218.153	216.123	205.044	211.128	218.201	219.218	217.542	220.920	215.339		
212	T	2.1105	4.0039	4.0505	2.0874	2.0082	3.8959	3.9098	2.0820	24.1482		
	S	217.419	212.350	204.184	211.006	218.309	219.111	218.332	221.706	214.674		
213	T	2.0995	4.0406	4.0733	2.0972	2.0176	3.9219	3.9281	2.0880	24.2662		
	S	218.559	210.421	203.041	210.020	217.292	217.659	217.315	221.068	213.630		
214	T	2.1041	4.0406	4.0626	2.0849	2.0022	3.8733	3.8747	2.0573	24.0997		
	S	218.081	210.421	203.575	211.259	218.964	220.390	220.310	224.367	215.106		
215	T	2.0947	3.9409	4.0530	2.1019	2.0322	3.9343	3.9457	2.1079	24.2106		
	S	219.059	215.744	204.058	209.551	215.731	216.973	216.346	218.981	214.121		
216	T	2.1139	3.9433	4.0289	2.0912	2.0205	3.9342	3.9651	2.1115	24.2086		
	S	217.070	215.613	205.278	210.623	216.980	216.978	215.287	218.608	214.139		
217	T	2.1181	3.9628	4.0403	2.0951	2.0217	3.9330	3.9578	2.1055	24.2343		
	S	216.639	214.552	204.699	210.231	216.852	217.045	215.685	219.231	213.912		
218	T	2.1130	3.9362	3.9879	2.0759	2.0057	3.9116	3.9353	2.0988	24.0644		
	S	217.162	216.002	207.389	212.175	218.582	218.232	216.918	219.931	215.422		
219	T	2.1045	3.9056	4.0276	2.0856	2.0103	3.9051	4.2401	2.6706	24.9494		
	S	218.039	217.694	205.344	211.188	218.081	218.595	201.325	172.842	207.781		
220	T	3.0146	6.0184	6.1712	3.7380	3.7564	8.2553	9.2680	5.1134	45.3353		
	S	152.214	141.271	134.017	117.832	116.710	103.405	92.106	90.271	114.348		
221	T	4.9796	8.4604	8.0522	4.3909	4.1824	8.4664	8.0574	4.0979	50.6872		
	S	92.149	100.495	102.710	100.311	104.822	100.826	105.944	112.641	102.274		
222	T	4.4784	10.0907	10.5606	5.5962	5.4096	10.0605	10.0404	5.0878	61.3242		
	S	102.462	84.259	78.314	78.706	81.043	84.850	85.020	90.725	84.534		
223	T	5.0910	9.9022	9.7768	5.5646	5.4038	9.8454	9.5830	5.0468	60.2136		
	S	90.132	85.862	84.593	79.153	81.130	86.704	89.078	91.462	86.094		
224	T	5.3350	9.4615	9.5361	5.0979	4.8607	9.7256	8.9731	4.8939	57.8838		
	S	86.010	89.862	86.728	86.399	90.195	87.772	95.133	94.320	89.559		
225	T	5.0024	8.7791	9.0052	4.9257	4.8367	9.2172	9.3525	5.0964	56.2152		
	S	91.729	96.847	91.841	89.420	90.642	92.613	91.274	90.572	92.217		
226	T	4.9188	8.8439	8.5282	4.3343	4.4962	9.6054	6.3646	2.6617	49.7531		
	S	93.288	96.137	96.978	101.621	97.507	88.870	134.123	173.420	104.195		
227	T	2.5378	4.3692	4.3273	2.1916	2.1029	4.0550	4.0325	2.1388	25.7551		
	S	180.812	194.596	191.123	200.974	208.478	210.515	211.689	215.818	201.281		
228	T	2.1398	3.9531	4.0013	2.0884	2.0293	3.9475	3.9734	2.1136	24.2464		
	S	214.442	215.079	206.694	210.905	216.040	216.247	214.838	218.391	213.805		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.1287	3.8826	3.9302	2.0643	2.0103	3.9286	4.0359	2.4614	24.4420		
	S	215.561	218.984	210.433	213.368	218.081	217.288	211.511	187.532	212.094		
230	T	2.7922	5.9276	7.1843	4.4941	4.7087	10.4908	11.5653	5.0392	52.2022		
	S	164.338	143.435	115.118	98.007	93.106	81.370	73.810	91.600	99.306		
231	T	4.7080	8.3541	8.4377	4.4378	4.9438	12.2080	12.4149	5.5084	61.0127		
	S	97.465	101.774	98.018	99.251	88.679	69.924	68.759	83.798	84.966		
232	T	6.0005	10.5602	10.1085	5.8159	5.1585	10.5932	10.5048	5.2789	64.0205		
	S	76.471	80.512	81.817	75.733	84.988	80.583	81.262	87.441	80.974		
233	T	5.0738	9.6481	9.9493	5.0995	4.8573	9.7612	10.2200	5.0369	59.6461		
	S	90.438	88.124	83.126	86.372	90.258	87.452	83.526	91.642	86.913		
234	T	4.9525	9.1832	9.3572	4.8020	4.9043	9.8497	9.8136	4.8329	57.6954		
	S	92.653	92.585	88.386	91.723	89.393	86.666	86.985	95.510	89.851		
235	T	4.8261	9.0435	9.3508	4.7914	4.7609	9.4614	8.9430	4.6443	55.8214		
	S	95.080	94.015	88.446	91.926	92.085	90.223	95.453	99.389	92.868		
236	T	4.7670	8.9485	8.9516	4.3505	4.3760	9.5311	8.9842	3.1140	53.0229		
	S	96.258	95.013	92.391	101.242	100.185	89.563	95.015	148.231	97.769		
237	T	2.7351	4.6628	4.3041	2.1875	2.1046	4.0716	4.0365	2.1461	26.2483		
	S	167.769	182.343	192.153	201.351	208.310	209.656	211.479	215.084	197.499		
238	T	2.1473	3.9397	4.0143	2.0923	2.0363	3.9690	3.9767	2.1210	24.2966		
	S	213.693	215.810	206.025	210.512	215.297	215.076	214.659	217.629	213.363		
239	T	2.1376	3.9208	4.0046	2.0876	2.0315	3.9551	3.9777	2.1150	24.2299		
	S	214.663	216.850	206.524	210.986	215.806	215.832	214.606	218.246	213.951		
240	T	2.1298	3.8728	3.9422	2.0686	2.0184	3.9400	3.9682	2.1091	24.0491		
	S	215.449	219.538	209.793	212.924	217.206	216.659	215.119	218.857	215.559		
241	T	2.1225	3.8978	3.9321	2.0655	2.0140	3.9328	3.9562	2.1066	24.0275		
	S	216.190	218.130	210.332	213.244	217.681	217.056	215.772	219.117	215.753		
242	T	2.1267	3.8986	3.9989	2.0885	2.0349	3.9563	3.9666	2.1128	24.1833		
	S	215.763	218.085	206.818	210.895	215.445	215.766	215.206	218.474	214.363		
243	T	2.1279	3.8729	3.9572	2.0768	2.0236	3.9490	3.9504	2.1052	24.0630		
	S	215.642	219.532	208.998	212.083	216.648	216.165	216.089	219.262	215.434		
244	T	2.1270	3.8604	3.9203	2.0644	2.0155	3.9364	3.9517	2.1108	23.9865		
	S	215.733	220.243	210.965	213.357	217.519	216.857	216.018	218.681	216.122		
245	T	2.1211	3.8613	3.8902	2.0537	2.0063	3.9220	3.9578	2.1124	23.9248		
	S	216.333	220.192	212.597	214.469	218.516	217.653	215.685	218.515	216.679		
246	T	2.1257	3.8566	3.8982	2.0560	2.0074	3.9259	3.9487	2.1137	23.9322		
	S	215.865	220.460	212.161	214.229	218.396	217.437	216.182	218.381	216.612		
247	T	2.1275	3.8679	3.8801	2.0498	2.0030	3.9163	3.9443	2.1133	23.9022		
	S	215.682	219.816	213.151	214.877	218.876	217.970	216.423	218.422	216.884		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 2 - Newgarden, Josef

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.1240	3.8600	3.8940	2.0542	2.0038	3.9313	3.9772	2.1203	23.9648		
	S	216.037	220.266	212.390	214.417	218.789	217.138	214.632	217.701	216.317		
249	T	2.2379	4.7753	5.6008	3.2695							
	S	205.042	178.047	147.666	134.716							

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5251	4.8797	4.5655	2.2413	2.1108	4.4195	4.5014	2.2394	27.4827		63.5212	
	S	181.721	174.238	181.151	196.517	207.698	193.152	189.638	206.123	188.628		74.385	
2	T	2.1770	4.2804	4.6719	2.3786	2.2199	4.4682	4.1424	2.1427	26.4811			
	S	210.778	198.633	177.026	185.174	197.490	191.047	206.073	215.425	195.762			
3	T	2.1716	4.2744	4.2844	2.1534	2.0387	3.9991	4.0604	2.0998	25.0818			
	S	211.302	198.911	193.036	204.539	215.043	213.457	210.235	219.826	206.684			
4	T	2.1008	4.1514	4.2109	2.1618	2.0456	3.9978	3.9761	2.0909	24.7353			
	S	218.423	204.805	196.406	203.744	214.318	213.527	214.692	220.762	209.579			
5	T	2.1078	4.2634	4.1675	2.1164	2.0206	4.0068	3.9184	2.0626	24.6635			
	S	217.698	199.425	198.451	208.115	216.970	213.047	217.853	223.791	210.189			
6	T	2.0647	4.1999	4.7013	2.3376	2.1883	4.2121	4.0454	2.1172	25.8665			
	S	222.242	202.440	175.918	188.422	200.342	202.663	211.014	218.020	200.414			
7	T	2.1071	4.0824	4.5914	2.3044	2.1781	4.3303	4.0859	2.1214	25.8010			
	S	217.770	208.267	180.129	191.136	201.281	197.131	208.922	217.588	200.922			
8	T	2.1703	4.2590	4.2429	2.1914	2.0742	3.9527	3.9148	2.0800	24.8853			
	S	211.429	199.631	194.925	200.992	211.363	215.963	218.054	221.919	208.316			
9	T	2.0896	4.2053	4.2598	2.1587	2.0539	3.9226	3.9123	2.0802	24.6824			
	S	219.594	202.180	194.151	204.037	213.452	217.620	218.193	221.897	210.028			
10	T	2.0871	4.1491	4.2174	2.1521	2.0528	3.9271	3.9181	2.0865	24.5902			
	S	219.857	204.918	196.103	204.663	213.566	217.371	217.870	221.227	210.816			
11	T	2.0891	4.0616	4.1778	2.1304	2.0342	3.8968	3.9088	2.0900	24.3887			
	S	219.647	209.333	197.962	206.747	215.519	219.061	218.388	220.857	212.557			
12	T	2.1176	4.1877	4.1546	2.1181	2.0273	3.9315	3.9161	2.0829	24.5358			
	S	216.690	203.030	199.067	207.948	216.253	217.127	217.981	221.610	211.283			
13	T	2.0868	4.1049	4.1286	2.1275	2.0271	3.9186	3.9152	2.0846	24.3933			
	S	219.889	207.125	200.321	207.029	216.274	217.842	218.031	221.429	212.517			
14	T	2.1746	4.2326	4.3078	2.2220	2.0923	3.9718	3.9357	2.0884	25.0252			
	S	211.011	200.876	191.988	198.224	209.535	214.924	216.896	221.026	207.151			
15	T	2.1420	4.2603	4.2015	2.1566	2.0520	3.9164	3.8982	2.0705	24.6975			
	S	214.222	199.570	196.845	204.236	213.650	217.965	218.982	222.937	209.900			
16	T	2.1207	4.3235	4.2780	2.1644	2.0536	3.9306	3.9236	2.0935	24.8879			
	S	216.374	196.653	193.325	203.500	213.483	217.177	217.565	220.488	208.294			
17	T	2.0951	4.0983	4.1931	2.1530	2.0529	3.9243	3.9076	2.0886	24.5129			
	S	219.018	207.459	197.240	204.577	213.556	217.526	218.455	221.005	211.480			
18	T	2.1009	4.1029	4.1736	2.1340	2.0360	3.9013	3.8913	2.0752	24.4152			
	S	218.413	207.226	198.161	206.399	215.329	218.808	219.370	222.432	212.327			
19	T	2.1546	4.1976	4.3712	2.2166	2.0950	3.9904	3.9535	2.0979	25.0768			
	S	212.969	202.551	189.203	198.707	209.264	213.923	215.919	220.025	206.725			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1028	4.0815	4.2001	2.1477	2.0492	3.9286	3.9257	2.0945	24.5301		
	S	218.216	208.312	196.911	205.082	213.942	217.288	217.448	220.382	211.332		
21	T	2.1062	4.0954	4.2200	2.1691	2.0654	3.9525	3.9441	2.0964	24.6491		
	S	217.863	207.605	195.982	203.059	212.264	215.974	216.434	220.183	210.312		
22	T	2.1386	4.1801	4.2423	2.1499	2.0492	3.9182	3.9071	2.0801	24.6655		
	S	214.563	203.399	194.952	204.872	213.942	217.864	218.483	221.908	210.172		
23	T	2.1659	4.2357	4.2326	2.1477	2.0449	3.9149	3.9027	2.0902	24.7346		
	S	211.858	200.729	195.399	205.082	214.391	218.048	218.730	220.836	209.585		
24	T	2.1860	4.2212	4.1987	2.1366	2.0404	3.9172	3.9092	2.1214	24.7307		
	S	209.910	201.418	196.977	206.147	214.864	217.920	218.366	217.588	209.618		
25	T	2.2371	4.2432	4.2018	2.1389	2.0415	3.9076	3.8994	2.0928	24.7623		
	S	205.115	200.374	196.831	205.926	214.749	218.455	218.915	220.561	209.351		
26	T	2.1743	4.2317	4.2312	2.1492	2.0468	3.9228	3.9131	2.0764	24.7455		
	S	211.040	200.919	195.464	204.939	214.192	217.609	218.148	222.303	209.493		
27	T	2.1033	4.1831	4.2488	2.1581	2.0524	3.9278	3.9187	2.0856	24.6778		
	S	218.164	203.253	194.654	204.094	213.608	217.332	217.837	221.323	210.067		
28	T	2.1000	4.1115	4.2700	2.1635	2.0552	3.9341	3.9255	2.1165	24.6763		
	S	218.506	206.792	193.687	203.584	213.317	216.984	217.459	218.092	210.080		
29	T	2.1938	4.1686	4.2518	2.1604	2.0585	3.9445	3.9406	2.0893	24.8075		
	S	209.164	203.960	194.517	203.876	212.975	216.412	216.626	220.931	208.969		
30	T	2.1363	4.2134	4.2127	2.1494	2.0512	3.9318	3.9292	2.0884	24.7124		
	S	214.794	201.791	196.322	204.920	213.733	217.111	217.254	221.026	209.773		
31	T	2.1071	4.1992	4.2058	2.1436	2.0456	3.9215	3.9174	2.0855	24.6257		
	S	217.770	202.474	196.644	205.474	214.318	217.681	217.909	221.333	210.512		
32	T	2.1241	4.2055	4.2241	2.1506	2.0539	3.9402	3.9376	2.0984	24.7344		
	S	216.027	202.170	195.792	204.805	213.452	216.648	216.791	219.973	209.587		
33	T	2.1119	4.1639	4.2276	2.1527	2.0524	3.9321	3.9280	2.0892	24.6578		
	S	217.275	204.190	195.630	204.606	213.608	217.094	217.321	220.941	210.238		
34	T	2.0975	4.1429	4.2483	2.1562	2.0606	3.9415	3.9327	2.0904	24.6701		
	S	218.767	205.225	194.677	204.274	212.758	216.577	217.061	220.815	210.133		
35	T	2.0945	4.0964	4.2326	2.1540	2.0518	3.9338	3.9276	2.0849	24.5756		
	S	219.080	207.555	195.399	204.482	213.670	217.000	217.343	221.397	210.941		
36	T	2.1002	4.1847	4.2580	2.1659	2.0612	3.9461	3.9381	2.0909	24.7451		
	S	218.486	203.175	194.233	203.359	212.696	216.324	216.764	220.762	209.496		
37	T	2.1031	4.1611	4.1883	2.1403	2.0537	3.9350	3.9307	2.0877	24.5999		
	S	218.184	204.328	197.466	205.791	213.473	216.934	217.172	221.100	210.733		
38	T	2.1111	4.1727	4.2144	2.1552	2.0565	3.9446	3.9343	2.0893	24.6781		
	S	217.358	203.760	196.243	204.368	213.182	216.406	216.973	220.931	210.065		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1002	4.1851	4.2433	2.1784	2.0726	3.9715	3.9549	2.1004	24.8064			
	S	218.486	203.156	194.906	202.192	211.526	214.941	215.843	219.763	208.978			
40	T	2.1056	4.1256	4.2369	2.1562	2.0520	3.9373	3.9390	2.0980	24.6506			
	S	217.925	206.086	195.201	204.274	213.650	216.808	216.714	220.015	210.299			
41	T	2.0989	4.0964	4.2169	2.1577	2.0545	3.9433	3.9312	2.0886	24.5875			
	S	218.621	207.555	196.126	204.132	213.390	216.478	217.144	221.005	210.839			
42	T	2.1020	4.1784	4.2081	2.1399	2.0457	3.9299	3.9140	2.0800	24.5980			
	S	218.299	203.482	196.537	205.829	214.308	217.216	218.098	221.919	210.749			
43	T	2.1867	4.2930	4.2062	2.1428	2.0447	3.9307	3.9242	2.0881	24.8164			
	S	209.843	198.050	196.625	205.551	214.412	217.172	217.531	221.058	208.894			
44	T	2.1107	4.1817	4.2168	2.1450	2.0527	3.9343	3.9249	2.0869	24.6530			
	S	217.399	203.321	196.131	205.340	213.577	216.973	217.493	221.185	210.279			
45	T	2.1270	4.2128	4.2379	2.1517	2.0513	3.9295	3.9170	2.0856	24.7128			
	S	215.733	201.820	195.155	204.701	213.723	217.238	217.931	221.323	209.770			
46	T	2.1081	4.2359	4.2732	2.1713	2.0605	3.9382	3.9270	2.0859	24.8001			
	S	217.667	200.719	193.542	202.853	212.768	216.758	217.376	221.291	209.031			
47	T	2.1124	4.2430	4.2441	2.1557	2.0490	3.9185	3.9399	2.1068	24.7694			
	S	217.224	200.384	194.869	204.321	213.962	217.848	216.664	219.096	209.290			
48	T	2.1923	4.3420	4.3440	2.1868	2.0829	4.0097	3.9580	2.0925	25.2082			
	S	209.307	195.815	190.388	201.415	210.480	212.893	215.674	220.593	205.647			
49	T	2.1487	4.2360	4.2298	2.1402	2.0372	3.9516	3.9486	2.1343	24.8264			
	S	213.554	200.715	195.528	205.801	215.202	216.023	216.187	216.273	208.810			
50	T	2.2017	4.3594	4.2774	2.1857	2.0916	4.1108	3.9870	2.0988	25.3124			
	S	208.413	195.033	193.352	201.516	209.605	207.657	214.105	219.931	204.801			
51	T	2.2725	4.5636	4.4426	2.2669	2.1541	4.3219	4.0793	2.1310	26.2319			
	S	201.920	186.306	186.162	194.298	203.523	197.514	209.261	216.608	197.622			
52	T	2.1264	4.2442	4.4045	2.2153	2.0920	3.9856	3.9403	2.0926	25.1009			
	S	215.794	200.327	187.773	198.824	209.565	214.180	216.642	220.582	206.526			
53	T	2.1330	4.2833	4.2675	2.1645	2.0591	3.9354	3.9235	2.0925	24.8588			
	S	215.126	198.498	193.801	203.490	212.913	216.912	217.570	220.593	208.538			
54	T	2.0981	4.1658	4.2510	2.1654	2.0604	3.9488	3.9432	2.0953	24.7280			
	S	218.704	204.097	194.553	203.406	212.779	216.176	216.483	220.298	209.641			
55	T	2.0999	4.0606	4.2713	2.1737	2.0641	3.9482	3.9475	2.0988	24.6641			
	S	218.517	209.385	193.629	202.629	212.397	216.209	216.247	219.931	210.184			
56	T	2.1088	4.2338	4.3170	2.1874	2.0740	3.9637	3.9351	2.0900	24.9098			
	S	217.595	200.819	191.579	201.360	211.383	215.364	216.929	220.857	208.111			
57	T	2.1131	4.2557	4.2465	2.1562	2.0525	3.9368	3.9200	2.0844	24.7652			
	S	217.152	199.786	194.759	204.274	213.598	216.835	217.764	221.450	209.326			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.0999	4.2243	4.2920	2.1941	2.3654	6.6236			37.7553	27.9766	30.1305
	S	218.517	201.271	192.695	200.745	185.342	128.878			137.305	32.206	156.727
59	T				3.1563	2.6795	4.6555	4.3415	2.2319	55.3929		35.0411
	S				139.548	163.616	183.361	196.622	206.815	93.586		134.842
60	T	2.2098	4.1578	4.1295	2.1225	2.0478	3.9382	3.9308	2.0913	24.6277		
	S	207.649	204.490	200.277	207.517	214.088	216.758	217.166	220.720	210.495		
61	T	2.0958	4.0446	4.0549	2.0826	2.0027	3.8687	3.9039	2.0735	24.1267		
	S	218.944	210.213	203.962	211.493	218.909	220.652	218.662	222.614	214.866		
62	T	2.1666	4.3376	4.1730	2.1180	2.0184	3.9745	3.9290	2.0675	24.7846		
	S	211.790	196.013	198.190	207.958	217.206	214.778	217.266	223.260	209.162		
63	T	2.0755	4.2003	4.2296	2.1417	2.0341	3.8794	3.8687	2.0563	24.4856		
	S	221.086	202.421	195.538	205.657	215.530	220.043	220.652	224.476	211.716		
64	T	2.0734	4.1523	4.1297	2.1089	2.0149	3.8659	3.8729	2.0611	24.2791		
	S	221.310	204.761	200.268	208.855	217.584	220.812	220.413	223.954	213.517		
65	T	2.0650	4.1155	4.1886	2.1362	2.0294	3.8807	3.8869	2.0709	24.3732		
	S	222.210	206.591	197.452	206.186	216.029	219.970	219.619	222.894	212.693		
66	T	2.0858	4.1850	4.1907	2.1309	2.0319	3.8982	3.8941	2.0762	24.4928		
	S	219.994	203.161	197.353	206.699	215.763	218.982	219.213	222.325	211.654		
67	T	2.1147	4.2656	4.2184	2.1465	2.0715	4.2866	4.0882	2.1329	25.3244		
	S	216.988	199.322	196.057	205.197	211.638	199.141	208.805	216.415	204.704		
68	T	2.2062	4.3542	4.2312	2.1392	2.0439	3.9180	3.9164	2.0904	24.8995		
	S	207.988	195.266	195.464	205.897	214.496	217.876	217.965	220.815	208.197		
69	T	2.0965	4.0507	4.1435	2.1218	2.0294	3.9071	3.9029	2.0770	24.3289		
	S	218.871	209.896	199.601	207.585	216.029	218.483	218.718	222.239	213.080		
70	T	2.0990	4.1207	4.1160	2.1151	2.0216	3.8946	3.9066	2.0756	24.3492		
	S	218.611	206.331	200.934	208.243	216.862	219.185	218.511	222.389	212.902		
71	T	2.0987	4.1852	4.1581	2.1278	2.0367	3.9300	3.9377	2.0995	24.5737		
	S	218.642	203.151	198.900	207.000	215.255	217.210	216.786	219.858	210.957		
72	T	2.1091	4.0353	4.1425	2.1206	2.0321	3.9109	3.9305	2.0938	24.3748		
	S	217.564	210.697	199.649	207.703	215.742	218.271	217.183	220.456	212.679		
73	T	2.0946	4.0582	4.1676	2.1313	2.0540	3.9558	3.9620	2.1005	24.5240		
	S	219.070	209.508	198.446	206.660	213.442	215.794	215.456	219.753	211.385		
74	T	2.0983	4.0353	4.1739	2.1339	2.0412	3.9360	3.9520	2.1174	24.4880		
	S	218.684	210.697	198.147	206.408	214.780	216.879	216.001	217.999	211.696		
75	T	2.2318	4.3203	4.2930	2.1661	2.0620	3.9468	3.9473	2.0962	25.0635		
	S	205.602	196.798	192.650	203.340	212.614	216.286	216.258	220.204	206.835		
76	T	2.1009	4.1307	4.2881	2.1822	2.0774	3.9777	3.9781	2.1151	24.8502		
	S	218.413	205.831	192.870	201.840	211.037	214.606	214.584	218.236	208.610		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.2081	4.4184	4.3214	2.1901	2.0794	3.9851	3.9851	2.1177	25.3053		
	S	207.809	192.429	191.384	201.112	210.834	214.207	214.207	217.968	204.858		
78	T	2.1137	4.0972	4.2470	2.1721	2.0720	3.9741	3.9871	2.1234	24.7866		
	S	217.090	207.514	194.736	202.778	211.587	214.800	214.100	217.383	209.145		
79	T	2.2034	4.2198	4.3513	2.2027	2.0898	3.9972	3.9973	2.1235	25.1850		
	S	208.253	201.485	190.069	199.961	209.785	213.559	213.553	217.373	205.837		
80	T	2.1216	4.0904	4.2391	2.1752	2.0780	3.9953	4.0096	2.1351	24.8443		
	S	216.282	207.859	195.099	202.489	210.976	213.660	212.898	216.192	208.660		
81	T	2.1338	4.0730	4.1827	2.1554	2.0660	3.9824	4.0136	2.1413	24.7482		
	S	215.045	208.747	197.730	204.349	212.202	214.352	212.686	215.566	209.470		
82	T	2.1400	4.1081	4.2130	2.1713	2.0762	4.0002	4.0311	2.1475	24.8874		
	S	214.422	206.964	196.308	202.853	211.159	213.398	211.763	214.943	208.298		
83	T	2.1502	4.0263	4.1275	2.1382	2.0584	3.9847	4.0205	2.1460	24.6518		
	S	213.405	211.168	200.374	205.993	212.985	214.229	212.321	215.094	210.289		
84	T	2.1439	4.0472	4.0993	2.1316	2.0536	3.9770	4.0218	2.1534	24.6278		
	S	214.032	210.078	201.753	206.631	213.483	214.643	212.252	214.354	210.494		
85	T	2.1498	4.0384	4.1439	2.1483	2.0638	3.9917	4.0305	2.1516	24.7180		
	S	213.445	210.536	199.581	205.025	212.428	213.853	211.794	214.534	209.726		
86	T	2.2315	4.3003	4.2837	2.1793	2.0749	3.9906	3.9946	2.1274	25.1823		
	S	205.630	197.713	193.068	202.108	211.292	213.912	213.698	216.974	205.859		
87	T	2.1249	4.0617	4.2206	2.1638	2.0668	3.9803	4.0015	2.1344	24.7540		
	S	215.946	209.328	195.954	203.556	212.120	214.465	213.329	216.263	209.421		
88	T	2.1344	4.0938	4.2062	2.1616	2.0702	3.9952	4.0171	2.1389	24.8174		
	S	214.985	207.687	196.625	203.763	211.771	213.665	212.501	215.808	208.886		
89	T	2.1410	4.1435	4.1787	2.1566	2.0713	3.9947	4.0200	2.1445	24.8503		
	S	214.322	205.195	197.919	204.236	211.659	213.692	212.347	215.244	208.609		
90	T	2.1473	4.1347	4.2074	2.1684	2.0772	4.0070	4.0332	2.1532	24.9284		
	S	213.693	205.632	196.569	203.124	211.058	213.036	211.652	214.374	207.956		
91	T	2.1567	4.1205	4.2614	2.1924	2.0952	4.0385	4.0538	2.1612	25.0797		
	S	212.762	206.341	194.078	200.901	209.245	211.375	210.577	213.581	206.701		
92	T	2.2336	4.3158	4.3140	2.1870	2.0830	4.0050	3.9964	2.1219	25.2567		
	S	205.437	197.003	191.712	201.397	210.470	213.143	213.601	217.537	205.252		
93	T	2.2236	4.3788	4.3681	2.2139	2.0937	4.0192	4.0122	2.1498	25.4593		
	S	206.361	194.169	189.338	198.950	209.394	212.390	212.760	214.713	203.619		
94	T	2.2624	4.3586	4.3258	2.1869	2.0803	4.0047	3.9993	2.1294	25.3474		
	S	202.822	195.069	191.189	201.406	210.743	213.159	213.446	216.770	204.518		
95	T	2.1240	4.0909	4.1687	2.1427	2.0537	3.9669	3.9860	2.1373	24.6702		
	S	216.037	207.834	198.394	205.561	213.473	215.190	214.159	215.969	210.132		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1316	4.0605	4.1812	2.1414	2.0543	3.9674	3.9939	2.1293	24.6596		
	S	215.267	209.390	197.801	205.685	213.410	215.163	213.735	216.781	210.222		
97	T	2.1269	4.1050	4.2789	2.1876	2.0837	4.0090	4.0182	2.1418	24.9511		
	S	215.743	207.120	193.285	201.341	210.399	212.930	212.442	215.515	207.766		
98	T	2.1373	4.0814	4.3441	2.2164	2.1048	4.0360	4.0481	2.1591	25.1272		
	S	214.693	208.318	190.384	198.725	208.290	211.506	210.873	213.789	206.310		
99	T	2.1557	4.1014	4.2566	2.2470	2.1305	4.0703	4.0721	2.2377	25.2713		
	S	212.861	207.302	194.297	196.019	205.778	209.723	209.631	206.279	205.134		
100	T	2.3970	4.5626	4.4053	2.2295	2.1062	4.0206	4.0196	2.1390	25.8798		
	S	191.432	186.347	187.739	197.558	208.152	212.316	212.368	215.798	200.311		
101	T	2.1417	4.1593	4.2636	2.1897	2.0842	3.9997	4.0173	2.1419	24.9974		
	S	214.252	204.416	193.978	201.148	210.349	213.425	212.490	215.505	207.382		
102	T	2.1402	4.1311	4.3323	2.2191	2.1053	4.0336	4.0448	2.1568	25.1632		
	S	214.402	205.811	190.902	198.483	208.241	211.631	211.045	214.017	206.015		
103	T	2.1561	4.1423	4.3420	2.2183	2.1099	4.0495	4.0596	2.1637	25.2414		
	S	212.821	205.255	190.476	198.555	207.787	210.800	210.276	213.334	205.377		
104	T	2.1670	4.1607	4.2781	2.1914	2.0949	4.0352	4.0555	2.1655	25.1483		
	S	211.751	204.347	193.321	200.992	209.274	211.547	210.489	213.157	206.137		
105	T	2.1674	4.2012	4.3893	2.2558	2.3393	6.2000			36.7811	27.4418	29.0864
	S	211.712	202.377	188.423	195.254	187.410	137.683			140.942	32.834	162.353
106	T				3.1507	2.6632	4.6311	4.2987	2.2159	54.6939		
	S				139.796	164.617	184.327	198.580	208.309	94.782	34.9468	
107	T	2.1927	4.1400	4.1659	2.1358	2.0565	3.9632	3.9749	2.1142	24.7432		
	S	209.269	205.369	198.527	206.225	213.182	215.391	214.757	218.329	209.512		
108	T	2.1194	4.0339	4.1320	2.1262	2.0480	3.9528	3.9646	2.1126	24.4895		
	S	216.506	210.771	200.156	207.156	214.067	215.957	215.315	218.494	211.683		
109	T	2.1183	4.0395	4.1674	2.1427	2.0649	3.9800	3.9885	2.1274	24.6287		
	S	216.619	210.478	198.456	205.561	212.315	214.481	214.024	216.974	210.486		
110	T	2.1243	4.0117	4.0833	2.1116	2.0404	3.9404	3.9736	2.1172	24.4025		
	S	216.007	211.937	202.543	208.588	214.864	216.637	214.827	218.020	212.437		
111	T	2.1207	3.9982	4.0872	2.1164	2.0447	3.9482	3.9762	2.1182	24.4098		
	S	216.374	212.653	202.350	208.115	214.412	216.209	214.686	217.917	212.374		
112	T	2.1245	4.0100	4.0980	2.1210	2.0472	3.9531	3.9866	2.1245	24.4649		
	S	215.987	212.027	201.817	207.664	214.151	215.941	214.126	217.270	211.895		
113	T	2.1279	3.9805	4.0841	2.1114	2.0410	3.9542	3.9806	2.1241	24.4038		
	S	215.642	213.598	202.504	208.608	214.801	215.881	214.449	217.311	212.426		
114	T	2.1281	3.9998	4.0696	2.1106	2.0396	3.9489	3.9848	2.1229	24.4043		
	S	215.621	212.567	203.225	208.687	214.949	216.171	214.223	217.434	212.422		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.1241	3.9632	4.0351	2.0974	2.0287	3.9379	3.9757	2.1197	24.2818		
	S	216.027	214.530	204.963	210.000	216.103	216.775	214.713	217.762	213.493		
116	T	2.1263	3.9766	4.0628	2.1072	2.0392	3.9561	4.0040	2.1422	24.4144		
	S	215.804	213.808	203.565	209.024	214.991	215.777	213.196	215.475	212.334		
117	T	2.1475	4.0034	4.0664	2.1195	2.0510	3.9805	4.0222	2.1526	24.5431		
	S	213.673	212.376	203.385	207.811	213.754	214.455	212.231	214.434	211.220		
118	T	2.1565	3.9911	4.0801	2.1237	2.0544	3.9764	4.0138	2.1483	24.5443		
	S	212.782	213.031	202.702	207.400	213.400	214.676	212.675	214.863	211.210		
119	T	2.1497	4.0080	4.0608	2.1157	2.0484	3.9715	4.0090	2.1436	24.5067		
	S	213.455	212.133	203.666	208.184	214.025	214.941	212.930	215.334	211.534		
120	T	2.1500	4.0043	4.0780	2.1221	2.0515	3.9895	4.0287	2.1513	24.5754		
	S	213.425	212.329	202.807	207.556	213.702	213.971	211.889	214.564	210.943		
121	T	2.1565	3.9774	4.0433	2.1134	2.0456	3.9552	3.9798	2.1156	24.3868		
	S	212.782	213.765	204.547	208.410	214.318	215.826	214.492	218.184	212.574		
122	T	2.1433	4.1550	4.1425	2.1276	2.0481	3.9544	3.9674	2.1220	24.6603		
	S	214.092	204.628	199.649	207.019	214.056	215.870	215.163	217.526	210.216		
123	T	2.2414	4.2908	4.3194	2.1974	2.0854	4.0030	4.0056	2.1222	25.2652		
	S	204.722	198.151	191.472	200.443	210.228	213.249	213.111	217.506	205.183		
124	T	2.1203	4.0422	4.1947	2.1532	2.1178	4.3718	4.1709	2.1747	25.3456		
	S	216.414	210.338	197.164	204.558	207.012	195.260	204.665	212.255	204.533		
125	T	2.1678	4.2824	4.2930	2.1662	2.0593	3.9379	3.9384	2.0941	24.9391		
	S	211.672	198.540	192.650	203.331	212.892	216.775	216.747	220.424	207.866		
126	T	2.1111	4.0811	4.2384	2.1737	2.0672	3.9535	3.9569	2.1001	24.6820		
	S	217.358	208.333	195.132	202.629	212.079	215.919	215.734	219.795	210.032		
127	T	2.0962	4.0316	4.2778	2.1779	2.0712	3.9674	3.9724	2.1136	24.7081		
	S	218.903	210.891	193.334	202.238	211.669	215.163	214.892	218.391	209.810		
128	T	2.1109	3.9941	4.1434	2.1266	2.0407	3.9281	3.9508	2.1034	24.3980		
	S	217.378	212.871	199.606	207.117	214.833	217.315	216.067	219.450	212.476		
129	T	2.1415	4.1841	4.1370	2.1238	2.0405	3.9356	3.9518	2.1048	24.6191		
	S	214.272	203.204	199.914	207.390	214.854	216.901	216.012	219.304	210.568		
130	T	2.1181	4.0512	4.1553	2.1319	2.0445	3.9288	3.9396	2.0964	24.4658		
	S	216.639	209.870	199.034	206.602	214.433	217.277	216.681	220.183	211.888		
131	T	2.1079	4.3590	4.3781	2.2060	2.0981	3.9855	3.9615	2.1016	25.1977		
	S	217.688	195.051	188.905	199.662	208.955	214.186	215.483	219.638	205.733		
132	T	2.1005	3.9863	4.1178	2.1202	2.0290	3.9000	4.0540	2.4355	24.7433		
	S	218.454	213.287	200.846	207.742	216.072	218.881	210.566	189.526	209.511		
133	T	2.8770	6.2897	7.2849	4.2114	4.2328	8.8610	7.3633	3.5183	44.6384		
	S	159.494	135.178	113.529	104.586	103.574	96.336	115.931	131.197	116.133		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	3.3166	5.5041	5.1976	2.8212	3.1186	7.4349	11.9322	5.1847	44.5099		
	S	138.354	154.472	159.121	156.123	140.579	114.815	71.541	89.029	116.468		
135	T	5.9154	10.8892	10.3386	5.2286	4.9711	10.7169	10.7812	6.4065	65.2475		
	S	77.571	78.080	79.996	84.239	88.192	79.653	79.178	72.050	79.451		
136	T	5.5675	11.2676	10.2543	5.2883	5.1145	11.7371			68.7397	47.0255	60.9124
	S	82.418	75.458	80.654	83.288	85.719	72.730			75.415	19.160	77.526
137	T				3.7038	3.0506	6.1305	5.8884	3.3500	79.8505	40.6523	
	S				118.920	143.712	139.244	144.969	137.788	64.921	116.230	
138	T	3.5026	6.4222	7.3708	5.6495	5.0122	9.9263	9.3391	5.0138	52.2365		
	S	131.007	132.389	112.206	77.963	87.468	85.997	91.405	92.064	99.241		
139	T	5.1010	8.8111	8.8190	4.6272	4.9461	9.8772	9.1731	4.8580	56.2127		
	S	89.956	96.495	93.780	95.188	88.637	86.425	93.059	95.017	92.221		
140	T	4.8958	7.8276	10.2177	4.8007	4.2580	9.2326	10.2574	4.7313	56.2211		
	S	93.726	108.619	80.942	91.748	102.961	92.459	83.222	97.561	92.207		
141	T	5.3785	8.5134	8.2339	3.6521	3.3903	5.6582	5.0964	2.4199	42.3427		
	S	85.314	99.869	100.444	120.603	129.313	150.867	167.498	190.748	122.430		
142	T	2.4236	4.8818	4.5718	2.2298	2.1101	4.4917	4.4114	2.2230	27.3432		
	S	189.331	174.163	180.901	197.531	207.767	190.048	193.507	207.643	189.590		
143	T	2.2749	4.5686	4.3235	2.1582	2.0418	4.0771	3.9859	2.0949	25.5249		
	S	201.707	186.102	191.291	204.084	214.717	209.373	214.164	220.340	203.096		
144	T	2.1033	4.2670	4.2319	2.1514	2.0502	4.0738	4.0664	2.1246	25.0686		
	S	218.164	199.256	195.431	204.729	213.837	209.543	209.924	217.260	206.793		
145	T	2.1225	4.1206	4.3493	2.1772	2.0626	4.0480	4.0883	2.1428	25.1113		
	S	216.190	206.336	190.156	202.303	212.552	210.879	208.800	215.415	206.441		
146	T	2.1271	4.0568	4.2177	2.1467	2.0462	3.9428	3.9435	2.0963	24.5771		
	S	215.723	209.581	196.089	205.178	214.255	216.505	216.467	220.193	210.928		
147	T	2.0907	3.9391	4.1547	2.1090	2.0151	3.8664	3.8765	2.0733	24.1248		
	S	219.478	215.843	199.063	208.845	217.562	220.783	220.208	222.636	214.883		
148	T	2.0704	3.9868	4.0786	2.0823	1.9933	3.8469	3.8448	2.0929	23.9960		
	S	221.630	213.261	202.777	211.523	219.941	221.902	222.024	220.551	216.036		
149	T	2.1849	4.2452	4.1034	2.0967	1.9995	3.8501	3.8599	2.0444	24.3841		
	S	210.016	200.280	201.551	210.070	219.259	221.718	221.155	225.783	212.598		
150	T	2.1026	4.1714	4.1754	2.1276	2.0281	3.8897	3.8780	2.0643	24.4371		
	S	218.236	203.823	198.076	207.019	216.167	219.461	220.123	223.607	212.136		
151	T	2.0607	4.0517	4.1109	2.1056	2.0168	3.8843	3.8824	2.0682	24.1806		
	S	222.674	209.845	201.184	209.182	217.379	219.766	219.873	223.185	214.387		
152	T	2.0641	3.9609	4.1075	2.1095	2.0131	3.8682	3.8728	2.0626	24.0587		
	S	222.307	214.655	201.350	208.796	217.778	220.681	220.418	223.791	215.473		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0687	4.1298	4.2309	2.1490	2.0481	4.0729	4.0099	2.1107	24.8200		
	S	221.813	205.876	195.477	204.958	214.056	209.589	212.882	218.691	208.864		
154	T	2.1085	4.0767	4.1281	2.1110	2.0197	3.8987	3.9116	2.0857	24.3400		
	S	217.626	208.558	200.345	208.647	217.066	218.954	218.232	221.312	212.983		
155	T	2.0897	4.1409	4.2842	2.1744	2.0616	3.9444	3.9340	2.0933	24.7225		
	S	219.583	205.324	193.045	202.564	212.655	216.417	216.989	220.509	209.688		
156	T	2.0927	3.9984	4.1150	2.1067	2.0189	3.9311	3.9443	2.0871	24.2942		
	S	219.269	212.642	200.983	209.073	217.152	217.149	216.423	221.164	213.384		
157	T	2.1220	4.0712	4.5057	2.2802	2.1451	4.0438	4.0159	2.1246	25.3085		
	S	216.241	208.839	183.555	193.165	204.377	211.098	212.564	217.260	204.832		
158	T	2.1157	4.0276	4.1746	2.1411	2.0501	3.9453	3.9502	2.1091	24.5137		
	S	216.885	211.100	198.114	205.714	213.848	216.368	216.100	218.857	211.474		
159	T	2.1201	4.0548	4.1524	2.1305	2.0408	3.9159	3.9288	2.0933	24.4366		
	S	216.435	209.684	199.173	206.738	214.822	217.992	217.277	220.509	212.141		
160	T	2.1019	3.9627	4.1137	2.1119	2.0242	3.8943	3.9123	2.0880	24.2090		
	S	218.309	214.558	201.047	208.558	216.584	219.201	218.193	221.068	214.135		
161	T	2.0893	3.9656	4.2855	2.2351	2.1010	3.9977	3.9675	2.1021	24.7438		
	S	219.626	214.401	192.987	197.063	208.667	213.532	215.157	219.586	209.507		
162	T	2.1010	3.9956	4.2082	2.1624	2.0550	3.9375	3.9386	2.0904	24.4887		
	S	218.402	212.791	196.532	203.688	213.338	216.797	216.736	220.815	211.689		
163	T	2.1032	4.1046	4.1592	2.1239	2.0332	3.9044	3.9184	2.0898	24.4367		
	S	218.174	207.140	198.847	207.380	215.625	218.634	217.853	220.878	212.140		
164	T	2.0956	4.0762	4.1481	2.1143	2.0183	3.8766	3.8811	2.0816	24.2918		
	S	218.965	208.583	199.379	208.322	217.217	220.202	219.947	221.748	213.405		
165	T	2.1456	4.1722	4.3234	2.2434	2.1093	4.0486	4.0059	2.1120	25.1604		
	S	213.863	203.784	191.295	196.333	207.846	210.847	213.095	218.556	206.038		
166	T	2.1039	4.1101	4.2250	2.1449	2.0456	3.9173	3.9184	2.0856	24.5508		
	S	218.101	206.863	195.750	205.350	214.318	217.914	217.853	221.323	211.154		
167	T	2.0864	4.0341	4.1789	2.1301	2.0337	3.9450	3.9384	2.0818	24.4284		
	S	219.931	210.760	197.910	206.776	215.572	216.384	216.747	221.727	212.212		
168	T	2.0976	4.1992	4.3034	2.1863	2.0617	3.9791	3.9417	2.0850	24.8540		
	S	218.757	202.474	192.184	201.461	212.644	214.530	216.566	221.387	208.578		
169	T	2.0833	4.1749	4.2462	2.1485	2.0445	3.9233	3.9220	2.0830	24.6257		
	S	220.258	203.652	194.773	205.006	214.433	217.581	217.653	221.599	210.512		
170	T	2.0938	4.1374	4.1899	2.1398	2.0528	3.9346	3.9304	2.0850	24.5637		
	S	219.154	205.498	197.390	205.839	213.566	216.956	217.188	221.387	211.043		
171	T	2.0805	4.0149	4.2191	2.1511	2.0444	3.9495	3.9438	2.0964	24.4997		
	S	220.554	211.768	196.024	204.758	214.444	216.138	216.450	220.183	211.594		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.1034	4.1249	4.2753	2.1907	2.0742	3.9550	3.9434	2.0955	24.7624		
	S	218.153	206.121	193.447	201.057	211.363	215.837	216.472	220.277	209.350		
173	T	2.0977	4.0151	4.2979	2.1825	2.0677	3.9512	3.9497	2.1007	24.6625		
	S	218.746	211.757	192.430	201.812	212.027	216.045	216.127	219.732	210.198		
174	T	2.0966	4.0365	4.1496	2.1258	2.0297	3.8901	3.9019	2.0820	24.3122		
	S	218.861	210.635	199.307	207.195	215.997	219.438	218.775	221.706	213.226		
175	T	2.0959	4.1700	4.2810	2.1629	2.0520	4.0473	3.9805	2.0953	24.8849		
	S	218.934	203.891	193.190	203.641	213.650	210.915	214.455	220.298	208.319		
176	T	2.1142	4.1884	4.1889	2.1262	2.0315	4.0237	3.9695	2.0984	24.7408		
	S	217.039	202.996	197.437	207.156	215.806	212.152	215.049	219.973	209.532		
177	T	2.1080	4.1483	4.2537	2.1498	2.0482	3.9213	3.9175	2.0809	24.6277		
	S	217.677	204.958	194.430	204.882	214.046	217.692	217.903	221.823	210.495		
178	T	2.0825	4.0559	4.1718	2.1225	2.0331	3.8969	3.8959	2.0696	24.3282		
	S	220.343	209.627	198.247	207.517	215.636	219.055	219.111	223.034	213.086		
179	T	2.0687	4.1388	4.3078	2.1977	2.0773	3.9685	3.9442	2.0912	24.7942		
	S	221.813	205.428	191.988	200.416	211.048	215.103	216.428	220.730	209.081		
180	T	2.0890	4.0167	4.1469	2.1190	2.0258	3.8957	3.9112	2.0834	24.2877		
	S	219.657	211.673	199.437	207.860	216.413	219.123	218.254	221.557	213.441		
181	T	2.0850	4.0026	4.1049	2.1123	2.0247	3.8949	3.9081	2.0849	24.2174		
	S	220.078	212.419	201.478	208.519	216.530	219.168	218.427	221.397	214.061		
182	T	2.0847	3.9788	4.0744	2.0958	2.0172	3.8931	3.9102	2.0834	24.1376		
	S	220.110	213.689	202.986	210.161	217.335	219.269	218.310	221.557	214.769		
183	T	2.0834	3.9588	4.1443	2.1350	2.0416	3.9217	3.9233	2.0868	24.2949		
	S	220.247	214.769	199.562	206.302	214.738	217.670	217.581	221.196	213.378		
184	T	2.0836	3.9777	4.0859	2.1039	2.0183	3.8825	3.8992	2.0813	24.1324		
	S	220.226	213.748	202.415	209.351	217.217	219.868	218.926	221.780	214.815		
185	T	2.0828	4.0698	4.1299	2.1202	2.0307	3.9112	3.9168	2.0872	24.3486		
	S	220.311	208.911	200.258	207.742	215.891	218.254	217.942	221.153	212.908		
186	T	2.0888	3.9983	4.1385	2.1281	2.0418	3.9246	3.9285	2.0984	24.3470		
	S	219.678	212.647	199.842	206.971	214.717	217.509	217.293	219.973	212.922		
187	T	2.1025	3.9895	4.0826	2.1104	2.0297	3.9065	3.9294	2.1000	24.2506		
	S	218.247	213.116	202.578	208.707	215.997	218.517	217.243	219.805	213.768		
188	T	2.1088	4.0016	4.1400	2.1254	2.0401	3.9299	3.9394	2.1029	24.3881		
	S	217.595	212.472	199.769	207.234	214.896	217.216	216.692	219.502	212.563		
189	T	2.1060	3.9935	4.0505	2.0955	2.0159	3.8955	3.9201	2.0955	24.1725		
	S	217.884	212.903	204.184	210.191	217.476	219.134	217.759	220.277	214.459		
190	T	2.1018	3.9452	4.0609	2.1001	2.0213	3.8988	3.9253	2.0948	24.1482		
	S	218.319	215.509	203.661	209.730	216.895	218.948	217.470	220.351	214.674		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.1017	4.0003	4.2172	2.1450	2.0450	3.9275	3.9352	2.0961	24.4680		
	S	218.330	212.541	196.112	205.340	214.381	217.349	216.923	220.214	211.869		
192	T	2.0956	4.0077	4.0849	2.0958	2.0073	3.9672	3.9647	2.0911	24.3143		
	S	218.965	212.148	202.464	210.161	218.407	215.174	215.309	220.741	213.208		
193	T	2.0899	4.1394	4.2474	2.1497	2.0414	3.9915	3.9588	2.0932	24.7113		
	S	219.562	205.399	194.718	204.891	214.759	213.864	215.630	220.519	209.783		
194	T	2.0943	4.1286	4.2070	2.1429	2.2899	6.2041			36.7619	26.8075	29.0147
	S	219.101	205.936	196.588	205.541	191.453	137.592			141.016	33.611	162.754
195	T				3.1417	2.6609	4.6495	4.3649	2.2454	54.0473		
	S				140.196	164.760	183.597	195.568	205.572	95.916	34.9870	135.050
196	T	2.2196	4.1043	4.1328	2.1282	2.0562	3.9877	4.0116	2.1346	24.7750		
	S	206.733	207.155	200.117	206.961	213.213	214.067	212.792	216.242	209.243		
197	T	2.1365	3.9915	4.0069	2.0876	2.0201	3.9256	3.9678	2.1147	24.2507		
	S	214.774	213.009	206.405	210.986	217.023	217.454	215.141	218.277	213.767		
198	T	2.1206	3.9487	3.9910	2.0858	2.0208	3.9135	3.9549	2.1099	24.1452		
	S	216.384	215.318	207.228	211.168	216.948	218.126	215.843	218.774	214.701		
199	T	2.1150	3.9232	3.9872	2.0846	2.0180	3.9045	3.9379	2.1034	24.0738		
	S	216.957	216.718	207.425	211.290	217.249	218.629	216.775	219.450	215.338		
200	T	2.1075	3.9443	4.0925	2.1156	2.0266	3.8897	3.8883	2.0689	24.1334		
	S	217.729	215.558	202.088	208.194	216.327	219.461	219.540	223.109	214.806		
201	T	2.1503	4.2045	4.1234	2.1182	2.0292	4.2731	4.1920	2.1726	25.2633		
	S	213.395	202.218	200.574	207.938	216.050	199.770	203.635	212.460	205.199		
202	T	2.1794	4.3327	4.1714	2.1194	2.0250	3.8850	3.8834	2.0824	24.6787		
	S	210.546	196.235	198.266	207.820	216.498	219.726	219.817	221.663	210.060		
203	T	2.1946	4.5068	4.2980	2.1624	2.0473	3.9296	3.9000	2.0704	25.1091		
	S	209.088	188.654	192.426	203.688	214.140	217.232	218.881	222.948	206.459		
204	T	2.0851	4.2096	4.1714	2.1242	2.0306	3.8916	3.8913	2.0750	24.4788		
	S	220.068	201.973	198.266	207.351	215.901	219.354	219.370	222.453	211.775		
205	T	2.0712	3.9774	4.2513	2.1895	2.0737	3.9552	3.9450	2.1006	24.5639		
	S	221.545	213.765	194.539	201.167	211.414	215.826	216.384	219.742	211.041		
206	T	2.1034	3.9666	4.1287	2.1303	2.0395	3.9180	3.9342	2.0987	24.3194		
	S	218.153	214.347	200.316	206.757	214.959	217.876	216.978	219.941	213.163		
207	T	2.0985	3.9596	4.1069	2.1172	2.0311	3.9172	3.9406	2.1066	24.2777		
	S	218.663	214.726	201.379	208.036	215.848	217.920	216.626	219.117	213.529		
208	T	2.1116	3.9731	4.1158	2.1197	2.0322	3.9190	3.9444	2.1039	24.3197		
	S	217.306	213.996	200.944	207.791	215.731	217.820	216.417	219.398	213.161		
209	T	2.1040	3.9482	4.1421	2.1283	2.0392	3.9291	3.9428	2.1062	24.3399		
	S	218.091	215.346	199.668	206.951	214.991	217.260	216.505	219.158	212.984		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1083	4.0012	4.0864	2.1097	2.0275	3.9043	3.9187	2.0890	24.2451		
	S	217.646	212.493	202.390	208.776	216.231	218.640	217.837	220.963	213.816		
211	T	2.1003	4.1317	4.1259	2.1173	2.0285	3.9106	3.9254	2.0906	24.4303		
	S	218.475	205.781	200.452	208.027	216.125	218.288	217.465	220.794	212.196		
212	T	2.0919	3.9923	4.1708	2.1321	2.0391	3.9181	3.9348	2.0974	24.3765		
	S	219.353	212.967	198.294	206.582	215.001	217.870	216.945	220.078	212.664		
213	T	2.1082	4.1137	4.2018	2.1619	2.0594	4.0320	4.0280	2.1286	24.8336		
	S	217.657	206.682	196.831	203.735	212.882	211.715	211.926	216.852	208.749		
214	T	2.1280	4.1395	4.2339	2.1609	2.0624	3.9620	3.9789	2.1133	24.7789		
	S	215.631	205.394	195.339	203.829	212.572	215.456	214.541	218.422	209.210		
215	T	2.1176	4.0819	4.2202	2.1705	2.1135	4.0641	4.0130	2.1289	24.9097		
	S	216.690	208.292	195.973	202.928	207.433	210.043	212.718	216.821	208.112		
216	T	2.1360	4.0921	4.1817	2.1476	2.0572	3.9593	3.9921	2.2824	24.8484		
	S	214.824	207.773	197.777	205.092	213.110	215.603	213.831	202.239	208.625		
217	T	2.4965	5.0413	6.5884	4.6474	4.2754	6.9503	5.5020	2.6951	38.1964		
	S	183.803	168.652	125.531	94.774	102.542	122.820	155.150	171.270	135.720		
218	T	2.7089	5.1613	7.1233	4.4575	4.0547	7.1225	6.1355	3.1183	39.8820		
	S	169.391	164.731	116.104	98.812	108.124	119.851	139.131	148.026	129.983		
219	T	3.0069	5.5109	6.0306	3.5362	3.5370	6.9722	7.4473	3.3315	39.3726		
	S	152.604	154.281	137.141	124.556	123.949	122.434	114.624	138.553	131.665		
220	T	3.2367	7.3058	7.7470	8.0194	7.8307	9.4612	8.8865	4.7663	57.2536		
	S	141.769	116.377	106.757	54.924	55.986	90.225	96.060	96.845	90.545		
221	T	5.1830	8.6188	8.8923	4.5569	5.3205	10.1418			59.4954	26.0287	51.7194
	S	88.532	98.648	93.007	96.657	82.400	84.170			87.133	34.617	91.306
222	T				3.6816	3.1237	5.5395	5.6423	3.4069	57.7374	39.4847	
	S				119.637	140.349	154.100	151.292	135.487	89.786	119.667	
223	T	4.0061	9.1867	7.9023	4.3940	6.4001	8.2970	7.1397	5.7196	53.0455		
	S	114.541	92.550	104.659	100.240	68.500	102.885	119.562	80.703	97.727		
224	T	7.4905	6.6134	6.4539	3.8759	3.2304	6.0291	5.3117	2.5014	41.5063		
	S	61.259	128.561	128.147	113.639	135.714	141.586	160.709	184.533	124.897		
225	T	2.3626	4.8661	4.6515	2.2565	2.1138	4.3619	4.1113	2.1090	26.8327		
	S	194.220	174.725	177.802	195.194	207.403	195.703	207.632	218.867	193.197		
226	T	2.2243	4.3847	4.3680	2.1630	2.0457	3.9376	3.9036	2.0542	25.0811		
	S	206.296	193.908	189.342	203.631	214.308	216.791	218.679	224.706	206.689		
227	T	2.0625	4.1839	4.1210	2.0957	1.9943	4.7256	7.8011	4.2498	31.2339		
	S	222.479	203.214	200.690	210.171	219.831	180.641	109.425	108.615	165.974		
228	T	3.8742	6.4308	6.7751	4.7035	4.5808	8.9163	12.5546	4.5900	52.4253		
	S	118.441	132.212	122.071	93.644	95.706	95.739	67.994	100.564	98.884		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 20 - Carpenter, Ed

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	3.5879	7.4771	8.3414	4.6627	4.6109	11.8059	13.2790	5.3287	59.0936		
	S	127.892	113.711	99.149	94.463	95.081	72.306	64.285	86.624	87.725		
230	T	5.3389	9.8369	10.7481	6.1201	5.8222	9.8309	10.8585	4.3203	62.8759		
	S	85.947	86.432	76.948	71.969	75.300	86.832	78.615	106.842	82.448		
231	T	4.7425	9.6948	9.3133	5.2839	6.6303	9.1554	10.0650	5.1343	60.0195		
	S	96.756	87.699	88.803	83.358	66.122	93.239	84.812	89.903	86.372		
232	T	5.4399	7.8254	8.7011	6.2497	5.5805	8.4952	9.0682	5.1073	56.4673		
	S	84.351	108.650	95.051	70.476	78.561	100.485	94.135	90.379	91.805		
233	T	5.5775	9.8344	7.9577	4.9903	6.8901	9.1933	7.2234	5.3882	57.0549		
	S	82.270	86.454	103.930	88.262	63.629	92.854	118.177	85.667	90.860		
234	T	6.5116	7.0874	7.0403	3.7272	3.4032	7.3828	8.0133	2.9772	46.1430		
	S	70.469	119.963	117.473	118.173	128.823	115.625	106.527	155.042	112.346		
235	T	2.6468	5.0440	4.8109	2.3306	2.1949	4.7559	4.3945	2.1741	28.3517		
	S	173.365	168.562	171.911	188.988	199.740	179.490	194.251	212.314	182.846		
236	T	2.1773	4.5887	4.4816	2.2263	2.0842	4.0182	3.9451	2.0591	25.5805		
	S	210.749	185.287	184.542	197.842	210.349	212.442	216.379	224.171	202.654		
237	T	2.0830	4.2676	4.1902	2.1047	2.0275	4.0112	3.9011	2.0561	24.6414		
	S	220.290	199.228	197.376	209.272	216.231	212.813	218.819	224.498	210.378		
238	T	2.0649	4.1301	4.1356	2.0984	2.0008	3.8419	3.8250	2.0291	24.1258		
	S	222.221	205.861	199.982	209.900	219.117	222.191	223.173	227.486	214.874		
239	T	2.0871	4.2047	4.2059	2.1486	2.0505	3.9127	3.8847	2.0682	24.5624		
	S	219.857	202.209	196.639	204.996	213.806	218.171	219.743	223.185	211.054		
240	T	2.0635	3.9583	4.0747	2.0955	2.0031	3.8566	3.8780	2.0722	24.0019		
	S	222.372	214.796	202.971	210.191	218.865	221.344	220.123	222.754	215.983		
241	T	2.0772	4.1029	4.0839	2.0899	2.0047	3.8697	3.8878	2.0708	24.1869		
	S	220.905	207.226	202.514	210.754	218.691	220.595	219.568	222.905	214.331		
242	T	2.0704	4.0238	4.0450	2.0852	1.9982	3.8609	3.8933	2.0768	24.0536		
	S	221.630	211.300	204.461	211.229	219.402	221.098	219.258	222.261	215.519		
243	T	2.0717	4.0005	4.1367	2.1096	2.0178	3.8813	3.8869	2.0751	24.1796		
	S	221.491	212.530	199.929	208.786	217.271	219.936	219.619	222.443	214.396		
244	T	2.0777	4.0087	4.0836	2.0943	2.0047	3.8728	3.8957	2.0730	24.1105		
	S	220.852	212.096	202.529	210.311	218.691	220.418	219.123	222.668	215.010		
245	T	2.0699	4.0288	4.1003	2.0953	2.0018	3.8565	3.8749	2.0567	24.0842		
	S	221.684	211.037	201.704	210.211	219.007	221.350	220.299	224.433	215.245		
246	T	2.0802	4.1395	4.1110	2.1006	2.0065	3.8536	3.8597	2.0736	24.2247		
	S	220.586	205.394	201.179	209.680	218.494	221.517	221.167	222.604	213.996		
247	T	2.3205	5.1297									
	S	197.743	165.746									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5838	4.8688	4.5329	2.2136	2.0895	4.1528	4.0747	2.1007	26.6168	66.1335	
	S	177.593	174.628	182.454	198.977	209.815	205.557	209.497	219.732	194.764	71.446	
2	T	2.0918	4.3313	4.3675	2.1712	2.0624	3.9951	3.9713	2.0985	25.0891		
	S	219.363	196.298	189.364	202.862	212.572	213.671	214.951	219.962	206.624		
3	T	2.0972	4.0754	4.0752	2.0820	1.9977	3.8482	3.8512	2.0535	24.0804		
	S	218.798	208.624	202.946	211.554	219.457	221.827	221.655	224.783	215.279		
4	T	2.0674	4.0769	4.0650	2.0754	1.9822	3.9232	3.9186	2.0581	24.1668		
	S	221.952	208.547	203.455	212.226	221.173	217.587	217.842	224.280	214.509		
5	T	2.0711	4.1105	4.2124	2.1327	2.0311	3.8805	3.8639	2.0567	24.3589		
	S	221.556	206.843	196.336	206.524	215.848	219.981	220.926	224.433	212.817		
6	T	2.0625	4.0525	4.1726	2.1355	2.0404	3.8952	3.8793	2.0616	24.2996		
	S	222.479	209.803	198.209	206.254	214.864	219.151	220.049	223.899	213.337		
7	T	2.0710	4.0433	4.1236	2.1007	2.0116	3.8591	3.8549	2.0521	24.1163		
	S	221.566	210.281	200.564	209.670	217.940	221.201	221.442	224.936	214.958		
8	T	2.0858	4.1524	4.1761	2.1253	2.0272	3.8770	3.8734	2.0650	24.3822		
	S	219.994	204.756	198.043	207.243	216.263	220.180	220.384	223.531	212.614		
9	T	2.0784	4.1133	4.1664	2.1210	2.0298	3.9000	3.8980	2.0787	24.3856		
	S	220.777	206.702	198.504	207.664	215.986	218.881	218.993	222.057	212.584		
10	T	2.0866	4.0513	4.0870	2.0953	2.0107	3.8745	3.8893	2.0824	24.1771		
	S	219.910	209.865	202.360	210.211	218.038	220.322	219.483	221.663	214.418		
11	T	2.0967	4.0698	4.1506	2.1176	2.0267	3.8996	3.9031	2.0836	24.3477		
	S	218.850	208.911	199.259	207.997	216.317	218.904	218.707	221.535	212.915		
12	T	2.0891	4.0804	4.1761	2.1237	2.0310	3.8953	3.9025	2.0803	24.3784		
	S	219.647	208.369	198.043	207.400	215.859	219.145	218.741	221.887	212.647		
13	T	2.0816	4.0692	4.1668	2.1173	2.0269	3.8915	3.8942	2.0763	24.3238		
	S	220.438	208.942	198.485	208.027	216.295	219.359	219.207	222.314	213.125		
14	T	2.0988	4.1331	4.1742	2.1264	2.0316	3.8885	3.8885	2.0744	24.4155		
	S	218.631	205.712	198.133	207.136	215.795	219.528	219.528	222.518	212.324		
15	T	2.0878	4.1065	4.1495	2.1113	2.0183	3.8740	3.8703	2.0568	24.2745		
	S	219.783	207.044	199.312	208.618	217.217	220.350	220.561	224.422	213.557		
16	T	2.0895	4.1391	4.2378	2.1485	2.0469	3.9219	3.9119	2.0860	24.5816		
	S	219.605	205.414	195.159	205.006	214.182	217.659	218.215	221.280	210.889		
17	T	2.1065	4.1382	4.1716	2.1364	2.0542	3.9408	3.9314	2.0908	24.5699		
	S	217.832	205.458	198.256	206.167	213.421	216.615	217.133	220.772	210.990		
18	T	2.1211	4.2525	4.2329	2.1615	2.0624	3.9587	3.9463	2.1034	24.8388		
	S	216.333	199.936	195.385	203.773	212.572	215.636	216.313	219.450	208.706		
19	T	2.1095	4.0520	4.1180	2.1189	2.0405	3.9366	3.9434	2.0987	24.4176		
	S	217.522	209.829	200.837	207.869	214.854	216.846	216.472	219.941	212.306		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1084	4.0480	4.1079	2.1206	2.0403	3.9327	3.9457	2.1080	24.4116		
	S	217.636	210.036	201.330	207.703	214.875	217.061	216.346	218.971	212.358		
21	T	2.1144	4.0503	4.1119	2.1264	2.0464	3.9483	3.9587	2.1159	24.4723		
	S	217.018	209.917	201.135	207.136	214.234	216.204	215.636	218.153	211.831		
22	T	2.1210	4.0843	4.0979	2.1191	2.0401	3.9445	3.9548	2.1083	24.4700		
	S	216.343	208.170	201.822	207.850	214.896	216.412	215.848	218.940	211.851		
23	T	2.1173	4.0290	4.1133	2.1236	2.0431	3.9439	3.9569	2.1084	24.4355		
	S	216.721	211.027	201.066	207.409	214.580	216.445	215.734	218.929	212.150		
24	T	2.1231	4.2388	4.2472	2.1738	2.0770	3.9896	3.9891	2.1252	24.9638		
	S	216.129	200.582	194.727	202.620	211.078	213.965	213.992	217.199	207.661		
25	T	2.1325	4.1686	4.1721	2.1500	2.0651	3.9780	3.9755	2.1189	24.7607		
	S	215.176	203.960	198.232	204.863	212.294	214.589	214.724	217.845	209.364		
26	T	2.1474	4.3675	4.4037	2.2173	2.0959	4.0740	4.0431	2.1213	25.4702		
	S	213.683	194.671	187.807	198.645	209.175	209.533	211.134	217.598	203.532		
27	T	2.1268	4.2823	4.3727	2.1977	2.0811	3.9778	3.9449	2.0929	25.0762		
	S	215.753	198.545	189.138	200.416	210.662	214.600	216.390	220.551	206.730		
28	T	2.1043	4.1267	4.2088	2.1472	2.0534	3.9452	3.9366	2.0953	24.6175		
	S	218.060	206.031	196.504	205.130	213.504	216.373	216.846	220.298	210.582		
29	T	2.1028	4.0296	4.1582	2.1383	2.0536	3.9492	3.9508	2.1054	24.4879		
	S	218.216	210.995	198.895	205.984	213.483	216.154	216.067	219.241	211.696		
30	T	2.1266	4.3083	4.3861	2.2187	2.1115	4.0296	4.0056	2.1342	25.3206		
	S	215.773	197.346	188.561	198.519	207.629	211.841	213.111	216.283	204.734		
31	T	2.1329	4.1719	4.2721	2.1845	2.0876	4.0112	3.9974	2.1268	24.9844		
	S	215.136	203.799	193.592	201.627	210.006	212.813	213.548	217.035	207.489		
32	T	2.1334	4.2722	4.6203	2.2938	2.1522	4.0385	3.9828	2.0929	25.5861		
	S	215.086	199.014	179.003	192.020	203.703	211.375	214.331	220.551	202.610		
33	T	2.1851	4.4247	4.3764	2.1970	2.0792	3.9662	3.9278	2.0827	25.2391		
	S	209.997	192.155	188.978	200.480	210.855	215.228	217.332	221.631	205.396		
34	T	2.0980	4.1510	4.2666	2.1561	2.0531	3.9318	3.9094	2.0781	24.6441		
	S	218.715	204.825	193.842	204.283	213.535	217.111	218.355	222.122	210.355		
35	T	2.1009	4.2354	4.3170	2.1753	2.0673	3.9492	3.9178	2.0807	24.8436		
	S	218.413	200.743	191.579	202.480	212.068	216.154	217.887	221.844	208.665		
36	T	2.1051	4.1860	4.2192	2.1428	2.0445	3.9213	3.9058	2.0761	24.6008		
	S	217.977	203.112	196.019	205.551	214.433	217.692	218.556	222.336	210.725		
37	T	2.1091	4.1927	4.1887	2.1325	2.0385	3.9121	3.8968	2.0698	24.5402		
	S	217.564	202.788	197.447	206.544	215.065	218.204	219.061	223.012	211.245		
38	T	2.0999	4.2040	4.2380	2.1606	2.0562	3.9351	3.9198	2.0827	24.6963		
	S	218.517	202.242	195.150	203.858	213.213	216.929	217.775	221.631	209.910		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1084	4.2123	4.2341	2.1552	2.0553	3.9372	3.9207	2.0883	24.7115		
	S	217.636	201.844	195.330	204.368	213.307	216.813	217.725	221.037	209.781		
40	T	2.1231	4.3449	4.4915	2.2808	2.1589	4.1418	4.0863	2.1756	25.8029		
	S	216.129	195.684	184.136	193.114	203.071	206.103	208.902	212.167	200.908		
41	T	2.2150	4.4307	4.3744	2.2059	2.0876	3.9852	3.9561	2.1007	25.3556		
	S	207.162	191.895	189.065	199.671	210.006	214.202	215.777	219.732	204.452		
42	T	2.1155	4.1841	4.2862	2.1695	2.0681	3.9696	3.9546	2.1043	24.8519		
	S	216.906	203.204	192.955	203.021	211.986	215.043	215.859	219.356	208.596		
43	T	2.1109	4.0989	4.2005	2.1410	2.0526	3.9456	3.9440	2.1043	24.5978		
	S	217.378	207.428	196.892	205.724	213.587	216.351	216.439	219.356	210.751		
44	T	2.1150	4.1200	4.1838	2.1381	2.0515	4.0059	3.9872	2.1196	24.7211		
	S	216.957	206.366	197.678	206.003	213.702	213.095	214.094	217.773	209.699		
45	T	2.1285	4.2017	4.2484	2.1639	2.0671	3.9688	3.9622	2.1142	24.8548		
	S	215.581	202.353	194.672	203.547	212.089	215.087	215.445	218.329	208.571		
46	T	2.1269	4.1620	4.2400	2.1566	2.0649	3.9719	3.9609	2.1129	24.7961		
	S	215.743	204.283	195.058	204.236	212.315	214.919	215.516	218.463	209.065		
47	T	2.1244	4.1493	4.1691	2.1332	2.0526	3.9641	3.9674	2.1155	24.6756		
	S	215.997	204.909	198.375	206.476	213.587	215.342	215.163	218.195	210.086		
48	T	2.1262	4.1017	4.1728	2.1377	2.0558	3.9695	3.9731	2.1210	24.6578		
	S	215.814	207.287	198.199	206.041	213.255	215.049	214.854	217.629	210.238		
49	T	2.1250	4.0776	4.1532	2.1300	2.0505	3.9584	3.9602	2.1138	24.5687		
	S	215.936	208.512	199.135	206.786	213.806	215.652	215.554	218.370	211.000		
50	T	2.1233	4.1181	4.1788	2.1474	2.0620	3.9726	3.9737	2.1231	24.6990		
	S	216.109	206.461	197.915	205.111	212.614	214.881	214.822	217.414	209.887		
51	T	2.1264	4.0743	4.1450	2.1300	2.0503	3.9627	3.9682	2.1244	24.5813		
	S	215.794	208.681	199.528	206.786	213.827	215.418	215.119	217.281	210.892		
52	T	2.1303	4.0894	4.1373	2.1270	2.0493	3.9600	3.9713	2.1227	24.5873		
	S	215.399	207.910	199.900	207.078	213.931	215.565	214.951	217.455	210.841		
53	T	2.1289	4.0872	4.2178	2.1548	2.0657	3.9887	3.9920	2.1320	24.7671		
	S	215.540	208.022	196.085	204.406	212.233	214.014	213.837	216.506	209.310		
54	T	2.1337	4.2002	4.2365	2.1713	2.0793	4.0042	3.9974	2.1291	24.9517		
	S	215.055	202.425	195.219	202.853	210.845	213.185	213.548	216.801	207.761		
55	T	2.1337	4.1232	4.1990	2.1514	2.0662	3.9925	3.9904	2.1282	24.7846		
	S	215.055	206.206	196.962	204.729	212.181	213.810	213.923	216.893	209.162		
56	T	2.1291	4.1743	4.2167	2.1670	2.0745	3.9962	4.0046	2.1323	24.8947		
	S	215.520	203.681	196.136	203.255	211.332	213.612	213.164	216.476	208.237		
57	T	2.1355	4.1372	4.2251	2.1651	2.0744	3.9998	3.9986	2.1309	24.8666		
	S	214.874	205.508	195.746	203.434	211.343	213.420	213.484	216.618	208.472		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T 2.1314	4.2438	4.2638	2.1827	2.0893	4.0191	4.0124	2.1353	25.0778			
	S 215.287	200.346	193.969	201.793	209.835	212.395	212.750	216.171	206.717			
59	T 2.1410	4.2463	4.3059	2.2726	2.7982	6.5461			37.9025	26.8755		30.5162
	S 214.322	200.228	192.073	193.811	156.675	130.404			136.772	33.526		154.746
60	T			3.1643	2.6746	4.6451	4.3081	2.2213	54.5450		35.0558	
	S			139.195	163.916	183.771	198.147	207.802	95.041		134.785	
61	T 2.1990	4.1329	4.1021	2.1114	2.0493	3.9908	3.9789	2.1245	24.6889			
	S 208.669	205.722	201.615	208.608	213.931	213.901	214.541	217.270	209.973			
62	T 2.1332	3.9714	4.0264	2.0962	2.0404	3.9540	3.9675	2.1233	24.3124			
	S 215.106	214.088	205.406	210.120	214.864	215.892	215.157	217.393	213.225			
63	T 2.1316	3.9268	3.9994	2.0873	2.0285	3.9430	3.9669	2.1209	24.2044			
	S 215.267	216.519	206.792	211.016	216.125	216.494	215.190	217.639	214.176			
64	T 2.1297	3.9108	3.9889	2.0826	2.0231	3.9374	3.9598	2.1224	24.1547			
	S 215.459	217.405	207.337	211.493	216.702	216.802	215.576	217.485	214.617			
65	T 2.1320	3.8900	3.9953	2.0856	2.0263	3.9412	3.9751	2.1259	24.1714			
	S 215.227	218.567	207.005	211.188	216.359	216.593	214.746	217.127	214.468			
66	T 2.1356	3.9197	4.0234	2.0966	2.0335	3.9554	3.9797	2.1262	24.2701			
	S 214.864	216.911	205.559	210.080	215.593	215.815	214.498	217.097	213.596			
67	T 2.1375	3.9271	4.0101	2.0925	2.0286	3.9413	3.9700	2.1228	24.2299			
	S 214.673	216.503	206.241	210.492	216.114	216.588	215.022	217.444	213.951			
68	T 2.1333	3.8923	3.9910	2.0867	2.0247	3.9372	3.9666	2.1250	24.1568			
	S 215.096	218.438	207.228	211.077	216.530	216.813	215.206	217.219	214.598			
69	T 2.1327	3.9279	4.0104	2.0908	2.0285	3.9356	3.9638	2.1192	24.2089			
	S 215.156	216.458	206.225	210.663	216.125	216.901	215.358	217.814	214.136			
70	T 2.1280	3.9376	4.0395	2.0903	2.0191	3.9240	3.9422	2.1046	24.1853			
	S 215.631	215.925	204.740	210.714	217.131	217.542	216.538	219.325	214.345			
71	T 2.1122	3.9907	4.0696	2.1002	2.0255	3.9192	3.9272	2.0941	24.2387			
	S 217.244	213.052	203.225	209.720	216.445	217.809	217.365	220.424	213.873			
72	T 2.1040	4.0424	4.1130	2.1072	2.0236	3.9041	3.9052	2.0810	24.2805			
	S 218.091	210.327	201.081	209.024	216.648	218.651	218.590	221.812	213.505			
73	T 2.0889	4.3324	4.3130	2.1752	2.0603	3.9754	3.9835	2.1236	25.0523			
	S 219.668	196.249	191.756	202.489	212.789	214.730	214.293	217.362	206.927			
74	T 2.1308	4.2351	4.2129	2.1636	2.0781	4.0078	4.0102	2.1374	24.9759			
	S 215.348	200.757	196.313	203.575	210.966	212.994	212.866	215.959	207.560			
75	T 2.1457	3.9996	4.0591	2.1113	2.0446	3.9612	3.9837	2.1316	24.4368			
	S 213.853	212.578	203.751	208.618	214.423	215.499	214.282	216.547	212.139			
76	T 2.1419	3.9647	4.0548	2.1077	2.0434	3.9695	3.9871	2.1327	24.4018			
	S 214.232	214.449	203.967	208.974	214.549	215.049	214.100	216.435	212.443			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.1390	3.9814	4.0862	2.1192	2.0512	3.9752	4.0018	2.1347	24.4887		
	S	214.523	213.550	202.400	207.840	213.733	214.740	213.313	216.232	211.689		
78	T	2.1433	4.2106	4.4083	2.2577	2.1267	4.1598	4.1242	2.1468	25.5774		
	S	214.092	201.925	187.611	195.090	206.145	205.211	206.982	215.013	202.679		
79	T	2.1642	4.4888	4.4575	2.2232	2.1066	4.0561	4.0290	2.1136	25.6390		
	S	212.025	189.411	185.540	198.117	208.112	210.457	211.873	218.391	202.192		
80	T	2.1329	4.2501	4.2611	2.1622	2.0627	3.9655	3.9499	2.0991	24.8835		
	S	215.136	200.049	194.092	203.707	212.541	215.266	216.116	219.899	208.331		
81	T	2.1019	3.9920	4.1260	2.1125	2.0331	3.9289	3.9335	2.0971	24.3250		
	S	218.309	212.983	200.447	208.499	215.636	217.271	217.017	220.109	213.114		
82	T	2.1014	3.9801	4.0946	2.1050	2.0277	3.9277	3.9389	2.0987	24.2741		
	S	218.361	213.620	201.984	209.242	216.210	217.337	216.719	219.941	213.561		
83	T	2.1033	3.9886	4.1143	2.1140	2.0335	3.9304	3.9542	2.1089	24.3472		
	S	218.164	213.164	201.017	208.351	215.593	217.188	215.881	218.878	212.920		
84	T	2.1161	4.0025	4.0921	2.1067	2.0308	3.9373	3.9614	2.1143	24.3612		
	S	216.844	212.424	202.108	209.073	215.880	216.808	215.489	218.319	212.797		
85	T	2.1184	4.0220	4.1316	2.1238	2.0457	3.9648	3.9822	2.1270	24.5155		
	S	216.609	211.394	200.176	207.390	214.308	215.304	214.363	217.015	211.458		
86	T	2.1273	4.1320	4.5098	2.2747	2.1522	4.0840	4.0393	2.1490	25.4683		
	S	215.702	205.767	183.388	193.632	203.703	209.020	211.333	214.793	203.547		
87	T	2.1549	4.3893	4.4728	2.2522	2.1315	4.1700	4.0458	2.1239	25.7404		
	S	212.940	193.705	184.906	195.566	205.681	204.709	210.993	217.332	201.395		
88	T	2.1346	4.2415	4.2870	2.1737	2.0723	3.9763	3.9653	2.1112	24.9619		
	S	214.965	200.454	192.919	202.629	211.557	214.681	215.277	218.639	207.676		
89	T	2.1151	4.0806	4.1702	2.1331	2.0481	3.9555	3.9653	2.1104	24.5783		
	S	216.947	208.358	198.323	206.486	214.056	215.810	215.277	218.722	210.918		
90	T	2.1264	4.3705	4.4458	2.2428	2.1107	4.0576	4.0083	2.1228	25.4849		
	S	215.794	194.538	186.028	196.386	207.708	210.380	212.967	217.444	203.415		
91	T	2.1217	4.1195	4.1591	2.1295	2.0423	3.9442	3.9552	2.1141	24.5856		
	S	216.272	206.391	198.852	206.835	214.664	216.428	215.826	218.339	210.855		
92	T	2.1132	4.0669	4.1228	2.1219	2.0462	3.9579	3.9653	2.1221	24.5163		
	S	217.142	209.060	200.603	207.576	214.255	215.679	215.277	217.516	211.451		
93	T	2.1218	4.0636	4.1307	2.1258	2.0425	3.9472	3.9629	2.1202	24.5147		
	S	216.261	209.230	200.219	207.195	214.643	216.264	215.407	217.711	211.465		
94	T	2.1588	4.3576	4.3507	2.1955	2.0773	3.9750	3.9642	2.1043	25.1834		
	S	212.555	195.114	190.095	200.617	211.048	214.751	215.336	219.356	205.850		
95	T	2.1129	4.1497	4.1820	2.1323	2.0654	3.9788	3.9735	2.1190	24.7136		
	S	217.172	204.889	197.763	206.563	212.264	214.546	214.832	217.834	209.763		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1226	4.0617	4.1253	2.1177	2.0380	3.9364	3.9535	2.1126	24.4678		
	S	216.180	209.328	200.481	207.987	215.117	216.857	215.919	218.494	211.870		
97	T	2.1134	4.0173	4.1174	2.1149	2.0325	3.9279	3.9535	2.1140	24.3909		
	S	217.121	211.641	200.866	208.263	215.699	217.326	215.919	218.350	212.538		
98	T	2.1158	4.0292	4.1303	2.1264	2.0415	3.9468	3.9633	2.1206	24.4739		
	S	216.875	211.016	200.239	207.136	214.749	216.286	215.385	217.670	211.817		
99	T	2.1234	4.0279	4.0891	2.1095	2.0314	3.9348	3.9588	2.1193	24.3942		
	S	216.099	211.085	202.256	208.796	215.816	216.945	215.630	217.803	212.510		
100	T	2.1210	4.0182	4.0894	2.1106	2.0408	3.9443	3.9744	2.1274	24.4261		
	S	216.343	211.594	202.241	208.687	214.822	216.423	214.784	216.974	212.232		
101	T	2.1363	4.0850	4.1320	2.1221	2.0419	3.9557	3.9775	2.1289	24.5794		
	S	214.794	208.134	200.156	207.556	214.706	215.799	214.616	216.821	210.908		
102	T	2.1296	4.0213	4.1280	2.1256	2.0469	3.9543	3.9751	2.1301	24.5109		
	S	215.469	211.431	200.350	207.214	214.182	215.875	214.746	216.699	211.498		
103	T	2.1353	3.9832	4.0882	2.1086	2.0451	3.9518	3.9768	2.1252	24.4142		
	S	214.894	213.453	202.301	208.885	214.370	216.012	214.654	217.199	212.335		
104	T	2.1664	4.3794	4.4429	2.2304	2.1042	4.0177	3.9855	2.1200	25.4465		
	S	211.809	194.142	186.150	197.478	208.350	212.469	214.186	217.732	203.722		
105	T	2.1232	4.0843	4.1657	2.1295	2.0440	3.9450	3.9543	2.1058	24.5518		
	S	216.119	208.170	198.537	206.835	214.486	216.384	215.875	219.200	211.145		
106	T	2.1164	4.0587	4.1195	2.1184	2.0411	3.9399	3.9634	2.1109	24.4683		
	S	216.813	209.483	200.764	207.918	214.791	216.664	215.380	218.670	211.866		
107	T	2.1189	4.0576	4.1234	2.1210	2.0390	3.9511	3.9617	2.1143	24.4870		
	S	216.557	209.539	200.574	207.664	215.012	216.050	215.472	218.319	211.704		
108	T	2.1209	4.0593	4.1155	2.1159	2.0400	3.9548	3.9718	2.1138	24.4920		
	S	216.353	209.452	200.959	208.164	214.906	215.848	214.924	218.370	211.661		
109	T	2.1223	4.0668	4.1641	2.1329	2.0556	3.9731	3.9766	2.1218	24.6132		
	S	216.211	209.065	198.613	206.505	213.275	214.854	214.665	217.547	210.619		
110	T	2.1341	4.1567	4.1896	2.1457	2.0579	3.9649	3.9782	2.1173	24.7444		
	S	215.015	204.544	197.404	205.273	213.037	215.298	214.579	218.009	209.502		
111	T	2.1239	4.0674	4.1440	2.1243	2.0453	3.9520	3.9620	2.1083	24.5272		
	S	216.048	209.035	199.577	207.341	214.350	216.001	215.456	218.940	211.357		
112	T	2.1208	4.1005	4.1630	2.1341	2.0516	3.9627	3.9674	2.1162	24.6163		
	S	216.363	207.347	198.666	206.389	213.691	215.418	215.163	218.123	210.592		
113	T	2.1332	4.1246	4.1844	2.1412	2.0564	3.9607	3.9722	2.1161	24.6888		
	S	215.106	206.136	197.650	205.705	213.193	215.527	214.903	218.133	209.974		
114	T	2.1350	4.1900	4.2190	2.1767	2.5433	6.3715			37.2396	27.5800	29.8429
	S	214.924	202.918	196.029	202.350	172.378	133.977			139.207	32.669	158.238

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T			3.1554	2.6640	4.6300	4.2959	2.2103	55.1654		34.9821	
	S			139.588	164.568	184.371	198.710	208.836	93.972		135.069	
116	T	2.1862	4.1067	4.0780	2.0947	2.0252	3.9149	3.9263	2.0936	24.4256		
	S	209.891	207.034	202.807	210.271	216.477	218.048	217.415	220.477	212.236		
117	T	2.1044	3.9283	4.1249	2.1078	2.0316	3.9190	3.9222	2.0870	24.2252		
	S	218.050	216.436	200.501	208.964	215.795	217.820	217.642	221.174	213.992		
118	T	2.0949	3.9914	4.0237	2.0740	1.9991	3.8650	3.8735	2.0659	23.9875		
	S	219.038	213.015	205.544	212.370	219.303	220.863	220.379	223.433	216.113		
119	T	2.0697	4.0249	4.0663	2.0849	2.0071	3.8698	3.8736	2.0621	24.0584		
	S	221.705	211.242	203.390	211.259	218.429	220.589	220.373	223.845	215.476		
120	T	2.0691	4.0345	4.0525	2.0806	2.0027	3.8631	3.8764	2.0726	24.0515		
	S	221.770	210.739	204.083	211.696	218.909	220.972	220.214	222.711	215.537		
121	T	2.0767	4.0300	4.2185	2.1363	2.0465	3.9342	3.9243	2.0947	24.4612		
	S	220.958	210.975	196.052	206.176	214.224	216.978	217.526	220.361	211.927		
122	T	2.1016	4.0340	4.1272	2.1130	2.0295	3.9034	3.9145	2.0849	24.3081		
	S	218.340	210.765	200.389	208.450	216.018	218.690	218.070	221.397	213.262		
123	T	2.0882	3.9412	4.0710	2.0889	2.0078	3.8714	3.8889	2.0726	24.0300		
	S	219.741	215.728	203.155	210.855	218.353	220.498	219.506	222.711	215.730		
124	T	2.0756	4.0171	4.2241	2.1503	2.0537	3.9415	3.9188	2.0798	24.4609		
	S	221.075	211.652	195.792	204.834	213.473	216.577	217.831	221.940	211.930		
125	T	2.0826	4.0719	4.2068	2.1305	2.0400	3.9166	3.9112	2.0849	24.4445		
	S	220.332	208.804	196.597	206.738	214.906	217.953	218.254	221.397	212.072		
126	T	2.0834	4.0092	4.1446	2.1075	2.0195	3.8807	3.8747	2.0527	24.1723		
	S	220.247	212.069	199.548	208.994	217.088	219.970	220.310	224.870	214.460		
127	T	2.0826	4.1549	4.2416	2.1357	2.0341	3.9785	4.0253	2.0914	24.7441		
	S	220.332	204.632	194.984	206.234	215.530	214.562	212.068	220.709	209.504		
128	T	2.1019	4.2203	4.2849	2.1513	2.0497	3.9221	3.9034	2.0656	24.6992		
	S	218.309	201.461	193.014	204.739	213.889	217.648	218.690	223.466	209.885		
129	T	2.0829	4.1822	4.2480	2.1410	2.0365	3.8851	3.8901	2.0561	24.5219		
	S	220.300	203.297	194.691	205.724	215.276	219.721	219.438	224.498	211.403		
130	T	2.0870	4.2073	4.2872	2.1560	2.0431	3.8971	3.8791	2.0635	24.6203		
	S	219.868	202.084	192.910	204.292	214.580	219.044	220.060	223.693	210.558		
131	T	2.1012	4.2438	4.2370	2.1430	2.0443	3.9095	3.8957	2.0568	24.6313		
	S	218.382	200.346	195.196	205.532	214.454	218.349	219.123	224.422	210.464		
132	T	2.1230	4.2283	4.2232	2.1333	2.0365	3.8953	3.8837	2.0600	24.5833		
	S	216.139	201.080	195.834	206.466	215.276	219.145	219.800	224.073	210.875		
133	T	2.0742	4.1790	4.2542	2.1409	2.0403	3.9004	4.2113	2.7524	25.5527		
	S	221.224	203.452	194.407	205.733	214.875	218.859	202.701	167.705	202.875		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	3.0928	6.5219	7.8552	4.2618	4.0733	10.4076	8.0374	3.3708	47.6208		
	S	148.365	130.365	105.286	103.349	107.630	82.020	106.208	136.938	108.860		
135	T	3.1466	5.7268	5.3294	2.7163	2.9055	7.7973	8.6280	5.2452	41.4951		
	S	145.828	148.465	155.185	162.152	150.889	109.478	98.938	88.003	124.930		
136	T	5.2297	11.3920	10.3281	5.5792	5.0770	11.2396	9.0979	6.2667	64.2102		
	S	87.742	74.634	80.077	78.946	86.352	75.949	93.828	73.658	80.735		
137	T	5.6842	11.1974	10.1979	5.4455	5.1087	11.6810	10.7459	5.9059	65.9665		
	S	80.726	75.931	81.100	80.884	85.816	73.079	79.438	78.158	78.585		
138	T	6.5061	8.9580	9.1173	5.8260	5.4560	11.5036	11.0431	4.9938	63.4039		
	S	70.528	94.913	90.712	75.602	80.354	74.206	77.300	92.433	81.762		
139	T	5.8887	10.7062	9.5795	4.5203	4.5809	10.1801	9.7862	5.6653	60.9072		
	S	77.923	79.414	86.335	97.439	95.704	83.853	87.229	81.477	85.113		
140	T	4.8814	8.6293	8.7808	5.3316	4.5623	9.0605	9.4048	4.7173	55.3680		
	S	94.002	98.528	94.188	82.612	96.094	94.215	90.766	97.851	93.628		
141	T	5.1957	10.2379	8.7768	5.0685	5.3314	9.4610	9.9324	4.6122	58.6159		
	S	88.316	83.047	94.231	86.900	82.232	90.227	85.945	100.080	88.440		
142	T	5.9853	8.3765	10.1397	4.3904	3.8663	7.8568	6.1415	2.5849	49.3414		
	S	76.665	101.501	81.565	100.322	113.392	108.649	138.995	178.572	105.064		
143	T	2.4593	5.0176	4.7825	2.3705	2.2005	4.3419	4.1363	2.1260	27.4346		
	S	186.583	169.449	172.932	185.807	199.232	196.604	206.377	217.117	188.958		
144	T	2.1683	4.5190	4.3237	2.1584	2.0537	3.9344	3.9029	2.0598	25.1202		
	S	211.624	188.145	191.282	204.065	213.473	216.967	218.718	224.095	206.368		
145	T	2.0700	4.1580	4.2067	2.1075	2.0077	3.9301	3.9844	2.0681	24.5325		
	S	221.673	204.480	196.602	208.994	218.364	217.205	214.245	223.196	211.312		
146	T	2.1159	4.3273	4.2023	2.1144	2.0123	3.8537	3.9295	2.0653	24.6207		
	S	216.865	196.480	196.808	208.312	217.865	221.511	217.238	223.498	210.555		
147	T	2.0805	4.2066	4.1276	2.0923	2.0022	3.8464	3.8367	2.0407	24.2330		
	S	220.554	202.117	200.370	210.512	218.964	221.931	222.492	226.192	213.923		
148	T	2.0732	4.1319	4.1194	2.0983	2.0114	3.8575	3.8502	2.0538	24.1957		
	S	221.331	205.772	200.768	209.910	217.962	221.293	221.712	224.750	214.253		
149	T	2.0696	4.1130	4.1258	2.0994	2.0132	3.8754	3.8808	2.0666	24.2438		
	S	221.716	206.717	200.457	209.800	217.767	220.271	219.964	223.358	213.828		
150	T	2.0680	4.0318	4.0923	2.0934	2.0084	3.8684	3.8715	2.0624	24.0962		
	S	221.888	210.880	202.098	210.402	218.288	220.669	220.492	223.813	215.138		
151	T	2.0705	4.0587	4.1638	2.1137	2.0236	3.8964	3.8967	2.0844	24.3078		
	S	221.620	209.483	198.628	208.381	216.648	219.083	219.066	221.450	213.265		
152	T	2.0959	4.0579	4.1366	2.1060	2.0153	3.8705	3.8656	2.0450	24.1928		
	S	218.934	209.524	199.934	209.143	217.540	220.549	220.829	225.717	214.279		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1022	4.3180	4.2517	2.1506	2.0450	3.9101	3.8811	2.0596	24.7183		
	S	218.278	196.903	194.521	204.805	214.381	218.316	219.947	224.117	209.723		
154	T	2.0797	4.1308	4.1695	2.1230	2.0265	3.8797	3.8734	2.0566	24.3392		
	S	220.639	205.826	198.356	207.468	216.338	220.026	220.384	224.444	212.990		
155	T	2.1041	4.1947	4.1914	2.1269	2.0351	3.9062	3.9043	2.0786	24.5413		
	S	218.081	202.691	197.320	207.088	215.424	218.534	218.640	222.068	211.236		
156	T	2.0826	4.0866	4.1831	2.1292	2.0376	3.9053	3.9033	2.0769	24.4046		
	S	220.332	208.052	197.711	206.864	215.160	218.584	218.696	222.250	212.419		
157	T	2.0827	4.0799	4.1640	2.1153	2.0291	3.8998	3.8934	2.0715	24.3357		
	S	220.322	208.394	198.618	208.223	216.061	218.892	219.252	222.829	213.020		
158	T	2.0851	4.1255	4.1717	2.1207	2.0305	3.9033	3.8989	2.0704	24.4061		
	S	220.068	206.091	198.251	207.693	215.912	218.696	218.943	222.948	212.406		
159	T	2.0857	4.1672	4.2199	2.1362	2.0395	3.9093	3.8911	2.0672	24.5161		
	S	220.005	204.028	195.987	206.186	214.959	218.360	219.382	223.293	211.453		
160	T	2.1063	4.2256	4.3003	2.1730	2.0652	3.9445	3.9289	2.0904	24.8342		
	S	217.853	201.209	192.323	202.694	212.284	216.412	217.271	220.815	208.744		
161	T	2.1072	4.1671	4.2036	2.1380	2.0467	3.9322	3.9330	2.0940	24.6218		
	S	217.760	204.033	196.747	206.012	214.203	217.089	217.045	220.435	210.545		
162	T	2.1064	4.1350	4.1943	2.1442	2.0557	3.9584	3.9647	2.1111	24.6698		
	S	217.843	205.617	197.183	205.417	213.265	215.652	215.309	218.649	210.135		
163	T	2.1167	4.1094	4.1928	2.1544	2.0647	3.9744	3.9781	2.1229	24.7134		
	S	216.783	206.898	197.254	204.444	212.335	214.784	214.584	217.434	209.765		
164	T	2.1385	4.1678	4.2028	2.1529	2.0679	3.9833	3.9919	2.1265	24.8316		
	S	214.573	203.999	196.784	204.587	212.007	214.304	213.842	217.066	208.766		
165	T	2.1330	4.1154	4.1669	2.1396	2.0558	3.9617	3.9752	2.1168	24.6644		
	S	215.126	206.597	198.480	205.858	213.255	215.472	214.740	218.061	210.181		
166	T	2.1249	4.1195	4.1771	2.1479	2.0597	3.9677	3.9872	2.1210	24.7050		
	S	215.946	206.391	197.995	205.063	212.851	215.146	214.094	217.629	209.836		
167	T	2.1290	4.0821	4.1452	2.1358	2.0553	3.9671	3.9860	2.1241	24.6246		
	S	215.530	208.282	199.519	206.225	213.307	215.179	214.159	217.311	210.521		
168	T	2.1309	4.0058	4.0885	2.1159	2.0416	3.9508	3.9662	2.1174	24.4171		
	S	215.338	212.249	202.286	208.164	214.738	216.067	215.228	217.999	212.310		
169	T	2.1240	4.0428	4.0944	2.1189	2.0470	3.9666	3.9897	2.1373	24.5207		
	S	216.037	210.307	201.994	207.869	214.172	215.206	213.960	215.969	211.413		
170	T	2.1421	4.0259	4.1126	2.1295	2.0594	3.9833	4.0086	2.1443	24.6057		
	S	214.212	211.189	201.100	206.835	212.882	214.304	212.951	215.264	210.683		
171	T	2.1535	4.0136	4.1391	2.1402	2.0647	3.9963	4.0150	2.1483	24.6707		
	S	213.078	211.837	199.813	205.801	212.335	213.607	212.612	214.863	210.128		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.1569	4.0153	4.1028	2.1294	2.0590	3.9935	4.0169	2.1481	24.6219		
	S	212.742	211.747	201.581	206.844	212.923	213.756	212.511	214.883	210.544		
173	T	2.1582	4.0593	4.1312	2.1435	2.0674	4.0029	4.0258	2.1539	24.7422		
	S	212.614	209.452	200.195	205.484	212.058	213.254	212.041	214.305	209.521		
174	T	2.1627	4.0337	4.1012	2.1327	2.0629	3.9967	4.0279	2.1461	24.6639		
	S	212.172	210.781	201.659	206.524	212.521	213.585	211.931	215.084	210.186		
175	T	2.1526	4.3131	4.3847	2.2163	2.1063	4.2103	4.0820	2.1350	25.6003		
	S	213.167	197.127	188.621	198.734	208.142	202.750	209.122	216.202	202.498		
176	T	2.1369	4.3084	4.3923	2.1979	2.0836	3.9793	3.9385	2.0884	25.1253		
	S	214.733	197.342	188.294	200.398	210.409	214.519	216.741	221.026	206.326		
177	T	2.0958	4.1361	4.2162	2.1369	2.0451	3.9286	3.9275	2.0897	24.5759		
	S	218.944	205.563	196.159	206.118	214.370	217.288	217.349	220.889	210.938		
178	T	2.0989	4.0852	4.1674	2.1288	2.0395	3.9279	3.9353	2.0968	24.4798		
	S	218.621	208.124	198.456	206.903	214.959	217.326	216.918	220.141	211.766		
179	T	2.1074	4.0336	4.1165	2.1135	2.0345	3.9246	3.9458	2.1019	24.3778		
	S	217.739	210.786	200.910	208.401	215.487	217.509	216.341	219.607	212.652		
180	T	2.1042	4.1405	4.2239	2.1936	2.6340	6.3249			37.3731	27.1255	29.9872
	S	218.070	205.344	195.801	200.791	166.442	134.964			138.709	33.217	157.476
181	T				3.1733	2.6799	4.6603	4.3105	2.2334	54.8555		
	S				138.800	163.592	183.172	198.037	206.676	94.503	35.1159	
182	T	2.2297	4.3324	4.1367	2.1095	2.0239	3.9119	3.9289	2.0946	24.7676		
	S	205.796	196.249	199.929	208.796	216.616	218.215	217.271	220.372	209.306		
183	T	2.1092	4.1096	4.0805	2.1006	2.0254	3.9140	3.9206	2.0925	24.3524		
	S	217.553	206.888	202.682	209.680	216.456	218.098	217.731	220.593	212.874		
184	T	2.0998	4.0319	4.0526	2.0968	2.0208	3.9053	3.9093	2.0811	24.1976		
	S	218.527	210.875	204.078	210.060	216.948	218.584	218.360	221.801	214.236		
185	T	2.0955	4.1093	4.1052	2.1194	2.0519	3.9820	4.0207	2.1468	24.6308		
	S	218.976	206.903	201.463	207.820	213.660	214.374	212.310	215.013	210.468		
186	T	2.1532	4.0068	4.0755	2.1228	2.0600	3.9981	4.0373	2.1508	24.6045		
	S	213.108	212.196	202.931	207.488	212.820	213.511	211.437	214.614	210.693		
187	T	2.1604	3.9712	4.0676	2.1208	2.0593	3.9987	4.0396	2.1606	24.5782		
	S	212.398	214.098	203.325	207.683	212.892	213.478	211.317	213.640	210.919		
188	T	2.1790	4.2447	4.1488	2.1509	2.0784	4.0282	4.0602	2.1691	25.0593		
	S	210.585	200.303	199.346	204.777	210.936	211.915	210.245	212.803	206.869		
189	T	2.1912	4.3211	4.2086	2.1728	2.0909	4.0505	4.0809	2.1786	25.2946		
	S	209.412	196.762	196.513	202.713	209.675	210.748	209.178	211.875	204.945		
190	T	2.1715	4.0865	4.0780	2.1310	2.0670	4.0257	4.0695	2.1842	24.8134		
	S	211.312	208.058	202.807	206.689	212.099	212.047	209.764	211.332	208.919		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.1885	3.9391	4.0033	2.1079	2.0546	4.0108	4.0699	2.1817	24.5558		
	S	209.670	215.843	206.591	208.954	213.379	212.834	209.744	211.574	211.111		
192	T	2.1891	3.9201	3.9483	2.0940	2.0439	3.9955	4.0525	2.1720	24.4154		
	S	209.613	216.889	209.469	210.341	214.496	213.649	210.644	212.519	212.325		
193	T	2.1827	3.9071	3.9423	2.0906	2.0410	3.9922	4.0482	2.1713	24.3754		
	S	210.228	217.611	209.788	210.683	214.801	213.826	210.868	212.587	212.673		
194	T	2.1824	3.9113	3.9337	2.0926	2.0417	3.9854	4.0480	2.1716	24.3667		
	S	210.256	217.377	210.246	210.482	214.727	214.191	210.879	212.558	212.749		
195	T	2.1809	3.9221	3.9629	2.0972	2.0460	3.9923	4.0557	2.1761	24.4332		
	S	210.401	216.779	208.697	210.020	214.276	213.821	210.478	212.118	212.170		
196	T	2.1907	3.9284	3.9470	2.0945	2.0452	3.9864	4.0383	2.1655	24.3960		
	S	209.460	216.431	209.538	210.291	214.360	214.137	211.385	213.157	212.494		
197	T	2.1733	3.8996	3.9692	2.0925	2.0378	3.9747	4.0249	2.1580	24.3300		
	S	211.137	218.029	208.366	210.492	215.138	214.767	212.089	213.898	213.070		
198	T	2.1685	3.8826	3.9268	2.0799	2.0246	3.9532	4.0138	2.1543	24.2037		
	S	211.604	218.984	210.616	211.767	216.541	215.936	212.675	214.265	214.182		
199	T	2.1637	3.8800	3.9631	2.0920	2.0386	3.9858	4.0874	2.1768	24.3874		
	S	212.074	219.131	208.686	210.542	215.054	214.169	208.846	212.050	212.569		
200	T	2.1798	4.0154	4.1407	2.1514	2.0779	4.0213	4.0669	2.1747	24.8281		
	S	210.507	211.742	199.736	204.729	210.987	212.279	209.899	212.255	208.796		
201	T	2.1801	4.1205	4.1409	2.1468	2.0754	4.0268	4.0714	2.1771	24.9390		
	S	210.478	206.341	199.726	205.168	211.241	211.989	209.667	212.021	207.867		
202	T	2.1890	4.3248	4.2575	2.1667	2.0748	3.9999	4.0186	2.1389	25.1702		
	S	209.622	196.593	194.256	203.284	211.302	213.414	212.421	215.808	205.958		
203	T	2.1420	4.0630	4.1465	2.1420	2.0626	3.9821	4.0156	2.1430	24.6968		
	S	214.222	209.261	199.456	205.628	212.552	214.368	212.580	215.395	209.906		
204	T	2.1500	3.9821	4.0801	2.1195	2.0519	3.9727	4.0158	2.1445	24.5166		
	S	213.425	213.512	202.702	207.811	213.660	214.876	212.569	215.244	211.449		
205	T	2.1546	3.9434	4.0568	2.1162	2.0517	3.9814	4.0206	2.1524	24.4771		
	S	212.969	215.608	203.866	208.135	213.681	214.406	212.316	214.454	211.790		
206	T	2.1549	4.0928	4.1375	2.1333	2.0539	3.9655	3.9947	2.1322	24.6648		
	S	212.940	207.737	199.890	206.466	213.452	215.266	213.692	216.486	210.178		
207	T	2.1362	4.0177	4.0796	2.1155	2.0433	3.9618	3.9964	2.1322	24.4827		
	S	214.804	211.620	202.727	208.204	214.559	215.467	213.601	216.486	211.741		
208	T	2.1387	3.9503	4.0507	2.1059	2.0385	3.9569	3.9943	2.1332	24.3685		
	S	214.553	215.231	204.173	209.153	215.065	215.734	213.714	216.384	212.734		
209	T	2.1383	3.9763	4.0651	2.1110	2.0415	3.9593	3.9955	2.1350	24.4220		
	S	214.593	213.824	203.450	208.647	214.749	215.603	213.649	216.202	212.268		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1425	3.9463	4.0304	2.0977	2.0312	3.9525	3.9845	2.1309	24.3160		
	S	214.172	215.449	205.202	209.970	215.837	215.974	214.239	216.618	213.193		
211	T	2.1377	3.9856	4.0792	2.1151	2.0440	3.9557	4.0004	2.1338	24.4515		
	S	214.653	213.325	202.747	208.243	214.486	215.799	213.388	216.323	212.012		
212	T	2.1367	3.9767	4.0713	2.1092	2.0385	3.9537	3.9845	2.1305	24.4011		
	S	214.753	213.802	203.140	208.825	215.065	215.908	214.239	216.658	212.449		
213	T	2.2188	4.4119	4.3683	2.1970	2.0880	4.0743	4.0391	2.1359	25.5333		
	S	206.807	192.712	189.329	200.480	209.966	209.517	211.343	216.111	203.029		
214	T	2.1333	4.0651	4.1388	2.1262	2.0489	3.9600	3.9833	2.1193	24.5749		
	S	215.096	209.153	199.827	207.156	213.973	215.565	214.304	217.803	210.947		
215	T	2.1258	4.1005	4.1589	2.1313	2.0494	3.9611	3.9859	2.1292	24.6421		
	S	215.855	207.347	198.862	206.660	213.921	215.505	214.164	216.791	210.372		
216	T	2.1769	4.3429	4.3308	2.1887	2.1033	4.1919	4.0472	2.1179	25.4996		
	S	210.788	195.774	190.968	201.240	208.439	203.639	210.920	217.947	203.297		
217	T	2.1277	4.2240	4.2819	2.1836	2.0751	4.2412	5.2316	3.1945	27.5596		
	S	215.662	201.285	193.149	201.710	211.271	201.272	163.169	144.496	188.101		
218	T	3.2850	6.3641	6.6444	3.4064	3.2648	6.7230	7.3211	4.7395	41.7483		
	S	139.685	133.597	124.473	129.302	134.284	126.973	116.599	97.392	124.173		
219	T	5.1393	8.4929	8.6379	4.8088	4.5812	7.8578	8.1039	3.6352	51.2570		
	S	89.285	100.110	95.746	91.593	95.697	108.636	105.336	126.978	101.137		
220	T	3.9832	9.2375	10.7194	6.5058	5.3820	10.1468	9.3588	5.5434	60.8769		
	S	115.200	92.041	77.154	67.702	81.458	84.129	91.212	83.269	85.155		
221	T	4.6098	10.4181	9.2696	6.0623	5.2583	8.8252			61.8133	31.3554	54.4135
	S	99.541	81.611	89.221	72.655	83.375	96.727			83.865	28.736	86.785
222	T				3.4461	2.9105	5.5953	7.3394	3.9104	65.6057	41.6501	
	S				127.812	150.630	152.563	116.309	118.042	79.018	113.445	
223	T	4.9039	9.5622	7.8550	4.6620	6.2808	8.5069	7.0484	5.8024	54.6216		
	S	93.571	88.915	105.289	94.478	69.801	100.346	121.111	79.552	94.908		
224	T	7.2869	6.7536	6.4936	3.7117	3.1548	6.2358	5.7658	2.5076	41.9098		
	S	62.971	125.892	127.363	118.667	138.966	136.893	148.052	184.077	123.694		
225	T	2.5016	4.9277	4.5353	2.2052	2.0888	4.3489	4.2087	2.1324	26.9486		
	S	183.428	172.540	182.357	199.735	209.886	196.288	202.827	216.465	192.366		
226	T	2.1143	4.3164	4.3301	2.1383	2.0391	3.9731	4.0371	2.1063	25.0547		
	S	217.029	196.976	190.999	205.984	215.001	214.854	211.448	219.148	206.907		
227	T	2.0870	4.2547	4.2130	2.1007	2.0020	4.4968	8.1989	4.3072	31.6603		
	S	219.868	199.832	196.308	209.670	218.986	189.832	104.116	107.167	163.738		
228	T	4.1572	7.3092	7.0481	3.5728	4.8643	9.5627	11.8886	4.8127	53.2156		
	S	110.378	116.323	117.343	123.280	90.128	89.267	71.803	95.911	97.415		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 21 - Pigot, Spencer

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	4.2640	6.7259	7.9389	5.1312	4.7751	11.4345	13.2450	5.7647	59.2793		
	S	107.613	126.411	104.176	85.839	91.811	74.654	64.450	80.072	87.450		
230	T	5.6626	9.1950	10.2854	6.3780	6.1661	9.8091	10.4838	4.6057	62.5857		
	S	81.034	92.466	80.410	69.058	71.100	87.025	81.424	100.222	82.830		
231	T	5.0929	9.4129	9.3102	5.2669	6.7041	9.1979	9.9562	5.2238	60.1649		
	S	90.099	90.326	88.832	83.627	65.394	92.808	85.739	88.363	86.163		
232	T	5.3716	8.6016	7.9363	6.1456	5.8804	8.5696	8.4472	5.2660	56.2183		
	S	85.424	98.845	104.210	71.670	74.554	99.612	101.056	87.655	92.212		
233	T	5.6605	9.3567	8.5518	5.0517	6.7581	8.9654	7.5485	4.8483	56.7410		
	S	81.064	90.868	96.710	87.189	64.872	95.215	113.087	95.207	91.363		
234	T	6.8634	7.9271	6.3698	3.6766	2.9979	6.9417	7.5408	3.0273	45.3446		
	S	66.857	107.256	129.839	119.799	146.239	122.972	113.202	152.476	114.325		
235	T	2.6825	5.1535	4.9451	2.3688	2.2224	4.6058	4.2594	2.1637	28.4012		
	S	171.058	164.981	167.245	185.940	197.268	185.339	200.412	213.334	182.527		
236	T	2.1679	4.7102	4.6912	2.2768	2.1345	4.0789	3.9980	2.0922	26.1497		
	S	211.663	180.508	176.297	193.453	205.392	209.281	213.516	220.625	198.243		
237	T	2.0984	4.3183	4.2392	2.1312	2.0353	3.8909	3.8711	2.0553	24.6397		
	S	218.673	196.889	195.095	206.670	215.403	219.393	220.515	224.586	210.392		
238	T	2.0650	4.1318	4.1174	2.0914	2.0071	3.8577	3.8590	2.0518	24.1812		
	S	222.210	205.776	200.866	210.603	218.429	221.281	221.207	224.969	214.381		
239	T	2.0617	4.0348	4.1060	2.0863	1.9996	3.8505	3.8467	2.0362	24.0218		
	S	222.566	210.724	201.424	211.118	219.248	221.695	221.914	226.692	215.804		
240	T	2.0810	4.1562	4.1420	2.0973	2.0066	3.8551	3.8526	2.0491	24.2399		
	S	220.502	204.568	199.673	210.010	218.484	221.430	221.574	225.265	213.862		
241	T	2.0619	4.0503	4.0994	2.0846	1.9971	3.8916	3.8925	2.0635	24.1409		
	S	222.544	209.917	201.748	211.290	219.523	219.354	219.303	223.693	214.739		
242	T	2.0710	4.0663	4.1349	2.1004	2.0122	3.8705	3.8760	2.0670	24.1983		
	S	221.566	209.091	200.016	209.700	217.876	220.549	220.236	223.314	214.230		
243	T	2.0692	4.0530	4.1699	2.1166	2.0262	3.8975	3.8989	2.0757	24.3070		
	S	221.759	209.777	198.337	208.095	216.370	219.022	218.943	222.378	213.272		
244	T	2.0783	4.0571	4.1247	2.1054	2.0218	3.8967	3.9097	2.0833	24.2770		
	S	220.788	209.565	200.510	209.202	216.841	219.066	218.338	221.567	213.535		
245	T	2.0860	4.0540	4.1647	2.1246	2.0397	3.9182	3.9316	2.0917	24.4105		
	S	219.973	209.726	198.585	207.312	214.938	217.864	217.122	220.677	212.368		
246	T	2.0996	4.1258	4.1868	2.1334	2.0471	3.9414	3.9482	2.1019	24.5842		
	S	218.548	206.076	197.536	206.457	214.161	216.582	216.209	219.607	210.867		
247	T	2.2955	5.1223									
	S	199.897	165.985									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5971	4.8400	4.4005	2.1724	2.1005	4.1311	3.9849	2.0865	26.3130		66.3417	
	S	176.683	175.667	187.944	202.750	208.717	206.637	214.218	221.227	197.013		71.222	
2	T	2.1257	4.2302	4.1614	2.0999	2.0153	3.9998	3.9316	2.0676	24.6315			
	S	215.865	200.990	198.742	209.750	217.540	213.420	217.122	223.250	210.462			
3	T	2.0886	4.1947	4.0846	2.0789	2.0150	3.9114	3.8718	2.0462	24.2912			
	S	219.699	202.691	202.479	211.869	217.573	218.243	220.475	225.584	213.411			
4	T	2.1287	4.1821	4.0611	2.0797	1.9945	3.8839	3.9021	2.0737	24.3058			
	S	215.561	203.302	203.651	211.788	219.809	219.788	218.763	222.593	213.282			
5	T	2.0949	4.0780	4.0709	2.0925	2.0060	3.8649	3.8722	2.0574	24.1368			
	S	219.038	208.491	203.160	210.492	218.549	220.869	220.453	224.356	214.776			
6	T	2.0767	4.1272	4.1223	2.1150	2.0246	3.9015	3.9019	2.0763	24.3455			
	S	220.958	206.006	200.627	208.253	216.541	218.797	218.775	222.314	212.935			
7	T	2.0814	4.0093	4.1032	2.1050	2.0198	3.8892	3.8802	2.0652	24.1533			
	S	220.459	212.064	201.561	209.242	217.056	219.489	219.998	223.509	214.629			
8	T	2.1429	4.1515	4.0551	2.0955	2.0114	3.8809	3.9041	2.0856	24.3270			
	S	214.132	204.800	203.952	210.191	217.962	219.958	218.651	221.323	213.097			
9	T	2.0875	4.0196	4.0600	2.0963	2.0124	3.8831	3.9017	2.0808	24.1414			
	S	219.815	211.520	203.706	210.110	217.854	219.834	218.786	221.833	214.735			
10	T	2.0878	4.0066	4.0923	2.1212	2.0383	3.9281	3.9413	2.1087	24.3243			
	S	219.783	212.207	202.098	207.644	215.086	217.315	216.588	218.898	213.120			
11	T	2.1100	3.9650	4.0930	2.1172	2.0344	3.9352	3.9583	2.1159	24.3290			
	S	217.471	214.433	202.063	208.036	215.498	216.923	215.657	218.153	213.079			
12	T	2.1216	4.0124	4.1294	2.1281	2.0437	3.9427	3.9559	2.1095	24.4433			
	S	216.282	211.900	200.282	206.971	214.517	216.511	215.788	218.815	212.083			
13	T	2.1139	3.9999	4.0977	2.1201	2.0380	3.9286	3.9455	2.1126	24.3563			
	S	217.070	212.562	201.832	207.752	215.117	217.288	216.357	218.494	212.840			
14	T	2.1171	4.0428	4.1117	2.1264	2.0437	3.9380	3.9571	2.1141	24.4509			
	S	216.742	210.307	201.144	207.136	214.517	216.769	215.723	218.339	212.017			
15	T	2.1127	4.0027	4.1198	2.1195	2.0315	3.9211	3.9447	2.1029	24.3549			
	S	217.193	212.413	200.749	207.811	215.806	217.703	216.401	219.502	212.852			
16	T	2.1012	3.9840	4.0791	2.1053	2.0213	3.9082	3.9271	2.0924	24.2186			
	S	218.382	213.410	202.752	209.212	216.895	218.422	217.371	220.604	214.050			
17	T	2.0933	3.9705	4.0847	2.1110	2.0268	3.9109	3.9237	2.0923	24.2132			
	S	219.206	214.136	202.474	208.647	216.306	218.271	217.559	220.614	214.098			
18	T	2.0922	3.9949	4.1166	2.1207	2.0353	3.9134	3.9193	2.0880	24.2804			
	S	219.321	212.828	200.905	207.693	215.403	218.132	217.803	221.068	213.506			
19	T	2.0861	3.9989	4.0962	2.1146	2.0280	3.9019	3.9031	2.0824	24.2112			
	S	219.962	212.615	201.906	208.292	216.178	218.775	218.707	221.663	214.116			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagnaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T 2.0865	4.0345	4.1218	2.1266	2.0373	3.9109	3.9119	2.0855	24.3150			
	S 219.920	210.739	200.652	207.117	215.191	218.271	218.215	221.333	213.202			
21	T 2.0853	4.0268	4.0941	2.1134	2.0278	3.9018	3.9174	2.0843	24.2509			
	S 220.047	211.142	202.009	208.410	216.199	218.780	217.909	221.461	213.765			
22	T 2.0870	4.0291	4.0884	2.1088	2.0230	3.9006	3.9049	2.0787	24.2205			
	S 219.868	211.022	202.291	208.865	216.712	218.847	218.606	222.057	214.034			
23	T 2.0758	4.0686	4.1798	2.1425	2.0443	3.9231	3.9321	2.0926	24.4588			
	S 221.054	208.973	197.867	205.580	214.454	217.592	217.094	220.582	211.948			
24	T 2.0888	4.0422	4.1082	2.1136	2.0261	3.8979	3.9048	2.0871	24.2687			
	S 219.678	210.338	201.316	208.391	216.381	218.999	218.612	221.164	213.608			
25	T 2.0975	4.1006	4.1413	2.1333	2.0408	3.9107	3.9100	2.0866	24.4208			
	S 218.767	207.342	199.707	206.466	214.822	218.282	218.321	221.217	212.278			
26	T 2.0849	4.0488	4.1423	2.1291	2.0384	3.9151	3.9138	2.0827	24.3551			
	S 220.089	209.995	199.659	206.874	215.075	218.037	218.109	221.631	212.851			
27	T 2.0791	4.0540	4.1339	2.1167	2.0273	3.8999	3.9108	2.0867	24.3084			
	S 220.703	209.726	200.064	208.085	216.253	218.887	218.277	221.206	213.260			
28	T 2.0866	4.0443	4.0946	2.1081	2.0196	3.9000	3.9119	2.0825	24.2476			
	S 219.910	210.229	201.984	208.934	217.077	218.881	218.215	221.652	213.794			
29	T 2.1060	4.1336	4.1247	2.1208	2.0306	3.8986	3.9059	2.0808	24.4010			
	S 217.884	205.687	200.510	207.683	215.901	218.960	218.550	221.833	212.450			
30	T 2.0925	4.1295	4.1378	2.1216	2.0292	3.8975	3.9010	2.0811	24.3902			
	S 219.290	205.891	199.876	207.605	216.050	219.022	218.825	221.801	212.544			
31	T 2.0863	4.1268	4.2044	2.1431	2.0398	3.9289	3.9392	2.0761	24.5446			
	S 219.941	206.026	196.710	205.522	214.927	217.271	216.703	222.336	211.207			
32	T 2.1009	4.4803	4.6297	2.2925	2.1622	4.2932	4.1373	2.1547	26.2508			
	S 218.413	189.770	178.639	192.128	202.761	198.835	206.327	214.225	197.480			
33	T 2.1488	4.2003	4.1717	2.1275	2.0336	3.9183	3.9285	2.0893	24.6180			
	S 213.544	202.421	198.251	207.029	215.583	217.859	217.293	220.931	210.578			
34	T 2.0889	4.0482	4.1089	2.1102	2.0249	3.9105	3.9275	2.0914	24.3105			
	S 219.668	210.026	201.281	208.726	216.509	218.293	217.349	220.709	213.241			
35	T 2.0936	4.1167	4.1407	2.1175	2.0267	3.8986	3.9011	2.0838	24.3787			
	S 219.174	206.531	199.736	208.007	216.317	218.960	218.819	221.514	212.645			
36	T 2.0849	4.0069	4.0688	2.0909	2.0097	3.9271	3.9245	2.0872	24.2000			
	S 220.089	212.191	203.265	210.653	218.147	217.371	217.515	221.153	214.215			
37	T 2.0832	3.9349	4.0863	2.1119	2.0295	3.9075	3.9113	2.0851	24.1497			
	S 220.269	216.073	202.395	208.558	216.018	218.461	218.249	221.376	214.661			
38	T 2.0908	3.9551	4.1238	2.1171	2.0316	3.9041	3.9121	2.0839	24.2185			
	S 219.468	214.970	200.554	208.046	215.795	218.651	218.204	221.503	214.051			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0862	4.0111	4.1118	2.1082	2.0239	3.8951	3.8995	2.0810	24.2168		
	S	219.952	211.969	201.140	208.924	216.616	219.156	218.909	221.812	214.066		
40	T	2.0847	3.9668	4.0839	2.0986	2.0128	3.8969	3.9097	2.0821	24.1355		
	S	220.110	214.336	202.514	209.880	217.811	219.055	218.338	221.695	214.787		
41	T	2.0844	3.9410	4.0743	2.0994	2.0171	3.8959	3.9041	2.0797	24.0959		
	S	220.142	215.739	202.991	209.800	217.346	219.111	218.651	221.951	215.140		
42	T	2.0798	3.9487	4.0470	2.0952	2.0124	3.9323	3.9327	2.0974	24.1455		
	S	220.629	215.318	204.360	210.221	217.854	217.083	217.061	220.078	214.698		
43	T	2.1001	4.0175	4.0916	2.1095	2.0219	3.8987	3.9192	2.0866	24.2451		
	S	218.496	211.631	202.133	208.796	216.830	218.954	217.809	221.217	213.816		
44	T	2.0861	3.9943	4.1202	2.1175	2.0274	3.8994	3.9035	2.0880	24.2364		
	S	219.962	212.860	200.729	208.007	216.242	218.915	218.685	221.068	213.893		
45	T	2.0874	4.0230	4.1923	2.1375	2.0399	3.9063	3.8978	2.0637	24.3479		
	S	219.825	211.342	197.277	206.061	214.917	218.528	219.005	223.672	212.914		
46	T	2.0881	4.2149	4.2639	2.1474	2.0359	3.9031	3.9505	2.0838	24.6876		
	S	219.752	201.719	193.965	205.111	215.339	218.707	216.083	221.514	209.984		
47	T	2.0756	4.2256	4.2800	2.1461	2.0358	3.9102	3.8958	2.0665	24.6356		
	S	221.075	201.209	193.235	205.235	215.350	218.310	219.117	223.368	210.427		
48	T	2.0909	4.2115	4.2585	2.1488	2.0390	3.9451	3.9348	2.0833	24.7119		
	S	219.457	201.882	194.211	204.977	215.012	216.379	216.945	221.567	209.777		
49	T	2.0808	4.1643	4.2550	2.1513	2.0728	3.9743	3.9247	2.0737	24.6969		
	S	220.523	204.171	194.370	204.739	211.506	214.789	217.504	222.593	209.905		
50	T	2.0952	4.3126	4.3147	2.1570	2.0382	3.9417	3.9287	2.0644	24.8525		
	S	219.007	197.150	191.681	204.198	215.096	216.566	217.282	223.596	208.591		
51	T	2.1341	4.4697	4.3170	2.1527	2.0456	3.9543	3.9337	2.0742	25.0813		
	S	215.015	190.220	191.579	204.606	214.318	215.875	217.006	222.539	206.688		
52	T	2.2083	4.4285	4.2969	2.1451	2.0265	4.1145	4.0512	2.1058	25.3768		
	S	207.790	191.990	192.475	205.331	216.338	207.470	210.712	219.200	204.281		
53	T	2.1530	4.5064	4.4538	2.2016	2.0636	3.9646	3.9098	2.0550	25.3078		
	S	213.128	188.671	185.694	200.061	212.449	215.315	218.332	224.618	204.838		
54	T	2.1283	4.3567	4.4387	2.2114	2.0694	3.9566	3.9108	2.0794	25.1513		
	S	215.601	195.154	186.326	199.175	211.853	215.750	218.277	221.983	206.113		
55	T	2.2370	4.4705	4.2410	2.1297	2.0204	3.8893	3.9190	2.1266	25.0335		
	S	205.125	190.186	195.012	206.815	216.991	219.483	217.820	217.056	207.083		
56	T	2.1730	4.3216	4.2530	2.1512	2.0494	4.0698	3.9567	2.0736	25.0483		
	S	211.166	196.739	194.462	204.748	213.921	209.749	215.745	222.604	206.960		
57	T	2.0746	4.2533	4.2981	2.1446	2.0495	4.1262	4.0024	2.1019	25.0506		
	S	221.182	199.898	192.421	205.378	213.910	206.882	213.281	219.607	206.941		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagnaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.0955	4.1312	4.1931	2.1178	2.0180	4.0004	3.9571	2.0820	24.5951		
	S	218.976	205.806	197.240	207.977	217.249	213.388	215.723	221.706	210.774		
59	T	2.0708	4.1619	4.3028	2.1816	2.0770	3.9739	3.9426	2.0937	24.8043		
	S	221.588	204.288	192.211	201.895	211.078	214.811	216.516	220.467	208.996		
60	T	2.0961	4.0989	4.1325	2.1175	2.2392	6.0097			36.4840	25.7019	28.8108
	S	218.913	207.428	200.132	208.007	195.788	142.043			142.090	35.057	163.906
61	T			8.4393	3.1409	2.6347	4.6163	4.2219	2.1631	52.7451	34.7164	
	S			97.999	140.232	166.398	184.918	202.192	213.393	98.284	136.103	
62	T	2.1408	4.2038	4.0800	2.0856	2.0027	3.9533	3.9429	2.1302	24.5393		
	S	214.342	202.252	202.707	211.188	218.909	215.930	216.500	216.689	211.253		
63	T	2.2054	4.3806	4.2447	2.1136	2.0080	3.9708	3.9358	2.0642	24.9231		
	S	208.064	194.089	194.842	208.391	218.331	214.978	216.890	223.617	208.000		
64	T	2.0822	4.1901	4.1312	2.0939	1.9956	3.8681	3.8560	2.0381	24.2552		
	S	220.374	202.913	200.195	210.351	219.688	220.686	221.379	226.481	213.727		
65	T	2.0955	4.1969	4.1109	2.0883	1.9929	3.8811	3.8642	2.0398	24.2696		
	S	218.976	202.585	201.184	210.915	219.985	219.947	220.909	226.292	213.601		
66	T	2.1184	4.2302	4.1623	2.1092	2.0095	3.8583	3.8658	2.0462	24.3999		
	S	216.609	200.990	198.699	208.825	218.168	221.247	220.818	225.584	212.460		
67	T	2.0833	4.1516	4.1260	2.1030	2.0671	4.1018	3.9790	2.0796	24.6914		
	S	220.258	204.795	200.447	209.441	212.089	208.113	214.535	221.961	209.952		
68	T	2.1135	4.2446	4.1723	2.1179	2.0145	3.8858	3.8681	2.0471	24.4638		
	S	217.111	200.308	198.223	207.968	217.627	219.681	220.686	225.485	211.905		
69	T	2.1464	4.2183	4.1033	2.0992	2.0043	3.8605	3.8415	2.0483	24.3218		
	S	213.783	201.557	201.556	209.820	218.734	221.121	222.214	225.353	213.142		
70	T	2.1101	4.1543	4.1051	2.0944	2.0029	3.8618	3.8562	2.0560	24.2408		
	S	217.461	204.662	201.468	210.301	218.887	221.046	221.367	224.509	213.854		
71	T	2.0680	4.0707	4.1415	2.1059	2.0086	3.8640	3.8724	2.0534	24.1845		
	S	221.888	208.865	199.697	209.153	218.266	220.920	220.441	224.793	214.352		
72	T	2.0771	4.1534	4.1556	2.1101	2.0104	3.8722	3.8537	2.0433	24.2758		
	S	220.916	204.706	199.020	208.736	218.071	220.453	221.511	225.905	213.546		
73	T	2.1396	4.2399	4.1228	2.1031	2.0078	3.8942	3.8773	2.0551	24.4398		
	S	214.462	200.530	200.603	209.431	218.353	219.207	220.163	224.608	212.113		
74	T	2.0832	4.1608	4.1414	2.1129	2.0193	3.9519	3.9200	2.0778	24.4673		
	S	220.269	204.342	199.702	208.460	217.109	216.007	217.764	222.154	211.875		
75	T	2.0778	4.0815	4.2012	2.1267	2.0265	3.8986	3.8936	2.0650	24.3709		
	S	220.841	208.312	196.859	207.107	216.338	218.960	219.241	223.531	212.713		
76	T	2.0761	4.1391	4.1401	2.1121	2.0147	3.8801	3.8981	2.0584	24.3187		
	S	221.022	205.414	199.765	208.539	217.605	220.004	218.988	224.247	213.169		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0630	4.1034	4.1885	2.1219	2.0204	3.8885	3.8860	2.0660	24.3377		
	S	222.425	207.201	197.456	207.576	216.991	219.528	219.670	223.423	213.003		
78	T	2.0883	4.1619	4.1344	2.1059	2.0132	3.8887	3.8854	2.0746	24.3524		
	S	219.731	204.288	200.040	209.153	217.767	219.517	219.704	222.496	212.874		
79	T	2.0836	4.1352	4.1720	2.1121	2.0695	4.3511	4.1351	2.1360	25.1946		
	S	220.226	205.607	198.237	208.539	211.843	196.189	206.437	216.101	205.758		
80	T	2.1481	4.2251	4.2138	2.1306	2.0308	3.9053	3.9010	2.0732	24.6279		
	S	213.614	201.232	196.271	206.728	215.880	218.584	218.825	222.647	210.493		
81	T	2.0780	4.0669	4.1273	2.1123	2.0172	3.9001	3.8967	2.0655	24.2640		
	S	220.820	209.060	200.384	208.519	217.335	218.876	219.066	223.477	213.650		
82	T	2.0676	4.0605	4.1051	2.0978	2.0091	3.9647	3.9126	2.0655	24.2829		
	S	221.931	209.390	201.468	209.960	218.212	215.309	218.176	223.477	213.484		
83	T	2.0992	4.2593	4.2714	2.1500	2.0379	3.9030	3.8729	2.0483	24.6420		
	S	218.590	199.617	193.624	204.863	215.128	218.713	220.413	225.353	210.373		
84	T	2.1191	4.2129	4.1755	2.1164	2.0199	3.9283	3.9104	2.0767	24.5592		
	S	216.537	201.815	198.071	208.115	217.045	217.304	218.299	222.271	211.082		
85	T	2.0738	4.1199	4.1210	2.1056	2.0139	3.8855	3.8894	2.0690	24.2781		
	S	221.267	206.371	200.690	209.182	217.692	219.698	219.478	223.099	213.526		
86	T	2.0651	4.0619	4.1638	2.1150	2.0173	3.9037	3.9004	2.0683	24.2955		
	S	222.199	209.318	198.628	208.253	217.325	218.674	218.859	223.174	213.373		
87	T	2.0952	4.2203	4.1627	2.1272	2.0342	3.9278	3.9347	2.0914	24.5935		
	S	219.007	201.461	198.680	207.058	215.519	217.332	216.951	220.709	210.787		
88	T	2.0893	4.0946	4.1916	2.1298	2.0349	3.9132	3.9090	2.0823	24.4447		
	S	219.626	207.646	197.310	206.806	215.445	218.143	218.377	221.674	212.071		
89	T	2.0851	4.1427	4.1912	2.1230	2.0306	3.9161	3.9163	2.0848	24.4898		
	S	220.068	205.235	197.329	207.468	215.901	217.981	217.970	221.408	211.680		
90	T	2.0851	4.0320	4.0920	2.0996	2.0097	3.8829	3.8847	2.0596	24.1456		
	S	220.068	210.870	202.113	209.780	218.147	219.845	219.743	224.117	214.698		
91	T	2.0723	4.1571	4.1848	2.1295	2.0323	3.9103	3.8969	2.0702	24.4534		
	S	221.427	204.524	197.631	206.835	215.721	218.305	219.055	222.969	211.995		
92	T	2.0925	4.1979	4.1367	2.1106	2.0166	3.8904	3.8957	2.0590	24.3994		
	S	219.290	202.536	199.929	208.687	217.400	219.421	219.123	224.182	212.464		
93	T	2.1520	4.3024	4.2207	2.1301	2.0210	3.8897	3.9068	2.0648	24.6875		
	S	213.227	197.617	195.950	206.776	216.927	219.461	218.500	223.552	209.985		
94	T	2.0933	4.3096	4.3464	2.1671	2.0476	3.8984	3.8616	2.0432	24.7672		
	S	219.206	197.287	190.283	203.246	214.109	218.971	221.058	225.916	209.309		
95	T	2.0994	4.2201	4.2457	2.1395	2.0265	3.8868	3.8944	2.0582	24.5706		
	S	218.569	201.471	194.796	205.868	216.338	219.624	219.196	224.269	210.984		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.0960	4.2178	4.2145	2.1297	2.0196	3.8677	3.9174	2.0639	24.5266		
	S	218.923	201.581	196.238	206.815	217.077	220.709	217.909	223.650	211.362		
97	T	2.0914	4.2189	4.2603	2.1496	2.0375	3.8921	3.8903	2.0732	24.6133		
	S	219.405	201.528	194.128	204.901	215.170	219.325	219.427	222.647	210.618		
98	T	2.1096	4.2338	4.1635	2.1084	2.0079	3.8761	3.8624	2.0610	24.4227		
	S	217.512	200.819	198.642	208.905	218.342	220.231	221.012	223.965	212.262		
99	T	2.1138	4.2688	4.2987	2.1548	2.0391	3.8988	3.8770	2.0497	24.7007		
	S	217.080	199.172	192.394	204.406	215.001	218.948	220.180	225.199	209.873		
100	T	2.0930	4.2269	4.2529	2.1387	2.0313	3.8911	3.8769	2.0526	24.5634		
	S	219.237	201.147	194.466	205.945	215.827	219.382	220.185	224.881	211.046		
101	T	2.1259	4.2875	4.2327	2.1392	2.0331	3.9045	3.8910	2.0612	24.6751		
	S	215.844	198.304	195.394	205.897	215.636	218.629	219.387	223.943	210.090		
102	T	2.0834	4.1745	4.1698	2.1128	2.0130	3.8700	3.8665	2.0499	24.3399		
	S	220.247	203.672	198.342	208.470	217.789	220.578	220.778	225.177	212.984		
103	T	2.1117	4.2768	4.2196	2.1284	2.0244	3.8900	3.8723	2.0482	24.5714		
	S	217.296	198.800	196.001	206.942	216.562	219.444	220.447	225.364	210.977		
104	T	2.1277	4.2935	4.1597	2.1096	2.0119	3.8736	3.8790	2.0568	24.5118		
	S	215.662	198.027	198.823	208.786	217.908	220.373	220.066	224.422	211.490		
105	T	2.0907	4.2271	4.2227	2.1305	2.0254	3.8921	3.8804	2.0629	24.5318		
	S	219.478	201.137	195.857	206.738	216.456	219.325	219.987	223.758	211.318		
106	T	2.0784	4.1497	4.1977	2.1267	2.0208	3.8719	3.8601	2.0429	24.3482		
	S	220.777	204.889	197.023	207.107	216.948	220.470	221.144	225.949	212.911		
107	T	2.1393	4.2743	4.1847	2.1280	2.0245	3.8907	3.8979	2.0653	24.6047		
	S	214.492	198.916	197.636	206.981	216.552	219.404	218.999	223.498	210.691		
108	T	2.1002	4.2896	4.2474	2.1375	2.0319	3.9333	3.9114	2.0710	24.7223		
	S	218.486	198.207	194.718	206.061	215.763	217.028	218.243	222.883	209.689		
109	T	2.1032	4.2349	4.1813	2.1204	2.0230	3.8957	3.8869	2.0632	24.5086		
	S	218.174	200.767	197.796	207.722	216.712	219.123	219.619	223.726	211.518		
110	T	2.1175	4.2586	4.2658	2.1636	2.0537	3.9268	3.9069	2.0751	24.7680		
	S	216.701	199.649	193.878	203.575	213.473	217.387	218.495	222.443	209.302		
111	T	2.1064	4.2172	4.1880	2.1238	2.0260	3.8952	3.8932	2.0701	24.5199		
	S	217.843	201.609	197.480	207.390	216.391	219.151	219.263	222.980	211.420		
112	T	2.0808	4.1292	4.1664	2.1228	2.0249	3.8951	3.8832	2.0623	24.3647		
	S	220.523	205.906	198.504	207.488	216.509	219.156	219.828	223.823	212.767		
113	T	2.1214	4.2562	4.1699	2.1156	2.0191	3.9050	3.9201	2.0719	24.5792		
	S	216.302	199.762	198.337	208.194	217.131	218.601	217.759	222.786	210.910		
114	T	2.0826	4.1684	4.2085	2.1323	2.0295	3.8992	3.8849	2.0586	24.4640		
	S	220.332	203.970	196.518	206.563	216.018	218.926	219.732	224.226	211.903		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.1178	4.2751	4.2207	2.1395	2.0356	3.9226	3.9114	2.0698	24.6925		
	S	216.670	198.879	195.950	205.868	215.371	217.620	218.243	223.012	209.942		
116	T	2.0862	4.2012	4.2253	2.1484	2.0530	3.9419	3.9205	2.0787	24.6552		
	S	219.952	202.377	195.737	205.015	213.546	216.555	217.737	222.057	210.260		
117	T	2.0826	4.1399	4.1786	2.1280	2.0342	3.9134	3.9135	2.0840	24.4742		
	S	220.332	205.374	197.924	206.981	215.519	218.132	218.126	221.493	211.815		
118	T	2.0915	4.1047	4.1481	2.1152	2.0250	3.9054	3.9015	2.0758	24.3672		
	S	219.395	207.135	199.379	208.233	216.498	218.578	218.797	222.368	212.745		
119	T	2.0740	4.0908	4.2058	2.1382	2.0416	3.9254	3.9048	2.0667	24.4473		
	S	221.246	207.839	196.644	205.993	214.738	217.465	218.612	223.347	212.048		
120	T	2.0749	4.1505	4.1616	2.1157	2.0193	3.9001	3.9074	2.0725	24.4020		
	S	221.150	204.849	198.733	208.184	217.109	218.876	218.467	222.722	212.442		
121	T	2.1897	4.2719	4.1667	2.1164	2.2603	5.7879			36.2541	26.1955	28.6333
	S	209.555	199.028	198.489	208.115	193.961	147.486			142.991	34.396	164.922
122	T			8.4694	3.1284	2.6343	4.6441	4.3089	2.2130	53.4825	34.9078	
	S			97.651	140.792	166.423	183.811	198.110	208.582	96.929	135.357	
123	T	2.1858	4.0908	4.0646	2.0993	2.0207	3.9175	3.9487	2.0940	24.4214		
	S	209.929	207.839	203.475	209.810	216.959	217.903	216.182	220.435	212.273		
124	T	2.1062	4.1128	4.1167	2.0928	2.0065	3.8664	3.8746	2.0600	24.2360		
	S	217.863	206.727	200.900	210.462	218.494	220.783	220.316	224.073	213.897		
125	T	2.0647	3.9614	3.9990	2.0607	1.9844	3.8332	3.8537	2.0445	23.8016		
	S	222.242	214.628	206.813	213.740	220.928	222.695	221.511	225.772	217.800		
126	T	2.1116	4.0606	4.0004	2.0625	1.9818	3.8255	3.8466	2.0433	23.9323		
	S	217.306	209.385	206.741	213.554	221.218	223.144	221.920	225.905	216.611		
127	T	2.0900	4.1032	4.0675	2.0781	1.9896	3.8448	3.8405	2.0424	24.0561		
	S	219.552	207.211	203.330	211.951	220.350	222.024	222.272	226.004	215.496		
128	T	2.0822	4.1119	4.1815	2.1202	2.0164	3.9092	3.8900	2.0606	24.3720		
	S	220.374	206.772	197.787	207.742	217.422	218.366	219.444	224.008	212.703		
129	T	2.1042	4.2748	4.1755	2.1123	2.0106	3.9938	4.0069	2.1011	24.7792		
	S	218.070	198.893	198.071	208.519	218.049	213.740	213.042	219.690	209.208		
130	T	2.1319	4.3474	4.2927	2.1530	2.0374	3.9267	3.9041	2.0551	24.8483		
	S	215.237	195.571	192.663	204.577	215.181	217.393	218.651	224.608	208.626		
131	T	2.1087	4.2324	4.1970	2.1416	2.0312	3.8792	3.8719	2.0495	24.5115		
	S	217.605	200.885	197.056	205.666	215.837	220.055	220.470	225.221	211.493		
132	T	2.0902	4.2662	4.2502	2.1477	2.0322	3.8993	3.8987	2.0578	24.6423		
	S	219.531	199.294	194.590	205.082	215.731	218.920	218.954	224.313	210.370		
133	T	2.1483	4.3465	4.1589	2.1047	2.0058	3.8805	3.8804	2.0512	24.5763		
	S	213.594	195.612	198.862	209.272	218.571	219.981	219.987	225.035	210.935		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagnaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.1051	4.2060	4.2168	2.2468	2.1639	4.2429	4.5569	2.7482	26.4866		
	S	217.977	202.146	196.131	196.036	202.601	201.192	187.328	167.961	195.722		
135	T	3.0301	6.5053	7.8409	4.8250	4.2858	9.2171	8.9114	3.9087	48.5243		
	S	151.435	130.698	105.478	91.286	102.293	92.614	95.791	118.093	106.833		
136	T	3.6113	5.9556	5.5829	2.8684	2.8420	6.1674	8.0986	5.4579	40.5841		
	S	127.063	142.761	148.139	153.554	154.261	138.411	105.405	84.573	127.735		
137	T	5.2030	11.7629	9.9028	5.4776	5.2855	11.1527	9.2275	5.2706	63.2826		
	S	88.192	72.280	83.516	80.410	82.946	76.541	92.510	87.578	81.918		
138	T	5.7980	11.1352	10.4797	5.3302	5.0697	11.6543	11.4143	5.4834	66.3648		
	S	79.142	76.355	78.919	82.634	86.476	73.246	74.787	84.180	78.114		
139	T	6.1700	9.5350	9.0064	5.6354	5.3958	11.1445	11.3975	5.1519	63.4365		
	S	74.370	89.169	91.829	78.159	81.250	76.597	74.897	89.596	81.720		
140	T	5.5826	11.1674	9.6462	4.8137	4.6245	9.3965	9.6906	5.7202	60.6417		
	S	82.195	76.135	85.738	91.500	94.801	90.846	88.089	80.695	85.486		
141	T	5.3342	8.6977	8.4349	5.1501	4.7237	8.7985	9.5223	4.8612	55.5226		
	S	86.023	97.753	98.050	85.523	92.811	97.021	89.646	94.954	93.367		
142	T	4.9148	10.3207	9.1418	5.0057	5.8246	9.1915	10.1093	4.7513	59.2597		
	S	93.364	82.381	90.469	87.991	75.269	92.872	84.441	97.150	87.479		
143	T	6.1217	7.7046	9.8868	4.2450	3.9391	7.5064	5.9519	2.5856	47.9411		
	S	74.957	110.353	83.651	103.758	111.297	113.721	143.422	178.524	108.133		
144	T	2.4439	4.7904	4.6467	2.2622	2.1154	4.1437	4.0439	2.1025	26.5487		
	S	187.759	177.486	177.986	194.702	207.246	206.008	211.092	219.544	195.264		
145	T	2.1569	4.3334	4.1722	2.1070	2.0079	3.9361	3.9162	2.0647	24.6944		
	S	212.742	196.203	198.228	209.043	218.342	216.874	217.976	223.563	209.926		
146	T	2.1130	4.2789	4.1370	2.1022	2.0126	3.8662	3.8842	2.0726	24.4667		
	S	217.162	198.702	199.914	209.521	217.832	220.795	219.771	222.711	211.880		
147	T	2.0792	4.0230	4.0320	2.0829	2.0014	3.8621	3.8759	2.0687	24.0252		
	S	220.692	211.342	205.120	211.462	219.051	221.029	220.242	223.131	215.773		
148	T	2.0740	3.9697	4.0846	2.0945	2.0032	3.8712	3.8769	2.0561	24.0302		
	S	221.246	214.179	202.479	210.291	218.854	220.509	220.185	224.498	215.729		
149	T	2.0633	4.0017	4.1016	2.1002	2.0071	3.8519	3.8550	2.0491	24.0299		
	S	222.393	212.467	201.640	209.720	218.429	221.614	221.436	225.265	215.731		
150	T	2.0678	4.1229	4.2052	2.1309	2.0251	3.9456	3.9620	2.0971	24.5566		
	S	221.909	206.221	196.672	206.699	216.488	216.351	215.456	220.109	211.104		
151	T	2.0960	3.9683	4.1062	2.1193	2.0227	3.8720	3.8600	2.0485	24.0930		
	S	218.923	214.255	201.414	207.830	216.744	220.464	221.149	225.331	215.166		
152	T	2.1274	4.2543	4.1371	2.1068	2.0137	3.8703	3.8740	2.0498	24.4334		
	S	215.692	199.851	199.909	209.063	217.713	220.561	220.350	225.188	212.169		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagnaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0794	4.1887	4.1802	2.1219	2.0248	3.8929	3.8870	2.0634	24.4383		
	S	220.671	202.981	197.848	207.576	216.520	219.280	219.613	223.704	212.126		
154	T	2.0817	4.1251	4.1398	2.1116	2.0202	3.8841	3.8885	2.0642	24.3152		
	S	220.427	206.111	199.779	208.588	217.013	219.777	219.528	223.617	213.200		
155	T	2.0732	4.1132	4.1462	2.1119	2.0207	3.9251	3.9098	2.0622	24.3623		
	S	221.331	206.707	199.471	208.558	216.959	217.481	218.332	223.834	212.788		
156	T	2.1112	4.2414	4.1628	2.1162	2.0206	3.8862	3.8792	2.0655	24.4831		
	S	217.347	200.459	198.675	208.135	216.970	219.658	220.055	223.477	211.738		
157	T	2.0734	4.1783	4.2149	2.1395	2.0377	3.9096	3.8971	2.0624	24.5129		
	S	221.310	203.486	196.219	205.868	215.149	218.344	219.044	223.813	211.480		
158	T	2.0784	4.1332	4.1774	2.1331	2.0370	3.9063	3.8976	2.0649	24.4279		
	S	220.777	205.707	197.981	206.486	215.223	218.528	219.016	223.542	212.216		
159	T	2.0885	4.1626	4.1475	2.1139	2.0201	3.8766	3.8762	2.0511	24.3365		
	S	219.710	204.254	199.408	208.361	217.023	220.202	220.225	225.046	213.013		
160	T	2.1562	4.2766	4.1420	2.1109	2.0206	3.8776	3.8599	2.0456	24.4894		
	S	212.811	198.809	199.673	208.657	216.970	220.146	221.155	225.651	211.683		
161	T	2.1343	4.3009	4.1455	2.1172	2.0240	3.8844	3.8830	2.0682	24.5575		
	S	214.995	197.686	199.504	208.036	216.605	219.760	219.839	223.185	211.096		
162	T	2.0957	4.1463	4.1471	2.1226	2.0277	3.8914	3.8886	2.0634	24.3828		
	S	218.955	205.057	199.427	207.507	216.210	219.365	219.523	223.704	212.609		
163	T	2.0869	4.1707	4.1537	2.1185	2.0219	3.8679	3.8594	2.0534	24.3324		
	S	219.878	203.857	199.111	207.909	216.830	220.698	221.184	224.793	213.049		
164	T	2.1668	4.2498	4.1258	2.1109	2.0153	3.8711	3.8556	2.0407	24.4360		
	S	211.770	200.063	200.457	208.657	217.540	220.515	221.402	226.192	212.146		
165	T	2.1365	4.2464	4.2237	2.1680	2.0563	3.9219	3.8939	2.0573	24.7040		
	S	214.774	200.223	195.811	203.162	213.203	217.659	219.224	224.367	209.845		
166	T	2.1158	4.2212	4.1674	2.1248	2.0302	3.8965	3.8919	2.0592	24.5070		
	S	216.875	201.418	198.456	207.292	215.944	219.078	219.337	224.160	211.531		
167	T	2.1049	4.1782	4.1511	2.1202	2.0223	3.8851	3.8875	2.0618	24.4111		
	S	217.998	203.491	199.235	207.742	216.787	219.721	219.585	223.878	212.362		
168	T	2.0948	4.1466	4.1115	2.1046	2.0128	3.8756	3.8848	2.0685	24.2992		
	S	219.049	205.042	201.154	209.282	217.811	220.259	219.738	223.152	213.340		
169	T	2.0676	4.0376	4.1638	2.1293	2.0309	3.8929	3.8865	2.0602	24.2688		
	S	221.931	210.577	198.628	206.854	215.869	219.280	219.641	224.052	213.608		
170	T	2.0907	4.1278	4.1457	2.1235	2.0327	3.9044	3.9119	2.0851	24.4218		
	S	219.478	205.976	199.495	207.419	215.678	218.634	218.215	221.376	212.269		
171	T	2.0818	3.9967	4.0994	2.1050	2.0173	3.8911	3.8949	2.0697	24.1559		
	S	220.417	212.732	201.748	209.242	217.325	219.382	219.168	223.023	214.606		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0718	4.0396	4.1297	2.1174	2.0256	3.8978	3.9065	2.0731	24.2615		
	S	221.481	210.473	200.268	208.017	216.434	219.005	218.517	222.657	213.672		
173	T	2.0743	4.1029	4.1353	2.1196	2.0263	3.8940	3.9027	2.0700	24.3251		
	S	221.214	207.226	199.996	207.801	216.359	219.218	218.730	222.991	213.113		
174	T	2.0976	4.1990	4.1677	2.1268	2.0289	3.8919	3.8968	2.0596	24.4683		
	S	218.757	202.483	198.442	207.097	216.082	219.337	219.061	224.117	211.866		
175	T	2.1296	4.2518	4.1658	2.1193	2.0262	3.8898	3.8878	2.0543	24.5246		
	S	215.469	199.969	198.532	207.830	216.370	219.455	219.568	224.695	211.380		
176	T	2.1219	4.2517	4.2063	2.1331	2.0316	3.8882	3.8836	2.0535	24.5699		
	S	216.251	199.973	196.621	206.486	215.795	219.545	219.805	224.783	210.990		
177	T	2.1504	4.2800	4.1991	2.1324	2.0306	3.8935	3.8859	2.0549	24.6268		
	S	213.385	198.651	196.958	206.553	215.901	219.247	219.675	224.629	210.502		
178	T	2.1988	4.3193	4.2254	2.1349	2.0337	3.9034	3.8940	2.0636	24.7731		
	S	208.688	196.844	195.732	206.312	215.572	218.690	219.218	223.682	209.259		
179	T	2.0761	4.1671	4.1786	2.1265	2.0272	3.8846	3.8926	2.0576	24.4103		
	S	221.022	204.033	197.924	207.127	216.263	219.749	219.297	224.335	212.369		
180	T	2.1534	4.2516	4.1211	2.1058	2.0138	3.8713	3.8779	2.0601	24.4550		
	S	213.088	199.978	200.686	209.163	217.702	220.504	220.129	224.062	211.981		
181	T	2.1546	4.2423	4.1275	2.1137	2.0218	3.8904	3.8954	2.0658	24.5115		
	S	212.969	200.417	200.374	208.381	216.841	219.421	219.140	223.444	211.493		
182	T	2.0850	4.1602	4.1261	2.1050	2.0166	3.8834	3.9005	2.0746	24.3514		
	S	220.078	204.372	200.442	209.242	217.400	219.817	218.853	222.496	212.883		
183	T	2.0754	4.1153	4.1333	2.1150	2.0254	3.8968	3.9003	2.0679	24.3294		
	S	221.096	206.602	200.093	208.253	216.456	219.061	218.864	223.217	213.076		
184	T	2.0923	4.1289	4.1530	2.1221	2.0292	3.9010	3.9071	2.0698	24.4034		
	S	219.311	205.921	199.144	207.556	216.050	218.825	218.483	223.012	212.429		
185	T	2.0857	4.1104	4.1398	2.1127	2.0225	3.8920	3.8978	2.0694	24.3303		
	S	220.005	206.848	199.779	208.479	216.766	219.331	219.005	223.055	213.068		
186	T	2.0690	4.1313	4.1722	2.1210	2.0265	3.9043	3.9187	2.0670	24.4100		
	S	221.780	205.801	198.228	207.664	216.338	218.640	217.837	223.314	212.372		
187	T	2.0707	4.1265	4.2246	2.1458	2.2321	5.7420			36.3422	26.5145	28.4467
	S	221.598	206.041	195.769	205.264	196.411	148.665			142.644	33.982	166.004
188	T			8.4519	3.1202	2.6352	4.6835	4.3575	2.2276	53.6166	34.9976	
	S			97.853	141.162	166.367	182.265	195.900	207.214	96.686	135.009	
189	T	2.2034	4.0537	4.0173	2.0921	2.0168	4.1365	4.1213	2.1268	24.7679		
	S	208.253	209.741	205.871	210.532	217.379	206.367	207.128	217.035	209.303		
190	T	2.1130	3.9624	3.9940	2.0804	2.0110	3.9048	3.9380	2.0996	24.1032		
	S	217.162	214.574	207.072	211.716	218.006	218.612	216.769	219.847	215.075		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.1013	3.9064	3.9564	2.0592	1.9893	3.8616	3.9077	2.0852	23.8671		
	S	218.371	217.650	209.040	213.896	220.384	221.058	218.450	221.365	217.203		
192	T	2.0876	3.8367	3.9479	2.0523	1.9833	3.8496	3.8897	2.0697	23.7168		
	S	219.804	221.604	209.490	214.615	221.050	221.747	219.461	223.023	218.579		
193	T	2.0706	3.8569	3.9515	2.0521	1.9796	3.8378	3.8770	2.0644	23.6899		
	S	221.609	220.443	209.299	214.636	221.463	222.429	220.180	223.596	218.827		
194	T	2.0664	3.8657	4.0065	2.0644	1.9828	3.8369	3.8782	2.0625	23.7634		
	S	222.059	219.941	206.426	213.357	221.106	222.481	220.111	223.802	218.151		
195	T	2.0662	3.9582	3.9920	2.0637	1.9792	3.8250	3.8538	2.0479	23.7860		
	S	222.081	214.801	207.176	213.430	221.508	223.173	221.505	225.397	217.943		
196	T	2.0654	3.9981	4.0625	2.0859	1.9944	3.8479	3.8697	2.0540	23.9779		
	S	222.167	212.658	203.580	211.158	219.820	221.845	220.595	224.728	216.199		
197	T	2.0663	4.0190	4.0322	2.0772	1.9850	3.8344	3.8470	2.0586	23.9197		
	S	222.070	211.552	205.110	212.042	220.861	222.626	221.897	224.226	216.725		
198	T	2.1523	4.1779	4.1308	2.1110	2.0149	4.0089	3.9681	2.0941	24.6580		
	S	213.197	203.506	200.214	208.647	217.584	212.935	215.125	220.424	210.236		
199	T	2.0946	4.1214	4.1089	2.1057	2.0110	3.8879	3.8953	2.0757	24.3005		
	S	219.070	206.296	201.281	209.173	218.006	219.562	219.145	222.378	213.329		
200	T	2.0801	3.9922	4.1052	2.0973	2.0060	3.8730	3.8902	2.0664	24.1104		
	S	220.597	212.972	201.463	210.010	218.549	220.407	219.433	223.379	215.011		
201	T	2.0754	4.0905	4.1290	2.1094	2.0136	3.8865	3.9095	2.0826	24.2965		
	S	221.096	207.854	200.302	208.806	217.724	219.641	218.349	221.642	213.364		
202	T	2.0824	4.0622	4.1146	2.1060	2.0130	3.8902	3.9128	2.0837	24.2649		
	S	220.353	209.302	201.003	209.143	217.789	219.433	218.165	221.525	213.642		
203	T	2.0791	4.0482	4.1323	2.1185	2.0296	3.9202	3.9303	2.0939	24.3521		
	S	220.703	210.026	200.142	207.909	216.008	217.753	217.194	220.446	212.877		
204	T	2.0935	4.0506	4.0868	2.1033	2.0164	3.8998	3.9249	2.0900	24.2653		
	S	219.185	209.902	202.370	209.411	217.422	218.892	217.493	220.857	213.638		
205	T	2.0933	4.0348	4.1316	2.1158	2.0265	3.9147	3.9301	2.0925	24.3393		
	S	219.206	210.724	200.176	208.174	216.338	218.059	217.205	220.593	212.989		
206	T	2.1096	4.1640	4.1486	2.1266	2.0375	3.9329	3.9504	2.1025	24.5721		
	S	217.512	204.185	199.355	207.117	215.170	217.050	216.089	219.544	210.971		
207	T	2.1116	4.0206	4.1103	2.1097	2.0224	3.9073	3.9226	2.0872	24.2917		
	S	217.306	211.468	201.213	208.776	216.777	218.472	217.620	221.153	213.406		
208	T	2.0937	3.9227	4.0681	2.1002	2.0212	3.9114	3.9342	2.0969	24.1484		
	S	219.164	216.745	203.300	209.720	216.905	218.243	216.978	220.130	214.673		
209	T	2.1039	4.1085	4.1425	2.1230	2.0369	3.9360	3.9691	2.1128	24.5327		
	S	218.101	206.943	199.649	207.468	215.233	216.879	215.071	218.474	211.310		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1198	3.9017	4.0387	2.0932	2.0146	3.9121	3.9547	2.1062	24.1410		
	S	216.466	217.912	204.780	210.422	217.616	218.204	215.854	219.158	214.738		
211	T	2.1155	3.9264	4.0797	2.1087	2.0295	3.9187	3.9367	2.1081	24.2233		
	S	216.906	216.541	202.722	208.875	216.018	217.837	216.841	218.961	214.009		
212	T	2.1204	3.8979	4.0292	2.1021	2.0265	3.9301	3.9630	2.1175	24.1867		
	S	216.404	218.124	205.263	209.531	216.338	217.205	215.402	217.989	214.333		
213	T	2.1266	4.0115	4.0675	2.1141	2.0392	3.9485	3.9683	2.1233	24.3990		
	S	215.773	211.947	203.330	208.341	214.991	216.193	215.114	217.393	212.468		
214	T	2.1305	4.0155	4.0425	2.1072	2.0341	3.9400	3.9698	2.1244	24.3640		
	S	215.378	211.736	204.588	209.024	215.530	216.659	215.033	217.281	212.773		
215	T	2.1301	4.0546	4.0782	2.1136	2.0404	3.9483	3.9758	2.1212	24.4622		
	S	215.419	209.694	202.797	208.391	214.864	216.204	214.708	217.608	211.919		
216	T	2.1318	4.1237	4.1021	2.1219	2.0463	3.9530	3.9830	2.1216	24.5834		
	S	215.247	206.181	201.615	207.576	214.245	215.946	214.320	217.567	210.874		
217	T	2.1493	4.1960	4.1389	2.1306	2.0519	3.9647	3.9822	2.1258	24.7394		
	S	213.494	202.628	199.823	206.728	213.660	215.309	214.363	217.138	209.544		
218	T	2.1320	4.0238	4.1063	2.1266	2.0487	3.9574	3.9866	2.1140	24.4954		
	S	215.227	211.300	201.409	207.117	213.994	215.706	214.126	218.350	211.632		
219	T	2.1335	4.2344	4.2560	2.1897	2.4177	6.3470	6.2437	3.5290	31.3510		
	S	215.076	200.790	194.325	201.148	181.333	134.494	136.720	130.799	165.354		
220	T	3.9598	7.1160	6.6707	3.9837	3.8130	6.7557	6.0749	3.1401	41.5139		
	S	115.881	119.481	123.982	110.564	114.977	126.358	140.519	146.999	124.874		
221	T	3.3090	8.1092	8.6328	4.9046	4.2282	7.7394	7.9367	4.2361	49.0960		
	S	138.671	104.847	95.803	89.804	103.687	110.297	107.556	108.966	105.589		
222	T	4.1336	7.7680	10.3273	7.0332	5.7822	9.7085	10.2090	4.6554	59.6172		
	S	111.008	109.453	80.083	62.625	75.820	87.927	83.616	99.152	86.955		
223	T	4.6663	9.5343	10.0041	5.2983	6.4638	8.9464	8.9825	4.2833	58.1790		
	S	98.336	89.176	82.671	83.131	67.825	95.417	95.033	107.765	89.104		
224	T	4.9565	9.9115	9.6629	5.1340	5.1013	10.6268	8.6985	4.7409	58.8324		
	S	92.578	85.782	85.590	85.792	85.941	80.329	98.136	97.364	88.115		
225	T	5.1353	8.4523	8.4428	6.2291	5.5794	7.1482	9.3383	5.5133	55.8387		
	S	89.355	100.591	97.959	70.709	78.576	119.420	91.412	83.723	92.839		
226	T	4.8341	7.6686	8.1728	4.0654	3.8044	9.2402	6.2298	2.5935	46.6088		
	S	94.922	110.871	101.195	108.342	115.237	92.383	137.025	177.980	111.224		
227	T	2.4357	4.5681	4.3474	2.1638	2.0942	4.0960	3.9428	2.0589	25.7069		
	S	188.391	186.123	190.239	203.556	209.344	208.407	216.505	224.193	201.658		
228	T	2.1142	4.2342	4.2043	2.1543	2.0432	3.9015	3.8829	2.0528	24.5874		
	S	217.039	200.800	196.714	204.454	214.570	218.797	219.845	224.859	210.840		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.0887	4.1299	4.0398	2.0705	1.9968	4.2398	4.9000	2.5900	26.0555		
	S	219.689	205.871	204.724	212.729	219.556	201.339	174.212	178.220	198.960		
230	T	2.7951	5.7729	6.3501	4.2441	4.7483	10.4753	11.6616	5.0494	51.0968		
	S	164.167	147.279	130.241	103.780	92.330	81.490	73.201	91.415	101.454		
231	T	4.6973	8.2625	8.2009	5.4236	4.7752	11.3888	12.7758	5.4729	60.9970		
	S	97.687	102.902	100.848	81.211	91.810	74.954	66.817	84.341	84.988		
232	T	5.6109	10.7145	10.0123	6.0894	5.8228	9.7068	10.6665	5.2006	63.8238		
	S	81.781	79.353	82.603	72.331	75.292	87.942	80.030	88.757	81.224		
233	T	5.2495	9.3381	9.9376	5.7724	4.7269	9.6341	10.3746	4.9602	59.9934		
	S	87.411	91.049	83.224	76.304	92.748	88.606	82.281	93.059	86.410		
234	T	4.9839	9.3201	8.8918	5.5201	5.0527	8.8167	9.9517	5.1749	57.7119		
	S	92.069	91.225	93.012	79.791	86.767	96.820	85.778	89.198	89.825		
235	T	5.2570	8.4749	9.0180	5.3872	4.9275	9.1026	8.8068	4.6508	55.6248		
	S	87.286	100.323	91.711	81.759	88.972	93.779	96.929	99.250	93.196		
236	T	4.8231	8.6217	8.7977	4.2848	4.1440	9.2157	9.0414	3.1245	52.0529		
	S	95.139	98.615	94.007	102.795	105.794	92.628	94.414	147.733	99.591		
237	T	2.7182	5.0252	4.8211	2.3721	2.2070	4.4990	4.1937	2.1591	27.9954		
	S	168.812	169.193	171.547	185.681	198.645	189.739	203.552	213.789	185.173		
238	T	2.1347	4.4666	4.4147	2.1829	2.0672	3.9435	3.9171	2.0757	25.2024		
	S	214.955	190.352	187.339	201.775	212.079	216.467	217.926	222.378	205.695		
239	T	2.0726	3.8970	3.9784	2.0573	1.9884	3.8525	3.8641	2.0561	23.7664		
	S	221.395	218.175	207.884	214.093	220.483	221.580	220.915	224.498	218.123		
240	T	2.0634	3.8806	3.9713	2.0470	1.9740	3.8104	3.8165	2.0455	23.6087		
	S	222.382	219.097	208.256	215.171	222.092	224.028	223.670	225.662	219.580		
241	T	2.0653	3.9666	4.1848	2.1245	2.0234	3.8799	3.8644	2.0446	24.1535		
	S	222.178	214.347	197.631	207.322	216.670	220.015	220.898	225.761	214.627		
242	T	2.0665	3.9166	4.0679	2.1006	2.0145	3.8696	3.8628	2.0502	23.9487		
	S	222.049	217.083	203.310	209.680	217.627	220.601	220.989	225.144	216.463		
243	T	2.0620	3.8990	4.0748	2.0885	2.0032	3.8512	3.8381	2.0482	23.8650		
	S	222.533	218.063	202.966	210.895	218.854	221.655	222.411	225.364	217.222		
244	T	2.0688	4.0143	4.1501	2.1101	2.0117	3.8573	3.9014	2.0541	24.1678		
	S	221.802	211.800	199.283	208.736	217.930	221.304	218.803	224.717	214.500		
245	T	2.0642	4.0264	4.1373	2.1046	2.0128	3.8703	3.8599	2.0519	24.1274		
	S	222.296	211.163	199.900	209.282	217.811	220.561	221.155	224.958	214.859		
246	T	2.0654	4.0383	4.1392	2.1112	2.0181	3.8782	3.8724	2.0588	24.1816		
	S	222.167	210.541	199.808	208.628	217.239	220.111	220.441	224.204	214.378		
247	T	2.0654	4.0695	4.0906	2.0970	2.0077	3.8934	3.8919	2.0668	24.1823		
	S	222.167	208.927	202.182	210.040	218.364	219.252	219.337	223.336	214.372		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 22 - Pagenaud, Simon

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.0642	3.9685	4.0695	2.0953	2.0136	3.8799	3.8816	2.0693	24.0419		
	S	222.296	214.244	203.230	210.211	217.724	220.015	219.919	223.066	215.624		
249	T	2.3117	5.3898									
	S	198.496	157.747									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 23 - Kimball, Charlie

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6054	4.9739	4.6396	2.2707	2.1266	4.4012	4.1656	2.1759	27.3589	62.4786	
	S	176.120	170.938	178.258	193.973	206.155	193.955	204.925	212.138	189.481	75.626	
2	T	2.2265	4.5262	4.3003	2.1731	2.1036	4.3063	4.2638	2.1748	26.0746		
	S	206.092	187.846	192.323	202.685	208.409	198.230	200.206	212.245	198.814		
3	T	2.1512	4.0192	4.1574	2.1153	2.0459	4.1649	3.9997	2.0890	24.7426		
	S	213.306	211.541	198.933	208.223	214.287	204.960	213.425	220.963	209.517		
4	T	2.0748	4.0852	4.3022	2.1746	2.0561	4.0339	3.9051	2.0576	24.6895		
	S	221.160	208.124	192.238	202.545	213.224	211.616	218.595	224.335	209.968		
5	T	2.0526	4.2084	4.1778	2.1241	2.0242	3.9592	3.8917	2.0499	24.4879		
	S	223.552	202.031	197.962	207.361	216.584	215.608	219.348	225.177	211.696		
6	T	2.0967	4.2710	4.1591	2.1310	2.0330	3.9352	3.8838	2.0672	24.5770		
	S	218.850	199.070	198.852	206.689	215.646	216.923	219.794	223.293	210.929		
7	T	2.0667	4.2715	4.2589	2.1473	2.0465	3.9195	3.8738	2.0659	24.6501		
	S	222.027	199.047	194.192	205.120	214.224	217.792	220.361	223.433	210.303		
8	T	2.0750	4.0010	4.1293	2.1168	2.0208	3.9495	3.9084	2.0801	24.2809		
	S	221.139	212.504	200.287	208.076	216.948	216.138	218.411	221.908	213.501		
9	T	2.0783	3.9597	4.1142	2.1128	2.0163	3.9196	3.8998	2.0740	24.1747		
	S	220.788	214.720	201.022	208.470	217.432	217.787	218.892	222.561	214.439		
10	T	2.0793	3.9907	4.1588	2.1204	2.0222	3.9215	3.8944	2.0713	24.2586		
	S	220.682	213.052	198.866	207.722	216.798	217.681	219.196	222.851	213.697		
11	T	2.0866	4.1341	4.1493	2.1198	2.0232	3.9585	3.9220	2.0857	24.4792		
	S	219.910	205.662	199.322	207.781	216.691	215.646	217.653	221.312	211.772		
12	T	2.0775	4.0149	4.2279	2.1390	2.0292	3.9677	3.9101	2.0797	24.4460		
	S	220.873	211.768	195.616	205.916	216.050	215.146	218.316	221.951	212.059		
13	T	2.0910	4.1189	4.2914	2.1782	2.0732	3.9481	3.9016	2.0782	24.6806		
	S	219.447	206.421	192.722	202.210	211.465	216.214	218.791	222.111	210.044		
14	T	2.0982	4.2228	4.2667	2.1663	2.0581	3.9427	3.9047	2.0798	24.7393		
	S	218.694	201.342	193.837	203.321	213.016	216.511	218.618	221.940	209.545		
15	T	2.0816	4.0724	4.1528	2.1282	2.0331	3.9250	3.9151	2.0861	24.3943		
	S	220.438	208.778	199.154	206.961	215.636	217.487	218.037	221.270	212.509		
16	T	2.0870	3.9764	4.1112	2.1137	2.0244	3.9729	3.9574	2.1062	24.3492		
	S	219.868	213.818	201.169	208.381	216.562	214.865	215.706	219.158	212.902		
17	T	2.1058	3.9724	4.1306	2.1229	2.0364	3.9459	3.9290	2.0999	24.3429		
	S	217.905	214.034	200.224	207.478	215.286	216.335	217.266	219.816	212.957		
18	T	2.1027	3.9601	4.1133	2.1212	2.0320	3.9384	3.9266	2.0939	24.2882		
	S	218.226	214.698	201.066	207.644	215.753	216.747	217.398	220.446	213.437		
19	T	2.0998	3.9347	4.0929	2.1118	2.0257	3.9307	3.9158	2.0977	24.2091		
	S	218.527	216.084	202.068	208.568	216.424	217.172	217.998	220.046	214.134		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 23 - Kimball, Charlie

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0960	3.9183	4.0987	2.1129	2.0234	3.9124	3.8975	2.0783	24.1375		
	S	218.923	216.989	201.782	208.460	216.670	218.187	219.022	222.100	214.770		
21	T	2.0810	4.0661	4.1668	2.1313	2.0633	4.1224	4.0040	2.1112	24.7461		
	S	220.502	209.101	198.485	206.660	212.480	207.073	213.196	218.639	209.488		
22	T	2.1012	4.0478	4.2531	2.1572	2.0602	4.0159	3.9712	2.1103	24.7169		
	S	218.382	210.047	194.457	204.179	212.799	212.564	214.957	218.732	209.735		
23	T	2.1109	4.0213	4.1638	2.1320	2.0390	3.9294	3.9141	2.0885	24.3990		
	S	217.378	211.431	198.628	206.592	215.012	217.243	218.093	221.016	212.468		
24	T	2.0894	4.0662	4.2336	2.1537	2.0581	3.9569	3.9293	2.1068	24.5940		
	S	219.615	209.096	195.353	204.511	213.016	215.734	217.249	219.096	210.783		
25	T	2.1117	4.0755	4.2357	2.1612	2.0636	3.9570	3.9295	2.0984	24.6326		
	S	217.296	208.619	195.256	203.801	212.449	215.728	217.238	219.973	210.453		
26	T	2.0959	4.0619	4.1965	2.1363	2.0418	3.9332	3.9082	2.0873	24.4611		
	S	218.934	209.318	197.080	206.176	214.717	217.034	218.422	221.143	211.928		
27	T	2.0911	4.1213	4.2551	2.1703	2.0649	3.9903	3.9520	2.1035	24.7485		
	S	219.436	206.301	194.366	202.946	212.315	213.928	216.001	219.439	209.467		
28	T	2.1041	4.1570	4.3573	2.2080	2.0877	3.9873	3.9360	2.0987	24.9361		
	S	218.081	204.529	189.807	199.481	209.996	214.089	216.879	219.941	207.891		
29	T	2.1024	4.1701	4.3258	2.1902	2.0920	4.0382	3.9622	2.1049	24.9858		
	S	218.257	203.887	191.189	201.102	209.565	211.390	215.445	219.294	207.478		
30	T	2.1076	4.1260	4.2581	2.1588	2.0575	3.9463	3.9079	2.0839	24.6461		
	S	217.719	206.066	194.229	204.027	213.079	216.313	218.439	221.503	210.338		
31	T	2.0996	4.1782	4.3049	2.1893	2.0786	3.9719	3.9306	2.0958	24.8489		
	S	218.548	203.491	192.117	201.185	210.916	214.919	217.177	220.246	208.621		
32	T	2.1042	4.1673	4.2619	2.1631	2.0673	3.9668	3.9124	2.0836	24.7266		
	S	218.070	204.024	194.056	203.622	212.068	215.195	218.187	221.535	209.653		
33	T	2.1359	4.3316	4.4126	2.2216	2.0953	3.9879	3.9255	2.0871	25.1975		
	S	214.834	196.285	187.428	198.260	209.235	214.057	217.459	221.164	205.735		
34	T	2.1122	4.2548	4.3182	2.1802	2.0689	3.9805	3.9342	2.0886	24.9376		
	S	217.244	199.828	191.526	202.025	211.904	214.455	216.978	221.005	207.879		
35	T	2.1084	4.2898	4.3773	2.2022	2.0850	3.9834	3.9260	2.0896	25.0617		
	S	217.636	198.197	188.940	200.007	210.268	214.298	217.432	220.899	206.849		
36	T	2.0955	4.1478	4.2095	2.1395	2.0439	3.9258	3.9022	2.0821	24.5463		
	S	218.976	204.983	196.471	205.868	214.496	217.443	218.758	221.695	211.193		
37	T	2.0842	4.0876	4.2369	2.1590	2.0572	3.9471	3.9081	2.0835	24.5636		
	S	220.163	208.002	195.201	204.009	213.110	216.269	218.427	221.546	211.044		
38	T	2.0816	4.0331	4.2066	2.1450	2.0445	3.9782	3.9336	2.0959	24.5185		
	S	220.438	210.812	196.607	205.340	214.433	214.579	217.011	220.235	211.432		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 23 - Kimball, Charlie

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0959	4.0920	4.2493	2.1587	2.0578	3.9749	3.9366	2.0972	24.6624		
	S	218.934	207.778	194.631	204.037	213.047	214.757	216.846	220.099	210.199		
40	T	2.0963	4.1271	4.2565	2.1564	2.0651	4.2396	4.0996	2.1485	25.1891		
	S	218.892	206.011	194.302	204.255	212.294	201.348	208.224	214.843	205.803		
41	T	2.1815	4.5498	4.6509	2.2943	2.1513	4.0738	3.9638	2.0931	25.9585		
	S	210.343	186.871	177.825	191.978	203.788	209.543	215.358	220.530	199.703		
42	T	2.1435	4.3537	4.4596	2.2321	2.1087	4.0515	3.9678	2.1074	25.4243		
	S	214.072	195.288	185.453	197.327	207.905	210.696	215.141	219.033	203.899		
43	T	2.1076	4.0655	4.1618	2.1279	2.0408	3.9211	3.8958	2.0800	24.4005		
	S	217.719	209.132	198.723	206.990	214.822	217.703	219.117	221.919	212.455		
44	T	2.0887	4.1617	4.2036	2.1414	2.0506	3.9390	3.8954	2.0818	24.5622		
	S	219.689	204.298	196.747	205.685	213.796	216.714	219.140	221.727	211.056		
45	T	2.1008	4.2600	4.2947	2.1665	2.0871	4.3303	4.1265	2.1353	25.5012		
	S	218.423	199.584	192.574	203.302	210.057	197.131	206.867	216.171	203.285		
46	T	2.1344	4.4882	4.4595	2.2135	2.0892	4.0528	3.9585	2.0962	25.4923		
	S	214.985	189.436	185.457	198.986	209.845	210.629	215.646	220.204	203.356		
47	T	2.1221	4.2982	4.2366	2.1439	2.0458	3.9139	3.8733	2.0631	24.6969		
	S	216.231	197.810	195.214	205.445	214.297	218.104	220.390	223.737	209.905		
48	T	2.0922	4.3931	4.3112	2.1654	2.0578	3.9336	3.8850	2.0683	24.9066		
	S	219.321	193.537	191.836	203.406	213.047	217.011	219.726	223.174	208.138		
49	T	2.0644	4.4915	4.5037	2.2592	2.1392	4.1172	4.0546	2.1560	25.7858		
	S	222.275	189.297	183.637	194.960	204.941	207.334	210.535	214.096	201.041		
50	T	2.1599	4.0909	4.1711	2.1395	2.0597	3.9861	3.9702	2.1303	24.7077		
	S	212.447	207.834	198.280	205.868	212.851	214.153	215.011	216.679	209.813		
51	T	2.1380	3.9989	4.1054	2.1208	2.0454	3.9568	3.9603	2.1255	24.4511		
	S	214.623	212.615	201.453	207.683	214.339	215.739	215.548	217.168	212.015		
52	T	2.1400	3.9446	4.0772	2.1125	2.0383	3.9545	3.9474	2.1232	24.3377		
	S	214.422	215.542	202.846	208.499	215.086	215.865	216.253	217.403	213.003		
53	T	2.1312	3.9473	4.0816	2.1083	2.0348	3.9449	3.9497	2.1199	24.3177		
	S	215.308	215.395	202.628	208.915	215.456	216.390	216.127	217.742	213.178		
54	T	2.1279	3.9851	4.1180	2.1262	2.0497	3.9668	3.9519	2.1184	24.4440		
	S	215.642	213.352	200.837	207.156	213.889	215.195	216.007	217.896	212.077		
55	T	2.1294	3.9858	4.1085	2.1190	2.0432	3.9598	3.9431	2.1133	24.4021		
	S	215.490	213.314	201.301	207.860	214.570	215.576	216.489	218.422	212.441		
56	T	2.1213	3.9551	4.1359	2.1237	2.0411	3.9461	3.9375	2.1167	24.3774		
	S	216.312	214.970	199.967	207.400	214.791	216.324	216.797	218.071	212.656		
57	T	2.1273	3.9736	4.1365	2.1301	2.0448	3.9508	3.9351	2.1019	24.4001		
	S	215.702	213.969	199.938	206.776	214.402	216.067	216.929	219.607	212.458		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 23 - Kimball, Charlie

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1158	3.9792	4.1476	2.1244	2.0389	3.9305	3.9099	2.0911	24.3374		
	S	216.875	213.668	199.403	207.331	215.022	217.183	218.327	220.741	213.005		
59	T	2.1025	4.1847	4.3387	2.1954	2.3306	6.2447			36.8747	29.6878	29.4866
	S	218.247	203.175	190.621	200.626	188.110	136.698			140.584	30.350	160.150
60	T			8.4899	3.1421	2.6793	4.6575	4.3211	2.2388	57.3950	35.0953	
	S			97.415	140.178	163.628	183.282	197.551	206.178	90.321	134.633	
61	T	2.2139	4.1902	4.1336	2.1280	2.0577	3.9841	3.9631	2.1227	24.7933		
	S	207.265	202.909	200.079	206.981	213.058	214.261	215.396	217.455	209.089		
62	T	2.1292	3.8960	3.9561	2.0657	2.0033	3.9198	3.9428	2.1118	24.0247		
	S	215.510	218.231	209.056	213.223	218.843	217.775	216.505	218.577	215.778		
63	T	2.1209	3.8693	3.9133	2.0572	1.9973	3.9133	3.9325	2.1074	23.9112		
	S	216.353	219.737	211.342	214.104	219.501	218.137	217.072	219.033	216.802		
64	T	2.1145	3.8648	3.9344	2.0598	1.9965	3.9110	3.9309	2.1023	23.9142		
	S	217.008	219.993	210.209	213.834	219.589	218.265	217.161	219.565	216.775		
65	T	2.1127	3.8440	3.9072	2.0490	1.9889	3.8981	3.9221	2.1024	23.8244		
	S	217.193	221.183	211.672	214.961	220.428	218.988	217.648	219.554	217.592		
66	T	2.1055	3.8357	3.9374	2.0588	1.9947	3.9054	3.9223	2.0997	23.8595		
	S	217.936	221.662	210.049	213.938	219.787	218.578	217.637	219.837	217.272		
67	T	2.1032	3.8462	3.9601	2.0659	1.9960	3.8927	3.9111	2.0947	23.8699		
	S	218.174	221.056	208.845	213.202	219.644	219.292	218.260	220.361	217.177		
68	T	2.0989	3.8572	3.9694	2.0724	1.9991	3.8966	3.9096	2.0982	23.9014		
	S	218.621	220.426	208.355	212.534	219.303	219.072	218.344	219.994	216.891		
69	T	2.0976	3.8627	3.9869	2.0733	1.9973	3.8882	3.9012	2.0935	23.9007		
	S	218.757	220.112	207.441	212.441	219.501	219.545	218.814	220.488	216.897		
70	T	2.0923	3.9398	4.0527	2.1040	2.0131	3.9438	3.9241	2.0943	24.1641		
	S	219.311	215.805	204.073	209.342	217.778	216.450	217.537	220.403	214.533		
71	T	2.0940	3.9129	4.1591	2.1328	2.0392	3.9277	3.9044	2.0882	24.2583		
	S	219.133	217.288	198.852	206.515	214.991	217.337	218.634	221.047	213.700		
72	T	2.0880	3.9415	4.0778	2.1088	2.0204	3.9160	3.9022	2.0909	24.1456		
	S	219.762	215.712	202.817	208.865	216.991	217.987	218.758	220.762	214.698		
73	T	2.1052	4.0965	4.1598	2.1321	2.0470	4.1307	4.0106	2.1035	24.7854		
	S	217.967	207.550	198.819	206.582	214.172	206.657	212.845	219.439	209.155		
74	T	2.1217	4.3649	4.4314	2.2429	2.1351	4.0663	3.9818	2.1124	25.4565		
	S	216.272	194.787	186.633	196.377	205.334	209.930	214.385	218.515	203.642		
75	T	2.1094	4.0136	4.1026	2.1069	2.0235	3.9131	3.9138	2.0886	24.2715		
	S	217.533	211.837	201.591	209.053	216.659	218.148	218.109	221.005	213.584		
76	T	2.0877	3.9484	4.0491	2.0937	2.0130	3.9095	3.9070	2.0872	24.0956		
	S	219.794	215.335	204.254	210.371	217.789	218.349	218.489	221.153	215.143		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 23 - Kimball, Charlie

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0912	4.0884	4.1482	2.1219	2.0312	3.9186	3.9188	2.0902	24.4085		
	S	219.426	207.961	199.375	207.576	215.837	217.842	217.831	220.836	212.385		
78	T	2.1047	4.1672	4.1944	2.1286	2.0384	4.0123	3.9984	2.1293	24.7733		
	S	218.019	204.028	197.178	206.922	215.075	212.755	213.494	216.781	209.258		
79	T	2.1413	3.9966	4.0924	2.1174	2.0405	3.9519	3.9381	2.1085	24.3867		
	S	214.292	212.738	202.093	208.017	214.854	216.007	216.764	218.919	212.575		
80	T	2.1265	3.9707	4.0620	2.1054	2.0314	3.9425	3.9480	2.1119	24.2984		
	S	215.784	214.125	203.605	209.202	215.816	216.522	216.220	218.567	213.347		
81	T	2.1251	3.9344	4.0218	2.0973	2.0264	3.9316	3.9395	2.1131	24.1892		
	S	215.926	216.101	205.641	210.010	216.349	217.122	216.686	218.443	214.311		
82	T	2.1234	3.8951	3.9709	2.0782	2.0121	3.9264	3.9439	2.1153	24.0653		
	S	216.099	218.281	208.277	211.940	217.886	217.409	216.445	218.215	215.414		
83	T	2.1240	3.8957	3.9613	2.0753	2.0068	3.9358	3.9482	2.1130	24.0601		
	S	216.037	218.248	208.781	212.237	218.462	216.890	216.209	218.453	215.460		
84	T	2.1241	3.8863	4.0124	2.0967	2.0284	3.9366	3.9521	2.1156	24.1522		
	S	216.027	218.776	206.122	210.070	216.135	216.846	215.996	218.184	214.639		
85	T	2.1287	3.8908	3.9868	2.0887	2.0238	3.9647	4.1243	2.4907	24.6985		
	S	215.561	218.522	207.446	210.875	216.627	215.309	206.977	185.326	209.891		
86	T	2.7107	5.9170	5.9755	2.9348	3.0920	7.6628			45.2832		37.9107
	S	169.279	143.692	138.406	150.080	141.788	111.400			114.480		124.563

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5456	4.8527	4.6067	2.2192	2.0844	4.3501	4.2647	2.1752	27.0986	64.4458	
	S	180.258	175.207	179.531	198.474	210.329	196.234	200.163	212.206	191.301	73.317	
2	T	2.1735	4.2232	4.2780	2.1598	2.0586	4.0732	3.9792	2.0785	25.0240		
	S	211.117	201.323	193.325	203.933	212.965	209.574	214.525	222.079	207.161		
3	T	2.0842	4.1955	4.2495	2.1383	2.0233	3.9431	3.9035	2.0408	24.5782		
	S	220.163	202.652	194.622	205.984	216.680	216.489	218.685	226.181	210.919		
4	T	2.1234	4.1943	4.2242	2.1832	2.0616	3.9155	3.8849	2.0616	24.6487		
	S	216.099	202.710	195.787	201.747	212.655	218.015	219.732	223.899	210.315		
5	T	2.0542	4.0318	4.2127	2.1371	2.0331	3.8756	3.8699	2.0528	24.2672		
	S	223.378	210.880	196.322	206.099	215.636	220.259	220.584	224.859	213.622		
6	T	2.0648	4.1204	4.1912	2.1319	2.0283	3.8667	3.8400	2.0295	24.2728		
	S	222.232	206.346	197.329	206.602	216.146	220.766	222.301	227.441	213.572		
7	T	2.0529	4.2820	4.2523	2.1500	2.0389	3.8851	3.8673	2.0613	24.5898		
	S	223.520	198.558	194.494	204.863	215.022	219.721	220.732	223.932	210.819		
8	T	2.0982	4.1114	4.1337	2.1099	2.0133	3.8866	3.8958	2.0806	24.3295		
	S	218.694	206.798	200.074	208.756	217.756	219.636	219.117	221.855	213.075		
9	T	2.0776	4.0551	4.1695	2.1341	2.0342	3.8927	3.8786	2.0710	24.3128		
	S	220.862	209.669	198.356	206.389	215.519	219.292	220.089	222.883	213.221		
10	T	2.0825	4.0567	4.1272	2.1172	2.0227	3.9544	3.9693	2.1007	24.4307		
	S	220.343	209.586	200.389	208.036	216.744	215.870	215.060	219.732	212.192		
11	T	2.1285	4.2388	4.1725	2.1181	2.0269	4.0488	4.0237	2.1303	24.8876		
	S	215.581	200.582	198.213	207.948	216.295	210.837	212.152	216.679	208.297		
12	T	2.1318	4.0286	4.0887	2.1071	2.0209	3.8906	3.8877	2.0859	24.2413		
	S	215.247	211.048	202.276	209.034	216.938	219.410	219.574	221.291	213.850		
13	T	2.0956	3.9255	4.1533	2.1275	2.0347	3.9000	3.8926	2.0792	24.2084		
	S	218.965	216.591	199.130	207.029	215.466	218.881	219.297	222.004	214.141		
14	T	2.0874	3.9796	4.0920	2.1051	2.0163	3.8925	3.9230	2.0967	24.1926		
	S	219.825	213.646	202.113	209.232	217.432	219.303	217.598	220.151	214.280		
15	T	2.0951	4.0359	4.1462	2.1278	2.0315	3.9036	3.8983	2.0792	24.3176		
	S	219.018	210.666	199.471	207.000	215.806	218.679	218.977	222.004	213.179		
16	T	2.0781	3.9315	4.1170	2.1234	2.0353	3.9312	3.9331	2.0859	24.2355		
	S	220.809	216.260	200.885	207.429	215.403	217.144	217.039	221.291	213.901		
17	T	2.0937	3.9934	4.1431	2.1246	2.0313	3.9039	3.8969	2.0733	24.2602		
	S	219.164	212.908	199.620	207.312	215.827	218.662	219.055	222.636	213.683		
18	T	2.0728	3.9856	4.2422	2.1566	2.0511	3.9592	3.9397	2.0893	24.4965		
	S	221.374	213.325	194.957	204.236	213.743	215.608	216.675	220.931	211.622		
19	T	2.0947	4.0457	4.2188	2.1532	2.0438	3.9647	3.9648	2.0914	24.5771		
	S	219.059	210.156	196.038	204.558	214.507	215.309	215.304	220.709	210.928		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1169	4.1558	4.2128	2.1563	2.0546	3.9507	3.9363	2.0942	24.6776		
	S	216.762	204.588	196.317	204.264	213.379	216.072	216.863	220.414	210.069		
21	T	2.0981	4.0476	4.1260	2.1255	2.0366	3.9229	3.9151	2.0864	24.3582		
	S	218.704	210.057	200.447	207.224	215.265	217.603	218.037	221.238	212.824		
22	T	2.0897	4.0488	4.1593	2.1348	2.0427	4.0061	3.9887	2.1021	24.5722		
	S	219.583	209.995	198.842	206.321	214.622	213.084	214.014	219.586	210.970		
23	T	2.1034	3.9712	4.1896	2.1457	2.0432	3.9215	3.9144	2.0886	24.3776		
	S	218.153	214.098	197.404	205.273	214.570	217.681	218.076	221.005	212.654		
24	T	2.0958	4.0102	4.2792	2.1757	2.0624	3.9883	3.9711	2.0997	24.6824		
	S	218.944	212.016	193.271	202.443	212.572	214.035	214.962	219.837	210.028		
25	T	2.0972	4.0510	4.2544	2.1698	2.0591	4.0173	3.9746	2.1093	24.7327		
	S	218.798	209.881	194.398	202.993	212.913	212.490	214.773	218.836	209.601		
26	T	2.1180	4.0543	4.2945	2.1918	2.0789	4.1068	4.0377	2.1306	25.0126		
	S	216.649	209.710	192.582	200.956	210.885	207.859	211.416	216.648	207.256		
27	T	2.1215	4.1343	4.2521	2.1754	2.0646	4.0284	3.9935	2.1116	24.8814		
	S	216.292	205.652	194.503	202.471	212.346	211.905	213.756	218.598	208.348		
28	T	2.1278	4.0957	4.1802	2.1389	2.0402	3.9755	3.9623	2.0991	24.6197		
	S	215.652	207.590	197.848	205.926	214.885	214.724	215.440	219.899	210.563		
29	T	2.1124	4.1162	4.1980	2.1534	2.0551	3.9532	3.9467	2.0985	24.6335		
	S	217.224	206.556	197.009	204.539	213.327	215.936	216.291	219.962	210.445		
30	T	2.1150	4.1023	4.1700	2.1344	2.0400	4.0255	3.9883	2.0977	24.6732		
	S	216.957	207.256	198.332	206.360	214.906	212.057	214.035	220.046	210.107		
31	T	2.1441	4.2172	4.3337	2.2032	2.0846	4.0482	4.0163	2.1085	25.1558		
	S	214.012	201.609	190.840	199.916	210.308	210.868	212.543	218.919	206.076		
32	T	2.1131	4.1593	4.1998	2.1845	2.0892	4.0604	4.0112	2.1302	24.9477		
	S	217.152	204.416	196.925	201.627	209.845	210.235	212.813	216.689	207.795		
33	T	2.1350	4.1624	4.1879	2.1687	2.0713	3.9936	3.9828	2.1207	24.8224		
	S	214.924	204.264	197.485	203.096	211.659	213.751	214.331	217.660	208.844		
34	T	2.1311	4.1353	4.1990	2.1603	2.0679	3.9902	3.9884	2.1231	24.7953		
	S	215.318	205.602	196.962	203.886	212.007	213.933	214.030	217.414	209.072		
35	T	2.1415	4.1346	4.1813	2.1531	2.0624	3.9782	3.9738	2.1183	24.7432		
	S	214.272	205.637	197.796	204.568	212.572	214.579	214.816	217.906	209.512		
36	T	2.1311	4.0965	4.1391	2.1416	2.0542	3.9625	3.9606	2.1088	24.5944		
	S	215.318	207.550	199.813	205.666	213.421	215.429	215.532	218.888	210.780		
37	T	2.1188	4.0667	4.1368	2.1384	2.0503	3.9508	3.9438	2.1014	24.5070		
	S	216.568	209.071	199.924	205.974	213.827	216.067	216.450	219.659	211.531		
38	T	2.1144	4.0787	4.1439	2.1338	2.0430	3.9302	3.9254	2.0954	24.4648		
	S	217.018	208.455	199.581	206.418	214.591	217.199	217.465	220.288	211.896		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1171	4.1684	4.2010	2.1529	2.0570	3.9453	3.9157	2.0887	24.6461		
	S	216.742	203.970	196.869	204.587	213.130	216.368	218.004	220.994	210.338		
40	T	2.1495	4.4569	4.3181	2.2144	2.1103	4.0506	4.0316	2.1483	25.4797		
	S	213.475	190.767	191.530	198.905	207.747	210.743	211.736	214.863	203.456		
41	T	2.1622	4.1739	4.1823	2.1625	2.0736	4.0089	4.0108	2.1393	24.9135		
	S	212.221	203.701	197.749	203.678	211.424	212.935	212.834	215.767	208.080		
42	T	2.1469	4.1185	4.1963	2.1645	2.0752	4.0147	4.0127	2.1404	24.8692		
	S	213.733	206.441	197.089	203.490	211.261	212.628	212.734	215.656	208.451		
43	T	2.1494	4.0850	4.1391	2.1387	2.0591	3.9875	3.9972	2.1381	24.6941		
	S	213.485	208.134	199.813	205.945	212.913	214.078	213.559	215.888	209.929		
44	T	2.1412	4.0482	4.1210	2.1366	2.0594	3.9898	4.0055	2.1441	24.6458		
	S	214.302	210.026	200.690	206.147	212.882	213.955	213.116	215.284	210.340		
45	T	2.1529	4.0326	4.0574	2.1127	2.0454	3.9696	3.9891	2.1376	24.4973		
	S	213.137	210.838	203.836	208.479	214.339	215.043	213.992	215.939	211.615		
46	T	2.1461	4.0314	4.0839	2.1238	2.0526	3.9862	3.9890	2.1399	24.5529		
	S	213.813	210.901	202.514	207.390	213.587	214.148	213.998	215.707	211.136		
47	T	2.1395	4.0003	4.0681	2.1212	2.0521	3.9797	3.9987	2.1427	24.5023		
	S	214.472	212.541	203.300	207.644	213.639	214.498	213.478	215.425	211.572		
48	T	2.1434	4.0352	4.0886	2.1254	2.0536	3.9838	4.0019	2.1421	24.5740		
	S	214.082	210.703	202.281	207.234	213.483	214.277	213.308	215.485	210.955		
49	T	2.1517	3.9935	4.0857	2.1249	2.0526	3.9816	3.9858	2.1387	24.5145		
	S	213.256	212.903	202.424	207.282	213.587	214.395	214.169	215.828	211.467		
50	T	2.1418	3.9847	4.0271	2.1049	2.0413	3.9648	3.9823	2.1361	24.3830		
	S	214.242	213.373	205.370	209.252	214.770	215.304	214.358	216.090	212.607		
51	T	2.1481	3.9623	4.0201	2.1011	2.0367	3.9602	3.9752	2.1375	24.3412		
	S	213.614	214.579	205.728	209.630	215.255	215.554	214.740	215.949	212.972		
52	T	2.1408	4.0117	4.0643	2.1142	2.0460	3.9654	3.9849	2.1341	24.4614		
	S	214.342	211.937	203.490	208.332	214.276	215.271	214.218	216.293	211.926		
53	T	2.1390	3.9759	4.0474	2.1065	2.0389	3.9580	3.9741	2.1286	24.3684		
	S	214.523	213.845	204.340	209.093	215.022	215.674	214.800	216.852	212.735		
54	T	2.1367	3.9871	4.0331	2.1049	2.0392	3.9564	3.9702	2.1289	24.3565		
	S	214.753	213.245	205.064	209.252	214.991	215.761	215.011	216.821	212.838		
55	T	2.1349	3.9861	4.0515	2.1105	2.0404	3.9545	3.9664	2.1242	24.3685		
	S	214.934	213.298	204.133	208.697	214.864	215.865	215.217	217.301	212.734		
56	T	2.1307	3.9809	4.0583	2.1099	2.0409	3.9557	3.9718	2.1239	24.3721		
	S	215.358	213.577	203.791	208.756	214.812	215.799	214.924	217.332	212.702		
57	T	2.1283	4.0261	4.0788	2.1185	2.0448	3.9583	3.9577	2.1265	24.4390		
	S	215.601	211.179	202.767	207.909	214.402	215.657	215.690	217.066	212.120		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1329	4.1077	4.2326	2.2018	2.4752	6.0396		37.2019	28.2569		29.8117
	S	215.136	206.984	195.399	200.043	177.121	141.340		139.348	31.887		158.403
59	T				3.2185	2.6644	4.6669	4.3672	2.2609	56.2007	35.3340	
	S				136.851	164.543	182.913	195.465	204.162	92.241	133.724	
60	T	2.2336	4.0431	4.0510	2.1068	2.0435	3.9727	3.9989	2.1324	24.5820		
	S	205.437	210.291	204.158	209.063	214.538	214.876	213.468	216.465	210.886		
61	T	2.1393	3.9357	3.9971	2.0819	2.0226	3.9359	3.9765	2.1196	24.2086		
	S	214.492	216.029	206.911	211.564	216.755	216.885	214.670	217.773	214.139		
62	T	2.1322	3.8882	3.9672	2.0789	2.0184	3.9230	3.9590	2.1083	24.0752		
	S	215.207	218.669	208.471	211.869	217.206	217.598	215.619	218.940	215.325		
63	T	2.1228	3.8704	3.9698	2.0744	2.0117	3.9141	3.9503	2.1085	24.0220		
	S	216.160	219.674	208.334	212.329	217.930	218.093	216.094	218.919	215.802		
64	T	2.1223	3.8720	3.9509	2.0675	2.0039	3.8976	3.9235	2.0959	23.9336		
	S	216.211	219.583	209.331	213.037	218.778	219.016	217.570	220.235	216.599		
65	T	2.1087	3.8609	3.9528	2.0655	1.9988	3.8851	3.9371	2.1107	23.9196		
	S	217.605	220.215	209.230	213.244	219.336	219.721	216.819	218.691	216.726		
66	T	2.1149	3.9393	4.0354	2.0815	2.0004	3.8741	3.9137	2.1176	24.0769		
	S	216.967	215.832	204.948	211.604	219.161	220.344	218.115	217.978	215.310		
67	T	2.1254	3.8990	4.0076	2.0886	2.0198	3.9174	3.9401	2.1048	24.1027		
	S	215.895	218.063	206.369	210.885	217.056	217.909	216.653	219.304	215.080		
68	T	2.1182	3.8987	4.0132	2.0914	2.0224	3.9298	3.9485	2.1171	24.1393		
	S	216.629	218.080	206.081	210.603	216.777	217.221	216.193	218.030	214.754		
69	T	2.1239	3.9008	3.9823	2.0802	2.0144	3.9096	3.9368	2.1076	24.0556		
	S	216.048	217.962	207.680	211.737	217.638	218.344	216.835	219.013	215.501		
70	T	2.1222	3.9000	3.9989	2.0881	2.0206	3.9148	3.9468	2.1068	24.0982		
	S	216.221	218.007	206.818	210.936	216.970	218.054	216.286	219.096	215.120		
71	T	2.1204	3.8638	4.0046	2.0860	2.0176	3.9028	3.9319	2.1013	24.0284		
	S	216.404	220.050	206.524	211.148	217.292	218.724	217.105	219.669	215.745		
72	T	2.1188	3.8859	3.9924	2.0772	2.0080	3.8954	3.9198	2.0954	23.9929		
	S	216.568	218.798	207.155	212.042	218.331	219.140	217.775	220.288	216.064		
73	T	2.1122	3.8869	3.9948	2.0760	2.0042	3.8811	3.9035	2.0899	23.9486		
	S	217.244	218.742	207.031	212.165	218.745	219.947	218.685	220.867	216.464		
74	T	2.1040	3.8688	4.0856	2.1116	2.0296	3.9104	3.9102	2.0927	24.1129		
	S	218.091	219.765	202.429	208.588	216.008	218.299	218.310	220.572	214.989		
75	T	2.0977	3.9483	4.0758	2.1025	2.0202	3.8902	3.9002	2.0799	24.1148		
	S	218.746	215.340	202.916	209.491	217.013	219.433	218.870	221.929	214.972		
76	T	2.0885	3.9290	4.1069	2.1112	2.0230	3.8830	3.8806	2.0714	24.0936		
	S	219.710	216.398	201.379	208.628	216.712	219.839	219.975	222.840	215.161		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0823	4.0438	4.2295	2.1704	2.0733	4.1481	4.0245	2.1102	24.8821		
	S	220.364	210.255	195.542	202.937	211.455	205.790	212.110	218.743	208.343		
78	T	2.0991	3.9087	4.3258	2.2029	2.0789	3.9563	3.9583	2.0880	24.6180		
	S	218.600	217.522	191.189	199.943	210.885	215.766	215.657	221.068	210.578		
79	T	2.0855	4.1902	4.4531	2.2200	2.0899	3.9610	3.9145	2.0773	24.9915		
	S	220.026	202.909	185.724	198.403	209.775	215.510	218.070	222.207	207.431		
80	T	2.0817	3.9917	4.2689	2.1611	2.0453	3.8969	3.8787	2.0569	24.3812		
	S	220.427	212.999	193.737	203.810	214.350	219.055	220.083	224.411	212.623		
81	T	2.1161	4.2104	4.3626	2.1973	2.0650	4.0438	4.0039	2.0962	25.0953		
	S	216.844	201.935	189.576	200.453	212.305	211.098	213.201	220.204	206.573		
82	T	2.1142	4.1739	4.1808	2.1222	2.0485	3.9822	3.9514	2.0862	24.6594		
	S	217.039	203.701	197.820	207.546	214.015	214.363	216.034	221.259	210.224		
83	T	2.1146	4.1842	4.2187	2.1383	2.0561	4.0840	4.0089	2.1165	24.9213		
	S	216.998	203.199	196.043	205.984	213.224	209.020	212.935	218.092	208.015		
84	T	2.1364	4.1149	4.2357	2.1434	2.0372	3.8936	3.8977	2.0645	24.5234		
	S	214.784	206.622	195.256	205.493	215.202	219.241	219.010	223.585	211.390		
85	T	2.0476	4.0727	4.2418	2.1752	2.0727	3.9766	3.9555	2.1031	24.6452		
	S	224.098	208.763	194.975	202.489	211.516	214.665	215.810	219.481	210.345		
86	T	2.1120	4.0246	4.1044	2.1055	2.0167	3.8833	3.8892	2.0864	24.2221		
	S	217.265	211.258	201.502	209.192	217.389	219.822	219.489	221.238	214.019		
87	T	2.1063	3.9648	4.0553	2.1080	2.0361	3.9505	3.9686	2.1239	24.3135		
	S	217.853	214.444	203.942	208.944	215.318	216.083	215.098	217.332	213.215		
88	T	2.1338	3.9710	4.0260	2.0993	2.0312	3.9349	3.9606	2.1230	24.2798		
	S	215.045	214.109	205.426	209.810	215.837	216.940	215.532	217.424	213.511		
89	T	2.1331	3.9476	4.0380	2.1068	2.0351	3.9399	3.9585	2.1222	24.2812		
	S	215.116	215.378	204.816	209.063	215.424	216.664	215.646	217.506	213.499		
90	T	2.1355	3.9607	4.0295	2.0982	2.0288	3.9328	3.9612	2.1155	24.2622		
	S	214.874	214.666	205.248	209.920	216.093	217.056	215.499	218.195	213.666		
91	T	2.1273	3.9295	3.9991	2.0880	2.0216	3.9241	3.9543	2.1140	24.1579		
	S	215.702	216.370	206.808	210.946	216.862	217.537	215.875	218.350	214.588		
92	T	2.1237	3.9481	4.0117	2.0912	2.0230	3.9223	3.9535	2.1126	24.1861		
	S	216.068	215.351	206.158	210.623	216.712	217.637	215.919	218.494	214.338		
93	T	2.1277	3.9207	3.9801	2.0769	2.0091	3.9037	3.9342	2.1073	24.0597		
	S	215.662	216.856	207.795	212.073	218.212	218.674	216.978	219.044	215.464		
94	T	2.1207	3.9231	3.9795	2.0756	2.0071	3.8941	3.9327	2.1038	24.0366		
	S	216.374	216.723	207.826	212.206	218.429	219.213	217.061	219.408	215.671		
95	T	2.1205	3.9118	3.9960	2.0787	2.0079	3.8909	3.9213	2.0940	24.0211		
	S	216.394	217.349	206.968	211.889	218.342	219.393	217.692	220.435	215.810		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1101	3.8787	3.9926	2.0755	2.0035	3.8833	3.9061	2.0930	23.9428		
	S	217.461	219.204	207.145	212.216	218.822	219.822	218.539	220.540	216.516		
97	T	2.1051	3.8766	3.9665	2.0648	1.9898	3.8828	3.9210	2.1052	23.9118		
	S	217.977	219.323	208.508	213.316	220.328	219.851	217.709	219.262	216.797		
98	T	2.1002	3.9490	4.0371	2.0758	1.9899	3.8491	3.8719	2.0635	23.9365		
	S	218.486	215.302	204.861	212.185	220.317	221.776	220.470	223.693	216.573		
99	T	2.0826	4.1359	4.3518	2.1738	2.0535	3.8903	3.8947	2.0421	24.6247		
	S	220.332	205.572	190.047	202.620	213.494	219.427	219.179	226.037	210.520		
100	T	2.0364	3.9801	4.2255	2.1493	2.0403	3.8863	3.8812	2.0578	24.2569		
	S	225.331	213.620	195.727	204.929	214.875	219.653	219.941	224.313	213.712		
101	T	2.1188	4.2060	4.1780	2.1265	2.0197	3.8609	3.8894	2.0392	24.4385		
	S	216.568	202.146	197.952	207.127	217.066	221.098	219.478	226.359	212.124		
102	T	2.0332	3.9516	4.3332	2.1837	2.0613	3.9257	3.8981	2.0688	24.4556		
	S	225.685	215.160	190.863	201.701	212.686	217.448	218.988	223.120	211.976		
103	T	2.0793	4.2225	4.1804	2.1225	2.0200	3.8715	3.8932	2.0690	24.4584		
	S	220.682	201.356	197.839	207.517	217.034	220.492	219.263	223.099	211.952		
104	T	2.1121	4.2098	4.1605	2.1116	2.0060	3.8588	3.8732	2.0496	24.3816		
	S	217.255	201.964	198.785	208.588	218.549	221.218	220.396	225.210	212.619		
105	T	2.1011	4.1865	4.2476	2.1534	2.0389	3.8781	3.8749	2.0461	24.5266		
	S	218.392	203.088	194.709	204.539	215.022	220.117	220.299	225.595	211.362		
106	T	2.0960	4.2348	4.2000	2.1247	2.0176	3.8967	3.8929	2.0581	24.5208		
	S	218.923	200.772	196.916	207.302	217.292	219.066	219.280	224.280	211.412		
107	T	2.0954	4.1710	4.1188	2.0961	1.9933	3.8740	4.0265	2.0979	24.4730		
	S	218.986	203.843	200.798	210.131	219.941	220.350	212.005	220.025	211.825		
108	T	2.0970	4.1359	4.1288	2.1021	1.9969	3.8354	3.9263	2.0863	24.3087		
	S	218.819	205.572	200.311	209.531	219.545	222.568	217.415	221.249	213.257		
109	T	2.0855	4.2531	4.2454	2.1478	2.0373	4.0357	3.9734	2.0909	24.8691		
	S	220.026	199.908	194.810	205.072	215.191	211.521	214.838	220.762	208.451		
110	T	2.0904	4.0679	4.1779	2.1144	2.0073	3.9592	3.9229	2.0671	24.4071		
	S	219.510	209.009	197.957	208.312	218.407	215.608	217.603	223.304	212.397		
111	T	2.0778	4.1624	4.2032	2.1220	2.0111	3.9112	3.9006	2.0754	24.4637		
	S	220.841	204.264	196.766	207.566	217.995	218.254	218.847	222.411	211.906		
112	T	2.1060	4.2245	4.2834	2.1582	2.0388	3.8894	3.8687	2.0563	24.6253		
	S	217.884	201.261	193.082	204.084	215.033	219.478	220.652	224.476	210.515		
113	T	2.0712	4.1463	4.2434	2.1430	2.0300	3.9651	3.9350	2.0794	24.6134		
	S	221.545	205.057	194.902	205.532	215.965	215.287	216.934	221.983	210.617		
114	T	2.0803	4.1203	4.2409	2.1519	2.0389	3.8800	3.8606	2.0476	24.4205		
	S	220.576	206.351	195.016	204.682	215.022	220.009	221.115	225.430	212.281		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.0763	4.1845	4.2430	2.1493	2.0384	3.9443	3.9378	2.0780	24.6516		
	S	221.001	203.185	194.920	204.929	215.075	216.423	216.780	222.132	210.291		
116	T	2.0969	4.0867	4.2711	2.2003	2.3824	5.8773			36.1383	26.4816	28.7456
	S	218.830	208.047	193.638	200.179	184.020	145.243			143.449	34.024	164.278
117	T			8.5325	3.1419	2.6387	4.6181	4.3286	2.2388	54.1772	35.0883	
	S			96.929	140.187	166.146	184.846	197.208	206.178	95.686	134.660	
118	T	2.2358	4.4511	4.3175	2.1722	2.0587	3.9315	3.8940	2.0562	25.1170		
	S	205.235	191.015	191.557	202.769	212.954	217.127	219.218	224.487	206.394		
119	T	2.0615	3.9943	4.0418	2.0852	2.0228	3.9779	3.9990	2.1225	24.3050		
	S	222.587	212.860	204.623	211.229	216.734	214.595	213.462	217.475	213.289		
120	T	2.1330	3.9008	3.9637	2.0710	2.0112	3.8923	3.9211	2.0855	23.9786		
	S	215.126	217.962	208.655	212.677	217.984	219.314	217.703	221.333	216.193		
121	T	2.0946	3.8438	3.9708	2.0546	1.9808	3.8387	3.9132	2.0694	23.7659		
	S	219.070	221.194	208.282	214.375	221.329	222.376	218.143	223.055	218.128		
122	T	2.0743	3.9785	4.0892	2.0992	2.0108	3.9219	3.8960	2.0706	24.1405		
	S	221.214	213.705	202.251	209.820	218.027	217.659	219.106	222.926	214.743		
123	T	2.0667	4.0616	4.0793	2.0898	2.0005	3.8511	3.8730	2.0563	24.0783		
	S	222.027	209.333	202.742	210.764	219.150	221.660	220.407	224.476	215.298		
124	T	2.0679	3.9905	4.1500	2.1030	2.0043	3.8504	3.8633	2.0509	24.0803		
	S	221.898	213.063	199.288	209.441	218.734	221.701	220.960	225.067	215.280		
125	T	2.0534	3.9981	4.0701	2.0861	1.9959	3.8507	3.8729	2.0544	23.9816		
	S	223.465	212.658	203.200	211.138	219.655	221.683	220.413	224.684	216.166		
126	T	2.0494	3.9230	4.0661	2.0858	1.9936	3.8795	3.8833	2.0722	23.9529		
	S	223.901	216.729	203.400	211.168	219.908	220.038	219.822	222.754	216.425		
127	T	2.0707	3.9656	4.2166	2.1324	2.0342	3.8960	3.8878	2.0755	24.2788		
	S	221.598	214.401	196.140	206.553	215.519	219.106	219.568	222.400	213.520		
128	T	2.0737	3.9329	4.0116	2.0807	2.0012	3.8475	3.8638	2.0829	23.8943		
	S	221.278	216.183	206.163	211.686	219.073	221.868	220.932	221.610	216.956		
129	T	2.1076	4.2206	4.2585	2.1460	2.0348	3.8846	3.8517	2.0443	24.5481		
	S	217.719	201.447	194.211	205.244	215.456	219.749	221.626	225.794	211.177		
130	T	2.0393	4.1070	4.2482	2.1621	2.0468	3.9734	3.9306	2.0779	24.5853		
	S	225.010	207.019	194.681	203.716	214.192	214.838	217.177	222.143	210.858		
131	T	2.0689	4.0571	4.2878	2.1481	2.0375	3.9411	3.8895	2.0586	24.4886		
	S	221.791	209.565	192.883	205.044	215.170	216.599	219.472	224.226	211.690		
132	T	2.0981	4.2098	4.2754	2.1457	2.0307	3.8675	4.0167	2.1246	24.7685		
	S	218.704	201.964	193.443	205.273	215.891	220.720	212.522	217.260	209.298		
133	T	2.1020	4.1038	4.1984	2.1231	2.0157	3.8887	3.9133	2.0636	24.4086		
	S	218.299	207.180	196.991	207.458	217.497	219.517	218.137	223.682	212.384		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI	
134	T	2.1001	4.1453	8.5916	3.2427	2.7093	4.7696	4.4362	2.3000	1304.8000	857.0591	35.8624	411.8785
	S	218.496	205.106	96.262	135.830	161.816	178.974	192.425	200.692	3.973	1.051	131.754	11.465
135	T	2.2717	4.1467	4.1999	2.1780	2.0963	4.0571	4.0768	2.1786	25.2051			
	S	201.991	205.037	196.920	202.229	209.135	210.406	209.389	211.875	205.673			
136	T	2.1776	3.9496	4.0186	2.0997	2.0391	3.9745	4.0041	2.1436	24.4068			
	S	210.720	215.269	205.804	209.770	215.001	214.778	213.191	215.334	212.400			
137	T	2.1479	3.9087	3.9607	2.0785	2.0213	3.9424	3.9907	2.1329	24.1831			
	S	213.634	217.522	208.813	211.910	216.895	216.527	213.906	216.415	214.365			
138	T	2.1385	3.8702	3.9538	2.0717	2.0121	3.9265	3.9668	2.1243	24.0639			
	S	214.573	219.686	209.177	212.605	217.886	217.404	215.195	217.291	215.426			
139	T	2.1273	3.8549	3.9947	2.0866	2.0221	3.9285	3.9704	2.1231	24.1076			
	S	215.702	220.558	207.036	211.087	216.809	217.293	215.000	217.414	215.036			
140	T	2.1308	3.9223	4.0435	2.1022	2.0345	3.9357	3.9677	2.1232	24.2599			
	S	215.348	216.768	204.537	209.521	215.487	216.896	215.146	217.403	213.686			
141	T	2.1272	3.9494	4.0438	2.0985	2.0320	3.9448	3.9628	2.1186	24.2771			
	S	215.713	215.280	204.522	209.890	215.753	216.395	215.412	217.875	213.535			
142	T	2.1280	3.9027	3.9779	2.0767	2.0115	3.9187	3.9477	2.1135	24.0767			
	S	215.631	217.856	207.910	212.093	217.951	217.837	216.236	218.401	215.312			
143	T	2.1291	3.9030	3.9825	2.0805	2.0159	3.9141	3.9355	2.1087	24.0693			
	S	215.520	217.839	207.670	211.706	217.476	218.093	216.907	218.898	215.378			
144	T	2.1164	3.8981	3.9526	2.0663	2.0011	3.8935	3.9315	2.0971	23.9566			
	S	216.813	218.113	209.241	213.161	219.084	219.247	217.127	220.109	216.391			
145	T	2.1184	3.8854	3.9392	2.0673	1.9999	3.8844	3.9156	2.0950	23.9052			
	S	216.609	218.826	209.953	213.058	219.216	219.760	218.009	220.330	216.857			
146	T	2.1097	3.8589	3.9634	2.0653	1.9961	3.8711	3.8984	2.0902	23.8531			
	S	217.502	220.329	208.671	213.264	219.633	220.515	218.971	220.836	217.330			
147	T	2.1028	3.8391	4.0331	2.1033	2.0246	3.9018	3.9110	2.0877	24.0034			
	S	218.216	221.465	205.064	209.411	216.541	218.780	218.265	221.100	215.969			
148	T	2.1018	3.8501	4.0469	2.0905	2.0101	3.8975	3.9302	2.1032	24.0303			
	S	218.319	220.833	204.365	210.693	218.103	219.022	217.199	219.471	215.728			
149	T	2.0974	3.9085	4.1423	2.1329	2.0386	3.9059	3.9039	2.0790	24.2085			
	S	218.777	217.533	199.659	206.505	215.054	218.550	218.662	222.025	214.140			
150	T	2.0898	4.0394	4.1361	2.1179	2.0263	3.9541	3.9463	2.0888	24.3987			
	S	219.573	210.484	199.958	207.968	216.359	215.886	216.313	220.984	212.470			
151	T	2.0908	4.0195	4.1086	2.1039	2.0462	4.0604	4.0884	2.4422	24.9600			
	S	219.468	211.526	201.296	209.351	214.255	210.235	208.795	189.006	207.692			
152	T	2.3976	4.2246	4.1629	2.1360	2.0459	3.9358	3.9352	2.1033	24.9413			
	S	191.385	201.256	198.671	206.205	214.287	216.890	216.923	219.460	207.848			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1058	3.9438	4.0701	2.0969	2.0136	3.9089	3.9182	2.0934	24.1507		
	S	217.905	215.586	203.200	210.050	217.724	218.383	217.864	220.498	214.652		
154	T	2.0956	3.9950	4.1177	2.1102	2.0236	3.9428	3.9596	2.1007	24.3452		
	S	218.965	212.823	200.851	208.726	216.648	216.505	215.587	219.732	212.937		
155	T	2.0978	3.9657	4.2358	2.1504	2.0463	3.9558	3.9447	2.0964	24.4929		
	S	218.736	214.395	195.251	204.824	214.245	215.794	216.401	220.183	211.653		
156	T	2.0931	4.0000	4.1149	2.1201	2.0254	3.8971	3.9003	2.0807	24.2316		
	S	219.227	212.557	200.988	207.752	216.456	219.044	218.864	221.844	213.936		
157	T	2.0825	3.9877	4.1430	2.1153	2.0213	3.9990	3.9786	2.0979	24.4253		
	S	220.343	213.212	199.625	208.223	216.895	213.462	214.557	220.025	212.239		
158	T	2.1080	4.0658	4.1631	2.1230	2.0273	3.9537	3.9669	2.1253	24.5331		
	S	217.677	209.117	198.661	207.468	216.253	215.908	215.190	217.189	211.306		
159	T	2.2952	4.3272	4.2413	2.2050	2.2143	4.3984	4.2072	2.2014	26.0900		
	S	199.923	196.484	194.998	199.753	197.990	194.079	202.899	209.681	198.697		
160	T	2.3085	4.4241	4.2538	2.1956	2.2229	4.2764	4.1248	2.3435	26.1496		
	S	198.771	192.181	194.425	200.608	197.224	199.616	206.952	196.966	198.244		
161	T	2.3037	4.1645	4.1190	2.1118	2.0187	3.9378	3.9274	2.0823	24.6652		
	S	199.186	204.161	200.788	208.568	217.174	216.780	217.354	221.674	210.175		
162	T	2.0834	3.9006	4.1302	2.1221	2.0261	3.8872	3.8955	2.0761	24.1212		
	S	220.247	217.973	200.243	207.556	216.381	219.602	219.134	222.336	214.915		
163	T	2.0739	3.9335	4.0745	2.0971	2.0118	3.8784	3.9168	2.1024	24.0884		
	S	221.256	216.150	202.981	210.030	217.919	220.100	217.942	219.554	215.207		
164	T	2.1007	3.9300	4.0431	2.0778	1.9936	3.8631	3.9009	2.0805	23.9897		
	S	218.434	216.343	204.557	211.981	219.908	220.972	218.831	221.865	216.093		
165	T	2.0811	4.0173	4.1580	2.1184	2.0221	3.9687	3.9755	2.1003	24.4414		
	S	220.491	211.641	198.905	207.918	216.809	215.092	214.724	219.774	212.099		
166	T	2.0989	3.9676	4.0837	2.1024	2.0234	3.8907	3.8965	2.0800	24.1432		
	S	218.621	214.293	202.524	209.501	216.670	219.404	219.078	221.919	214.719		
167	T	2.0814	3.9150	4.0583	2.1033	2.0093	3.8704	3.9000	2.0650	24.0027		
	S	220.459	217.172	203.791	209.411	218.190	220.555	218.881	223.531	215.976		
168	T	2.1031	4.1830	4.1918	2.1470	2.0432	3.9096	3.9027	2.0852	24.5656		
	S	218.184	203.258	197.301	205.149	214.570	218.344	218.730	221.365	211.027		
169	T	2.0833	3.9886	4.1105	2.1131	2.0172	3.8851	3.9017	2.0703	24.1698		
	S	220.258	213.164	201.203	208.440	217.335	219.721	218.786	222.958	214.483		
170	T	2.0687	3.9917	4.2254	2.1733	2.0594	3.9311	3.9163	2.0778	24.4437		
	S	221.813	212.999	195.732	202.666	212.882	217.149	217.970	222.154	212.079		
171	T	2.0791	3.9666	4.1775	2.1340	2.0365	3.9560	3.9606	2.0961	24.4064		
	S	220.703	214.347	197.976	206.399	215.276	215.783	215.532	220.214	212.403		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 26 - Veach, Zach

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0953	4.0259	4.2102	2.1605	2.3485	6.0330		35.9657			28.5863
	S	218.997	211.189	196.439	203.867	186.676	141.495		144.137			165.194

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5509	4.8604	4.5506	2.1974	2.0714	4.3090	4.1074	2.1153	26.7624	64.0387	
	S	179.883	174.929	181.744	200.443	211.649	198.105	207.829	218.215	193.705	73.784	
2	T	2.1123	4.2543	4.2121	2.1222	2.0379	4.1839	4.0732	2.0896	25.0855		
	S	217.234	199.851	196.350	207.546	215.128	204.029	209.574	220.899	206.653		
3	T	2.0721	4.1594	4.0932	2.1138	2.0385	3.9565	3.9389	2.0844	24.4568		
	S	221.449	204.411	202.054	208.371	215.065	215.755	216.719	221.450	211.966		
4	T	2.0732	4.0455	4.0217	2.0723	1.9838	3.8366	3.8569	2.0381	23.9281		
	S	221.331	210.166	205.646	212.544	220.995	222.498	221.327	226.481	216.649		
5	T	2.0761	4.1161	4.1175	2.0877	2.0074	3.9127	3.8524	2.0304	24.2003		
	S	221.022	206.561	200.861	210.976	218.396	218.171	221.586	227.340	214.212		
6	T	2.0749	4.2649	4.2156	2.1182	2.0587	4.1656	3.9967	2.0893	24.9839		
	S	221.150	199.355	196.187	207.938	212.954	204.925	213.585	220.931	207.494		
7	T	2.1004	4.0894	4.0299	2.0685	1.9818	3.8489	3.8553	2.0391	24.0133		
	S	218.465	207.910	205.227	212.934	221.218	221.787	221.419	226.370	215.880		
8	T	2.0914	4.1421	4.0870	2.0884	1.9970	3.8473	3.8659	2.0598	24.1789		
	S	219.405	205.265	202.360	210.905	219.534	221.879	220.812	224.095	214.402		
9	T	2.0674	4.0634	4.0889	2.0927	1.9934	3.9031	3.8998	2.0748	24.1835		
	S	221.952	209.240	202.266	210.472	219.930	218.707	218.892	222.475	214.361		
10	T	2.0735	4.0987	4.1854	2.1284	2.0331	3.9032	3.8997	2.0867	24.4087		
	S	221.299	207.438	197.602	206.942	215.636	218.702	218.898	221.206	212.383		
11	T	2.0976	4.0696	4.0589	2.0890	2.0037	3.8822	3.8884	2.0772	24.1666		
	S	218.757	208.922	203.761	210.845	218.800	219.885	219.534	222.218	214.511		
12	T	2.0819	4.0286	4.1041	2.0994	2.0101	3.8747	3.8760	2.0614	24.1362		
	S	220.406	211.048	201.517	209.800	218.103	220.310	220.236	223.921	214.781		
13	T	2.0734	4.0638	4.1533	2.1204	2.0236	3.8734	3.8630	2.0552	24.2261		
	S	221.310	209.220	199.130	207.722	216.648	220.384	220.978	224.597	213.984		
14	T	2.0671	4.1173	4.2455	2.1653	2.0584	3.9444	3.9175	2.0736	24.5891		
	S	221.984	206.501	194.805	203.415	212.985	216.417	217.903	222.604	210.825		
15	T	2.0870	4.0748	4.1121	2.1099	2.0171	3.8811	3.8899	2.0735	24.2454		
	S	219.868	208.655	201.125	208.756	217.346	219.947	219.449	222.614	213.814		
16	T	2.0839	4.0963	4.1251	2.1066	2.0091	3.8967	3.9505	2.0862	24.3544		
	S	220.195	207.560	200.491	209.083	218.212	219.066	216.083	221.259	212.857		
17	T	2.0913	4.1517	4.1744	2.1331	2.0304	3.9225	3.8748	2.0489	24.4271		
	S	219.416	204.790	198.123	206.486	215.923	217.626	220.305	225.287	212.223		
18	T	2.1043	4.4107	4.3036	2.1756	2.0625	3.9257	3.8825	2.0641	24.9290		
	S	218.060	192.765	192.175	202.452	212.562	217.448	219.868	223.628	207.951		
19	T	2.0989	4.1834	4.1689	2.1342	2.0398	3.9032	3.8740	2.0678	24.4702		
	S	218.621	203.238	198.385	206.379	214.927	218.702	220.350	223.228	211.850		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0974	4.1415	4.1572	2.1288	2.0325	3.8946	3.8706	2.0656	24.3882		
	S	218.777	205.295	198.943	206.903	215.699	219.185	220.544	223.466	212.562		
21	T	2.1034	4.1845	4.1831	2.1300	2.0348	3.9042	3.8741	2.0698	24.4839		
	S	218.153	203.185	197.711	206.786	215.456	218.646	220.344	223.012	211.731		
22	T	2.0988	4.1548	4.1776	2.1287	2.0312	3.8987	3.8718	2.0625	24.4241		
	S	218.631	204.637	197.971	206.912	215.837	218.954	220.475	223.802	212.249		
23	T	2.0972	4.1477	4.1388	2.1148	2.0199	3.8841	3.8768	2.0537	24.3330		
	S	218.798	204.988	199.827	208.272	217.045	219.777	220.191	224.761	213.044		
24	T	2.1379	4.3510	4.2194	2.1404	2.0600	4.0518	3.9654	2.0943	25.0202		
	S	214.633	195.410	196.010	205.781	212.820	210.681	215.271	220.403	207.193		
25	T	2.1503	4.2822	4.1429	2.1165	2.0244	3.9306	3.9190	2.0917	24.6576		
	S	213.395	198.549	199.630	208.105	216.562	217.177	217.820	220.677	210.239		
26	T	2.1065	4.0674	4.1215	2.1273	2.0470	3.9551	3.9489	2.1154	24.4891		
	S	217.832	209.035	200.666	207.049	214.172	215.832	216.171	218.205	211.686		
27	T	2.1349	3.9794	4.0175	2.0919	2.0196	3.9147	3.9199	2.1034	24.1813		
	S	214.934	213.657	205.861	210.552	217.077	218.059	217.770	219.450	214.381		
28	T	2.1287	3.9704	4.0253	2.0931	2.0236	3.9125	3.9295	2.1064	24.1895		
	S	215.561	214.141	205.462	210.432	216.648	218.182	217.238	219.137	214.308		
29	T	2.1280	3.9654	4.0220	2.0967	2.0260	3.9263	3.9353	2.1097	24.2094		
	S	215.631	214.411	205.630	210.070	216.391	217.415	216.918	218.795	214.132		
30	T	2.1295	3.9644	4.0154	2.0953	2.0262	3.9245	3.9329	2.1069	24.1951		
	S	215.480	214.466	205.968	210.211	216.370	217.515	217.050	219.085	214.258		
31	T	2.1227	4.0020	4.0326	2.0899	2.0191	3.9141	3.9248	2.0992	24.2044		
	S	216.170	212.451	205.090	210.754	217.131	218.093	217.498	219.889	214.176		
32	T	2.1205	3.9646	3.9894	2.0716	1.9994	3.8764	3.8774	2.0567	23.9560		
	S	216.394	214.455	207.311	212.616	219.270	220.214	220.157	224.433	216.397		
33	T	2.0693	4.0654	4.1489	2.1158	2.0195	3.8914	3.8917	2.0694	24.2714		
	S	221.748	209.137	199.341	208.174	217.088	219.365	219.348	223.055	213.585		
34	T	2.0751	4.0906	4.0847	2.0908	2.0027	3.8596	3.8535	2.0475	24.1045		
	S	221.128	207.849	202.474	210.663	218.909	221.172	221.522	225.441	215.064		
35	T	2.0918	4.1959	4.1766	2.1232	2.0262	3.8848	3.8610	2.0683	24.4278		
	S	219.363	202.633	198.019	207.448	216.370	219.738	221.092	223.174	212.217		
36	T	2.0932	4.1465	4.1016	2.1053	2.0161	3.8770	3.8597	2.0602	24.2596		
	S	219.216	205.047	201.640	209.212	217.454	220.180	221.167	224.052	213.689		
37	T	2.0718	4.0546	4.1046	2.1030	2.0140	3.8701	3.8542	2.0586	24.1309		
	S	221.481	209.694	201.492	209.441	217.681	220.572	221.482	224.226	214.828		
38	T	2.0715	4.0872	4.0947	2.0909	2.0033	3.8589	3.8541	2.0429	24.1035		
	S	221.513	208.022	201.979	210.653	218.843	221.212	221.488	225.949	215.072		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0811	4.1455	4.1837	2.1234	2.0276	3.8770	3.8577	2.0555	24.3515		
	S	220.491	205.096	197.683	207.429	216.221	220.180	221.281	224.564	212.882		
40	T	2.0814	4.1088	4.0728	2.0933	2.0036	3.8743	3.8772	2.0657	24.1771		
	S	220.459	206.928	203.066	210.412	218.811	220.333	220.168	223.455	214.418		
41	T	2.0807	4.0622	4.0772	2.0946	2.0075	3.8637	3.8516	2.0579	24.0954		
	S	220.533	209.302	202.846	210.281	218.386	220.938	221.632	224.302	215.145		
42	T	2.0761	4.1134	4.1199	2.1063	2.0159	3.8778	3.8616	2.0660	24.2370		
	S	221.022	206.697	200.744	209.113	217.476	220.134	221.058	223.423	213.888		
43	T	2.0830	4.1442	4.1574	2.1175	2.0246	3.8815	3.8856	2.0706	24.3644		
	S	220.290	205.161	198.933	208.007	216.541	219.924	219.692	222.926	212.769		
44	T	2.0761	4.0946	4.1510	2.1193	2.0313	3.8962	3.8781	2.0689	24.3155		
	S	221.022	207.646	199.240	207.830	215.827	219.095	220.117	223.109	213.197		
45	T	2.0800	4.0981	4.1086	2.1016	2.0132	3.8717	3.8572	2.0641	24.1945		
	S	220.608	207.469	201.296	209.581	217.767	220.481	221.310	223.628	214.264		
46	T	2.0859	4.1620	4.1686	2.1138	2.0208	3.8943	3.8767	2.0550	24.3771		
	S	219.984	204.283	198.399	208.371	216.948	219.201	220.197	224.618	212.659		
47	T	2.0980	4.2715	4.3444	2.1791	2.0599	3.9113	3.8636	2.0528	24.7806		
	S	218.715	199.047	190.370	202.127	212.830	218.249	220.943	224.859	209.196		
48	T	2.0816	4.2352	4.2716	2.1454	2.0354	3.9028	3.8628	2.0536	24.5884		
	S	220.438	200.753	193.615	205.302	215.392	218.724	220.989	224.772	210.831		
49	T	2.1259	4.2951	4.2199	2.1307	2.0297	3.9280	3.9241	2.0753	24.7287		
	S	215.844	197.953	195.987	206.718	215.997	217.321	217.537	222.421	209.635		
50	T	2.1065	4.3456	4.2738	2.1466	2.0362	3.9659	3.8875	2.0597	24.8218		
	S	217.832	195.652	193.515	205.187	215.307	215.244	219.585	224.106	208.849		
51	T	2.1251	4.4915	4.3753	2.1646	2.0427	3.9321	3.9899	2.0918	25.2130		
	S	215.926	189.297	189.026	203.481	214.622	217.094	213.949	220.667	205.608		
52	T	2.1279	4.4736	4.3013	2.1553	2.0401	3.9822	4.0481	2.1128	25.2413		
	S	215.642	190.054	192.278	204.359	214.896	214.363	210.873	218.474	205.378		
53	T	2.1314	4.5117	4.4838	2.1941	2.0622	3.9969	4.0395	2.1017	25.5213		
	S	215.287	188.449	184.452	200.745	212.593	213.575	211.322	219.627	203.124		
54	T	2.1024	4.3477	4.2798	2.1403	2.0738	4.1161	3.9626	2.0845	25.1072		
	S	218.257	195.558	193.244	205.791	211.404	207.390	215.423	221.440	206.475		
55	T	2.1112	4.4583	4.2901	2.1474	2.0421	3.9012	3.8708	2.0419	24.8630		
	S	217.347	190.707	192.780	205.111	214.685	218.814	220.532	226.060	208.503		
56	T	2.1041	4.4546	4.2844	2.1682	2.0497	3.9694	3.9048	2.0439	24.9791		
	S	218.081	190.865	193.036	203.143	213.889	215.054	218.612	225.838	207.533		
57	T	2.0943	4.3713	4.2567	2.1422	2.0383	4.1227	3.9835	2.0830	25.0920		
	S	219.101	194.502	194.293	205.609	215.086	207.058	214.293	221.599	206.600		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1159	4.3135	4.2219	2.1296	2.0285	3.8825	3.8453	2.0320	24.5692		
	S	216.865	197.108	195.894	206.825	216.125	219.868	221.995	227.161	210.996		
59	T	2.0731	4.3437	4.2580	2.1670	2.0567	3.9572	3.8891	2.0585	24.8033		
	S	221.342	195.738	194.233	203.255	213.161	215.717	219.495	224.237	209.004		
60	T	2.1140	4.2996	4.1457	2.1128	2.0326	3.9230	3.9112	2.0945	24.6334		
	S	217.059	197.746	199.495	208.470	215.689	217.598	218.254	220.382	210.446		
61	T	2.1153	4.0577	4.0797	2.1183	2.2813	5.6655			35.5428	25.6528	28.1560
	S	216.926	209.534	202.722	207.928	192.175	150.673			145.852	35.124	167.718
62	T			8.5462	3.1404	2.6078	4.5700	4.2444	2.1894	53.3574		
	S			96.773	140.254	168.115	186.791	201.121	210.830	97.156	35.0914	134.648
63	T	2.1684	4.3308	4.2152	2.1197	2.0278	3.8872	3.8641	2.0307	24.6439		
	S	211.614	196.321	196.206	207.791	216.199	219.602	220.915	227.306	210.356		
64	T	2.0568	4.2878	4.1303	2.0947	2.0086	3.9056	3.8472	2.0274	24.3584		
	S	223.096	198.290	200.239	210.271	218.266	218.567	221.885	227.676	212.822		
65	T	2.0552	4.2177	4.0732	2.0732	1.9859	3.9015	3.8369	2.0298	24.1734		
	S	223.270	201.586	203.046	212.452	220.761	218.797	222.481	227.407	214.451		
66	T	2.0619	4.1998	4.0786	2.0769	2.0011	3.8944	3.8484	2.0235	24.1846		
	S	222.544	202.445	202.777	212.073	219.084	219.196	221.816	228.115	214.351		
67	T	2.0348	4.1867	4.3322	2.1651	2.0655	3.9817	3.9522	2.0969	24.8151		
	S	225.508	203.078	190.907	203.434	212.253	214.390	215.990	220.130	208.905		
68	T	2.0942	3.9889	4.0043	2.0724	1.9942	3.8999	3.8833	2.0667	24.0039		
	S	219.112	213.148	206.539	212.534	219.842	218.887	219.822	223.347	215.965		
69	T	2.0774	4.0411	4.0334	2.0818	1.9968	3.8610	3.8550	2.0650	24.0115		
	S	220.884	210.395	205.049	211.574	219.556	221.092	221.436	223.531	215.897		
70	T	2.0974	4.1370	4.0678	2.0766	1.9892	3.8612	3.8441	2.0446	24.1179		
	S	218.777	205.518	203.315	212.104	220.395	221.081	222.064	225.761	214.944		
71	T	2.0719	4.1570	4.0768	2.0780	1.9944	4.1661	4.0184	2.1103	24.6729		
	S	221.470	204.529	202.866	211.961	219.820	204.901	212.432	218.732	210.109		
72	T	2.1081	4.1032	4.0526	2.0765	1.9898	3.8859	3.8724	2.0642	24.1527		
	S	217.667	207.211	204.078	212.114	220.328	219.675	220.441	223.617	214.634		
73	T	2.0866	4.1360	4.1103	2.1090	2.0105	3.8823	3.8519	2.0572	24.2438		
	S	219.910	205.568	201.213	208.845	218.060	219.879	221.614	224.378	213.828		
74	T	2.0746	4.1165	4.0577	2.1005	2.0281	3.9752	3.9390	2.0906	24.3822		
	S	221.182	206.541	203.821	209.690	216.167	214.740	216.714	220.794	212.614		
75	T	2.0904	4.0681	4.0603	2.0842	1.9975	3.8767	3.8695	2.0601	24.1068		
	S	219.510	208.999	203.691	211.330	219.479	220.197	220.606	224.062	215.043		
76	T	2.0741	4.1201	4.1123	2.1039	2.0171	3.8854	3.8691	2.0655	24.2475		
	S	221.235	206.361	201.115	209.351	217.346	219.704	220.629	223.477	213.795		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0712	4.0959	4.1591	2.1153	2.0285	3.9037	3.8819	2.0685	24.3241		
	S	221.545	207.580	198.852	208.223	216.125	218.674	219.902	223.152	213.122		
78	T	2.0960	4.1705	4.1035	2.0993	2.0145	3.8878	3.8878	2.0757	24.3351		
	S	218.923	203.867	201.546	209.810	217.627	219.568	219.568	222.378	213.026		
79	T	2.0921	4.1432	4.1064	2.1075	2.0114	3.9398	3.9444	2.0988	24.4436		
	S	219.332	205.210	201.404	208.994	217.962	216.670	216.417	219.931	212.080		
80	T	2.1016	4.0811	4.0774	2.0985	2.0148	3.9003	3.9015	2.0875	24.2627		
	S	218.340	208.333	202.836	209.890	217.594	218.864	218.797	221.121	213.661		
81	T	2.0930	4.0543	4.0549	2.0986	2.0177	3.9090	3.9129	2.0921	24.2325		
	S	219.237	209.710	203.962	209.880	217.282	218.377	218.160	220.635	213.928		
82	T	2.1002	4.0690	4.0531	2.0929	2.0139	3.9068	3.9146	2.0928	24.2433		
	S	218.486	208.952	204.053	210.452	217.692	218.500	218.065	220.561	213.832		
83	T	2.0974	4.0072	4.0238	2.0851	2.0065	3.8903	3.9057	2.0886	24.1046		
	S	218.777	212.175	205.538	211.239	218.494	219.427	218.562	221.005	215.063		
84	T	2.0913	4.0068	4.0124	2.0766	1.9969	3.8852	3.8999	2.0872	24.0563		
	S	219.416	212.196	206.122	212.104	219.545	219.715	218.887	221.153	215.494		
85	T	2.0939	4.0299	4.0424	2.0889	2.0084	3.9012	3.9109	2.0898	24.1654		
	S	219.143	210.980	204.593	210.855	218.288	218.814	218.271	220.878	214.522		
86	T	2.0956	4.0737	4.0826	2.1153	2.0294	3.9318	3.9334	2.0984	24.3602		
	S	218.965	208.711	202.578	208.223	216.029	217.111	217.023	219.973	212.806		
87	T	2.1031	4.0134	4.0398	2.0879	2.0085	3.8991	3.9067	2.0871	24.1456		
	S	218.184	211.847	204.724	210.956	218.277	218.932	218.506	221.164	214.698		
88	T	2.0927	4.0973	4.1120	2.1067	2.0200	3.9064	3.8977	2.0726	24.3054		
	S	219.269	207.509	201.130	209.073	217.034	218.523	219.010	222.711	213.286		
89	T	2.0959	4.1933	4.1316	2.1064	2.0545	4.2034	4.0742	2.1174	24.9767		
	S	218.934	202.759	200.176	209.103	213.390	203.082	209.522	217.999	207.553		
90	T	2.1511	4.2612	4.1445	2.1074	2.0105	3.9642	3.9012	2.0665	24.6066		
	S	213.316	199.528	199.553	209.004	218.060	215.336	218.814	223.368	210.675		
91	T	2.1019	4.2329	4.1932	2.1563	2.0485	4.1317	4.0108	2.1099	24.9852		
	S	218.309	200.862	197.235	204.264	214.015	206.607	212.834	218.774	207.483		
92	T	2.1100	4.2717	4.2398	2.1541	2.0535	3.9492	3.9313	2.1054	24.8150		
	S	217.471	199.037	195.067	204.473	213.494	216.154	217.138	219.241	208.906		
93	T	2.1149	4.0925	4.0976	2.1114	2.0267	3.9114	3.9013	2.0882	24.3440		
	S	216.967	207.753	201.837	208.608	216.317	218.243	218.808	221.047	212.948		
94	T	2.0894	4.0596	4.0425	2.0873	2.0009	3.8883	3.8712	2.0646	24.1038		
	S	219.615	209.436	204.588	211.016	219.106	219.540	220.509	223.574	215.070		
95	T	2.0843	4.0521	4.1329	2.1350	2.0503	3.9679	3.9746	2.1271	24.5242		
	S	220.152	209.824	200.113	206.302	213.827	215.136	214.773	217.005	211.383		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1329	4.0491	4.0810	2.1112	2.0338	3.9470	3.9582	2.1200	24.4332		
	S	215.136	209.979	202.658	208.628	215.562	216.275	215.663	217.732	212.170		
97	T	2.1285	4.0385	4.0704	2.1056	2.0331	3.9454	3.9557	2.1178	24.3950		
	S	215.581	210.530	203.185	209.182	215.636	216.362	215.799	217.958	212.503		
98	T	2.1260	4.0015	4.0204	2.0886	2.0176	3.9207	3.9448	2.1123	24.2319		
	S	215.834	212.477	205.712	210.885	217.292	217.725	216.395	218.525	213.933		
99	T	2.1273	4.0004	4.0125	2.0819	2.0106	3.9088	3.9284	2.1057	24.1756		
	S	215.702	212.536	206.117	211.564	218.049	218.388	217.299	219.210	214.431		
100	T	2.1207	4.0207	4.0370	2.0915	2.0160	3.9168	3.9258	2.1024	24.2309		
	S	216.374	211.462	204.866	210.593	217.465	217.942	217.443	219.554	213.942		
101	T	2.1177	4.0150	4.0036	2.0779	2.0054	3.8982	3.9160	2.0976	24.1314		
	S	216.680	211.763	206.575	211.971	218.614	218.982	217.987	220.057	214.824		
102	T	2.1095	4.0727	4.0599	2.0986	2.0164	3.9043	3.9088	2.0958	24.2660		
	S	217.522	208.763	203.711	209.880	217.422	218.640	218.388	220.246	213.632		
103	T	2.1063	4.1105	4.0578	2.0912	2.0081	3.8817	3.8862	2.0820	24.2238		
	S	217.853	206.843	203.816	210.623	218.320	219.913	219.658	221.706	214.004		
104	T	2.1035	4.1617	4.1182	2.1071	2.0197	3.8995	3.8974	2.0805	24.3876		
	S	218.143	204.298	200.827	209.034	217.066	218.909	219.027	221.865	212.567		
105	T	2.1122	4.1975	4.1435	2.1187	2.0313	3.9125	3.8974	2.0838	24.4969		
	S	217.244	202.556	199.601	207.889	215.827	218.182	219.027	221.514	211.619		
106	T	2.1072	4.1562	4.1054	2.1172	2.0309	3.9030	3.8945	2.0778	24.3922		
	S	217.760	204.568	201.453	208.036	215.869	218.713	219.190	222.154	212.527		
107	T	2.1232	4.2668	4.1877	2.1374	2.0629	4.1673	4.0131	2.1324	25.0908		
	S	216.119	199.266	197.494	206.070	212.521	204.842	212.712	216.465	206.610		
108	T	2.1839	4.3335	4.2154	2.1526	2.0528	3.9416	3.9176	2.1034	24.9008		
	S	210.112	196.199	196.196	204.615	213.566	216.571	217.898	219.450	208.186		
109	T	2.1491	4.3278	4.1895	2.1476	2.0510	3.9480	3.9094	2.0902	24.8126		
	S	213.514	196.457	197.409	205.092	213.754	216.220	218.355	220.836	208.926		
110	T	2.1231	4.1642	4.0537	2.0846	2.0060	3.9522	3.9487	2.1210	24.4535		
	S	216.129	204.175	204.022	211.290	218.549	215.990	216.182	217.629	211.994		
111	T	2.1351	4.2987	4.1906	2.1306	2.0433	3.9984	3.9557	2.1001	24.8525		
	S	214.914	197.787	197.357	206.728	214.559	213.494	215.799	219.795	208.591		
112	T	2.1510	4.3633	4.2762	2.1604	2.0635	3.9496	3.8955	2.0767	24.9362		
	S	213.326	194.859	193.407	203.876	212.459	216.132	219.134	222.271	207.891		
113	T	2.1014	4.1520	4.1071	2.1100	2.0187	3.9507	3.8981	2.0599	24.3979		
	S	218.361	204.775	201.370	208.746	217.174	216.072	218.988	224.084	212.477		
114	T	2.1477	4.2788	4.1358	2.1100	2.0117	3.9151	3.8900	2.0730	24.5621		
	S	213.654	198.707	199.972	208.746	217.930	218.037	219.444	222.668	211.057		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.0894	4.2543	4.2476	2.1514	2.0533	3.9442	3.9098	2.0834	24.7334		
	S	219.615	199.851	194.709	204.729	213.514	216.428	218.332	221.557	209.595		
116	T	2.0992	4.0634	4.0605	2.0845	2.0042	3.8735	3.8615	2.0632	24.1100		
	S	218.590	209.240	203.681	211.300	218.745	220.379	221.063	223.726	215.015		
117	T	2.0871	4.1222	4.1044	2.1009	2.0213	3.8857	3.8746	2.0726	24.2688		
	S	219.857	206.256	201.502	209.650	216.895	219.687	220.316	222.711	213.608		
118	T	2.0925	4.1085	4.0955	2.1105	2.0300	3.9090	3.9061	2.0837	24.3358		
	S	219.290	206.943	201.940	208.697	215.965	218.377	218.539	221.525	213.020		
119	T	2.0912	4.0582	4.0784	2.1016	2.0214	3.8927	3.8850	2.0733	24.2018		
	S	219.426	209.508	202.787	209.581	216.884	219.292	219.726	222.636	214.199		
120	T	2.0834	4.1816	4.2145	2.1646	2.0502	3.9278	4.0007	2.1160	24.7388		
	S	220.247	203.326	196.238	203.481	213.837	217.332	213.372	218.143	209.549		
121	T	2.1118	4.0923	4.1876	2.1636	2.3314	6.0930			36.6224	27.3622	29.2164
	S	217.286	207.763	197.499	203.575	188.045	140.101			141.553	32.929	161.631
122	T				3.1334	2.6205	4.6127	4.3229	2.2273	55.3138		
	S				140.568	167.300	185.062	197.468	207.242	93.720	35.3576	
123	T	2.2074	4.1004	3.9808	2.0517	1.9792	3.8489	3.8720	2.0558	24.0962		
	S	207.875	207.352	207.759	214.678	221.508	221.787	220.464	224.531	215.138		
124	T	2.0677	4.0424	3.9946	2.0507	1.9749	3.8406	3.8429	2.0444	23.8582		
	S	221.920	210.327	207.041	214.783	221.991	222.266	222.133	225.783	217.284		
125	T	2.0601	4.0117	4.0189	2.0691	1.9933	3.8687	3.8768	2.0548	23.9534		
	S	222.739	211.937	205.789	212.873	219.941	220.652	220.191	224.640	216.420		
126	T	2.0729	4.1364	4.1035	2.0959	2.0262	3.9406	3.9684	2.1159	24.4598		
	S	221.363	205.548	201.546	210.151	216.370	216.626	215.108	218.153	211.940		
127	T	2.1285	3.9972	3.9913	2.0749	2.0093	3.9084	3.9233	2.0899	24.1228		
	S	215.581	212.706	207.212	212.277	218.190	218.411	217.581	220.867	214.900		
128	T	2.1009	3.9878	3.9703	2.0588	1.9827	3.9238	3.9624	2.1251	24.1118		
	S	218.413	213.207	208.308	213.938	221.117	217.553	215.434	217.209	214.998		
129	T	2.1179	4.1642	4.0785	2.0984	2.0217	3.9713	4.0300	2.1510	24.6330		
	S	216.660	204.175	202.782	209.900	216.852	214.951	211.820	214.594	210.449		
130	T	2.1506	3.9752	3.9960	2.0886	2.0292	3.9587	3.9811	2.1340	24.3134		
	S	213.365	213.883	206.968	210.885	216.050	215.636	214.422	216.303	213.216		
131	T	2.1443	3.9459	3.9935	2.1083	2.0485	3.9906	4.0203	2.1466	24.3980		
	S	213.992	215.471	207.098	208.915	214.015	213.912	212.332	215.033	212.476		
132	T	2.1593	3.9548	3.9769	2.0877	2.0321	3.9632	4.0097	2.1486	24.3323		
	S	212.506	214.986	207.962	210.976	215.742	215.391	212.893	214.833	213.050		
133	T	2.1588	3.9409	3.9544	2.0760	2.0220	3.9563	4.0100	2.1446	24.2630		
	S	212.555	215.744	209.146	212.165	216.820	215.766	212.877	215.234	213.659		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.1565	3.8830	3.9130	2.0749	2.0207	3.9483	4.0094	2.1457	24.1515		
	S	212.782	218.961	211.358	212.277	216.959	216.204	212.909	215.124	214.645		
135	T	2.2656	4.6041	4.8032	2.5011	2.6992	6.4028	6.2978	3.1881	32.7619		
	S	202.535	184.667	172.186	176.104	162.422	133.322	135.545	144.786	158.233		
136	T	3.3610	6.2313	5.8286	3.6702	4.9987	15.2499	11.7804	5.8661	56.9862		
	S	136.526	136.445	141.894	120.008	87.705	55.977	72.462	78.688	90.969		
137	T	5.2253	10.8235	10.5060	5.2429	4.3796	11.9273	11.9775	5.7151	65.7972		
	S	87.816	78.554	78.721	84.010	100.103	71.570	71.270	80.767	78.788		
138	T	6.2399	10.7122	10.3025	4.9536	5.4022	11.9250	10.6537	5.2904	65.4795		
	S	73.537	79.370	80.276	88.916	81.154	71.584	80.126	87.251	79.170		
139	T	5.8212	9.2820	9.7980	5.5849	6.1098	10.6729	10.8190	5.2527	63.3405		
	S	78.826	91.600	84.410	78.865	71.755	79.982	78.902	87.877	81.843		
140	T	5.8809	8.8424	9.8889	4.8357	4.7631	11.1048	9.6592	4.4322	59.4072		
	S	78.026	96.153	83.634	91.084	92.043	76.871	88.375	104.145	87.262		
141	T	4.6738	9.6089	9.6181	4.3179	4.6213	9.9444	8.3703	5.3157	56.4704		
	S	98.178	88.483	85.988	102.007	94.867	85.841	101.984	86.835	91.800		
142	T	6.2736	9.9633	8.9837	4.5929	4.4260	10.2022	9.0756	6.2762	59.7935		
	S	73.142	85.336	92.061	95.899	99.053	83.672	94.058	73.546	86.698		
143	T	5.1485	9.9588	9.5883	4.5304	4.4901	9.2628	6.2989	2.6037	51.8815		
	S	89.126	85.374	86.256	97.222	97.639	92.157	135.521	177.283	99.920		
144	T	2.4647	4.6958	4.3451	2.1983	2.0983	4.0033	3.9521	2.0911	25.8487		
	S	186.174	181.061	190.340	200.361	208.935	213.233	215.996	220.741	200.552		
145	T	2.1070	4.1062	4.0659	2.0817	2.0009	3.8808	3.8473	2.0309	24.1207		
	S	217.781	207.059	203.410	211.584	219.106	219.964	221.879	227.284	214.919		
146	T	2.0824	4.3340	4.1894	2.1240	2.0537	3.9536	3.9253	2.0831	24.7455		
	S	220.353	196.176	197.414	207.370	213.473	215.914	217.470	221.588	209.493		
147	T	2.0955	4.0105	4.0263	2.0733	1.9979	3.8575	3.8547	2.0575	23.9732		
	S	218.976	212.000	205.411	212.441	219.435	221.293	221.453	224.346	216.241		
148	T	2.0885	4.0838	4.0191	2.0677	1.9986	3.8602	3.8597	2.0657	24.0433		
	S	219.710	208.195	205.779	213.017	219.358	221.138	221.167	223.455	215.611		
149	T	2.1026	4.1532	4.0381	2.0710	1.9938	3.8666	3.8551	2.0698	24.1502		
	S	218.236	204.716	204.811	212.677	219.886	220.772	221.430	223.012	214.657		
150	T	2.1785	4.2105	4.0602	2.0968	2.0195	3.8883	3.8764	2.0892	24.4194		
	S	210.633	201.930	203.696	210.060	217.088	219.540	220.214	220.941	212.290		
151	T	2.1457	4.2541	4.1077	2.0993	2.0249	3.8972	3.8870	2.0746	24.4905		
	S	213.853	199.861	201.340	209.810	216.509	219.038	219.613	222.496	211.674		
152	T	2.1016	4.1106	4.0744	2.0932	2.0271	3.8988	3.8933	2.0801	24.2791		
	S	218.340	206.838	202.986	210.422	216.274	218.948	219.258	221.908	213.517		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1128	4.1357	4.0539	2.0862	2.0095	3.8705	3.8688	2.0632	24.2006		
	S	217.183	205.582	204.012	211.128	218.168	220.549	220.646	223.726	214.210		
154	T	2.1123	4.2266	4.0869	2.1030	2.0306	3.9129	3.8987	2.0875	24.4585		
	S	217.234	201.161	202.365	209.441	215.901	218.160	218.954	221.121	211.951		
155	T	2.1144	4.1632	4.0932	2.1016	2.0238	3.8980	3.8959	2.0888	24.3789		
	S	217.018	204.224	202.054	209.581	216.627	218.993	219.111	220.984	212.643		
156	T	2.1138	4.1267	4.0826	2.1031	2.0331	3.9082	3.8948	2.0810	24.3433		
	S	217.080	206.031	202.578	209.431	215.636	218.422	219.173	221.812	212.954		
157	T	2.1126	4.1440	4.0814	2.1105	2.0359	3.9144	3.8923	2.0884	24.3795		
	S	217.203	205.171	202.638	208.697	215.339	218.076	219.314	221.026	212.638		
158	T	2.1118	4.1354	4.1074	2.1141	2.0277	3.8934	3.8773	2.0755	24.3426		
	S	217.286	205.597	201.355	208.341	216.210	219.252	220.163	222.400	212.960		
159	T	2.1259	4.2170	4.1572	2.1325	2.0476	3.9421	3.9178	2.0849	24.6250		
	S	215.844	201.619	198.943	206.544	214.109	216.544	217.887	221.397	210.518		
160	T	2.1030	4.0802	4.1246	2.1144	2.0382	3.9235	3.9052	2.0816	24.3707		
	S	218.195	208.379	200.515	208.312	215.096	217.570	218.590	221.748	212.714		
161	T	2.1025	4.1490	4.1565	2.1242	2.0375	3.9125	3.8940	2.0812	24.4574		
	S	218.247	204.923	198.976	207.351	215.170	218.182	219.218	221.791	211.960		
162	T	2.1105	4.2164	4.1754	2.1308	2.0427	3.9249	3.9023	2.0915	24.5945		
	S	217.419	201.648	198.076	206.709	214.622	217.493	218.752	220.698	210.779		
163	T	2.1040	4.2062	4.1196	2.1166	2.0342	3.9166	3.9095	2.0926	24.4993		
	S	218.091	202.137	200.759	208.095	215.519	217.953	218.349	220.582	211.598		
164	T	2.1178	4.0654	3.9985	2.0685	2.0206	4.0125	3.9353	2.0833	24.3019		
	S	216.670	209.137	206.839	212.934	216.970	212.744	216.918	221.567	213.317		
165	T	2.1170	4.2618	4.1127	2.1086	2.0210	3.8740	3.8485	2.0424	24.3860		
	S	216.752	199.500	201.095	208.885	216.927	220.350	221.810	226.004	212.581		
166	T	2.0651	4.2518	4.1614	2.1199	2.0419	3.9182	3.8951	2.0718	24.5252		
	S	222.199	199.969	198.742	207.771	214.706	217.864	219.156	222.797	211.374		
167	T	2.0941	4.1041	4.1121	2.1053	2.0217	3.8891	3.8780	2.0760	24.2804		
	S	219.122	207.165	201.125	209.212	216.852	219.495	220.123	222.346	213.506		
168	T	2.0893	4.0449	4.0083	2.0768	2.0052	3.8714	3.8708	2.0740	24.0407		
	S	219.626	210.197	206.333	212.083	218.636	220.498	220.532	222.561	215.634		
169	T	2.0911	4.0610	4.0360	2.0808	2.0002	3.8629	3.8631	2.0669	24.0620		
	S	219.436	209.364	204.917	211.676	219.183	220.983	220.972	223.325	215.443		
170	T	2.0859	4.0783	4.0308	2.0844	2.0033	3.8683	3.8706	2.0737	24.0953		
	S	219.984	208.476	205.181	211.310	218.843	220.675	220.544	222.593	215.146		
171	T	2.1180	4.2144	4.1292	2.1118	2.0255	3.8821	3.8531	2.0471	24.3812		
	S	216.649	201.743	200.292	208.568	216.445	219.890	221.545	225.485	212.623		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.1574	4.3668	4.1701	2.1209	2.0311	3.9341	3.8719	2.0425	24.6948		
	S	212.693	194.703	198.327	207.673	215.848	216.984	220.470	225.993	209.923		
173	T	2.0618	4.0510	4.1113	2.1090	2.0313	3.9101	3.9124	2.0932	24.2801		
	S	222.555	209.881	201.164	208.845	215.827	218.316	218.187	220.519	213.508		
174	T	2.1535	4.1701	4.0842	2.1024	2.0208	3.8883	3.8660	2.0735	24.3588		
	S	213.078	203.887	202.499	209.501	216.948	219.540	220.806	222.614	212.818		
175	T	2.1069	4.0697	4.0767	2.1271	2.0610	4.0048	4.0281	2.1507	24.6250		
	S	217.791	208.916	202.871	207.068	212.717	213.153	211.920	214.624	210.518		
176	T	2.1612	4.0415	4.0399	2.1057	2.0448	3.9995	4.0443	2.1499	24.5868		
	S	212.319	210.374	204.719	209.173	214.402	213.436	211.071	214.703	210.845		
177	T	2.1963	4.1815	4.1806	2.1313	2.0418	3.9231	3.9057	2.0867	24.6470		
	S	208.926	203.331	197.829	206.660	214.717	217.592	218.562	221.206	210.330		
178	T	2.0954	4.0544	4.1070	2.1236	2.0363	3.9154	3.8986	2.0877	24.3184		
	S	218.986	209.705	201.375	207.409	215.297	218.020	218.960	221.100	213.172		
179	T	2.1268	4.0691	4.0565	2.0918	2.0118	3.9041	3.8885	2.0917	24.2403		
	S	215.753	208.947	203.882	210.562	217.919	218.651	219.528	220.677	213.859		
180	T	2.1579	4.3758	4.1745	2.1367	2.0459	3.9315	3.9157	2.0945	24.8325		
	S	212.644	194.302	198.118	206.138	214.287	217.127	218.004	220.382	208.759		
181	T	2.1096	4.0740	4.0711	2.1010	2.0229	3.8964	3.8850	2.0882	24.2482		
	S	217.512	208.696	203.150	209.640	216.723	219.083	219.726	221.047	213.789		
182	T	2.1438	4.1381	4.1094	2.1320	2.0459	3.9257	3.8972	2.0842	24.4763		
	S	214.042	205.463	201.257	206.592	214.287	217.448	219.038	221.472	211.797		
183	T	2.1908	4.1587	4.0658	2.1084	2.0306	3.9029	3.8954	2.0895	24.4421		
	S	209.450	204.445	203.415	208.905	215.901	218.718	219.140	220.910	212.093		
184	T	2.1529	4.1387	4.0884	2.1107	2.0297	3.9101	3.8932	2.0829	24.4066		
	S	213.137	205.433	202.291	208.677	215.997	218.316	219.263	221.610	212.402		
185	T	2.1752	4.1436	4.0670	2.0912	2.0114	3.8762	3.8670	2.0690	24.3006		
	S	210.952	205.190	203.355	210.623	217.962	220.225	220.749	223.099	213.328		
186	T	2.1029	4.0452	4.0898	2.1261	2.0584	4.0079	4.0185	2.1500	24.5988		
	S	218.205	210.182	202.221	207.165	212.985	212.988	212.427	214.693	210.742		
187	T	2.1629	4.0218	4.0398	2.1128	2.3501	5.9889			36.3667	26.6088	28.9614
	S	212.152	211.405	204.724	208.470	186.549	142.536			142.548	33.862	163.054
188	T			8.5417	3.1228	2.6155	4.6272	4.3523	2.2436	54.5437	35.3402	
	S			96.824	141.045	167.620	184.482	196.135	205.737	95.043	133.700	
189	T	2.2258	3.9691	3.9457	2.0683	2.0070	3.9164	3.9962	2.1221	24.2506		
	S	206.157	214.212	209.607	212.955	218.440	217.965	213.612	217.516	213.768		
190	T	2.1336	3.8817	3.8913	2.0493	1.9916	3.9622	4.0636	2.1514	24.1247		
	S	215.065	219.035	212.537	214.929	220.129	215.445	210.069	214.554	214.884		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.1469	3.8791	3.8867	2.0424	1.9844	3.8841	3.9240	2.0867	23.8343		
	S	213.733	219.182	212.789	215.655	220.928	219.777	217.542	221.206	217.502		
192	T	2.0917	4.0039	3.9368	2.0390	1.9979	3.9991	3.9150	2.0567	24.0401		
	S	219.374	212.350	210.081	216.015	219.435	213.457	218.042	224.433	215.640		
193	T	2.0629	4.1280	4.0634	2.0911	2.0035	3.8722	3.8750	2.0593	24.1554		
	S	222.436	205.966	203.535	210.633	218.822	220.453	220.293	224.149	214.610		
194	T	2.0611	4.0656	4.0026	2.0657	1.9856	3.8851	3.8901	2.0693	24.0251		
	S	222.630	209.127	206.627	213.223	220.794	219.721	219.438	223.066	215.774		
195	T	2.0783	4.0004	3.9763	2.0551	1.9780	3.8539	3.8746	2.0619	23.8785		
	S	220.788	212.536	207.994	214.323	221.643	221.499	220.316	223.867	217.099		
196	T	2.0678	4.0354	4.0500	2.0790	1.9953	3.9053	3.9034	2.0800	24.1162		
	S	221.909	210.692	204.209	211.859	219.721	218.584	218.690	221.919	214.959		
197	T	2.0878	3.9884	3.9858	2.0573	1.9799	3.9088	3.9071	2.0746	23.9897		
	S	219.783	213.175	207.498	214.093	221.430	218.388	218.483	222.496	216.093		
198	T	2.0858	4.0760	4.0169	2.0764	2.0009	3.8767	3.8906	2.0807	24.1040		
	S	219.994	208.594	205.891	212.124	219.106	220.197	219.410	221.844	215.068		
199	T	2.0948	4.0584	4.0668	2.0969	2.0152	3.8922	3.8919	2.0784	24.1946		
	S	219.049	209.498	203.365	210.050	217.551	219.320	219.337	222.090	214.263		
200	T	2.0933	4.1101	4.0972	2.1061	2.0195	3.9325	3.9143	2.0778	24.3508		
	S	219.206	206.863	201.856	209.133	217.088	217.072	218.081	222.154	212.888		
201	T	2.0895	4.1035	4.1043	2.1033	2.0133	3.8769	3.8796	2.0691	24.2395		
	S	219.605	207.196	201.507	209.411	217.756	220.185	220.032	223.088	213.866		
202	T	2.0805	4.0770	4.0506	2.0778	2.0021	3.8683	3.8786	2.0735	24.1084		
	S	220.554	208.542	204.179	211.981	218.975	220.675	220.089	222.614	215.029		
203	T	2.0933	4.0952	4.0735	2.0871	1.9990	3.8677	3.8646	2.0611	24.1415		
	S	219.206	207.616	203.031	211.037	219.314	220.709	220.886	223.954	214.734		
204	T	2.0857	4.1318	4.1506	2.1255	2.0298	3.8957	3.8948	2.0887	24.4026		
	S	220.005	205.776	199.259	207.224	215.986	219.123	219.173	220.994	212.436		
205	T	2.1020	4.1192	4.1443	2.1278	2.0334	3.9139	3.9105	2.0973	24.4484		
	S	218.299	206.406	199.562	207.000	215.604	218.104	218.293	220.088	212.038		
206	T	2.1019	4.0029	4.0017	2.0713	1.9954	3.9047	3.9040	2.0840	24.0659		
	S	218.309	212.403	206.674	212.646	219.710	218.618	218.657	221.493	215.409		
207	T	2.0875	4.0669	4.0799	2.0903	2.0072	3.8734	3.8835	2.0781	24.1668		
	S	219.815	209.060	202.712	210.714	218.418	220.384	219.811	222.122	214.509		
208	T	2.0872	4.0194	4.0566	2.0909	2.0040	3.8827	3.8905	2.0768	24.1081		
	S	219.847	211.531	203.877	210.653	218.767	219.856	219.416	222.261	215.031		
209	T	2.0845	4.0420	4.0464	2.0907	2.0024	3.8671	3.8687	2.0692	24.0710		
	S	220.131	210.348	204.390	210.673	218.942	220.743	220.652	223.077	215.363		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0775	4.0624	4.0865	2.1089	2.0153	3.8783	3.8732	2.0655	24.1676		
	S	220.873	209.292	202.385	208.855	217.540	220.106	220.396	223.477	214.502		
211	T	2.0735	4.0640	4.0890	2.1015	2.0094	3.8703	3.8701	2.0722	24.1500		
	S	221.299	209.209	202.261	209.591	218.179	220.561	220.572	222.754	214.658		
212	T	2.0801	4.1089	4.1376	2.1307	2.0347	3.9088	3.8949	2.0823	24.3780		
	S	220.597	206.923	199.885	206.718	215.466	218.388	219.168	221.674	212.651		
213	T	2.0840	4.0399	4.0722	2.0877	1.9992	3.8650	3.8725	2.0691	24.0896		
	S	220.184	210.458	203.095	210.976	219.292	220.863	220.435	223.088	215.197		
214	T	2.0885	4.1201	4.0992	2.1090	2.0181	3.8825	3.8827	2.0813	24.2814		
	S	219.710	206.361	201.758	208.845	217.239	219.868	219.856	221.780	213.497		
215	T	2.0853	4.1025	4.1208	2.1238	2.0325	3.8955	3.8861	2.0756	24.3221		
	S	220.047	207.246	200.700	207.390	215.699	219.134	219.664	222.389	213.139		
216	T	2.1243	4.2626	4.1731	2.1308	2.0467	3.9682	3.9344	2.0756	24.7157		
	S	216.007	199.462	198.185	206.709	214.203	215.119	216.967	222.389	209.745		
217	T	2.1249	4.1985	4.0886	2.0872	2.0170	3.9756	3.9109	2.0690	24.4717		
	S	215.946	202.507	202.281	211.027	217.357	214.719	218.271	223.099	211.837		
218	T	2.1039	4.2115	4.0967	2.0931	2.0313	4.2303	4.0910	2.1296	24.9874		
	S	218.101	201.882	201.881	210.432	215.827	201.791	208.662	216.750	207.465		
219	T	2.1237	4.2244	4.2243	2.1397	2.0332	4.5227	5.0350	3.3804	27.6834		
	S	216.068	201.266	195.783	205.849	215.625	188.745	169.540	136.549	187.260		
220	T	3.5964	6.6367	6.7365	3.5721	3.5730	6.6463	6.7644	4.3456	41.8710		
	S	127.590	128.110	122.771	123.304	122.701	128.438	126.195	106.220	123.809		
221	T	5.1982	10.2514	7.8438	4.1159	4.6517	8.3285	8.4617	3.8969	52.7481		
	S	88.274	82.938	105.439	107.013	94.247	102.496	100.882	118.451	98.278		
222	T	3.9341	8.1610	10.5593	6.7624	5.2819	10.4394	9.9104	4.5132	59.5617		
	S	116.638	104.182	78.324	65.133	83.002	81.771	86.135	102.276	87.036		
223	T	5.0090	9.7927	9.8306	5.5381	5.7681	9.2093	9.3344	4.3963	58.8785		
	S	91.608	86.823	84.130	79.532	76.006	92.693	91.451	104.995	88.046		
224	T	5.0822	9.9460	9.5108	4.8650	5.5166	9.2410	9.3642	5.0111	58.5369		
	S	90.288	85.484	86.959	90.535	79.471	92.375	91.160	92.114	88.560		
225	T	4.6100	8.1949	9.0100	5.2512	5.3829	8.1362	9.9790	4.8262	55.3904		
	S	99.537	103.751	91.792	83.877	81.445	104.918	85.543	95.643	93.590		
226	T	4.5113	8.8106	8.0772	4.1395	4.3867	9.5103	6.1817	2.5571	48.1744		
	S	101.714	96.500	102.393	106.403	99.941	89.759	138.091	180.513	107.609		
227	T	2.4711	4.6951	4.4011	2.2126	2.1110	4.0239	3.9514	2.0923	25.9585		
	S	185.692	181.088	187.918	199.067	207.678	212.142	216.034	220.614	199.703		
228	T	2.0956	4.1981	4.1514	2.1251	2.0119	3.9176	3.9682	2.0840	24.5519		
	S	218.965	202.527	199.221	207.263	217.908	217.898	215.119	221.493	211.145		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.0898	4.0437	3.9335	2.0321	1.9852	4.1007	5.0216	25.7820			
	S	219.573	210.260	210.257	216.748	220.839	208.168	169.993	201.071			
230	T	2.7699	5.5392	6.2658	4.2999	4.7321	10.4143	11.5664	50.7032			
	S	165.661	153.493	131.994	102.434	92.646	81.968	73.803	102.242			
231	T	4.8378	8.2428	8.3995	5.1040	4.4187	12.0979	12.6028	61.1420			
	S	94.850	103.148	98.464	86.296	99.217	70.561	67.734	84.786			
232	T	5.9713	10.5613	10.0820	6.2416	4.9312	10.2309	10.6752	64.0608			
	S	76.845	80.504	82.032	70.568	88.905	83.437	79.964	80.923			
233	T	5.2079	9.3563	9.8948	5.2824	4.8568	9.7352	10.1860	59.5190			
	S	88.109	90.872	83.584	83.382	90.267	87.686	83.805	87.098			
234	T	5.0703	9.0081	9.2986	5.2846	4.7055	9.5491	9.9348	57.8727			
	S	90.500	94.385	88.943	83.347	93.170	89.394	85.924	89.576			
235	T	4.9554	8.9325	9.2432	5.1258	4.6160	9.0159	8.9822	55.5968			
	S	92.599	95.184	89.476	85.929	94.976	94.681	95.036	93.243			
236	T	4.7183	8.9363	8.9341	4.3066	4.3300	9.3823	9.0130	52.6872			
	S	97.252	95.143	92.572	102.274	101.249	90.984	94.712	98.392			
237	T	2.6875	4.6905	4.3888	2.1993	2.1053	4.0246	3.9680	26.1550			
	S	170.740	181.266	188.445	200.270	208.241	212.105	215.130	198.203			
238	T	2.1273	4.1541	4.0212	2.0797	2.0064	3.8791	3.8714	24.2299			
	S	215.702	204.672	205.671	211.788	218.505	220.060	220.498	213.951			
239	T	2.1156	4.1400	4.1598	2.1135	2.0355	3.9243	3.9162	24.4878			
	S	216.895	205.369	198.819	208.401	215.382	217.526	217.976	211.697			
240	T	2.1012	3.9869	3.9183	2.0418	1.9844	3.8701	3.8761	23.8311			
	S	218.382	213.255	211.073	215.719	220.928	220.572	220.231	217.531			
241	T	2.1228	4.0748	3.9710	2.0618	2.0018	3.8656	3.8528	24.0102			
	S	216.160	208.655	208.271	213.626	219.007	220.829	221.563	215.908			
242	T	2.0855	4.0212	4.1175	2.0989	2.0275	3.9006	3.8751	24.1907			
	S	220.026	211.436	200.861	209.850	216.231	218.847	220.288	214.297			
243	T	2.1235	4.0959	3.9445	2.0514	1.9957	3.8639	3.8925	24.0706			
	S	216.088	207.580	209.671	214.709	219.677	220.926	219.303	215.366			
244	T	2.1412	4.0559	3.9384	2.0539	1.9877	3.8806	3.8805	24.0022			
	S	214.302	209.627	209.995	214.448	220.561	219.975	219.981	215.980			
245	T	2.1408	4.0422	3.9525	2.0649	2.0011	3.8870	3.9139	24.0987			
	S	214.342	210.338	209.246	213.306	219.084	219.613	218.104	215.115			
246	T	2.1215	4.0035	3.9495	2.0583	1.9931	3.8714	3.9183	24.0113			
	S	216.292	212.371	209.405	213.989	219.963	220.498	217.859	215.898			
247	T	2.1084	4.0186	3.9991	2.0733	2.0078	3.8864	3.9010	24.0812			
	S	217.636	211.573	206.808	212.441	218.353	219.647	218.825	215.272			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 27 - Rossi, Alexander

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.1028	4.0468	4.0675	2.0989	2.0280	3.9203	3.9298	2.0968	24.2909			
	S	218.216	210.099	203.330	209.850	216.178	217.748	217.221	220.141	213.413			
249	T	2.2352	4.7352	5.3339	3.1822								
	S	205.290	179.555	155.055	138.412								

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6112	4.6189	4.2924	2.1621	2.0784	4.1227	4.0239	2.1062	26.0158	67.8951	
	S	175.729	184.076	192.677	203.716	210.936	207.058	212.142	219.158	199.264	69.593	
2	T	2.1541	4.2256	4.0874	2.0891	2.0119	3.9068	4.0446	2.1352	24.6547		
	S	213.019	201.209	202.340	210.835	217.908	218.500	211.056	216.182	210.264		
3	T	2.1353	4.0089	4.0608	2.0911	2.0168	3.9213	3.9361	2.0897	24.2600		
	S	214.894	212.085	203.666	210.633	217.379	217.692	216.874	220.889	213.685		
4	T	2.1138	3.9296	4.0047	2.0723	2.0041	3.8989	3.9177	2.0943	24.0354		
	S	217.080	216.365	206.519	212.544	218.756	218.943	217.892	220.403	215.682		
5	T	2.1143	3.9444	4.0270	2.0923	2.0189	3.9164	3.9222	2.0946	24.1301		
	S	217.029	215.553	205.375	210.512	217.152	217.965	217.642	220.372	214.835		
6	T	2.1169	3.9449	4.0026	2.0775	2.0071	3.9043	3.9287	2.0950	24.0770		
	S	216.762	215.526	206.627	212.012	218.429	218.640	217.282	220.330	215.309		
7	T	2.1152	3.9158	4.0255	2.0976	2.0243	3.9339	3.9418	2.1002	24.1543		
	S	216.936	217.127	205.452	209.980	216.573	216.995	216.560	219.784	214.620		
8	T	2.1197	3.9617	4.0228	2.0883	2.0177	3.9228	3.9393	2.1025	24.1748		
	S	216.476	214.612	205.590	210.915	217.282	217.609	216.697	219.544	214.438		
9	T	2.1187	3.9873	4.0317	2.0933	2.0231	3.9216	3.9415	2.1043	24.2215		
	S	216.578	213.234	205.136	210.412	216.702	217.676	216.577	219.356	214.025		
10	T	2.1265	3.9722	3.9935	2.0793	2.0121	3.9146	3.9450	2.1065	24.1497		
	S	215.784	214.044	207.098	211.828	217.886	218.065	216.384	219.127	214.661		
11	T	2.1214	4.0165	4.0612	2.1054	2.0341	3.9477	3.9611	2.1133	24.3607		
	S	216.302	211.684	203.646	209.202	215.530	216.236	215.505	218.422	212.802		
12	T	2.1296	3.9957	4.0340	2.0940	2.0248	3.9348	3.9607	2.1104	24.2840		
	S	215.469	212.786	205.019	210.341	216.520	216.945	215.527	218.722	213.474		
13	T	2.1223	4.0121	4.0339	2.0954	2.0259	3.9252	3.9529	2.1109	24.2786		
	S	216.211	211.916	205.024	210.201	216.402	217.476	215.952	218.670	213.521		
14	T	2.1207	3.9927	3.9999	2.0854	2.0171	3.9174	3.9482	2.1075	24.1889		
	S	216.374	212.945	206.767	211.209	217.346	217.909	216.209	219.023	214.313		
15	T	2.1217	4.0068	4.0057	2.0849	2.0190	3.9263	3.9567	2.1124	24.2335		
	S	216.272	212.196	206.467	211.259	217.142	217.415	215.745	218.515	213.919		
16	T	2.1239	4.0131	4.0367	2.0976	2.0280	3.9353	3.9583	2.1107	24.3036		
	S	216.048	211.863	204.882	209.980	216.178	216.918	215.657	218.691	213.302		
17	T	2.1221	3.9823	4.0223	2.0933	2.0246	3.9314	3.9541	2.1096	24.2397		
	S	216.231	213.502	205.615	210.412	216.541	217.133	215.886	218.805	213.864		
18	T	2.1205	3.9939	4.0417	2.0998	2.0319	3.9365	3.9599	2.1096	24.2938		
	S	216.394	212.881	204.628	209.760	215.763	216.852	215.570	218.805	213.388		
19	T	2.1208	3.9822	4.0268	2.0985	2.0284	3.9380	3.9559	2.1083	24.2589		
	S	216.363	213.507	205.385	209.890	216.135	216.769	215.788	218.940	213.695		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1186	3.9922	4.0378	2.1007	2.0314	3.9379	3.9564	2.1113	24.2863		
	S	216.588	212.972	204.826	209.670	215.816	216.775	215.761	218.629	213.454		
21	T	2.1203	4.0079	4.0739	2.1091	2.0379	3.9489	3.9700	2.1162	24.3842		
	S	216.414	212.138	203.011	208.835	215.128	216.171	215.022	218.123	212.597		
22	T	2.1234	3.9925	4.0211	2.0920	2.0239	3.9370	3.9551	2.1112	24.2562		
	S	216.099	212.956	205.676	210.542	216.616	216.824	215.832	218.639	213.719		
23	T	2.1240	3.9663	4.0128	2.0901	2.0224	3.9270	3.9518	2.1069	24.2013		
	S	216.037	214.363	206.102	210.734	216.777	217.376	216.012	219.085	214.203		
24	T	2.1209	3.9620	4.0199	2.0931	2.0250	3.9278	3.9567	2.1073	24.2127		
	S	216.353	214.595	205.738	210.432	216.498	217.332	215.745	219.044	214.103		
25	T	2.1204	3.9711	4.0351	2.0959	2.0248	3.9268	3.9466	2.1032	24.2239		
	S	216.404	214.104	204.963	210.151	216.520	217.387	216.297	219.471	214.004		
26	T	2.1171	3.9363	4.0018	2.0817	2.0130	3.9064	3.9266	2.0954	24.0783		
	S	216.742	215.997	206.668	211.584	217.789	218.523	217.398	220.288	215.298		
27	T	2.1082	3.9036	3.9927	2.0787	2.0060	3.8810	3.9152	2.0901	23.9755		
	S	217.657	217.806	207.139	211.889	218.549	219.953	218.031	220.846	216.221		
28	T	2.1056	4.0205	4.0811	2.1053	2.0183	3.9296	3.9202	2.0809	24.2615		
	S	217.925	211.473	202.653	209.212	217.217	217.232	217.753	221.823	213.672		
29	T	2.1365	4.2484	4.2448	2.1784	2.0768	3.9891	3.9656	2.0812	24.9208		
	S	214.774	200.129	194.837	202.192	211.098	213.992	215.260	221.791	208.019		
30	T	2.0967	3.9487	4.0569	2.1042	2.0305	3.9336	3.9609	2.1077	24.2392		
	S	218.850	215.318	203.861	209.322	215.912	217.011	215.516	219.002	213.868		
31	T	2.1177	3.9640	4.0538	2.1001	2.0266	3.9264	3.9400	2.1043	24.2329		
	S	216.680	214.487	204.017	209.730	216.327	217.409	216.659	219.356	213.924		
32	T	2.1130	3.9438	4.0195	2.0894	2.0167	3.9019	3.9215	2.0952	24.1010		
	S	217.162	215.586	205.758	210.804	217.389	218.775	217.681	220.309	215.095		
33	T	2.1093	3.9352	4.0715	2.0988	2.0194	3.9135	3.9210	2.0884	24.1571		
	S	217.543	216.057	203.130	209.860	217.099	218.126	217.709	221.026	214.595		
34	T	2.1024	3.9736	4.0508	2.0926	2.0121	3.8911	3.9090	2.0839	24.1155		
	S	218.257	213.969	204.168	210.482	217.886	219.382	218.377	221.503	214.965		
35	T	2.0933	3.9908	4.1116	2.1139	2.0274	3.9134	3.9106	2.0864	24.2474		
	S	219.206	213.047	201.149	208.361	216.242	218.132	218.288	221.238	213.796		
36	T	2.0949	4.0258	4.0695	2.0965	2.0088	3.8788	4.0481	2.1192	24.3416		
	S	219.038	211.195	203.230	210.090	218.244	220.077	210.873	217.814	212.969		
37	T	2.1160	4.0775	4.1335	2.1101	2.0176	3.8821	3.8915	2.0655	24.2938		
	S	216.854	208.517	200.084	208.736	217.292	219.890	219.359	223.477	213.388		
38	T	2.0732	4.0993	4.1230	2.1010	2.0552	4.1236	3.9875	2.0932	24.6560		
	S	221.331	207.408	200.593	209.640	213.317	207.012	214.078	220.519	210.253		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0906	4.0990	4.1952	2.1390	2.0338	3.9420	3.9306	2.0807	24.5109		
	S	219.489	207.423	197.141	205.916	215.562	216.549	217.177	221.844	211.498		
40	T	2.0773	4.0960	4.2312	2.1582	2.0424	3.9620	3.9499	2.0826	24.5996		
	S	220.894	207.575	195.464	204.084	214.654	215.456	216.116	221.642	210.735		
41	T	2.0911	4.1416	4.1510	2.1046	2.0850	4.1171	3.9824	2.0963	24.7691		
	S	219.436	205.290	199.240	209.282	210.268	207.339	214.352	220.193	209.293		
42	T	2.0924	4.1217	4.1836	2.1133	2.0985	4.2104	4.0201	2.1051	24.9451		
	S	219.300	206.281	197.688	208.420	208.915	202.745	212.342	219.273	207.816		
43	T	2.1059	4.1379	4.2010	2.1382	2.0406	3.9536	4.0251	2.1098	24.7121		
	S	217.894	205.473	196.869	205.993	214.843	215.914	212.078	218.784	209.776		
44	T	2.1164	4.1759	4.2336	2.1496	2.0480	3.9334	3.9087	2.0902	24.6558		
	S	216.813	203.603	195.353	204.901	214.067	217.023	218.394	220.836	210.255		
45	T	2.1030	4.1475	4.1698	2.1235	2.0276	3.9422	3.9194	2.0799	24.5129		
	S	218.195	204.998	198.342	207.419	216.221	216.538	217.798	221.929	211.480		
46	T	2.0823	4.1134	4.1796	2.1184	2.0470	4.0678	3.9939	2.1000	24.7024		
	S	220.364	206.697	197.877	207.918	214.172	209.852	213.735	219.805	209.858		
47	T	2.1036	4.1010	4.2150	2.1361	2.0556	4.0132	3.9574	2.0806	24.6625		
	S	218.133	207.322	196.215	206.196	213.275	212.707	215.706	221.855	210.198		
48	T	2.0843	4.1454	4.3083	2.1846	2.0711	3.9993	3.9585	2.0912	24.8427		
	S	220.152	205.101	191.966	201.618	211.679	213.446	215.646	220.730	208.673		
49	T	2.0927	4.1388	4.2515	2.1548	2.0868	4.0718	3.9647	2.0952	24.8563		
	S	219.269	205.428	194.530	204.406	210.087	209.646	215.309	220.309	208.559		
50	T	2.0971	4.1987	4.3325	2.1853	2.0901	4.1367	4.0114	2.1057	25.1575		
	S	218.809	202.498	190.893	201.553	209.755	206.357	212.803	219.210	206.062		
51	T	2.1101	4.2420	4.3098	2.1570	2.0766	4.0546	3.9782	2.0954	25.0237		
	S	217.461	200.431	191.899	204.198	211.119	210.535	214.579	220.288	207.164		
52	T	2.1141	4.3435	4.3849	2.1793	2.1610	4.2540	4.0224	2.0986	25.5578		
	S	217.049	195.747	188.612	202.108	202.873	200.667	212.221	219.952	202.834		
53	T	2.1381	4.4350	4.3467	2.1722	2.0648	4.0342	3.9740	2.0946	25.2596		
	S	214.613	191.709	190.270	202.769	212.325	211.600	214.805	220.372	205.229		
54	T	2.1001	4.3001	4.3283	2.1684	2.0730	4.0370	3.9665	2.0892	25.0626		
	S	218.496	197.723	191.079	203.124	211.485	211.453	215.211	220.941	206.842		
55	T	2.0944	4.2670	4.2490	2.1381	2.0412	3.9990	3.9544	2.0843	24.8274		
	S	219.091	199.256	194.645	206.003	214.780	213.462	215.870	221.461	208.802		
56	T	2.0929	4.1737	4.2173	2.1364	2.0688	4.0415	3.9836	2.0992	24.8134		
	S	219.248	203.711	196.108	206.167	211.915	211.218	214.288	219.889	208.919		
57	T	2.1073	4.2222	4.2344	2.1770	2.3561	5.8511			47.2455	26.3220	28.7265
	S	217.750	201.371	195.316	202.322	186.074	145.893			109.725	34.231	164.387

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T			3.1398	2.6265	4.6191	4.2608	2.1874	42.5832		34.7802	
	S			140.281	166.918	184.806	200.346	211.023	121.738		135.853	
59	T	2.1611	4.0946	4.0670	2.0897	2.0211	3.9436	3.9307	2.1061	24.4139		
	S	212.329	207.646	203.355	210.774	216.916	216.461	217.172	219.169	212.338		
60	T	2.1230	3.8850	3.9359	2.0765	2.0205	3.9334	3.9720	2.1209	24.0672		
	S	216.139	218.849	210.129	212.114	216.980	217.023	214.913	217.639	215.397		
61	T	2.1304	3.8782	3.9232	2.0674	2.0156	4.1553	4.1514	2.1758	24.4973		
	S	215.388	219.232	210.809	213.048	217.508	205.433	205.626	212.148	211.615		
62	T	2.1597	3.8940	3.9144	2.0578	1.9978	3.9039	3.9513	2.1142	23.9931		
	S	212.466	218.343	211.283	214.041	219.446	218.662	216.039	218.329	216.062		
63	T	2.1159	3.8551	3.9191	2.0577	1.9949	3.9016	3.9344	2.0975	23.8762		
	S	216.865	220.546	211.029	214.052	219.765	218.791	216.967	220.067	217.120		
64	T	2.1097	3.8878	3.9155	2.0606	2.0051	4.0724	4.1443	2.1829	24.3783		
	S	217.502	218.691	211.223	213.751	218.647	209.615	205.978	211.458	212.648		
65	T	2.1684	4.1843	4.1941	2.1334	2.0518	3.9488	3.9191	2.0903	24.6902		
	S	211.614	203.195	197.193	206.457	213.670	216.176	217.814	220.825	209.962		
66	T	2.1026	3.9955	4.0201	2.0856	2.0174	3.9274	3.9239	2.0880	24.1605		
	S	218.236	212.796	205.728	211.188	217.314	217.354	217.548	221.068	214.565		
67	T	2.0965	4.0405	4.0454	2.0914	2.0227	3.9074	3.9121	2.0884	24.2044		
	S	218.871	210.426	204.441	210.603	216.744	218.467	218.204	221.026	214.176		
68	T	2.1035	3.9258	4.0092	2.0805	2.0052	3.8918	3.9094	2.0943	24.0197		
	S	218.143	216.574	206.287	211.706	218.636	219.342	218.355	220.403	215.823		
69	T	2.1064	3.9168	3.9872	2.0740	2.0060	3.8967	3.9126	2.0912	23.9909		
	S	217.843	217.072	207.425	212.370	218.549	219.066	218.176	220.730	216.082		
70	T	2.1084	3.9182	3.9859	2.0748	2.0044	3.8968	3.9152	2.0886	23.9923		
	S	217.636	216.994	207.493	212.288	218.723	219.061	218.031	221.005	216.069		
71	T	2.1011	3.8755	3.9801	2.0753	2.0073	3.9066	3.9168	2.0944	23.9571		
	S	218.392	219.385	207.795	212.237	218.407	218.511	217.942	220.393	216.387		
72	T	2.1056	3.9032	3.9869	2.0780	2.0085	3.8990	3.9197	2.0936	23.9945		
	S	217.925	217.828	207.441	211.961	218.277	218.937	217.781	220.477	216.050		
73	T	2.1033	3.9348	3.9934	2.0778	2.0059	3.8981	3.9157	2.0949	24.0239		
	S	218.164	216.079	207.103	211.981	218.560	218.988	218.004	220.340	215.785		
74	T	2.1055	3.9821	3.9945	2.0785	2.0078	3.9023	3.9196	2.0900	24.0803		
	S	217.936	213.512	207.046	211.910	218.353	218.752	217.787	220.857	215.280		
75	T	2.1006	3.9125	3.9730	2.0698	1.9986	3.8838	3.8990	2.0920	23.9293		
	S	218.444	217.310	208.166	212.801	219.358	219.794	218.937	220.646	216.638		
76	T	2.1028	4.0974	4.1760	2.1387	2.0505	3.9611	3.9495	2.1002	24.5762		
	S	218.216	207.504	198.047	205.945	213.806	215.505	216.138	219.784	210.936		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.1097	3.9176	3.9879	2.0827	2.0115	3.9120	3.9183	2.0928	24.0325		
	S	217.502	217.028	207.389	211.482	217.951	218.210	217.859	220.561	215.708		
78	T	2.0994	3.9488	3.9818	2.0731	1.9994	3.8805	3.9033	2.0822	23.9685		
	S	218.569	215.313	207.706	212.462	219.270	219.981	218.696	221.684	216.284		
79	T	2.0878	4.0148	4.0578	2.0989	2.0152	3.9051	3.9060	2.0878	24.1734		
	S	219.783	211.773	203.816	209.850	217.551	218.595	218.545	221.090	214.451		
80	T	2.0997	4.1846	4.2845	2.1633	2.0503	4.0961	4.0367	2.1340	25.0492		
	S	218.538	203.180	193.032	203.603	213.827	208.402	211.469	216.303	206.953		
81	T	2.1818	4.3596	4.2466	2.1525	2.0560	4.0085	3.9439	2.0964	25.0453		
	S	210.314	195.024	194.755	204.625	213.234	212.957	216.445	220.183	206.985		
82	T	2.1160	4.1988	4.0867	2.1144	2.0274	3.9373	3.9139	2.0810	24.4755		
	S	216.854	202.493	202.375	208.312	216.242	216.808	218.104	221.812	211.804		
83	T	2.0854	4.0450	4.0699	2.0956	2.0192	3.9047	3.8984	2.0786	24.1968		
	S	220.036	210.192	203.210	210.181	217.120	218.618	218.971	222.068	214.243		
84	T	2.0883	4.0843	4.0792	2.1098	2.0408	3.9749	3.9461	2.0983	24.4217		
	S	219.731	208.170	202.747	208.766	214.822	214.757	216.324	219.983	212.270		
85	T	2.0955	4.0503	4.0738	2.1131	2.0252	3.9002	3.8969	2.0757	24.2307		
	S	218.976	209.917	203.016	208.440	216.477	218.870	219.055	222.378	213.943		
86	T	2.0870	4.1478	4.0906	2.1234	2.0297	3.9358	3.9146	2.0862	24.4151		
	S	219.868	204.983	202.182	207.429	215.997	216.890	218.065	221.259	212.328		
87	T	2.1474	4.4245	4.4224	2.2247	2.1015	3.9929	3.9300	2.0983	25.3417		
	S	213.683	192.163	187.013	197.984	208.617	213.789	217.210	219.983	204.564		
88	T	2.1183	3.9870	4.0518	2.0983	2.0284	3.9294	3.9614	2.1164	24.2910		
	S	216.619	213.250	204.118	209.910	216.135	217.243	215.489	218.102	213.412		
89	T	2.1242	3.9594	4.0043	2.0951	2.0293	3.9389	3.9676	2.1257	24.2445		
	S	216.017	214.736	206.539	210.231	216.040	216.719	215.152	217.148	213.822		
90	T	2.1295	3.9272	3.9812	2.0874	2.0239	3.9308	3.9629	2.1231	24.1660		
	S	215.480	216.497	207.738	211.006	216.616	217.166	215.407	217.414	214.516		
91	T	2.1298	3.9242	3.9946	2.0893	2.0250	3.9373	3.9706	2.1256	24.1964		
	S	215.449	216.663	207.041	210.814	216.498	216.808	214.989	217.158	214.247		
92	T	2.1338	3.9153	3.9938	2.0893	2.0258	3.9377	3.9732	2.1293	24.1982		
	S	215.045	217.155	207.082	210.814	216.413	216.786	214.849	216.781	214.231		
93	T	2.1345	3.9171	3.9679	2.0853	2.0223	3.9350	3.9666	2.1270	24.1557		
	S	214.975	217.055	208.434	211.219	216.787	216.934	215.206	217.015	214.608		
94	T	2.1334	3.9121	3.9920	2.0934	2.0281	3.9395	3.9695	2.1269	24.1949		
	S	215.086	217.333	207.176	210.402	216.167	216.686	215.049	217.025	214.260		
95	T	2.1350	3.9169	4.0071	2.0980	2.0308	3.9435	3.9725	2.1270	24.2308		
	S	214.924	217.066	206.395	209.940	215.880	216.467	214.886	217.015	213.943		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1330	3.9278	3.9956	2.0864	2.0210	3.9340	3.9589	2.1208	24.1775		
	S	215.126	216.464	206.989	211.107	216.927	216.989	215.625	217.649	214.414		
97	T	2.1272	3.8985	3.9889	2.0847	2.0174	3.9152	3.9478	2.1143	24.0940		
	S	215.713	218.091	207.337	211.280	217.314	218.031	216.231	218.319	215.157		
98	T	2.1187	3.9212	3.9998	2.0952	2.0255	3.9300	3.9561	2.1168	24.1633		
	S	216.578	216.828	206.772	210.221	216.445	217.210	215.777	218.061	214.540		
99	T	2.1223	3.9821	4.0462	2.0988	2.0270	3.9269	3.9430	2.1091	24.2554		
	S	216.211	213.512	204.401	209.860	216.285	217.382	216.494	218.857	213.726		
100	T	2.1181	4.0019	4.0361	2.1028	2.0244	3.9062	3.9203	2.0889	24.1987		
	S	216.639	212.456	204.912	209.461	216.562	218.534	217.748	220.973	214.226		
101	T	2.1043	4.1380	4.1403	2.1294	2.0857	4.0884	3.9959	2.1050	24.7870		
	S	218.060	205.468	199.755	206.844	210.198	208.795	213.628	219.283	209.142		
102	T	2.1166	3.9701	4.0440	2.1004	2.0305	3.9395	3.9783	2.1241	24.3035		
	S	216.793	214.158	204.512	209.700	215.912	216.686	214.573	217.311	213.303		
103	T	2.1292	3.9530	4.0263	2.0937	2.0282	3.9376	3.9640	2.1185	24.2505		
	S	215.510	215.084	205.411	210.371	216.157	216.791	215.347	217.886	213.769		
104	T	2.1256	3.9814	4.0426	2.0992	2.0308	3.9367	3.9680	2.1163	24.3006		
	S	215.875	213.550	204.583	209.820	215.880	216.841	215.130	218.112	213.328		
105	T	2.1250	3.9409	3.9940	2.0813	2.0193	3.9261	3.9532	2.1146	24.1544		
	S	215.936	215.744	207.072	211.625	217.109	217.426	215.936	218.288	214.619		
106	T	2.1244	3.9931	4.0130	2.0884	2.0201	3.9187	3.9458	2.1105	24.2140		
	S	215.997	212.924	206.092	210.905	217.023	217.837	216.341	218.712	214.091		
107	T	2.1218	3.9721	4.0199	2.0900	2.0193	3.9173	3.9362	2.1046	24.1812		
	S	216.261	214.050	205.738	210.744	217.109	217.914	216.868	219.325	214.381		
108	T	2.1199	3.9399	4.0179	2.0853	2.0132	3.9090	3.9316	2.0984	24.1152		
	S	216.455	215.799	205.840	211.219	217.767	218.377	217.122	219.973	214.968		
109	T	2.1147	3.9410	4.0416	2.0987	2.0245	3.9217	3.9398	2.0975	24.1795		
	S	216.988	215.739	204.633	209.870	216.552	217.670	216.670	220.067	214.396		
110	T	2.1041	3.9854	4.0529	2.1032	2.0384	4.0148	3.9667	2.0884	24.3539		
	S	218.081	213.335	204.063	209.421	215.075	212.622	215.201	221.026	212.861		
111	T	2.1415	4.3334	4.2562	2.1763	2.0650	3.9685	3.9375	2.0819	24.9603		
	S	214.272	196.203	194.315	202.387	212.305	215.103	216.797	221.716	207.690		
112	T	2.0911	4.1484	4.1451	2.1281	2.0391	3.9162	3.8998	2.0704	24.4382		
	S	219.436	204.953	199.524	206.971	215.001	217.976	218.892	222.948	212.127		
113	T	2.0883	4.1385	4.1967	2.1431	2.0474	3.9527	3.9317	2.0901	24.5885		
	S	219.731	205.443	197.070	205.522	214.130	215.963	217.116	220.846	210.830		
114	T	2.0884	4.1556	4.1920	2.1608	2.2828	5.7198			46.9307	26.2302	28.4989
	S	219.720	204.598	197.291	203.839	192.049	149.242			110.461	34.351	165.700

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T			3.1070	2.6172	4.5975	4.2652	2.1975	42.4884		34.6900	
	S			141.762	167.511	185.674	200.140	210.053	122.010		136.206	
116	T	2.1830	3.9688	3.9931	2.0703	1.9995	3.8836	3.9838	2.0922	24.1743		
	S	210.199	214.228	207.119	212.749	219.259	219.805	214.277	220.625	214.443		
117	T	2.0902	3.9306	3.9618	2.0448	2.0011	3.9760	3.9264	2.0688	23.9997		
	S	219.531	216.310	208.755	215.402	219.084	214.697	217.409	223.120	216.003		
118	T	2.0573	4.0366	4.0317	2.1286	2.1189	4.0380	3.9713	2.0934	24.4758		
	S	223.042	210.630	205.136	206.922	206.904	211.401	214.951	220.498	211.801		
119	T	2.0980	3.8685	3.9616	2.0472	1.9731	3.8987	3.8792	2.0518	23.7781		
	S	218.715	219.782	208.766	215.150	222.193	218.954	220.055	224.969	218.016		
120	T	2.0472	4.0916	4.1699	2.1042	2.0152	3.9144	3.9327	2.0984	24.3736		
	S	224.142	207.798	198.337	209.322	217.551	218.076	217.061	219.973	212.689		
121	T	2.1020	3.8551	3.9604	2.0647	2.0014	3.8884	3.9040	2.0850	23.8610		
	S	218.299	220.546	208.829	213.326	219.051	219.534	218.657	221.387	217.258		
122	T	2.0865	3.9266	3.9950	2.0702	1.9930	3.8993	3.9033	2.0749	23.9488		
	S	219.920	216.530	207.020	212.759	219.974	218.920	218.696	222.464	216.462		
123	T	2.0803	3.9337	4.0562	2.0873	2.0053	3.8897	3.9011	2.0840	24.0376		
	S	220.576	216.139	203.897	211.016	218.625	219.461	218.819	221.493	215.662		
124	T	2.0871	3.9400	3.9986	2.0783	2.0096	3.8855	3.8969	2.0750	23.9710		
	S	219.857	215.794	206.834	211.930	218.157	219.698	219.055	222.453	216.261		
125	T	2.0799	3.9427	3.9500	2.0635	1.9943	3.8900	3.9227	2.0934	23.9365		
	S	220.618	215.646	209.379	213.450	219.831	219.444	217.614	220.498	216.573		
126	T	2.1018	3.8909	3.9778	2.0697	2.0024	3.8912	3.9060	2.0882	23.9280		
	S	218.319	218.517	207.915	212.811	218.942	219.376	218.545	221.047	216.650		
127	T	2.0976	3.8884	3.9989	2.0809	2.0089	3.8971	3.9144	2.0909	23.9771		
	S	218.757	218.657	206.818	211.665	218.233	219.044	218.076	220.762	216.206		
128	T	2.0987	3.8992	4.0148	2.0843	2.0135	3.9049	3.9185	2.0894	24.0233		
	S	218.642	218.052	205.999	211.320	217.735	218.606	217.848	220.920	215.791		
129	T	2.1017	3.8934	3.9865	2.0717	2.0029	3.8865	3.9048	2.0882	23.9357		
	S	218.330	218.377	207.462	212.605	218.887	219.641	218.612	221.047	216.580		
130	T	2.0970	3.8931	3.9924	2.0805	2.0097	3.9047	3.9138	2.0834	23.9746		
	S	218.819	218.393	207.155	211.706	218.147	218.618	218.109	221.557	216.229		
131	T	2.0958	3.9239	4.0286	2.0864	2.0096	3.8989	3.9072	2.0935	24.0439		
	S	218.944	216.679	205.294	211.107	218.157	218.943	218.478	220.488	215.606		
132	T	2.1026	3.9216	4.0629	2.1069	2.0245	3.9131	3.9177	2.0901	24.1394		
	S	218.236	216.806	203.560	209.053	216.552	218.148	217.892	220.846	214.753		
133	T	2.0967	3.9369	4.0206	2.0822	2.0036	3.8877	3.9008	2.0832	24.0117		
	S	218.850	215.964	205.702	211.533	218.811	219.574	218.836	221.578	215.895		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.0878	3.9630	4.0169	2.0816	2.0044	3.9550	3.9407	2.0924	24.1418		
	S	219.783	214.541	205.891	211.594	218.723	215.837	216.620	220.604	214.731		
135	T	2.1071	4.0628	4.0122	2.1157	2.6130	8.0340	8.3515	4.9448	36.2411		
	S	217.770	209.271	206.133	208.184	167.780	106.253	102.214	93.349	143.042		
136	T	5.4133	9.0555	8.7868	5.2869	6.0876	13.5150	11.4599	5.3909	64.9959		
	S	84.766	93.891	94.124	83.311	72.017	63.162	74.489	85.624	79.759		
137	T	6.1629	10.0971	10.0052	5.3609	5.8535	12.5415	11.6155	5.8983	67.5349		
	S	74.456	84.205	82.662	82.161	74.897	68.065	73.491	78.258	76.760		
138	T	6.0052	10.6906	10.1754	5.2975	5.9101	10.5239	10.6605	4.9603	64.2235		
	S	76.411	79.530	81.279	83.144	74.180	81.114	80.075	93.057	80.718		
139	T	5.6279	9.9162	10.9301	6.0528	4.6933	11.5059	9.6145	5.9376	64.2783		
	S	81.534	85.741	75.667	72.769	93.412	74.191	88.786	77.740	80.649		
140	T	5.2932	9.9805	9.0950	5.1690	4.4150	10.5304	9.5584	5.4358	59.4773		
	S	86.689	85.189	90.934	85.211	99.300	81.064	89.307	84.917	87.159		
141	T	4.7876	9.8911	9.0989	4.8909	4.5213	10.2326	9.6487	5.0304	58.1015		
	S	95.844	85.959	90.895	90.056	96.965	83.423	88.472	91.760	89.223		
142	T	5.5192	9.2246	9.1400	4.9748	4.6827	9.7563	9.6640	5.7128	58.6744		
	S	83.140	92.170	90.486	88.537	93.623	87.496	88.332	80.799	88.352		
143	T	5.3687	10.3299	9.8584	4.8007	5.0175	9.4604	6.3585	2.6507	53.8448		
	S	85.470	82.307	83.892	91.748	87.376	90.233	134.251	174.139	96.277		
144	T	2.5249	4.3853	4.2028	2.1651	2.0850	4.0324	4.0329	2.1486	25.5770		
	S	181.735	193.881	196.784	203.434	210.268	211.694	211.668	214.833	202.682		
145	T	2.1549	3.9868	4.0340	2.0991	2.0411	3.9600	3.9844	2.1321	24.3924		
	S	212.940	213.261	205.019	209.830	214.791	215.565	214.245	216.496	212.525		
146	T	2.1382	3.9039	3.9401	2.0706	2.0166	3.9318	3.9768	2.1322	24.1102		
	S	214.603	217.789	209.905	212.718	217.400	217.111	214.654	216.486	215.013		
147	T	2.1461	3.8905	3.9215	2.0701	2.0182	3.9315	3.9750	2.1309	24.0838		
	S	213.813	218.539	210.900	212.770	217.228	217.127	214.751	216.618	215.248		
148	T	2.1410	3.9782	3.9359	2.0722	2.0197	3.9336	3.9730	2.1309	24.1845		
	S	214.322	213.722	210.129	212.554	217.066	217.011	214.859	216.618	214.352		
149	T	2.1403	4.0164	3.9515	2.0772	2.0230	3.9408	3.9837	2.1367	24.2696		
	S	214.392	211.689	209.299	212.042	216.712	216.615	214.282	216.030	213.601		
150	T	2.1501	4.0681	3.9916	2.0959	2.0433	3.9780	4.0119	2.1517	24.4906		
	S	213.415	208.999	207.196	210.151	214.559	214.589	212.776	214.524	211.673		
151	T	2.1592	3.9313	3.9663	2.0884	2.0372	3.9731	4.0064	2.1462	24.3081		
	S	212.516	216.271	208.518	210.905	215.202	214.854	213.068	215.074	213.262		
152	T	2.1593	4.0559	3.9887	2.0952	2.0426	3.9771	4.0109	2.1431	24.4728		
	S	212.506	209.627	207.347	210.221	214.633	214.638	212.829	215.385	211.827		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1483	3.9015	3.9336	2.0770	2.0260	3.9529	3.9936	2.1442	24.1771		
	S	213.594	217.923	210.252	212.063	216.391	215.952	213.751	215.274	214.418		
154	T	2.1504	3.8920	3.9368	2.0801	2.0317	3.9666	4.0019	2.1473	24.2068		
	S	213.385	218.455	210.081	211.747	215.784	215.206	213.308	214.963	214.155		
155	T	2.1549	3.9651	3.9524	2.0830	2.0334	3.9615	3.9989	2.1459	24.2951		
	S	212.940	214.428	209.251	211.452	215.604	215.483	213.468	215.104	213.376		
156	T	2.1529	4.0122	3.9486	2.0827	2.0326	3.9640	4.0096	2.1452	24.3478		
	S	213.137	211.910	209.453	211.482	215.689	215.347	212.898	215.174	212.915		
157	T	2.1524	4.0356	3.9757	2.0885	2.0378	3.9701	3.9988	2.1433	24.4022		
	S	213.187	210.682	208.025	210.895	215.138	215.016	213.473	215.365	212.440		
158	T	2.1528	4.0336	3.9843	2.0918	2.0398	3.9688	4.0025	2.1442	24.4178		
	S	213.147	210.786	207.576	210.562	214.927	215.087	213.276	215.274	212.304		
159	T	2.1547	4.0694	3.9987	2.0960	2.0437	3.9805	4.0092	2.1482	24.5004		
	S	212.959	208.932	206.829	210.141	214.517	214.455	212.919	214.873	211.588		
160	T	2.1601	4.0734	4.0139	2.1024	2.0476	3.9892	4.0157	2.1501	24.5524		
	S	212.427	208.727	206.045	209.501	214.109	213.987	212.575	214.683	211.140		
161	T	2.1571	4.0782	4.0021	2.0960	2.0431	3.9795	4.0037	2.1509	24.5106		
	S	212.722	208.481	206.653	210.141	214.580	214.508	213.212	214.604	211.500		
162	T	2.1620	4.1168	4.0131	2.0997	2.0466	3.9814	4.0075	2.1496	24.5767		
	S	212.240	206.526	206.086	209.770	214.213	214.406	213.010	214.733	210.931		
163	T	2.1550	4.0822	4.0041	2.1007	2.0470	3.9842	4.0086	2.1453	24.5271		
	S	212.930	208.277	206.550	209.670	214.172	214.255	212.951	215.164	211.358		
164	T	2.1551	4.2041	4.2033	2.1434	2.0591	3.9540	3.9287	2.0919	24.7396		
	S	212.920	202.238	196.761	205.493	212.913	215.892	217.282	220.656	209.543		
165	T	2.1480	4.1697	4.0943	2.1139	2.0404	3.9313	3.9175	2.0889	24.5040		
	S	213.624	203.906	201.999	208.361	214.864	217.138	217.903	220.973	211.557		
166	T	2.0967	4.0238	4.0415	2.0914	2.0321	3.9258	3.9172	2.0883	24.2168		
	S	218.850	211.300	204.638	210.603	215.742	217.443	217.920	221.037	214.066		
167	T	2.0966	4.0791	4.0007	2.0756	2.0130	3.9029	3.9048	2.0868	24.1595		
	S	218.861	208.435	206.725	212.206	217.789	218.718	218.612	221.196	214.574		
168	T	2.1273	4.0483	3.9732	2.0784	2.0209	3.9113	3.9144	2.0896	24.1634		
	S	215.702	210.021	208.156	211.920	216.938	218.249	218.076	220.899	214.539		
169	T	2.1366	4.0583	3.9767	2.0753	2.0113	3.8928	3.9054	2.0912	24.1476		
	S	214.763	209.503	207.973	212.237	217.973	219.286	218.578	220.730	214.680		
170	T	2.1030	4.0660	4.0201	2.0846	2.0168	3.8974	3.8999	2.0782	24.1660		
	S	218.195	209.107	205.728	211.290	217.379	219.027	218.887	222.111	214.516		
171	T	2.1260	4.1795	4.1085	2.1119	2.0336	3.9199	3.9025	2.0798	24.4617		
	S	215.834	203.428	201.301	208.558	215.583	217.770	218.741	221.940	211.923		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.1847	4.2740	4.1601	2.1318	2.0516	3.9442	3.9304	2.0931	24.7699		
	S	210.035	198.930	198.804	206.612	213.691	216.428	217.188	220.530	209.286		
173	T	2.1551	4.3590	4.1877	2.1325	2.0531	3.9939	3.9528	2.0960	24.9301		
	S	212.920	195.051	197.494	206.544	213.535	213.735	215.957	220.225	207.941		
174	T	2.0955	4.1296	4.1278	2.1102	2.0287	3.9080	3.9116	2.0868	24.3982		
	S	218.976	205.886	200.360	208.726	216.103	218.433	218.232	221.196	212.475		
175	T	2.0989	4.2257	4.1257	2.1228	2.0537	4.0482	3.9762	2.1050	24.7562		
	S	218.621	201.204	200.462	207.488	213.473	210.868	214.686	219.283	209.402		
176	T	2.1122	4.1764	4.1950	2.1295	2.0431	3.9461	3.9307	2.0849	24.6179		
	S	217.244	203.579	197.150	206.835	214.580	216.324	217.172	221.397	210.578		
177	T	2.0923	4.1086	4.0933	2.1061	2.0332	3.9968	3.9342	2.0901	24.4546		
	S	219.311	206.938	202.049	209.133	215.625	213.580	216.978	220.846	211.985		
178	T	2.1006	4.1399	4.0950	2.1068	2.0312	3.9085	3.9091	2.0739	24.3650		
	S	218.444	205.374	201.965	209.063	215.837	218.405	218.372	222.571	212.764		
179	T	2.0744	4.1401	4.0993	2.1120	2.2906	5.7157			47.3974	26.9895	28.2002
	S	221.203	205.364	201.753	208.549	191.395	149.349			109.373	33.384	167.455
180	T				3.1306	2.6220	4.6214	4.3041	2.2118	42.6407	34.8484	
	S				140.693	167.204	184.714	198.331	208.695	121.574	135.587	
181	T	2.1865	3.9453	3.9189	2.0537	1.9915	3.8875	3.9377	2.0988	24.0199		
	S	209.862	215.504	211.040	214.469	220.140	219.585	216.786	219.931	215.821		
182	T	2.1079	3.8516	3.9114	2.0493	1.9865	3.8897	3.9290	2.0944	23.8198		
	S	217.688	220.747	211.445	214.929	220.694	219.461	217.266	220.393	217.634		
183	T	2.0996	3.8274	3.9302	2.0593	1.9906	3.8779	3.9114	2.0876	23.7840		
	S	218.548	222.142	210.433	213.886	220.240	220.129	218.243	221.111	217.962		
184	T	2.0993	3.8738	3.9438	2.0588	1.9935	3.8847	3.9179	2.0961	23.8679		
	S	218.579	219.481	209.708	213.938	219.919	219.743	217.881	220.214	217.195		
185	T	2.1041	3.8774	3.9569	2.0601	1.9925	3.8862	3.8985	2.0803	23.8560		
	S	218.081	219.278	209.013	213.803	220.030	219.658	218.965	221.887	217.304		
186	T	2.0886	3.8517	3.9368	2.0618	1.9917	3.8716	3.8846	2.0726	23.7594		
	S	219.699	220.741	210.081	213.626	220.118	220.487	219.749	222.711	218.187		
187	T	2.0777	4.0041	4.0355	2.0858	2.0074	3.8817	3.8899	2.0726	24.0547		
	S	220.852	212.339	204.942	211.168	218.396	219.913	219.449	222.711	215.509		
188	T	2.0737	3.9490	4.0643	2.0889	2.0067	3.8742	3.8773	2.0695	24.0036		
	S	221.278	215.302	203.490	210.855	218.473	220.339	220.163	223.045	215.968		
189	T	2.0791	4.0431	4.1081	2.1038	2.0197	3.9569	3.9149	2.0769	24.3025		
	S	220.703	210.291	201.321	209.361	217.066	215.734	218.048	222.250	213.311		
190	T	2.0770	4.1155	4.1036	2.1066	2.0260	3.9761	3.9095	2.0935	24.4078		
	S	220.926	206.591	201.541	209.083	216.391	214.692	218.349	220.488	212.391		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0992	4.0705	4.0197	2.0804	2.0095	3.9075	3.9043	2.0818	24.1729		
	S	218.590	208.875	205.748	211.716	218.168	218.461	218.640	221.727	214.455		
192	T	2.0989	4.0859	4.0697	2.0930	2.0158	3.9926	3.9431	2.0948	24.3938		
	S	218.621	208.088	203.220	210.442	217.486	213.805	216.489	220.351	212.513		
193	T	2.1202	4.1202	4.0769	2.1127	2.0328	3.9278	3.9096	2.0799	24.3801		
	S	216.425	206.356	202.861	208.479	215.668	217.332	218.344	221.929	212.632		
194	T	2.1514	4.1375	4.0682	2.0917	2.0281	4.0381	3.9867	2.1048	24.6065		
	S	213.286	205.493	203.295	210.573	216.167	211.396	214.121	219.304	210.676		
195	T	2.1038	4.0424	4.0907	2.1002	2.0227	3.9108	3.9341	2.0942	24.2989		
	S	218.112	210.327	202.177	209.720	216.744	218.277	216.984	220.414	213.343		
196	T	2.1056	4.1000	4.0874	2.0981	2.0331	4.0209	3.9976	2.1155	24.5582		
	S	217.925	207.373	202.340	209.930	215.636	212.300	213.537	218.195	211.090		
197	T	2.1237	4.0719	4.0580	2.0901	2.0161	3.9061	3.9060	2.0855	24.2574		
	S	216.068	208.804	203.806	210.734	217.454	218.539	218.545	221.333	213.708		
198	T	2.1527	4.1877	4.1006	2.1170	2.0458	3.9561	3.9637	2.1185	24.6421		
	S	213.157	203.030	201.689	208.056	214.297	215.777	215.364	217.886	210.372		
199	T	2.1271	3.9425	3.9868	2.0831	2.0231	3.9811	3.9708	2.1288	24.2433		
	S	215.723	215.657	207.446	211.442	216.702	214.422	214.978	216.832	213.832		
200	T	2.1955	4.2633	4.1042	2.1104	2.0333	3.9566	3.9441	2.0945	24.7019		
	S	209.002	199.429	201.512	208.707	215.615	215.750	216.434	220.382	209.862		
201	T	2.1033	4.0504	4.0617	2.0922	2.0185	3.9009	3.9123	2.0882	24.2275		
	S	218.164	209.912	203.621	210.522	217.195	218.831	218.193	221.047	213.972		
202	T	2.0924	4.0135	4.0205	2.0890	2.0251	3.9259	3.9364	2.0970	24.1998		
	S	219.300	211.842	205.707	210.845	216.488	217.437	216.857	220.120	214.217		
203	T	2.0979	3.9923	4.0417	2.0947	2.0209	3.9138	3.9247	2.0946	24.1806		
	S	218.725	212.967	204.628	210.271	216.938	218.109	217.504	220.372	214.387		
204	T	2.1006	4.0203	4.0279	2.0856	2.0165	3.9040	3.9200	2.0893	24.1642		
	S	218.444	211.484	205.329	211.188	217.411	218.657	217.764	220.931	214.532		
205	T	2.0966	3.9902	4.0404	2.0905	2.0172	3.9066	3.9158	2.0930	24.1503		
	S	218.861	213.079	204.694	210.693	217.335	218.511	217.998	220.540	214.656		
206	T	2.1010	4.0598	4.0484	2.0985	2.0269	3.9148	3.9266	2.0958	24.2718		
	S	218.402	209.426	204.289	209.890	216.295	218.054	217.398	220.246	213.581		
207	T	2.1030	4.0180	3.9908	2.0785	2.0145	3.9024	3.9184	2.0916	24.1172		
	S	218.195	211.605	207.238	211.910	217.627	218.747	217.853	220.688	214.950		
208	T	2.1011	3.9963	4.0009	2.0780	2.0062	3.8867	3.9105	2.0831	24.0628		
	S	218.392	212.754	206.715	211.961	218.527	219.630	218.293	221.588	215.436		
209	T	2.0925	4.0497	3.9995	2.0804	2.0126	3.9394	3.9357	2.0926	24.2024		
	S	219.290	209.948	206.787	211.716	217.832	216.692	216.896	220.582	214.194		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0997	4.0477	4.0222	2.0852	2.0118	3.9001	3.9207	2.0911	24.1785		
	S	218.538	210.052	205.620	211.229	217.919	218.876	217.725	220.741	214.405		
211	T	2.0979	4.0111	3.9979	2.0744	2.0064	3.9064	3.9220	2.0922	24.1083		
	S	218.725	211.969	206.870	212.329	218.505	218.523	217.653	220.625	215.030		
212	T	2.0981	4.0670	4.0561	2.0963	2.0196	3.9106	3.9206	2.0917	24.2600		
	S	218.704	209.055	203.902	210.110	217.077	218.288	217.731	220.677	213.685		
213	T	2.0960	4.0350	4.0218	2.0819	2.0042	3.8794	3.9031	2.0834	24.1048		
	S	218.923	210.713	205.641	211.564	218.745	220.043	218.707	221.557	215.061		
214	T	2.0900	4.0491	4.0649	2.0997	2.0219	3.9294	3.9241	2.0917	24.2708		
	S	219.552	209.979	203.460	209.770	216.830	217.243	217.537	220.677	213.590		
215	T	2.1020	4.1217	4.0557	2.0916	2.0103	4.3099	4.1428	2.1672	25.0012		
	S	218.299	206.281	203.922	210.583	218.081	198.064	206.053	212.990	207.350		
216	T	2.1598	4.2630	4.2589	2.1823	2.0752	3.9962	3.9503	2.0985	24.9842		
	S	212.457	199.443	194.192	201.830	211.261	213.612	216.094	219.962	207.491		
217	T	2.1046	4.0622	4.1273	2.1052	2.0259	3.9394	3.8934	2.0704	24.3284		
	S	218.029	209.302	200.384	209.222	216.402	216.692	219.252	222.948	213.084		
218	T	2.0793	4.2059	4.1722	2.1084	2.0266	3.9279	3.9251	2.0831	24.5285		
	S	220.682	202.151	198.228	208.905	216.327	217.326	217.481	221.588	211.346		
219	T	2.0904	4.0094	4.0316	2.0845	2.0157	4.1398	4.9717	2.7218	26.0649		
	S	219.510	212.058	205.141	211.300	217.497	206.202	171.699	169.590	198.888		
220	T	2.9540	6.0475	7.0607	3.8335	3.6188	7.6219	7.3557	4.8097	43.3018		
	S	155.336	140.592	117.134	114.896	121.148	111.998	116.051	95.971	119.718		
221	T	4.9571	8.6229	8.3676	4.9929	4.1202	7.9610	7.8668	3.8153	50.7038		
	S	92.567	98.601	98.839	88.216	106.405	107.227	108.511	120.984	102.241		
222	T	4.2624	9.3813	10.8080	6.3571	4.8975	10.3617	9.8153	5.0822	60.9655		
	S	107.654	90.630	76.522	69.285	89.517	82.384	86.970	90.825	85.032		
223	T	4.9205	10.6523	9.0216	6.1653	5.0582	9.0959			73.2100	26.1970	54.8238
	S	93.255	79.816	91.674	71.441	86.673	93.848			70.810	34.394	86.135
224	T				3.2025	2.9798	7.6908	9.3438	4.2547	53.3190		
	S				137.535	147.127	110.994	91.359	108.490	97.226	45.5082	
225	T	6.0640	8.5985	8.1142	4.8584	6.1734	7.6504	7.3362	6.8807	55.6758		
	S	75.670	98.881	101.926	90.658	71.016	111.581	116.359	67.085	93.110		
226	T	6.3194	6.3845	7.5219	3.6876	3.0915	6.8016	5.9153	2.5443	42.2661		
	S	72.612	133.171	109.952	119.442	141.811	125.505	144.310	181.422	122.651		
227	T	2.3994	4.5569	4.4531	2.2091	2.1062	4.1715	3.9671	2.0760	25.9393		
	S	191.241	186.580	185.724	199.382	208.152	204.635	215.179	222.346	199.851		
228	T	2.1593	4.2568	4.1366	2.1173	2.0368	4.1449	4.0080	2.0948	24.9545		
	S	212.506	199.734	199.934	208.027	215.244	205.949	212.983	220.351	207.738		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.0925	3.8857	4.1009	2.0787	1.9911	4.1498	5.3281	3.1425	26.7693		
	S	219.290	218.809	201.674	211.889	220.184	205.705	160.214	146.887	193.655		
230	T	3.3629	6.4226	6.7238	3.7395	4.4517	10.9370	12.7052	4.4269	52.7696		
	S	136.449	132.381	123.003	117.784	98.481	78.050	67.188	104.270	98.238		
231	T	4.3094	8.2473	8.1540	4.3823	6.2110	11.1269	12.5237	5.3103	60.2649		
	S	106.480	103.092	101.428	100.508	70.586	76.718	68.162	86.924	86.020		
232	T	5.7821	10.4993	10.2053	6.2442	5.8038	9.6893	10.8145	4.9049	63.9434		
	S	79.359	80.979	81.041	70.538	75.538	88.101	78.934	94.108	81.072		
233	T	5.9195	9.7270	8.9757	5.9618	5.1672	9.0331	10.8932	4.9071	60.5846		
	S	77.517	87.409	92.143	73.879	84.845	94.501	78.364	94.066	85.566		
234	T	4.8197	8.4976	9.5978	5.2365	5.4871	7.5934	9.5688	5.0296	55.8305		
	S	95.206	100.055	86.170	84.112	79.898	112.418	89.210	91.775	92.852		
235	T	6.0746	8.4754	8.5428	5.9055	5.8592	8.1922	8.6089	4.8022	56.4608		
	S	75.538	100.317	96.812	74.584	74.824	104.201	99.157	96.121	91.816		
236	T	5.6759	7.1768	8.7182	3.7178	3.4276	8.8589	8.5592	3.0283	49.1627		
	S	80.844	118.469	94.864	118.472	127.906	96.359	99.733	152.426	105.446		
237	T	2.6584	4.9131	4.6712	2.2904	2.2149	4.4704	4.2145	2.1404	27.5733		
	S	172.609	173.053	177.052	192.305	197.936	190.953	202.547	215.656	188.008		
238	T	2.0890	4.0794	4.0307	2.0661	1.9874	3.8846	3.8694	2.0550	24.0616		
	S	219.657	208.420	205.187	213.182	220.594	219.749	220.612	224.618	215.447		
239	T	2.0492	3.9694	3.9455	2.0419	2.0224	3.9951	3.9033	2.0630	23.9898		
	S	223.923	214.195	209.617	215.708	216.777	213.671	218.696	223.747	216.092		
240	T	2.0546	3.9879	4.0284	2.0686	2.0324	3.9374	3.8721	2.0503	24.0317		
	S	223.335	213.202	205.304	212.924	215.710	216.802	220.458	225.133	215.715		
241	T	2.0491	4.0275	4.0330	2.0642	1.9912	3.8581	3.8344	2.0404	23.8979		
	S	223.934	211.105	205.070	213.378	220.173	221.258	222.626	226.226	216.923		
242	T	2.0470	4.0888	4.0171	2.0685	2.0185	3.8776	3.8408	2.0482	24.0065		
	S	224.164	207.941	205.881	212.934	217.195	220.146	222.255	225.364	215.942		
243	T	2.0433	4.0550	4.0656	2.0756	2.0174	3.9319	3.8673	2.0485	24.1046		
	S	224.570	209.674	203.425	212.206	217.314	217.105	220.732	225.331	215.063		
244	T	2.0438	4.0816	4.1284	2.1128	2.0237	3.8712	3.8497	2.0478	24.1590		
	S	224.515	208.307	200.331	208.470	216.637	220.509	221.741	225.408	214.578		
245	T	2.0538	4.0253	4.0280	2.0740	1.9934	3.8700	3.8609	2.0514	23.9568		
	S	223.422	211.221	205.324	212.370	219.930	220.578	221.098	225.013	216.390		
246	T	2.0410	4.0441	4.0893	2.1013	2.0174	3.9226	3.8834	2.0619	24.1610		
	S	224.823	210.239	202.246	209.611	217.314	217.620	219.817	223.867	214.561		
247	T	2.0680	4.0607	4.0128	2.0730	1.9923	3.8798	3.8889	2.0685	24.0440		
	S	221.888	209.379	206.102	212.472	220.052	220.021	219.506	223.152	215.605		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 28 - Hunter-Reay, Ryan

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.0734	4.0024	4.0462	2.0823	2.0004	3.8954	3.8840	2.0708	24.0549		
	S	221.310	212.429	204.401	211.523	219.161	219.140	219.783	222.905	215.507		
249	T	2.2350	5.0562	5.9682								
	S	205.308	168.155	138.575								

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6479	4.4349	4.2031	2.1671	2.0862	4.0171	3.9811	2.1364	25.6738	67.3217	
	S	173.293	191.713	196.770	203.246	210.147	212.501	214.422	216.060	201.918	70.185	
2	T	2.1489	3.8679	3.8981	2.0616	2.0091	3.9183	3.9453	2.1222	23.9714		
	S	213.534	219.816	212.166	213.647	218.212	217.859	216.368	217.506	216.258		
3	T	2.1377	3.8471	3.8542	2.0460	1.9944	3.8940	3.9309	2.1153	23.8196		
	S	214.653	221.005	214.583	215.276	219.820	219.218	217.161	218.215	217.636		
4	T	2.1300	3.8425	3.8466	2.0449	1.9944	3.8914	3.9317	2.1186	23.8001		
	S	215.429	221.269	215.007	215.392	219.820	219.365	217.116	217.875	217.814		
5	T	2.1341	3.8365	3.8390	2.0425	1.9914	3.8917	3.9220	2.1143	23.7715		
	S	215.015	221.615	215.433	215.645	220.151	219.348	217.653	218.319	218.076		
6	T	2.1286	3.8380	3.8531	2.0458	1.9935	3.8911	3.9255	2.1147	23.7903		
	S	215.571	221.529	214.644	215.297	219.919	219.382	217.459	218.277	217.904		
7	T	2.1281	3.8350	3.8431	2.0444	1.9929	3.8877	3.9199	2.1091	23.7602		
	S	215.621	221.702	215.203	215.444	219.985	219.574	217.770	218.857	218.180		
8	T	2.1273	3.8365	3.8421	2.0439	1.9941	3.9037	3.9540	2.1346	23.8362		
	S	215.702	221.615	215.259	215.497	219.853	218.674	215.892	216.242	217.484		
9	T	2.1531	3.8611	3.8688	2.0606	2.0089	3.9140	3.9544	2.1296	23.9505		
	S	213.118	220.203	213.773	213.751	218.233	218.098	215.870	216.750	216.446		
10	T	2.1456	3.8480	3.8714	2.0607	2.0073	3.9150	3.9462	2.1283	23.9225		
	S	213.863	220.953	213.630	213.740	218.407	218.042	216.319	216.882	216.700		
11	T	2.1406	3.8551	3.8722	2.0594	2.0060	3.9148	3.9470	2.1277	23.9228		
	S	214.362	220.546	213.585	213.875	218.549	218.054	216.275	216.944	216.697		
12	T	2.1420	3.8734	3.9418	2.0839	2.0242	3.9359	3.9611	2.1312	24.0935		
	S	214.222	219.504	209.814	211.361	216.584	216.885	215.505	216.587	215.162		
13	T	2.1443	3.8725	3.9249	2.0838	2.0246	3.9376	3.9592	2.1263	24.0732		
	S	213.992	219.555	210.718	211.371	216.541	216.791	215.608	217.086	215.343		
14	T	2.1384	3.8626	3.9171	2.0781	2.0184	3.9230	3.9530	2.1282	24.0188		
	S	214.583	220.118	211.137	211.951	217.206	217.598	215.946	216.893	215.831		
15	T	2.1320	3.8601	3.9246	2.0799	2.0193	3.9282	3.9527	2.1239	24.0207		
	S	215.227	220.260	210.734	211.767	217.109	217.310	215.963	217.332	215.814		
16	T	2.1320	3.8484	3.9083	2.0708	2.0093	3.9111	3.9355	2.1126	23.9280		
	S	215.227	220.930	211.613	212.698	218.190	218.260	216.907	218.494	216.650		
17	T	2.1246	3.8485	3.9069	2.0690	2.0061	3.9020	3.9291	2.1086	23.8948		
	S	215.976	220.924	211.688	212.883	218.538	218.769	217.260	218.909	216.951		
18	T	2.1175	3.8645	3.9323	2.0800	2.0137	3.9086	3.9205	2.1015	23.9386		
	S	216.701	220.010	210.321	211.757	217.713	218.400	217.737	219.648	216.554		
19	T	2.1173	3.8603	3.9527	2.0915	2.0216	3.9097	3.9182	2.0995	23.9708		
	S	216.721	220.249	209.236	210.593	216.862	218.338	217.864	219.858	216.263		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1148	3.8679	4.0227	2.1212	2.0423	3.9362	3.9289	2.0983	24.1323		
	S	216.977	219.816	205.595	207.644	214.664	216.868	217.271	219.983	214.816		
21	T	2.1010	3.9004	4.0360	2.1119	2.0251	3.8876	3.8792	2.0775	24.0187		
	S	218.402	217.985	204.917	208.558	216.488	219.579	220.055	222.186	215.832		
22	T	2.0835	3.8639	4.0521	2.1310	2.0515	3.9498	3.9452	2.1065	24.1835		
	S	220.237	220.044	204.103	206.689	213.702	216.121	216.373	219.127	214.361		
23	T	2.1091	3.8909	4.0800	2.1429	2.0552	3.9405	3.9272	2.0948	24.2406		
	S	217.564	218.517	202.707	205.541	213.317	216.631	217.365	220.351	213.856		
24	T	2.0962	3.9098	4.1565	2.1622	2.0537	3.9239	3.8936	2.0761	24.2720		
	S	218.903	217.461	198.976	203.707	213.473	217.548	219.241	222.336	213.579		
25	T	2.1160	4.1415	4.2194	2.1820	2.0848	3.9743	3.9310	2.0937	24.7427		
	S	216.854	205.295	196.010	201.858	210.288	214.789	217.155	220.467	209.516		
26	T	2.1082	4.1495	4.2837	2.1975	2.0799	3.9568	3.9149	2.0841	24.7746		
	S	217.657	204.899	193.068	200.434	210.784	215.739	218.048	221.482	209.247		
27	T	2.0818	4.0309	4.1994	2.1520	2.0585	4.0496	3.9634	2.0864	24.6220		
	S	220.417	210.927	196.944	204.672	212.975	210.795	215.380	221.238	210.543		
28	T	2.0955	4.0832	4.2141	2.1596	2.0421	3.8836	3.9137	2.0722	24.4640		
	S	218.976	208.226	196.257	203.952	214.685	219.805	218.115	222.754	211.903		
29	T	2.0959	4.0810	4.4283	2.2350	2.1012	3.9901	3.9590	2.0881	24.9786		
	S	218.934	208.338	186.764	197.071	208.647	213.939	215.619	221.058	207.538		
30	T	2.0854	4.0756	4.1674	2.1335	2.0261	3.9630	3.9643	2.0952	24.5105		
	S	220.036	208.614	198.456	206.447	216.381	215.402	215.331	220.309	211.501		
31	T	2.0895	4.0560	4.2492	2.1603	2.0395	3.9873	3.9807	2.1039	24.6664		
	S	219.605	209.622	194.636	203.886	214.959	214.089	214.444	219.398	210.164		
32	T	2.1033	4.0726	4.1691	2.1460	2.0415	3.9310	3.9272	2.0865	24.4772		
	S	218.164	208.768	198.375	205.244	214.749	217.155	217.365	221.227	211.789		
33	T	2.0883	4.0491	4.1942	2.1519	2.0452	3.9022	3.8690	2.0556	24.3555		
	S	219.731	209.979	197.188	204.682	214.360	218.758	220.635	224.553	212.847		
34	T	2.0722	4.1578	4.3278	2.1911	2.0719	3.9627	3.9286	2.0819	24.7940		
	S	221.438	204.490	191.101	201.020	211.598	215.418	217.288	221.716	209.083		
35	T	2.0906	4.1772	4.3174	2.2034	2.0833	3.9883	3.9605	2.0952	24.9159		
	S	219.489	203.540	191.561	199.898	210.440	214.035	215.538	220.309	208.060		
36	T	2.0977	4.1211	4.1525	2.1408	2.0406	3.9402	3.9221	2.0777	24.4927		
	S	218.746	206.311	199.168	205.743	214.843	216.648	217.648	222.164	211.655		
37	T	2.0830	4.1249	4.1874	2.1508	2.0428	3.9663	3.9328	2.0771	24.5651		
	S	220.290	206.121	197.508	204.786	214.612	215.222	217.056	222.229	211.031		
38	T	2.0907	4.1756	4.2204	2.1533	2.0467	3.9385	3.9190	2.0766	24.6208		
	S	219.478	203.618	195.964	204.549	214.203	216.741	217.820	222.282	210.554		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0870	4.1356	4.2624	2.1600	2.0491	3.9225	3.8898	2.0670	24.5734		
	S	219.868	205.587	194.033	203.914	213.952	217.626	219.455	223.314	210.960		
40	T	2.0799	4.1823	4.3112	2.1839	2.0718	3.9370	3.8864	2.0576	24.7101		
	S	220.618	203.292	191.836	201.683	211.608	216.824	219.647	224.335	209.793		
41	T	2.1236	4.2177	4.3029	2.1765	2.0596	3.9665	3.9736	2.0953	24.9157		
	S	216.078	201.586	192.207	202.368	212.861	215.211	214.827	220.298	208.062		
42	T	2.0912	4.1233	4.2119	2.1548	2.0465	3.9836	3.9763	2.0976	24.6852		
	S	219.426	206.201	196.359	204.406	214.224	214.288	214.681	220.057	210.004		
43	T	2.0900	4.0683	4.1917	2.1424	2.0383	3.9729	3.9736	2.0978	24.5750		
	S	219.552	208.988	197.305	205.589	215.086	214.865	214.827	220.036	210.946		
44	T	2.0969	4.1266	4.2218	2.1438	2.0349	3.9461	3.9221	2.0784	24.5706		
	S	218.830	206.036	195.899	205.455	215.445	216.324	217.648	222.090	210.984		
45	T	2.0794	4.1612	4.2415	2.1447	2.0401	4.0291	4.0022	2.1092	24.8074		
	S	220.671	204.323	194.989	205.369	214.896	211.868	213.292	218.846	208.970		
46	T	2.1006	4.1537	4.2168	2.1509	2.0401	3.9940	3.9662	2.0919	24.7142		
	S	218.444	204.692	196.131	204.777	214.896	213.730	215.228	220.656	209.758		
47	T	2.0900	4.1305	4.2876	2.1810	2.0642	3.9525	3.9516	2.0860	24.7434		
	S	219.552	205.841	192.892	201.951	212.387	215.974	216.023	221.280	209.510		
48	T	2.0898	4.1792	4.2467	2.1593	2.0455	3.9690	3.9475	2.0795	24.7165		
	S	219.573	203.443	194.750	203.980	214.329	215.076	216.247	221.972	209.738		
49	T	2.0983	4.2753	4.4489	2.2285	2.0935	3.9675	3.9266	2.0745	25.1131		
	S	218.684	198.870	185.899	197.646	209.414	215.157	217.398	222.507	206.426		
50	T	2.1152	4.2866	4.2815	2.1636	2.0472	3.9940	3.9743	2.0899	24.9523		
	S	216.936	198.345	193.167	203.575	214.151	213.730	214.789	220.867	207.756		
51	T	2.1165	4.3199	4.3099	2.1584	2.0566	4.1810	4.0133	2.1060	25.2616		
	S	216.803	196.816	191.894	204.065	213.172	204.170	212.702	219.179	205.213		
52	T	2.1806	4.4894	4.4037	2.1901	2.0778	4.0303	3.9795	2.1064	25.4578		
	S	210.430	189.386	187.807	201.112	210.997	211.805	214.508	219.137	203.631		
53	T	2.1098	4.2072	4.2576	2.1727	2.0610	4.0238	4.0426	2.1343	25.0090		
	S	217.492	202.089	194.252	202.722	212.717	212.147	211.160	216.273	207.285		
54	T	2.1222	4.1300	4.1951	2.1537	2.0473	3.9254	3.9050	2.0733	24.5520		
	S	216.221	205.866	197.146	204.511	214.140	217.465	218.601	222.636	211.144		
55	T	2.0796	4.1245	4.1741	2.1336	2.0289	3.9023	3.9085	2.0626	24.4141		
	S	220.650	206.141	198.137	206.437	216.082	218.752	218.405	223.791	212.336		
56	T	2.0938	4.2734	4.2977	2.1814	2.0580	3.9328	3.9833	2.1067	24.9271		
	S	219.154	198.958	192.439	201.914	213.027	217.056	214.304	219.106	207.966		
57	T	2.1210	4.3855	4.3480	2.1892	2.0673	3.9764	3.9658	2.0881	25.1413		
	S	216.343	193.872	190.213	201.194	212.068	214.676	215.249	221.058	206.195		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.0845	4.1931	4.2819	2.1761	2.0606	3.9662	3.9424	2.0809	24.7857			
	S	220.131	202.768	193.149	202.405	212.758	215.228	216.527	221.823	209.153			
59	T	2.1083	4.2095	4.1947	2.1335	2.0293	3.9026	3.9080	2.0733	24.5592			
	S	217.646	201.978	197.164	206.447	216.040	218.735	218.433	222.636	211.082			
60	T	2.1328	4.2526	4.2140	2.1431	2.0442	3.9216	3.8990	2.0823	24.6896			
	S	215.146	199.931	196.261	205.522	214.465	217.676	218.937	221.674	209.967			
61	T	2.0867	4.1305	4.2535	2.1923	2.3334	5.9162			95.5061	74.9535		28.3307
	S	219.899	205.841	194.439	200.910	187.884	144.288			54.279	12.021		166.684
62	T				3.1885	2.6617	4.6229	4.3328	2.2402	42.9310		35.1529	
	S				138.138	164.710	184.654	197.017	206.049	120.752		134.413	
63	T	2.2228	4.2639	4.1310	2.1046	2.0206	3.9925	3.8975	2.0640	24.6969			
	S	206.435	199.401	200.205	209.282	216.970	213.810	219.022	223.639	209.905			
64	T	2.1169	4.0540	3.9891	2.0530	2.0238	4.0444	3.9565	2.0871	24.3248			
	S	216.762	209.726	207.326	214.542	216.627	211.066	215.755	221.164	213.116			
65	T	2.0824	4.0893	4.1693	2.1804	2.4730	5.9194			43.6685	22.8239		28.5859
	S	220.353	207.915	198.366	202.006	177.278	144.210			118.713	39.477		165.196
66	T				3.1927	2.6618	4.6076	4.3162	2.2342	42.7934		35.0521	
	S				137.957	164.704	185.267	197.775	206.602	121.140		134.799	
67	T	2.2067	3.9210	3.9005	2.0523	1.9909	3.8663	3.8909	2.0904	23.9190			
	S	207.941	216.839	212.036	214.615	220.206	220.789	219.393	220.815	216.731			
68	T	2.1056	3.8185	3.8840	2.0503	1.9859	3.8533	3.8783	2.0824	23.6583			
	S	217.925	222.660	212.937	214.824	220.761	221.534	220.106	221.663	219.120			
69	T	2.0952	3.7986	3.8516	2.0368	1.9752	3.8516	3.8748	2.0819	23.5657			
	S	219.007	223.826	214.728	216.248	221.957	221.632	220.305	221.716	219.981			
70	T	2.0912	3.7847	3.8915	2.0478	1.9806	3.8594	3.8834	2.0915	23.6301			
	S	219.426	224.649	212.526	215.087	221.352	221.184	219.817	220.698	219.381			
71	T	2.0995	3.7999	3.8996	2.0506	1.9818	3.8485	3.8739	2.0738	23.6276			
	S	218.559	223.750	212.085	214.793	221.218	221.810	220.356	222.582	219.404			
72	T	2.0773	3.8088	3.9530	2.0676	1.9875	3.8422	3.8510	2.0594	23.6468			
	S	220.894	223.227	209.220	213.027	220.583	222.174	221.666	224.139	219.226			
73	T	2.0644	3.8360	4.0304	2.0903	2.0003	3.8421	3.8334	2.0581	23.7550			
	S	222.275	221.644	205.202	210.714	219.172	222.180	222.684	224.280	218.228			
74	T	2.0620	3.9641	4.0668	2.0745	1.9883	3.8780	3.8833	2.0647	23.9817			
	S	222.533	214.482	203.365	212.318	220.494	220.123	219.822	223.563	216.165			
75	T	2.0741	4.0252	4.1441	2.1487	2.0502	3.9132	3.8896	2.0709	24.3160			
	S	221.235	211.226	199.572	204.987	213.837	218.143	219.466	222.894	213.193			
76	T	2.1059	4.0877	4.2283	2.1482	2.0403	3.9728	3.9316	2.0732	24.5880			
	S	217.894	207.996	195.598	205.034	214.875	214.870	217.122	222.647	210.835			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0812	3.8389	4.0117	2.0990	2.0169	3.8779	3.8877	2.0845	23.8978			
	S	220.480	221.477	206.158	209.840	217.368	220.129	219.574	221.440	216.924			
78	T	2.0951	3.8779	3.9954	2.0801	2.0007	3.8541	3.8679	2.0674	23.8386			
	S	219.018	219.249	206.999	211.747	219.128	221.488	220.698	223.271	217.462			
79	T	2.0655	3.8986	4.0100	2.0819	1.9990	3.8411	3.8537	2.0563	23.8061			
	S	222.156	218.085	206.246	211.564	219.314	222.237	221.511	224.476	217.759			
80	T	2.0590	3.9699	4.1217	2.1134	2.0143	3.8556	3.8572	2.0514	24.0425			
	S	222.858	214.168	200.656	208.410	217.648	221.402	221.310	225.013	215.618			
81	T	2.0868	4.2099	4.3021	2.1885	2.0714	3.9355	3.9144	2.0822	24.7908			
	S	219.889	201.959	192.242	201.259	211.649	216.907	218.076	221.684	209.110			
82	T	2.0802	4.0623	4.1281	2.1220	2.0230	3.8702	3.8739	2.0677	24.2274			
	S	220.586	209.297	200.345	207.566	216.712	220.566	220.356	223.239	213.973			
83	T	2.0732	4.0741	4.1073	2.1045	2.0100	3.8659	3.8673	2.0567	24.1590			
	S	221.331	208.691	201.360	209.292	218.114	220.812	220.732	224.433	214.578			
84	T	2.0646	4.0947	4.1458	2.1248	2.0257	3.9565	3.9390	2.0834	24.4345			
	S	222.253	207.641	199.490	207.292	216.424	215.755	216.714	221.557	212.159			
85	T	2.0815	4.1233	4.2284	2.1536	2.0424	3.9688	3.9669	2.1016	24.6665			
	S	220.449	206.201	195.593	204.520	214.654	215.087	215.190	219.638	210.164			
86	T	2.0951	4.0178	4.1161	2.1083	2.0118	3.8801	3.8819	2.0620	24.1731			
	S	219.018	211.615	200.929	208.915	217.919	220.004	219.902	223.856	214.453			
87	T	2.0676	4.1137	4.1888	2.1322	2.0279	3.8811	3.8876	2.0674	24.3663			
	S	221.931	206.682	197.442	206.573	216.189	219.947	219.579	223.271	212.753			
88	T	2.1004	4.1596	4.1613	2.1273	2.0237	3.8834	3.8832	2.0553	24.3942			
	S	218.465	204.401	198.747	207.049	216.637	219.817	219.828	224.586	212.510			
89	T	2.1404	4.2056	4.2219	2.1717	2.0535	3.9267	3.9096	2.0716	24.7010			
	S	214.382	202.166	195.894	202.816	213.494	217.393	218.344	222.819	209.870			
90	T	2.0927	4.1671	4.2381	2.1644	2.0471	3.9670	3.9500	2.0958	24.7222			
	S	219.269	204.033	195.145	203.500	214.161	215.184	216.110	220.246	209.690			
91	T	2.1003	4.0634	4.2148	2.1375	2.0290	3.9210	3.9149	2.0765	24.4574			
	S	218.475	209.240	196.224	206.061	216.072	217.709	218.048	222.293	211.960			
92	T	2.0859	4.1791	4.2166	2.1449	2.0330	3.8913	3.8836	2.0630	24.4974			
	S	219.984	203.447	196.140	205.350	215.646	219.370	219.805	223.747	211.614			
93	T	2.0976	4.1465	4.1740	2.1359	2.0283	3.9120	3.9000	2.0658	24.4601			
	S	218.757	205.047	198.142	206.215	216.146	218.210	218.881	223.444	211.937			
94	T	2.0810	4.1697	4.2107	2.1474	2.0362	3.9239	3.8998	2.0707	24.5394			
	S	220.502	203.906	196.415	205.111	215.307	217.548	218.892	222.915	211.252			
95	T	2.0791	4.1598	4.1651	2.1295	2.0204	3.9318	3.9170	2.0732	24.4759			
	S	220.703	204.391	198.566	206.835	216.991	217.111	217.931	222.647	211.800			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.0968	4.2549	4.3031	2.1774	2.0570	3.9703	3.9651	2.0954	24.9200			
	S	218.840	199.823	192.198	202.285	213.130	215.006	215.287	220.288	208.026			
97	T	2.0930	4.2457	4.4453	2.2198	2.0916	3.9819	3.9535	2.0961	25.1269			
	S	219.237	200.256	186.049	198.421	209.605	214.379	215.919	220.214	206.313			
98	T	2.0871	4.0335	4.1395	2.1109	2.0127	3.9031	3.9098	2.0777	24.2743			
	S	219.857	210.791	199.794	208.657	217.821	218.707	218.332	222.164	213.559			
99	T	2.0833	4.0757	4.1758	2.1168	2.0655	4.1259	4.0183	2.1081	24.7694			
	S	220.258	208.609	198.057	208.076	212.253	206.897	212.437	218.961	209.290			
100	T	2.1010	4.1686	4.2068	2.1426	2.0320	3.9697	3.9381	2.0752	24.6340			
	S	218.402	203.960	196.597	205.570	215.753	215.038	216.764	222.432	210.441			
101	T	2.1124	4.1693	4.1882	2.1339	2.0243	3.8943	3.8851	2.0536	24.4611			
	S	217.224	203.926	197.470	206.408	216.573	219.201	219.721	224.772	211.928			
102	T	2.1256	4.1721	4.3135	2.1772	2.0571	3.9389	3.9302	2.0906	24.8052			
	S	215.875	203.789	191.734	202.303	213.120	216.719	217.199	220.794	208.988			
103	T	2.1001	4.1002	4.1817	2.1348	2.0277	3.8698	3.8572	2.0571	24.3286			
	S	218.496	207.362	197.777	206.321	216.210	220.589	221.310	224.389	213.083			
104	T	2.0796	4.1224	4.2058	2.1464	2.0328	3.8906	3.8829	2.0638	24.4243			
	S	220.650	206.246	196.644	205.206	215.668	219.410	219.845	223.661	212.248			
105	T	2.0834	4.1404	4.1691	2.1179	2.0149	3.8656	3.8618	2.0576	24.3107			
	S	220.247	205.349	198.375	207.968	217.584	220.829	221.046	224.335	213.239			
106	T	2.0718	4.1470	4.2219	2.1489	2.0388	3.9558	3.9411	2.0836	24.6089			
	S	221.481	205.022	195.894	204.967	215.033	215.794	216.599	221.535	210.655			
107	T	2.0765	4.0917	4.1515	2.1113	2.0109	3.8917	3.8891	2.0660	24.2887			
	S	220.979	207.793	199.216	208.618	218.016	219.348	219.495	223.423	213.433			
108	T	2.0776	4.1679	4.2479	2.1536	2.0387	3.9313	3.9188	2.0801	24.6159			
	S	220.862	203.994	194.695	204.520	215.043	217.138	217.831	221.908	210.596			
109	T	2.0909	4.1582	4.2439	2.1603	2.0421	3.9288	3.9167	2.0774	24.6183			
	S	219.457	204.470	194.879	203.886	214.685	217.277	217.948	222.196	210.575			
110	T	2.0892	4.1339	4.1765	2.1281	2.0216	3.9372	3.9365	2.0818	24.5048			
	S	219.636	205.672	198.024	206.971	216.862	216.813	216.852	221.727	211.550			
111	T	2.0851	4.1372	4.2572	2.1596	2.0460	3.9367	3.9222	2.0837	24.6277			
	S	220.068	205.508	194.270	203.952	214.276	216.841	217.642	221.525	210.495			
112	T	2.0816	4.0799	4.1810	2.1270	2.0230	3.9246	3.9088	2.0586	24.3845			
	S	220.438	208.394	197.810	207.078	216.712	217.509	218.388	224.226	212.594			
113	T	2.0682	4.1472	4.2658	2.1509	2.0405	4.1886	4.2214	2.1967	25.2793			
	S	221.866	205.012	193.878	204.777	214.854	203.800	202.216	210.129	205.069			
114	T	2.2020	4.2101	4.1316	2.1103	2.0208	3.8709	3.8668	2.0634	24.4759			
	S	208.385	201.949	200.176	208.717	216.948	220.527	220.760	223.704	211.800			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.0643	4.0340	4.0982	2.1089	2.0187	3.8663	3.8619	2.0565	24.1088		
	S	222.285	210.765	201.807	208.855	217.174	220.789	221.041	224.455	215.025		
116	T	2.0619	4.0408	4.1126	2.1006	2.0156	3.8665	3.8525	2.0496	24.1001		
	S	222.544	210.411	201.100	209.680	217.508	220.778	221.580	225.210	215.103		
117	T	2.0897	4.1270	4.1370	2.1230	2.0273	3.8939	3.8743	2.0666	24.3388		
	S	219.583	206.016	199.914	207.468	216.253	219.224	220.333	223.358	212.993		
118	T	2.0635	3.9726	4.1350	2.1222	2.0251	3.9361	3.9585	2.0795	24.2925		
	S	222.372	214.023	200.011	207.546	216.488	216.874	215.646	221.972	213.399		
119	T	2.0796	3.9649	4.1103	2.1205	2.0335	3.9181	3.9008	2.0780	24.2057		
	S	220.650	214.439	201.213	207.713	215.593	217.870	218.836	222.132	214.164		
120	T	2.0787	3.9563	4.0623	2.1026	2.0211	3.8869	3.8911	2.0796	24.0786		
	S	220.745	214.905	203.590	209.481	216.916	219.619	219.382	221.961	215.295		
121	T	2.0872	3.8543	4.0877	2.1134	2.0228	3.8952	3.8997	2.0821	24.0424		
	S	219.847	220.592	202.325	208.410	216.734	219.151	218.898	221.695	215.619		
122	T	2.0869	3.8404	4.0791	2.3400	2.5727	5.7728			47.4882	27.0115	28.2234
	S	219.878	221.390	202.752	188.228	170.408	147.872			109.164	33.357	167.318
123	T				3.1846	2.6576	4.5895	4.2600	2.1905	42.6578	34.9111	
	S				138.308	164.964	185.998	200.384	210.724	121.525	135.344	
124	T	2.1551	3.9984	4.0334	2.0871	2.0054	3.8628	3.8918	2.0624	24.0964		
	S	212.920	212.642	205.049	211.037	218.614	220.989	219.342	223.813	215.136		
125	T	2.0663	3.8729	4.0049	2.0592	1.9746	3.8481	3.8384	2.0322	23.6966		
	S	222.070	219.532	206.508	213.896	222.024	221.833	222.394	227.139	218.766		
126	T	2.0573	3.9211	4.1024	2.0846	1.9971	3.8412	3.8516	2.0509	23.9062		
	S	223.042	216.834	201.600	211.290	219.523	222.232	221.632	225.067	216.848		
127	T	2.0640	4.0040	4.1209	2.1000	2.0121	4.0028	3.9406	2.0740	24.3184		
	S	222.318	212.344	200.695	209.740	217.886	213.260	216.626	222.561	213.172		
128	T	2.0740	4.0994	4.1727	2.1167	2.0183	3.9339	3.9305	2.0771	24.4226		
	S	221.246	207.403	198.204	208.085	217.217	216.995	217.183	222.229	212.262		
129	T	2.0665	4.0255	4.1596	2.1159	2.0178	3.9811	3.9074	2.0607	24.3345		
	S	222.049	211.210	198.828	208.164	217.271	214.422	218.467	223.997	213.031		
130	T	2.0801	4.3207	4.3080	2.1812	2.0605	3.9077	3.8670	2.0504	24.7756		
	S	220.597	196.780	191.979	201.932	212.768	218.450	220.749	225.122	209.238		
131	T	2.0555	4.0454	4.1307	2.1042	2.0320	3.9665	4.2720	2.5742	25.1805		
	S	223.237	210.171	200.219	209.322	215.753	215.211	199.821	179.314	205.874		
132	T	3.0083	6.4101	8.0008	4.6220	4.1965	10.0488	8.5560	3.6848	48.5273		
	S	152.533	132.639	103.370	95.295	104.470	84.949	99.770	125.269	106.826		
133	T	3.3844	5.5128	5.4415	2.7322	2.7217	6.7297	8.8987	5.3032	40.7242		
	S	135.582	154.228	151.989	161.209	161.079	126.846	95.928	87.040	127.295		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	4.9579	11.5244	10.1246	5.6895	5.1977	10.9827		78.1066	26.8610		59.0029
	S	92.552	73.776	81.687	77.415	84.347	77.726		66.371	33.544		80.035
135	T				3.6424	3.0580	7.4885	10.2073	4.9860	55.5380	47.7807	
	S				120.924	143.365	113.993	83.630	92.577	93.341	98.889	
136	T	5.8728	12.1188	8.8810	4.7297	5.3491	11.9992	10.5860	6.3242	65.8608		
	S	78.134	70.158	93.125	93.125	81.959	71.141	80.638	72.988	78.711		
137	T	5.8439	9.5129	10.4361	5.4545	4.6893	9.0420	10.0135	4.6325	59.6247		
	S	78.520	89.376	79.249	80.751	93.491	94.408	85.249	99.642	86.944		
138	T	5.1193	9.6060	8.9873	5.1140	4.5910	9.2534		67.1395	22.2365		52.6699
	S	89.634	88.510	92.024	86.127	95.493	92.251		77.212	40.520		89.658
139	T				3.3616	2.9000	5.8218	8.6062	4.5867	51.3136	43.5467	
	S				131.025	151.176	146.628	99.189	100.637	101.026	108.504	
140	T	4.9211	9.1188	7.8921	3.4265	3.1468	5.3617	4.6367	2.3900	40.8937		
	S	93.244	93.239	104.794	128.544	139.319	159.210	184.104	193.134	126.768		
141	T	2.4162	4.7627	4.6052	2.2354	2.1197	4.4375	4.2720	2.1703	27.0190		
	S	189.911	178.518	179.589	197.036	206.826	192.369	199.821	212.685	191.865		
142	T	2.1579	4.3904	4.2538	2.1662	2.0478	4.1393	4.0805	2.1052	25.3411		
	S	212.644	193.656	194.425	203.331	214.088	206.227	209.199	219.262	204.569		
143	T	2.1087	4.1768	4.1921	2.1011	1.9974	3.9515	3.9240	2.0543	24.5059		
	S	217.605	203.559	197.287	209.630	219.490	216.028	217.542	224.695	211.541		
144	T	2.1117	4.2238	4.1971	2.1206	2.0114	3.8596	3.8380	2.0319	24.3941		
	S	217.296	201.294	197.052	207.703	217.962	221.172	222.417	227.172	212.510		
145	T	2.1068	4.2491	4.2958	2.1652	2.0415	3.9321	3.9152	2.0609	24.7666		
	S	217.801	200.096	192.524	203.424	214.749	217.094	218.031	223.975	209.314		
146	T	2.0678	4.0902	4.1510	2.1104	2.0032	3.9609	3.9346	2.0728	24.3909		
	S	221.909	207.869	199.240	208.707	218.854	215.516	216.956	222.690	212.538		
147	T	2.0554	4.0739	4.1646	2.1172	2.0154	3.9431	3.9000	2.0603	24.3299		
	S	223.248	208.701	198.589	208.036	217.530	216.489	218.881	224.041	213.071		
148	T	2.0678	4.0127	4.1578	2.1171	2.0141	3.8528	3.8713	2.0458	24.1394		
	S	221.909	211.884	198.914	208.046	217.670	221.563	220.504	225.629	214.753		
149	T	2.0676	4.0457	4.1436	2.1076	2.0081	3.9084	3.9040	2.0646	24.2496		
	S	221.931	210.156	199.596	208.984	218.320	218.411	218.657	223.574	213.777		
150	T	2.0642	4.0288	4.2079	2.1384	2.0267	4.0004	3.9860	2.0942	24.5466		
	S	222.296	211.037	196.546	205.974	216.317	213.388	214.159	220.414	211.190		
151	T	2.0805	3.9071	4.1813	2.1352	2.0242	3.9844	3.9738	2.0900	24.3765		
	S	220.554	217.611	197.796	206.283	216.584	214.245	214.816	220.857	212.664		
152	T	2.0804	3.9641	4.2554	2.1565	2.0414	3.8822	3.8515	2.0473	24.2788		
	S	220.565	214.482	194.352	204.245	214.759	219.885	221.637	225.463	213.520		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0749	4.1419	4.2139	2.1419	2.0319	3.8790	3.8922	2.0572	24.4329		
	S	221.150	205.275	196.266	205.637	215.763	220.066	219.320	224.378	212.173		
154	T	2.0787	4.1576	4.2392	2.1479	2.0335	3.9000	3.8723	2.0578	24.4870		
	S	220.745	204.500	195.095	205.063	215.593	218.881	220.447	224.313	211.704		
155	T	2.0661	4.1185	4.2713	2.1731	2.0537	3.8979	3.8589	2.0515	24.4910		
	S	222.092	206.441	193.629	202.685	213.473	218.999	221.212	225.002	211.670		
156	T	2.0726	4.1793	4.2700	2.1662	2.0500	3.9047	3.8767	2.0656	24.5851		
	S	221.395	203.438	193.687	203.331	213.858	218.618	220.197	223.466	210.859		
157	T	2.0623	4.0492	4.2125	2.1549	2.0468	3.9178	3.8937	2.0659	24.4031		
	S	222.501	209.974	196.331	204.397	214.192	217.887	219.235	223.433	212.432		
158	T	2.0627	4.0823	4.2699	2.1848	2.0647	3.9192	3.8825	2.0707	24.5368		
	S	222.458	208.272	193.692	201.599	212.335	217.809	219.868	222.915	211.274		
159	T	2.0739	4.1568	4.2363	2.1794	2.0568	3.9831	3.9676	2.0877	24.7416		
	S	221.256	204.539	195.228	202.099	213.151	214.315	215.152	221.100	209.526		
160	T	2.0712	4.0286	4.2770	2.1692	2.0452	3.9725	3.9547	2.0851	24.6035		
	S	221.545	211.048	193.370	203.049	214.360	214.886	215.854	221.376	210.702		
161	T	2.0687	4.0603	4.1808	2.1365	2.0290	4.0257	3.9625	2.0846	24.5481		
	S	221.813	209.400	197.820	206.157	216.072	212.047	215.429	221.429	211.177		
162	T	2.0752	4.0922	4.3121	2.1823	2.0603	3.9569	3.9223	2.0690	24.6703		
	S	221.118	207.768	191.796	201.830	212.789	215.734	217.637	223.099	210.131		
163	T	2.0656	4.1102	4.3163	2.1659	2.0460	3.9177	3.9339	2.0751	24.6307		
	S	222.145	206.858	191.610	203.359	214.276	217.892	216.995	222.443	210.469		
164	T	2.0828	4.1814	4.2898	2.1740	2.0514	3.8998	3.8614	2.0598	24.6004		
	S	220.311	203.336	192.793	202.601	213.712	218.892	221.069	224.095	210.728		
165	T	2.1377	4.2160	4.2412	2.1570	2.0406	4.0059	3.9627	2.0861	24.8472		
	S	214.653	201.667	195.003	204.198	214.843	213.095	215.418	221.270	208.635		
166	T	2.0781	4.0714	4.3330	2.1873	2.0633	3.9761	3.9422	2.0781	24.7295		
	S	220.809	208.829	190.871	201.369	212.480	214.692	216.538	222.122	209.628		
167	T	2.0724	4.1383	4.2363	2.1540	2.0362	3.9328	3.9113	2.0618	24.5431		
	S	221.417	205.453	195.228	204.482	215.307	217.056	218.249	223.878	211.220		
168	T	2.0704	4.1386	4.2158	2.1579	2.0426	3.9259	3.8851	2.0595	24.4958		
	S	221.630	205.438	196.178	204.113	214.633	217.437	219.721	224.128	211.628		
169	T	2.0745	4.1200	4.2515	2.1601	2.0476	3.9392	3.9228	2.0683	24.5840		
	S	221.192	206.366	194.530	203.905	214.109	216.703	217.609	223.174	210.869		
170	T	2.0741	4.1221	4.2411	2.1489	2.0359	3.8954	3.9576	2.0849	24.5600		
	S	221.235	206.261	195.007	204.967	215.339	219.140	215.695	221.397	211.075		
171	T	2.0854	4.1425	4.2180	2.1594	2.0426	3.9215	3.9012	2.0566	24.5272		
	S	220.036	205.245	196.075	203.971	214.633	217.681	218.814	224.444	211.357		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0715	4.1674	4.2973	2.1805	2.0587	3.9219	3.9168	2.0726	24.6867		
	S	221.513	204.019	192.457	201.997	212.954	217.659	217.942	222.711	209.992		
173	T	2.0701	4.1412	4.2761	2.1562	2.0432	3.9703	3.9412	2.0727	24.6710		
	S	221.663	205.309	193.411	204.274	214.570	215.006	216.593	222.700	210.125		
174	T	2.1212	4.2270	4.2698	2.1728	2.0518	4.0606	4.1119	2.1397	25.1548		
	S	216.323	201.142	193.697	202.713	213.670	210.224	207.601	215.727	206.084		
175	T	2.1146	4.0913	4.2065	2.1576	2.0464	3.9149	3.9045	2.0722	24.5080		
	S	216.998	207.813	196.611	204.141	214.234	218.048	218.629	222.754	211.523		
176	T	2.0643	4.0505	4.2147	2.1536	2.0417	3.8924	3.8688	2.0584	24.3444		
	S	222.285	209.907	196.229	204.520	214.727	219.308	220.646	224.247	212.944		
177	T	2.1273	4.1382	4.1519	2.1201	2.0215	3.8593	3.8586	2.0523	24.3292		
	S	215.702	205.458	199.197	207.752	216.873	221.189	221.230	224.914	213.077		
178	T	2.1389	4.2236	4.1688	2.1446	2.0523	3.9505	3.9411	2.1012	24.7210		
	S	214.533	201.304	198.389	205.378	213.618	216.083	216.599	219.680	209.700		
179	T	2.1095	3.8637	3.9956	2.0772	2.0057	3.8842	3.9114	2.0885	23.9358		
	S	217.522	220.055	206.989	212.042	218.582	219.771	218.243	221.016	216.579		
180	T	2.0969	3.8544	3.9953	2.0848	2.0089	3.8811	3.9022	2.0851	23.9087		
	S	218.830	220.586	207.005	211.269	218.233	219.947	218.758	221.376	216.825		
181	T	2.0981	3.8354	4.0759	2.1142	2.0296	3.9110	3.9140	2.0869	24.0651		
	S	218.704	221.679	202.911	208.332	216.008	218.265	218.098	221.185	215.416		
182	T	2.0985	3.8557	4.0780	2.1075	2.0222	3.8900	3.8940	2.0811	24.0270		
	S	218.663	220.512	202.807	208.994	216.798	219.444	219.218	221.801	215.757		
183	T	2.0828	3.8381	4.0612	2.0928	2.0055	3.8519	3.8556	2.0539	23.8418		
	S	220.311	221.523	203.646	210.462	218.603	221.614	221.402	224.739	217.433		
184	T	2.0580	3.9840	4.1122	2.1095	2.0158	3.8893	3.8990	2.0614	24.1292		
	S	222.966	213.410	201.120	208.796	217.486	219.483	218.937	223.921	214.843		
185	T	2.0641	4.0408	4.1493	2.1135	2.0214	3.8647	3.8709	2.0543	24.1790		
	S	222.307	210.411	199.322	208.401	216.884	220.880	220.527	224.695	214.401		
186	T	2.0705	4.0606	4.1172	2.1194	2.0320	4.0509	3.9892	2.1007	24.5405		
	S	221.620	209.385	200.876	207.820	215.753	210.728	213.987	219.732	211.243		
187	T	2.0858	3.9913	4.2607	2.1601	2.0485	3.9129	3.8920	2.0696	24.4209		
	S	219.994	213.020	194.110	203.905	214.015	218.160	219.331	223.034	212.277		
188	T	2.0675	3.9462	4.1584	2.1348	2.0284	3.9267	3.9367	2.0824	24.2811		
	S	221.941	215.455	198.885	206.321	216.135	217.393	216.841	221.663	213.499		
189	T	2.0723	4.0014	4.3633	2.1827	2.0649	3.9348	3.9057	2.0660	24.5911		
	S	221.427	212.482	189.546	201.793	212.315	216.945	218.562	223.423	210.808		
190	T	2.0684	4.2010	4.4321	2.2249	2.0951	4.0004	3.9338	2.0753	25.0310		
	S	221.845	202.387	186.604	197.966	209.254	213.388	217.000	222.421	207.103		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0808	4.2992	4.3420	2.1948	2.0720	3.9628	3.9497	2.0853	24.9866		
	S	220.523	197.764	190.476	200.681	211.587	215.412	216.127	221.355	207.471		
192	T	2.0773	4.1055	4.2276	2.1616	2.0480	3.9262	3.9236	2.0783	24.5481		
	S	220.894	207.095	195.630	203.763	214.067	217.420	217.565	222.100	211.177		
193	T	2.0737	4.1408	4.2196	2.1583	2.0546	3.9330	3.9119	2.0865	24.5784		
	S	221.278	205.329	196.001	204.075	213.379	217.045	218.215	221.227	210.917		
194	T	2.0873	3.9384	4.1437	2.1377	2.0449	3.9252	3.9089	2.0852	24.2713		
	S	219.836	215.881	199.591	206.041	214.391	217.476	218.383	221.365	213.586		
195	T	2.0863	4.0500	4.2325	2.1687	2.0659	3.9551	3.9313	2.0918	24.5816		
	S	219.941	209.933	195.404	203.096	212.212	215.832	217.138	220.667	210.889		
196	T	2.1002	3.9523	4.1345	2.1268	2.0393	3.9162	3.9064	2.0837	24.2594		
	S	218.486	215.122	200.035	207.097	214.980	217.976	218.523	221.525	213.690		
197	T	2.0836	3.9916	4.1537	2.1439	2.0524	3.9493	3.9486	2.1112	24.4343		
	S	220.226	213.004	199.111	205.445	213.608	216.149	216.187	218.639	212.161		
198	T	2.1166	3.9123	4.0591	2.1101	2.0304	3.9182	3.9354	2.0971	24.1792		
	S	216.793	217.322	203.751	208.736	215.923	217.864	216.912	220.109	214.399		
199	T	2.1101	3.8926	4.0474	2.0992	2.0225	3.9005	3.9179	2.0912	24.0814		
	S	217.461	218.421	204.340	209.820	216.766	218.853	217.881	220.730	215.270		
200	T	2.0995	3.8929	4.0858	2.1131	2.0232	3.8839	3.8937	2.0730	24.0651		
	S	218.559	218.405	202.419	208.440	216.691	219.788	219.235	222.668	215.416		
201	T	2.0789	4.0873	4.2093	2.1562	2.0476	3.9643	3.9633	2.0979	24.6048		
	S	220.724	208.017	196.481	204.274	214.109	215.331	215.385	220.025	210.691		
202	T	2.1132	4.1858	4.2621	2.1901	2.4300	5.9920		49.0686	27.6182		29.2009
	S	217.142	203.122	194.046	201.112	180.415	142.463		105.648	32.624		161.717
203	T				3.1953	2.6588	4.6099	4.3238	2.2295	42.8201	35.0696	
	S				137.845	164.890	185.175	197.427	207.038	121.065	134.732	
204	T	2.2129	4.1726	4.1180	2.1268	2.0439	3.9209	3.9074	2.0830	24.5855		
	S	207.359	203.764	200.837	207.097	214.496	217.714	218.467	221.599	210.856		
205	T	2.0881	3.8456	3.9441	2.0683	1.9958	3.8504	3.8690	2.0618	23.7231		
	S	219.752	221.091	209.692	212.955	219.666	221.701	220.635	223.878	218.521		
206	T	2.0671	3.8122	3.9558	2.0632	1.9877	3.8537	3.8839	2.0700	23.6936		
	S	221.984	223.028	209.072	213.481	220.561	221.511	219.788	222.991	218.793		
207	T	2.0707	3.8907	3.9519	2.0639	1.9859	3.8397	3.8562	2.0555	23.7145		
	S	221.598	218.528	209.278	213.409	220.761	222.319	221.367	224.564	218.600		
208	T	2.0651	3.9829	4.0315	2.0806	1.9978	3.8428	3.8446	2.0543	23.8996		
	S	222.199	213.469	205.146	211.696	219.446	222.139	222.035	224.695	216.907		
209	T	2.0586	3.9975	4.0444	2.0782	1.9942	3.8456	3.8640	2.0602	23.9427		
	S	222.901	212.690	204.492	211.940	219.842	221.977	220.920	224.052	216.517		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0581	4.0282	4.0343	2.0835	2.0003	3.8446	3.8491	2.0566	23.9547		
	S	222.955	211.069	205.003	211.401	219.172	222.035	221.776	224.444	216.408		
211	T	2.0627	3.9387	4.0139	2.0682	1.9893	3.8398	3.8575	2.0497	23.8198		
	S	222.458	215.865	206.045	212.965	220.384	222.313	221.293	225.199	217.634		
212	T	2.0633	4.0391	4.0861	2.0917	2.0051	3.8431	3.8266	2.0330	23.9880		
	S	222.393	210.499	202.405	210.573	218.647	222.122	223.080	227.049	216.108		
213	T	2.0813	4.2131	4.1776	2.1358	2.0273	3.9174	3.8705	2.0544	24.4774		
	S	220.470	201.806	197.971	206.225	216.253	217.909	220.549	224.684	211.787		
214	T	2.0584	3.8538	4.0593	2.1023	2.0136	3.8763	3.8742	2.0627	23.9006		
	S	222.922	220.620	203.741	209.511	217.724	220.219	220.339	223.780	216.898		
215	T	2.0641	3.8951	4.0233	2.0837	2.0029	3.8624	3.8679	2.0583	23.8577		
	S	222.307	218.281	205.564	211.381	218.887	221.012	220.698	224.258	217.288		
216	T	2.0588	3.8811	4.7565	3.1316	3.4334	7.7271	7.7876	3.5068	36.2829		
	S	222.879	219.069	173.877	140.648	127.689	110.473	109.615	131.627	142.877		
217	T	3.2764	6.2835	8.2106	4.4530	5.3927	8.4389	5.7396	2.8682	44.6629		
	S	140.051	135.311	100.729	98.912	81.297	101.155	148.728	160.934	116.069		
218	T	2.7989	5.5735	5.8193	4.0505	4.3141	7.6991	7.1603	3.5844	41.0001		
	S	163.944	152.548	142.121	108.741	101.622	110.875	119.218	128.778	126.439		
219	T	3.5545	7.3509	8.9473	8.0896	7.1325	9.7603	8.9981	5.3027	59.1359		
	S	129.094	115.663	92.435	54.447	61.466	87.460	94.869	87.048	87.662		
220	T	5.2793	8.2544	9.2211	4.3601	6.3356	9.7754	8.4596	4.6509	56.3364		
	S	86.918	103.003	89.691	101.019	69.198	87.325	100.907	99.248	92.019		
221	T	4.1365	8.9495	9.5907	5.6854	6.1504	9.9954	8.8193	5.0479	58.3751		
	S	110.930	95.003	86.234	77.471	71.281	85.403	96.792	91.442	88.805		
222	T	6.0079	8.0281	8.6096	4.7706	6.0678	7.5892	7.4434	7.1538	55.6704		
	S	76.377	105.906	96.061	92.327	72.252	112.480	114.684	64.524	93.120		
223	T	5.7184	6.6947	7.5126	3.5716	3.3305	7.8025	6.1430	2.5545	43.3278		
	S	80.243	127.000	110.088	123.321	131.635	109.405	138.961	180.697	119.646		
224	T	2.4129	4.4327	4.3823	2.2339	2.1721	4.3064	4.1381	2.1764	26.2548		
	S	190.171	191.808	188.724	197.168	201.837	198.225	206.287	212.089	197.450		
225	T	2.1795	4.1316	4.2828	2.1430	2.0315	3.9008	3.8723	2.0576	24.5991		
	S	210.536	205.786	193.109	205.532	215.806	218.836	220.447	224.335	210.739		
226	T	2.0551	3.9475	4.0029	2.0691	1.9790	3.9900	5.6329	2.9884	26.6649		
	S	223.280	215.384	206.612	212.873	221.531	213.944	151.545	154.461	194.413		
227	T	3.2876	6.2923	6.4966	3.7996	4.6538	10.8775	12.4914	4.1344	52.0332		
	S	139.574	135.122	127.304	115.921	94.205	78.477	68.338	111.646	99.629		
228	T	4.7338	8.5248	8.0717	4.4454	6.1372	10.7821	12.8893	5.4494	61.0337		
	S	96.933	99.736	102.462	99.081	71.435	79.172	66.228	84.705	84.937		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 30 - Sato, Takuma

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	5.7328	10.5210	10.0499	5.9931	5.8381	9.8533	10.9715	4.7058	63.6655		
	S	80.042	80.812	82.294	73.494	75.094	86.635	77.805	98.090	81.426		
230	T	5.1900	9.5387	9.1125	6.3091	5.5286	8.9715	10.8016	4.8985	60.3505		
	S	88.413	89.135	90.759	69.813	79.298	95.150	79.029	94.231	85.898		
231	T	4.7733	8.7982	9.7824	4.8768	5.8957	9.0649	9.4028	4.9487	57.5428		
	S	96.131	96.637	84.544	90.316	74.361	94.169	90.785	93.275	90.089		
232	T	6.1023	8.4469	8.4578	6.4155	6.0412	8.7319	8.3430	4.9597	57.4983		
	S	75.195	100.656	97.785	68.655	72.570	97.761	102.318	93.068	90.159		
233	T	5.5076	7.1956	8.5425	3.4797	3.2966	8.2993	8.5348	3.0339	47.8900		
	S	83.315	118.159	96.815	126.578	132.988	102.856	100.018	152.144	108.248		
234	T	2.6847	5.0624	4.8207	2.3185	2.2239	4.7202	4.3668	2.1995	28.3967		
	S	170.918	167.949	171.561	189.974	197.135	180.847	195.483	209.862	182.556		
235	T	2.1567	4.4778	4.3616	2.1777	2.0565	4.0760	4.0096	2.0823	25.3982		
	S	212.762	189.876	189.620	202.257	213.182	209.430	212.898	221.674	204.109		
236	T	2.0837	4.2103	4.2052	2.1204	2.0195	3.9024	3.8782	2.0468	24.4665		
	S	220.216	201.940	196.672	207.722	217.088	218.747	220.111	225.518	211.882		
237	T	2.0561	4.0774	4.1713	2.1138	2.0148	3.8900	3.8757	2.0540	24.2531		
	S	223.172	208.522	198.270	208.371	217.594	219.444	220.253	224.728	213.746		
238	T	2.0549	3.9746	4.0834	2.0866	1.9951	3.8329	3.8345	2.0373	23.8993		
	S	223.302	213.915	202.538	211.087	219.743	222.713	222.620	226.570	216.910		
239	T	2.0546	4.0006	4.1365	2.1060	2.0116	3.8498	3.8288	2.0431	24.0310		
	S	223.335	212.525	199.938	209.143	217.940	221.735	222.951	225.927	215.721		
240	T	2.0531	4.0210	4.1500	2.1099	2.0132	3.8654	3.8507	2.0465	24.1098		
	S	223.498	211.447	199.288	208.756	217.767	220.840	221.683	225.551	215.016		
241	T	2.0587	4.0374	4.1716	2.1212	2.0205	3.9227	3.8943	2.0660	24.2924		
	S	222.890	210.588	198.256	207.644	216.980	217.614	219.201	223.423	213.400		
242	T	2.0618	3.9828	4.1126	2.0960	2.0095	3.8533	3.8316	2.0402	23.9878		
	S	222.555	213.475	201.100	210.141	218.168	221.534	222.788	226.248	216.110		
243	T	2.0651	4.1056	4.1556	2.1142	2.0176	3.9463	3.9441	2.0831	24.4316		
	S	222.199	207.090	199.020	208.332	217.292	216.313	216.434	221.588	212.184		
244	T	2.0721	3.9184	4.0748	2.0879	1.9998	3.8371	3.8284	2.0363	23.8548		
	S	221.449	216.983	202.966	210.956	219.226	222.469	222.975	226.681	217.315		
245	T	2.1067	4.1417	4.1423	2.1037	2.0176	4.0450	4.0445	2.1420	24.7435		
	S	217.812	205.285	199.659	209.371	217.292	211.035	211.061	215.495	209.510		
246	T	2.3373	4.9832									
	S	196.322	170.619									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 4 - Leist, Matheus

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6107	5.1868	4.6862	2.2808	2.2627	4.7062	4.2967	2.1673	28.1974	61.2436	
	S	175.763	163.921	176.485	193.114	193.755	181.385	198.673	212.980	183.847	77.151	
2	T	2.2024	4.4937	4.4315	2.1851	2.2271	4.5661	4.1975	2.1497	26.4531		
	S	208.347	189.204	186.629	201.572	196.852	186.951	203.368	214.723	195.969		
3	T	2.1482	4.3458	4.2797	2.1399	2.0351	4.1442	4.0166	2.0989	25.2084		
	S	213.604	195.643	193.248	205.829	215.424	205.983	212.527	219.920	205.646		
4	T	2.0950	4.2296	4.2354	2.1258	2.0350	4.1695	4.0291	2.1055	25.0249		
	S	219.028	201.018	195.270	207.195	215.434	204.734	211.868	219.231	207.154		
5	T	2.1026	4.2613	4.3019	2.1520	2.0409	4.0965	4.0258	2.1096	25.0906		
	S	218.236	199.523	192.251	204.672	214.812	208.382	212.041	218.805	206.611		
6	T	2.1020	4.1700	4.2032	2.1244	2.0253	4.1219	4.0477	2.1117	24.9062		
	S	218.299	203.891	196.766	207.331	216.466	207.098	210.894	218.587	208.141		
7	T	2.1106	4.2102	4.2830	2.1475	2.0509	4.2725	4.1177	2.1441	25.3365		
	S	217.409	201.945	193.100	205.101	213.764	199.798	207.309	215.284	204.606		
8	T	2.1332	4.2639	4.2724	2.1465	2.0374	4.1081	4.0441	2.1265	25.1321		
	S	215.106	199.401	193.579	205.197	215.181	207.793	211.082	217.066	206.270		
9	T	2.1150	4.1626	4.2182	2.1323	2.0307	4.0309	3.9992	2.1164	24.8053		
	S	216.957	204.254	196.066	206.563	215.891	211.773	213.452	218.102	208.988		
10	T	2.1100	4.1450	4.1784	2.1257	2.0274	4.0466	4.0290	2.1293	24.7914		
	S	217.471	205.121	197.934	207.204	216.242	210.952	211.873	216.781	209.105		
11	T	2.1240	4.0812	4.1667	2.1287	2.0328	4.0006	3.9787	2.1150	24.6277		
	S	216.037	208.328	198.489	206.912	215.668	213.377	214.552	218.246	210.495		
12	T	2.1123	4.0950	4.1795	2.1328	2.0380	4.0206	4.0005	2.1219	24.7006		
	S	217.234	207.626	197.881	206.515	215.117	212.316	213.382	217.537	209.873		
13	T	2.1175	4.1182	4.1974	2.1383	2.0431	4.0136	3.9931	2.1208	24.7420		
	S	216.701	206.456	197.038	205.984	214.580	212.686	213.778	217.649	209.522		
14	T	2.1201	4.1496	4.2214	2.1452	2.0473	4.0526	4.0299	2.1296	24.8957		
	S	216.435	204.894	195.917	205.321	214.140	210.639	211.826	216.750	208.229		
15	T	2.1273	4.0965	4.1685	2.1275	2.0326	3.9824	3.9749	2.1137	24.6234		
	S	215.702	207.550	198.404	207.029	215.689	214.352	214.757	218.381	210.531		
16	T	2.1118	4.0815	4.1846	2.1344	2.0362	4.0164	3.9987	2.1211	24.6847		
	S	217.286	208.312	197.640	206.360	215.307	212.538	213.478	217.619	210.009		
17	T	2.1175	4.0776	4.1588	2.1276	2.0320	3.9832	3.9666	2.1056	24.5689		
	S	216.701	208.512	198.866	207.019	215.753	214.309	215.206	219.221	210.998		
18	T	2.1060	4.1062	4.2023	2.1456	2.0477	4.0067	3.9829	2.1151	24.7125		
	S	217.884	207.059	196.808	205.283	214.098	213.052	214.325	218.236	209.772		
19	T	2.1159	4.1674	4.2190	2.1470	2.0485	4.0473	4.0246	2.1267	24.8964		
	S	216.865	204.019	196.029	205.149	214.015	210.915	212.105	217.046	208.223		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 4 - Leist, Matheus

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1242	4.1863	4.2379	2.1580	2.0586	4.0351	4.0056	2.1254	24.9311		
	S	216.017	203.098	195.155	204.103	212.965	211.553	213.111	217.178	207.933		
21	T	2.1546	4.5473	4.3968	2.1939	2.0813	4.0418	3.9934	2.1167	25.5258		
	S	212.969	186.974	188.102	200.763	210.642	211.202	213.762	218.071	203.089		
22	T	2.1216	4.2081	4.2748	2.1643	2.0647	4.0142	3.9996	2.1193	24.9666		
	S	216.282	202.045	193.470	203.509	212.335	212.654	213.430	217.803	207.637		
23	T	2.1629	4.5491	4.4447	2.2148	2.1182	4.0943	4.0415	2.1306	25.7561		
	S	212.152	186.900	186.075	198.869	206.972	208.494	211.218	216.648	201.273		
24	T	2.1332	4.2171	4.2275	2.1543	2.0591	4.0218	4.0027	2.1327	24.9484		
	S	215.106	201.614	195.635	204.454	212.913	212.252	213.265	216.435	207.789		
25	T	2.1332	4.1896	4.2157	2.1545	2.0620	4.0269	4.0148	2.1312	24.9279		
	S	215.106	202.938	196.182	204.435	212.614	211.984	212.622	216.587	207.960		
26	T	2.1320	4.1815	4.2399	2.1608	2.0661	3.9904	3.9771	2.1211	24.8689		
	S	215.227	203.331	195.062	203.839	212.192	213.923	214.638	217.619	208.453		
27	T	2.1313	4.1693	4.2223	2.1570	2.0688	4.0235	4.0119	2.1311	24.9152		
	S	215.298	203.926	195.876	204.198	211.915	212.163	212.776	216.597	208.066		
28	T	2.1352	4.2234	4.2645	2.1702	2.0737	4.0426	4.0301	2.1342	25.0739		
	S	214.904	201.313	193.937	202.956	211.414	211.160	211.815	216.283	206.749		
29	T	2.2147	4.5173	4.3792	2.1941	2.0853	4.0730	4.0436	2.1334	25.6406		
	S	207.190	188.216	188.858	200.745	210.238	209.584	211.108	216.364	202.179		
30	T	2.1341	4.2575	4.2829	2.1673	2.0689	4.0346	4.0132	2.1312	25.0897		
	S	215.015	199.701	193.104	203.227	211.904	211.579	212.707	216.587	206.619		
31	T	2.1354	4.6197	4.7041	2.3200	2.3686	4.7147	4.2948	2.2006	27.3579		
	S	214.884	184.044	175.814	189.851	185.092	181.058	198.760	209.757	189.488		
32	T	2.2740	4.5688	4.4095	2.1988	2.1542	4.6377	4.2635	2.1894	26.6959		
	S	201.787	186.094	187.560	200.316	203.514	184.065	200.220	210.830	194.187		
33	T	2.1695	4.3750	4.3546	2.1920	2.0839	4.1352	4.1428	2.1698	25.6228		
	S	211.507	194.338	189.925	200.937	210.379	206.432	206.053	212.734	202.320		
34	T	2.1638	4.3595	4.3533	2.2011	2.0943	4.1110	4.0708	2.1430	25.4968		
	S	212.064	195.029	189.981	200.107	209.334	207.647	209.697	215.395	203.320		
35	T	2.2038	4.5660	4.3728	2.1887	2.0796	4.0994	4.0544	2.1353	25.7000		
	S	208.215	186.208	189.134	201.240	210.814	208.234	210.546	216.171	201.712		
36	T	2.1354	4.2587	4.2485	2.1593	2.0649	4.0318	4.0057	2.1240	25.0283		
	S	214.884	199.645	194.668	203.980	212.315	211.726	213.105	217.322	207.126		
37	T	2.1243	4.2026	4.2348	2.1581	2.0660	4.0076	3.9958	2.1255	24.9147		
	S	216.007	202.310	195.297	204.094	212.202	213.004	213.633	217.168	208.070		
38	T	2.1321	4.2415	4.2292	2.1589	2.0707	4.0429	4.0223	2.1339	25.0315		
	S	215.217	200.454	195.556	204.018	211.720	211.145	212.226	216.313	207.099		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 4 - Leist, Matheus

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.2049	4.8741	4.7475	2.3286	2.2761	4.6669	4.2969	2.2026	27.5976		
	S	208.111	174.438	174.207	189.150	192.614	182.913	198.663	209.566	187.842		
40	T	2.1912	4.4717	4.4063	2.2513	2.8767	8.0690			55.2586	28.2263	34.7238
	S	209.412	190.135	187.696	195.645	152.400	105.792			93.813	31.921	135.995
41	T				3.1870	2.6826	4.8598	4.4495	2.2670	44.4000	36.7085	
	S				138.203	163.427	175.653	191.850	203.613	116.757	128.717	
42	T	2.2957	4.6503	4.5068	2.2533	2.1395	4.3332	4.1704	2.1726	26.5218		
	S	199.880	182.833	183.511	195.471	204.912	196.999	204.689	212.460	195.462		
43	T	2.1649	4.4066	4.3518	2.1849	2.1041	4.0717	4.0172	2.1277	25.4289		
	S	211.956	192.944	190.047	201.590	208.359	209.651	212.495	216.944	203.863		
44	T	2.1283	4.1863	4.2000	2.1388	2.0493	3.9822	3.9796	2.1139	24.7784		
	S	215.601	203.098	196.916	205.935	213.931	214.363	214.503	218.360	209.214		
45	T	2.1203	4.2312	4.2276	2.1475	2.0587	3.9986	3.9887	2.1240	24.8966		
	S	216.414	200.942	195.630	205.101	212.954	213.484	214.014	217.322	208.221		
46	T	2.1297	4.8724	4.6014	2.2563	2.1217	4.1748	4.1054	2.1440	26.4057		
	S	215.459	174.499	179.738	195.211	206.631	204.474	207.930	215.294	196.321		
47	T	2.1335	4.2623	4.2309	2.1386	2.0443	4.0289	4.0091	2.1303	24.9779		
	S	215.076	199.476	195.477	205.955	214.454	211.878	212.925	216.679	207.543		
48	T	2.1275	4.1726	4.1778	2.1297	2.0397	3.9995	3.9943	2.1269	24.7680		
	S	215.682	203.764	197.962	206.815	214.938	213.436	213.714	217.025	209.302		
49	T	2.1272	4.1387	4.1346	2.1205	2.0340	4.0000	3.9951	2.1379	24.6880		
	S	215.713	205.433	200.030	207.713	215.540	213.409	213.671	215.909	209.981		
50	T	2.1425	4.1374	4.1593	2.1336	2.0467	4.0121	4.0044	2.1330	24.7690		
	S	214.172	205.498	198.842	206.437	214.203	212.765	213.175	216.405	209.294		
51	T	2.1325	4.1824	4.2414	2.1602	2.0682	4.0341	4.0194	2.1335	24.9717		
	S	215.176	203.287	194.994	203.895	211.976	211.605	212.379	216.354	207.595		
52	T	2.1375	4.2245	4.2390	2.1603	2.0691	4.0138	3.9995	2.1308	24.9745		
	S	214.673	201.261	195.104	203.886	211.884	212.675	213.436	216.628	207.572		
53	T	2.1335	4.1535	4.1870	2.1470	2.0599	4.0154	4.0060	2.1354	24.8377		
	S	215.076	204.701	197.527	205.149	212.830	212.591	213.089	216.161	208.715		
54	T	2.1386	4.1945	4.2728	2.1751	2.0820	4.0402	4.0199	2.1359	25.0590		
	S	214.563	202.701	193.561	202.499	210.571	211.286	212.353	216.111	206.872		
55	T	2.1410	4.1627	4.2261	2.1611	2.0732	4.0159	4.0010	2.1340	24.9150		
	S	214.322	204.249	195.699	203.810	211.465	212.564	213.356	216.303	208.067		
56	T	2.1395	4.1397	4.1885	2.1488	2.0665	4.0010	3.9974	2.1281	24.8095		
	S	214.472	205.384	197.456	204.977	212.151	213.356	213.548	216.903	208.952		
57	T	2.1373	4.1444	4.2599	2.1751	2.0917	4.0425	4.0234	2.1399	25.0142		
	S	214.693	205.151	194.147	202.499	209.595	211.165	212.168	215.707	207.242		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 4 - Leist, Matheus

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T 2.1540	4.2262	4.2913	2.1829	2.0929	4.0802	4.0579	2.1466	25.2320			
	S 213.029	201.180	192.726	201.775	209.474	209.214	210.364	215.033	205.453			
59	T 2.1440	4.2316	4.2653	2.1674	2.0738	4.0668	4.0614	2.1423	25.1526			
	S 214.022	200.923	193.901	203.218	211.404	209.904	210.183	215.465	206.102			
60	T 2.1427	4.2759	4.2655	2.1668	2.0714	4.0454	4.0300	2.1342	25.1319			
	S 214.152	198.842	193.892	203.274	211.649	211.014	211.820	216.283	206.272			
61	T 2.1331	4.2187	4.2250	2.1541	2.0625	4.0114	3.9990	2.1270	24.9308			
	S 215.116	201.538	195.750	204.473	212.562	212.803	213.462	217.015	207.936			
62	T 2.1283	4.1361	4.1797	2.1402	2.0537	4.1039	4.0798	2.1435	24.9652			
	S 215.601	205.563	197.872	205.801	213.473	208.006	209.235	215.344	207.649			
63	T 2.1412	4.2574	4.2733	2.1610	2.0648	4.0151	3.9960	2.1233	25.0321			
	S 214.302	199.706	193.538	203.820	212.325	212.607	213.623	217.393	207.094			
64	T 2.1245	4.2071	4.3144	2.1835	2.0838	4.0495	4.0196	2.1288	25.1112			
	S 215.987	202.093	191.694	201.720	210.389	210.800	212.368	216.832	206.442			
65	T 2.2182	4.5407	4.3981	2.1988	2.0865	4.0403	4.0145	2.1288	25.6259			
	S 206.863	187.246	188.046	200.316	210.117	211.280	212.638	216.832	202.295			
66	T 2.1352	4.2476	4.2798	2.1672	2.0718	4.0201	4.0016	2.1291	25.0524			
	S 214.904	200.167	193.244	203.237	211.608	212.342	213.324	216.801	206.926			
67	T 2.1312	4.1551	4.2069	2.1498	2.0731	4.4140	4.4835	2.3088	25.9224			
	S 215.308	204.623	196.593	204.882	211.475	193.393	190.395	199.927	199.981			
68	T 2.2598	4.3111	4.2991	2.1757	2.0784	4.0374	4.0102	2.1322	25.3039			
	S 203.055	197.218	192.376	202.443	210.936	211.432	212.866	216.486	204.870			
69	T 2.1357	4.2164	4.2173	2.1521	2.0631	4.0172	4.0133	2.1347	24.9498			
	S 214.854	201.648	196.108	204.663	212.500	212.495	212.702	216.232	207.777			
70	T 2.1380	4.2073	4.2258	2.1564	2.0691	4.0073	3.9920	2.1276	24.9235			
	S 214.623	202.084	195.713	204.255	211.884	213.020	213.837	216.954	207.996			
71	T 2.1354	4.2608	4.2821	2.1776	2.0889	4.0502	4.0323	2.1334	25.1607			
	S 214.884	199.546	193.140	202.266	209.876	210.764	211.700	216.364	206.036			
72	T 2.1924	4.6332	4.5988	2.3137	2.3216	4.6052	4.3260	2.2161	27.2070			
	S 209.297	183.508	179.839	190.368	188.839	185.364	197.327	208.290	190.539			
73	T 2.1797	4.3236	4.4201	2.4683	3.1534	9.0349			214.3859			37.1772
	S 210.517	196.648	187.110	178.444	139.027	94.482			24.181			127.021

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5672	4.7657	4.4486	2.1841	2.0682	4.1972	4.0078	2.0891	26.3279		64.2517	
	S	178.741	178.406	185.911	201.664	211.976	203.382	212.994	220.952	196.901		73.539	
2	T	2.0837	4.1857	4.2090	2.1015	1.9994	3.9728	4.0153	2.0842	24.6516			
	S	220.216	203.127	196.495	209.591	219.270	214.870	212.596	221.472	210.291			
3	T	2.0722	4.0985	4.1766	2.1088	2.0084	3.9222	3.8783	2.0498	24.3148			
	S	221.438	207.448	198.019	208.865	218.288	217.642	220.106	225.188	213.203			
4	T	2.0697	4.1415	4.1982	2.1215	2.0218	3.8848	3.8773	2.0514	24.3662			
	S	221.705	205.295	197.000	207.615	216.841	219.738	220.163	225.013	212.754			
5	T	2.0672	4.0999	4.1177	2.0975	2.0046	3.8604	3.8677	2.0558	24.1708			
	S	221.974	207.378	200.851	209.990	218.702	221.126	220.709	224.531	214.474			
6	T	2.0587	4.0685	4.1429	2.1039	2.0085	3.9219	3.9198	2.0705	24.2947			
	S	222.890	208.978	199.630	209.351	218.277	217.659	217.775	222.937	213.380			
7	T	2.0686	4.0534	4.1252	2.1028	2.0104	3.8939	3.8952	2.0676	24.2171			
	S	221.823	209.757	200.486	209.461	218.071	219.224	219.151	223.250	214.064			
8	T	2.0730	4.1414	4.1795	2.1213	2.0226	3.9194	3.9069	2.0788	24.4429			
	S	221.352	205.299	197.881	207.634	216.755	217.798	218.495	222.047	212.086			
9	T	2.0843	4.0524	4.0428	2.0809	1.9973	3.8697	3.9165	2.0771	24.1210			
	S	220.152	209.808	204.572	211.665	219.501	220.595	217.959	222.229	214.916			
10	T	2.0732	4.0179	4.0588	2.0966	2.0061	3.9402	3.9249	2.0806	24.1983			
	S	221.331	211.610	203.766	210.080	218.538	216.648	217.493	221.855	214.230			
11	T	2.0852	4.1038	4.0984	2.1011	2.0086	3.8844	3.8899	2.0671	24.2385			
	S	220.057	207.180	201.797	209.630	218.266	219.760	219.449	223.304	213.875			
12	T	2.1027	4.1615	4.1488	2.1097	2.0138	3.8819	3.8873	2.0589	24.3646			
	S	218.226	204.308	199.346	208.776	217.702	219.902	219.596	224.193	212.768			
13	T	2.1395	4.1705	4.1100	2.1017	2.0101	3.8826	3.8850	2.0592	24.3586			
	S	214.472	203.867	201.228	209.571	218.103	219.862	219.726	224.160	212.820			
14	T	2.0945	4.1523	4.1734	2.1185	2.0193	3.8745	3.8849	2.0568	24.3742			
	S	219.080	204.761	198.171	207.909	217.109	220.322	219.732	224.422	212.684			
15	T	2.0448	4.1729	4.2781	2.1476	2.0430	3.9258	3.9101	2.0743	24.5966			
	S	224.405	203.750	193.321	205.092	214.591	217.443	218.316	222.529	210.761			
16	T	2.0999	4.0861	4.0668	2.0879	2.0003	3.8746	3.8793	2.0847	24.1796			
	S	218.517	208.078	203.365	210.956	219.172	220.316	220.049	221.418	214.396			
17	T	2.1210	4.0495	4.0862	2.0975	2.0034	3.8782	3.8770	2.0579	24.1707			
	S	216.343	209.959	202.400	209.990	218.833	220.111	220.180	224.302	214.475			
18	T	2.0753	4.0624	4.1268	2.1053	2.0096	3.8759	3.8721	2.0510	24.1784			
	S	221.107	209.292	200.408	209.212	218.157	220.242	220.458	225.057	214.406			
19	T	2.0919	4.1367	4.1815	2.1239	2.0256	3.9024	3.8902	2.0690	24.4212			
	S	219.353	205.533	197.787	207.380	216.434	218.747	219.433	223.099	212.275			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0990	4.0518	4.1123	2.1030	2.0089	3.8752	3.8815	2.0544	24.1861		
	S	218.611	209.839	201.115	209.441	218.233	220.282	219.924	224.684	214.338		
21	T	2.0739	4.1161	4.1197	2.1057	2.0107	3.8799	3.8940	2.0601	24.2601		
	S	221.256	206.561	200.754	209.173	218.038	220.015	219.218	224.062	213.684		
22	T	2.0792	4.1205	4.0920	2.1078	2.0120	3.8828	3.8744	2.0566	24.2253		
	S	220.692	206.341	202.113	208.964	217.897	219.851	220.327	224.444	213.991		
23	T	2.0829	4.1462	4.1452	2.1147	2.0162	3.8802	3.8854	2.0570	24.3278		
	S	220.300	205.062	199.519	208.282	217.443	219.998	219.704	224.400	213.090		
24	T	2.0798	4.2145	4.2161	2.1415	2.0402	3.9181	3.9022	2.0731	24.5855		
	S	220.629	201.739	196.164	205.676	214.885	217.870	218.758	222.657	210.856		
25	T	2.0904	4.0711	4.1397	2.1153	2.0196	3.8919	3.8896	2.0649	24.2825		
	S	219.510	208.845	199.784	208.223	217.077	219.337	219.466	223.542	213.487		
26	T	2.0878	4.0866	4.1221	2.1005	2.0054	3.8670	3.8789	2.0504	24.1987		
	S	219.783	208.052	200.637	209.690	218.614	220.749	220.072	225.122	214.226		
27	T	2.0790	4.2021	4.2067	2.1346	2.0308	3.9118	3.8934	2.0674	24.5258		
	S	220.714	202.334	196.602	206.341	215.880	218.221	219.252	223.271	211.369		
28	T	2.0791	4.1200	4.1375	2.1076	2.0136	3.8958	3.8964	2.0728	24.3228		
	S	220.703	206.366	199.890	208.984	217.724	219.117	219.083	222.690	213.133		
29	T	2.0837	4.1464	4.1159	2.1013	2.0070	3.8780	3.8822	2.0629	24.2774		
	S	220.216	205.052	200.939	209.611	218.440	220.123	219.885	223.758	213.532		
30	T	2.0810	4.1578	4.1561	2.1163	2.0163	3.8968	3.8838	2.0559	24.3640		
	S	220.502	204.490	198.996	208.125	217.432	219.061	219.794	224.520	212.773		
31	T	2.0702	4.1544	4.1949	2.1305	2.0240	3.9435	3.8935	2.0516	24.4626		
	S	221.652	204.657	197.155	206.738	216.605	216.467	219.247	224.991	211.915		
32	T	2.1099	4.3133	4.4453	2.2602	2.1390	4.0850	4.0280	2.1262	25.5069		
	S	217.481	197.118	186.049	194.874	204.960	208.969	211.926	217.097	203.239		
33	T	2.1235	4.0601	4.1042	2.1122	2.0265	3.9127	3.9045	2.0853	24.3290		
	S	216.088	209.410	201.512	208.529	216.338	218.171	218.629	221.355	213.079		
34	T	2.0919	4.0401	4.1130	2.1149	2.0310	3.9395	3.9309	2.1001	24.3614		
	S	219.353	210.447	201.081	208.263	215.859	216.686	217.161	219.795	212.796		
35	T	2.1038	4.0240	4.0599	2.1063	2.0231	3.9273	3.9156	2.0932	24.2532		
	S	218.112	211.289	203.711	209.113	216.702	217.360	218.009	220.519	213.745		
36	T	2.0980	3.9837	4.0856	2.1046	2.0212	3.9137	3.9112	2.0878	24.2058		
	S	218.715	213.427	202.429	209.282	216.905	218.115	218.254	221.090	214.164		
37	T	2.0905	3.9591	4.0784	2.1037	2.0194	3.8951	3.8875	2.0823	24.1160		
	S	219.499	214.753	202.787	209.371	217.099	219.156	219.585	221.674	214.961		
38	T	2.0875	4.0246	4.0993	2.1102	2.0231	3.9057	3.9133	2.0857	24.2494		
	S	219.815	211.258	201.753	208.726	216.702	218.562	218.137	221.312	213.778		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0870	4.0118	4.0910	2.1020	2.0143	3.9010	3.8985	2.0784	24.1840		
	S	219.868	211.932	202.162	209.541	217.648	218.825	218.965	222.090	214.357		
40	T	2.0815	3.9792	4.0549	2.0945	2.0070	3.8923	3.8968	2.0770	24.0832		
	S	220.449	213.668	203.962	210.291	218.440	219.314	219.061	222.239	215.254		
41	T	2.0791	3.9816	4.0533	2.0886	2.0031	3.8841	3.8895	2.0705	24.0498		
	S	220.703	213.539	204.042	210.885	218.865	219.777	219.472	222.937	215.553		
42	T	2.0661	4.0789	4.0945	2.0966	2.0051	3.8883	3.8830	2.0623	24.1748		
	S	222.092	208.445	201.989	210.080	218.647	219.540	219.839	223.823	214.438		
43	T	2.0635	4.0971	4.0970	2.0914	1.9965	3.8582	3.9318	2.0759	24.2114		
	S	222.372	207.519	201.866	210.603	219.589	221.252	217.111	222.357	214.114		
44	T	2.0780	4.0845	4.1366	2.1010	2.0012	3.9107	3.8953	2.0535	24.2608		
	S	220.820	208.159	199.934	209.640	219.073	218.282	219.145	224.783	213.678		
45	T	2.0691	4.1360	4.1485	2.1504	2.0595	3.9760	3.9443	2.0908	24.5746		
	S	221.770	205.568	199.360	204.824	212.872	214.697	216.423	220.772	210.950		
46	T	2.0892	4.1049	4.1615	2.1279	2.0306	3.9077	3.8899	2.0662	24.3779		
	S	219.636	207.125	198.737	206.990	215.901	218.450	219.449	223.401	212.652		
47	T	2.0707	4.1280	4.1774	2.1274	2.0232	3.9302	3.8777	2.0443	24.3789		
	S	221.598	205.966	197.981	207.039	216.691	217.199	220.140	225.794	212.643		
48	T	2.0962	4.2716	4.2388	2.1269	2.0566	4.0875	3.9513	2.0719	24.9008		
	S	218.903	199.042	195.113	207.088	213.172	208.841	216.039	222.786	208.186		
49	T	2.0846	4.1952	4.2712	2.1574	2.0501	4.1227	3.9867	2.0919	24.9598		
	S	220.121	202.667	193.633	204.160	213.848	207.058	214.121	220.656	207.694		
50	T	2.0923	4.1827	4.2475	2.1417	2.0788	4.2216	4.0197	2.0995	25.0838		
	S	219.311	203.272	194.713	205.657	210.895	202.207	212.363	219.858	206.667		
51	T	2.1203	4.2807	4.2882	2.1504	2.0597	4.1652	3.9989	2.0908	25.1542		
	S	216.414	198.619	192.865	204.824	212.851	204.945	213.468	220.772	206.089		
52	T	2.1063	4.2966	4.2789	2.1427	2.1072	4.3713	4.0954	2.1115	25.5099		
	S	217.853	197.884	193.285	205.561	208.053	195.282	208.438	218.608	203.215		
53	T	2.1108	4.3505	4.3478	2.1673	2.0699	4.0554	3.9154	2.0615	25.0786		
	S	217.388	195.432	190.222	203.227	211.802	210.494	218.020	223.910	206.710		
54	T	2.1653	4.3336	4.3095	2.1724	2.0638	4.0326	3.9086	2.0490	25.0348		
	S	211.917	196.194	191.912	202.750	212.428	211.684	218.400	225.276	207.072		
55	T	2.1168	4.3418	4.2839	2.1493	2.0365	3.9917	3.9111	2.0588	24.8899		
	S	216.772	195.824	193.059	204.929	215.276	213.853	218.260	224.204	208.277		
56	T	2.1335	4.3068	4.2349	2.1447	2.0399	3.9623	3.8979	2.0550	24.7750		
	S	215.076	197.415	195.293	205.369	214.917	215.440	218.999	224.618	209.243		
57	T	2.1281	4.3502	4.2383	2.1354	2.0344	3.9190	3.8871	2.0760	24.7685		
	S	215.621	195.446	195.136	206.263	215.498	217.820	219.608	222.346	209.298		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.0857	4.1689	4.1833	2.1227	2.0219	3.9174	3.9351	2.0712	24.5062		
	S	220.005	203.945	197.702	207.497	216.830	217.909	216.929	222.862	211.538		
59	T	2.1069	4.2601	4.1904	2.1116	2.0303	4.0123	3.9122	2.0594	24.6832		
	S	217.791	199.579	197.367	208.588	215.933	212.755	218.199	224.139	210.021		
60	T	2.0922	4.2368	4.2256	2.1355	2.0450	3.9401	3.9157	2.0931	24.6840		
	S	219.321	200.677	195.723	206.254	214.381	216.653	218.004	220.530	210.015		
61	T	2.1053	4.1029	4.1520	2.1350	2.4856	5.9122			36.1868	26.6845	28.8055
	S	217.956	207.226	199.192	206.302	176.380	144.386			143.257	33.766	163.936
62	T			8.4449	3.0978	2.6069	4.6160	4.3032	2.2154	54.1178		
	S			97.934	142.183	168.173	184.930	198.372	208.356	95.791	34.8146	135.719
63	T	2.1922	4.3048	4.2009	2.1203	2.0361	3.9145	3.9071	2.0759	24.7518		
	S	209.317	197.507	196.873	207.732	215.318	218.070	218.483	222.357	209.439		
64	T	2.0685	3.9841	3.9862	2.0551	1.9775	3.8479	3.8525	2.0419	23.8137		
	S	221.834	213.405	207.477	214.323	221.699	221.845	221.580	226.060	217.690		
65	T	2.0809	4.2427	4.1547	2.0888	1.9900	3.9486	3.9293	2.0572	24.4922		
	S	220.512	200.398	199.063	210.865	220.306	216.187	217.249	224.378	211.659		
66	T	2.0438	4.1459	4.1808	2.1114	2.0169	3.8795	3.8686	2.0490	24.2959		
	S	224.515	205.077	197.820	208.608	217.368	220.038	220.658	225.276	213.369		
67	T	2.0689	4.1288	4.0505	2.0783	1.9884	3.8977	3.8648	2.0404	24.1178		
	S	221.791	205.926	204.184	211.930	220.483	219.010	220.875	226.226	214.945		
68	T	2.0678	4.1675	4.0925	2.0870	1.9914	3.9315	3.8739	2.0376	24.2492		
	S	221.909	204.014	202.088	211.047	220.151	217.127	220.356	226.537	213.780		
69	T	2.0623	4.1345	4.1912	2.1114	2.0081	4.0638	3.9542	2.0803	24.6058		
	S	222.501	205.642	197.329	208.608	218.320	210.059	215.881	221.887	210.682		
70	T	2.0698	4.0119	4.1301	2.0988	2.0001	3.8566	3.8377	2.0263	24.0313		
	S	221.695	211.926	200.248	209.860	219.194	221.344	222.434	227.800	215.719		
71	T	2.0545	4.1158	4.2791	2.1305	2.0304	3.9356	3.8933	2.0780	24.5172		
	S	223.346	206.576	193.276	206.738	215.923	216.901	219.258	222.132	211.443		
72	T	2.1359	4.0786	4.1320	2.0973	1.9975	3.9196	3.8739	2.0494	24.2842		
	S	214.834	208.461	200.156	210.010	219.479	217.787	220.356	225.232	213.472		
73	T	2.0865	4.1755	4.1000	2.0916	1.9969	3.8610	3.8473	2.0312	24.1900		
	S	219.920	203.623	201.718	210.583	219.545	221.092	221.879	227.250	214.303		
74	T	2.0530	4.0632	4.2001	2.1209	2.0296	3.9195	3.8978	2.0778	24.3619		
	S	223.509	209.251	196.911	207.673	216.008	217.792	219.005	222.154	212.791		
75	T	2.0755	4.0284	4.0768	2.0892	2.0031	3.8915	3.8843	2.0674	24.1162		
	S	221.086	211.058	202.866	210.825	218.865	219.359	219.766	223.271	214.959		
76	T	2.0746	4.0930	4.1108	2.0965	2.0056	3.9129	3.8949	2.0697	24.2580		
	S	221.182	207.727	201.188	210.090	218.592	218.160	219.168	223.023	213.703		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0964	4.1311	4.0900	2.0984	2.0105	3.9101	3.8929	2.0735	24.3029		
	S	218.882	205.811	202.212	209.900	218.060	218.316	219.280	222.614	213.308		
78	T	2.0805	4.0644	4.0940	2.0979	2.0079	3.9002	3.8735	2.0597	24.1781		
	S	220.554	209.189	202.014	209.950	218.342	218.870	220.379	224.106	214.409		
79	T	2.0503	4.0801	4.1848	2.1328	2.0479	3.9606	3.9365	2.1054	24.4984		
	S	223.803	208.384	197.631	206.515	214.077	215.532	216.852	219.241	211.606		
80	T	2.1128	3.9722	4.0284	2.0872	2.0100	3.9052	3.9059	2.0955	24.1172		
	S	217.183	214.044	205.304	211.027	218.114	218.590	218.550	220.277	214.950		
81	T	2.1059	3.9401	4.0152	2.0876	2.0112	3.9333	3.9293	2.1016	24.1242		
	S	217.894	215.788	205.979	210.986	217.984	217.028	217.249	219.638	214.888		
82	T	2.1046	3.9355	4.0173	2.0892	2.0111	3.9440	3.9387	2.1028	24.1432		
	S	218.029	216.040	205.871	210.825	217.995	216.439	216.730	219.513	214.719		
83	T	2.1068	3.9622	4.0509	2.0957	2.0154	3.9246	3.9318	2.0996	24.1870		
	S	217.801	214.585	204.163	210.171	217.530	217.509	217.111	219.847	214.330		
84	T	2.1023	3.9599	4.0348	2.0890	2.0093	3.9210	3.9260	2.0966	24.1389		
	S	218.267	214.709	204.978	210.845	218.190	217.709	217.432	220.162	214.757		
85	T	2.0958	3.9208	3.9983	2.0790	1.9998	3.9010	3.9111	2.0910	23.9968		
	S	218.944	216.850	206.849	211.859	219.226	218.825	218.260	220.751	216.029		
86	T	2.0877	3.9806	4.0350	2.0839	1.9983	3.8788	3.8943	2.0723	24.0309		
	S	219.794	213.593	204.968	211.361	219.391	220.077	219.201	222.743	215.722		
87	T	2.0936	4.0897	4.1168	2.1030	2.0094	3.8974	3.8932	2.0621	24.2652		
	S	219.174	207.895	200.895	209.441	218.179	219.027	219.263	223.845	213.639		
88	T	2.0875	4.2110	4.2083	2.1562	2.0691	4.1605	4.0020	2.0994	24.9940		
	S	219.815	201.906	196.527	204.274	211.884	205.176	213.302	219.868	207.410		
89	T	2.1201	4.2388	4.2705	2.1365	2.0259	3.9184	3.8978	2.0696	24.6776		
	S	216.435	200.582	193.665	206.157	216.402	217.853	219.005	223.034	210.069		
90	T	2.1038	4.2206	4.1275	2.1084	2.0165	3.9361	3.8924	2.0588	24.4641		
	S	218.112	201.447	200.374	208.905	217.411	216.874	219.308	224.204	211.902		
91	T	2.0716	4.1843	4.2191	2.1464	2.0651	3.9911	3.9812	2.1258	24.7846		
	S	221.502	203.195	196.024	205.206	212.294	213.885	214.417	217.138	209.162		
92	T	2.1421	4.0129	4.0262	2.0984	2.0282	3.9658	3.9730	2.1270	24.3736		
	S	214.212	211.874	205.416	209.900	216.157	215.249	214.859	217.015	212.689		
93	T	2.1353	3.9415	4.0194	2.1019	2.0300	3.9469	3.9602	2.1192	24.2544		
	S	214.894	215.712	205.763	209.551	215.965	216.280	215.554	217.814	213.734		
94	T	2.1259	3.9780	4.0201	2.0943	2.0280	3.9442	3.9656	2.1271	24.2832		
	S	215.844	213.732	205.728	210.311	216.178	216.428	215.260	217.005	213.481		
95	T	2.1361	3.9711	4.0361	2.0983	2.0359	3.9510	3.9787	2.1309	24.3381		
	S	214.814	214.104	204.912	209.910	215.339	216.056	214.552	216.618	212.999		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1421	3.9720	4.0230	2.1086	2.0383	3.9628	3.9794	2.1311	24.3573		
	S	214.212	214.055	205.579	208.885	215.086	215.412	214.514	216.597	212.831		
97	T	2.1420	3.9558	4.0419	2.1221	2.0539	3.9788	3.9934	2.1338	24.4217		
	S	214.222	214.932	204.618	207.556	213.452	214.546	213.762	216.323	212.270		
98	T	2.1435	4.0062	4.0595	2.1071	2.0414	3.9720	3.9901	2.1365	24.4563		
	S	214.072	212.228	203.731	209.034	214.759	214.913	213.939	216.050	211.970		
99	T	2.1451	4.0052	4.0827	2.1137	2.0463	3.9769	3.9877	2.1362	24.4938		
	S	213.912	212.281	202.573	208.381	214.245	214.649	214.067	216.080	211.645		
100	T	2.1430	4.0277	4.0754	2.1104	2.0433	3.9710	3.9886	2.1382	24.4976		
	S	214.122	211.095	202.936	208.707	214.559	214.968	214.019	215.878	211.613		
101	T	2.1461	3.9756	4.0473	2.1034	2.0391	3.9665	3.9843	2.1296	24.3919		
	S	213.813	213.861	204.345	209.401	215.001	215.211	214.250	216.750	212.530		
102	T	2.1429	4.0031	4.0627	2.1068	2.0400	3.9644	3.9808	2.1309	24.4316		
	S	214.132	212.392	203.570	209.063	214.906	215.325	214.438	216.618	212.184		
103	T	2.1381	3.9967	4.0429	2.1012	2.0339	3.9460	3.9634	2.1236	24.3458		
	S	214.613	212.732	204.567	209.620	215.551	216.330	215.380	217.362	212.932		
104	T	2.1359	4.0040	4.0786	2.1094	2.0391	3.9513	3.9608	2.1204	24.3995		
	S	214.834	212.344	202.777	208.806	215.001	216.039	215.521	217.690	212.463		
105	T	2.1324	4.0523	4.0970	2.1159	2.0429	3.9550	3.9489	2.1122	24.4566		
	S	215.186	209.814	201.866	208.164	214.601	215.837	216.171	218.536	211.967		
106	T	2.1278	4.0737	4.1069	2.1088	2.0323	3.9327	3.9175	2.0917	24.3914		
	S	215.652	208.711	201.379	208.865	215.721	217.061	217.903	220.677	212.534		
107	T	2.1120	4.2582	4.3038	2.1949	2.0988	4.0793	4.0879	2.1707	25.3056		
	S	217.265	199.668	192.166	200.672	208.886	209.261	208.820	212.646	204.856		
108	T	2.1730	4.1231	4.1811	2.1539	2.0764	4.0210	4.0266	2.1448	24.8999		
	S	211.166	206.211	197.806	204.492	211.139	212.295	211.999	215.214	208.194		
109	T	2.1523	4.0661	4.1007	2.1241	2.0595	3.9960	4.0046	2.1428	24.6461		
	S	213.197	209.101	201.684	207.361	212.872	213.623	213.164	215.415	210.338		
110	T	2.1465	4.0477	4.1112	2.1299	2.0613	4.0014	3.9981	2.1385	24.6346		
	S	213.773	210.052	201.169	206.796	212.686	213.334	213.511	215.848	210.436		
111	T	2.1551	4.0833	4.1281	2.1392	2.0695	4.0055	4.0103	2.1436	24.7346		
	S	212.920	208.221	200.345	205.897	211.843	213.116	212.861	215.334	209.585		
112	T	2.1448	4.0750	4.1382	2.1408	2.0681	3.9978	4.0079	2.1412	24.7138		
	S	213.942	208.645	199.856	205.743	211.986	213.527	212.988	215.576	209.761		
113	T	2.1498	4.0991	4.2332	2.1632	2.0651	3.9626	3.9203	2.0826	24.6759		
	S	213.445	207.418	195.371	203.612	212.294	215.423	217.748	221.642	210.084		
114	T	2.0813	4.1553	4.2030	2.1400	2.0519	3.9533	3.9376	2.0916	24.6140		
	S	220.470	204.613	196.775	205.820	213.660	215.930	216.791	220.688	210.612		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.1162	4.0108	4.0421	2.0948	2.0237	3.9504	3.9431	2.1057	24.2868		
	S	216.834	211.984	204.608	210.261	216.637	216.089	216.489	219.210	213.449		
116	T	2.1198	4.0662	4.0603	2.1016	2.0289	3.9271	3.9255	2.1075	24.3369		
	S	216.466	209.096	203.691	209.581	216.082	217.371	217.459	219.023	213.010		
117	T	2.1208	3.9779	4.0571	2.0974	2.0256	3.9165	3.9183	2.1007	24.2143		
	S	216.363	213.738	203.851	210.000	216.434	217.959	217.859	219.732	214.088		
118	T	2.1089	3.9712	4.0245	2.0889	2.0170	3.8981	3.9034	2.0920	24.1040		
	S	217.584	214.098	205.503	210.855	217.357	218.988	218.690	220.646	215.068		
119	T	2.1007	4.0301	4.0685	2.0982	2.0219	3.9172	3.9023	2.0761	24.2150		
	S	218.434	210.969	203.280	209.920	216.830	217.920	218.752	222.336	214.082		
120	T	2.0842	4.2301	4.2046	2.1374	2.0468	3.9267	3.9030	2.0822	24.6150		
	S	220.163	200.995	196.700	206.070	214.192	217.393	218.713	221.684	210.603		
121	T	2.0905	4.0709	4.1230	2.1262	2.0751	4.1052	4.1289	2.1424	24.8622		
	S	219.499	208.855	200.593	207.156	211.271	207.940	206.747	215.455	208.509		
122	T	2.1314	4.1118	4.1636	2.1251	2.3892	5.7050			35.4965	26.1136	28.1132
	S	215.287	206.777	198.637	207.263	183.496	149.630			146.043	34.504	167.974
123	T			8.4820	3.1132	2.6140	4.6357	4.3470	2.2413	53.6757	34.9454	
	S			97.506	141.480	167.716	184.144	196.374	205.948	96.580	135.211	
124	T	2.2227	4.0779	4.0368	2.0956	2.0315	3.9616	3.9949	2.1310	24.5520		
	S	206.444	208.496	204.876	210.181	215.806	215.478	213.682	216.608	211.144		
125	T	2.1424	3.9487	3.9926	2.0860	2.0231	3.9463	3.9828	2.1208	24.2427		
	S	214.182	215.318	207.145	211.148	216.702	216.313	214.331	217.649	213.838		
126	T	2.1404	3.9458	4.0122	2.1126	2.0514	4.0017	4.0159	2.1413	24.4213		
	S	214.382	215.477	206.133	208.489	213.712	213.318	212.564	215.566	212.274		
127	T	2.1478	3.9962	4.0836	2.1219	2.0621	4.0128	4.0369	2.1551	24.6164		
	S	213.644	212.759	202.529	207.576	212.603	212.728	211.458	214.185	210.591		
128	T	2.1610	4.0037	4.0523	2.1142	2.0889	4.1691	4.1707	2.2182	24.9781		
	S	212.339	212.360	204.093	208.332	209.876	204.753	204.675	208.093	207.542		
129	T	2.2315	4.0390	4.0158	2.1185	2.0974	4.1723	4.1591	2.2288	25.0624		
	S	205.630	210.504	205.948	207.909	209.025	204.596	205.245	207.103	206.844		
130	T	2.2245	4.1595	4.1301	2.1124	2.0332	3.9540	3.9467	2.1046	24.6650		
	S	206.277	204.406	200.248	208.509	215.625	215.892	216.291	219.325	210.176		
131	T	2.1202	4.0968	4.0612	2.0994	2.0270	3.9511	3.9901	2.1206	24.4664		
	S	216.425	207.534	203.646	209.800	216.285	216.050	213.939	217.670	211.882		
132	T	2.1467	4.1433	4.0498	2.1001	2.0331	4.1218	4.0874	2.1631	24.8453		
	S	213.753	205.205	204.219	209.730	215.636	207.103	208.846	213.393	208.651		
133	T	2.1786	4.3049	4.1837	2.1348	2.0526	3.9790	3.9635	2.1202	24.9173		
	S	210.623	197.502	197.683	206.321	213.587	214.535	215.374	217.711	208.048		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.1632	4.0710	4.0613	2.1137	2.0440	4.0150	3.9706	2.3107	24.7495		
	S	212.123	208.850	203.641	208.381	214.486	212.612	214.989	199.762	209.459		
135	T	2.6693	5.6696	7.2624	3.9877	3.7726	7.8295	6.2799	2.9127	40.3837		
	S	171.904	149.962	113.880	110.453	116.209	109.028	135.932	158.475	128.369		
136	T	3.1414	5.7934	5.5462	3.1005	3.6668	9.6786	12.1763	5.4534	48.5566		
	S	146.070	146.758	149.119	142.059	119.562	88.198	70.106	84.643	106.762		
137	T	6.0605	10.5331	10.3935	4.6726	5.0720	11.9714	11.4135	6.2307	66.3473		
	S	75.714	80.720	79.573	94.263	86.437	71.306	74.792	74.083	78.134		
138	T	5.2363	11.7034	10.5291	4.8758	5.2432	11.9185	10.4545	6.1449	66.1057		
	S	87.631	72.648	78.549	90.335	83.615	71.623	81.653	75.118	78.420		
139	T	5.9221	8.9282	10.3062	5.7697	5.1895	11.5483	9.9323	5.9687	63.5650		
	S	77.483	95.229	80.247	76.339	84.480	73.919	85.945	77.335	81.554		
140	T	5.2407	10.8510	8.9813	5.0783	5.5543	9.2901	9.9232	4.8104	59.7293		
	S	87.558	78.355	92.085	86.733	78.931	91.887	86.024	95.957	86.792		
141	T	5.4035	8.8884	9.6656	4.4984	4.3120	9.7958	9.1725	4.7177	56.4539		
	S	84.920	95.656	85.566	97.914	101.672	87.143	93.065	97.842	91.827		
142	T	5.3092	10.0854	9.0213	4.9939	4.7515	10.2460	9.1843	4.7883	58.3799		
	S	86.428	84.303	91.677	88.199	92.268	83.314	92.945	96.400	88.798		
143	T	5.4800	9.3808	10.1480	4.1903	3.7998	8.6537	6.1993	2.5819	50.4338		
	S	83.734	90.635	81.498	105.113	115.377	98.644	137.699	178.780	102.788		
144	T	2.4698	4.8194	4.5406	2.2307	2.0982	4.1248	4.0194	2.0981	26.4010		
	S	185.790	176.418	182.145	197.451	208.945	206.952	212.379	220.004	196.356		
145	T	2.1106	4.1787	4.1613	2.1232	2.0319	3.9187	3.9032	2.0766	24.5042		
	S	217.409	203.467	198.747	207.448	215.763	217.837	218.702	222.282	211.556		
146	T	2.0794	4.0629	4.0426	2.0695	1.9905	3.8851	3.8844	2.0537	24.0681		
	S	220.671	209.266	204.583	212.831	220.251	219.721	219.760	224.761	215.389		
147	T	2.0620	4.0683	4.1192	2.1056	2.0153	3.9029	3.8895	2.0648	24.2276		
	S	222.533	208.988	200.778	209.182	217.540	218.718	219.472	223.552	213.971		
148	T	2.0658	4.0313	4.0441	2.0706	1.9854	3.8659	3.8728	2.0524	23.9883		
	S	222.124	210.906	204.507	212.718	220.817	220.812	220.418	224.903	216.105		
149	T	2.0705	4.1734	4.1872	2.1169	2.0200	3.8934	3.8867	2.0628	24.4109		
	S	221.620	203.725	197.518	208.066	217.034	219.252	219.630	223.769	212.364		
150	T	2.0794	4.0919	4.0989	2.1056	2.0131	3.8795	3.8823	2.0645	24.2152		
	S	220.671	207.783	201.773	209.182	217.778	220.038	219.879	223.585	214.080		
151	T	2.0743	4.1095	4.1186	2.0912	2.0464	3.9971	3.9068	2.0639	24.4078		
	S	221.214	206.893	200.807	210.623	214.234	213.564	218.500	223.650	212.391		
152	T	2.1261	4.1228	4.0851	2.1018	2.0474	3.9514	3.8870	2.0540	24.3756		
	S	215.824	206.226	202.454	209.561	214.130	216.034	219.613	224.728	212.672		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T 2.1064	4.1240	4.1205	2.1004	2.0038	3.8791	3.8668	2.0527	24.2537			
	S 217.843	206.166	200.715	209.700	218.789	220.060	220.760	224.870	213.741			
154	T 2.0870	4.0741	4.1087	2.1020	2.0153	3.8961	3.8684	2.0309	24.1825			
	S 219.868	208.691	201.291	209.541	217.540	219.100	220.669	227.284	214.370			
155	T 2.0453	3.9971	4.2154	2.1222	2.0404	3.9819	3.9636	2.0956	24.4615			
	S 224.350	212.711	196.196	207.546	214.864	214.379	215.369	220.267	211.925			
156	T 2.0926	4.0365	4.0907	2.0916	2.0075	3.8839	3.9000	2.0753	24.1781			
	S 219.279	210.635	202.177	210.583	218.386	219.788	218.881	222.421	214.409			
157	T 2.0939	4.1266	4.1119	2.0952	2.0090	3.8833	3.8908	2.0709	24.2816			
	S 219.143	206.036	201.135	210.221	218.223	219.822	219.399	222.894	213.495			
158	T 2.0823	4.1289	4.1599	2.1174	2.0226	3.9028	3.8957	2.0685	24.3781			
	S 220.364	205.921	198.814	208.017	216.755	218.724	219.123	223.152	212.650			
159	T 2.0801	4.1474	4.1346	2.1016	2.0093	3.8727	3.8654	2.0339	24.2450			
	S 220.597	205.002	200.030	209.581	218.190	220.424	220.840	226.949	213.817			
160	T 2.0638	4.2129	4.2339	2.1217	2.0239	3.8908	3.8742	2.0514	24.4726			
	S 222.339	201.815	195.339	207.595	216.616	219.399	220.339	225.013	211.829			
161	T 2.0894	4.2403	4.1916	2.1237	2.0228	3.9010	3.8850	2.0601	24.5139			
	S 219.615	200.511	197.310	207.400	216.734	218.825	219.726	224.062	211.472			
162	T 2.0908	4.2136	4.2354	2.1310	2.0268	3.8912	3.8815	2.0528	24.5231			
	S 219.468	201.782	195.270	206.689	216.306	219.376	219.924	224.859	211.393			
163	T 2.0793	4.3263	4.2031	2.1173	2.0220	3.8919	3.8839	2.0621	24.5859			
	S 220.682	196.525	196.770	208.027	216.820	219.337	219.788	223.845	210.853			
164	T 2.1450	4.2418	4.1388	2.1086	2.0166	3.8947	3.8905	2.0712	24.5072			
	S 213.922	200.440	199.827	208.885	217.400	219.179	219.416	222.862	211.530			
165	T 2.1079	4.2253	4.1339	2.1052	2.0147	3.8907	3.8748	2.0582	24.4107			
	S 217.688	201.223	200.064	209.222	217.605	219.404	220.305	224.269	212.366			
166	T 2.0851	4.1371	4.0993	2.0922	2.0001	3.8467	3.8706	2.0395	24.1706			
	S 220.068	205.513	201.753	210.522	219.194	221.914	220.544	226.326	214.475			
167	T 2.0933	4.2564	4.1633	2.1114	2.0141	3.8788	3.8706	2.0531	24.4410			
	S 219.206	199.753	198.651	208.608	217.670	220.077	220.544	224.826	212.103			
168	T 2.0729	4.1137	4.0988	2.0985	2.0078	3.8756	3.8814	2.0634	24.2121			
	S 221.363	206.682	201.777	209.890	218.353	220.259	219.930	223.704	214.108			
169	T 2.0662	4.0605	4.1040	2.0940	2.0063	3.8790	3.8856	2.0686	24.1642			
	S 222.081	209.390	201.522	210.341	218.516	220.066	219.692	223.142	214.532			
170	T 2.0667	3.9889	4.0999	2.0993	2.0132	3.8833	3.8930	2.0675	24.1118			
	S 222.027	213.148	201.723	209.810	217.767	219.822	219.275	223.260	214.998			
171	T 2.0784	4.1136	4.1478	2.1081	2.0171	3.8867	3.8812	2.0659	24.2988			
	S 220.777	206.687	199.394	208.934	217.346	219.630	219.941	223.433	213.344			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.1140	4.2428	4.1755	2.1112	2.0202	3.9349	3.8831	2.0556	24.5373		
	S	217.059	200.393	198.071	208.628	217.013	216.940	219.834	224.553	211.270		
173	T	2.0852	4.2545	4.2491	2.1235	2.0250	3.9265	3.9261	2.0590	24.6489		
	S	220.057	199.842	194.640	207.419	216.498	217.404	217.426	224.182	210.314		
174	T	2.0614	4.2721	4.2502	2.1444	2.0432	3.9109	3.8969	2.0689	24.6480		
	S	222.598	199.019	194.590	205.398	214.570	218.271	219.055	223.109	210.321		
175	T	2.0924	4.1723	4.1309	2.1049	2.0173	3.9363	3.9374	2.0752	24.4667		
	S	219.300	203.779	200.210	209.252	217.325	216.863	216.802	222.432	211.880		
176	T	2.0939	4.2483	4.2411	2.1202	2.0496	3.9878	3.9426	2.0713	24.7548		
	S	219.143	200.134	195.007	207.742	213.900	214.062	216.516	222.851	209.414		
177	T	2.1071	4.1930	4.1399	2.1062	2.0153	3.8794	3.9116	2.0593	24.4118		
	S	217.770	202.773	199.774	209.123	217.540	220.043	218.232	224.149	212.356		
178	T	2.0540	4.2270	4.2429	2.1322	2.0305	3.8963	3.8811	2.0597	24.5237		
	S	223.400	201.142	194.925	206.573	215.912	219.089	219.947	224.106	211.387		
179	T	2.1273	4.1372	4.1211	2.1002	2.0156	3.9066	3.9313	2.1041	24.4434		
	S	215.702	205.508	200.686	209.720	217.508	218.511	217.138	219.377	212.082		
180	T	2.1133	4.0343	4.0733	2.0947	2.0128	3.9073	3.9169	2.0917	24.2443		
	S	217.131	210.750	203.041	210.271	217.811	218.472	217.937	220.677	213.823		
181	T	2.0944	4.0994	4.1228	2.1083	2.0276	3.9205	3.9265	2.0959	24.3954		
	S	219.091	207.403	200.603	208.915	216.221	217.737	217.404	220.235	212.499		
182	T	2.1034	4.0603	4.0885	2.1065	2.0273	3.9068	3.8962	2.0836	24.2726		
	S	218.153	209.400	202.286	209.093	216.253	218.500	219.095	221.535	213.574		
183	T	2.0903	4.1381	4.1470	2.1183	2.0319	3.9237	3.9172	2.0899	24.4564		
	S	219.520	205.463	199.432	207.928	215.763	217.559	217.920	220.867	211.969		
184	T	2.0982	4.0974	4.1332	2.1125	2.0282	3.9236	3.9104	2.0834	24.3869		
	S	218.694	207.504	200.098	208.499	216.157	217.565	218.299	221.557	212.573		
185	T	2.0969	4.1614	4.1901	2.1320	2.0446	3.9321	3.9185	2.0928	24.5684		
	S	218.830	204.313	197.381	206.592	214.423	217.094	217.848	220.561	211.003		
186	T	2.1134	4.1416	4.1055	2.1048	2.0224	3.9069	3.9161	2.0836	24.3943		
	S	217.121	205.290	201.448	209.262	216.777	218.495	217.981	221.535	212.509		
187	T	2.1078	4.2355	4.2016	2.1329	2.0481	3.9402	3.9175	2.0948	24.6784		
	S	217.698	200.738	196.841	206.505	214.056	216.648	217.903	220.351	210.062		
188	T	2.1042	4.1427	4.1321	2.1171	2.0399	3.9385	3.9235	2.1072	24.5052		
	S	218.070	205.235	200.151	208.046	214.917	216.741	217.570	219.054	211.547		
189	T	2.1147	4.0735	4.1071	2.1348	2.5218	5.8876			35.9043	25.9986	28.5167
	S	216.988	208.722	201.370	206.321	173.848	144.989			144.384	34.657	165.597
190	T			8.4475	3.0954	2.6048	4.6178	4.3044	2.2232	53.6699		35.0589
	S			97.904	142.293	168.308	184.858	198.317	207.625	96.590		134.773

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.2114	4.2221	4.0790	2.0851	2.0060	3.9054	3.9354	2.0908	24.5352			
	S	207.499	201.375	202.757	211.239	218.549	218.578	216.912	220.772	211.288			
192	T	2.0875	3.9442	3.9702	2.0459	1.9751	3.8464	3.8713	2.0592	23.7998			
	S	219.815	215.564	208.313	215.286	221.968	221.931	220.504	224.160	217.817			
193	T	2.0769	3.9973	3.9659	2.0383	1.9624	3.8475	3.8636	2.0318	23.7837			
	S	220.937	212.700	208.539	216.089	223.405	221.868	220.943	227.183	217.964			
194	T	2.0610	4.1246	4.0656	2.0723	1.9873	3.8314	3.8544	2.0280	24.0246			
	S	222.641	206.136	203.425	212.544	220.605	222.800	221.471	227.609	215.779			
195	T	2.0643	4.1232	4.0806	2.0754	1.9855	3.8428	3.8678	2.0478	24.0874			
	S	222.285	206.206	202.677	212.226	220.805	222.139	220.703	225.408	215.216			
196	T	2.0524	4.0290	4.0332	2.0632	1.9759	3.8227	3.8569	2.0366	23.8699			
	S	223.574	211.027	205.059	213.481	221.878	223.307	221.327	226.648	217.177			
197	T	2.0454	4.0689	4.1984	2.1082	2.0104	3.8748	3.8836	2.0549	24.2446			
	S	224.339	208.958	196.991	208.924	218.071	220.305	219.805	224.629	213.821			
198	T	2.0563	4.0716	4.0826	2.0861	2.0006	4.1115	4.0611	2.1253	24.5951			
	S	223.150	208.819	202.578	211.138	219.139	207.622	210.198	217.189	210.774			
199	T	2.1182	3.9661	4.0373	2.0742	1.9948	3.8802	3.8958	2.0766	24.0432			
	S	216.629	214.374	204.851	212.349	219.776	219.998	219.117	222.282	215.612			
200	T	2.0763	3.9818	4.0463	2.0755	1.9893	3.8686	3.8745	2.0507	23.9630			
	S	221.001	213.528	204.395	212.216	220.384	220.658	220.322	225.089	216.334			
201	T	2.0860	4.1542	4.1078	2.0975	1.9995	3.8552	3.8685	2.0412	24.2099			
	S	219.973	204.667	201.335	209.990	219.259	221.425	220.663	226.137	214.127			
202	T	2.0685	4.1237	4.1034	2.0839	1.9928	3.8486	3.8619	2.0450	24.1278			
	S	221.834	206.181	201.551	211.361	219.997	221.804	221.041	225.717	214.856			
203	T	2.0611	4.1307	4.2274	2.1322	2.0301	3.9014	3.8986	2.0704	24.4519			
	S	222.630	205.831	195.639	206.573	215.954	218.803	218.960	222.948	212.008			
204	T	2.0641	4.0071	4.1665	2.1118	2.0130	3.8875	3.8812	2.0627	24.1939			
	S	222.307	212.180	198.499	208.568	217.789	219.585	219.941	223.780	214.269			
205	T	2.0665	4.0453	4.2174	2.1284	2.0255	3.8922	3.8863	2.0615	24.3231			
	S	222.049	210.177	196.103	206.942	216.445	219.320	219.653	223.910	213.131			
206	T	2.0585	4.0879	4.1419	2.1046	2.0115	3.8849	3.8890	2.0584	24.2367			
	S	222.912	207.986	199.678	209.282	217.951	219.732	219.500	224.247	213.891			
207	T	2.0701	4.1186	4.1308	2.1423	2.0404	3.9243	3.9012	2.0728	24.4005			
	S	221.663	206.436	200.214	205.599	214.864	217.526	218.814	222.690	212.455			
208	T	2.0700	4.0384	4.0784	2.0978	2.0111	3.8919	3.9040	2.0753	24.1669			
	S	221.673	210.536	202.787	209.960	217.995	219.337	218.657	222.421	214.508			
209	T	2.0707	3.9394	4.0434	2.0827	1.9979	3.8782	3.8925	2.0687	23.9735			
	S	221.598	215.827	204.542	211.482	219.435	220.111	219.303	223.131	216.239			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 5 - Hinchcliffe, James

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0677	3.9622	4.1048	2.1024	2.0092	3.8843	3.8916	2.0720	24.0942		
	S	221.920	214.585	201.483	209.501	218.201	219.766	219.354	222.776	215.156		
211	T	2.0645	4.0089	4.1191	2.1102	2.0160	3.9063	3.9021	2.0757	24.2028		
	S	222.264	212.085	200.783	208.726	217.465	218.528	218.763	222.378	214.190		
212	T	2.0666	3.9758	4.1127	2.1154	2.0168	3.8833	3.8816	2.0552	24.1074		
	S	222.038	213.851	201.095	208.213	217.379	219.822	219.919	224.597	215.038		
213	T	2.0539	4.0829	4.1584	2.1142	2.0179	3.8905	3.8957	2.0721	24.2856		
	S	223.411	208.241	198.885	208.332	217.260	219.416	219.123	222.765	213.460		
214	T	2.0664	4.0202	4.1344	2.1054	2.0094	3.8753	3.8682	2.0556	24.1349		
	S	222.059	211.489	200.040	209.202	218.179	220.276	220.681	224.553	214.793		
215	T	2.0538	4.0844	4.2072	2.1230	2.0212	3.8853	3.8877	2.0602	24.3228		
	S	223.422	208.165	196.579	207.468	216.905	219.709	219.574	224.052	213.133		
216	T	2.1037	4.2212	4.2606	2.1355	2.0248	3.9002	3.9667	2.0739	24.6866		
	S	218.122	201.418	194.115	206.254	216.520	218.870	215.201	222.571	209.992		
217	T	2.0922	4.2040	4.3057	2.1504	2.0410	3.9099	3.8963	2.0626	24.6621		
	S	219.321	202.242	192.082	204.824	214.801	218.327	219.089	223.791	210.201		
218	T	2.0575	4.0886	4.1815	2.1139	2.0164	3.9983	3.9330	2.0627	24.4519		
	S	223.020	207.951	197.787	208.361	217.422	213.500	217.045	223.780	212.008		
219	T	2.0567	4.1616	4.4617								
	S	223.107	204.303	185.366								

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5922	5.0247	4.5933	2.2566	2.1387	4.5474	4.2355	2.1698	27.5582		60.9784	
	S	177.017	169.210	180.055	195.185	204.989	187.720	201.543	212.734	188.111		77.486	
2	T	2.1673	4.4012	4.2372	2.1390	2.0610	4.2863	4.1468	2.1551	25.5939			
	S	211.721	193.181	195.187	205.916	212.717	199.155	205.854	214.185	202.548			
3	T	2.1290	4.3025	4.1772	2.1116	2.0224	4.1355	4.0350	2.1000	25.0132			
	S	215.530	197.612	197.990	208.588	216.777	206.417	211.558	219.805	207.251			
4	T	2.0960	4.1384	4.1443	2.1076	2.0171	4.2308	4.0646	2.1171	24.9159			
	S	218.923	205.448	199.562	208.984	217.346	201.767	210.017	218.030	208.060			
5	T	2.1133	4.0343	4.1450	2.1249	2.0257	3.9760	3.9219	2.0731	24.4142			
	S	217.131	210.750	199.528	207.282	216.424	214.697	217.659	222.657	212.335			
6	T	2.0796	4.2213	4.1566	2.1296	2.0435	4.0389	3.9955	2.1037	24.7687			
	S	220.650	201.414	198.972	206.825	214.538	211.354	213.649	219.419	209.296			
7	T	2.0893	4.1573	4.1607	2.1291	2.0304	3.9685	3.9342	2.0854	24.5549			
	S	219.626	204.514	198.776	206.874	215.923	215.103	216.978	221.344	211.119			
8	T	2.0834	4.0620	4.1660	2.1335	2.0375	3.9137	3.8939	2.0761	24.3661			
	S	220.247	209.312	198.523	206.447	215.170	218.115	219.224	222.336	212.755			
9	T	2.0770	4.0897	4.1891	2.1420	2.0514	3.9541	3.9477	2.1069	24.5579			
	S	220.926	207.895	197.428	205.628	213.712	215.886	216.236	219.085	211.093			
10	T	2.1197	4.1125	4.1029	2.1176	2.0360	3.9733	3.9730	2.1172	24.5522			
	S	216.476	206.742	201.576	207.997	215.329	214.843	214.859	218.020	211.142			
11	T	2.1215	4.1304	4.1356	2.1324	2.0478	3.9682	3.9687	2.1191	24.6237			
	S	216.292	205.846	199.982	206.553	214.088	215.119	215.092	217.824	210.529			
12	T	2.1243	4.1768	4.1923	2.1468	2.0574	3.9842	3.9821	2.1184	24.7823			
	S	216.007	203.559	197.277	205.168	213.089	214.255	214.368	217.896	209.182			
13	T	2.1255	4.1262	4.1597	2.1394	2.0546	3.9765	3.9802	2.1185	24.6806			
	S	215.885	206.056	198.823	205.878	213.379	214.670	214.471	217.886	210.044			
14	T	2.1299	4.1669	4.2037	2.1566	2.0671	4.0040	3.9908	2.1299	24.8489			
	S	215.439	204.043	196.742	204.236	212.089	213.196	213.901	216.720	208.621			
15	T	2.1374	4.1519	4.1887	2.1548	2.0707	3.9938	3.9775	2.1213	24.7961			
	S	214.683	204.780	197.447	204.406	211.720	213.740	214.616	217.598	209.065			
16	T	2.1276	4.1102	4.1433	2.1391	2.0548	3.9820	3.9878	2.1232	24.6680			
	S	215.672	206.858	199.610	205.906	213.359	214.374	214.062	217.403	210.151			
17	T	2.1312	4.1260	4.1704	2.1464	2.0635	3.9889	3.9794	2.1249	24.7307			
	S	215.308	206.066	198.313	205.206	212.459	214.003	214.514	217.229	209.618			
18	T	2.1327	4.1503	4.2057	2.1618	2.0746	4.0091	3.9923	2.1269	24.8534			
	S	215.156	204.859	196.649	203.744	211.322	212.925	213.821	217.025	208.583			
19	T	2.1377	4.1192	4.1548	2.1490	2.0692	4.0073	3.9946	2.1308	24.7626			
	S	214.653	206.406	199.058	204.958	211.874	213.020	213.698	216.628	209.348			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1369	4.1442	4.1772	2.1534	2.0719	4.0067	3.9989	2.1345	24.8237		
	S	214.733	205.161	197.990	204.539	211.598	213.052	213.468	216.252	208.833		
21	T	2.1392	4.1171	4.2141	2.1642	2.0758	4.0152	4.0061	2.1408	24.8725		
	S	214.502	206.511	196.257	203.518	211.200	212.601	213.084	215.616	208.423		
22	T	2.1471	4.1125	4.1375	2.1355	2.0585	3.9926	3.9970	2.1343	24.7150		
	S	213.713	206.742	199.890	206.254	212.975	213.805	213.569	216.273	209.751		
23	T	2.1449	4.0992	4.1347	2.1421	2.0662	4.0018	4.0057	2.1377	24.7323		
	S	213.932	207.413	200.026	205.618	212.181	213.313	213.105	215.929	209.604		
24	T	2.1461	4.0661	4.1213	2.1356	2.0627	3.9940	3.9950	2.1395	24.6603		
	S	213.813	209.101	200.676	206.244	212.541	213.730	213.676	215.747	210.216		
25	T	2.1473	4.0564	4.1387	2.1396	2.0653	4.0024	3.9990	2.1401	24.6888		
	S	213.693	209.601	199.832	205.858	212.274	213.281	213.462	215.687	209.974		
26	T	2.1480	4.0691	4.1393	2.1378	2.0628	3.9892	3.9993	2.1384	24.6839		
	S	213.624	208.947	199.803	206.032	212.531	213.987	213.446	215.858	210.015		
27	T	2.1469	4.0642	4.1423	2.1416	2.0618	3.9950	4.0002	2.1372	24.6892		
	S	213.733	209.199	199.659	205.666	212.634	213.676	213.398	215.979	209.970		
28	T	2.1457	4.0706	4.1079	2.1282	2.0533	3.9830	3.9901	2.1359	24.6147		
	S	213.853	208.870	201.330	206.961	213.514	214.320	213.939	216.111	210.606		
29	T	2.1440	4.0618	4.1155	2.1335	2.0584	3.9909	3.9937	2.1360	24.6338		
	S	214.022	209.323	200.959	206.447	212.985	213.896	213.746	216.101	210.443		
30	T	2.1413	4.0626	4.1360	2.1352	2.0586	3.9891	3.9905	2.1333	24.6466		
	S	214.292	209.282	199.963	206.283	212.965	213.992	213.917	216.374	210.333		
31	T	2.1411	4.0707	4.1287	2.1348	2.0589	3.9884	3.9889	2.1337	24.6452		
	S	214.312	208.865	200.316	206.321	212.934	214.030	214.003	216.334	210.345		
32	T	2.1402	4.0478	4.1229	2.1332	2.0570	3.9850	3.9840	2.1314	24.6015		
	S	214.402	210.047	200.598	206.476	213.130	214.212	214.266	216.567	210.719		
33	T	2.1376	4.0425	4.1032	2.1240	2.0493	3.9673	3.9758	2.1254	24.5251		
	S	214.663	210.322	201.561	207.370	213.931	215.168	214.708	217.178	211.375		
34	T	2.1337	4.0348	4.1317	2.1335	2.0549	3.9739	3.9823	2.1234	24.5682		
	S	215.055	210.724	200.171	206.447	213.348	214.811	214.358	217.383	211.004		
35	T	2.1304	4.0244	4.1236	2.1292	2.0516	3.9708	3.9690	2.1166	24.5156		
	S	215.388	211.268	200.564	206.864	213.691	214.978	215.076	218.081	211.457		
36	T	2.1303	4.0708	4.1316	2.1302	2.0510	3.9720	3.9695	2.1193	24.5747		
	S	215.399	208.860	200.176	206.767	213.754	214.913	215.049	217.803	210.949		
37	T	2.1264	4.0653	4.1514	2.1407	2.0594	3.9815	3.9844	2.1230	24.6321		
	S	215.794	209.143	199.221	205.753	212.882	214.401	214.245	217.424	210.457		
38	T	2.1314	4.0865	4.1357	2.1352	2.0550	3.9775	3.9734	2.1240	24.6187		
	S	215.287	208.058	199.977	206.283	213.338	214.616	214.838	217.322	210.572		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1324	4.0480	4.1309	2.1347	2.0528	3.9790	3.9789	2.1204	24.5771		
	S	215.186	210.036	200.210	206.331	213.566	214.535	214.541	217.690	210.928		
40	T	2.1299	4.0833	4.1709	2.1424	2.0574	3.9823	3.9778	2.1177	24.6617		
	S	215.439	208.221	198.289	205.589	213.089	214.358	214.600	217.968	210.204		
41	T	2.1251	4.1013	4.1958	2.1449	2.0547	3.9693	3.9511	2.1036	24.6458		
	S	215.926	207.307	197.113	205.350	213.369	215.060	216.050	219.429	210.340		
42	T	2.1093	4.1310	4.2198	2.1561	2.0569	4.0294	4.0088	2.1224	24.8337		
	S	217.543	205.816	195.992	204.283	213.141	211.852	212.941	217.485	208.749		
43	T	2.1331	4.1898	4.2583	2.1689	2.0700	3.9808	3.9619	2.1140	24.8768		
	S	215.116	202.928	194.220	203.077	211.792	214.438	215.461	218.350	208.387		
44	T	2.1185	4.0791	4.1722	2.1417	2.0539	3.9612	3.9448	2.1084	24.5798		
	S	216.598	208.435	198.228	205.657	213.452	215.499	216.395	218.929	210.905		
45	T	2.1175	4.1404	4.2504	2.1665	2.0640	4.0059	3.9797	2.1042	24.8286		
	S	216.701	205.349	194.581	203.302	212.408	213.095	214.498	219.366	208.791		
46	T	2.1171	4.3837	4.4346	2.2223	2.0932	4.0632	4.0051	2.1123	25.4315		
	S	216.742	193.952	186.498	198.198	209.444	210.090	213.137	218.525	203.842		
47	T	2.1220	4.3198	4.3398	2.1899	2.0743	3.9759	3.9391	2.0927	25.0535		
	S	216.241	196.821	190.572	201.130	211.353	214.703	216.708	220.572	206.917		
48	T	2.1032	4.2382	4.2746	2.1626	2.0601	3.9566	3.9228	2.0976	24.8157		
	S	218.174	200.610	193.479	203.669	212.810	215.750	217.609	220.057	208.900		
49	T	2.1163	4.3938	4.4487	2.2220	2.1051	4.2626	4.0799	2.1269	25.7553		
	S	216.824	193.506	185.907	198.224	208.260	200.262	209.230	217.025	201.279		
50	T	2.1495	4.3963	4.2796	2.1665	2.0631	3.9808	3.9517	2.1021	25.0896		
	S	213.475	193.396	193.253	203.302	212.500	214.438	216.018	219.586	206.619		
51	T	2.1224	4.2934	4.2642	2.1751	2.0693	3.9715	3.9430	2.1017	24.9406		
	S	216.200	198.031	193.951	202.499	211.863	214.941	216.494	219.627	207.854		
52	T	2.1177	4.2539	4.2639	2.1645	2.0644	3.9714	3.9446	2.1077	24.8881		
	S	216.680	199.870	193.965	203.490	212.366	214.946	216.406	219.002	208.292		
53	T	2.1079	4.1671	4.2307	2.1638	2.0651	3.9687	3.9476	2.1049	24.7558		
	S	217.688	204.033	195.487	203.556	212.294	215.092	216.242	219.294	209.405		
54	T	2.1143	4.1975	4.2541	2.1724	2.0739	3.9900	3.9564	2.1080	24.8666		
	S	217.029	202.556	194.411	202.750	211.394	213.944	215.761	218.971	208.472		
55	T	2.1190	4.2065	4.2763	2.1766	2.0726	3.9726	3.9518	2.1046	24.8800		
	S	216.547	202.122	193.402	202.359	211.526	214.881	216.012	219.325	208.360		
56	T	2.1235	4.2917	4.3198	2.1983	2.0906	4.0240	3.9881	2.1165	25.1525		
	S	216.088	198.110	191.455	200.361	209.705	212.136	214.046	218.092	206.103		
57	T	2.1239	4.1610	4.2303	2.1733	2.0740	4.0001	3.9634	2.1078	24.8338		
	S	216.048	204.332	195.505	202.666	211.383	213.404	215.380	218.992	208.748		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1269	4.2338	4.2506	2.1778	2.0799	3.9966	3.9563	2.1044	24.9263		
	S	215.743	200.819	194.571	202.247	210.784	213.591	215.766	219.346	207.973		
59	T	2.1146	4.2628	4.3152	2.2210	2.7430	6.3422			51.7321	28.5110	30.9181
	S	216.998	199.453	191.659	198.314	159.828	134.596			100.209	31.603	152.735
60	T			8.4363	3.1183	2.6356	4.6132	4.2554	2.1893	42.4607	34.7637	
	S			98.034	141.248	166.341	185.042	200.601	210.839	122.089	135.918	
61	T	2.1642	4.1613	4.0820	2.1007	2.0188	4.0450	4.0929	2.1285	24.7934		
	S	212.025	204.318	202.608	209.670	217.163	211.035	208.565	216.862	209.088		
62	T	2.1052	4.2316	4.1493	2.1098	2.0010	3.9727	3.9448	2.0601	24.5745		
	S	217.967	200.923	199.322	208.766	219.095	214.876	216.395	224.062	210.950		
63	T	2.0702	4.1383	4.1564	2.1255	2.0271	3.8910	3.8840	2.0678	24.3603		
	S	221.652	205.453	198.981	207.224	216.274	219.387	219.783	223.228	212.805		
64	T	2.0636	4.0505	4.1153	2.1098	2.0145	3.8780	3.8740	2.0741	24.1798		
	S	222.361	209.907	200.968	208.766	217.627	220.123	220.350	222.550	214.394		
65	T	2.0662	4.0559	4.1054	2.1079	2.0066	3.9130	3.9025	2.0717	24.2292		
	S	222.081	209.627	201.453	208.954	218.484	218.154	218.741	222.808	213.957		
66	T	2.0821	4.2661	4.2973	2.1992	2.0872	4.1384	4.0188	2.1103	25.1994		
	S	220.385	199.298	192.457	200.279	210.047	206.272	212.411	218.732	205.719		
67	T	2.1130	4.0628	4.1693	2.1313	2.0359	3.9168	3.9075	2.0877	24.4243		
	S	217.162	209.271	198.366	206.660	215.339	217.942	218.461	221.100	212.248		
68	T	2.0923	4.0308	4.1170	2.1158	2.0285	3.9095	3.9018	2.0929	24.2886		
	S	219.311	210.933	200.885	208.174	216.125	218.349	218.780	220.551	213.433		
69	T	2.0965	3.9635	4.0663	2.0986	2.0151	3.8947	3.9034	2.0852	24.1233		
	S	218.871	214.514	203.390	209.880	217.562	219.179	218.690	221.365	214.896		
70	T	2.0884	3.9817	4.0751	2.1020	2.0164	3.8917	3.9004	2.0828	24.1385		
	S	219.720	213.534	202.951	209.541	217.422	219.348	218.859	221.620	214.761		
71	T	2.0872	4.0951	4.1821	2.1332	2.0361	3.9203	3.9069	2.0865	24.4474		
	S	219.847	207.621	197.758	206.476	215.318	217.748	218.495	221.227	212.047		
72	T	2.0878	3.9989	4.1377	2.1235	2.0316	3.9120	3.9030	2.0816	24.2761		
	S	219.783	212.615	199.880	207.419	215.795	218.210	218.713	221.748	213.543		
73	T	2.0852	3.9901	4.1316	2.1235	2.0338	3.9063	3.8836	2.0555	24.2096		
	S	220.057	213.084	200.176	207.419	215.562	218.528	219.805	224.564	214.130		
74	T	2.0924	4.2248	4.1760	2.1237	2.0241	3.8880	3.8815	2.0767	24.4872		
	S	219.300	201.247	198.047	207.400	216.595	219.557	219.924	222.271	211.702		
75	T	2.0902	4.1323	4.1632	2.1266	2.0312	3.9076	3.8931	2.0732	24.4174		
	S	219.531	205.752	198.656	207.117	215.837	218.455	219.269	222.647	212.308		
76	T	2.0846	4.1033	4.1608	2.1248	2.0309	3.9157	3.8960	2.0810	24.3971		
	S	220.121	207.206	198.771	207.292	215.869	218.004	219.106	221.812	212.484		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0857	4.0647	4.1324	2.1193	2.0253	3.8958	3.8978	2.0821	24.3031		
	S	220.005	209.173	200.137	207.830	216.466	219.117	219.005	221.695	213.306		
78	T	2.0924	4.0907	4.2168	2.1614	2.0601	3.9376	3.9032	2.0764	24.5386		
	S	219.300	207.844	196.131	203.782	212.810	216.791	218.702	222.303	211.259		
79	T	2.0849	4.2442	4.2772	2.1662	2.0588	3.9452	3.9212	2.0876	24.7853		
	S	220.089	200.327	193.361	203.331	212.944	216.373	217.698	221.111	209.156		
80	T	2.0904	4.0672	4.1659	2.1286	2.0352	3.9236	3.9225	2.0875	24.4209		
	S	219.510	209.045	198.527	206.922	215.413	217.565	217.626	221.121	212.277		
81	T	2.1007	4.0937	4.1783	2.1417	2.0529	4.1984	4.0303	2.1085	24.9045		
	S	218.434	207.692	197.938	205.657	213.556	203.324	211.805	218.919	208.155		
82	T	2.1045	4.1095	4.2171	2.1443	2.0472	3.9359	3.9211	2.0883	24.5679		
	S	218.039	206.893	196.117	205.407	214.151	216.885	217.703	221.037	211.007		
83	T	2.0937	4.0059	4.1132	2.1170	2.0320	3.9219	3.9191	2.0932	24.2960		
	S	219.164	212.244	201.071	208.056	215.753	217.659	217.814	220.519	213.368		
84	T	2.0953	4.0166	4.1080	2.1209	2.0350	3.9205	3.9244	2.0955	24.3162		
	S	218.997	211.678	201.326	207.673	215.434	217.737	217.520	220.277	213.191		
85	T	2.0977	4.0410	4.1217	2.1222	2.0356	3.9239	3.9287	2.0986	24.3694		
	S	218.746	210.400	200.656	207.546	215.371	217.548	217.282	219.952	212.726		
86	T	2.1069	3.9906	4.0824	2.1072	2.0210	3.8956	3.9025	2.0843	24.1905		
	S	217.791	213.058	202.588	209.024	216.927	219.128	218.741	221.461	214.299		
87	T	2.0893	4.0408	4.1764	2.1368	2.0407	3.9258	3.9061	2.0814	24.3973		
	S	219.626	210.411	198.028	206.128	214.833	217.443	218.539	221.769	212.483		
88	T	2.0944	4.1599	4.2165	2.1420	2.0443	3.9220	3.9061	2.0777	24.5629		
	S	219.091	204.386	196.145	205.628	214.454	217.653	218.539	222.164	211.050		
89	T	2.0826	4.0955	4.2210	2.1399	2.0453	3.9304	3.9164	2.0826	24.5137		
	S	220.332	207.600	195.936	205.829	214.350	217.188	217.965	221.642	211.474		
90	T	2.0877	4.0779	4.1439	2.1286	2.0395	3.9312	3.9295	2.1021	24.4404		
	S	219.794	208.496	199.581	206.922	214.959	217.144	217.238	219.586	212.108		
91	T	2.1138	4.0756	4.0861	2.1051	2.0141	4.0379	3.9907	2.0990	24.5223		
	S	217.080	208.614	202.405	209.232	217.670	211.406	213.906	219.910	211.399		
92	T	2.1090	4.2703	4.2399	2.1519	2.0474	3.9337	3.9223	2.0832	24.7577		
	S	217.574	199.102	195.062	204.682	214.130	217.006	217.637	221.578	209.389		
93	T	2.0925	4.2568	4.2647	2.1575	2.0554	3.9350	3.9165	2.0898	24.7682		
	S	219.290	199.734	193.928	204.150	213.296	216.934	217.959	220.878	209.301		
94	T	2.0885	4.1021	4.2312	2.1515	2.0510	3.9387	3.9260	2.0858	24.5748		
	S	219.710	207.266	195.464	204.720	213.754	216.730	217.432	221.302	210.948		
95	T	2.0934	4.1169	4.1863	2.1308	2.0322	3.9127	3.8992	2.0708	24.4423		
	S	219.195	206.521	197.560	206.709	215.731	218.171	218.926	222.905	212.091		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.0874	4.1880	4.1980	2.1418	2.0423	3.9203	3.9164	2.0846	24.5788		
	S	219.825	203.015	197.009	205.647	214.664	217.748	217.965	221.429	210.913		
97	T	2.0862	4.1361	4.2150	2.1468	2.0491	3.9234	3.9019	2.0758	24.5343		
	S	219.952	205.563	196.215	205.168	213.952	217.576	218.775	222.368	211.296		
98	T	2.0862	4.2104	4.2681	2.1645	2.0583	3.9410	3.9212	2.0922	24.7419		
	S	219.952	201.935	193.774	203.490	212.996	216.604	217.698	220.625	209.523		
99	T	2.0889	4.0780	4.1816	2.1359	2.0417	3.9189	3.9172	2.0941	24.4563		
	S	219.668	208.491	197.782	206.215	214.727	217.826	217.920	220.424	211.970		
100	T	2.0927	4.1473	4.2195	2.1452	2.0502	3.9305	3.9212	2.0933	24.5999		
	S	219.269	205.007	196.006	205.321	213.837	217.183	217.698	220.509	210.733		
101	T	2.0997	4.1013	4.1805	2.1363	2.0422	3.9181	3.9116	2.0922	24.4819		
	S	218.538	207.307	197.834	206.176	214.675	217.870	218.232	220.625	211.748		
102	T	2.0963	4.1228	4.1984	2.1424	2.0457	3.9274	3.9220	2.0925	24.5475		
	S	218.892	206.226	196.991	205.589	214.308	217.354	217.653	220.593	211.182		
103	T	2.0999	4.0936	4.1540	2.1248	2.0336	3.9185	3.9213	2.0926	24.4383		
	S	218.517	207.697	199.096	207.292	215.583	217.848	217.692	220.582	212.126		
104	T	2.1002	4.1210	4.1671	2.1295	2.0364	3.9155	3.9152	2.0876	24.4725		
	S	218.486	206.316	198.470	206.835	215.286	218.015	218.031	221.111	211.830		
105	T	2.0899	4.1007	4.2013	2.1443	2.0450	3.9185	3.9078	2.0839	24.4914		
	S	219.562	207.337	196.855	205.407	214.381	217.848	218.444	221.503	211.666		
106	T	2.0836	4.1098	4.2262	2.1548	2.0467	3.9162	3.9181	2.0805	24.5359		
	S	220.226	206.878	195.695	204.406	214.203	217.976	217.870	221.865	211.282		
107	T	2.0961	4.1848	4.1984	2.1337	2.0339	3.9182	3.9346	2.0958	24.5955		
	S	218.913	203.170	196.991	206.428	215.551	217.864	216.956	220.246	210.770		
108	T	2.0997	4.1490	4.2221	2.1462	2.0474	3.9330	3.9154	2.0877	24.6005		
	S	218.538	204.923	195.885	205.225	214.130	217.045	218.020	221.100	210.727		
109	T	2.0905	4.1560	4.2566	2.1637	2.0623	3.9557	3.9308	2.0955	24.7111		
	S	219.499	204.578	194.297	203.565	212.583	215.799	217.166	220.277	209.784		
110	T	2.0990	4.1148	4.1781	2.1354	2.0419	3.9130	3.9067	2.0835	24.4724		
	S	218.611	206.627	197.948	206.263	214.706	218.154	218.506	221.546	211.830		
111	T	2.0873	4.0975	4.1892	2.1359	2.0418	3.9269	3.9156	2.0863	24.4805		
	S	219.836	207.499	197.423	206.215	214.717	217.382	218.009	221.249	211.760		
112	T	2.0870	4.0922	4.1738	2.1325	2.0347	3.9474	3.9365	2.0877	24.4918		
	S	219.868	207.768	198.152	206.544	215.466	216.253	216.852	221.100	211.663		
113	T	2.0867	4.0968	4.2335	2.1514	2.0482	3.9365	3.9220	2.0870	24.5621		
	S	219.899	207.534	195.357	204.729	214.046	216.852	217.653	221.174	211.057		
114	T	2.1103	4.1830	4.2235	2.1497	2.0520	3.9386	3.9248	2.0981	24.6800		
	S	217.440	203.258	195.820	204.891	213.650	216.736	217.498	220.004	210.049		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.0971	4.0356	4.1996	2.1501	2.0543	3.9433	3.9350	2.1012	24.5162		
	S	218.809	210.682	196.934	204.853	213.410	216.478	216.934	219.680	211.452		
116	T	2.1023	4.0303	4.1826	2.1346	2.0524	3.9488	3.9400	2.1042	24.4952		
	S	218.267	210.959	197.735	206.341	213.608	216.176	216.659	219.366	211.633		
117	T	2.1100	4.0354	4.1212	2.1184	2.0363	3.9317	3.9308	2.0972	24.3810		
	S	217.471	210.692	200.681	207.918	215.297	217.116	217.166	220.099	212.625		
118	T	2.1036	4.0547	4.1447	2.1339	2.0513	3.9457	3.9301	2.0904	24.4544		
	S	218.133	209.689	199.543	206.408	213.723	216.346	217.205	220.815	211.986		
119	T	2.0954	4.0870	4.2176	2.1570	2.0595	3.9677	3.9580	2.1066	24.6488		
	S	218.986	208.032	196.094	204.198	212.872	215.146	215.674	219.117	210.314		
120	T	2.1048	4.0243	4.1974	2.1464	2.0579	3.9557	3.9493	2.1033	24.5391		
	S	218.008	211.273	197.038	205.206	213.037	215.799	216.149	219.460	211.255		
121	T	2.1067	4.0466	4.2790	2.2974	2.4123	5.7284		48.7877	27.3410		29.1430
	S	217.812	210.109	193.280	191.719	181.739	149.018		106.256	32.955		162.038
122	T			8.4602	3.1359	2.6608	4.6048	4.2387	2.1729	42.4890	34.7927	
	S			97.757	140.456	164.766	185.380	201.391	212.431	122.008	135.804	
123	T	2.1498	4.1657	4.0664	2.0837	2.0022	3.8808	3.8984	2.0736	24.3206		
	S	213.445	204.102	203.385	211.381	218.964	219.964	218.971	222.604	213.153		
124	T	2.0736	3.9986	4.0722	2.0937	2.0123	3.8925	3.9051	2.0865	24.1345		
	S	221.288	212.631	203.095	210.371	217.865	219.303	218.595	221.227	214.796		
125	T	2.0896	3.9276	3.9979	2.0786	2.0003	3.9726	3.9707	2.0989	24.1362		
	S	219.594	216.475	206.870	211.900	219.172	214.881	214.984	219.920	214.781		
126	T	2.0995	3.9068	4.0555	2.0956	2.0166	3.8984	3.9091	2.0836	24.0651		
	S	218.559	217.628	203.932	210.181	217.400	218.971	218.372	221.535	215.416		
127	T	2.0915	4.0024	4.0825	2.1042	2.0240	3.9065	3.9029	2.0770	24.1910		
	S	219.395	212.429	202.583	209.322	216.605	218.517	218.718	222.239	214.295		
128	T	2.0802	3.9951	4.3089	2.1881	2.0726	3.9485	3.9153	2.0833	24.5920		
	S	220.586	212.818	191.939	201.295	211.526	216.193	218.026	221.567	210.800		
129	T	2.0768	3.9750	4.1143	2.1142	2.0235	3.8980	3.8867	2.0638	24.1523		
	S	220.947	213.894	201.017	208.332	216.659	218.993	219.630	223.661	214.638		
130	T	2.0708	4.0282	4.2426	2.1434	2.0496	3.9601	3.9775	2.0969	24.5691		
	S	221.588	211.069	194.938	205.493	213.900	215.559	214.616	220.130	210.997		
131	T	2.0836	4.0912	4.2429	2.1563	2.0478	3.9553	3.9261	2.0767	24.5799		
	S	220.226	207.819	194.925	204.264	214.088	215.821	217.426	222.271	210.904		
132	T	2.0829	4.1885	4.2833	2.1772	2.0647	3.9397	3.9025	2.0858	24.7246		
	S	220.300	202.991	193.086	202.303	212.335	216.675	218.741	221.302	209.670		
133	T	2.0855	4.1104	4.1988	2.1585	2.7159	6.8403	5.8354	2.8402	30.7850		
	S	220.026	206.848	196.972	204.056	161.423	124.795	146.286	162.521	168.394		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.8101	5.3656	6.8743	4.2329	4.1171	8.6367	8.2226	4.0024	44.2617		
	S	163.291	158.459	120.310	104.055	106.485	98.838	103.816	115.329	117.122		
135	T	3.9554	6.1233	5.7556	3.1006	2.9517	6.0058	7.2518	5.2810	40.4252		
	S	116.009	138.851	143.694	142.055	148.528	142.135	117.714	87.406	128.237		
136	T	5.3469	11.6716	10.0448	5.5367	5.4442	11.4655	8.6856	4.7855	62.9808		
	S	85.819	72.846	82.336	79.552	80.528	74.453	98.282	96.456	82.311		
137	T	5.7815	10.8439	10.6437	5.6370	4.8083	11.5308	11.2471	5.4612	65.9535		
	S	79.368	78.406	77.703	78.136	91.178	74.031	75.898	84.522	78.601		
138	T	6.3620	9.7675	8.8167	5.6985	5.5458	10.9588	11.2890	5.2454	63.6837		
	S	72.126	87.047	93.804	77.293	79.052	77.895	75.617	87.999	81.402		
139	T	5.4350	11.1918	9.9707	4.8960	4.9246	9.1519	9.3036	5.5006	60.3742		
	S	84.428	75.969	82.948	89.962	89.024	93.274	91.753	83.916	85.864		
140	T	5.7593	8.6725	8.8553	4.9147	5.0552	8.5365	8.8177	5.0097	55.6209		
	S	79.674	98.037	93.396	89.620	86.724	99.998	96.809	92.139	93.202		
141	T	5.1574	10.2745	9.2550	4.8292	5.6609	9.6123	9.7661	4.9035	59.4589		
	S	88.972	82.751	89.362	91.207	77.445	88.807	87.408	94.135	87.186		
142	T	6.5292	7.1923	10.0491	3.9965	4.0621	7.1122	5.9510	2.5651	47.4575		
	S	70.279	118.214	82.300	110.210	107.927	120.024	143.444	179.950	109.235		
143	T	2.4345	4.8218	4.5986	2.2300	2.1077	4.2255	4.0593	2.0996	26.5770		
	S	188.484	176.330	179.847	197.513	208.004	202.020	210.292	219.847	195.056		
144	T	2.0862	4.3881	4.2506	2.1186	2.0198	3.9295	3.9310	2.0937	24.8175		
	S	219.952	193.757	194.571	207.899	217.056	217.238	217.155	220.467	208.885		
145	T	2.0846	4.2103	4.2652	2.1599	2.0576	4.2354	4.0971	2.1239	25.2340		
	S	220.121	201.940	193.905	203.924	213.068	201.548	208.351	217.332	205.437		
146	T	2.1061	4.0584	4.0990	2.1014	2.0159	3.9084	3.9069	2.0831	24.2792		
	S	217.874	209.498	201.768	209.601	217.476	218.411	218.495	221.588	213.516		
147	T	2.0868	3.9522	4.0173	2.0859	2.0078	3.8867	3.8960	2.0864	24.0191		
	S	219.889	215.128	205.871	211.158	218.353	219.630	219.106	221.238	215.828		
148	T	2.0941	3.9144	4.0096	2.0842	2.0102	3.8819	3.9029	2.0881	23.9854		
	S	219.122	217.205	206.266	211.330	218.092	219.902	218.718	221.058	216.131		
149	T	2.0891	3.9042	4.0157	2.0904	2.0110	3.9014	3.9138	2.0832	24.0088		
	S	219.647	217.772	205.953	210.703	218.006	218.803	218.109	221.578	215.921		
150	T	2.0838	4.0210	4.1153	2.1141	2.0227	3.9324	3.9218	2.0885	24.2996		
	S	220.205	211.447	200.968	208.341	216.744	217.078	217.664	221.016	213.337		
151	T	2.0840	4.0257	4.1762	2.1359	2.0379	3.9126	3.8971	2.0758	24.3452		
	S	220.184	211.200	198.038	206.215	215.128	218.176	219.044	222.368	212.937		
152	T	2.0749	4.0336	4.2068	2.1657	2.0606	3.9441	3.9180	2.0877	24.4914		
	S	221.150	210.786	196.597	203.377	212.758	216.434	217.876	221.100	211.666		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0917	4.0491	4.1664	2.1466	2.0522	3.9388	3.9202	2.0874	24.4524		
	S	219.374	209.979	198.504	205.187	213.629	216.725	217.753	221.132	212.004		
154	T	2.0859	4.0123	4.1974	2.1524	2.0549	3.9320	3.9213	2.0906	24.4468		
	S	219.984	211.905	197.038	204.634	213.348	217.100	217.692	220.794	212.052		
155	T	2.0870	4.0071	4.1923	2.1438	2.0520	3.9334	3.9250	2.0903	24.4309		
	S	219.868	212.180	197.277	205.455	213.650	217.023	217.487	220.825	212.190		
156	T	2.0887	4.0447	4.1306	2.1253	2.0348	3.9159	3.9112	2.0896	24.3408		
	S	219.689	210.208	200.224	207.243	215.456	217.992	218.254	220.899	212.976		
157	T	2.0891	4.0240	4.1785	2.1401	2.0461	3.9240	3.9153	2.0838	24.4009		
	S	219.647	211.289	197.929	205.810	214.266	217.542	218.026	221.514	212.451		
158	T	2.0844	4.0295	4.2533	2.1653	2.0610	3.9366	3.9206	2.0874	24.5381		
	S	220.142	211.001	194.448	203.415	212.717	216.846	217.731	221.132	211.263		
159	T	2.0900	4.1459	4.2151	2.1491	2.0518	3.9330	3.9146	2.0915	24.5910		
	S	219.552	205.077	196.210	204.948	213.670	217.045	218.065	220.698	210.809		
160	T	2.0899	4.0803	4.1966	2.1514	2.0546	3.9353	3.9173	2.0904	24.5158		
	S	219.562	208.374	197.075	204.729	213.379	216.918	217.914	220.815	211.455		
161	T	2.0943	4.0779	4.2445	2.1642	2.0660	3.9558	3.9391	2.0995	24.6413		
	S	219.101	208.496	194.851	203.518	212.202	215.794	216.708	219.858	210.379		
162	T	2.1054	4.0439	4.1598	2.1290	2.0408	3.9304	3.9231	2.0925	24.4249		
	S	217.946	210.249	198.819	206.883	214.822	217.188	217.592	220.593	212.242		
163	T	2.0959	4.0377	4.1160	2.1166	2.0293	3.9080	3.9088	2.0872	24.2995		
	S	218.934	210.572	200.934	208.095	216.040	218.433	218.388	221.153	213.338		
164	T	2.0871	4.0049	4.1278	2.1312	2.0392	3.9250	3.9105	2.0788	24.3045		
	S	219.857	212.297	200.360	206.670	214.991	217.487	218.293	222.047	213.294		
165	T	2.0922	4.1379	4.2356	2.1506	2.0497	3.9249	3.9121	2.0809	24.5839		
	S	219.321	205.473	195.261	204.805	213.889	217.493	218.204	221.823	210.870		
166	T	2.0803	4.0346	4.2026	2.1470	2.0483	3.9295	3.9177	2.0819	24.4419		
	S	220.576	210.734	196.794	205.149	214.036	217.238	217.892	221.716	212.095		
167	T	2.0829	4.0456	4.1876	2.1423	2.0450	3.9229	3.9182	2.1035	24.4480		
	S	220.300	210.161	197.499	205.599	214.381	217.603	217.864	219.439	212.042		
168	T	2.1127	4.0524	4.1336	2.1223	2.0341	3.9199	3.9207	2.0925	24.3882		
	S	217.193	209.808	200.079	207.536	215.530	217.770	217.725	220.593	212.562		
169	T	2.0930	3.9761	4.1245	2.1258	2.0416	3.9200	3.9203	2.0905	24.2918		
	S	219.237	213.834	200.520	207.195	214.738	217.764	217.748	220.804	213.405		
170	T	2.0906	3.9841	4.1375	2.1364	2.0457	3.9351	3.9263	2.0923	24.3480		
	S	219.489	213.405	199.890	206.167	214.308	216.929	217.415	220.614	212.913		
171	T	2.0935	3.9907	4.1502	2.1340	2.0447	3.9289	3.9270	2.0908	24.3598		
	S	219.185	213.052	199.278	206.399	214.412	217.271	217.376	220.772	212.810		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0925	3.9986	4.1187	2.1247	2.0375	3.9206	3.9173	2.1005	24.3104		
	S	219.290	212.631	200.803	207.302	215.170	217.731	217.914	219.753	213.242		
173	T	2.1018	3.9834	4.1754	2.1436	2.0470	3.9341	3.9170	2.0847	24.3870		
	S	218.319	213.443	198.076	205.474	214.172	216.984	217.931	221.418	212.572		
174	T	2.0858	4.0326	4.1870	2.1377	2.0435	3.9246	3.9173	2.0845	24.4130		
	S	219.994	210.838	197.527	206.041	214.538	217.509	217.914	221.440	212.346		
175	T	2.0849	4.0179	4.2170	2.1529	2.0525	3.9330	3.9231	2.0863	24.4676		
	S	220.089	211.610	196.122	204.587	213.598	217.045	217.592	221.249	211.872		
176	T	2.0871	4.0764	4.2404	2.1617	2.0616	3.9430	3.9208	2.0819	24.5729		
	S	219.857	208.573	195.039	203.754	212.655	216.494	217.720	221.716	210.964		
177	T	2.0850	4.0502	4.2459	2.1559	2.0514	3.9273	3.9082	2.0801	24.5040		
	S	220.078	209.922	194.787	204.302	213.712	217.360	218.422	221.908	211.557		
178	T	2.0829	4.1473	4.2789	2.1668	2.0590	3.9358	3.9303	2.0896	24.6906		
	S	220.300	205.007	193.285	203.274	212.923	216.890	217.194	220.899	209.958		
179	T	2.0911	4.0732	4.2531	2.1652	2.0650	3.9534	3.9414	2.0969	24.6393		
	S	219.436	208.737	194.457	203.424	212.305	215.925	216.582	220.130	210.396		
180	T	2.0983	4.0337	4.1723	2.1403	2.0464	3.9278	3.9254	2.0910	24.4352		
	S	218.684	210.781	198.223	205.791	214.234	217.332	217.465	220.751	212.153		
181	T	2.0906	4.0226	4.1683	2.1366	2.0479	3.9320	3.9390	2.0964	24.4334		
	S	219.489	211.363	198.413	206.147	214.077	217.100	216.714	220.183	212.169		
182	T	2.0964	4.0235	4.1366	2.1225	2.0349	3.9124	3.9208	2.0932	24.3403		
	S	218.882	211.315	199.934	207.517	215.445	218.187	217.720	220.519	212.980		
183	T	2.0968	4.0138	4.1489	2.1352	2.0458	4.0370	4.0826	2.1533	24.7134		
	S	218.840	211.826	199.341	206.283	214.297	211.453	209.091	214.364	209.765		
184	T	2.1394	4.0038	4.0942	2.1094	2.0292	3.9192	3.9250	2.0960	24.3162		
	S	214.482	212.355	202.004	208.806	216.050	217.809	217.487	220.225	213.191		
185	T	2.1079	3.9930	4.1171	2.1173	2.0351	3.9228	3.9299	2.1017	24.3248		
	S	217.688	212.929	200.881	208.027	215.424	217.609	217.216	219.627	213.116		
186	T	2.1056	4.0298	4.1388	2.1348	2.0475	3.9423	3.9407	2.1076	24.4471		
	S	217.925	210.985	199.827	206.321	214.119	216.533	216.620	219.013	212.050		
187	T	2.1135	4.0127	4.1495	2.1659	2.5380	6.0263			48.9637	27.2832	29.3772
	S	217.111	211.884	199.312	203.359	172.738	141.652			105.874	33.025	160.746
188	T			8.4499	3.1325	2.6528	4.6096	4.3012	2.2231	42.5650	34.8683	
	S			97.876	140.608	165.263	185.187	198.465	207.634	121.790	135.510	
189	T	2.2010	4.0216	4.0067	2.0852	2.0190	3.9220	3.9348	2.1044	24.2947		
	S	208.480	211.415	206.416	211.229	217.142	217.653	216.945	219.346	213.380		
190	T	2.1086	3.8992	3.9737	2.0756	2.0062	3.9029	3.9219	2.1006	23.9887		
	S	217.615	218.052	208.130	212.206	218.527	218.718	217.659	219.742	216.102		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.1038	3.8874	3.9354	2.0630	1.9989	3.8915	3.9215	2.0992	23.9007		
	S	218.112	218.714	210.155	213.502	219.325	219.359	217.681	219.889	216.897		
192	T	2.1118	3.8877	3.9694	2.0803	2.0110	3.9044	3.9311	2.1016	23.9973		
	S	217.286	218.697	208.355	211.726	218.006	218.634	217.149	219.638	216.024		
193	T	2.1074	3.8986	3.9748	2.0818	2.0118	3.9111	3.9414	2.1021	24.0290		
	S	217.739	218.085	208.072	211.574	217.919	218.260	216.582	219.586	215.739		
194	T	2.1117	3.8603	3.9906	2.0863	2.0171	3.9255	3.9392	2.1084	24.0391		
	S	217.296	220.249	207.248	211.118	217.346	217.459	216.703	218.929	215.649		
195	T	2.1165	3.8826	3.9935	2.0914	2.0227	3.9286	3.9440	2.1129	24.0922		
	S	216.803	218.984	207.098	210.603	216.744	217.288	216.439	218.463	215.173		
196	T	2.1250	3.9188	4.0064	2.0952	2.0272	3.9395	3.9588	2.1138	24.1847		
	S	215.936	216.961	206.431	210.221	216.263	216.686	215.630	218.370	214.350		
197	T	2.1300	3.9257	4.0294	2.1026	2.0302	3.9479	3.9586	2.1159	24.2403		
	S	215.429	216.580	205.253	209.481	215.944	216.225	215.641	218.153	213.859		
198	T	2.1260	3.9329	4.0452	2.1096	2.0374	3.9545	3.9511	2.1165	24.2732		
	S	215.834	216.183	204.451	208.786	215.181	215.865	216.050	218.092	213.569		
199	T	2.1227	3.9480	4.0516	2.1042	2.0290	3.9332	3.9402	2.1105	24.2394		
	S	216.170	215.356	204.128	209.322	216.072	217.034	216.648	218.712	213.867		
200	T	2.1166	3.9263	4.0710	2.1174	2.0426	3.9597	3.9476	2.1150	24.2962		
	S	216.793	216.547	203.155	208.017	214.633	215.581	216.242	218.246	213.367		
201	T	2.1185	3.9872	4.1182	2.1407	2.0589	3.9844	4.0354	2.1889	24.6322		
	S	216.598	213.239	200.827	205.753	212.934	214.245	211.537	210.878	210.456		
202	T	2.2469	4.2461	4.2019	2.1451	2.0555	3.9519	3.9382	2.1026	24.8882		
	S	204.221	200.237	196.827	205.331	213.286	216.007	216.758	219.533	208.291		
203	T	2.1056	4.0878	4.1398	2.1293	2.0473	3.9502	3.9316	2.0975	24.4891		
	S	217.925	207.991	199.779	206.854	214.140	216.100	217.122	220.067	211.686		
204	T	2.1058	4.1308	4.1471	2.1326	2.0470	3.9468	3.9439	2.1070	24.5610		
	S	217.905	205.826	199.427	206.534	214.172	216.286	216.445	219.075	211.066		
205	T	2.1126	4.0579	4.0935	2.1173	2.0390	3.9460	3.9452	2.1095	24.4210		
	S	217.203	209.524	202.039	208.027	215.012	216.330	216.373	218.815	212.276		
206	T	2.1173	4.0367	4.1003	2.1182	2.0403	3.9407	3.9489	2.1091	24.4115		
	S	216.721	210.624	201.704	207.938	214.875	216.620	216.171	218.857	212.359		
207	T	2.1147	4.0292	4.0753	2.1184	2.0408	3.9591	3.9546	2.1106	24.4027		
	S	216.988	211.016	202.941	207.918	214.822	215.614	215.859	218.701	212.436		
208	T	2.1218	4.0685	4.1115	2.1338	2.0538	3.9767	3.9825	2.1253	24.5739		
	S	216.261	208.978	201.154	206.418	213.462	214.659	214.347	217.189	210.956		
209	T	2.1280	4.0115	4.0998	2.1317	2.0542	3.9854	3.9827	2.1289	24.5222		
	S	215.631	211.947	201.728	206.621	213.421	214.191	214.336	216.821	211.400		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1390	4.1533	4.1661	2.1570	2.0731	4.0460	4.0297	2.1590	24.9232		
	S	214.523	204.711	198.518	204.198	211.475	210.983	211.836	213.798	207.999		
211	T	2.2936	4.3108	4.1800	2.1362	2.0514	3.9594	3.9522	2.1124	24.9960		
	S	200.063	197.232	197.858	206.186	213.712	215.597	215.990	218.515	207.393		
212	T	2.1159	4.0675	4.0956	2.1190	2.0419	3.9508	3.9521	2.1137	24.4565		
	S	216.865	209.029	201.935	207.860	214.706	216.067	215.996	218.381	211.968		
213	T	2.1184	4.1229	4.1322	2.1321	2.0520	3.9707	3.9653	2.1407	24.6343		
	S	216.609	206.221	200.147	206.582	213.650	214.984	215.277	215.626	210.438		
214	T	2.2897	4.2819	4.1789	2.1388	2.0484	3.9544	3.9374	2.1185	24.9480		
	S	200.403	198.563	197.910	205.935	214.025	215.870	216.802	217.886	207.792		
215	T	2.2025	4.2348	4.1725	2.1366	2.0449	3.9390	3.9305	2.0961	24.7569		
	S	208.338	200.772	198.213	206.147	214.391	216.714	217.183	220.214	209.396		
216	T	2.1613	4.2645	4.1966	2.1346	2.0431	3.9305	3.9231	2.1025	24.7562		
	S	212.309	199.373	197.075	206.341	214.580	217.183	217.592	219.544	209.402		
217	T	2.1056	4.0205	4.1447	2.1313	2.0444	3.9434	3.9463	2.1056	24.4418		
	S	217.925	211.473	199.543	206.660	214.444	216.472	216.313	219.221	212.096		
218	T	2.1137	4.3118	5.4250	3.2230	3.4439	6.7119	7.2451	3.4384	35.9128		
	S	217.090	197.186	152.451	136.660	127.300	127.183	117.823	134.246	144.350		
219	T	3.2824	6.1662	7.9227	4.8979	4.9863	8.9108	6.1150	3.0238	45.3051		
	S	139.795	137.885	104.389	89.927	87.923	95.798	139.597	152.653	114.424		
220	T	2.9223	5.7026	5.6385	3.5054	4.0744	7.2333	7.3541	3.6052	40.0358		
	S	157.021	149.095	146.678	125.650	107.601	118.015	116.076	128.035	129.484		
221	T	3.7049	7.2330	9.0588	8.4448	7.1676	9.6265	8.7170	5.0550	59.0076		
	S	123.853	117.548	91.297	52.157	61.165	88.676	97.928	91.314	87.853		
222	T	5.6083	8.1521	9.0979	4.4699	6.0715	9.7241			71.9976	27.3664	52.3291
	S	81.819	104.295	90.905	98.538	72.208	87.786			72.002	32.924	90.242
223	T				3.6011	3.3362	5.6980	5.5476	3.5662	47.8477		40.1498
	S				122.311	131.410	149.813	153.875	129.435	108.344		117.684
224	T	4.4508	9.0345	7.8972	4.6422	5.8771	8.4549	7.2111	5.8099	53.3777		
	S	103.097	94.109	104.726	94.881	74.596	100.964	118.378	79.449	97.119		
225	T	6.8865	6.6114	6.4048	3.9992	3.1845	5.8726	5.1976	2.4556	40.6122		
	S	66.632	128.600	129.129	110.136	137.670	145.359	164.237	187.975	127.646		
226	T	2.4495	4.8262	4.5231	2.2456	2.1424	4.4191	4.2050	2.1471	26.9580		
	S	187.330	176.169	182.849	196.141	204.635	193.170	203.005	214.983	192.299		
227	T	2.1422	4.3798	4.3190	2.1750	2.0488	4.0127	3.9739	2.0872	25.1386		
	S	214.202	194.125	191.490	202.508	213.983	212.734	214.811	221.153	206.217		
228	T	2.0770	4.0580	4.1722	2.0985	1.9957	4.8290	8.5905	4.5010	32.3219		
	S	220.926	209.519	198.228	209.890	219.677	176.773	99.370	102.553	160.387		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	3.5534	6.2926	6.6921	4.2338	5.1315	9.5375	11.7547	4.5936	51.7892		
	S	129.134	135.115	123.585	104.033	85.435	89.503	72.621	100.486	100.098		
230	T	3.9744	7.0254	8.2474	4.8990	4.5527	11.8628	13.1380	5.5946	59.2943		
	S	115.455	121.022	100.280	89.907	96.297	71.959	64.975	82.507	87.428		
231	T	5.4706	9.3969	10.6127	6.3376	6.0197	9.7703	10.5392	4.5498	62.6968		
	S	83.878	90.480	77.930	69.499	72.829	87.371	80.996	101.453	82.684		
232	T	4.8994	9.5723	9.2794	5.4703	6.6578	8.8403	10.2668	5.2082	60.1945		
	S	93.657	88.822	89.127	80.517	65.849	96.562	83.145	88.628	86.121		
233	T	5.2849	8.2169	8.4969	6.2053	5.7542	8.1376	9.0840	5.2884	56.4682		
	S	86.825	103.473	97.335	70.980	76.189	104.900	93.971	87.284	91.804		
234	T	5.4460	9.4197	8.1371	5.2341	6.9665	8.6898	7.6229	5.2635	56.7796		
	S	84.257	90.261	101.639	84.151	62.931	98.234	111.983	87.697	91.300		
235	T	6.8433	6.9981	6.9116	3.6092	3.1419	7.3439	7.6069	2.9248	45.3797		
	S	67.053	121.494	119.660	122.037	139.536	116.237	112.219	157.820	114.236		
236	T	2.6590	5.0541	4.7043	2.2870	2.1413	4.6515	4.3241	2.1756	27.9969		
	S	172.570	168.225	175.806	192.591	204.740	183.519	197.414	212.167	185.163		
237	T	2.1547	4.4735	4.2985	2.1496	2.0740	4.2047	4.0267	2.0920	25.4737		
	S	212.959	190.059	192.403	204.901	211.383	203.020	211.994	220.646	203.504		
238	T	2.0720	4.1608	4.1271	2.0978	2.0129	3.8961	3.8670	2.0411	24.2748		
	S	221.459	204.342	200.394	209.960	217.800	219.100	220.749	226.148	213.555		
239	T	2.0652	4.1232	4.1061	2.0883	1.9934	3.8815	3.8531	2.0487	24.1595		
	S	222.188	206.206	201.419	210.915	219.930	219.924	221.545	225.309	214.574		
240	T	2.0691	4.0053	4.0318	2.0739	1.9899	3.8406	3.8387	2.0393	23.8886		
	S	221.770	212.276	205.131	212.380	220.317	222.266	222.376	226.348	217.007		
241	T	2.0711	4.0570	4.1061	2.0927	2.0037	3.8660	3.8550	2.0562	24.1078		
	S	221.556	209.570	201.419	210.472	218.800	220.806	221.436	224.487	215.034		
242	T	2.0699	4.0325	4.0823	2.0936	2.0037	3.8685	3.8829	2.0663	24.0997		
	S	221.684	210.844	202.593	210.381	218.800	220.663	219.845	223.390	215.106		
243	T	2.0695	3.9918	4.1116	2.1127	2.0222	3.8867	3.8906	2.0685	24.1536		
	S	221.727	212.993	201.149	208.479	216.798	219.630	219.410	223.152	214.626		
244	T	2.0697	3.9666	4.1025	2.1062	2.0375	3.9030	3.8796	2.0640	24.1291		
	S	221.705	214.347	201.595	209.123	215.170	218.713	220.032	223.639	214.844		
245	T	2.0698	3.9895	4.1478	2.1152	2.0226	3.8766	3.8617	2.0576	24.1408		
	S	221.695	213.116	199.394	208.233	216.755	220.202	221.052	224.335	214.740		
246	T	2.0682	4.0358	4.1856	2.1311	2.0365	3.8989	3.8822	2.0661	24.3044		
	S	221.866	210.671	197.593	206.679	215.276	218.943	219.885	223.412	213.295		
247	T	2.0706	3.9746	4.1287	2.1119	2.0243	3.9000	3.8890	2.0740	24.1731		
	S	221.609	213.915	200.316	208.558	216.573	218.881	219.500	222.561	214.453		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 59 - Daly, Conor

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.2675	5.1076									
	S	202.365	166.463									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6185	4.9945	4.6777	2.2413	2.1193	4.3797	4.2200	2.1831	27.4341		63.7757	
	S	175.239	170.233	176.806	196.517	206.865	194.907	202.283	211.438	188.962		74.088	
2	T	2.2176	4.4559	4.3458	2.2087	2.0970	4.1050	4.0242	2.1079	25.5621			
	S	206.919	190.809	190.309	199.418	209.065	207.950	212.126	218.981	202.800			
3	T	2.1008	4.1128	4.1974	2.1279	2.0985	4.1805	4.0416	2.1179	24.9774			
	S	218.423	206.727	197.038	206.990	208.915	204.195	211.212	217.947	207.548			
4	T	2.1189	4.1313	4.1686	2.1184	2.0225	4.0096	3.9922	2.1079	24.6694			
	S	216.557	205.801	198.399	207.918	216.766	212.898	213.826	218.981	210.139			
5	T	2.1098	4.0240	4.0388	2.0795	2.0044	4.0061	4.0076	2.1147	24.3849			
	S	217.492	211.289	204.775	211.808	218.723	213.084	213.004	218.277	212.591			
6	T	2.1154	3.9979	4.0446	2.0947	2.0123	3.9263	3.9175	2.0881	24.1968			
	S	216.916	212.668	204.481	210.271	217.865	217.415	217.903	221.058	214.243			
7	T	2.0912	3.9633	4.1731	2.1273	2.0370	3.9179	3.9071	2.0842	24.3011			
	S	219.426	214.525	198.185	207.049	215.223	217.881	218.483	221.472	213.324			
8	T	2.0860	3.9769	4.0680	2.1002	2.0143	3.9135	3.9086	2.0901	24.1576			
	S	219.973	213.791	203.305	209.720	217.648	218.126	218.400	220.846	214.591			
9	T	2.0940	3.9838	4.1017	2.1140	2.0255	3.8993	3.9074	2.0832	24.2089			
	S	219.133	213.421	201.635	208.351	216.445	218.920	218.467	221.578	214.136			
10	T	2.0902	3.9950	4.1419	2.1268	2.0314	3.9227	3.9051	2.0809	24.2940			
	S	219.531	212.823	199.678	207.097	215.816	217.614	218.595	221.823	213.386			
11	T	2.0829	4.0435	4.1843	2.1235	2.0398	4.1131	4.0186	2.1063	24.7120			
	S	220.300	210.270	197.654	207.419	214.927	207.541	212.421	219.148	209.777			
12	T	2.1537	4.2613	4.2650	2.1658	2.0620	3.9727	3.9398	2.0879	24.9082			
	S	213.058	199.523	193.915	203.368	212.614	214.876	216.670	221.079	208.124			
13	T	2.0871	4.0053	4.1704	2.1468	2.0521	3.9243	3.9043	2.0824	24.3727			
	S	219.857	212.276	198.313	205.168	213.639	217.526	218.640	221.663	212.697			
14	T	2.0824	4.0007	4.0940	2.1058	2.0220	3.8956	3.8901	2.0781	24.1687			
	S	220.353	212.520	202.014	209.163	216.820	219.128	219.438	222.122	214.492			
15	T	2.0814	4.0077	4.1488	2.1250	2.0342	3.9032	3.8863	2.0800	24.2666			
	S	220.459	212.148	199.346	207.273	215.519	218.702	219.653	221.919	213.627			
16	T	2.0822	3.9995	4.1123	2.1173	2.0267	3.9038	3.8862	2.0770	24.2050			
	S	220.374	212.583	201.115	208.027	216.317	218.668	219.658	222.239	214.171			
17	T	2.0793	3.9853	4.1252	2.1174	2.0286	3.9014	3.9175	2.0860	24.2407			
	S	220.682	213.341	200.486	208.017	216.114	218.803	217.903	221.280	213.855			
18	T	2.0855	3.9983	4.1124	2.1075	2.0152	3.9271	3.9050	2.0741	24.2251			
	S	220.026	212.647	201.110	208.994	217.551	217.371	218.601	222.550	213.993			
19	T	2.0720	3.9895	4.2292	2.1428	2.0472	4.0266	3.9647	2.0945	24.5665			
	S	221.459	213.116	195.556	205.551	214.151	211.999	215.309	220.382	211.019			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0868	4.0343	4.1900	2.1437	2.0449	3.9961	3.9668	2.0979	24.5605		
	S	219.889	210.750	197.386	205.465	214.391	213.617	215.195	220.025	211.071		
21	T	2.0995	4.0490	4.3376	2.1865	2.0739	3.9543	3.9003	2.0811	24.6822		
	S	218.559	209.985	190.669	201.443	211.394	215.875	218.864	221.801	210.030		
22	T	2.0742	3.9933	4.1755	2.1341	2.0361	3.9097	3.8834	2.0695	24.2758		
	S	221.224	212.913	198.071	206.389	215.318	218.338	219.817	223.045	213.546		
23	T	2.0710	4.0310	4.2073	2.1452	2.0403	3.9535	3.9269	2.0854	24.4606		
	S	221.566	210.922	196.574	205.321	214.875	215.919	217.382	221.344	211.933		
24	T	2.0835	4.0309	4.1597	2.1344	2.0360	3.9117	3.8846	2.0754	24.3162		
	S	220.237	210.927	198.823	206.360	215.329	218.226	219.749	222.411	213.191		
25	T	2.0816	4.1405	4.2214	2.1329	2.0452	4.0866	3.9903	2.1022	24.8007		
	S	220.438	205.344	195.917	206.505	214.360	208.887	213.928	219.575	209.026		
26	T	2.0938	4.1310	4.2868	2.1703	2.0603	4.0756	4.0467	2.1120	24.9765		
	S	219.154	205.816	192.928	202.946	212.789	209.450	210.946	218.556	207.555		
27	T	2.1047	4.1391	4.2933	2.1781	2.0681	3.9583	3.9093	2.0639	24.7148		
	S	218.019	205.414	192.636	202.220	211.986	215.657	218.360	223.650	209.753		
28	T	2.0863	4.2231	4.4093	2.2067	2.0800	3.9806	3.9294	2.0859	25.0013		
	S	219.941	201.328	187.568	199.599	210.774	214.449	217.243	221.291	207.349		
29	T	2.0884	4.1102	4.2141	2.1379	2.0329	3.9771	3.9393	2.0885	24.5884		
	S	219.720	206.858	196.257	206.022	215.657	214.638	216.697	221.016	210.831		
30	T	2.0923	4.1172	4.2950	2.1840	2.0732	4.0050	3.9486	2.0899	24.8052		
	S	219.311	206.506	192.560	201.673	211.465	213.143	216.187	220.867	208.988		
31	T	2.0896	4.1257	4.2187	2.1331	2.0345	4.0707	4.0135	2.1044	24.7902		
	S	219.594	206.081	196.043	206.486	215.487	209.703	212.691	219.346	209.115		
32	T	2.1251	4.2668	4.2858	2.1540	2.0519	4.1026	4.0033	2.0947	25.0842		
	S	215.926	199.266	192.973	204.482	213.660	208.072	213.233	220.361	206.664		
33	T	2.1324	4.3226	4.4039	2.1838	2.0724	4.1392	4.0236	2.1131	25.3910		
	S	215.186	196.693	187.798	201.692	211.547	206.232	212.157	218.443	204.167		
34	T	2.1164	4.2342	4.2993	2.1880	2.0772	3.9634	3.9012	2.0812	24.8609		
	S	216.813	200.800	192.367	201.305	211.058	215.380	218.814	221.791	208.520		
35	T	2.1008	4.1774	4.2636	2.1619	2.0561	3.9451	3.8999	2.0728	24.6776		
	S	218.423	203.530	193.978	203.735	213.224	216.379	218.887	222.690	210.069		
36	T	2.1204	4.1883	4.1762	2.1156	2.0222	4.0065	3.9717	2.0929	24.6938		
	S	216.404	203.001	198.038	208.194	216.798	213.063	214.930	220.551	209.931		
37	T	2.1159	4.2093	4.2158	2.1358	2.0381	3.9615	3.9223	2.0840	24.6827		
	S	216.865	201.988	196.178	206.225	215.107	215.483	217.637	221.493	210.026		
38	T	2.1120	4.1724	4.1469	2.1156	2.0256	3.9429	3.9051	2.0800	24.5005		
	S	217.265	203.774	199.437	208.194	216.434	216.500	218.595	221.919	211.588		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1017	4.1143	4.2032	2.1513	2.0494	3.9216	3.8992	2.0682	24.5089		
	S	218.330	206.652	196.766	204.739	213.921	217.676	218.926	223.185	211.515		
40	T	2.1105	4.2373	4.3914	2.1995	2.1404	4.5875	4.2894	2.1824	26.1384		
	S	217.419	200.653	188.333	200.252	204.826	186.079	199.011	211.506	198.329		
41	T	2.1732	4.4688	4.5147	2.2256	2.1106	4.0318	3.9628	2.1098	25.5973		
	S	211.147	190.259	183.189	197.904	207.718	211.726	215.412	218.784	202.521		
42	T	2.1268	4.1731	4.1313	2.1204	2.0362	3.9289	3.8961	2.0834	24.4962		
	S	215.753	203.740	200.190	207.722	215.307	217.271	219.100	221.557	211.625		
43	T	2.1128	4.1527	4.1344	2.1195	2.0387	3.9183	3.8951	2.0891	24.4606		
	S	217.183	204.741	200.040	207.811	215.043	217.859	219.156	220.952	211.933		
44	T	2.1180	4.0863	4.1385	2.1273	2.0473	4.1949	4.0679	2.1340	24.9142		
	S	216.649	208.068	199.842	207.049	214.140	203.494	209.847	216.303	208.074		
45	T	2.1333	4.2165	4.2312	2.1477	2.0687	3.9904	3.9455	2.1088	24.8421		
	S	215.096	201.643	195.464	205.082	211.925	213.923	216.357	218.888	208.678		
46	T	2.1358	4.1467	4.1445	2.1271	2.0431	3.9282	3.8902	2.0856	24.5012		
	S	214.844	205.037	199.553	207.068	214.580	217.310	219.433	221.323	211.581		
47	T	2.1167	4.1326	4.1870	2.1304	2.0477	3.9291	3.8918	2.0797	24.5150		
	S	216.783	205.737	197.527	206.747	214.098	217.260	219.342	221.951	211.462		
48	T	2.1119	4.1479	4.2437	2.1587	2.0631	3.9504	3.8995	2.0824	24.6576		
	S	217.275	204.978	194.888	204.037	212.500	216.089	218.909	221.663	210.239		
49	T	2.1099	4.1604	4.2331	2.1537	2.0610	3.9452	3.9000	2.0874	24.6507		
	S	217.481	204.362	195.376	204.511	212.717	216.373	218.881	221.132	210.298		
50	T	2.1103	4.1247	4.1215	2.1068	2.0257	3.8988	3.8874	2.0767	24.3519		
	S	217.440	206.131	200.666	209.063	216.424	218.948	219.591	222.271	212.879		
51	T	2.1283	4.2485	4.2348	2.1486	2.0543	3.9359	3.8899	2.0822	24.7225		
	S	215.601	200.124	195.297	204.996	213.410	216.885	219.449	221.684	209.688		
52	T	2.1070	4.1590	4.1590	2.1193	2.0329	3.9198	3.9247	2.0905	24.5122		
	S	217.781	204.431	198.857	207.830	215.657	217.775	217.504	220.804	211.487		
53	T	2.1327	4.2352	4.1831	2.1278	2.0408	3.9318	3.8878	2.0738	24.6130		
	S	215.156	200.753	197.711	207.000	214.822	217.111	219.568	222.582	210.620		
54	T	2.1521	4.3252	4.2129	2.1343	2.0416	4.0279	3.9530	2.0857	24.9327		
	S	213.217	196.575	196.313	206.370	214.738	211.931	215.946	221.312	207.920		
55	T	2.1353	4.3207	4.2138	2.1340	2.0500	3.9479	3.8866	2.0614	24.7497		
	S	214.894	196.780	196.271	206.399	213.858	216.225	219.636	223.921	209.457		
56	T	2.1186	4.2892	4.1949	2.1230	2.0554	4.0980	3.9827	2.0928	24.9546		
	S	216.588	198.225	197.155	207.468	213.296	208.306	214.336	220.561	207.737		
57	T	2.1291	4.2742	4.1568	2.1186	2.0375	4.0499	3.9583	2.0853	24.8097		
	S	215.520	198.921	198.962	207.899	215.170	210.780	215.657	221.355	208.951		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1376	4.3748	4.2637	2.1522	2.0630	4.0426	3.9586	2.0890	25.0815		
	S	214.663	194.347	193.974	204.653	212.510	211.160	215.641	220.963	206.686		
59	T	2.1613	4.3795	4.2684	2.1756	2.0899	4.0395	3.9869	2.1226	25.2237		
	S	212.309	194.138	193.760	202.452	209.775	211.322	214.110	217.465	205.521		
60	T	2.1356	4.1637	4.1100	2.1427	2.4269	6.0022			36.7110	28.5642	29.2024
	S	214.864	204.200	201.228	205.561	180.646	142.221			141.211	31.544	161.708
61	T			8.5163	3.1102	2.6158	4.6294	4.2789	2.2098	56.0128		34.9572
	S			97.113	141.616	167.600	184.395	199.499	208.884	92.550	34.9572	
62	T	2.1892	4.1532	4.0436	2.1020	2.0322	3.9351	3.9231	2.0963	24.4747		
	S	209.603	204.716	204.532	209.541	215.731	216.929	217.592	220.193	211.811		
63	T	2.1133	4.0384	3.9901	2.0846	2.0174	3.9207	3.9157	2.0964	24.1766		
	S	217.131	210.536	207.274	211.290	217.314	217.725	218.004	220.183	214.422		
64	T	2.1070	4.0044	3.9925	2.0833	2.0132	3.9156	3.9082	2.0913	24.1155		
	S	217.781	212.323	207.150	211.422	217.767	218.009	218.422	220.720	214.965		
65	T	2.1083	3.9780	3.9624	2.0792	2.0069	3.9178	3.9103	2.0952	24.0581		
	S	217.646	213.732	208.723	211.838	218.451	217.887	218.305	220.309	215.478		
66	T	2.1137	3.9778	3.9532	2.0739	2.0008	3.9281	3.9107	2.0922	24.0504		
	S	217.090	213.743	209.209	212.380	219.117	217.315	218.282	220.625	215.547		
67	T	2.1060	3.9624	3.9770	2.0834	2.0086	3.9215	3.8998	2.0825	24.0412		
	S	217.884	214.574	207.957	211.411	218.266	217.681	218.892	221.652	215.630		
68	T	2.0950	3.9628	3.9610	2.0675	1.9969	3.9027	3.8978	2.0856	23.9693		
	S	219.028	214.552	208.797	213.037	219.545	218.730	219.005	221.323	216.277		
69	T	2.1052	4.0587	4.0170	2.0892	2.0072	3.9225	3.8880	2.0731	24.1609		
	S	217.967	209.483	205.886	210.825	218.418	217.626	219.557	222.657	214.562		
70	T	2.0925	4.0855	4.0466	2.0884	2.0106	3.8953	3.8810	2.0742	24.1741		
	S	219.290	208.108	204.380	210.905	218.049	219.145	219.953	222.539	214.444		
71	T	2.0908	4.0775	4.1167	2.1159	2.0286	3.9094	3.8733	2.0774	24.2896		
	S	219.468	208.517	200.900	208.164	216.114	218.355	220.390	222.196	213.425		
72	T	2.0928	4.0920	4.1543	2.1201	2.0357	3.9114	3.8713	2.0662	24.3438		
	S	219.258	207.778	199.082	207.752	215.360	218.243	220.504	223.401	212.949		
73	T	2.0878	4.1995	4.2071	2.1227	2.0358	4.2007	4.1232	2.1426	25.1194		
	S	219.783	202.459	196.583	207.497	215.350	203.213	207.032	215.435	206.374		
74	T	2.1379	4.2637	4.4252	2.2114	2.1016	4.0170	3.9572	2.1089	25.2229		
	S	214.633	199.411	186.894	199.175	208.607	212.506	215.717	218.878	205.528		
75	T	2.1181	4.0334	4.0388	2.0932	2.0172	3.9098	3.8903	2.0843	24.1851		
	S	216.639	210.797	204.775	210.422	217.335	218.332	219.427	221.461	214.347		
76	T	2.0989	4.0310	3.9936	2.0774	2.0001	3.9451	3.8966	2.0793	24.1220		
	S	218.621	210.922	207.093	212.022	219.194	216.379	219.072	221.993	214.908		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.1037	4.1662	4.0667	2.1032	2.0272	3.9364	3.8876	2.0891	24.3801		
	S	218.122	204.077	203.370	209.421	216.263	216.857	219.579	220.952	212.632		
78	T	2.1071	4.0944	4.1319	2.1310	2.0584	3.9980	3.9786	2.1263	24.6257		
	S	217.770	207.656	200.161	206.689	212.985	213.516	214.557	217.086	210.512		
79	T	2.1384	4.0031	3.9478	2.0813	2.0182	3.9355	3.9450	2.1140	24.1833		
	S	214.583	212.392	209.495	211.625	217.228	216.907	216.384	218.350	214.363		
80	T	2.1341	3.9666	3.9359	2.0791	2.0146	3.9359	3.9457	2.1133	24.1252		
	S	215.015	214.347	210.129	211.849	217.616	216.885	216.346	218.422	214.879		
81	T	2.1321	3.9678	3.9503	2.0814	2.0166	3.9285	3.9388	2.1118	24.1273		
	S	215.217	214.282	209.363	211.615	217.400	217.293	216.725	218.577	214.860		
82	T	2.1271	3.9563	3.9288	2.0744	2.0125	3.9245	3.9374	2.1102	24.0712		
	S	215.723	214.905	210.508	212.329	217.843	217.515	216.802	218.743	215.361		
83	T	2.1272	3.9469	3.9248	2.0729	2.0068	3.9216	3.9311	2.1089	24.0402		
	S	215.713	215.416	210.723	212.482	218.462	217.676	217.149	218.878	215.639		
84	T	2.1246	3.9240	3.9153	2.0645	2.0028	3.9216	3.9371	2.1127	24.0026		
	S	215.976	216.674	211.234	213.347	218.898	217.676	216.819	218.484	215.977		
85	T	2.1252	3.9468	3.9205	2.0704	2.0054	3.9239	3.9280	2.1089	24.0291		
	S	215.916	215.422	210.954	212.739	218.614	217.548	217.321	218.878	215.738		
86	T	2.1216	3.9760	3.9615	2.0931	2.0259	3.9505	3.9600	2.1241	24.2127		
	S	216.282	213.840	208.771	210.432	216.402	216.083	215.565	217.311	214.103		
87	T	2.1422	3.9622	3.9362	2.0840	2.0212	3.9443	3.9517	2.1210	24.1628		
	S	214.202	214.585	210.113	211.351	216.905	216.423	216.018	217.629	214.545		
88	T	2.1399	3.9352	3.9079	2.0729	2.0086	3.9484	3.9524	2.1180	24.0833		
	S	214.432	216.057	211.634	212.482	218.266	216.198	215.979	217.937	215.253		
89	T	2.1322	3.9649	3.9553	2.0831	2.0139	3.9176	3.9351	2.1098	24.1119		
	S	215.207	214.439	209.098	211.442	217.692	217.898	216.929	218.784	214.998		
90	T	2.1230	3.9574	3.9982	2.0926	2.0204	3.9269	3.9249	2.1054	24.1488		
	S	216.139	214.845	206.854	210.482	216.991	217.382	217.493	219.241	214.669		
91	T	2.1195	3.9791	3.9709	2.0885	2.0119	3.9139	3.9067	2.0979	24.0884		
	S	216.496	213.673	208.277	210.895	217.908	218.104	218.506	220.025	215.207		
92	T	2.1074	4.0579	4.1236	2.1277	2.0386	3.9230	3.8912	2.0757	24.3451		
	S	217.739	209.524	200.564	207.010	215.054	217.598	219.376	222.378	212.938		
93	T	2.1311	4.2701	4.2550	2.1779	2.0672	4.0197	3.9388	2.0879	24.9477		
	S	215.318	199.112	194.370	202.238	212.079	212.363	216.725	221.079	207.795		
94	T	2.1072	4.1121	4.0586	2.1065	2.0356	3.9351	3.9129	2.1039	24.3719		
	S	217.760	206.762	203.776	209.093	215.371	216.929	218.160	219.398	212.704		
95	T	2.1248	4.1746	4.0613	2.1040	2.0225	3.9057	3.8784	2.0702	24.3415		
	S	215.956	203.667	203.641	209.342	216.766	218.562	220.100	222.969	212.970		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1019	4.2245	4.1046	2.1043	2.0231	3.9430	3.8905	2.0769	24.4688		
	S	218.309	201.261	201.492	209.312	216.702	216.494	219.416	222.250	211.862		
97	T	2.0949	4.0814	4.2268	2.1478	2.0689	4.0144	3.9854	2.1268	24.7464		
	S	219.038	208.318	195.667	205.072	211.904	212.644	214.191	217.035	209.485		
98	T	2.1327	3.9969	3.9726	2.0912	2.0293	3.9663	3.9743	2.1360	24.2993		
	S	215.156	212.722	208.187	210.623	216.040	215.222	214.789	216.101	213.339		
99	T	2.1441	3.9685	3.9399	2.0860	2.0237	3.9515	3.9696	2.1301	24.2134		
	S	214.012	214.244	209.915	211.148	216.637	216.028	215.043	216.699	214.096		
100	T	2.1394	3.9367	3.9110	2.0728	2.0135	3.9336	3.9570	2.1265	24.0905		
	S	214.482	215.975	211.466	212.493	217.735	217.011	215.728	217.066	215.189		
101	T	2.1387	3.9508	3.9430	2.0860	2.0251	3.9565	3.9694	2.1327	24.2022		
	S	214.553	215.204	209.750	211.148	216.488	215.755	215.054	216.435	214.195		
102	T	2.1413	3.9639	3.9460	2.0876	2.0250	3.9519	3.9635	2.1277	24.2069		
	S	214.292	214.493	209.591	210.986	216.498	216.007	215.374	216.944	214.154		
103	T	2.1375	3.9791	3.9486	2.0893	2.0249	3.9468	3.9579	2.1222	24.2063		
	S	214.673	213.673	209.453	210.814	216.509	216.286	215.679	217.506	214.159		
104	T	2.1374	3.9583	3.9419	2.0814	2.0190	3.9358	3.9529	2.1198	24.1465		
	S	214.683	214.796	209.809	211.615	217.142	216.890	215.952	217.752	214.689		
105	T	2.1383	3.9465	3.9536	2.0867	2.0221	3.9380	3.9489	2.1181	24.1522		
	S	214.593	215.438	209.188	211.077	216.809	216.769	216.171	217.927	214.639		
106	T	2.1372	3.9601	3.9423	2.0851	2.0185	3.9366	3.9443	2.1169	24.1410		
	S	214.703	214.698	209.788	211.239	217.195	216.846	216.423	218.050	214.738		
107	T	2.1364	3.9718	3.9584	2.0913	2.0209	3.9347	3.9438	2.1147	24.1720		
	S	214.784	214.066	208.934	210.613	216.938	216.951	216.450	218.277	214.463		
108	T	2.1321	3.9641	3.9678	2.0901	2.0209	3.9324	3.9382	2.1096	24.1552		
	S	215.217	214.482	208.439	210.734	216.938	217.078	216.758	218.805	214.612		
109	T	2.1276	3.9623	3.9565	2.0846	2.0194	3.9281	3.9345	2.1076	24.1206		
	S	215.672	214.579	209.035	211.290	217.099	217.315	216.962	219.013	214.920		
110	T	2.1237	3.9748	3.9732	2.0926	2.0201	3.9279	3.9280	2.1095	24.1498		
	S	216.068	213.904	208.156	210.482	217.023	217.326	217.321	218.815	214.660		
111	T	2.1248	3.9834	3.9619	2.0839	2.0134	3.9129	3.9208	2.1029	24.1040		
	S	215.956	213.443	208.750	211.361	217.746	218.160	217.720	219.502	215.068		
112	T	2.1169	3.9714	3.9745	2.0869	2.0134	3.9130	3.9133	2.1033	24.0927		
	S	216.762	214.088	208.088	211.057	217.746	218.154	218.137	219.460	215.169		
113	T	2.1207	4.0154	4.0199	2.1062	2.0278	3.9279	3.9123	2.1014	24.2316		
	S	216.374	211.742	205.738	209.123	216.199	217.326	218.193	219.659	213.936		
114	T	2.1105	3.9854	4.0104	2.0894	2.0140	3.9077	3.9025	2.0952	24.1151		
	S	217.419	213.335	206.225	210.804	217.681	218.450	218.741	220.309	214.969		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T 2.1085	4.0292	4.0842	2.1093	2.0294	3.9348	3.9214	2.0977	24.3145			
	S 217.626	211.016	202.499	208.816	216.029	216.945	217.687	220.046	213.206			
116	T 2.1101	4.0557	4.1568	2.1709	2.5502	6.5252			38.3201	27.0069		30.8139
	S 217.461	209.638	198.962	202.890	171.912	130.821			135.281	33.363		153.251
117	T		8.5433	3.1195	2.6124	4.6529	4.3180	2.2266	54.6427		35.1420	
	S		96.806	141.194	167.819	183.463	197.693	207.308	94.871		134.454	
118	T 2.2074	4.0724	3.9840	2.0803	2.0127	3.9405	3.9669	2.1086	24.3728			
	S 207.875	208.778	207.592	211.726	217.821	216.631	215.190	218.909	212.696			
119	T 2.1152	3.9641	3.9167	2.0634	2.0014	3.9381	3.9530	2.1097	24.0616			
	S 216.936	214.482	211.159	213.461	219.051	216.764	215.946	218.795	215.447			
120	T 2.1197	3.9158	3.8854	2.0465	1.9949	3.9228	3.9962	2.1229	24.0042			
	S 216.476	217.127	212.860	215.223	219.765	217.609	213.612	217.434	215.962			
121	T 2.1262	3.9517	3.9217	2.0676	2.0016	3.9221	3.9272	2.1025	24.0206			
	S 215.814	215.155	210.890	213.027	219.029	217.648	217.365	219.544	215.815			
122	T 2.1144	3.8950	3.8794	2.0459	1.9898	3.9262	3.9315	2.0981	23.8803			
	S 217.018	218.287	213.189	215.286	220.328	217.420	217.127	220.004	217.083			
123	T 2.1089	3.8898	3.8806	2.0409	1.9828	3.8805	3.9061	2.0914	23.7810			
	S 217.584	218.579	213.123	215.814	221.106	219.981	218.539	220.709	217.989			
124	T 2.0894	3.9051	3.9282	2.0594	1.9913	3.9091	3.8930	2.0797	23.8552			
	S 219.615	217.722	210.541	213.875	220.162	218.372	219.275	221.951	217.311			
125	T 2.0805	3.9080	3.9507	2.0657	1.9926	3.8772	3.8943	2.0848	23.8538			
	S 220.554	217.561	209.341	213.223	220.019	220.168	219.201	221.408	217.324			
126	T 2.0861	3.9042	3.9335	2.0596	1.9878	3.9124	3.9151	2.0848	23.8835			
	S 219.962	217.772	210.257	213.854	220.550	218.187	218.037	221.408	217.054			
127	T 2.0831	4.0469	4.1494	2.1243	2.0283	4.0900	4.0407	2.1193	24.6820			
	S 220.279	210.093	199.317	207.341	216.146	208.713	211.260	217.803	210.032			
128	T 2.1169	3.9673	4.0184	2.1080	2.0278	3.9069	3.9025	2.0899	24.1377			
	S 216.762	214.309	205.815	208.944	216.199	218.495	218.741	220.867	214.768			
129	T 2.0926	3.9663	3.9976	2.0921	2.0131	3.9389	3.9142	2.0985	24.1133			
	S 219.279	214.363	206.885	210.532	217.778	216.719	218.087	219.962	214.985			
130	T 2.1029	3.9900	4.0587	2.1014	2.0194	3.9666	3.9555	2.1097	24.3042			
	S 218.205	213.090	203.771	209.601	217.099	215.206	215.810	218.795	213.296			
131	T 2.1115	3.9949	4.0433	2.1036	2.0218	3.9172	3.8984	2.0900	24.1807			
	S 217.316	212.828	204.547	209.381	216.841	217.920	218.971	220.857	214.386			
132	T 2.0908	3.9589	4.0413	2.0932	2.0046	3.9253	3.8881	2.0713	24.0735			
	S 219.468	214.764	204.648	210.422	218.702	217.470	219.551	222.851	215.341			
133	T 2.0708	4.0661	4.3916	2.2003	2.0825	3.9861	3.9268	2.0916	24.8158			
	S 221.588	209.101	188.324	200.179	210.521	214.153	217.387	220.688	208.899			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.0904	4.1239	4.1850	2.1503	2.5069	7.4442	7.3301	3.4175	33.2483		
	S	219.510	206.171	197.621	204.834	174.881	114.671	116.456	135.067	155.918		
135	T	3.2523	5.9796	5.4950	3.4378	4.9084	9.4999	7.1359	3.8895	43.5984		
	S	141.089	142.188	150.509	128.121	89.318	89.857	119.626	118.676	118.903		
136	T	4.2739	6.3176	5.7712	2.7669	2.7883	6.4998	6.6922	4.7632	39.8731		
	S	107.364	134.581	143.306	159.187	157.232	131.333	127.557	96.908	130.012		
137	T	5.7273	10.4608	10.0503	5.7833	5.6784	10.8915			66.2693	25.7904	58.7643
	S	80.119	81.277	82.291	76.160	77.206	78.376			78.226	34.936	80.360
138	T				3.4617	2.9366	7.1589	9.6906	5.7070	65.7882		
	S				127.236	149.291	119.241	88.089	80.882	78.798	47.5028	99.468
139	T	5.9596	10.7625	9.4103	4.3108	5.0316	12.9991	10.8457	5.2037	64.5233		
	S	76.996	78.999	87.887	102.175	87.131	65.669	78.707	88.704	80.343		
140	T	5.9849	10.1636	10.5034	5.1658	5.2925	9.2605	9.4753	4.4052	60.2512		
	S	76.670	83.654	78.741	85.264	82.836	92.180	90.091	104.783	86.040		
141	T	4.9263	10.0762	8.8249	4.4693	4.8664	10.5823	8.1255	4.1665	56.0374		
	S	93.146	84.380	93.717	98.551	90.089	80.666	105.056	110.786	92.510		
142	T	4.6658	9.5595	9.3342	4.0038	4.3380	10.5660	9.6016	5.4363	57.5052		
	S	98.346	88.941	88.604	110.009	101.062	80.791	88.906	84.909	90.148		
143	T	6.1486	7.6738	8.9043	3.5545	3.6899	6.2027	5.3414	2.4420	43.9572		
	S	74.629	110.796	92.882	123.915	118.813	137.623	159.815	189.022	117.933		
144	T	2.3578	4.7372	4.6522	2.2430	2.1043	4.4233	4.2153	2.1486	26.8817		
	S	194.615	179.479	177.775	196.368	208.340	192.986	202.509	214.833	192.845		
145	T	2.1435	4.3224	4.3528	2.1595	2.0602	4.2093	4.0453	2.1133	25.4063		
	S	214.072	196.703	190.003	203.961	212.799	202.798	211.019	218.422	204.044		
146	T	2.1003	4.0905	4.0668	2.0732	1.9910	4.0885	4.0020	2.0908	24.5031		
	S	218.475	207.854	203.365	212.452	220.195	208.790	213.302	220.772	211.565		
147	T	2.0754	4.0926	4.1454	2.0930	2.0000	3.9766	3.8966	2.0530	24.3326		
	S	221.096	207.747	199.509	210.442	219.205	214.665	219.072	224.837	213.048		
148	T	2.1302	4.2331	4.1286	2.0896	1.9993	3.9142	3.8814	2.0518	24.4282		
	S	215.409	200.852	200.321	210.784	219.281	218.087	219.930	224.969	212.214		
149	T	2.0649	4.1088	4.1860	2.1291	2.0298	3.8956	3.8569	2.0515	24.3226		
	S	222.221	206.928	197.574	206.874	215.986	219.128	221.327	225.002	213.135		
150	T	2.0687	4.1445	4.1301	2.1016	2.0093	3.9114	3.8772	2.0670	24.3098		
	S	221.813	205.146	200.248	209.581	218.190	218.243	220.168	223.314	213.247		
151	T	2.0698	4.0235	4.0744	2.0959	2.0067	3.9055	3.8782	2.0653	24.1193		
	S	221.695	211.315	202.986	210.151	218.473	218.573	220.111	223.498	214.932		
152	T	2.0758	4.0437	4.1201	2.1076	2.0137	3.9014	3.8797	2.0670	24.2090		
	S	221.054	210.260	200.734	208.984	217.713	218.803	220.026	223.314	214.135		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0999	4.1018	4.1218	2.1013	2.0064	3.9242	3.8923	2.0646	24.3123		
	S	218.517	207.282	200.652	209.611	218.505	217.531	219.314	223.574	213.225		
154	T	2.0889	4.1466	4.1227	2.1208	2.0296	3.9793	3.9056	2.0648	24.4583		
	S	219.668	205.042	200.608	207.683	216.008	214.519	218.567	223.552	211.953		
155	T	2.0917	4.2014	4.1944	2.1165	2.0149	3.9222	3.8673	2.0525	24.4609		
	S	219.374	202.368	197.178	208.105	217.584	217.642	220.732	224.892	211.930		
156	T	2.0638	4.1593	4.1896	2.1249	2.0236	3.9137	3.8652	2.0573	24.3974		
	S	222.339	204.416	197.404	207.282	216.648	218.115	220.852	224.367	212.482		
157	T	2.1398	4.2200	4.2221	2.1329	2.0297	3.9014	3.8682	2.0569	24.5710		
	S	214.442	201.476	195.885	206.505	215.997	218.803	220.681	224.411	210.980		
158	T	2.1011	4.1646	4.2095	2.1559	2.0514	3.9219	3.8992	2.0757	24.5793		
	S	218.392	204.156	196.471	204.302	213.712	217.659	218.926	222.378	210.909		
159	T	2.0961	4.0800	4.1560	2.1347	2.0382	3.8974	3.8684	2.0611	24.3319		
	S	218.913	208.389	199.000	206.331	215.096	219.027	220.669	223.954	213.054		
160	T	2.0805	4.0544	4.3004	2.1769	2.0737	3.9392	3.8780	2.0614	24.5645		
	S	220.554	209.705	192.318	202.331	211.414	216.703	220.123	223.921	211.036		
161	T	2.1006	4.1719	4.2273	2.1453	2.0448	3.9148	3.8757	2.0638	24.5442		
	S	218.444	203.799	195.644	205.311	214.402	218.054	220.253	223.661	211.211		
162	T	2.0962	4.2284	4.2584	2.1587	2.0535	3.9134	3.8688	2.0561	24.6335		
	S	218.903	201.075	194.215	204.037	213.494	218.132	220.646	224.498	210.445		
163	T	2.1189	4.2278	4.2191	2.1457	2.0385	3.9002	3.8699	2.0581	24.5782		
	S	216.557	201.104	196.024	205.273	215.065	218.870	220.584	224.280	210.919		
164	T	2.1083	4.2163	4.2442	2.1598	2.0547	3.9248	3.8940	2.0775	24.6796		
	S	217.646	201.652	194.865	203.933	213.369	217.498	219.218	222.186	210.052		
165	T	2.1075	4.2479	4.2882	2.1762	2.0685	3.9474	3.8829	2.0649	24.7835		
	S	217.729	200.152	192.865	202.396	211.945	216.253	219.845	223.542	209.171		
166	T	2.1038	4.1916	4.2698	2.1540	2.0536	3.9343	3.8796	2.0625	24.6492		
	S	218.112	202.841	193.697	204.482	213.483	216.973	220.032	223.802	210.311		
167	T	2.1137	4.2411	4.2868	2.1709	2.0616	3.9309	3.8826	2.0698	24.7574		
	S	217.090	200.473	192.928	202.890	212.655	217.161	219.862	223.012	209.392		
168	T	2.1041	4.2035	4.2671	2.1654	2.0570	3.9299	3.9094	2.0826	24.7190		
	S	218.081	202.267	193.819	203.406	213.130	217.216	218.355	221.642	209.717		
169	T	2.1153	4.1748	4.2537	2.1557	2.0511	3.9258	3.8764	2.0651	24.6179		
	S	216.926	203.657	194.430	204.321	213.743	217.443	220.214	223.520	210.578		
170	T	2.1033	4.1721	4.1929	2.1381	2.0428	3.9160	3.8980	2.0801	24.5433		
	S	218.164	203.789	197.249	206.003	214.612	217.987	218.993	221.908	211.219		
171	T	2.1040	4.1342	4.1346	2.1260	2.0310	3.9111	3.8938	2.0725	24.4072		
	S	218.091	205.657	200.030	207.175	215.859	218.260	219.230	222.722	212.396		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T 2.1036	4.2299	4.1818	2.1374	2.0386	3.9220	3.8943	2.0827	24.5903			
	S 218.133	201.004	197.773	206.070	215.054	217.653	219.201	221.631	210.815			
173	T 2.1128	4.2097	4.1504	2.1164	2.0238	3.9067	3.8895	2.0758	24.4851			
	S 217.183	201.969	199.269	208.115	216.627	218.506	219.472	222.368	211.721			
174	T 2.1169	4.2893	4.2712	2.1552	2.0604	3.9327	3.8781	2.0553	24.7591			
	S 216.762	198.221	193.633	204.368	212.779	217.061	220.117	224.586	209.378			
175	T 2.1215	4.2967	4.1449	2.1056	2.0192	3.9114	3.8805	2.0591	24.5389			
	S 216.292	197.879	199.533	209.182	217.120	218.243	219.981	224.171	211.256			
176	T 2.1218	4.2160	4.1959	2.1319	2.0374	4.0222	4.0112	2.1204	24.8568			
	S 216.261	201.667	197.108	206.602	215.181	212.231	212.813	217.690	208.555			
177	T 2.1275	4.0472	4.0202	2.0838	2.0075	3.9078	3.9099	2.0908	24.1947			
	S 215.682	210.078	205.722	211.371	218.386	218.444	218.327	220.772	214.262			
178	T 2.0985	4.0035	4.0027	2.0820	2.0042	3.9240	3.8985	2.0828	24.0962			
	S 218.663	212.371	206.622	211.554	218.745	217.542	218.965	221.620	215.138			
179	T 2.0937	4.0140	3.9914	2.0787	1.9999	3.9243	3.9013	2.0867	24.0900			
	S 219.164	211.815	207.207	211.889	219.216	217.526	218.808	221.206	215.193			
180	T 2.0949	4.0183	4.0165	2.0903	2.0123	3.9027	3.8872	2.0774	24.0996			
	S 219.038	211.589	205.912	210.714	217.865	218.730	219.602	222.196	215.107			
181	T 2.0962	4.0163	3.9986	2.0788	1.9997	3.9107	3.8859	2.0751	24.0613			
	S 218.903	211.694	206.834	211.879	219.237	218.282	219.675	222.443	215.450			
182	T 2.0846	4.0015	4.0113	2.0804	1.9985	3.9118	3.8858	2.0707	24.0446			
	S 220.121	212.477	206.179	211.716	219.369	218.221	219.681	222.915	215.599			
183	T 2.0781	4.0208	4.1100	2.1059	2.0107	3.9110	3.8718	2.0597	24.1680			
	S 220.809	211.457	201.228	209.153	218.038	218.265	220.475	224.106	214.499			
184	T 2.0754	4.0971	4.2363	2.1639	2.0598	3.9327	3.8730	2.0550	24.4932			
	S 221.096	207.519	195.228	203.547	212.841	217.061	220.407	224.618	211.651			
185	T 2.0734	4.1427	4.2637	2.1635	2.0521	3.9164	3.9262	2.0845	24.6225			
	S 221.310	205.235	193.974	203.584	213.639	217.965	217.420	221.440	210.539			
186	T 2.0983	4.1548	4.1872	2.1356	2.0387	3.9110	3.8781	2.0718	24.4755			
	S 218.684	204.637	197.518	206.244	215.043	218.265	220.117	222.797	211.804			
187	T 2.0868	4.1027	4.1290	2.1243	2.0341	3.9056	3.8790	2.0742	24.3357			
	S 219.889	207.236	200.302	207.341	215.530	218.567	220.066	222.539	213.020			
188	T 2.0897	4.0691	4.1038	2.1086	2.0220	3.9028	3.8814	2.0746	24.2520			
	S 219.583	208.947	201.532	208.885	216.820	218.724	219.930	222.496	213.756			
189	T 2.0948	4.0856	4.1399	2.1184	2.0301	3.9112	3.8949	2.0758	24.3507			
	S 219.049	208.103	199.774	207.918	215.954	218.254	219.168	222.368	212.889			
190	T 2.0936	4.0871	4.1245	2.1139	2.0289	3.9036	3.8792	2.0709	24.3017			
	S 219.174	208.027	200.520	208.361	216.082	218.679	220.055	222.894	213.318			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0955	4.1320	4.2089	2.1425	2.0539	3.9285	3.8840	2.0812	24.5265		
	S	218.976	205.767	196.499	205.580	213.452	217.293	219.783	221.791	211.363		
192	T	2.1045	4.1884	4.2979	2.1872	2.0674	3.9523	3.9110	2.0754	24.7841		
	S	218.039	202.996	192.430	201.378	212.058	215.985	218.265	222.411	209.166		
193	T	2.1582	4.4005	4.2650	2.1551	2.0636	4.0481	3.9751	2.0975	25.1631		
	S	212.614	193.212	193.915	204.378	212.449	210.873	214.746	220.067	206.016		
194	T	2.1202	4.2224	4.2383	2.1435	2.0432	3.9257	3.9091	2.0730	24.6754		
	S	216.425	201.361	195.136	205.484	214.570	217.448	218.372	222.668	210.088		
195	T	2.1007	4.2210	4.1991	2.1339	2.0380	3.9154	3.8830	2.0708	24.5619		
	S	218.434	201.428	196.958	206.408	215.117	218.020	219.839	222.905	211.059		
196	T	2.1124	4.1954	4.1702	2.1231	2.0377	3.9253	3.8945	2.0736	24.5322		
	S	217.224	202.657	198.323	207.458	215.149	217.470	219.190	222.604	211.314		
197	T	2.0959	4.1067	4.2015	2.1396	2.0607	3.9727	3.9450	2.1119	24.6340		
	S	218.934	207.034	196.845	205.858	212.748	214.876	216.384	218.567	210.441		
198	T	2.1280	4.0707	4.0264	2.0967	2.0251	3.9278	3.9163	2.1029	24.2939		
	S	215.631	208.865	205.406	210.070	216.488	217.332	217.970	219.502	213.387		
199	T	2.1223	4.1197	4.1195	2.1252	2.0482	3.9547	3.9293	2.1070	24.5259		
	S	216.211	206.381	200.764	207.253	214.046	215.854	217.249	219.075	211.368		
200	T	2.1184	4.0191	4.0218	2.0993	2.4092	6.3111			36.6106	26.8358	29.1088
	S	216.609	211.547	205.641	209.810	181.973	135.260			141.598	33.575	162.228
201	T				3.1185	2.6213	4.6320	4.3172	2.2272	54.4099		
	S				141.239	167.249	184.291	197.729	207.252	95.277		
202	T	2.2097	4.1046	4.0267	2.0974	2.0319	3.9613	3.9657	2.1134	24.5107		
	S	207.659	207.140	205.390	210.000	215.763	215.494	215.255	218.412	211.499		
203	T	2.1251	3.9640	3.9521	2.0725	2.0071	3.9241	3.9447	2.1166	24.1062		
	S	215.926	214.487	209.267	212.523	218.429	217.537	216.401	218.081	215.048		
204	T	2.1300	3.9640	3.9336	2.0704	2.0052	3.9165	3.9411	2.1049	24.0657		
	S	215.429	214.487	210.252	212.739	218.636	217.959	216.599	219.294	215.410		
205	T	2.1191	3.9208	3.9087	2.0614	1.9966	3.9236	3.9330	2.1031	23.9663		
	S	216.537	216.850	211.591	213.668	219.578	217.565	217.045	219.481	216.304		
206	T	2.1168	3.9251	3.9111	2.0564	1.9952	3.9195	3.9481	2.1087	23.9809		
	S	216.772	216.613	211.461	214.187	219.732	217.792	216.214	218.898	216.172		
207	T	2.1160	3.9217	3.9015	2.0565	1.9934	3.9284	3.9243	2.1026	23.9444		
	S	216.854	216.801	211.981	214.177	219.930	217.299	217.526	219.533	216.502		
208	T	2.1129	3.9117	3.9069	2.0572	1.9934	3.9237	3.9228	2.1012	23.9298		
	S	217.172	217.355	211.688	214.104	219.930	217.559	217.609	219.680	216.634		
209	T	2.1101	3.9003	3.9099	2.0545	1.9914	3.9292	3.9233	2.1026	23.9213		
	S	217.461	217.990	211.526	214.385	220.151	217.254	217.581	219.533	216.711		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1115	3.9307	3.9344	2.0665	1.9977	3.9275	3.9235	2.1008	23.9926		
	S	217.316	216.304	210.209	213.140	219.457	217.349	217.570	219.721	216.067		
211	T	2.1098	3.9410	3.9374	2.0604	1.9933	3.9193	3.9055	2.0884	23.9551		
	S	217.492	215.739	210.049	213.771	219.941	217.803	218.573	221.026	216.405		
212	T	2.0995	3.9623	3.9946	2.0851	2.0079	3.9342	3.9036	2.0933	24.0805		
	S	218.559	214.579	207.041	211.239	218.342	216.978	218.679	220.509	215.278		
213	T	2.0999	4.0084	4.0235	2.0877	2.0121	3.9286	3.8925	2.0745	24.1272		
	S	218.517	212.111	205.554	210.976	217.886	217.288	219.303	222.507	214.861		
214	T	2.1037	4.1172	4.1069	2.1084	2.0237	3.9125	3.8688	2.0589	24.3001		
	S	218.122	206.506	201.379	208.905	216.637	218.182	220.646	224.193	213.332		
215	T	2.0704	3.9866	4.0169	2.0975	2.0226	3.9217	3.9111	2.0981	24.1249		
	S	221.630	213.271	205.891	209.990	216.755	217.670	218.260	220.004	214.882		
216	T	2.1064	3.9773	3.9883	2.0949	2.0199	3.9176	3.9061	2.0931	24.1036		
	S	217.843	213.770	207.368	210.251	217.045	217.898	218.539	220.530	215.072		
217	T	2.0987	3.9543	4.0159	2.0886	2.0145	3.9128	3.9017	2.0893	24.0758		
	S	218.642	215.013	205.943	210.885	217.627	218.165	218.786	220.931	215.320		
218	T	2.0958	3.9674	4.0092	2.0900	2.0131	3.9444	3.9199	2.0929	24.1327		
	S	218.944	214.303	206.287	210.744	217.778	216.417	217.770	220.551	214.812		
219	T	2.0970	3.9784	4.3659	2.8658	3.5116	7.9100	7.1671	3.4506	35.3464		
	S	218.819	213.711	189.433	153.693	124.846	107.919	119.105	133.771	146.663		
220	T	3.2555	6.7739	7.3719	4.7848	6.4697	7.9311	5.9517	2.8326	45.3712		
	S	140.950	125.515	112.189	92.053	67.763	107.632	143.427	162.957	114.258		
221	T	2.7464	5.5721	6.0525	3.8931	4.0478	7.4994	6.7837	3.6812	40.2762		
	S	167.078	152.587	136.645	113.137	108.308	113.827	125.836	125.391	128.711		
222	T	4.0460	7.4646	8.8360	7.0957	7.5927	9.3637	9.5013	5.3010	59.2010		
	S	113.412	113.901	93.600	62.073	57.741	91.164	89.844	87.076	87.566		
223	T	5.3476	8.7345	9.0982	4.3973	6.4523	9.8659	8.6122	4.0680	56.5760		
	S	85.807	97.341	90.902	100.165	67.946	86.524	99.119	113.469	91.629		
224	T	4.4245	9.0949	9.6577	5.6652	5.6050	10.3426	8.9505	5.2855	59.0259		
	S	103.710	93.484	85.636	77.747	78.218	82.536	95.373	87.332	87.826		
225	T	5.1758	9.1009	8.0511	4.9602	5.4764	7.6162	7.9532	7.1853	55.5191		
	S	88.656	93.422	102.725	88.798	80.054	112.082	107.332	64.241	93.373		
226	T	4.9420	7.0309	7.3621	3.9258	3.6300	8.4998	6.1903	2.5886	44.1695		
	S	92.850	120.927	112.338	112.195	120.774	100.430	137.899	178.317	117.366		
227	T	2.4465	4.5729	4.5937	2.2902	2.1282	4.2698	4.1698	2.1712	26.6423		
	S	187.559	185.927	180.039	192.321	206.000	199.924	204.719	212.597	194.578		
228	T	2.1873	4.3109	4.5047	2.2080	2.0822	4.1343	4.0283	2.0966	25.5523		
	S	209.785	197.227	183.596	199.481	210.551	206.477	211.910	220.162	202.878		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.0907	4.0839	4.0879	2.0872	1.9942	4.3059	8.5386	3.8685	31.0569		
	S	219.478	208.190	202.315	211.027	219.842	198.248	99.974	119.320	166.919		
230	T	3.5069	6.6726	6.7455	3.7842	3.4963	9.3098	12.4228	4.2839	50.2220		
	S	130.846	127.421	122.607	116.393	125.392	91.692	68.715	107.750	103.222		
231	T	4.4786	8.1601	7.8534	4.1931	5.8393	11.3968	12.9626	5.1465	60.0304		
	S	102.457	104.193	105.310	105.043	75.079	74.901	65.854	89.690	86.356		
232	T	5.7318	10.3212	10.2746	6.0215	5.8902	9.9491			67.7689	26.3754	60.1844
	S	80.056	82.377	80.494	73.147	74.430	85.800			76.495	34.161	78.463
233	T			8.7256	3.2970	2.7420	5.8798	7.8666	4.9011	61.9166		43.1257
	S			94.784	133.593	159.887	145.181	108.514	94.181	83.726	109.563	
234	T	5.9910	7.1222	6.6543	5.4747	6.4411	8.9814	7.9661	4.2496	52.8804		
	S	76.592	119.377	124.287	80.453	68.064	95.045	107.159	108.620	98.033		
235	T	4.5269	8.1765	6.7994	5.7271	6.1533	8.4413	8.5173	4.6918	53.0336		
	S	101.364	103.984	121.635	76.907	71.248	101.126	100.224	98.382	97.749		
236	T	5.6977	7.1110	8.5901	3.5684	3.3767	8.6162	8.4822	2.9822	48.4245		
	S	80.535	119.565	96.279	123.432	129.834	99.073	100.639	154.782	107.053		
237	T	2.6749	4.9843	4.6876	2.2803	2.1668	4.4781	4.2084	2.1717	27.6521		
	S	171.544	170.581	176.433	193.156	202.330	190.625	202.841	212.548	187.472		
238	T	2.1492	4.2861	4.4020	2.1919	2.0611	4.0247	3.9136	2.0529	25.0815		
	S	213.504	198.369	187.879	200.946	212.706	212.099	218.120	224.848	206.686		
239	T	2.0570	4.0667	3.9748	2.0500	1.9726	3.8474	3.8495	2.0443	23.8623		
	S	223.074	209.071	208.072	214.856	222.249	221.874	221.753	225.794	217.246		
240	T	2.0527	3.9844	4.0560	2.0790	1.9974	3.8953	3.8807	2.0682	24.0137		
	S	223.541	213.389	203.907	211.859	219.490	219.145	219.970	223.185	215.877		
241	T	2.0602	3.9119	3.9717	2.0537	1.9712	3.8546	3.8469	2.0243	23.6945		
	S	222.728	217.344	208.235	214.469	222.407	221.459	221.902	228.025	218.785		
242	T	2.0699	4.0384	4.0174	2.0601	1.9828	3.9120	3.8843	2.0579	24.0228		
	S	221.684	210.536	205.866	213.803	221.106	218.210	219.766	224.302	215.795		
243	T	2.0576	4.0153	4.0472	2.0821	1.9931	3.8596	3.8547	2.0515	23.9611		
	S	223.009	211.747	204.350	211.543	219.963	221.172	221.453	225.002	216.351		
244	T	2.0504	4.0352	4.1717	2.1251	2.0242	3.9112	3.8850	2.0611	24.2639		
	S	223.792	210.703	198.251	207.263	216.584	218.254	219.726	223.954	213.651		
245	T	2.0600	4.0275	4.0967	2.0955	2.0050	3.9118	3.8781	2.0665	24.1411		
	S	222.749	211.105	201.881	210.191	218.658	218.221	220.117	223.368	214.738		
246	T	2.0633	3.9788	4.0403	2.0720	1.9957	3.9074	3.8731	2.0546	23.9852		
	S	222.393	213.689	204.699	212.575	219.677	218.467	220.401	224.662	216.133		
247	T	2.0512	4.0179	4.2165	2.1274	2.0255	3.9164	3.8865	2.0615	24.3029		
	S	223.705	211.610	196.145	207.039	216.445	217.965	219.641	223.910	213.308		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 7 - Ericsson, Marcus (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.0645	3.9893	4.2996	2.1741	2.0920	4.0134	3.9648	2.1134	24.7111			
	S	222.264	213.127	192.354	202.592	209.565	212.697	215.304	218.412	209.784			
249	T	2.3021	5.0660										
	S	199.324	167.830										

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5486	4.8131	4.5565	2.2060	2.0829	4.2741	4.0457	2.1039	26.6308		64.5304	
	S	180.045	176.649	181.509	199.662	210.480	199.723	210.998	219.398	194.662		73.221	
2	T	2.1019	4.2429	4.2515	2.1891	2.0945	4.1427	3.9839	2.0835	25.0900			
	S	218.309	200.388	194.530	201.203	209.314	206.058	214.272	221.546	206.616			
3	T	2.0715	4.1738	4.2434	2.1251	2.0281	3.9679	4.0668	2.0958	24.7724			
	S	221.513	203.706	194.902	207.263	216.167	215.136	209.904	220.246	209.265			
4	T	2.0771	4.1532	4.1566	2.1084	2.0247	3.9068	3.8852	2.0642	24.3762			
	S	220.916	204.716	198.972	208.905	216.530	218.500	219.715	223.617	212.666			
5	T	2.0645	4.0191	4.0537	2.0742	1.9856	3.9624	3.9318	2.0704	24.1617			
	S	222.264	211.547	204.022	212.349	220.794	215.434	217.111	222.948	214.554			
6	T	2.0758	4.0766	4.1038	2.0836	2.0069	4.1936	4.0172	2.0879	24.6454			
	S	221.054	208.563	201.532	211.391	218.451	203.557	212.495	221.079	210.344			
7	T	2.0853	4.1232	4.1776	2.1339	2.0349	3.8927	3.8662	2.0572	24.3710			
	S	220.047	206.206	197.971	206.408	215.445	219.292	220.795	224.378	212.712			
8	T	2.0615	4.0359	4.0602	2.0819	1.9936	3.9158	3.9021	2.0782	24.1292			
	S	222.587	210.666	203.696	211.564	219.908	217.998	218.763	222.111	214.843			
9	T	2.0768	3.9888	4.0517	2.0783	1.9877	3.9045	3.8743	2.0594	24.0215			
	S	220.947	213.154	204.123	211.930	220.561	218.629	220.333	224.139	215.807			
10	T	2.0724	4.1440	4.3065	2.1550	2.0520	4.0119	3.9644	2.1045	24.8107			
	S	221.417	205.171	192.046	204.387	213.650	212.776	215.325	219.335	208.942			
11	T	2.1157	3.9822	4.0504	2.0933	2.0101	3.9024	3.8986	2.0859	24.1386			
	S	216.885	213.507	204.189	210.412	218.103	218.747	218.960	221.291	214.760			
12	T	2.0927	3.9619	4.0281	2.0906	2.0042	3.8917	3.9044	2.0822	24.0558			
	S	219.269	214.601	205.319	210.683	218.745	219.348	218.634	221.684	215.499			
13	T	2.0892	4.0210	4.0487	2.0903	2.0034	3.8955	3.8827	2.0686	24.0994			
	S	219.636	211.447	204.274	210.714	218.833	219.134	219.856	223.142	215.109			
14	T	2.0719	3.9773	4.1062	2.0974	2.0200	4.0268	3.9310	2.0629	24.2935			
	S	221.470	213.770	201.414	210.000	217.034	211.989	217.155	223.758	213.390			
15	T	2.0621	4.1122	4.3810	2.1957	2.0773	3.9632	3.9253	2.0896	24.8064			
	S	222.522	206.757	188.780	200.599	211.048	215.391	217.470	220.899	208.978			
16	T	2.0956	3.9959	4.0609	2.0844	1.9996	3.9081	3.8869	2.0698	24.1012			
	S	218.965	212.775	203.661	211.310	219.248	218.427	219.619	223.012	215.093			
17	T	2.0738	4.0209	4.2314	2.1607	2.0566	3.9278	3.8797	2.0601	24.4110			
	S	221.267	211.452	195.454	203.848	213.172	217.332	220.026	224.062	212.363			
18	T	2.0737	4.2343	4.2699	2.1715	2.0518	3.9236	3.8707	2.0522	24.6477			
	S	221.278	200.795	193.692	202.834	213.670	217.565	220.538	224.925	210.324			
19	T	2.0871	4.2442	4.2542	2.1549	2.0476	3.9121	3.8738	2.0639	24.6378			
	S	219.857	200.327	194.407	204.397	214.109	218.204	220.361	223.650	210.408			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.0720	4.1650	4.1886	2.1403	2.0414	3.9163	3.8803	2.0657	24.4696		
	S	221.459	204.136	197.452	205.791	214.759	217.970	219.992	223.455	211.855		
21	T	2.0715	4.1299	4.1601	2.1240	2.0262	3.8880	3.8515	2.0562	24.3074		
	S	221.513	205.871	198.804	207.370	216.370	219.557	221.637	224.487	213.268		
22	T	2.1342	4.2573	4.1521	2.1206	2.0274	3.9098	3.8796	2.0663	24.5473		
	S	215.005	199.710	199.187	207.703	216.242	218.332	220.032	223.390	211.184		
23	T	2.0833	4.1944	4.1869	2.1383	2.0401	3.9110	3.8841	2.0664	24.5045		
	S	220.258	202.705	197.532	205.984	214.896	218.265	219.777	223.379	211.553		
24	T	2.0943	4.3116	4.2745	2.1813	2.0693	3.9534	3.9028	2.0739	24.8611		
	S	219.101	197.195	193.484	201.923	211.863	215.925	218.724	222.571	208.519		
25	T	2.1002	4.2397	4.1572	2.1230	2.0246	3.8864	3.8539	2.0518	24.4368		
	S	218.486	200.539	198.943	207.468	216.541	219.647	221.499	224.969	212.139		
26	T	2.1121	4.3987	4.2802	2.1689	2.0742	3.9980	3.9756	2.1090	25.1167		
	S	217.255	193.291	193.226	203.077	211.363	213.516	214.719	218.867	206.397		
27	T	2.1172	4.1367	4.1093	2.1207	2.0367	3.9294	3.9158	2.0900	24.4558		
	S	216.731	205.533	201.262	207.693	215.255	217.243	217.998	220.857	211.974		
28	T	2.1074	4.0586	4.0619	2.1088	2.0374	3.9308	3.9204	2.0940	24.3193		
	S	217.739	209.488	203.610	208.865	215.181	217.166	217.742	220.435	213.164		
29	T	2.1087	3.9961	3.9842	2.0788	2.0071	3.8813	3.8941	2.0854	24.0357		
	S	217.605	212.764	207.581	211.879	218.429	219.936	219.213	221.344	215.679		
30	T	2.1061	3.9534	4.0133	2.0844	2.0120	3.8863	3.8913	2.0808	24.0276		
	S	217.874	215.062	206.076	211.310	217.897	219.653	219.370	221.833	215.752		
31	T	2.0918	3.9681	3.9982	2.0746	2.0038	3.8776	3.8800	2.0744	23.9685		
	S	219.363	214.266	206.854	212.308	218.789	220.146	220.009	222.518	216.284		
32	T	2.0867	3.9829	4.0104	2.0736	1.9944	3.9108	3.8945	2.0763	24.0296		
	S	219.899	213.469	206.225	212.411	219.820	218.277	219.190	222.314	215.734		
33	T	2.0878	4.2397	4.3086	2.1597	2.0388	4.0333	4.0443	2.1415	25.0537		
	S	219.783	200.539	191.952	203.942	215.033	211.647	211.071	215.546	206.916		
34	T	2.1382	4.0154	4.0043	2.0857	2.0129	3.8978	3.8994	2.0856	24.1393		
	S	214.603	211.742	206.539	211.178	217.800	219.005	218.915	221.323	214.754		
35	T	2.0982	3.9591	4.0443	2.0986	2.0190	3.8957	3.8915	2.0842	24.0906		
	S	218.694	214.753	204.497	209.880	217.142	219.123	219.359	221.472	215.188		
36	T	2.0977	3.9701	3.9987	2.0872	2.0103	3.8799	3.8806	2.0798	24.0043		
	S	218.746	214.158	206.829	211.027	218.081	220.015	219.975	221.940	215.961		
37	T	2.0859	3.9796	4.0257	2.0879	2.0101	3.8768	3.8823	2.0721	24.0204		
	S	219.984	213.646	205.441	210.956	218.103	220.191	219.879	222.765	215.817		
38	T	2.0828	4.0339	4.0414	2.0958	2.0131	3.8811	3.8837	2.0736	24.1054		
	S	220.311	210.771	204.643	210.161	217.778	219.947	219.800	222.604	215.056		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.0837	4.0414	4.0159	2.0861	2.0035	3.8786	3.8985	2.0834	24.0911		
	S	220.216	210.379	205.943	211.138	218.822	220.089	218.965	221.557	215.183		
40	T	2.0852	4.1131	4.1368	2.1225	2.0305	3.9039	3.8907	2.0746	24.3573		
	S	220.057	206.712	199.924	207.517	215.912	218.662	219.404	222.496	212.831		
41	T	2.0823	4.0354	4.0487	2.0891	2.0084	3.8768	3.8735	2.0739	24.0881		
	S	220.364	210.692	204.274	210.835	218.288	220.191	220.379	222.571	215.210		
42	T	2.0803	4.0267	4.0446	2.0903	2.0052	3.8725	3.8670	2.0675	24.0541		
	S	220.576	211.147	204.481	210.714	218.636	220.435	220.749	223.260	215.514		
43	T	2.0830	4.0733	4.2773	2.1655	2.0561	3.9372	3.9146	2.0896	24.5966		
	S	220.290	208.732	193.357	203.396	213.224	216.813	218.065	220.899	210.761		
44	T	2.0975	4.0331	4.0553	2.0941	2.0127	3.8878	3.8734	2.0701	24.1240		
	S	218.767	210.812	203.942	210.331	217.821	219.568	220.384	222.980	214.890		
45	T	2.0760	4.0569	4.1002	2.1042	2.0129	3.8751	3.8769	2.0804	24.1826		
	S	221.033	209.576	201.709	209.322	217.800	220.288	220.185	221.876	214.369		
46	T	2.0953	4.1454	4.1338	2.1190	2.0247	3.8920	3.8807	2.0675	24.3584		
	S	218.997	205.101	200.069	207.860	216.530	219.331	219.970	223.260	212.822		
47	T	2.0812	4.1769	4.2017	2.1469	2.0349	3.9736	4.0267	2.1071	24.7490		
	S	220.480	203.555	196.836	205.158	215.445	214.827	211.994	219.065	209.463		
48	T	2.1009	4.1255	4.2025	2.1425	2.0354	3.8982	3.8652	2.0525	24.4227		
	S	218.413	206.091	196.798	205.580	215.392	218.982	220.852	224.892	212.262		
49	T	2.0552	4.2114	4.3617	2.1870	2.0661	3.9561	3.9045	2.0684	24.8104		
	S	223.270	201.887	189.615	201.397	212.192	215.777	218.629	223.163	208.945		
50	T	2.0781	4.2495	4.2575	2.1416	2.0303	3.9799	3.9243	2.0705	24.7317		
	S	220.809	200.077	194.256	205.666	215.933	214.487	217.526	222.937	209.610		
51	T	2.0749	4.2920	4.3253	2.1525	2.0610	4.1930	4.0690	2.1295	25.2972		
	S	221.150	198.096	191.211	204.625	212.717	203.586	209.790	216.760	204.924		
52	T	2.1143	4.3246	4.2996	2.1604	2.0417	4.0518	3.9771	2.0771	25.0466		
	S	217.029	196.603	192.354	203.876	214.727	210.681	214.638	222.229	206.974		
53	T	2.0960	4.4272	4.5191	2.2074	2.0673	4.0901	4.0390	2.1184	25.5645		
	S	218.923	192.046	183.011	199.535	212.068	208.708	211.348	217.896	202.781		
54	T	2.1142	4.2913	4.3104	2.1615	2.0464	4.1196	3.9978	2.0959	25.1371		
	S	217.039	198.128	191.872	203.773	214.234	207.213	213.527	220.235	206.229		
55	T	2.0973	4.3609	4.3680	2.1702	2.0500	3.9579	3.9190	2.0693	24.9926		
	S	218.788	194.966	189.342	202.956	213.858	215.679	217.820	223.066	207.421		
56	T	2.0785	4.2983	4.3270	2.1798	2.0555	3.9885	3.9059	2.0570	24.8905		
	S	220.767	197.805	191.136	202.062	213.286	214.024	218.550	224.400	208.272		
57	T	2.0667	4.2970	4.3603	2.1788	2.0570	3.9473	3.9845	2.0910	24.9826		
	S	222.027	197.865	189.676	202.155	213.130	216.258	214.239	220.751	207.504		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.0915	4.3518	4.2786	2.1685	2.0504	3.9089	3.8724	2.0550	24.7771		
	S	219.395	195.374	193.298	203.115	213.816	218.383	220.441	224.618	209.225		
59	T	2.0600	4.2175	4.2295	2.1398	2.0396	3.9796	3.9096	2.0580	24.6336		
	S	222.749	201.595	195.542	205.839	214.949	214.503	218.344	224.291	210.444		
60	T	2.0799	4.3419	4.2113	2.1275	2.0306	3.9016	3.8784	2.0643	24.6355		
	S	220.618	195.819	196.387	207.029	215.901	218.791	220.100	223.607	210.428		
61	T	2.0725	4.1197	4.1568	2.1324	2.3166	5.8356			36.2203	27.1607	28.8057
	S	221.406	206.381	198.962	206.553	189.247	146.281			143.124	33.174	163.935
62	T				3.1155	2.6211	4.6046	4.2510	2.1705	54.4489		
	S				141.375	167.261	185.388	200.808	212.666	95.209	34.7028	
63	T	2.1370	4.1072	3.9792	2.0532	1.9747	4.0188	4.0559	2.0928	24.4188		
	S	214.723	207.009	207.842	214.521	222.013	212.411	210.468	220.561	212.295		
64	T	2.0835	4.0856	4.0734	2.0771	1.9836	3.8953	3.8535	2.0349	24.0869		
	S	220.237	208.103	203.036	212.053	221.017	219.145	221.522	226.837	215.221		
65	T	2.0372	4.1402	4.0772	2.1077	2.0057	3.9270	3.8994	2.0580	24.2524		
	S	225.242	205.359	202.846	208.974	218.582	217.376	218.915	224.291	213.752		
66	T	2.0687	4.1710	4.0441	2.0757	1.9774	3.8833	3.9003	2.0506	24.1711		
	S	221.813	203.843	204.507	212.196	221.710	219.822	218.864	225.100	214.471		
67	T	2.0486	4.1633	4.1112	2.0936	1.9970	3.8816	3.8646	2.0473	24.2072		
	S	223.989	204.220	201.169	210.381	219.534	219.919	220.886	225.463	214.151		
68	T	2.0627	4.2620	4.1568	2.0996	1.9872	3.8661	3.8581	2.0525	24.3450		
	S	222.458	199.490	198.962	209.780	220.616	220.800	221.258	224.892	212.939		
69	T	2.0494	4.1548	4.0835	2.0855	1.9915	3.8736	3.8269	2.0374	24.1026		
	S	223.901	204.637	202.533	211.199	220.140	220.373	223.062	226.559	215.081		
70	T	2.0472	4.1945	4.1264	2.1117	2.0096	3.8619	3.8297	2.0377	24.2187		
	S	224.142	202.701	200.428	208.578	218.157	221.041	222.899	226.525	214.049		
71	T	2.0534	4.1219	4.1805	2.1164	2.0144	3.8672	3.8445	2.0556	24.2539		
	S	223.465	206.271	197.834	208.115	217.638	220.738	222.041	224.553	213.739		
72	T	2.0578	4.1243	4.2516	2.1413	2.0355	3.9011	3.8584	2.0588	24.4288		
	S	222.987	206.151	194.526	205.695	215.382	218.819	221.241	224.204	212.209		
73	T	2.0594	4.1275	4.1548	2.1073	2.0108	3.8681	3.8394	2.0380	24.2053		
	S	222.814	205.991	199.058	209.014	218.027	220.686	222.336	226.492	214.168		
74	T	2.0530	4.1843	4.2266	2.1266	2.0250	3.8752	3.8373	2.0304	24.3584		
	S	223.509	203.195	195.676	207.117	216.498	220.282	222.458	227.340	212.822		
75	T	2.0414	4.1889	4.2712	2.1520	2.0396	3.8893	3.8401	2.0414	24.4639		
	S	224.779	202.971	193.633	204.672	214.949	219.483	222.295	226.115	211.904		
76	T	2.0494	4.1494	4.1940	2.1241	2.0197	3.8727	3.8460	2.0427	24.2980		
	S	223.901	204.904	197.197	207.361	217.066	220.424	221.954	225.971	213.351		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0450	4.1205	4.1586	2.1008	1.9907	3.9779	3.9058	2.0619	24.3612		
	S	224.383	206.341	198.876	209.660	220.229	214.595	218.556	223.867	212.797		
78	T	2.0520	4.1383	4.1419	2.0924	1.9883	3.9452	3.8992	2.0591	24.3164		
	S	223.618	205.453	199.678	210.502	220.494	216.373	218.926	224.171	213.189		
79	T	2.0581	4.1136	4.1581	2.1065	2.0544	4.1105	4.0458	2.1319	24.7789		
	S	222.955	206.687	198.900	209.093	213.400	207.672	210.993	216.516	209.210		
80	T	2.1270	4.1124	4.1018	2.1162	2.0228	3.9128	3.8727	2.0629	24.3286		
	S	215.733	206.747	201.630	208.135	216.734	218.165	220.424	223.758	213.083		
81	T	2.0630	4.0477	4.1465	2.1140	2.0181	3.9336	3.8744	2.0533	24.2506		
	S	222.425	210.052	199.456	208.351	217.239	217.011	220.327	224.804	213.768		
82	T	2.0600	4.0943	4.1595	2.1086	2.0320	3.9528	3.9598	2.1009	24.4679		
	S	222.749	207.661	198.833	208.885	215.753	215.957	215.576	219.711	211.869		
83	T	2.1079	4.0473	4.0328	2.0970	2.0142	3.9052	3.9001	2.0841	24.1886		
	S	217.688	210.073	205.080	210.040	217.659	218.590	218.876	221.482	214.316		
84	T	2.1005	4.0083	3.9728	2.0729	1.9918	3.8907	3.8720	2.0665	23.9755		
	S	218.454	212.117	208.177	212.482	220.107	219.404	220.464	223.368	216.221		
85	T	2.0722	4.1085	4.0573	2.1004	2.0114	3.9372	3.8972	2.0758	24.2600		
	S	221.438	206.943	203.841	209.700	217.962	216.813	219.038	222.368	213.685		
86	T	2.0863	4.1141	4.1134	2.1230	2.0277	3.8936	3.8731	2.0762	24.3074		
	S	219.941	206.662	201.061	207.468	216.210	219.241	220.401	222.325	213.268		
87	T	2.0858	4.1298	4.2172	2.1470	2.0398	3.9494	3.9170	2.0915	24.5775		
	S	219.994	205.876	196.112	205.149	214.927	216.143	217.931	220.698	210.925		
88	T	2.1051	4.1792	4.1471	2.1366	2.0348	3.9631	3.9803	2.1100	24.6562		
	S	217.977	203.443	199.427	206.147	215.456	215.396	214.465	218.763	210.251		
89	T	2.1114	4.1156	4.0932	2.1049	2.0148	3.9720	3.9353	2.0924	24.4396		
	S	217.327	206.586	202.054	209.252	217.594	214.913	216.918	220.604	212.115		
90	T	2.1093	4.1102	4.0481	2.0908	2.0006	3.9939	3.9399	2.0895	24.3823		
	S	217.543	206.858	204.305	210.663	219.139	213.735	216.664	220.910	212.613		
91	T	2.0947	4.0775	4.0250	2.0883	1.9991	3.9296	3.8759	2.0465	24.1366		
	S	219.059	208.517	205.477	210.915	219.303	217.232	220.242	225.551	214.778		
92	T	2.1093	4.1856	4.2694	2.1809	2.0728	4.0140	3.9575	2.1014	24.8909		
	S	217.543	203.132	193.715	201.960	211.506	212.665	215.701	219.659	208.269		
93	T	2.1180	4.1517	4.0847	2.0997	2.0032	3.8993	3.8723	2.0630	24.2919		
	S	216.649	204.790	202.474	209.770	218.854	218.920	220.447	223.747	213.404		
94	T	2.0617	4.1481	4.1219	2.1069	1.9982	3.9084	3.9248	2.0983	24.3683		
	S	222.566	204.968	200.647	209.053	219.402	218.411	217.498	219.983	212.735		
95	T	2.1132	4.0832	4.0400	2.0937	2.0377	4.0488	3.9923	2.1314	24.5403		
	S	217.142	208.226	204.714	210.371	215.149	210.837	213.821	216.567	211.244		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1373	3.9529	4.1674	2.1315	2.0408	4.0314	3.9747	2.1154	24.5514		
	S	214.693	215.089	198.456	206.641	214.822	211.747	214.767	218.205	211.149		
97	T	2.1156	4.0886	4.0863	2.1173	2.0265	3.9125	3.8900	2.0803	24.3171		
	S	216.895	207.951	202.395	208.027	216.338	218.182	219.444	221.887	213.183		
98	T	2.0904	4.0934	4.0471	2.0927	2.0020	3.9438	3.8868	2.0579	24.2141		
	S	219.510	207.707	204.355	210.472	218.986	216.450	219.624	224.302	214.090		
99	T	2.0971	4.0907	4.2214	2.1319	2.0237	3.9354	3.9269	2.0690	24.4961		
	S	218.809	207.844	195.917	206.602	216.637	216.912	217.382	223.099	211.626		
100	T	2.0808	4.0846	4.0952	2.1192	2.0360	3.9202	3.9154	2.1027	24.3541		
	S	220.523	208.154	201.955	207.840	215.329	217.753	218.020	219.523	212.859		
101	T	2.1185	4.0471	4.0293	2.0970	2.0178	3.8994	3.8981	2.0939	24.2011		
	S	216.598	210.083	205.258	210.040	217.271	218.915	218.988	220.446	214.205		
102	T	2.1056	4.0495	4.0410	2.0964	2.0116	3.8842	3.8697	2.0746	24.1326		
	S	217.925	209.959	204.664	210.100	217.940	219.771	220.595	222.496	214.813		
103	T	2.0731	4.1278	4.2257	2.1538	2.0529	3.9252	3.8911	2.0787	24.5283		
	S	221.342	205.976	195.718	204.501	213.556	217.476	219.382	222.057	211.348		
104	T	2.0844	4.1296	4.0616	2.1058	2.0145	3.9015	3.8714	2.0895	24.2583		
	S	220.142	205.886	203.626	209.163	217.627	218.797	220.498	220.910	213.700		
105	T	2.1065	4.0865	4.0758	2.1142	2.0393	3.9470	3.9535	2.1202	24.4430		
	S	217.832	208.058	202.916	208.332	214.980	216.275	215.919	217.711	212.085		
106	T	2.1287	3.9920	3.9871	2.0816	2.0139	3.9101	3.9243	2.1031	24.1408		
	S	215.561	212.983	207.430	211.594	217.692	218.316	217.526	219.481	214.740		
107	T	2.1186	3.9939	3.9964	2.0885	2.0267	3.9242	3.9200	2.0928	24.1611		
	S	216.588	212.881	206.948	210.895	216.317	217.531	217.764	220.561	214.560		
108	T	2.1184	4.0584	3.9905	2.0801	2.0036	3.8794	3.8600	2.0651	24.0555		
	S	216.609	209.498	207.254	211.747	218.811	220.043	221.149	223.520	215.502		
109	T	2.1004	4.1574	4.1870	2.1228	2.0241	3.9426	3.9628	2.0878	24.5849		
	S	218.465	204.509	197.527	207.488	216.595	216.516	215.412	221.090	210.861		
110	T	2.0896	4.1445	4.1953	2.1269	2.0334	3.9023	3.8674	2.0681	24.4275		
	S	219.594	205.146	197.136	207.088	215.604	218.752	220.726	223.196	212.220		
111	T	2.0941	4.2184	4.1859	2.1445	2.0385	4.0464	3.9574	2.0696	24.7548		
	S	219.122	201.552	197.579	205.388	215.065	210.962	215.706	223.034	209.414		
112	T	2.0657	4.0556	4.1807	2.1448	2.0545	3.9840	3.9199	2.0881	24.4933		
	S	222.135	209.643	197.825	205.359	213.390	214.266	217.770	221.058	211.650		
113	T	2.1141	4.0065	4.0974	2.1212	2.0512	3.9949	3.9863	2.1313	24.5029		
	S	217.049	212.212	201.846	207.644	213.733	213.682	214.143	216.577	211.567		
114	T	2.1389	3.9709	3.9659	2.0827	2.0250	3.9512	3.9652	2.1200	24.2198		
	S	214.533	214.115	208.539	211.482	216.498	216.045	215.282	217.732	214.040		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.1336	3.9119	3.9361	2.0791	2.0239	3.9631	3.9766	2.1337	24.1580		
	S	215.065	217.344	210.118	211.849	216.616	215.396	214.665	216.334	214.587		
116	T	2.1475	3.9235	3.9104	2.0767	2.0230	3.9513	3.9780	2.1345	24.1449		
	S	213.673	216.701	211.499	212.093	216.712	216.039	214.589	216.252	214.704		
117	T	2.1457	3.9306	3.9472	2.0941	2.0369	3.9613	3.9701	2.1229	24.2088		
	S	213.853	216.310	209.527	210.331	215.233	215.494	215.016	217.434	214.137		
118	T	2.1315	3.8751	4.0073	2.1124	2.0471	3.9619	3.9622	2.1120	24.2095		
	S	215.277	219.408	206.385	208.509	214.161	215.461	215.445	218.556	214.131		
119	T	2.1227	3.9820	4.0359	2.1170	2.0445	4.1320	4.0742	2.1623	24.6706		
	S	216.170	213.518	204.922	208.056	214.433	206.592	209.522	213.472	210.129		
120	T	2.1624	3.9965	4.0685	2.1381	2.0630	3.9827	3.9723	2.1161	24.4996		
	S	212.201	212.743	203.280	206.003	212.510	214.336	214.897	218.133	211.595		
121	T	2.1216	4.0331	4.0196	2.1124	2.4096	5.7843			36.2897	27.5376	28.8867
	S	216.282	210.812	205.753	208.509	181.943	147.578			142.850	32.720	163.476
122	T				3.1362	2.6289	4.6193	4.3045	2.2223	55.0664	34.9318	
	S				140.442	166.765	184.798	198.313	207.709	94.141	135.264	
123	T	2.1961	3.9688	3.9719	2.0820	2.0119	3.8965	3.9059	2.0838	24.1169		
	S	208.945	214.228	208.224	211.554	217.908	219.078	218.550	221.514	214.953		
124	T	2.0928	4.0092	3.9446	2.0548	1.9997	3.9716	3.8798	2.1087	24.0612		
	S	219.258	212.069	209.665	214.354	219.237	214.935	220.021	218.898	215.451		
125	T	2.1118	3.9588	3.9905	2.0858	2.0123	3.9129	3.9234	2.0841	24.0796		
	S	217.286	214.769	207.254	211.168	217.865	218.160	217.576	221.482	215.286		
126	T	2.0988	3.9924	3.9570	2.0758	1.9984	3.8953	3.9593	2.1392	24.1162		
	S	218.631	212.961	209.008	212.185	219.380	219.145	215.603	215.777	214.959		
127	T	2.2152	4.2374	4.1224	2.1353	2.0527	4.0969	4.1053	2.1701	25.1353		
	S	207.143	200.648	200.622	206.273	213.577	208.362	207.935	212.705	206.244		
128	T	2.1627	4.0869	4.0910	2.1398	2.0602	4.0158	4.0214	2.1364	24.7142		
	S	212.172	208.037	202.162	205.839	212.799	212.569	212.273	216.060	209.758		
129	T	2.1504	4.3747	4.2475	2.1603	2.0576	3.9860	3.9902	2.1149	25.0816		
	S	213.385	194.351	194.713	203.886	213.068	214.159	213.933	218.257	206.685		
130	T	2.1350	4.1477	4.1370	2.1215	2.0290	3.9107	3.8951	2.0707	24.4467		
	S	214.924	204.988	199.914	207.615	216.072	218.282	219.156	222.915	212.053		
131	T	2.1131	4.2021	4.2389	2.1553	2.0575	3.9733	3.9622	2.1003	24.8027		
	S	217.152	202.334	195.109	204.359	213.079	214.843	215.445	219.774	209.010		
132	T	2.1065	4.0580	4.0929	2.1082	2.0353	3.9433	3.9432	2.1091	24.3965		
	S	217.832	209.519	202.068	208.924	215.403	216.478	216.483	218.857	212.489		
133	T	2.1295	4.0697	4.0076	2.0961	2.0331	4.0414	4.0700	2.1585	24.6059		
	S	215.480	208.916	206.369	210.131	215.636	211.223	209.739	213.848	210.681		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.1569	4.0376	4.0491	2.1338	2.0630	3.9897	4.0015	2.3491	24.7807		
	S	212.742	210.577	204.254	206.418	212.510	213.960	213.329	196.497	209.195		
135	T	2.6717	5.7653	6.9225	3.1271	2.7964	7.3718	6.4764	3.3472	38.4784		
	S	171.750	147.473	119.472	140.851	156.776	115.798	131.807	137.904	134.725		
136	T	3.3615	5.8796	6.0653	3.3401	3.8355	10.0789	11.5523	5.6159	49.7291		
	S	136.506	144.606	136.357	131.869	114.303	84.695	73.893	82.194	104.245		
137	T	5.3353	10.7780	11.1381	4.7292	5.2792	11.0610	12.0152	5.4472	65.7832		
	S	86.005	78.885	74.254	93.135	83.045	77.175	71.046	84.739	78.804		
138	T	6.2303	11.6704	9.8456	4.6789	5.0940	12.0410	10.7513	5.1078	65.4193		
	S	73.650	72.853	84.002	94.136	86.064	70.894	79.398	90.370	79.243		
139	T	5.8404	9.8749	9.8316	5.5989	6.1018	10.3458	10.7416	5.3188	63.6538		
	S	78.567	86.100	84.121	78.668	71.849	82.510	79.470	86.785	81.441		
140	T	5.5822	10.7985	9.8351	4.1968	4.0118	10.4555	10.0465	5.1627	60.0891		
	S	82.201	78.736	84.091	104.950	109.280	81.645	84.969	89.409	86.272		
141	T	4.8444	8.3950	10.2795	4.6363	4.5421	9.3716	9.0685	4.3474	55.4848		
	S	94.720	101.278	80.456	95.001	96.521	91.088	94.132	106.176	93.431		
142	T	6.2510	10.5764	9.4368	4.1741	4.5096	9.9888	8.9268	5.9284	59.7919		
	S	73.406	80.389	87.640	105.521	97.217	85.459	95.626	77.861	86.701		
143	T	5.6965	9.3797	9.8229	4.6492	4.1469	9.1082	6.3104	2.6042	51.7180		
	S	80.552	90.645	84.196	94.738	105.720	93.722	135.275	177.249	100.236		
144	T	2.4517	4.7041	4.4221	2.2274	2.1012	4.0477	3.9783	2.0997	26.0322		
	S	187.161	180.742	187.025	197.744	208.647	210.894	214.573	219.837	199.138		
145	T	2.1123	4.1445	4.0507	2.0803	2.0017	3.9222	3.9025	2.0726	24.2868		
	S	217.234	205.146	204.173	211.726	219.018	217.642	218.741	222.711	213.449		
146	T	2.0763	4.0791	4.0702	2.0748	1.9950	4.0178	3.9344	2.0672	24.3148		
	S	221.001	208.435	203.195	212.288	219.754	212.464	216.967	223.293	213.203		
147	T	2.0561	4.0618	4.1152	2.0852	1.9967	3.8624	3.8587	2.0647	24.1008		
	S	223.172	209.323	200.973	211.229	219.567	221.012	221.224	223.563	215.097		
148	T	2.0572	4.0045	4.1994	2.1349	2.0364	3.8974	3.8722	2.0773	24.2793		
	S	223.053	212.318	196.944	206.312	215.286	219.027	220.453	222.207	213.515		
149	T	2.0907	4.1167	4.0547	2.0914	2.0061	3.8896	3.8791	2.0736	24.2019		
	S	219.478	206.531	203.972	210.603	218.538	219.466	220.060	222.604	214.198		
150	T	2.0893	4.1145	4.0839	2.0965	2.0103	3.8991	3.8930	2.0781	24.2647		
	S	219.626	206.642	202.514	210.090	218.081	218.932	219.275	222.122	213.644		
151	T	2.0905	4.1326	4.2528	2.1413	2.0406	3.9059	3.8819	2.0759	24.5215		
	S	219.499	205.737	194.471	205.695	214.843	218.550	219.902	222.357	211.406		
152	T	2.0766	4.0685	4.2031	2.1550	2.0546	3.9301	3.8969	2.0789	24.4637		
	S	220.969	208.978	196.770	204.387	213.379	217.205	219.055	222.036	211.906		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0918	4.0255	4.0141	2.0794	2.0020	3.8969	3.8801	2.0733	24.0631			
	S	219.363	211.210	206.035	211.818	218.986	219.055	220.004	222.636	215.434			
154	T	2.0779	4.1096	4.1798	2.1419	2.0505	3.9525	3.9385	2.0968	24.5475			
	S	220.830	206.888	197.867	205.637	213.806	215.974	216.741	220.141	211.182			
155	T	2.1173	4.1344	4.1121	2.1186	2.0578	4.1095	4.0466	2.1326	24.8289			
	S	216.721	205.647	201.125	207.899	213.047	207.723	210.952	216.445	208.789			
156	T	2.1225	4.0542	4.1671	2.1440	2.0453	3.9298	3.9091	2.0937	24.4657			
	S	216.190	209.715	198.470	205.436	214.350	217.221	218.372	220.467	211.888			
157	T	2.0922	3.9737	4.0663	2.1004	2.0203	3.9121	3.8921	2.0822	24.1393			
	S	219.321	213.964	203.390	209.700	217.002	218.204	219.325	221.684	214.754			
158	T	2.0896	4.0546	4.1488	2.1346	2.0451	4.0473	4.0002	2.1194	24.6396			
	S	219.594	209.694	199.346	206.341	214.370	210.915	213.398	217.793	210.393			
159	T	2.1182	3.9759	3.9799	2.0848	2.0082	3.9853	3.9497	2.0935	24.1955			
	S	216.629	213.845	207.806	211.269	218.309	214.196	216.127	220.488	214.255			
160	T	2.0968	4.0181	4.0008	2.0878	2.0048	3.8778	3.8677	2.0700	24.0238			
	S	218.840	211.599	206.720	210.966	218.680	220.134	220.709	222.991	215.786			
161	T	2.0671	4.1482	4.2522	2.1525	2.0607	3.9728	3.9139	2.0864	24.6538			
	S	221.984	204.963	194.498	204.625	212.748	214.870	218.104	221.238	210.272			
162	T	2.0863	4.0642	4.3321	2.1702	2.0693	4.0000	3.9707	2.1101	24.8029			
	S	219.941	209.199	190.911	202.956	211.863	213.409	214.984	218.753	209.008			
163	T	2.1188	4.1240	4.0500	2.0975	2.0146	3.9141	3.8937	2.0802	24.2929			
	S	216.568	206.166	204.209	209.990	217.616	218.093	219.235	221.897	213.396			
164	T	2.1042	4.1461	4.3547	2.1918	2.0784	3.9686	3.9257	2.0974	24.8669			
	S	218.070	205.067	189.920	200.956	210.936	215.098	217.448	220.078	208.470			
165	T	2.1051	4.0683	4.1128	2.1194	2.0290	3.9084	3.8891	2.0815	24.3136			
	S	217.977	208.988	201.091	207.820	216.072	218.411	219.495	221.759	213.214			
166	T	2.0886	4.0143	3.9961	2.0841	2.0068	3.9973	3.9792	2.1036	24.2700			
	S	219.699	211.800	206.963	211.340	218.462	213.553	214.525	219.429	213.597			
167	T	2.1072	4.0928	4.1145	2.1349	2.0418	3.9207	3.9024	2.0842	24.3985			
	S	217.760	207.737	201.008	206.312	214.717	217.725	218.747	221.472	212.472			
168	T	2.0918	4.0323	4.1074	2.1228	2.0395	3.9439	3.9338	2.0974	24.3689			
	S	219.363	210.854	201.355	207.488	214.959	216.445	217.000	220.078	212.730			
169	T	2.1078	4.0582	3.9967	2.0953	2.0181	3.8961	3.8925	2.0889	24.1536			
	S	217.698	209.508	206.932	210.211	217.239	219.100	219.303	220.973	214.626			
170	T	2.1014	3.9484	3.9697	2.0728	1.9979	3.8695	3.8752	2.0791	23.9140			
	S	218.361	215.335	208.340	212.493	219.435	220.606	220.282	222.015	216.777			
171	T	2.0865	3.9802	4.0817	2.1068	2.0225	3.8877	3.8740	2.0769	24.1163			
	S	219.920	213.614	202.623	209.063	216.766	219.574	220.350	222.250	214.958			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.0789	4.0895	4.1910	2.1321	2.0590	4.0621	3.9739	2.0983	24.6848		
	S	220.724	207.905	197.338	206.582	212.923	210.147	214.811	219.983	210.008		
173	T	2.1035	4.1627	4.0771	2.0919	2.0535	4.1554	4.0643	2.1427	24.8511		
	S	218.143	204.249	202.851	210.552	213.494	205.428	210.033	215.425	208.602		
174	T	2.1224	4.0934	4.0369	2.0895	2.0140	4.0100	3.9624	2.1060	24.4346		
	S	216.200	207.707	204.871	210.794	217.681	212.877	215.434	219.179	212.158		
175	T	2.1094	4.0785	4.0922	2.1207	2.0423	4.0345	3.9714	2.1027	24.5517		
	S	217.533	208.466	202.103	207.693	214.664	211.584	214.946	219.523	211.146		
176	T	2.1234	4.1515	4.0360	2.0920	2.0174	4.0561	3.9961	2.1104	24.5829		
	S	216.099	204.800	204.917	210.542	217.314	210.457	213.617	218.722	210.878		
177	T	2.1126	4.1795	4.0682	2.1121	2.0280	4.0961	4.0268	2.1214	24.7447		
	S	217.203	203.428	203.295	208.539	216.178	208.402	211.989	217.588	209.499		
178	T	2.1146	4.0880	4.1609	2.1320	2.0467	3.9991	3.9452	2.0950	24.5815		
	S	216.998	207.981	198.766	206.592	214.203	213.457	216.373	220.330	210.890		
179	T	2.1010	4.0397	4.1881	2.1414	2.0505	3.9372	3.9191	2.0926	24.4696		
	S	218.402	210.468	197.475	205.685	213.806	216.813	217.814	220.582	211.855		
180	T	2.1065	3.9776	4.1223	2.1195	2.0359	3.9219	3.9096	2.0938	24.2871		
	S	217.832	213.754	200.627	207.811	215.339	217.659	218.344	220.456	213.447		
181	T	2.1122	4.0069	4.1321	2.1255	2.0403	3.9244	3.9074	2.0897	24.3385		
	S	217.244	212.191	200.151	207.224	214.875	217.520	218.467	220.889	212.996		
182	T	2.1006	3.9972	4.0031	2.0761	2.0077	3.8808	3.8846	2.0792	24.0293		
	S	218.444	212.706	206.601	212.155	218.364	219.964	219.749	222.004	215.737		
183	T	2.0876	3.9940	4.2444	2.1506	2.0532	3.9360	3.9160	2.0920	24.4738		
	S	219.804	212.876	194.856	204.805	213.525	216.879	217.987	220.646	211.818		
184	T	2.1030	4.0651	4.1305	2.1398	2.0552	3.9436	3.9349	2.0993	24.4714		
	S	218.195	209.153	200.229	205.839	213.317	216.461	216.940	219.878	211.839		
185	T	2.1110	4.0710	4.1414	2.1368	2.0470	3.9831	3.9736	2.1145	24.5784		
	S	217.368	208.850	199.702	206.128	214.172	214.315	214.827	218.298	210.917		
186	T	2.1211	4.0987	4.1156	2.1423	2.0569	3.9542	3.9479	2.1012	24.5379		
	S	216.333	207.438	200.954	205.599	213.141	215.881	216.225	219.680	211.265		
187	T	2.1113	4.0285	4.0611	2.0991	2.0217	3.9036	3.9073	2.0944	24.2270		
	S	217.337	211.053	203.651	209.830	216.852	218.679	218.472	220.393	213.976		
188	T	2.1026	4.0599	4.1786	2.1808	2.5835	5.9767			36.7659	27.4379	29.3506
	S	218.236	209.421	197.924	201.969	169.696	142.827			141.000	32.839	160.892
189	T				3.1231	2.6108	4.5850	4.2772	2.2081	54.8179	34.7953	
	S				141.031	167.921	186.180	199.578	209.044	94.568	135.794	
190	T	2.1700	4.1254	3.9823	2.0666	2.0079	3.8973	3.9037	2.0802	24.2334		
	S	211.458	206.096	207.680	213.130	218.342	219.033	218.674	221.897	213.920		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.0814	3.9294	3.9310	2.0548	1.9801	3.8559	3.8698	2.0664	23.7688		
	S	220.459	216.376	210.391	214.354	221.408	221.384	220.589	223.379	218.101		
192	T	2.0643	3.9969	3.9666	2.0635	1.9851	3.8714	3.8784	2.0680	23.8942		
	S	222.285	212.722	208.502	213.450	220.850	220.498	220.100	223.206	216.956		
193	T	2.0671	3.8782	3.9280	2.0479	1.9729	3.8682	3.8638	2.0688	23.6949		
	S	221.984	219.232	210.551	215.076	222.216	220.681	220.932	223.120	218.781		
194	T	2.0664	3.9454	3.9625	2.0658	1.9881	3.9108	3.9133	2.0778	23.9301		
	S	222.059	215.498	208.718	213.213	220.517	218.277	218.137	222.154	216.631		
195	T	2.0754	3.9229	3.9658	2.0743	1.9887	3.9099	3.9010	2.0831	23.9211		
	S	221.096	216.734	208.544	212.339	220.450	218.327	218.825	221.588	216.712		
196	T	2.0847	4.0175	3.9681	2.0709	1.9949	3.8671	3.8764	2.0745	23.9541		
	S	220.110	211.631	208.424	212.688	219.765	220.743	220.214	222.507	216.414		
197	T	2.0725	3.9472	3.9770	2.0796	2.0012	3.9782	3.9586	2.1020	24.1163		
	S	221.406	215.400	207.957	211.798	219.073	214.579	215.641	219.596	214.958		
198	T	2.1032	4.0240	4.0982	2.1122	2.0354	3.9738	3.9312	2.0881	24.3661		
	S	218.174	211.289	201.807	208.529	215.392	214.816	217.144	221.058	212.755		
199	T	2.0985	4.1596	4.1290	2.1071	2.0235	4.0070	3.9696	2.1068	24.6011		
	S	218.663	204.401	200.302	209.034	216.659	213.036	215.043	219.096	210.722		
200	T	2.1112	3.9849	3.9463	2.0647	1.9918	3.9771	3.9441	2.0999	24.1200		
	S	217.347	213.362	209.575	213.326	220.107	214.638	216.434	219.816	214.925		
201	T	2.1031	3.9281	4.0201	2.0764	1.9948	3.8706	3.8789	2.0716	23.9436		
	S	218.184	216.447	205.728	212.124	219.776	220.544	220.072	222.819	216.509		
202	T	2.0737	3.9325	4.0776	2.1180	2.0254	3.9316	3.9104	2.0908	24.1600		
	S	221.278	216.205	202.827	207.958	216.456	217.122	218.299	220.772	214.570		
203	T	2.0969	4.0629	4.0224	2.0953	2.0294	4.0311	3.9900	2.1195	24.4475		
	S	218.830	209.266	205.610	210.211	216.029	211.763	213.944	217.783	212.046		
204	T	2.1156	4.0954	4.0650	2.1089	2.0235	3.8938	3.8969	2.0856	24.2847		
	S	216.895	207.605	203.455	208.855	216.659	219.230	219.055	221.323	213.468		
205	T	2.0955	4.0211	4.0876	2.1215	2.0344	3.9067	3.8986	2.0799	24.2453		
	S	218.976	211.441	202.330	207.615	215.498	218.506	218.960	221.929	213.815		
206	T	2.0838	4.0582	4.0343	2.0848	2.0009	3.8905	3.8629	2.0756	24.0910		
	S	220.205	209.508	205.003	211.269	219.106	219.416	220.983	222.389	215.184		
207	T	2.0842	4.0228	4.2370	2.1347	2.0297	3.8805	3.8674	2.0559	24.3122		
	S	220.163	211.352	195.196	206.331	215.997	219.981	220.726	224.520	213.226		
208	T	2.0764	4.0461	4.1573	2.1267	2.0379	3.9046	3.8859	2.0799	24.3148		
	S	220.990	210.135	198.938	207.107	215.128	218.623	219.675	221.929	213.203		
209	T	2.0907	4.0893	4.2058	2.1657	2.0562	3.9338	3.9032	2.0855	24.5302		
	S	219.478	207.915	196.644	203.377	213.213	217.000	218.702	221.333	211.331		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0870	4.0178	4.1304	2.1117	2.0232	3.8979	3.8889	2.0801	24.2370		
	S	219.868	211.615	200.234	208.578	216.691	218.999	219.506	221.908	213.888		
211	T	2.0849	3.9901	4.1234	2.1247	2.0427	3.9165	3.9071	2.0855	24.2749		
	S	220.089	213.084	200.574	207.302	214.622	217.959	218.483	221.333	213.554		
212	T	2.0874	3.9660	4.1892	2.1548	2.0571	3.9515	3.9272	2.0933	24.4265		
	S	219.825	214.379	197.423	204.406	213.120	216.028	217.365	220.509	212.229		
213	T	2.0980	3.9875	4.0695	2.1049	2.0182	3.8893	3.8860	2.0751	24.1285		
	S	218.715	213.223	203.230	209.252	217.228	219.483	219.670	222.443	214.850		
214	T	2.0823	4.1218	4.1060	2.1189	2.0310	3.9277	3.9174	2.0877	24.3928		
	S	220.364	206.276	201.424	207.869	215.859	217.337	217.909	221.100	212.522		
215	T	2.0905	4.0649	4.0878	2.1072	2.0196	3.9266	3.9028	2.0782	24.2776		
	S	219.499	209.163	202.320	209.024	217.077	217.398	218.724	222.111	213.530		
216	T	2.0920	4.1583	4.2185	2.1571	2.0553	3.9382	3.9056	2.0778	24.6028		
	S	219.342	204.465	196.052	204.188	213.307	216.758	218.567	222.154	210.708		
217	T	2.0894	4.1729	4.1928	2.1566	2.0611	3.9804	3.9253	2.0775	24.6560		
	S	219.615	203.750	197.254	204.236	212.706	214.460	217.470	222.186	210.253		
218	T	2.0778	4.1518	4.1392	2.1188	2.0271	3.8831	3.9126	2.0859	24.3963		
	S	220.841	204.785	199.808	207.879	216.274	219.834	218.176	221.291	212.491		
219	T	2.0977	3.9831	4.0233	2.4976	2.7353	5.3178	5.6520	3.5935	29.9003		
	S	218.746	213.459	205.564	176.351	160.278	160.524	151.033	128.452	173.376		
220	T	4.0021	6.7915	6.4813	3.4393	3.2142	6.2191	5.9828	3.2849	39.4152		
	S	114.656	125.190	127.605	128.065	136.398	137.260	142.682	140.519	131.523		
221	T	3.8362	9.9556	8.8078	4.7117	3.8252	8.1649	8.1793	4.2460	51.7267		
	S	119.614	85.402	93.899	93.481	114.611	104.550	104.365	108.712	100.219		
222	T	3.7897	7.5640	10.9343	6.9748	5.5796	9.7957	10.1838	4.4651	59.2870		
	S	121.082	112.404	75.638	63.149	78.574	87.144	83.823	103.378	87.439		
223	T	4.7974	9.7583	10.1024	5.2632	6.3955	8.6414	9.4849	4.2802	58.7233		
	S	95.648	87.129	81.866	83.686	68.550	98.784	90.000	107.843	88.278		
224	T	4.8344	9.9475	9.8309	4.8300	5.4327	9.2933	9.4647	5.0064	58.6399		
	S	94.916	85.471	84.127	91.191	80.698	91.855	90.192	92.200	88.404		
225	T	5.2119	8.1421	8.6520	4.8926	5.9019	8.2544	9.3709	5.0771	55.5029		
	S	88.042	104.424	95.590	90.025	74.283	103.416	91.094	90.916	93.401		
226	T	4.8619	7.9969	8.3131	3.8680	4.2586	9.4658	6.2620	2.5784	47.6047		
	S	94.379	106.320	99.487	113.871	102.947	90.181	136.320	179.022	108.897		
227	T	2.4401	4.5624	4.3205	2.2178	2.1115	4.0598	3.9293	2.0668	25.7082		
	S	188.051	186.355	191.424	198.600	207.629	210.266	217.249	223.336	201.648		
228	T	2.0857	4.1531	4.1056	2.0813	1.9951	3.8687	3.8617	2.0403	24.1915		
	S	220.005	204.721	201.443	211.625	219.743	220.652	221.052	226.237	214.290		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 88 - Herta, Colton (R)

Lap	T/S	SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.0443	4.0564	4.0142	2.0461	1.9755	4.5362						321.8227
	S	224.460	209.601	206.030	215.265	221.923	188.183						14.674

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap		T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.6564	4.4900	4.2886	2.1722	2.0718	4.1401	4.0404	2.1275	25.9870		67.8297	
	S	172.739	189.360	192.847	202.769	211.608	206.187	211.275	216.964	199.484		69.660	
2	T	2.1228	4.0098	4.0532	2.0987	2.0210	3.8932	3.8930	2.0820	24.1737			
	S	216.160	212.037	204.048	209.870	216.927	219.263	219.275	221.706	214.448			
3	T	2.0910	3.9368	3.9966	2.0826	2.0076	3.8755	3.8869	2.0807	23.9577			
	S	219.447	215.969	206.937	211.493	218.375	220.265	219.619	221.844	216.381			
4	T	2.0902	3.9338	4.0180	2.0940	2.0186	3.8947	3.9033	2.0900	24.0426			
	S	219.531	216.134	205.835	210.341	217.185	219.179	218.696	220.857	215.617			
5	T	2.0995	3.8477	3.9570	2.0744	2.0031	3.8782	3.8881	2.0871	23.8351			
	S	218.559	220.970	209.008	212.329	218.865	220.111	219.551	221.164	217.494			
6	T	2.0940	3.8495	3.9760	2.0756	2.0058	3.8815	3.8967	2.0924	23.8715			
	S	219.133	220.867	208.009	212.206	218.571	219.924	219.066	220.604	217.163			
7	T	2.1002	3.8387	3.9419	2.0667	2.0013	3.8742	3.8908	2.0840	23.7978			
	S	218.486	221.488	209.809	213.120	219.062	220.339	219.399	221.493	217.835			
8	T	2.0976	3.8757	3.9897	2.0815	2.0134	3.8991	3.9113	2.0950	23.9633			
	S	218.757	219.374	207.295	211.604	217.746	218.932	218.249	220.330	216.331			
9	T	2.1055	3.9102	3.9990	2.0813	2.0118	3.8928	3.9067	2.0932	24.0005			
	S	217.936	217.438	206.813	211.625	217.919	219.286	218.506	220.519	215.996			
10	T	2.1061	3.9119	3.9928	2.0796	2.0107	3.8964	3.9118	2.0955	24.0048			
	S	217.874	217.344	207.134	211.798	218.038	219.083	218.221	220.277	215.957			
11	T	2.1069	3.9082	4.0170	2.0841	2.0137	3.9039	3.9191	2.0978	24.0507			
	S	217.791	217.550	205.886	211.340	217.713	218.662	217.814	220.036	215.545			
12	T	2.1076	3.9398	4.0111	2.0869	2.0148	3.9022	3.9194	2.0952	24.0770			
	S	217.719	215.805	206.189	211.057	217.594	218.758	217.798	220.309	215.309			
13	T	2.1079	3.9038	4.0151	2.0868	2.0150	3.9031	3.9179	2.0974	24.0470			
	S	217.688	217.795	205.984	211.067	217.573	218.707	217.881	220.078	215.578			
14	T	2.1048	3.8720	4.0208	2.0928	2.0196	3.9067	3.9199	2.0980	24.0346			
	S	218.008	219.583	205.692	210.462	217.077	218.506	217.770	220.015	215.689			
15	T	2.1019	3.9005	4.0538	2.1000	2.0248	3.9187	3.9281	2.1004	24.1282			
	S	218.309	217.979	204.017	209.740	216.520	217.837	217.315	219.763	214.852			
16	T	2.1068	3.9207	4.0417	2.0969	2.0226	3.9153	3.9269	2.0962	24.1271			
	S	217.801	216.856	204.628	210.050	216.755	218.026	217.382	220.204	214.862			
17	T	2.1088	3.8988	4.0183	2.0910	2.0181	3.9093	3.9218	2.0956	24.0617			
	S	217.595	218.074	205.820	210.643	217.239	218.360	217.664	220.267	215.446			
18	T	2.1033	3.9145	4.0383	2.0978	2.0245	3.9147	3.9224	2.0953	24.1108			
	S	218.164	217.199	204.800	209.960	216.552	218.059	217.631	220.298	215.007			
19	T	2.1044	3.9058	4.0337	2.0960	2.0221	3.9117	3.9181	2.0959	24.0877			
	S	218.050	217.683	205.034	210.141	216.809	218.226	217.870	220.235	215.214			

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1033	3.9158	4.0598	2.1006	2.0252	3.9203	3.9290	2.0978	24.1518		
	S	218.164	217.127	203.716	209.680	216.477	217.748	217.266	220.036	214.642		
21	T	2.1013	3.9165	4.0151	2.0854	2.0135	3.9055	3.9130	2.0940	24.0443		
	S	218.371	217.089	205.984	211.209	217.735	218.573	218.154	220.435	215.602		
22	T	2.0983	3.9297	4.0581	2.0918	2.0121	3.8922	3.8876	2.0793	24.0491		
	S	218.684	216.359	203.801	210.562	217.886	219.320	219.579	221.993	215.559		
23	T	2.0793	3.9876	4.1689	2.1317	2.0326	3.8921	3.8681	2.0485	24.2088		
	S	220.682	213.218	198.385	206.621	215.689	219.325	220.686	225.331	214.137		
24	T	2.0799	4.0419	4.1366	2.1253	2.0402	3.9301	3.9319	2.0982	24.3841		
	S	220.618	210.353	199.934	207.243	214.885	217.205	217.105	219.994	212.598		
25	T	2.1082	3.9188	4.0749	2.1007	2.0223	3.9035	3.9075	2.0907	24.1266		
	S	217.657	216.961	202.961	209.670	216.787	218.685	218.461	220.783	214.867		
26	T	2.0865	3.9950	4.1063	2.1056	2.0189	3.8853	3.8881	2.0756	24.1613		
	S	219.920	212.823	201.409	209.182	217.152	219.709	219.551	222.389	214.558		
27	T	2.0850	4.1738	4.2201	2.1452	2.0430	3.9178	3.9007	2.0816	24.5672		
	S	220.078	203.706	195.978	205.321	214.591	217.887	218.842	221.748	211.013		
28	T	2.0919	4.1847	4.1773	2.1280	2.0302	3.8936	3.8869	2.0771	24.4697		
	S	219.353	203.175	197.986	206.981	215.944	219.241	219.619	222.229	211.854		
29	T	2.0850	4.1561	4.1672	2.1220	2.0257	3.8826	3.8591	2.0480	24.3457		
	S	220.078	204.573	198.466	207.566	216.424	219.862	221.201	225.386	212.933		
30	T	2.1649	4.3270	4.1941	2.1318	2.0329	3.8948	3.8684	2.0589	24.6728		
	S	211.956	196.493	197.193	206.612	215.657	219.173	220.669	224.193	210.110		
31	T	2.1144	4.2440	4.1871	2.1229	2.0361	4.1569	4.0471	2.1038	25.0123		
	S	217.018	200.336	197.522	207.478	215.318	205.354	210.925	219.408	207.258		
32	T	2.0926	4.1375	4.1836	2.1295	2.0347	3.9017	3.8884	2.0694	24.4374		
	S	219.279	205.493	197.688	206.835	215.466	218.786	219.534	223.055	212.134		
33	T	2.0888	4.1992	4.1876	2.1373	2.0417	3.9075	3.8912	2.0721	24.5254		
	S	219.678	202.474	197.499	206.080	214.727	218.461	219.376	222.765	211.373		
34	T	2.0792	4.1487	4.1445	2.1176	2.0217	3.8730	3.8531	2.0508	24.2886		
	S	220.692	204.938	199.553	207.997	216.852	220.407	221.545	225.078	213.433		
35	T	2.1136	4.2551	4.2380	2.1568	2.0422	3.9613	3.9181	2.0655	24.7506		
	S	217.101	199.814	195.150	204.217	214.675	215.494	217.870	223.477	209.449		
36	T	2.1467	4.3444	4.2306	2.1438	2.0424	3.9048	3.8711	2.0590	24.7428		
	S	213.753	195.706	195.491	205.455	214.654	218.612	220.515	224.182	209.515		
37	T	2.0976	4.2089	4.1925	2.1310	2.0308	3.8839	3.8551	2.0488	24.4486		
	S	218.757	202.007	197.268	206.689	215.880	219.788	221.430	225.298	212.037		
38	T	2.1225	4.3221	4.2254	2.1434	2.0381	3.8867	3.8558	2.0475	24.6415		
	S	216.190	196.716	195.732	205.493	215.107	219.630	221.390	225.441	210.377		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1072	4.2713	4.2159	2.1415	2.0361	3.8877	3.8548	2.0494	24.5639		
	S	217.760	199.056	196.173	205.676	215.318	219.574	221.448	225.232	211.041		
40	T	2.1376	4.3006	4.2181	2.1328	2.0255	3.8739	3.8944	2.0588	24.6417		
	S	214.663	197.700	196.071	206.515	216.445	220.356	219.196	224.204	210.375		
41	T	2.1265	4.3507	4.2839	2.1561	2.0432	3.9047	3.8694	2.0484	24.7829		
	S	215.784	195.423	193.059	204.283	214.570	218.618	220.612	225.342	209.176		
42	T	2.1798	4.4003	4.2392	2.1514	2.0406	3.8910	3.8522	2.0459	24.8004		
	S	210.507	193.220	195.095	204.729	214.843	219.387	221.597	225.618	209.029		
43	T	2.1641	4.3147	4.1809	2.1219	2.0237	3.8698	3.8444	2.0421	24.5616		
	S	212.034	197.054	197.815	207.576	216.637	220.589	222.047	226.037	211.061		
44	T	2.1331	4.2964	4.2180	2.1385	2.0309	3.8742	3.8432	2.0419	24.5762		
	S	215.116	197.893	196.075	205.964	215.869	220.339	222.116	226.060	210.936		
45	T	2.1507	4.3607	4.2360	2.1387	2.0320	3.8724	3.8338	2.0356	24.6599		
	S	213.355	194.975	195.242	205.945	215.753	220.441	222.661	226.759	210.220		
46	T	2.1672	4.3942	4.2505	2.1391	2.0350	3.8743	3.8395	2.0406	24.7404		
	S	211.731	193.489	194.576	205.906	215.434	220.333	222.330	226.204	209.536		
47	T	2.1707	4.4439	4.3113	2.1704	2.0568	3.9122	3.8643	2.0515	24.9811		
	S	211.390	191.325	191.832	202.937	213.151	218.199	220.903	225.002	207.517		
48	T	2.1600	4.3425	4.1974	2.1341	2.0307	3.8779	3.8444	2.0424	24.6294		
	S	212.437	195.792	197.038	206.389	215.891	220.129	222.047	226.004	210.480		
49	T	2.1433	4.3932	4.3238	2.1743	2.0559	4.0061	3.9340	2.0663	25.0969		
	S	214.092	193.533	191.277	202.573	213.244	213.084	216.989	223.390	206.559		
50	T	2.1621	4.4439	4.2979	2.1579	2.0498	3.9747	3.9186	2.0748	25.0797		
	S	212.231	191.325	192.430	204.113	213.879	214.767	217.842	222.475	206.701		
51	T	2.1654	4.3927	4.2604	2.1507	2.0504	4.0666	3.9655	2.0814	25.1331		
	S	211.907	193.555	194.124	204.796	213.816	209.914	215.266	221.769	206.262		
52	T	2.2386	4.5075	4.3284	2.1808	2.1295	4.2923	4.0421	2.1002	25.8194		
	S	204.978	188.625	191.074	201.969	205.874	198.876	211.186	219.784	200.779		
53	T	2.1700	4.3808	4.2748	2.1451	2.1001	4.1445	3.9777	2.0871	25.2801		
	S	211.458	194.080	193.470	205.331	208.756	205.968	214.606	221.164	205.062		
54	T	2.1114	4.2650	4.2298	2.1404	2.0326	3.9632	3.9275	2.0714	24.7413		
	S	217.327	199.350	195.528	205.781	215.689	215.391	217.349	222.840	209.528		
55	T	2.1384	4.3288	4.2508	2.1517	2.0407	3.8875	3.8512	2.0412	24.6903		
	S	214.583	196.412	194.562	204.701	214.833	219.585	221.655	226.137	209.961		
56	T	2.1653	4.3531	4.2169	2.1378	2.0352	3.8824	3.8490	2.0420	24.6817		
	S	211.917	195.315	196.126	206.032	215.413	219.873	221.781	226.048	210.034		
57	T	2.1525	4.3639	4.3008	2.1670	2.0501	3.9115	3.8590	2.0424	24.8472		
	S	213.177	194.832	192.300	203.255	213.848	218.238	221.207	226.004	208.635		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T	2.1814	4.3907	4.2643	2.1577	2.0467	3.8925	3.8547	2.0417	24.8297		
	S	210.353	193.643	193.946	204.132	214.203	219.303	221.453	226.082	208.782		
59	T	2.1642	4.3609	4.2619	2.1546	2.0545	3.9356	3.9100	2.0803	24.9220		
	S	212.025	194.966	194.056	204.425	213.390	216.901	218.321	221.887	208.009		
60	T	2.0772	4.0971	4.1627	2.1446	2.4995	6.3436			36.5081	26.2075	29.1214
	S	220.905	207.519	198.680	205.378	175.399	134.567			141.996	34.380	162.158
61	T				3.1166	2.6115	4.5797	4.2317	2.1823	53.4374	34.6166	
	S				141.325	167.876	186.396	201.724	211.516	97.011	136.495	
62	T	2.1647	4.2061	4.0510	2.0732	1.9899	3.9477	3.9596	2.0927	24.4849		
	S	211.976	202.141	204.158	212.452	220.317	216.236	215.587	220.572	211.722		
63	T	2.0883	4.1103	4.0275	2.0641	1.9983	3.9784	3.9107	2.0545	24.2321		
	S	219.731	206.853	205.350	213.388	219.391	214.568	218.282	224.673	213.931		
64	T	2.1074	4.1735	4.0465	2.0757	1.9917	3.8446	3.8452	2.0393	24.1239		
	S	217.739	203.720	204.385	212.196	220.118	222.035	222.001	226.348	214.891		
65	T	2.1239	4.2573	4.1102	2.0878	1.9932	3.8425	3.8213	2.0341	24.2703		
	S	216.048	199.710	201.218	210.966	219.952	222.157	223.389	226.926	213.594		
66	T	2.1381	4.2160	4.0340	2.0990	2.0299	3.9000	3.8840	2.0626	24.3636		
	S	214.613	201.667	205.019	209.840	215.976	218.881	219.783	223.791	212.776		
67	T	2.0661	4.0900	4.0722	2.0993	2.0199	3.8936	3.9005	2.0808	24.2224		
	S	222.092	207.880	203.095	209.810	217.045	219.241	218.853	221.833	214.017		
68	T	2.0792	3.8853	3.9949	2.0785	2.0021	3.8787	3.8925	2.0803	23.8915		
	S	220.692	218.832	207.025	211.910	218.975	220.083	219.303	221.887	216.981		
69	T	2.0855	3.8610	3.9991	2.0792	2.0043	3.8763	3.8922	2.0814	23.8790		
	S	220.026	220.209	206.808	211.838	218.734	220.219	219.320	221.769	217.095		
70	T	2.0859	3.8952	3.9925	2.0713	1.9949	3.8650	3.8788	2.0679	23.8515		
	S	219.984	218.276	207.150	212.646	219.765	220.863	220.077	223.217	217.345		
71	T	2.0682	3.9106	4.0146	2.0794	2.0022	3.8776	3.8849	2.0721	23.9096		
	S	221.866	217.416	206.009	211.818	218.964	220.146	219.732	222.765	216.817		
72	T	2.0765	4.0259	3.9929	2.0763	1.9996	3.8682	3.8850	2.0690	23.9934		
	S	220.979	211.189	207.129	212.134	219.248	220.681	219.726	223.099	216.059		
73	T	2.0724	4.0258	4.0693	2.1070	2.0220	3.9049	3.9041	2.0827	24.1882		
	S	221.417	211.195	203.240	209.043	216.820	218.606	218.651	221.631	214.319		
74	T	2.0823	3.9878	4.0531	2.0987	2.0185	3.8998	3.9076	2.0816	24.1294		
	S	220.364	213.207	204.053	209.870	217.195	218.892	218.455	221.748	214.842		
75	T	2.0835	3.9517	4.0363	2.0898	2.0104	3.8873	3.8916	2.0792	24.0298		
	S	220.237	215.155	204.902	210.764	218.071	219.596	219.354	222.004	215.732		
76	T	2.0765	3.9971	4.0957	2.1150	2.0301	3.9126	3.8993	2.0706	24.1969		
	S	220.979	212.711	201.930	208.253	215.954	218.176	218.920	222.926	214.242		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.0955	4.1617	4.0924	2.1058	2.0246	3.9166	3.9138	2.0861	24.3965		
	S	218.976	204.298	202.093	209.163	216.541	217.953	218.109	221.270	212.489		
78	T	2.0851	3.9959	4.0600	2.1008	2.0198	3.9073	3.9139	2.0870	24.1698		
	S	220.068	212.775	203.706	209.660	217.056	218.472	218.104	221.174	214.483		
79	T	2.0866	3.9948	4.0510	2.0954	2.0151	3.9019	3.9003	2.0833	24.1284		
	S	219.910	212.834	204.158	210.201	217.562	218.775	218.864	221.567	214.851		
80	T	2.0795	4.0086	4.1031	2.1117	2.0384	4.0320	3.9638	2.0882	24.4253		
	S	220.661	212.101	201.566	208.578	215.075	211.715	215.358	221.047	212.239		
81	T	2.1474	4.4200	4.2347	2.1531	2.0412	3.9181	3.9059	2.0680	24.8884		
	S	213.683	192.359	195.302	204.568	214.780	217.870	218.550	223.206	208.290		
82	T	2.2427	4.3817	4.1609	2.1321	2.0394	3.9216	3.9076	2.0762	24.8622		
	S	204.603	194.041	198.766	206.582	214.970	217.676	218.455	222.325	208.509		
83	T	2.0897	4.1466	4.0729	2.1065	2.0193	3.8888	3.8912	2.0706	24.2856		
	S	219.583	205.042	203.061	209.093	217.109	219.512	219.376	222.926	213.460		
84	T	2.0893	4.1468	4.0712	2.0953	2.0086	3.8706	3.8772	2.0660	24.2250		
	S	219.626	205.032	203.145	210.211	218.266	220.544	220.168	223.423	213.994		
85	T	2.1139	4.1631	4.0584	2.0939	2.0077	3.8721	3.8747	2.0635	24.2473		
	S	217.070	204.229	203.786	210.351	218.364	220.458	220.310	223.693	213.797		
86	T	2.1160	4.2298	4.1177	2.1110	2.0197	3.8891	3.8839	2.0665	24.4337		
	S	216.854	201.009	200.851	208.647	217.066	219.495	219.788	223.368	212.166		
87	T	2.1361	4.3882	4.3473	2.1978	2.0814	3.9740	3.9218	2.0764	25.1230		
	S	214.814	193.753	190.243	200.407	210.632	214.805	217.664	222.303	206.345		
88	T	2.2446	4.4075	4.2090	2.1669	2.0729	3.9876	3.9836	2.1209	25.1930		
	S	204.430	192.905	196.495	203.265	211.496	214.073	214.288	217.639	205.771		
89	T	2.1164	3.9624	4.0086	2.0862	2.0138	3.8992	3.9156	2.0944	24.0966		
	S	216.813	214.574	206.318	211.128	217.702	218.926	218.009	220.393	215.134		
90	T	2.1008	3.8937	3.9845	2.0759	2.0045	3.8836	3.8935	2.0831	23.9196		
	S	218.423	218.360	207.566	212.175	218.712	219.805	219.247	221.588	216.726		
91	T	2.0910	3.9737	4.0350	2.0912	2.0142	3.8954	3.9019	2.0846	24.0870		
	S	219.447	213.964	204.968	210.623	217.659	219.140	218.775	221.429	215.220		
92	T	2.0889	4.0426	4.0160	2.0870	2.0108	3.8916	3.8976	2.0835	24.1180		
	S	219.668	210.317	205.938	211.047	218.027	219.354	219.016	221.546	214.943		
93	T	2.0972	4.1021	4.0132	2.0853	2.0113	3.8923	3.8961	2.0816	24.1791		
	S	218.798	207.266	206.081	211.219	217.973	219.314	219.100	221.748	214.400		
94	T	2.0906	4.0677	4.0173	2.0833	2.0069	3.8798	3.8879	2.0795	24.1130		
	S	219.489	209.019	205.871	211.422	218.451	220.021	219.562	221.972	214.988		
95	T	2.0938	4.0693	4.0156	2.0829	2.0047	3.8754	3.8863	2.0727	24.1007		
	S	219.154	208.937	205.958	211.462	218.691	220.271	219.653	222.700	215.097		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1359	4.1928	4.0504	2.0902	2.0108	3.8897	3.8925	2.0801	24.3424		
	S	214.834	202.783	204.189	210.724	218.027	219.461	219.303	221.908	212.962		
97	T	2.1096	4.1761	4.0720	2.1034	2.0237	3.9047	3.9098	2.0866	24.3859		
	S	217.512	203.594	203.105	209.401	216.637	218.618	218.332	221.217	212.582		
98	T	2.0900	3.9527	4.0439	2.0983	2.0170	3.8952	3.9030	2.0846	24.0847		
	S	219.552	215.100	204.517	209.910	217.357	219.151	218.713	221.429	215.240		
99	T	2.0853	4.0159	4.0747	2.0983	2.0157	3.8900	3.8911	2.0790	24.1500		
	S	220.047	211.715	202.971	209.910	217.497	219.444	219.382	222.025	214.658		
100	T	2.0822	4.0643	4.0810	2.0996	2.0160	3.8788	3.8863	2.0741	24.1823		
	S	220.374	209.194	202.658	209.780	217.465	220.077	219.653	222.550	214.372		
101	T	2.0867	4.1308	4.1083	2.1111	2.0212	3.9128	3.8878	2.0674	24.3261		
	S	219.899	205.826	201.311	208.637	216.905	218.165	219.568	223.271	213.104		
102	T	2.1720	4.1811	4.1533	2.1248	2.0376	3.9135	3.9179	2.0844	24.5846		
	S	211.263	203.350	199.130	207.292	215.160	218.126	217.881	221.450	210.864		
103	T	2.1189	4.1691	4.0856	2.1049	2.0248	3.9005	3.9018	2.0807	24.3863		
	S	216.557	203.935	202.429	209.252	216.520	218.853	218.780	221.844	212.578		
104	T	2.1005	4.1247	4.0720	2.0998	2.0187	3.8901	3.8946	2.0797	24.2801		
	S	218.454	206.131	203.105	209.760	217.174	219.438	219.185	221.951	213.508		
105	T	2.1034	4.1479	4.0691	2.1032	2.0241	3.9048	3.9078	2.0862	24.3465		
	S	218.153	204.978	203.250	209.421	216.595	218.612	218.444	221.259	212.926		
106	T	2.0920	4.0664	4.0335	2.0866	2.0072	3.8736	3.8897	2.0785	24.1275		
	S	219.342	209.086	205.044	211.087	218.418	220.373	219.461	222.079	214.859		
107	T	2.1003	4.0983	4.0514	2.0938	2.0127	3.8830	3.8877	2.0779	24.2051		
	S	218.475	207.459	204.138	210.361	217.821	219.839	219.574	222.143	214.170		
108	T	2.0927	4.1030	4.0508	2.0935	2.0119	3.8850	3.8939	2.0750	24.2058		
	S	219.269	207.221	204.168	210.391	217.908	219.726	219.224	222.453	214.164		
109	T	2.0836	4.0634	4.0953	2.1086	2.0243	3.9068	3.9109	2.0870	24.2799		
	S	220.226	209.240	201.950	208.885	216.573	218.500	218.271	221.174	213.510		
110	T	2.0834	4.0047	4.0947	2.1097	2.0266	3.9065	3.8970	2.0698	24.1924		
	S	220.247	212.307	201.979	208.776	216.327	218.517	219.050	223.012	214.282		
111	T	2.1328	4.2464	4.1662	2.1306	2.0317	3.8846	3.8666	2.0459	24.5048		
	S	215.146	200.223	198.513	206.728	215.784	219.749	220.772	225.618	211.550		
112	T	2.1317	4.3357	4.2187	2.1532	2.0532	3.9268	3.9021	2.0745	24.7959		
	S	215.257	196.099	196.043	204.558	213.525	217.387	218.763	222.507	209.067		
113	T	2.0848	4.1799	4.1688	2.1319	2.0372	3.9011	3.8817	2.0619	24.4473		
	S	220.100	203.409	198.389	206.602	215.202	218.819	219.913	223.867	212.048		
114	T	2.1111	4.2372	4.1401	2.1170	2.0357	3.9165	3.9154	2.0889	24.5619		
	S	217.358	200.658	199.765	208.056	215.360	217.959	218.020	220.973	211.059		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.0931	4.0588	4.0933	2.1062	2.0274	3.8998	3.9005	2.0768	24.2559		
	S	219.227	209.477	202.049	209.123	216.242	218.892	218.853	222.261	213.721		
116	T	2.0806	4.0844	4.1229	2.1167	2.0326	3.9034	3.9015	2.0788	24.3209		
	S	220.544	208.165	200.598	208.085	215.689	218.690	218.797	222.047	213.150		
117	T	2.0917	4.1432	4.0977	2.1075	2.0248	3.8989	3.8855	2.0694	24.3187		
	S	219.374	205.210	201.832	208.994	216.520	218.943	219.698	223.055	213.169		
118	T	2.0845	4.1254	4.0987	2.1043	2.0206	3.8884	3.8846	2.0687	24.2752		
	S	220.131	206.096	201.782	209.312	216.970	219.534	219.749	223.131	213.551		
119	T	2.1101	4.2381	4.1657	2.1298	2.0417	3.9234	3.9160	2.0851	24.6099		
	S	217.461	200.615	198.537	206.806	214.727	217.576	217.987	221.376	210.647		
120	T	2.0885	4.1225	4.1035	2.1092	2.0321	3.9169	3.9123	2.0872	24.3722		
	S	219.710	206.241	201.546	208.825	215.742	217.937	218.193	221.153	212.701		
121	T	2.0983	4.1502	4.1225	2.1193	2.0381	3.9226	3.9209	2.0873	24.4592		
	S	218.684	204.864	200.617	207.830	215.107	217.620	217.714	221.143	211.945		
122	T	2.1074	4.1743	4.1080	2.1181	2.0370	3.9040	3.8969	2.0809	24.4266		
	S	217.739	203.681	201.326	207.948	215.223	218.657	219.055	221.823	212.228		
123	T	2.1132	4.1881	4.1251	2.1237	2.3099	6.1002			35.8943	25.8098	28.4910
	S	217.142	203.010	200.491	207.400	189.796	139.936			144.424	34.910	165.746
124	T				3.1445	2.6415	4.6383	4.3339	2.2422	53.3490		
	S				140.071	165.970	184.041	196.967	205.865	97.171	34.9425	
125	T	2.2185	3.9901	4.0084	2.0893	2.0252	3.9248	3.9668	2.1179	24.3410		
	S	206.835	213.084	206.328	210.814	216.477	217.498	215.195	217.947	212.974		
126	T	2.1248	3.9112	3.9601	2.0721	2.0112	3.9088	3.9502	2.1130	24.0514		
	S	215.956	217.383	208.845	212.564	217.984	218.388	216.100	218.453	215.538		
127	T	2.1169	3.8560	3.9356	2.0721	2.0109	3.9020	3.9433	2.1082	23.9450		
	S	216.762	220.495	210.145	212.564	218.016	218.769	216.478	218.950	216.496		
128	T	2.1168	3.8658	3.9357	2.0699	2.0073	3.8976	3.9417	2.1041	23.9389		
	S	216.772	219.936	210.139	212.790	218.407	219.016	216.566	219.377	216.551		
129	T	2.1125	3.8574	3.9266	2.0686	2.0093	3.9069	3.9559	2.1149	23.9521		
	S	217.214	220.415	210.626	212.924	218.190	218.495	215.788	218.257	216.432		
130	T	2.1249	3.8556	3.9350	2.0797	2.0163	3.9187	3.9472	2.1130	23.9904		
	S	215.946	220.517	210.177	211.788	217.432	217.837	216.264	218.453	216.086		
131	T	2.1233	3.8578	3.9255	2.0698	2.0082	3.9058	3.9503	2.1140	23.9547		
	S	216.109	220.392	210.685	212.801	218.309	218.556	216.094	218.350	216.408		
132	T	2.1205	3.8595	3.9283	2.0684	2.0073	3.9044	3.9423	2.1101	23.9408		
	S	216.394	220.295	210.535	212.945	218.407	218.634	216.533	218.753	216.534		
133	T	2.1159	3.8388	3.9049	2.0649	2.0029	3.8958	3.9326	2.1053	23.8611		
	S	216.865	221.483	211.797	213.306	218.887	219.117	217.067	219.252	217.257		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.1149	3.8336	3.9323	2.0685	2.0071	3.8984	3.9351	2.1045	23.8944		
	S	216.967	221.783	210.321	212.934	218.429	218.971	216.929	219.335	216.955		
135	T	2.1143	3.8850	3.9543	2.1426	2.9708	10.4253	6.2990	3.4503	35.2416		
	S	217.029	218.849	209.151	205.570	147.573	81.881	135.519	133.783	147.099		
136	T	4.4886	8.6403	9.0775	4.8249	5.8496	14.4770	11.1076	5.5232	63.9887		
	S	102.229	98.403	91.109	91.288	74.947	58.965	76.852	83.573	81.014		
137	T	6.2068	10.8706	9.0007	5.0731	5.5878	12.8354	11.9507	5.9948	67.5199		
	S	73.929	78.213	91.887	86.822	78.458	66.506	71.430	76.999	76.777		
138	T	6.5790	10.3592	9.8807	5.4909	6.0039	11.0736	10.2756	4.9658	64.6287		
	S	69.747	82.075	83.703	80.215	73.021	77.088	83.074	92.954	80.212		
139	T	5.5188	9.2074	11.4596	5.9486	5.2346	10.9965	9.4139	5.4999	63.2793		
	S	83.146	92.342	72.171	74.043	83.752	77.628	90.678	83.927	81.923		
140	T	6.1243	9.8466	9.0307	5.1688	5.2744	9.7659	9.5987	5.0371	59.8465		
	S	74.925	86.347	91.582	85.214	83.120	87.410	88.932	91.638	86.622		
141	T	5.6460	9.4630	9.2203	4.7624	4.4329	10.0232	9.1784	5.5254	58.2516		
	S	81.272	89.848	89.698	92.486	98.899	85.166	93.005	83.540	88.993		
142	T	6.0802	9.1114	8.9760	5.5199	3.8909	10.6850	9.1514	6.0201	59.4349		
	S	75.469	93.315	92.140	79.794	112.675	79.891	93.279	76.675	87.221		
143	T	4.9586	10.3193	9.0977	4.6395	4.9991	9.3388	6.3366	2.6051	52.2947		
	S	92.539	82.392	90.907	94.936	87.698	91.408	134.715	177.187	99.131		
144	T	2.5238	4.5614	4.2741	2.1628	2.0704	3.9602	3.9161	2.0713	25.5401		
	S	181.815	186.396	193.502	203.650	211.751	215.554	217.981	222.851	202.975		
145	T	2.0902	4.2624	4.1578	2.1227	2.0387	3.9116	3.8998	2.0718	24.5550		
	S	219.531	199.471	198.914	207.497	215.043	218.232	218.892	222.797	211.118		
146	T	2.0817	4.1605	4.0740	2.0919	2.0148	3.8905	3.8919	2.0832	24.2885		
	S	220.427	204.357	203.006	210.552	217.594	219.416	219.337	221.578	213.434		
147	T	2.1048	4.1124	4.0358	2.0892	2.0201	3.8993	3.9145	2.0915	24.2676		
	S	218.008	206.747	204.927	210.825	217.023	218.920	218.070	220.698	213.618		
148	T	2.0977	4.0103	4.0181	2.0791	2.0087	3.8877	3.8915	2.0794	24.0725		
	S	218.746	212.011	205.830	211.849	218.255	219.574	219.359	221.983	215.349		
149	T	2.0968	4.1168	4.0635	2.0975	2.0228	3.9065	3.9039	2.0802	24.2880		
	S	218.840	206.526	203.530	209.990	216.734	218.517	218.662	221.897	213.439		
150	T	2.0860	4.0572	4.0432	2.0871	2.0145	3.8880	3.8814	2.0705	24.1279		
	S	219.973	209.560	204.552	211.037	217.627	219.557	219.930	222.937	214.855		
151	T	2.2256	4.1930	4.0591	2.0945	2.0205	3.9038	3.9025	2.0845	24.4835		
	S	206.175	202.773	203.751	210.291	216.980	218.668	218.741	221.440	211.734		
152	T	2.1117	4.1296	4.0603	2.0927	2.0177	3.8909	3.8805	2.0589	24.2423		
	S	217.296	205.886	203.691	210.472	217.282	219.393	219.981	224.193	213.841		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.0830	4.2264	4.0694	2.1027	2.0282	3.9112	3.9041	2.0846	24.4096		
	S	220.290	201.171	203.235	209.471	216.157	218.254	218.651	221.429	212.375		
154	T	2.1570	4.0953	4.0046	2.0835	2.0154	3.9001	3.8955	2.0813	24.2327		
	S	212.732	207.610	206.524	211.401	217.530	218.876	219.134	221.780	213.926		
155	T	2.1531	4.1758	4.0411	2.0943	2.0215	3.9025	3.9068	2.0801	24.3752		
	S	213.118	203.608	204.658	210.311	216.873	218.741	218.500	221.908	212.675		
156	T	2.1034	4.1821	4.0912	2.1116	2.0350	3.9244	3.9289	2.0914	24.4680		
	S	218.153	203.302	202.152	208.588	215.434	217.520	217.271	220.709	211.869		
157	T	2.1021	4.1236	4.0373	2.0921	2.0213	3.9029	3.9003	2.0811	24.2607		
	S	218.288	206.186	204.851	210.532	216.895	218.718	218.864	221.801	213.679		
158	T	2.1230	4.2183	4.1056	2.1166	2.0390	3.9319	3.9258	2.0881	24.5483		
	S	216.139	201.557	201.443	208.095	215.012	217.105	217.443	221.058	211.176		
159	T	2.0991	4.1093	4.0329	2.0931	2.0208	3.9049	3.8992	2.0825	24.2418		
	S	218.600	206.903	205.075	210.432	216.948	218.606	218.926	221.652	213.846		
160	T	2.1839	4.2087	4.0716	2.1019	2.0274	3.9122	3.9018	2.0769	24.4844		
	S	210.112	202.017	203.125	209.551	216.242	218.199	218.780	222.250	211.727		
161	T	2.2067	4.2466	4.0723	2.1024	2.0276	3.9094	3.9085	2.0948	24.5683		
	S	207.941	200.214	203.091	209.501	216.221	218.355	218.405	220.351	211.004		
162	T	2.1596	4.2456	4.0996	2.1116	2.0349	3.9228	3.9031	2.0827	24.5599		
	S	212.476	200.261	201.738	208.588	215.445	217.609	218.707	221.631	211.076		
163	T	2.2323	4.1785	4.0154	2.0848	2.0102	3.8815	3.8703	2.0556	24.3286		
	S	205.556	203.477	205.968	211.269	218.092	219.924	220.561	224.553	213.083		
164	T	2.0838	3.9461	4.0410	2.1074	2.0452	3.9714	4.0025	2.1507	24.3481		
	S	220.205	215.460	204.664	209.004	214.360	214.946	213.276	214.624	212.912		
165	T	2.1547	3.9350	3.9650	2.0875	2.0349	3.9599	3.9915	2.1406	24.2691		
	S	212.959	216.068	208.586	210.996	215.445	215.570	213.864	215.636	213.605		
166	T	2.1507	3.8984	3.9599	2.0859	2.0329	3.9536	3.9867	2.1379	24.2060		
	S	213.355	218.096	208.855	211.158	215.657	215.914	214.121	215.909	214.162		
167	T	2.1507	3.8824	3.9395	2.0814	2.0280	3.9481	3.9778	2.1335	24.1414		
	S	213.355	218.995	209.937	211.615	216.178	216.214	214.600	216.354	214.735		
168	T	2.1456	3.8753	3.9242	2.0770	2.0236	3.9344	3.9780	2.1311	24.0892		
	S	213.863	219.397	210.755	212.063	216.648	216.967	214.589	216.597	215.200		
169	T	2.1453	3.8879	3.9531	2.0850	2.0304	3.9444	3.9803	2.1369	24.1633		
	S	213.893	218.685	209.214	211.249	215.923	216.417	214.465	216.010	214.540		
170	T	2.1476	4.0941	4.0179	2.1029	2.0426	3.9639	3.9922	2.1398	24.5010		
	S	213.663	207.671	205.840	209.451	214.633	215.353	213.826	215.717	211.583		
171	T	2.1535	4.1057	4.0357	2.1099	2.0495	3.9733	3.9957	2.1436	24.5669		
	S	213.078	207.085	204.932	208.756	213.910	214.843	213.639	215.334	211.016		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T 2.1496	4.0582	4.0437	2.1163	2.0551	3.9837	4.0056	2.1438	24.5560			
	S 213.465	209.508	204.527	208.125	213.327	214.282	213.111	215.314	211.109			
173	T 2.1521	4.0758	4.0742	2.1216	2.0560	3.9823	4.0039	2.1449	24.6108			
	S 213.217	208.604	202.996	207.605	213.234	214.358	213.201	215.204	210.639			
174	T 2.1483	4.0664	4.0379	2.1065	2.0439	3.9622	3.9890	2.1348	24.4890			
	S 213.594	209.086	204.821	209.093	214.496	215.445	213.998	216.222	211.687			
175	T 2.1674	4.3103	4.1854	2.1389	2.0564	3.9505	3.9370	2.0883	24.8342			
	S 211.712	197.255	197.602	205.926	213.193	216.083	216.824	221.037	208.744			
176	T 2.2184	4.1995	4.0660	2.0941	2.0145	3.8749	3.8834	2.0751	24.4259			
	S 206.844	202.459	203.405	210.331	217.627	220.299	219.817	222.443	212.234			
177	T 2.0941	4.0109	4.0020	2.0894	2.0297	3.9412	3.9748	2.1300	24.2721			
	S 219.122	211.979	206.658	210.804	215.997	216.593	214.762	216.709	213.579			
178	T 2.1375	4.0299	4.0316	2.1046	2.0420	3.9660	3.9868	2.1348	24.4332			
	S 214.673	210.980	205.141	209.282	214.696	215.239	214.116	216.222	212.170			
179	T 2.1435	4.0100	4.0464	2.1097	2.0452	3.9708	3.9904	2.1316	24.4476			
	S 214.072	212.027	204.390	208.776	214.360	214.978	213.923	216.547	212.045			
180	T 2.1542	4.1377	4.0142	2.0975	2.0358	3.9512	3.9826	2.1332	24.5064			
	S 213.009	205.483	206.030	209.990	215.350	216.045	214.341	216.384	211.537			
181	T 2.1408	4.0258	4.0423	2.1064	2.0433	3.9609	3.9869	2.1339	24.4403			
	S 214.342	211.195	204.598	209.103	214.559	215.516	214.110	216.313	212.109			
182	T 2.1439	4.0529	4.0388	2.1132	2.0529	3.9824	3.9946	2.1356	24.5143			
	S 214.032	209.782	204.775	208.430	213.556	214.352	213.698	216.141	211.468			
183	T 2.1397	4.0111	4.0124	2.1017	2.0387	3.9570	3.9838	2.1310	24.3754			
	S 214.452	211.969	206.122	209.571	215.043	215.728	214.277	216.608	212.673			
184	T 2.1394	4.0450	4.0586	2.1118	2.0473	3.9664	3.9899	2.1377	24.4961			
	S 214.482	210.192	203.776	208.568	214.140	215.217	213.949	215.929	211.626			
185	T 2.1421	4.0083	4.0229	2.0988	2.0368	3.9568	3.9815	2.1293	24.3765			
	S 214.212	212.117	205.584	209.860	215.244	215.739	214.401	216.781	212.664			
186	T 2.1603	4.2970	4.1946	2.1412	2.0477	3.9287	3.9099	2.0719	24.7513			
	S 212.407	197.865	197.169	205.705	214.098	217.282	218.327	222.786	209.444			
187	T 2.2229	4.2337	4.0941	2.1143	2.0448	3.9624	3.9753	2.1305	24.7780			
	S 206.426	200.824	202.009	208.322	214.402	215.434	214.735	216.658	209.218			
188	T 2.1337	4.0335	4.0273	2.1019	2.0414	3.9517	3.9683	2.1237	24.3815			
	S 215.055	210.791	205.360	209.551	214.759	216.018	215.114	217.352	212.620			
189	T 2.1279	3.9233	3.9665	2.0796	2.0217	3.9273	3.9436	2.1136	24.1035			
	S 215.642	216.712	208.508	211.798	216.852	217.360	216.461	218.391	215.072			
190	T 2.1277	3.9281	3.9792	2.0842	2.4151	6.1052			35.3923	26.3367		27.9897
	S 215.662	216.447	207.842	211.330	181.528	139.821			146.473	34.212		168.715

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T			3.1476	2.6302	4.6141	4.3035	2.2243	53.7779		34.8438	
	S			139.933	166.683	185.006	198.359	207.522	96.396		135.605	
192	T	2.2037	4.0938	4.0863	2.1061	2.0323	3.9402	3.9591	2.1098	24.5313		
	S	208.224	207.687	202.395	209.133	215.721	216.648	215.614	218.784	211.322		
193	T	2.1168	3.9196	3.9466	2.0684	2.0026	3.8903	3.9255	2.0968	23.9666		
	S	216.772	216.917	209.559	212.945	218.920	219.427	217.459	220.141	216.301		
194	T	2.1060	3.8929	3.9428	2.0636	1.9950	3.8751	3.9126	2.0907	23.8787		
	S	217.884	218.405	209.761	213.440	219.754	220.288	218.176	220.783	217.097		
195	T	2.0940	3.8730	3.9494	2.0629	1.9914	3.8650	3.8974	2.0842	23.8173		
	S	219.133	219.527	209.410	213.512	220.151	220.863	219.027	221.472	217.657		
196	T	2.0895	3.8846	3.9695	2.0641	1.9890	3.8571	3.8773	2.0721	23.8032		
	S	219.605	218.871	208.350	213.388	220.417	221.316	220.163	222.765	217.786		
197	T	2.0725	3.9729	4.0502	2.0808	1.9948	3.8505	3.8635	2.0475	23.9327		
	S	221.406	214.007	204.199	211.676	219.776	221.695	220.949	225.441	216.607		
198	T	2.0726	4.0541	4.0659	2.0938	2.0134	3.8854	3.8812	2.0675	24.1339		
	S	221.395	209.720	203.410	210.361	217.746	219.704	219.941	223.260	214.802		
199	T	2.1022	4.0863	4.0366	2.0829	2.0010	3.8710	3.8841	2.0601	24.1242		
	S	218.278	208.068	204.887	211.462	219.095	220.521	219.777	224.062	214.888		
200	T	2.1181	4.4316	4.2011	2.1305	2.0332	3.9062	3.8882	2.0587	24.7676		
	S	216.639	191.856	196.864	206.738	215.625	218.534	219.545	224.215	209.306		
201	T	2.0933	4.1672	4.0855	2.0983	2.0125	3.8673	3.8718	2.0570	24.2529		
	S	219.206	204.028	202.434	209.910	217.843	220.732	220.475	224.400	213.748		
202	T	2.0900	4.1125	4.0322	2.0852	2.0042	3.8681	3.8729	2.0484	24.1135		
	S	219.552	206.742	205.110	211.229	218.745	220.686	220.413	225.342	214.983		
203	T	2.1071	4.1880	4.0773	2.0882	2.0013	3.8620	3.8704	2.0602	24.2545		
	S	217.770	203.015	202.841	210.925	219.062	221.035	220.555	224.052	213.734		
204	T	2.1039	4.1786	4.0632	2.0861	1.9993	3.8569	3.8763	2.0629	24.2272		
	S	218.101	203.472	203.545	211.138	219.281	221.327	220.219	223.758	213.974		
205	T	2.0882	4.1596	4.0583	2.0843	1.9985	3.8596	3.8731	2.0574	24.1790		
	S	219.741	204.401	203.791	211.320	219.369	221.172	220.401	224.356	214.401		
206	T	2.1036	4.1931	4.0985	2.1036	2.0152	3.8734	3.8737	2.0648	24.3259		
	S	218.133	202.768	201.792	209.381	217.551	220.384	220.367	223.552	213.106		
207	T	2.1073	4.1330	4.0290	2.0855	2.0049	3.8688	3.8802	2.0681	24.1768		
	S	217.750	205.717	205.273	211.199	218.669	220.646	219.998	223.196	214.420		
208	T	2.0736	4.1114	4.0654	2.1036	2.0205	3.8933	3.9126	2.0764	24.2568		
	S	221.288	206.798	203.435	209.381	216.980	219.258	218.176	222.303	213.713		
209	T	2.0755	3.9929	4.0555	2.0902	2.0065	3.8681	3.8780	2.0672	24.0339		
	S	221.086	212.935	203.932	210.724	218.494	220.686	220.123	223.293	215.695		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.0826	4.1341	4.0913	2.1029	2.0151	3.8838	3.8910	2.0749	24.2757		
	S	220.332	205.662	202.147	209.451	217.562	219.794	219.387	222.464	213.547		
211	T	2.0813	4.0722	4.0401	2.0849	2.0002	3.8591	3.8780	2.0710	24.0868		
	S	220.470	208.788	204.709	211.259	219.183	221.201	220.123	222.883	215.222		
212	T	2.0724	4.0888	4.1183	2.1110	2.0194	3.8855	3.8870	2.0696	24.2520		
	S	221.417	207.941	200.822	208.647	217.099	219.698	219.613	223.034	213.756		
213	T	2.0816	4.1085	4.0810	2.0935	2.0057	3.8619	3.8796	2.0660	24.1778		
	S	220.438	206.943	202.658	210.391	218.582	221.041	220.032	223.423	214.412		
214	T	2.0807	4.1098	4.0529	2.0874	2.0003	3.8581	3.8680	2.0605	24.1177		
	S	220.533	206.878	204.063	211.006	219.172	221.258	220.692	224.019	214.946		
215	T	2.1080	4.1937	4.1152	2.1103	2.0184	3.9168	3.9656	2.1327	24.5607		
	S	217.677	202.739	200.973	208.717	217.206	217.942	215.260	216.435	211.069		
216	T	2.1206	4.0061	4.2055	2.1361	2.0399	3.9044	3.8907	2.0668	24.3701		
	S	216.384	212.233	196.658	206.196	214.917	218.634	219.404	223.336	212.720		
217	T	2.1154	4.2125	4.1258	2.1091	2.0163	3.8648	3.8621	2.0718	24.3778		
	S	216.916	201.834	200.457	208.835	217.432	220.875	221.029	222.797	212.652		
218	T	2.0889	3.9890	4.0638	2.1082	2.0308	3.9273	3.9345	2.1022	24.2447		
	S	219.668	213.143	203.515	208.924	215.880	217.360	216.962	219.575	213.820		
219	T	2.1077	3.9149	4.0025	2.0854	2.0127	3.9928	4.6507	2.7906	25.5573		
	S	217.708	217.177	206.632	211.209	217.821	213.794	183.550	165.409	202.838		
220	T	2.9516	5.8311	6.0636	3.4022	3.3039	7.3101	9.1915	4.9812	43.0352		
	S	155.463	145.809	136.395	129.462	132.694	116.775	92.872	92.667	120.460		
221	T	4.9902	8.9850	8.3029	4.2077	4.1438	8.1614	7.7679	4.1897	50.7486		
	S	91.953	94.627	99.609	104.678	105.799	104.594	109.893	110.173	102.151		
222	T	4.4377	10.1146	10.5483	6.2966	5.0982	10.2618	9.7158	5.0118	61.4848		
	S	103.401	84.059	78.406	69.951	85.993	83.186	87.861	92.101	84.314		
223	T	5.2091	9.8486	9.6479	6.3880	5.0270	9.4843	9.4761	5.6169	60.6979		
	S	88.089	86.330	85.723	68.950	87.211	90.005	90.083	82.179	85.407		
224	T	5.4094	9.5748	9.3922	5.1975	4.9450	9.5972	9.4496	4.4092	57.9749		
	S	84.827	88.798	88.057	84.744	88.657	88.946	90.336	104.688	89.418		
225	T	4.7894	8.7730	8.7467	5.6029	4.8547	8.5939	9.6923	4.8452	55.8981		
	S	95.808	96.914	94.555	78.612	90.306	99.330	88.074	95.268	92.740		
226	T	4.8127	8.5234	8.2665	4.3043	4.4530	9.6064	6.2873	2.5763	48.8299		
	S	95.344	99.752	100.048	102.329	98.453	88.861	135.772	179.168	106.164		
227	T	2.4642	4.6710	4.3865	2.1977	2.0856	3.9784	3.9386	2.0792	25.8012		
	S	186.212	182.023	188.543	200.416	210.208	214.568	216.736	222.004	200.921		
228	T	2.1793	4.2111	4.0251	2.0790	2.0037	3.8642	3.8722	2.0574	24.2920		
	S	210.556	201.901	205.472	211.859	218.800	220.909	220.453	224.356	213.404		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 9 - Dixon, Scott

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	2.1476	4.1002	3.9988	2.0740	2.0076	4.5193					
	S	213.663	207.362	206.823	212.370	218.375	188.887					

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
1	T	2.5933	4.8913	4.7370	2.2638	2.1395	4.4387	4.3189	2.2095	27.5920		60.7401
	S	176.942	173.824	174.593	194.564	204.912	192.317	197.651	208.912	187.881		77.790
2	T	2.1709	4.3660	4.4021	2.2019	2.1033	4.2064	4.0516	2.1070	25.6092		
	S	211.370	194.738	187.875	200.034	208.439	202.938	210.691	219.075	202.427		
3	T	2.1453	4.3239	4.4103	2.2102	2.0806	4.0471	3.9950	2.1042	25.3166		
	S	213.893	196.634	187.526	199.283	210.713	210.925	213.676	219.366	204.767		
4	T	2.1277	4.1846	4.1952	2.1346	2.0313	4.0237	3.9869	2.0978	24.7818		
	S	215.662	203.180	197.141	206.341	215.827	212.152	214.110	220.036	209.186		
5	T	2.1172	4.2090	4.2561	2.1581	2.0490	3.9553	3.9533	2.0929	24.7909		
	S	216.731	202.002	194.320	204.094	213.962	215.821	215.930	220.551	209.109		
6	T	2.1089	4.1840	4.2078	2.1661	2.0642	3.9480	3.9228	2.0752	24.6770		
	S	217.584	203.209	196.551	203.340	212.387	216.220	217.609	222.432	210.074		
7	T	2.1248	4.1931	4.2104	2.1478	2.0606	4.1027	4.0263	2.1248	24.9905		
	S	215.956	202.768	196.429	205.072	212.758	208.067	212.015	217.240	207.439		
8	T	2.1275	4.1329	4.2050	2.1349	2.0368	3.9281	3.9300	2.0991	24.5943		
	S	215.682	205.722	196.681	206.312	215.244	217.315	217.210	219.899	210.781		
9	T	2.1164	4.1675	4.2655	2.1897	2.0737	3.9703	3.9800	2.1100	24.8731		
	S	216.813	204.014	193.892	201.148	211.414	215.006	214.481	218.763	208.418		
10	T	2.1286	4.2121	4.2320	2.1468	2.0510	3.9419	3.9364	2.1011	24.7499		
	S	215.571	201.854	195.427	205.168	213.754	216.555	216.857	219.690	209.455		
11	T	2.1111	4.0866	4.2255	2.1495	2.0521	3.9439	3.9335	2.1042	24.6064		
	S	217.358	208.052	195.727	204.910	213.639	216.445	217.017	219.366	210.677		
12	T	2.1200	4.1225	4.1570	2.1251	2.0310	3.9282	3.9373	2.0989	24.5200		
	S	216.445	206.241	198.952	207.263	215.859	217.310	216.808	219.920	211.419		
13	T	2.1214	4.1466	4.1929	2.1419	2.0415	4.0604	4.0401	2.1358	24.8806		
	S	216.302	205.042	197.249	205.637	214.749	210.235	211.291	216.121	208.355		
14	T	2.1525	4.2157	4.3272	2.1939	2.0832	3.9860	3.9699	2.1134	25.0418		
	S	213.177	201.681	191.127	200.763	210.450	214.159	215.027	218.412	207.014		
15	T	2.1223	4.1036	4.2061	2.1504	2.0532	3.9499	3.9441	2.1006	24.6302		
	S	216.211	207.191	196.630	204.824	213.525	216.116	216.434	219.742	210.473		
16	T	2.1207	4.0810	4.0958	2.1040	2.0195	3.8992	3.9062	2.0880	24.3144		
	S	216.374	208.338	201.925	209.342	217.088	218.926	218.534	221.068	213.207		
17	T	2.1090	4.1176	4.2075	2.1493	2.0493	3.9412	3.9269	2.0961	24.5969		
	S	217.574	206.486	196.565	204.929	213.931	216.593	217.382	220.214	210.758		
18	T	2.1100	4.1321	4.2013	2.1493	2.0507	3.9928	3.9650	2.1050	24.7062		
	S	217.471	205.762	196.855	204.929	213.785	213.794	215.293	219.283	209.826		
19	T	2.1251	4.1733	4.1691	2.1326	2.0417	3.9325	3.9193	2.0881	24.5817		
	S	215.926	203.730	198.375	206.534	214.727	217.072	217.803	221.058	210.889		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
20	T	2.1020	4.1548	4.2078	2.1404	2.0426	3.9344	3.9301	2.0913	24.6034		
	S	218.299	204.637	196.551	205.781	214.633	216.967	217.205	220.720	210.703		
21	T	2.1311	4.2363	4.2181	2.1503	2.0579	3.9983	3.9790	2.1120	24.8830		
	S	215.318	200.700	196.071	204.834	213.037	213.500	214.535	218.556	208.335		
22	T	2.1073	4.1072	4.4225	2.2276	2.1015	4.0031	3.9709	2.1038	25.0439		
	S	217.750	207.009	187.009	197.726	208.617	213.244	214.973	219.408	206.997		
23	T	2.1197	4.1310	4.1541	2.1339	2.0426	3.9593	3.9688	2.1107	24.6201		
	S	216.476	205.816	199.091	206.408	214.633	215.603	215.087	218.691	210.560		
24	T	2.1309	4.1505	4.1522	2.1290	2.0399	3.9946	3.9703	2.1010	24.6684		
	S	215.338	204.849	199.182	206.883	214.917	213.698	215.006	219.701	210.147		
25	T	2.1076	4.0959	4.1825	2.1287	2.0371	3.9529	3.9481	2.0977	24.5505		
	S	217.719	207.580	197.739	206.912	215.212	215.952	216.214	220.046	211.157		
26	T	2.1232	4.2457	4.2445	2.1549	2.0545	3.9449	3.9406	2.0960	24.8043		
	S	216.119	200.256	194.851	204.397	213.390	216.390	216.626	220.225	208.996		
27	T	2.1253	4.1768	4.2031	2.1370	2.0419	3.9291	3.9234	2.0999	24.6365		
	S	215.905	203.559	196.770	206.109	214.706	217.260	217.576	219.816	210.419		
28	T	2.1270	4.1845	4.1244	2.1116	2.0196	3.9206	3.9232	2.0908	24.5017		
	S	215.733	203.185	200.525	208.588	217.077	217.731	217.587	220.772	211.577		
29	T	2.1297	4.2393	4.1980	2.1385	2.0417	3.9777	3.9673	2.1082	24.8004		
	S	215.459	200.558	197.009	205.964	214.727	214.606	215.168	218.950	209.029		
30	T	2.1197	4.1363	4.1459	2.1249	2.0312	3.9313	3.9410	2.0922	24.5225		
	S	216.476	205.553	199.485	207.282	215.837	217.138	216.604	220.625	211.398		
31	T	2.1264	4.2228	4.2259	2.1453	2.0541	3.9918	3.9560	2.1022	24.8245		
	S	215.794	201.342	195.709	205.311	213.431	213.847	215.783	219.575	208.826		
32	T	2.1110	4.1194	4.1546	2.1273	2.0384	3.9833	3.9540	2.0976	24.5856		
	S	217.368	206.396	199.067	207.049	215.075	214.304	215.892	220.057	210.855		
33	T	2.1194	4.2132	4.2014	2.1476	2.0471	3.9257	3.9103	2.0737	24.6384		
	S	216.506	201.801	196.850	205.092	214.161	217.448	218.305	222.593	210.403		
34	T	2.1462	4.3234	4.2320	2.1539	2.0521	3.9427	3.9272	2.0957	24.8732		
	S	213.803	196.657	195.427	204.492	213.639	216.511	217.365	220.256	208.417		
35	T	2.1175	4.1520	4.2106	2.1525	2.0506	3.9415	3.9240	2.1033	24.6520		
	S	216.701	204.775	196.420	204.625	213.796	216.577	217.542	219.460	210.287		
36	T	2.1307	4.2016	4.1716	2.1296	2.0387	3.9249	3.9234	2.0974	24.6179		
	S	215.358	202.358	198.256	206.825	215.043	217.493	217.576	220.078	210.578		
37	T	2.1047	4.0732	4.1448	2.1234	2.0308	3.9038	3.9008	2.0813	24.3628		
	S	218.019	208.737	199.538	207.429	215.880	218.668	218.836	221.780	212.783		
38	T	2.1072	4.1835	4.1971	2.1416	2.0433	3.9365	3.9239	2.0940	24.6271		
	S	217.760	203.233	197.052	205.666	214.559	216.852	217.548	220.435	210.500		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
39	T	2.1394	4.2379	4.2040	2.1406	2.0419	3.9283	3.9265	2.0942	24.7128		
	S	214.482	200.625	196.728	205.762	214.706	217.304	217.404	220.414	209.770		
40	T	2.1242	4.1779	4.1748	2.1284	2.0317	3.9226	3.9208	2.0884	24.5688		
	S	216.017	203.506	198.104	206.942	215.784	217.620	217.720	221.026	210.999		
41	T	2.1307	4.2513	4.2125	2.1438	2.0479	3.9407	3.9277	2.0943	24.7489		
	S	215.358	199.992	196.331	205.455	214.077	216.620	217.337	220.403	209.464		
42	T	2.1372	4.2231	4.2727	2.1650	2.0585	3.9459	3.9292	2.0909	24.8225		
	S	214.703	201.328	193.565	203.443	212.975	216.335	217.254	220.762	208.843		
43	T	2.1095	4.1310	4.1627	2.1215	2.0326	4.0352	4.0012	2.1262	24.7199		
	S	217.522	205.816	198.680	207.615	215.689	211.547	213.345	217.097	209.710		
44	T	2.1457	4.2064	4.1932	2.1367	2.0459	3.9296	3.9109	2.0925	24.6609		
	S	213.853	202.127	197.235	206.138	214.287	217.232	218.271	220.593	210.211		
45	T	2.1379	4.2236	4.2172	2.1362	2.0494	4.0409	3.9922	2.1224	24.9198		
	S	214.633	201.304	196.112	206.186	213.921	211.249	213.826	217.485	208.027		
46	T	2.1359	4.1909	4.2026	2.1302	2.0439	4.0474	4.0013	2.1056	24.8578		
	S	214.834	202.875	196.794	206.767	214.496	210.910	213.340	219.221	208.546		
47	T	2.1451	4.3065	4.2397	2.1481	2.0703	4.1463	4.0560	2.1373	25.2493		
	S	213.912	197.429	195.072	205.044	211.761	205.879	210.463	215.969	205.313		
48	T	2.1487	4.1872	4.1379	2.1094	2.0420	4.0775	4.0105	2.1206	24.8338		
	S	213.554	203.054	199.871	208.806	214.696	209.353	212.850	217.670	208.748		
49	T	2.1382	4.2179	4.1975	2.1332	2.0941	4.2141	4.0379	2.1160	25.1489		
	S	214.603	201.576	197.033	206.476	209.354	202.567	211.406	218.143	206.132		
50	T	2.1818	4.3786	4.3084	2.1645	2.0604	4.3391	4.1519	2.1738	25.7585		
	S	210.314	194.178	191.961	203.490	212.779	196.731	205.601	212.343	201.254		
51	T	2.1808	4.2796	4.2029	2.1265	2.0289	3.9054	3.9038	2.0889	24.7168		
	S	210.411	198.670	196.780	207.127	216.082	218.578	218.668	220.973	209.736		
52	T	2.1276	4.2499	4.2400	2.1490	2.0440	3.9857	3.9534	2.1068	24.8564		
	S	215.672	200.058	195.058	204.958	214.486	214.175	215.925	219.096	208.558		
53	T	2.1696	4.2890	4.2073	2.1332	2.0360	3.9425	3.9392	2.1026	24.8194		
	S	211.497	198.234	196.574	206.476	215.329	216.522	216.703	219.533	208.869		
54	T	2.1255	4.1847	4.1874	2.1315	2.0601	4.1079	4.0456	2.1285	24.9712		
	S	215.885	203.175	197.508	206.641	212.810	207.804	211.004	216.862	207.599		
55	T	2.1350	4.1671	4.2462	2.1527	2.0836	4.1188	4.0122	2.1213	25.0369		
	S	214.924	204.033	194.773	204.606	210.409	207.254	212.760	217.598	207.054		
56	T	2.1385	4.2659	4.2725	2.1852	2.0750	3.9651	3.9374	2.0971	24.9367		
	S	214.573	199.308	193.574	201.563	211.281	215.287	216.802	220.109	207.886		
57	T	2.1177	4.2303	4.2713	2.2069	2.3684	5.9825			49.4803	27.6309	29.5805
	S	216.680	200.985	193.629	199.581	185.108	142.689			104.769	32.609	159.641

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
58	T		8.5472	3.1306	2.6344	4.6457	4.3703	2.2638	42.9042		35.1731	
	S		96.762	140.693	166.417	183.748	195.327	203.901	120.827		134.336	
59	T	2.2498	4.2642	4.2087	2.1450	2.0638	3.9732	3.9791	2.1244	25.0082		
	S	203.958	199.387	196.509	205.340	212.428	214.849	214.530	217.281	207.292		
60	T	2.1297	4.0048	4.0443	2.1129	2.0441	3.9562	3.9286	2.0852	24.3058		
	S	215.459	212.302	204.497	208.460	214.475	215.772	217.288	221.365	213.282		
61	T	2.1241	4.2244	4.1715	2.1274	2.0421	4.3707	4.2638	2.1947	25.5187		
	S	216.027	201.266	198.261	207.039	214.685	195.309	200.206	210.321	203.145		
62	T	2.1646	4.0004	4.0521	2.0977	2.0211	3.9003	3.9216	2.0968	24.2546		
	S	211.985	212.536	204.103	209.970	216.916	218.864	217.676	220.141	213.733		
63	T	2.1021	4.0162	4.0275	2.0825	2.0061	3.8796	3.8781	2.0680	24.0601		
	S	218.288	211.699	205.350	211.503	218.538	220.032	220.117	223.206	215.460		
64	T	2.0755	3.9641	4.0320	2.0763	1.9965	3.8675	3.8897	2.0773	23.9789		
	S	221.086	214.482	205.120	212.134	219.589	220.720	219.461	222.207	216.190		
65	T	2.0896	4.0226	4.1133	2.1035	2.0235	3.8940	3.8957	2.0822	24.2244		
	S	219.594	211.363	201.066	209.391	216.659	219.218	219.123	221.684	213.999		
66	T	2.1021	4.1329	4.1041	2.1140	2.0220	3.8913	3.8913	2.0803	24.3380		
	S	218.288	205.722	201.517	208.351	216.820	219.370	219.370	221.887	213.000		
67	T	2.0883	4.0434	4.2192	2.1576	2.0564	3.9463	3.9331	2.0925	24.5368		
	S	219.731	210.275	196.019	204.141	213.193	216.313	217.039	220.593	211.274		
68	T	2.1071	4.0240	4.0499	2.0870	2.0038	3.8761	3.8897	2.0896	24.1272		
	S	217.770	211.289	204.214	211.047	218.789	220.231	219.461	220.899	214.861		
69	T	2.0927	4.0561	4.1240	2.1172	2.0287	3.9196	3.9291	2.0993	24.3667		
	S	219.269	209.617	200.544	208.036	216.103	217.787	217.260	219.878	212.749		
70	T	2.1098	4.0753	4.0759	2.1027	2.0206	3.9066	3.9186	2.0969	24.3064		
	S	217.492	208.629	202.911	209.471	216.970	218.511	217.842	220.130	213.277		
71	T	2.1082	4.0717	4.0847	2.1104	2.0285	3.9209	3.9296	2.1007	24.3547		
	S	217.657	208.814	202.474	208.707	216.125	217.714	217.232	219.732	212.854		
72	T	2.1065	4.0230	4.0867	2.1157	2.0327	3.9198	3.9287	2.1022	24.3153		
	S	217.832	211.342	202.375	208.184	215.678	217.775	217.282	219.575	213.199		
73	T	2.1111	4.0117	4.1071	2.1230	2.0389	3.9328	3.9348	2.1050	24.3644		
	S	217.358	211.937	201.370	207.468	215.022	217.056	216.945	219.283	212.769		
74	T	2.1185	4.0396	4.0843	2.1127	2.0313	3.9233	3.9361	2.1074	24.3532		
	S	216.598	210.473	202.494	208.479	215.827	217.581	216.874	219.033	212.867		
75	T	2.1167	4.0196	4.0541	2.0940	2.0195	3.9099	3.9253	2.0993	24.2384		
	S	216.783	211.520	204.002	210.341	217.088	218.327	217.470	219.878	213.876		
76	T	2.1137	4.0131	4.0219	2.0858	2.0129	3.9018	3.9195	2.0993	24.1680		
	S	217.090	211.863	205.636	211.168	217.800	218.780	217.792	219.878	214.499		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
77	T	2.1061	4.0245	4.1346	2.1339	2.0501	3.9578	3.9557	2.1205	24.4832		
	S	217.874	211.263	200.030	206.408	213.848	215.685	215.799	217.680	211.737		
78	T	2.1274	4.3229	4.3639	2.2087	2.1464	4.2765	4.0788	2.1544	25.6790		
	S	215.692	196.680	189.520	199.418	204.253	199.611	209.286	214.255	201.877		
79	T	2.1597	4.1077	4.1018	2.1181	2.0299	3.9132	3.9175	2.0984	24.4463		
	S	212.466	206.984	201.630	207.948	215.976	218.143	217.903	219.973	212.057		
80	T	2.1082	4.0191	4.1069	2.1204	2.0350	3.9220	3.9369	2.1003	24.3488		
	S	217.657	211.547	201.379	207.722	215.434	217.653	216.830	219.774	212.906		
81	T	2.1102	4.0262	4.0900	2.1145	2.0297	3.9155	3.9320	2.1025	24.3206		
	S	217.450	211.174	202.212	208.302	215.997	218.015	217.100	219.544	213.153		
82	T	2.1074	3.9932	4.1062	2.1239	2.0385	3.9319	3.9415	2.1080	24.3506		
	S	217.739	212.919	201.414	207.380	215.065	217.105	216.577	218.971	212.890		
83	T	2.1174	4.0581	4.0684	2.1038	2.0264	3.9174	3.9483	2.1141	24.3539		
	S	216.711	209.514	203.285	209.361	216.349	217.909	216.204	218.339	212.861		
84	T	2.1249	4.0481	4.1357	2.1312	2.0439	3.9447	3.9659	2.1232	24.5176		
	S	215.946	210.031	199.977	206.670	214.496	216.401	215.244	217.403	211.440		
85	T	2.1272	4.0183	4.0833	2.1166	2.0460	3.9536	3.9742	2.1235	24.4427		
	S	215.713	211.589	202.543	208.095	214.276	215.914	214.795	217.373	212.088		
86	T	2.1303	3.9797	4.0739	2.1064	2.0295	3.9225	3.9576	2.1157	24.3156		
	S	215.399	213.641	203.011	209.103	216.018	217.626	215.695	218.174	213.196		
87	T	2.1238	4.0319	4.0880	2.1094	2.0295	3.9212	3.9453	2.1194	24.3685		
	S	216.058	210.875	202.311	208.806	216.018	217.698	216.368	217.793	212.734		
88	T	2.1309	4.0527	4.0987	2.1120	2.0318	3.9160	3.9398	2.1093	24.3912		
	S	215.338	209.793	201.782	208.549	215.774	217.987	216.670	218.836	212.536		
89	T	2.1183	4.0309	4.0910	2.1168	2.0322	3.9134	3.9279	2.1027	24.3332		
	S	216.619	210.927	202.162	208.076	215.731	218.132	217.326	219.523	213.042		
90	T	2.1142	4.1008	4.0652	2.1008	2.0172	3.8866	3.9007	2.0786	24.2641		
	S	217.039	207.332	203.445	209.660	217.335	219.636	218.842	222.068	213.649		
91	T	2.1056	4.2352	4.2948	2.1754	2.0711	4.3056	4.1607	2.1774	25.5258		
	S	217.925	200.753	192.569	202.471	211.679	198.262	205.167	211.992	203.089		
92	T	2.1891	4.1364	4.1064	2.1080	2.0157	3.8864	3.8974	2.0849	24.4243		
	S	209.613	205.548	201.404	208.944	217.497	219.647	219.027	221.397	212.248		
93	T	2.1232	4.2068	4.1864	2.1352	2.0999	4.2167	4.0420	2.1316	25.1418		
	S	216.119	202.108	197.555	206.283	208.776	202.442	211.192	216.547	206.190		
94	T	2.1335	4.1811	4.2555	2.1637	2.0599	3.9578	3.9530	2.1024	24.8069		
	S	215.076	203.350	194.347	203.565	212.830	215.685	215.946	219.554	208.974		
95	T	2.1161	4.0787	4.1142	2.1047	2.0170	3.8971	3.9157	2.0877	24.3312		
	S	216.844	208.455	201.022	209.272	217.357	219.044	218.004	221.100	213.060		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
96	T	2.1173	4.1764	4.1751	2.1350	2.0386	3.9190	3.9337	2.0984	24.5935		
	S	216.721	203.579	198.090	206.302	215.054	217.820	217.006	219.973	210.787		
97	T	2.1099	4.1335	4.1588	2.1444	2.0494	3.9409	3.9439	2.1153	24.5961		
	S	217.481	205.692	198.866	205.398	213.921	216.609	216.445	218.215	210.765		
98	T	2.1197	4.0246	4.0484	2.1015	2.0174	3.8890	3.9152	2.0977	24.2135		
	S	216.476	211.258	204.289	209.591	217.314	219.500	218.031	220.046	214.095		
99	T	2.1079	4.0181	4.1709	2.1259	2.0320	3.9773	3.9715	2.1109	24.5145		
	S	217.688	211.599	198.289	207.185	215.753	214.627	214.941	218.670	211.467		
100	T	2.1330	4.1843	4.1507	2.1166	2.0248	3.8958	3.9126	2.0952	24.5130		
	S	215.126	203.195	199.254	208.095	216.520	219.117	218.176	220.309	211.480		
101	T	2.1203	4.1210	4.1459	2.1302	2.0356	3.9163	3.9266	2.0925	24.4884		
	S	216.414	206.316	199.485	206.767	215.371	217.970	217.398	220.593	211.692		
102	T	2.1208	4.2021	4.2244	2.1540	2.0538	3.9453	3.9429	2.1029	24.7462		
	S	216.363	202.334	195.778	204.482	213.462	216.368	216.500	219.502	209.487		
103	T	2.1171	4.0835	4.1218	2.1089	2.0216	3.8970	3.9104	2.0897	24.3500		
	S	216.742	208.210	200.652	208.855	216.862	219.050	218.299	220.889	212.895		
104	T	2.1021	4.0989	4.0931	2.1047	2.0133	3.9190	3.9345	2.1048	24.3704		
	S	218.288	207.428	202.058	209.272	217.756	217.820	216.962	219.304	212.717		
105	T	2.1352	4.3031	4.3025	2.1803	2.0690	3.9612	3.9490	2.1065	25.0068		
	S	214.904	197.585	192.224	202.016	211.894	215.499	216.165	219.127	207.304		
106	T	2.1245	4.1427	4.1102	2.1138	2.0265	3.8998	3.9075	2.0904	24.4154		
	S	215.987	205.235	201.218	208.371	216.338	218.892	218.461	220.815	212.325		
107	T	2.1412	4.2510	4.1537	2.1224	2.0296	3.9144	3.9152	2.0898	24.6173		
	S	214.302	200.006	199.111	207.527	216.008	218.076	218.031	220.878	210.584		
108	T	2.1137	4.0960	4.1131	2.1140	2.0248	3.9044	3.8996	2.0758	24.3414		
	S	217.090	207.575	201.076	208.351	216.520	218.634	218.904	222.368	212.970		
109	T	2.1414	4.2728	4.1967	2.1343	2.0361	3.9199	3.9161	2.0849	24.7022		
	S	214.282	198.986	197.070	206.370	215.318	217.770	217.981	221.397	209.860		
110	T	2.0993	4.1631	4.1930	2.1403	2.0428	3.9207	3.9165	2.0895	24.5652		
	S	218.579	204.229	197.244	205.791	214.612	217.725	217.959	220.910	211.030		
111	T	2.0930	4.0607	4.1073	2.1208	2.0247	3.9972	3.9773	2.1002	24.4812		
	S	219.237	209.379	201.360	207.683	216.530	213.559	214.627	219.784	211.754		
112	T	2.1343	4.2167	4.1425	2.1210	2.0297	3.9016	3.8982	2.0811	24.5251		
	S	214.995	201.633	199.649	207.664	215.997	218.791	218.982	221.801	211.375		
113	T	2.1481	4.2072	4.1288	2.1489	2.2544	5.8295			47.5762	26.2957	29.0106
	S	213.614	202.089	200.311	204.967	194.468	146.434			108.962	34.265	162.777
114	T				3.1484	2.6341	4.6235	4.3401	2.2508	42.8662	35.1361	
	S				139.898	166.436	184.630	196.686	205.079	120.934	134.477	

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
115	T	2.2316	4.0762	4.0554	2.1211	2.0523	4.0008	4.0609	2.1624	24.7607		
	S	205.621	208.583	203.937	207.654	213.618	213.366	210.209	213.462	209.364		
116	T	2.1633	3.9297	3.9643	2.0783	2.0183	3.9213	3.9746	2.1209	24.1707		
	S	212.113	216.359	208.623	211.930	217.217	217.692	214.773	217.639	214.475		
117	T	2.1339	3.9487	4.0243	2.1096	2.0387	3.9287	3.9336	2.0900	24.2075		
	S	215.035	215.318	205.513	208.786	215.043	217.282	217.011	220.857	214.149		
118	T	2.1061	3.9245	3.9872	2.0889	2.0223	3.9140	3.9571	2.1180	24.1181		
	S	217.874	216.646	207.425	210.855	216.787	218.098	215.723	217.937	214.942		
119	T	2.1292	3.9101	3.9440	2.0758	2.0112	3.8935	3.9343	2.1073	24.0054		
	S	215.510	217.444	209.697	212.185	217.984	219.247	216.973	219.044	215.951		
120	T	2.1224	3.9126	3.9598	2.0779	2.0123	3.9003	3.9339	2.1088	24.0280		
	S	216.200	217.305	208.860	211.971	217.865	218.864	216.995	218.888	215.748		
121	T	2.1266	3.8894	3.9217	2.0651	2.0022	3.8769	3.8919	2.0972	23.8710		
	S	215.773	218.601	210.890	213.285	218.964	220.185	219.337	220.099	217.167		
122	T	2.1011	3.8711	3.9722	2.0809	2.0066	3.8777	3.9144	2.0926	23.9166		
	S	218.392	219.635	208.208	211.665	218.484	220.140	218.076	220.582	216.753		
123	T	2.1061	3.9546	4.0127	2.0800	2.0059	3.8718	3.9082	2.0935	24.0328		
	S	217.874	214.997	206.107	211.757	218.560	220.475	218.422	220.488	215.705		
124	T	2.1652	4.3294	4.2769	2.1643	2.0631	3.9489	3.9413	2.1036	24.9927		
	S	211.927	196.385	193.375	203.509	212.500	216.171	216.588	219.429	207.421		
125	T	2.1168	4.0778	4.0879	2.1113	2.0302	3.8970	3.9023	2.0722	24.2955		
	S	216.772	208.501	202.315	208.618	215.944	219.050	218.752	222.754	213.373		
126	T	2.0794	3.9545	4.1111	2.1298	2.0461	3.9386	3.9492	2.1065	24.3152		
	S	220.671	215.002	201.174	206.806	214.266	216.736	216.154	219.127	213.200		
127	T	2.1191	4.1057	4.1195	2.1246	2.0405	3.9330	3.9404	2.0986	24.4814		
	S	216.537	207.085	200.764	207.312	214.854	217.045	216.637	219.952	211.753		
128	T	2.1203	4.0648	4.0608	2.0991	2.0174	3.8895	3.8990	2.0799	24.2308		
	S	216.414	209.168	203.666	209.830	217.314	219.472	218.937	221.929	213.943		
129	T	2.1170	4.1885	4.1136	2.1254	2.0367	3.9162	3.9206	2.0949	24.5129		
	S	216.752	202.991	201.052	207.234	215.255	217.976	217.731	220.340	211.480		
130	T	2.1053	4.0866	4.1159	2.1274	2.0331	3.9160	3.9136	2.1000	24.3979		
	S	217.956	208.052	200.939	207.039	215.636	217.987	218.120	219.805	212.477		
131	T	2.1889	4.3214	4.2598	2.1680	2.0691	3.9601	3.9485	2.1061	25.0219		
	S	209.632	196.748	194.151	203.162	211.884	215.559	216.193	219.169	207.179		
132	T	2.1136	4.0910	4.0812	2.1166	2.0364	3.9122	3.9262	2.0900	24.3672		
	S	217.101	207.829	202.648	208.095	215.286	218.199	217.420	220.857	212.745		
133	T	2.1424	4.2726	4.1957	2.1439	2.0466	3.9297	4.0324	2.4772	25.2405		
	S	214.182	198.995	197.117	205.445	214.213	217.227	211.694	186.336	205.384		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
134	T	2.7956	5.8857	7.2961	4.3600	4.2291	8.0365	5.9968	2.7808	41.3806		
	S	164.138	144.456	113.354	101.022	103.665	106.220	142.349	165.992	125.276		
135	T	2.8968	5.7720	5.6202	2.9495	3.3478	9.7086	12.2383	5.1370	47.6702		
	S	158.404	147.302	147.156	149.332	130.954	87.926	69.751	89.856	108.747		
136	T	6.1622	10.3974	10.4135	4.8076	5.1861	11.1887			78.9457	27.2484	59.4260
	S	74.464	81.773	79.421	91.616	84.535	76.295			65.665	33.067	79.465
137	T			8.6180	3.2443	3.1723	8.1128	10.6547	5.4778	56.6362	48.9075	
	S			95.967	135.763	138.199	105.221	80.118	84.266	91.532	96.611	
138	T	6.3459	11.2081	8.4988	4.9441	5.5542	11.6741	10.6979	5.8605	64.7836		
	S	72.309	75.858	97.313	89.087	78.933	73.122	79.795	78.763	80.020		
139	T	4.6643	11.0848	10.3525	5.1508	4.3537	9.8598	9.7509	4.5901	59.8069		
	S	98.378	76.702	79.888	85.512	100.698	86.577	87.544	100.562	86.679		
140	T	5.2995	9.4531	9.2360	4.3467	4.7093	10.1502	8.2054	5.0291	56.4293		
	S	86.586	89.942	89.546	101.331	93.094	84.100	104.033	91.784	91.867		
141	T	5.1622	9.0681	9.7223	4.7510	4.7271	10.4251	9.9316	5.1598	58.9472		
	S	88.889	93.760	85.067	92.708	92.744	81.883	85.952	89.459	87.943		
142	T	5.7915	7.5880	9.8683	3.6526	3.5511	6.5709	5.9321	2.5386	45.4931		
	S	79.231	112.049	83.808	120.587	123.457	129.912	143.901	181.829	113.951		
143	T	2.4250	4.7890	4.5434	2.2942	2.2157	4.5255	4.2068	2.1455	27.1451		
	S	189.222	177.538	182.032	191.986	197.865	188.628	202.918	215.144	190.974		
144	T	2.1424	4.3865	4.2879	2.1442	2.0725	4.1014	4.0084	2.1118	25.2551		
	S	214.182	193.828	192.879	205.417	211.536	208.133	212.962	218.577	205.265		
145	T	2.1064	4.0749	4.0479	2.0860	2.0766	4.1145	3.9945	2.0997	24.6005		
	S	217.843	208.650	204.315	211.148	211.119	207.470	213.703	219.837	210.727		
146	T	2.0953	4.1140	4.0857	2.0742	2.0220	4.0645	4.0031	2.1030	24.5618		
	S	218.997	206.667	202.424	212.349	216.820	210.022	213.244	219.492	211.059		
147	T	2.0866	3.9920	4.1420	2.1113	2.0226	3.9035	3.8958	2.0792	24.2330		
	S	219.910	212.983	199.673	208.618	216.755	218.685	219.117	222.004	213.923		
148	T	2.0971	4.0651	4.0334	2.0897	2.0339	3.9742	3.9382	2.0933	24.3249		
	S	218.809	209.153	205.049	210.774	215.551	214.795	216.758	220.509	213.115		
149	T	2.0948	3.9984	4.0345	2.0876	1.9990	3.8569	3.8743	2.0704	24.0159		
	S	219.049	212.642	204.993	210.986	219.314	221.327	220.333	222.948	215.857		
150	T	2.0810	4.0887	4.1077	2.0971	2.0075	3.8571	3.8731	2.0699	24.1821		
	S	220.502	207.946	201.340	210.030	218.386	221.316	220.401	223.002	214.373		
151	T	2.1089	4.1217	4.0629	2.0926	2.0030	3.8802	3.8859	2.0678	24.2230		
	S	217.584	206.281	203.560	210.482	218.876	219.998	219.675	223.228	214.011		
152	T	2.0964	4.1587	4.1205	2.1106	2.0150	3.8694	3.8755	2.0668	24.3129		
	S	218.882	204.445	200.715	208.687	217.573	220.612	220.265	223.336	213.220		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
153	T	2.1090	4.1848	4.1163	2.1271	2.1060	4.0107	3.9554	2.0965	24.7058		
	S	217.574	203.170	200.920	207.068	208.171	212.840	215.815	220.172	209.829		
154	T	2.1154	4.1624	4.1710	2.1252	2.0262	3.8835	3.8890	2.0750	24.4477		
	S	216.916	204.264	198.285	207.253	216.370	219.811	219.500	222.453	212.044		
155	T	2.1104	4.1554	4.1089	2.1094	2.0202	3.9145	3.9023	2.0838	24.4049		
	S	217.430	204.608	201.281	208.806	217.013	218.070	218.752	221.514	212.416		
156	T	2.1177	4.1961	4.1774	2.1305	2.0340	3.8947	3.8989	2.0792	24.5285		
	S	216.680	202.623	197.981	206.738	215.540	219.179	218.943	222.004	211.346		
157	T	2.0974	4.1416	4.1382	2.1206	2.0258	3.8925	3.8996	2.0826	24.3983		
	S	218.777	205.290	199.856	207.703	216.413	219.303	218.904	221.642	212.474		
158	T	2.0912	4.0687	4.1234	2.1181	2.0238	3.9252	3.9365	2.0897	24.3766		
	S	219.426	208.968	200.574	207.948	216.627	217.476	216.852	220.889	212.663		
159	T	2.1089	4.1697	4.1834	2.1400	2.0394	3.9091	3.9012	2.0840	24.5357		
	S	217.584	203.906	197.697	205.820	214.970	218.372	218.814	221.493	211.284		
160	T	2.1094	4.2087	4.2389	2.1682	2.0625	3.9256	3.9084	2.0765	24.6982		
	S	217.533	202.017	195.109	203.143	212.562	217.454	218.411	222.293	209.894		
161	T	2.1264	4.2587	4.1797	2.1300	2.0316	3.8958	3.8946	2.0814	24.5982		
	S	215.794	199.645	197.872	206.786	215.795	219.117	219.185	221.769	210.747		
162	T	2.1098	4.1902	4.2169	2.1485	2.0451	3.9187	3.9093	2.0803	24.6188		
	S	217.492	202.909	196.126	205.006	214.370	217.837	218.360	221.887	210.571		
163	T	2.0934	4.1533	4.1733	2.1356	2.0378	3.9824	3.9508	2.0899	24.6165		
	S	219.195	204.711	198.175	206.244	215.138	214.352	216.067	220.867	210.590		
164	T	2.1400	4.2844	4.2546	2.1662	2.0606	3.9293	3.9124	2.0841	24.8316		
	S	214.422	198.447	194.389	203.331	212.758	217.249	218.187	221.482	208.766		
165	T	2.1230	4.2466	4.2091	2.1458	2.0470	3.9180	3.9099	2.0802	24.6796		
	S	216.139	200.214	196.490	205.264	214.172	217.876	218.327	221.897	210.052		
166	T	2.1351	4.2147	4.2042	2.1389	2.0408	3.9056	3.9079	2.0834	24.6306		
	S	214.914	201.729	196.719	205.926	214.822	218.567	218.439	221.557	210.470		
167	T	2.1430	4.3044	4.2035	2.1515	2.0495	3.9166	3.9133	2.0824	24.7642		
	S	214.122	197.525	196.752	204.720	213.910	217.953	218.137	221.663	209.334		
168	T	2.1070	4.1869	4.2143	2.1555	2.0547	3.9368	3.9325	2.0961	24.6838		
	S	217.781	203.068	196.247	204.340	213.369	216.835	217.072	220.214	210.016		
169	T	2.1033	4.1118	4.1432	2.1246	2.0344	3.9083	3.9107	2.0883	24.4246		
	S	218.164	206.777	199.615	207.312	215.498	218.416	218.282	221.037	212.245		
170	T	2.1116	4.1354	4.1598	2.1392	2.0460	3.9229	3.9213	2.0899	24.5261		
	S	217.306	205.597	198.819	205.897	214.276	217.603	217.692	220.867	211.367		
171	T	2.1295	4.2305	4.1247	2.1184	2.0314	3.9039	3.9041	2.0792	24.5217		
	S	215.480	200.976	200.510	207.918	215.816	218.662	218.651	222.004	211.405		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
172	T	2.1417	4.2139	4.1530	2.1219	2.0321	3.9090	3.9093	2.0828	24.5637		
	S	214.252	201.767	199.144	207.576	215.742	218.377	218.360	221.620	211.043		
173	T	2.1552	4.3433	4.2061	2.1525	2.0531	3.9311	3.9275	2.1001	24.8689		
	S	212.910	195.756	196.630	204.625	213.535	217.149	217.349	219.795	208.453		
174	T	2.1673	4.1568	4.0625	2.0932	2.0105	3.8673	3.8801	2.0769	24.3146		
	S	211.721	204.539	203.580	210.422	218.060	220.732	220.004	222.250	213.205		
175	T	2.0944	3.9653	4.0254	2.0916	2.0213	3.9038	3.9300	2.1053	24.1371		
	S	219.091	214.417	205.457	210.583	216.895	218.668	217.210	219.252	214.773		
176	T	2.1180	4.0228	4.0612	2.1089	2.0318	3.9139	3.9336	2.1057	24.2959		
	S	216.649	211.352	203.646	208.855	215.774	218.104	217.011	219.210	213.369		
177	T	2.1200	3.9157	3.9687	2.0836	2.0143	3.8902	3.9173	2.0991	24.0089		
	S	216.445	217.133	208.392	211.391	217.648	219.433	217.914	219.899	215.920		
178	T	2.1103	3.9763	4.0213	2.0915	2.0146	3.8851	3.9205	2.0976	24.1172		
	S	217.440	213.824	205.666	210.593	217.616	219.721	217.737	220.057	214.950		
179	T	2.1059	3.9861	4.0276	2.0903	2.0166	3.8883	3.9097	2.0911	24.1156		
	S	217.894	213.298	205.344	210.714	217.400	219.540	218.338	220.741	214.965		
180	T	2.1048	4.0207	4.0508	2.0959	2.0146	3.8820	3.9010	2.0879	24.1577		
	S	218.008	211.462	204.168	210.151	217.616	219.896	218.825	221.079	214.590		
181	T	2.1003	4.0522	4.0969	2.1077	2.0235	3.8944	3.9078	2.0829	24.2657		
	S	218.475	209.819	201.871	208.974	216.659	219.196	218.444	221.610	213.635		
182	T	2.1024	4.1394	4.1870	2.1314	2.0351	3.9048	3.9023	2.0816	24.4840		
	S	218.257	205.399	197.527	206.650	215.424	218.612	218.752	221.748	211.730		
183	T	2.1108	4.1868	4.1880	2.1344	2.0402	3.9180	3.9163	2.0851	24.5796		
	S	217.388	203.073	197.480	206.360	214.885	217.876	217.970	221.376	210.907		
184	T	2.1011	4.1448	4.1822	2.1247	2.0322	3.8942	3.8959	2.0805	24.4556		
	S	218.392	205.131	197.754	207.302	215.731	219.207	219.111	221.865	211.976		
185	T	2.0988	4.1196	4.0698	2.0989	2.0177	3.8880	3.9108	2.0946	24.2982		
	S	218.631	206.386	203.215	209.850	217.282	219.557	218.277	220.372	213.349		
186	T	2.1090	4.0190	4.0950	2.1109	2.0288	3.9070	3.9191	2.1016	24.2904		
	S	217.574	211.552	201.965	208.657	216.093	218.489	217.814	219.638	213.418		
187	T	2.1147	4.0102	4.1010	2.1295	2.0445	3.9317	3.9409	2.1115	24.3840		
	S	216.988	212.016	201.669	206.835	214.433	217.116	216.609	218.608	212.598		
188	T	2.1211	4.0006	4.1201	2.1224	2.0409	3.9245	3.9408	2.1037	24.3741		
	S	216.333	212.525	200.734	207.527	214.812	217.515	216.615	219.419	212.685		
189	T	2.1135	4.0123	4.0939	2.1195	2.0378	3.9196	3.9299	2.1000	24.3265		
	S	217.111	211.905	202.019	207.811	215.138	217.787	217.216	219.805	213.101		
190	T	2.1154	4.1514	4.1406	2.1260	2.0402	3.9120	3.9218	2.0898	24.4972		
	S	216.916	204.805	199.740	207.175	214.885	218.210	217.664	220.878	211.616		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
191	T	2.1487	4.3903	4.3033	2.1773	2.0766	3.9663	3.9540	2.1082	25.1247		
	S	213.554	193.660	192.189	202.294	211.119	215.222	215.892	218.950	206.331		
192	T	2.2035	4.3549	4.2410	2.1686	2.0713	3.9584	3.9452	2.1042	25.0471		
	S	208.243	195.235	195.012	203.105	211.659	215.652	216.373	219.366	206.970		
193	T	2.1329	4.1999	4.1820	2.1379	2.0497	3.9363	3.9472	2.0993	24.6852		
	S	215.136	202.440	197.763	206.022	213.889	216.863	216.264	219.878	210.004		
194	T	2.1273	4.1808	4.1213	2.1234	2.0403	3.9255	3.9408	2.1039	24.5633		
	S	215.702	203.365	200.676	207.429	214.875	217.459	216.615	219.398	211.047		
195	T	2.1203	4.1116	4.1106	2.1209	2.0382	3.9241	3.9376	2.1036	24.4669		
	S	216.414	206.787	201.198	207.673	215.096	217.537	216.791	219.429	211.878		
196	T	2.1133	4.0513	4.0909	2.1221	2.2784	5.7294			47.9382	27.1055	28.5699
	S	217.131	209.865	202.167	207.556	192.420	148.992			108.139	33.241	165.288
197	T				3.1639	2.6362	4.6265	4.3375	2.2517	42.9124	35.1752	
	S				139.213	166.303	184.510	196.804	204.997	120.804	134.328	
198	T	2.2505	4.3020	4.1394	2.1285	2.0478	3.9878	4.0071	2.1310	24.9941		
	S	203.894	197.635	199.798	206.932	214.088	214.062	213.031	216.608	207.409		
199	T	2.1319	3.9991	4.0450	2.1167	2.0406	3.9353	3.9554	2.1122	24.3362		
	S	215.237	212.605	204.461	208.085	214.843	216.918	215.815	218.536	213.016		
200	T	2.1240	3.9797	4.0310	2.1102	2.0585	4.0843	4.1929	2.2148	24.7954		
	S	216.037	213.641	205.171	208.726	212.975	209.004	203.591	208.412	209.071		
201	T	2.2478	4.4345	4.2319	2.1611	2.0627	3.9654	3.9637	2.1075	25.1746		
	S	204.139	191.730	195.431	203.810	212.541	215.271	215.364	219.023	205.922		
202	T	2.1072	4.0226	4.0848	2.1073	2.0304	4.3125	4.2373	2.2012	25.1033		
	S	217.760	211.363	202.469	209.014	215.923	197.945	201.458	209.700	206.507		
203	T	2.1801	4.1771	4.2162	2.1417	2.0466	3.9520	3.9068	2.1489	24.7694		
	S	210.478	203.545	196.159	205.657	214.213	216.001	218.500	214.803	209.290		
204	T	2.2119	4.2670	4.1885	2.1358	2.0469	3.9346	3.9405	2.0982	24.8234		
	S	207.452	199.256	197.456	206.225	214.182	216.956	216.631	219.994	208.835		
205	T	2.1207	4.0951	4.0311	2.0897	2.0176	3.8904	3.9140	2.0955	24.2541		
	S	216.374	207.621	205.166	210.774	217.292	219.421	218.098	220.277	213.737		
206	T	2.1062	4.0322	3.9542	2.0594	1.9882	3.9055	3.9241	2.0924	24.0622		
	S	217.863	210.859	209.156	213.875	220.506	218.573	217.537	220.604	215.442		
207	T	2.1076	4.1387	4.0497	2.0932	2.0178	3.8924	3.9124	2.0992	24.3110		
	S	217.719	205.433	204.224	210.422	217.271	219.308	218.187	219.889	213.237		
208	T	2.1088	4.0396	4.0070	2.0816	2.0105	3.8921	3.9264	2.1086	24.1746		
	S	217.595	210.473	206.400	211.594	218.060	219.325	217.409	218.909	214.440		
209	T	2.1236	4.0780	4.0213	2.0900	2.0150	3.9017	3.9303	2.1132	24.2731		
	S	216.078	208.491	205.666	210.744	217.573	218.786	217.194	218.432	213.570		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
210	T	2.1223	4.0996	4.1594	2.1410	2.0546	3.9604	3.9648	2.1170	24.6191		
	S	216.211	207.393	198.838	205.724	213.379	215.543	215.304	218.040	210.568		
211	T	2.1234	4.0230	4.0920	2.1158	2.0403	3.9381	3.9585	2.1168	24.4079		
	S	216.099	211.342	202.113	208.174	214.875	216.764	215.646	218.061	212.390		
212	T	2.1264	4.0527	4.0432	2.1004	2.0291	3.9272	3.9545	2.1175	24.3510		
	S	215.794	209.793	204.552	209.700	216.061	217.365	215.865	217.989	212.887		
213	T	2.1343	4.1355	4.0978	2.1201	2.0469	3.9550	3.9792	2.1247	24.5935		
	S	214.995	205.592	201.827	207.752	214.182	215.837	214.525	217.250	210.787		
214	T	2.1362	4.1357	4.1545	2.1421	2.0606	3.9748	3.9843	2.1278	24.7160		
	S	214.804	205.582	199.072	205.618	212.758	214.762	214.250	216.933	209.743		
215	T	2.1340	4.0333	4.1058	2.1278	2.0523	3.9670	3.9865	2.1290	24.5357		
	S	215.025	210.802	201.433	207.000	213.618	215.184	214.132	216.811	211.284		
216	T	2.1335	4.0048	4.0172	2.0950	2.0286	3.9309	3.9663	2.1258	24.3021		
	S	215.076	212.302	205.876	210.241	216.114	217.161	215.222	217.138	213.315		
217	T	2.1338	4.0841	4.1755	2.1567	2.0691	3.9881	4.0039	2.1777	24.7889		
	S	215.045	208.180	198.071	204.226	211.884	214.046	213.201	211.963	209.126		
218	T	2.3732	5.1677	7.3530	4.2571	3.7622	6.2681	6.0271	2.7879	37.9963		
	S	193.352	164.527	112.477	103.464	116.530	136.187	141.633	165.569	136.434		
219	T	2.7739	5.9960	7.2727	4.0588	3.9455	7.0054	6.1479	2.8213	40.0215		
	S	165.422	141.799	113.719	108.518	111.116	121.854	138.850	163.609	129.530		
220	T	2.8880	6.0001	6.3678	3.6531	3.7224	7.3615	7.3685	3.4437	40.8051		
	S	158.886	141.702	129.879	120.570	117.776	115.960	115.849	134.039	127.043		
221	T	3.4808	6.7805	7.7622	7.8745	7.4697	9.6121	8.7820	4.6985	56.4603		
	S	131.827	125.393	106.548	55.934	58.692	88.809	97.203	98.242	91.817		
222	T	5.6335	8.3010	8.8969	4.3131	6.1485	9.5294	8.4802	4.7203	56.0229		
	S	81.453	102.425	92.959	102.120	71.303	89.579	100.662	97.788	92.534		
223	T	3.9239	8.8496	9.6459	5.5933	6.3206	9.8657	9.3427	4.5551	58.0968		
	S	116.941	96.075	85.741	78.747	69.362	86.526	91.369	101.335	89.230		
224	T	6.2646	7.7175	8.6430	4.9456	6.0927	7.5618	7.3384	7.1233	55.6869		
	S	73.247	110.169	95.690	89.060	71.956	112.888	116.325	64.800	93.092		
225	T	5.8321	6.5799	7.6386	3.7089	3.1804	7.3223	6.0061	2.5612	42.8295		
	S	78.679	129.216	108.272	118.756	137.847	116.580	142.128	180.224	121.038		
226	T	2.4431	4.7625	4.6194	2.2927	2.1477	4.5079	4.2747	2.1855	27.2335		
	S	187.820	178.525	179.037	192.112	204.130	189.365	199.695	211.206	190.354		
227	T	2.1540	4.2018	4.1659	2.1068	2.0307	4.0824	4.0140	2.0975	24.8531		
	S	213.029	202.348	198.527	209.063	215.891	209.102	212.665	220.067	208.586		
228	T	2.1184	4.1456	4.1060	2.0901	1.9950	5.1993	8.4901	4.0546	32.1991		
	S	216.609	205.091	201.424	210.734	219.754	164.183	100.545	113.844	160.998		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
229	T	3.4297	6.4125	6.3667	4.2315	3.8339	9.1795	12.3492	3.8300	49.6330		
	S	133.791	132.589	129.902	104.089	114.351	92.994	69.125	120.520	104.447		
230	T	4.3894	8.2047	7.9740	4.5271	5.3477	11.2241	13.4415	5.2780	60.3865		
	S	104.539	103.627	103.718	97.293	81.981	76.054	63.508	87.456	85.847		
231	T	5.6960	9.8251	10.7111	6.0880	5.8137	9.6688	10.5197	4.2783	62.6007		
	S	80.559	86.536	77.214	72.348	75.410	88.288	81.146	107.891	82.811		
232	T	5.0558	9.8359	9.1473	5.8262	6.0954	8.9526	10.3244	5.1358	60.3734		
	S	90.760	86.441	90.414	75.599	71.925	95.351	82.681	89.877	85.866		
233	T	5.4317	7.6975	9.2186	6.1322	5.2487	8.1233	9.5972	5.3593	56.8085		
	S	84.479	110.455	89.715	71.827	83.527	105.085	88.946	86.129	91.254		
234	T	5.6020	9.5443	7.8314	5.4695	6.7082	8.6632	7.8340	5.4833	57.1359		
	S	81.911	89.082	105.606	80.529	65.354	98.536	108.966	84.181	90.731		
235	T	5.9299	6.9030	7.3838	3.8937	3.3730	7.6848	8.1329	2.9201	46.2212		
	S	77.381	123.168	112.008	113.120	129.976	111.081	104.961	158.074	112.156		
236	T	2.6144	4.9671	4.7299	2.3050	2.1837	4.4448	4.1669	2.1364	27.5482		
	S	175.514	171.172	174.855	191.087	200.764	192.053	204.861	216.060	188.179		
237	T	2.1692	4.3569	4.2044	2.1201	2.1631	4.3312	4.0824	2.1107	25.5380		
	S	211.536	195.145	196.710	207.752	202.676	197.090	209.102	218.691	202.992		
238	T	2.0867	4.0377	4.1115	2.0958	2.0204	4.1716	4.0181	2.1071	24.6489		
	S	219.899	210.572	201.154	210.161	216.991	204.630	212.448	219.065	210.314		
239	T	2.0935	3.9780	4.0315	2.0855	1.9992	3.8523	3.8721	2.0721	23.9842		
	S	219.185	213.732	205.146	211.199	219.292	221.591	220.458	222.765	216.142		
240	T	2.0749	3.9393	3.9819	2.0677	1.9895	3.8966	3.9070	2.0796	23.9365		
	S	221.150	215.832	207.701	213.017	220.361	219.072	218.489	221.961	216.573		
241	T	2.0853	4.0067	3.9908	2.0622	1.9871	3.8917	3.8898	2.0780	23.9916		
	S	220.047	212.201	207.238	213.585	220.628	219.348	219.455	222.132	216.076		
242	T	2.0912	4.0428	3.9984	2.0852	2.0021	3.8614	3.8772	2.0744	24.0327		
	S	219.426	210.307	206.844	211.229	218.975	221.069	220.168	222.518	215.706		
243	T	2.0802	4.0031	4.0138	2.0696	1.9917	3.8953	3.8985	2.0782	24.0304		
	S	220.586	212.392	206.050	212.821	220.118	219.145	218.965	222.111	215.727		
244	T	2.0975	4.0510	4.0873	2.0932	2.0080	3.8957	3.8909	2.0760	24.1996		
	S	218.767	209.881	202.345	210.422	218.331	219.123	219.393	222.346	214.218		
245	T	2.0884	4.0853	4.0620	2.0866	2.0034	3.8953	3.8950	2.0806	24.1966		
	S	219.720	208.119	203.605	211.087	218.833	219.145	219.162	221.855	214.245		
246	T	2.0911	4.0725	4.0563	2.0877	2.0056	3.8642	3.8773	2.0736	24.1283		
	S	219.436	208.773	203.892	210.976	218.592	220.909	220.163	222.604	214.851		
247	T	2.0795	4.0592	4.1043	2.0997	2.0168	3.8748	3.8739	2.0684	24.1766		
	S	220.661	209.457	201.507	209.770	217.379	220.305	220.356	223.163	214.422		

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)

NTT IndyCar Series
June 8, 2019



Section Data for Car 98 - Andretti, Marco

Lap	T/SF to T1	T1 to SS1	SS1 to T2	T2 to BS	BS to T3	T3 to SS2	SS2 to T4	T4 to SF	Lap	PI to PO	PO to SF	SF to PI
248	T	2.2775	5.2269									
	S	201.477	162.664									

Event: DXC Technology 600
Track: Texas Motor Speedway
Report: Section Data Report
Session: Race

Round 9
1.5 mile(s)






NTT IndyCar Series
June 8, 2019



Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to T1	0.127462 miles
T1 to SS1	0.236174 miles
SS1 to T2	0.229735 miles
T2 to BS	0.122348 miles
BS to T3	0.121780 miles
T3 to SS2	0.237121 miles
SS2 to T4	0.237121 miles
T4 to SF	0.128220 miles
T1 to T2	0.465909 miles
T2 to T3	0.244129 miles
T3 to T4	0.474242 miles
Lap	1.440000 miles
PI to PO	0.250284 miles
PO to SF	1.312500 miles
SF to PI	1.311742 miles
PO to T2	0.465909 miles
SS2 to PI	0.237121 miles
PO to PI	1.184280 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

