

64.UsuarioCliente.Destino

Execution Environment

Host name	BILIKI - DESKTOP-HH1RJM2
OS	Windows 10 64bit
Katalon version	8.0.1.208
Browser	Edge Chromium 18

Summary

ID	Test Suites/64.UsuarioCliente.Destino		
Description	INDica el destino del usuario cliente. 0=turno, 1=servicio. Con 0 al colocar datos del usuario éstos se conservarán al realizar una nueva transacción.		
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Start	2021-05-31 13:03:56	End	2021-05-31 13:08:24
Elapsed	4m - 28,148s		

#	ID	Description	Status
1	Test Cases/64.UsuarioCliente.Destino 0Turno		FAILED
2	Test Cases/64.UsuarioCliente.Destino 1Servicio		FAILED

64.UsuarioCliente.Destino 0Turno

Information

ID	Test Cases/64.UsuarioCliente.Destino 0Turno		
Description			
Tag			
Start	2021-05-31 13:04:05	End	2021-05-31 13:06:37
Elapsed	2m - 31,919s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	50,594s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	7,541s	PASSED
3	delay(3) Delayed 3 second(s)	3,008s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema")) Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	1,768s	PASSED
5	delay(3) Delayed 3 second(s)	3,012s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales")) Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	1,024s	PASSED
7	delay(3) Delayed 3 second(s)	3,012s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
8	Cambiar pestaña Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	1,351s	PASSED
9	delay(3) Delayed 3 second(s)	3,020s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	1,078s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,430s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	1,109s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,889s	PASSED
14	UsuarioCliente.Destino Text 'UsuarioCliente.Destino' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,537s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,849s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
16	delay(2) Delayed 2 second(s)	2,019s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	0,936s	PASSED
18	delay(2) Delayed 2 second(s)	2,012s	PASSED
19	0 =el turno es asignado al mismo cliente aunque se haga una nueva transacción Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	0,864s	PASSED
20	sendKeys(findTestObject(null), "0") Keys '0' sent to object: 'tempBody'	0,769s	PASSED
21	delay(2) Delayed 2 second(s)	2,004s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	1,591s	PASSED
23	delay(3) Delayed 3 second(s)	3,001s	PASSED
24	click(findTestObject("1Inicio/a_Inicio")) Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,762s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
25	delay(3) Delayed 3 second(s)	3,010s	PASSED
26	click(findTestObject("1 Inicio/img_Operacion")) Object: 'Object Repository/1 Inicio/img_Operacion' is clicked on	0,837s	PASSED
27	delay(3) Delayed 3 second(s)	3,006s	PASSED
28	click(findTestObject("2 Operacion/Elementos Del Sistema")) Object: 'Object Repository/2 Operacion/Elementos Del Sistema' is clicked on	0,686s	PASSED
29	delay(3) Delayed 3 second(s)	3,004s	PASSED
30	click(findTestObject("2 Operacion/Elementos del Sistema/img_Terminales")) Object: 'Object Repository/2 Operacion/Elementos del Sistema/img_Terminales' is clicked on	1,262s	PASSED
31	delay(3) Delayed 3 second(s)	3,034s	PASSED
32	Escogemos oficina Object: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/00Oficinas/a_Bogota - CIEL' is clicked on	1,890s	PASSED
33	delay(3) Delayed 3 second(s)	3,005s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
34	Abrimos Terminal Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/1Terminales menos WorkFlow/a_Terminal PQRS A02' is clicked on	0,800s	PASSED
35	delay(3) Delayed 3 second(s)	3,007s	PASSED
36	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar")) Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar' is clicked on	13,299s	PASSED
37	delay(3) Delayed 3 second(s)	3,005s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
38	<p>click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado"))</p> <p>Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at 64.UsuarioCliente.Destino 0Turno.run(64.UsuarioCliente.Destino 0Turno:99) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1622484213366.run(TempTestSuite1622484213366.groovy:39)</p> <p>Caused by: org.openqa.selenium.ElementClickInterceptedException: The command failed because the specified element is obscured.</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.selenium.driver.CEdgeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 44.18362.449.0, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}</p> <p>Session ID: 01048488-7ABF-454C-96AA-A11100D343CA</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException</p>	1,705s	FAILED

#	Description	Elapsed	Status
---	-------------	---------	--------

Ciel
 1:06:24 PM
Sale

Fun.	Funciones adicionales					Cancelación
Llamar	Ocupado	Dispone	Suspender	X	Cancelar	
	Reconectar	N. trans.	Transferir	Bucar	Detalle turno	Transacción

Ciente

Id:

Hora de solicitud:

Tiempo:

Selector:

Información del turno

Procesando solicitud

Información de la transacción

Id: Secuencia:

Hora: 0

Cód: 0

Jerarquía:

Llamados: En tablero

Es transferido:

Videos Atención:

Repeticiones: 1

Observaciones:

Estado

Abierto

100%

Terminal: terminal 6

Módulo 115 Id 2 En espera 7 Atendidos 2

Otros

Información

64.UsuarioCliente.Destino 1Servicio

Information

ID	Test Cases/64.UsuarioCliente.Destino 1Servicio		
Description			
Tag			
Start	2021-05-31 13:06:38	End	2021-05-31 13:08:24
Elapsed	1m - 46,169s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	30,790s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	1,624s	PASSED
3	delay(3) Delayed 3 second(s)	3,010s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema")) Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,848s	PASSED
5	delay(3) Delayed 3 second(s)	3,004s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales")) Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	0,702s	PASSED
7	delay(3) Delayed 3 second(s)	3,010s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
8	Cambiar pestaña Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	1,594s	PASSED
9	delay(3) Delayed 3 second(s)	3,009s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	0,884s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,151s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	1,036s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,912s	PASSED
14	UsuarioCliente.Destino Text 'UsuarioCliente.Destino' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,382s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,871s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
16	delay(2) Delayed 2 second(s)	2,009s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	1,214s	PASSED
18	delay(2) Delayed 2 second(s)	2,003s	PASSED
19	0 =el turno es asignado al mismo cliente aunque se haga una nueva transacción Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Vvalor' is clicked on	0,882s	PASSED
20	sendKeys(findTestObject(null), "1") Keys '1' sent to object: 'tempBody'	0,743s	PASSED
21	delay(2) Delayed 2 second(s)	2,002s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	1,255s	PASSED
23	delay(3) Delayed 3 second(s)	3,005s	PASSED
24	click(findTestObject("1Inicio/a_Inicio")) Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,651s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
25	delay(3) Delayed 3 second(s)	3,002s	PASSED
26	click(findTestObject("1 Inicio/img_Operacion")) Object: 'Object Repository/1 Inicio/img_Operacion' is clicked on	0,610s	PASSED
27	delay(3) Delayed 3 second(s)	3,007s	PASSED
28	click(findTestObject("2 Operacion/Elementos Del Sistema")) Object: 'Object Repository/2 Operacion/Elementos Del Sistema' is clicked on	0,587s	PASSED
29	delay(3) Delayed 3 second(s)	3,003s	PASSED
30	click(findTestObject("2 Operacion/Elementos del Sistema/img_Terminales")) Object: 'Object Repository/2 Operacion/Elementos del Sistema/img_Terminales' is clicked on	0,696s	PASSED
31	delay(3) Delayed 3 second(s)	3,006s	PASSED
32	Escogemos oficina Object: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/00Oficinas/a_Bogota - CIEL' is clicked on	0,699s	PASSED
33	delay(3) Delayed 3 second(s)	3,003s	PASSED


64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
34	Abrimos Terminal Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/1Terminales menos WorkFlow/a_Terminal PQRS A02' is clicked on	0,660s	PASSED
35	delay(3) Delayed 3 second(s)	3,012s	PASSED
36	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar")) Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar' is clicked on	11,081s	PASSED
37	delay(3) Delayed 3 second(s)	3,010s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
38	<p>click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado"))</p> <p>Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at 64.UsuarioCliente.Destino 1Servicio.run(64.UsuarioCliente.Destino 1Servicio:99) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1622484213366.run(TempTestSuite1622484213366.groovy:39)</p> <p>Caused by: org.openqa.selenium.ElementClickInterceptedException: The command failed because the specified element is obscured.</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.selenium.driver.CEEdgeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 44.18362.449.0, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}</p> <p>Session ID: DCD9CAC8-1082-4BD1-88E5-833DE23E712F</p>	1,450s	FAILED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
	<div>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at com.sun.proxy.\$Proxy11.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:68) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at Script1622476281759.run(Script1622476281759.groovy:99) ... 13 more)</div>		
	<div></div>		