

64.UsuarioCliente.Destino

Execution Environment

Host name	BILIKI - DESKTOP-HH1RJM2
OS	Windows 10 64bit
Katalon version	8.0.1.208
Browser	Edge Chromium 18

Summary

ID	Test Suites/64.UsuarioCliente.Destino		
Description	INDica el destino del usuario cliente. 0=turno, 1=servicio. Con 0 al colocar datos del usuario éstos se conservarán al realizar una nueva transacción.		
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Start	2021-05-31 13:11:48	End	2021-05-31 13:15:15
Elapsed	3m - 26,888s		

#	ID	Description	Status
1	Test Cases/64.UsuarioCliente.Destino 0Turno		FAILED
2	Test Cases/64.UsuarioCliente.Destino 1Servicio		FAILED

64.UsuarioCliente.Destino 0Turno

Information

ID	Test Cases/64.UsuarioCliente.Destino 0Turno		
Description			
Tag			
Start	2021-05-31 13:11:56	End	2021-05-31 13:13:34
Elapsed	1m - 37,866s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	26,844s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	1,519s	PASSED
3	delay(3) Delayed 3 second(s)	3,011s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema")) Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,819s	PASSED
5	delay(3) Delayed 3 second(s)	3,007s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales")) Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	0,714s	PASSED
7	delay(3) Delayed 3 second(s)	3,020s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
8	Cambiar pestaña Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	1,154s	PASSED
9	delay(3) Delayed 3 second(s)	3,007s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	1,015s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,691s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	1,310s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,970s	PASSED
14	UsuarioCliente.Destino Text 'UsuarioCliente.Destino' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,639s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	1,014s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
16	delay(2) Delayed 2 second(s)	2,015s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	1,233s	PASSED
18	delay(2) Delayed 2 second(s)	2,009s	PASSED
19	0 =el turno es asignado al mismo cliente aunque se haga una nueva transacción Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	0,971s	PASSED
20	sendKeys(findTestObject(null), "0") Keys '0' sent to object: 'tempBody'	0,889s	PASSED
21	delay(2) Delayed 2 second(s)	2,005s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	1,393s	PASSED
23	delay(3) Delayed 3 second(s)	3,007s	PASSED
24	click(findTestObject("1Inicio/a_Inicio")) Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,889s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
25	delay(3) Delayed 3 second(s)	3,009s	PASSED
26	click(findTestObject("1 Inicio/img_Operacion")) Object: 'Object Repository/1 Inicio/img_Operacion' is clicked on	0,723s	PASSED
27	delay(3) Delayed 3 second(s)	3,009s	PASSED
28	click(findTestObject("2 Operacion/Elementos Del Sistema")) Object: 'Object Repository/2 Operacion/Elementos Del Sistema' is clicked on	0,621s	PASSED
29	delay(3) Delayed 3 second(s)	3,010s	PASSED
30	click(findTestObject("2 Operacion/Elementos del Sistema/img_Terminales")) Object: 'Object Repository/2 Operacion/Elementos del Sistema/img_Terminales' is clicked on	1,268s	PASSED
31	delay(3) Delayed 3 second(s)	3,009s	PASSED
32	Escogemos oficina Object: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/00Oficinas/a_Bogota - CIEL' is clicked on	1,138s	PASSED
33	delay(3) Delayed 3 second(s)	3,008s	PASSED


64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
34	Abrimos Terminal Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/1Terminales menos WorkFlow/a_Terminal PQRS A02' is clicked on	0,806s	PASSED
35	delay(3) Delayed 3 second(s)	3,007s	PASSED
36	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar")) Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar' is clicked on	2,264s	PASSED
37	delay(3) Delayed 3 second(s)	3,018s	PASSED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
38	<p>click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado"))</p> <p>Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at 64.UsuarioCliente.Destino 0Turno.run(64.UsuarioCliente.Destino 0Turno:99) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1622484686228.run(TempTestSuite1622484686228.groovy:39)</p> <p>Caused by: org.openqa.selenium.ElementClickInterceptedException: The command failed because the specified element is obscured.</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.selenium.driver.CEdgeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 44.18362.449.0, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}</p> <p>Session ID: A3C35DB5-E144-4D1F-BD94-4CEC108CA938</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException</p>	1,500s	FAILED

64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
	<pre>(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at com.sun.proxy.\$Proxy11.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:68) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at Script1622476222915.run(Script1622476222915.groovy:99) ... 13 more)</pre>		
			

64.UsuarioCliente.Destino 1Servicio

Information

ID	Test Cases/64.UsuarioCliente.Destino 1Servicio		
Description			
Tag			
Start	2021-05-31 13:13:35	End	2021-05-31 13:15:15
Elapsed	1m - 40,044s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	28,706s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	1,167s	PASSED
3	delay(3) Delayed 3 second(s)	3,016s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema")) Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,793s	PASSED
5	delay(3) Delayed 3 second(s)	3,004s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales")) Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	0,640s	PASSED
7	delay(3) Delayed 3 second(s)	3,006s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
8	Cambiar pestaña Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	0,800s	PASSED
9	delay(3) Delayed 3 second(s)	3,013s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	0,870s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,075s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	1,134s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,795s	PASSED
14	UsuarioCliente.Destino Text 'UsuarioCliente.Destino' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,544s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,813s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
16	delay(2) Delayed 2 second(s)	2,007s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	1,145s	PASSED
18	delay(2) Delayed 2 second(s)	2,013s	PASSED
19	0 =el turno es asignado al mismo cliente aunque se haga una nueva transacción Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Vvalor' is clicked on	1,167s	PASSED
20	sendKeys(findTestObject(null), "1") Keys '1' sent to object: 'tempBody'	0,700s	PASSED
21	delay(2) Delayed 2 second(s)	2,011s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	1,105s	PASSED
23	delay(3) Delayed 3 second(s)	3,002s	PASSED
24	click(findTestObject("1Inicio/a_Inicio")) Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,695s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
25	delay(3) Delayed 3 second(s)	3,003s	PASSED
26	click(findTestObject("1Inicio/img_Operacion")) Object: 'Object Repository/1Inicio/img_Operacion' is clicked on	0,600s	PASSED
27	delay(3) Delayed 3 second(s)	3,002s	PASSED
28	click(findTestObject("2 Operacion/Elementos Del Sistema")) Object: 'Object Repository/2 Operacion/Elementos Del Sistema' is clicked on	0,751s	PASSED
29	delay(3) Delayed 3 second(s)	3,009s	PASSED
30	click(findTestObject("2 Operacion/Elementos del Sistema/img_Terminales")) Object: 'Object Repository/2 Operacion/Elementos del Sistema/img_Terminales' is clicked on	0,701s	PASSED
31	delay(3) Delayed 3 second(s)	3,007s	PASSED
32	Escogemos oficina Object: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/00Oficinas/a_Bogota - CIEL' is clicked on	0,707s	PASSED
33	delay(3) Delayed 3 second(s)	3,002s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
34	Abrimos Terminal Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/1Terminales menos WorkFlow/a_Terminal PQRS A02' is clicked on	0,741s	PASSED
35	delay(3) Delayed 3 second(s)	3,012s	PASSED
36	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar")) Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar' is clicked on	7,762s	PASSED
37	delay(3) Delayed 3 second(s)	3,012s	PASSED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
38	<p>click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado"))</p> <p>Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at 64.UsuarioCliente.Destino 1Servicio.run(64.UsuarioCliente.Destino 1Servicio:99) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1622484686228.run(TempTestSuite1622484686228.groovy:39)</p> <p>Caused by: org.openqa.selenium.ElementClickInterceptedException: The command failed because the specified element is obscured.</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.selenium.driver.CEEdgeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 44.18362.449.0, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}</p> <p>Session ID: 29CCC792-DDF7-408D-BD17-EDD20C177335</p>	1,668s	FAILED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
	<pre>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at com.sun.proxy.\$Proxy11.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:68) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at Script1622476281759.run(Script1622476281759.groovy:99) ... 13 more)</pre>		
	