#### **Execution Environment**

Host name BILIKI - DESKTOP-HH1RJM2

OS Windows 10 64bit

Katalon version 8.0.1.208

Browser Chrome 91.0.4472.101

Summary

ID Test Suites/106.Terminal.RequerirMotivoEnCierreMasivo

Description Al colocar paraámetro en No Permitirá cerrar la terminal con el boton cambvio de estado a cerrado sin

solicitar motivo de cierre.

Total

Passed 1 Failed 0
Error 0 Incomplete 0

Start 2021-06-10 11:15:27 End 2021-06-10 11:17:46

Elapsed 2m - 18,857s

#	ID	Description	Status

1 Test Cases/106.Terminal.RequerirMotivoEnCierreMasivo

**PASSED** 

#### Information

ID Test Cases/106.Terminal.RequerirMotivoEnCierreMasivo

Description

Tag

Start 2021-06-10 11:15:32 End 2021-06-10 11:17:46

Elapsed 2m - 13,620s

Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	44,216s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion"))  Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	11,017s	PASSED
3	delay(3)  Delayed 3 second(s)	3,009s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema"))  Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	1,611s	PASSED
5	delay(3)  Delayed 3 second(s)	3,009s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales"))  Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	2,865s	PASSED
7	delay(3)  Delayed 3 second(s)	3,008s	PASSED

#	Description	Elapsed	Status
8	Cambiar pestaña  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	0,779s	PASSED
9	delay(3)  Delayed 3 second(s)	3,006s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_Ofiltro llave"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_Ofiltro llave' is clicked on	0,844s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,348s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	0,827s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,880s	PASSED
14	Terminal.RequerirMotivoEnCierreMasivo  Text 'Terminal.RequerirMotivoEnCierreMasivo' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,405s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,866s	PASSED

Delayed 2 second(s)   Delayed 2 second(s)   Delayed 2 second(s)   PASSED	#	Description	Flancod	Status
Delayed 2 second(s)  17 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a Editar")) Object: "Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a Editar is clicked on  18 delay(2) 2,013s PASSED  Delayed 2 second(s)  19 Cambiamos a Si= Habilitado: No=No habilitado Object: "Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input Valor is clicked on  20 sendKeys(findTestObject(null), "No") 0,549s PASSED  Keys 'No' sent to object: tempBody'  21 delay(2) 2,005s PASSED  Delayed 2 second(s)  22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar") Object: "Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar") Object: "Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar" is clicked on  23 delay(3) 3,020s PASSED  Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio")) 1,459s PASSED				
17 click(findTestObject('Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar')) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on  18 delay(2) Delayed 2 second(s)  19 Cambiamos a Si= Habilitado; No=No habilitado Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on  20 sendKeys(findTestObject(null), 'No") Keys 'No' sent to object: 'tempBody'  21 delay(2) Delayed 2 second(s)  22 click(findTestObject('Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar')) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar') Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar') Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3) Delayed 3 second(s)  24 click(findTestObject('1Inicio/a_Inicio'))  25 pASSED	10		2,0023	TAGGED
Valor/a_Editar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar is clicked on  18  delay(2)				
Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valot/a_Editar' is clicked on  18 delay(2)	17		0,860s	PASSED
Delayed 2 second(s)  Cambiamos a Si= Habilitado; No=No habilitado Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on  SendKeys(findTestObject(null), "No") Keys "No' sent to object: 'tempBody'  delay(2) Delayed 2 second(s)  Cick(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  3,020s PASSED  delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  1,459s PASSED		Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar		
19 Cambiamos a Si= Habilitado; No=No habilitado Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on  20 sendKeys(findTestObject(null), "No") Keys 'No' sent to object: 'tempBody'  21 delay(2) Delayed 2 second(s)  22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar is clicked on  23 delay(3) Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  1,459s PASSED	18	delay(2)	2,013s	PASSED
Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on  20 sendKeys(findTestObject(null), "No")  Keys 'No' sent to object: 'tempBody'  21 delay(2)  Delayed 2 second(s)  22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3)  Delayed 3 second(s)  24 click(findTestObject("Inicio/a_Inicio"))  PASSED		Delayed 2 second(s)		
Parametro Valor/input_Valor' is clicked on  20 sendKeys(findTestObject(null), "No")  Keys 'No' sent to object: 'tempBody'  21 delay(2)  Delayed 2 second(s)  22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3)  Delayed 3 second(s)  24 click(findTestObject("Inicio/a_Inicio"))  1,459s PASSED	19	Cambiamos a Si= Habilitado; No=No habilitado	0,849s	PASSED
20 sendKeys(findTestObject(null), "No")  Keys 'No' sent to object: 'tempBody'  21 delay(2)  Delayed 2 second(s)  22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3)  Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  1,459s PASSED				
Keys 'No' sent to object: 'tempBody'  21 delay(2)     Delayed 2 second(s)  22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))     Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3)     Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  25 PASSED		Parametro Valor/input_Valor' is clicked on		
21 delay(2) Delayed 2 second(s)  22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3) Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  25 PASSED  26 PASSED	20	sendKeys(findTestObject(null), "No")	0,549s	PASSED
Delayed 2 second(s)  22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3)  Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  1,459s PASSED		Keys 'No' sent to object: 'tempBody'		
22 click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3)  Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  1,459s PASSED	21	delay(2)	2,005s	PASSED
Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on  23 delay(3)  Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  1,459s  PASSED		Delayed 2 second(s)		
Parametro Valor/a_Guardar' is clicked on  23 delay(3)  Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  1,459s PASSED	22		0,725s	PASSED
Delayed 3 second(s)  24 click(findTestObject("1Inicio/a_Inicio"))  1,459s PASSED				
24 click(findTestObject("1Inicio/a_Inicio")) 1,459s PASSED	23	delay(3)	3,020s	PASSED
		Delayed 3 second(s)		
Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	24	click(findTestObject("1Inicio/a_Inicio"))	1,459s	PASSED
		Object: 'Object Repository/1Inicio/a_Inicio' is clicked on		

#	Description	Elapsed	Status
25	delay(3)	3,010s	PASSED
	Delayed 3 second(s)		
26	click(findTestObject("1Inicio/img_Operacion"))	1,244s	PASSED
	Object: 'Object Repository/1Inicio/img_Operacion' is clicked on		
27	delay(3)	3,009s	PASSED
	Delayed 3 second(s)		
28	click(findTestObject("2 Operacion/Elementos Del Sistema"))	1,669s	PASSED
	Object: 'Object Repository/2 Operacion/Elementos Del Sistema' is clicked on		
29	delay(3)	3,006s	PASSED
	Delayed 3 second(s)		
30	click(findTestObject("2 Operacion/Elementos del Sistema/img_Terminales"))	2,365s	PASSED
	Object: 'Object Repository/2 Operacion/Elementos del Sistema/img_Terminales' is clicked on		
31	delay(3)	3,012s	PASSED
	Delayed 3 second(s)		
32	Escogemos oficina	1,142s	PASSED
	Object: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/00Oficinas/a_Bogota - CIEL' is clicked on		
33	delay(3)	3,005s	PASSED
	Delayed 3 second(s)		

#	Description	Elapsed	Status
34	Abrimos Terminal  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/1Terminales menos WorkFlow/a_Terminal PQRS A02' is clicked on	0,656s	PASSED
35	delay(5)  Delayed 5 second(s)	5,010s	PASSED
36	closeWindowIndex(1) Window with index 1 is closed	0,480s	PASSED
37	delay(2)  Delayed 2 second(s)	2,007s	PASSED
38	switchToWindowIndex(0)  Switched to window with index: '0'	0,108s	PASSED
39	delay(2)  Delayed 2 second(s)	2,002s	PASSED
40	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/btn_CambiarEstado"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/btn_CambiarEstado' is clicked on	0,670s	PASSED
41	acceptAlert() Alert accepted	0,102s	PASSED
42	delay(2)  Delayed 2 second(s)	2,006s	PASSED

