

# 64.UsuarioCliente.Destino

## Execution Environment

Host name	BILIKI - DESKTOP-HH1RJM2
OS	Windows 10 64bit
Katalon version	8.0.1.208
Browser	Edge Chromium 18

## Summary

ID	Test Suites/64.UsuarioCliente.Destino		
Description	INDica el destino del usuario cliente. 0=turno, 1=servicio. Con 0 al colocar datos del usuario éstos se conservarán al realizar una nueva transacción.		
Total	2		
Passed	1	Failed	1
Error	0	Incomplete	0
Start	2021-05-31 13:33:51	End	2021-05-31 13:37:02
Elapsed	3m - 11,267s		

#	ID	Description	Status
1	Test Cases/64.UsuarioCliente.Destino 0Turno		PASSED
2	Test Cases/64.UsuarioCliente.Destino 1Servicio		FAILED

# 64.UsuarioCliente.Destino 0Turno

## Information

ID	Test Cases/64.UsuarioCliente.Destino 0Turno		
Description			
Tag			
Start	2021-05-31 13:33:57	End	2021-05-31 13:35:52
Elapsed	1m - 55,133s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	16,503s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion"))  Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	0,779s	PASSED
3	delay(3)  Delayed 3 second(s)	3,009s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema"))  Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,448s	PASSED
5	delay(3)  Delayed 3 second(s)	3,006s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales"))  Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	0,450s	PASSED
7	delay(3)  Delayed 3 second(s)	3,005s	PASSED

## 64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
8	Cambiar pestaña  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	0,614s	PASSED
9	delay(3)  Delayed 3 second(s)	3,005s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	0,675s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,038s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	0,866s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,621s	PASSED
14	UsuarioCliente.Destino  Text 'UsuarioCliente.Destino' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,160s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,628s	PASSED

## 64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
16	delay(2)  Delayed 2 second(s)	2,007s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	0,771s	PASSED
18	delay(2)  Delayed 2 second(s)	2,017s	PASSED
19	0 =el turno es asignado al mismo cliente aunque se haga una nueva transacción  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	0,538s	PASSED
20	sendKeys(findTestObject(null), "0")  Keys '0' sent to object: 'tempBody'	0,638s	PASSED
21	delay(2)  Delayed 2 second(s)	2,001s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	0,568s	PASSED
23	delay(3)  Delayed 3 second(s)	3,008s	PASSED
24	click(findTestObject("1Inicio/a_Inicio"))  Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,625s	PASSED

## 64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
25	delay(3)  Delayed 3 second(s)	3,002s	PASSED
26	click(findTestObject("1 Inicio/img_Operacion"))  Object: 'Object Repository/1 Inicio/img_Operacion' is clicked on	0,443s	PASSED
27	delay(3)  Delayed 3 second(s)	3,009s	PASSED
28	click(findTestObject("2 Operacion/Elementos Del Sistema"))  Object: 'Object Repository/2 Operacion/Elementos Del Sistema' is clicked on	0,458s	PASSED
29	delay(3)  Delayed 3 second(s)	3,006s	PASSED
30	click(findTestObject("2 Operacion/Elementos del Sistema/img_Terminales"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/img_Terminales' is clicked on	0,833s	PASSED
31	delay(3)  Delayed 3 second(s)	3,307s	PASSED
32	Escogemos oficina  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/00Oficinas/a_Bogota - CIEL' is clicked on	0,539s	PASSED
33	delay(3)  Delayed 3 second(s)	3,006s	PASSED


## 64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
34	Abrimos Terminal  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/1Terminales menos WorkFlow/a_Terminal PQRS A02' is clicked on	0,449s	PASSED
35	delay(3)  Delayed 3 second(s)	3,002s	PASSED
36	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar' is clicked on	0,596s	PASSED
37	delay(3)  Delayed 3 second(s)	3,001s	PASSED
38	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' is clicked on	0,578s	PASSED
39	delay(3)  Delayed 3 second(s)	3,009s	PASSED
40	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/imgOcupado/a_Actualizacion de Datos"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/imgOcupado/a_Actualizacion de Datos' is clicked on	0,511s	PASSED
41	delay(3)  Delayed 3 second(s)	3,008s	PASSED

## 64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
42	Agregamos información del cliente  All options with index in [2] are selected on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Cliente/select_TipoIdentificacion'	0,969s	PASSED
43	delay(3)  Delayed 3 second(s)	3,001s	PASSED
44	setText(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Cliente/input_Identificacion"), "636711")  Text '636711' is set on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Cliente/input_Identificacion'	1,077s	PASSED
45	delay(3)  Delayed 3 second(s)	3,005s	PASSED
46	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Cliente/botones/img_Buscar"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Cliente/botones/img_Buscar' is clicked on	0,432s	PASSED
47	delay(3)  Delayed 3 second(s)	3,004s	PASSED
48	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Adicionales/img_Nueva Transaccion"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Adicionales/img_Nueva Transaccion' is clicked on	0,635s	PASSED
49	Nueva Transacción  Delayed 3 second(s)	3,003s	PASSED

## 64.UsuarioCliente.Destino 0Turno

#	Description	Elapsed	Status
50	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Adicionales/imgNuevaTransaccion/a_Radicaciones"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Adicionales/imgNuevaTransaccion/a_Radicaciones' is clicked on	0,636s	PASSED
51	delay(3)  Delayed 3 second(s)	3,005s	PASSED
52	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Adicionales/imgNuevaTransaccion/subservicios/a_Certificado rad"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Adicionales/imgNuevaTransaccion/subservicios/a_Certificado rad' is clicked on	0,515s	PASSED
53	delay(3)  Delayed 3 second(s)	3,004s	PASSED
54	takeFullPageScreenshot()  Taking screenshot successfully 	1,128s	PASSED
55	delay(3)  Delayed 3 second(s)	3,031s	PASSED



## 64.UsuarioCliente.Destino 0Turno

---

#	Description	Elapsed	Status
56	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Cerrar"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Cerrar' is clicked on	0,465s	PASSED
57	delay(3)  Delayed 3 second(s)	3,007s	PASSED
58	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/imgCerrar/btn_FindeJornada"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/imgCerrar/btn_FindeJornada' is clicked on	0,666s	PASSED
59	delay(3)  Delayed 3 second(s)	3,017s	PASSED

# 64.UsuarioCliente.Destino 1Servicio

## Information

ID	Test Cases/64.UsuarioCliente.Destino 1Servicio		
Description			
Tag			
Start	2021-05-31 13:35:52	End	2021-05-31 13:37:02
Elapsed	1m - 10,182s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	13,912s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion"))  Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	0,625s	PASSED
3	delay(3)  Delayed 3 second(s)	3,010s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema"))  Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,395s	PASSED
5	delay(3)  Delayed 3 second(s)	3,009s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales"))  Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	0,454s	PASSED
7	delay(3)  Delayed 3 second(s)	3,005s	PASSED

## 64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
8	Cambiar pestaña  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	0,507s	PASSED
9	delay(3)  Delayed 3 second(s)	3,008s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	0,646s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	0,733s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	0,667s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,562s	PASSED
14	UsuarioCliente.Destino  Text 'UsuarioCliente.Destino' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,132s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,510s	PASSED

## 64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
16	delay(2)  Delayed 2 second(s)	2,002s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	0,642s	PASSED
18	delay(2)  Delayed 2 second(s)	2,007s	PASSED
19	0 =el turno es asignado al mismo cliente aunque se haga una nueva transacción  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	0,521s	PASSED
20	sendKeys(findTestObject(null), "1")  Keys '1' sent to object: 'tempBody'	0,577s	PASSED
21	delay(2)  Delayed 2 second(s)	2,001s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	0,664s	PASSED
23	delay(3)  Delayed 3 second(s)	3,006s	PASSED
24	click(findTestObject("1Inicio/a_Inicio"))  Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,407s	PASSED

## 64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
25	delay(3)  Delayed 3 second(s)	3,001s	PASSED
26	click(findTestObject("1 Inicio/img_Operacion"))  Object: 'Object Repository/1 Inicio/img_Operacion' is clicked on	0,444s	PASSED
27	delay(3)  Delayed 3 second(s)	3,005s	PASSED
28	click(findTestObject("2 Operacion/Elementos Del Sistema"))  Object: 'Object Repository/2 Operacion/Elementos Del Sistema' is clicked on	0,431s	PASSED
29	delay(3)  Delayed 3 second(s)	3,003s	PASSED
30	click(findTestObject("2 Operacion/Elementos del Sistema/img_Terminales"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/img_Terminales' is clicked on	0,411s	PASSED
31	delay(3)  Delayed 3 second(s)	3,003s	PASSED
32	Escogemos oficina  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/00Oficinas/a_Bogota - CIEL' is clicked on	0,411s	PASSED
33	delay(3)  Delayed 3 second(s)	3,009s	PASSED

## 64.UsuarioCliente.Destino 1Servicio

---

#	Description	Elapsed	Status
34	Abrimos Terminal  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/1Terminales menos WorkFlow/a_Terminal PQRS A02' is clicked on	0,429s	PASSED
35	delay(3)  Delayed 3 second(s)	3,005s	PASSED
36	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar"))  Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Llamar' is clicked on	0,610s	PASSED
37	delay(3)  Delayed 3 second(s)	3,004s	PASSED

## 64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
38	<p>click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado"))</p> <p>Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/Terminal/Funciones Basicas/img_Ocupado' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at 64.UsuarioCliente.Destino 1Servicio.run(64.UsuarioCliente.Destino 1Servicio:99) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1622486016740.run(TempTestSuite1622486016740.groovy:39)</p> <p>Caused by: org.openqa.selenium.ElementClickInterceptedException: The command failed because the specified element is obscured.</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'</p> <p>Driver info: com.kms.katalon.selenium.driver.CEEdgeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 44.18362.449.0, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}</p> <p>Session ID: 88A3D97D-540A-4762-B3E1-6D1F069C1478</p>	1,122s	FAILED

64.UsuarioCliente.Destino 1Servicio

#	Description	Elapsed	Status
	<pre>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404) at com.sun.proxy.\$Proxy11.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:68) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source) at Script1622476281759.run(Script1622476281759.groovy:99) ... 13 more )</pre>		
	