

21.Selector.AbrirSelectorPopUp

Execution Environment

Host name	jdavila - PCPruebas101.ciel.cielingenieria.com
Local OS	Windows 10 64bit
Katalon version	8.6.0.208
Browser	Chrome 115.0.0.0

Summary

ID	Test Suites/21.Selector.AbrirSelectorPopUp		
Description	Proceso para abrir el selector 0=PopUp y 1=emergente		
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2023-08-18 07:52:08	End	2023-08-18 07:55:01
Elapsed	2m - 52,944s		

#	ID	Description	Status
1	Test Cases/21.Selector.AbrirSelectorPopUp1		FAILED
2	Test Cases/21.Selector.AbrirSelectorPopUp0		FAILED

21.Selector.AbrirSelectorPopUp1

Information

ID	Test Cases/21.Selector.AbrirSelectorPopUp1		
Description			
Tag			
Start	2023-08-18 07:52:08	End	2023-08-18 07:53:35
Elapsed	1m - 27,194s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	10,552s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	0,682s	PASSED
3	delay(3) Delayed 3 second(s)	3,015s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema")) Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,668s	PASSED
5	delay(3) Delayed 3 second(s)	3,016s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales")) Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	1,164s	PASSED
7	delay(3) Delayed 3 second(s)	3,016s	PASSED

21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
8	Buscar la selector Popup Text 'Selector.Abrir' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,126s	PASSED
9	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,501s	PASSED
10	delay(2) Delayed 2 second(s)	2,006s	PASSED
11	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	0,596s	PASSED
12	delay(2) Delayed 2 second(s)	2,003s	PASSED
13	Cambiamos a 1= ventana emergente Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Vvalor' is clicked on	0,529s	PASSED
14	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/li_1"), STOP_ON_FAILURE) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/li_1' is clicked on	0,612s	PASSED
15	delay(2) Delayed 2 second(s)	2,009s	PASSED


21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
16	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	0,685s	PASSED
17	delay(3) Delayed 3 second(s)	3,010s	PASSED
18	click(findTestObject("1Inicio/a_Inicio")) Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,646s	PASSED
19	delay(3) Delayed 3 second(s)	3,013s	PASSED

21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
20	Para abrir el selector y generar un turno Unable to call Test Case 'Test Cases/0 Generar Turno Ventana Emergente' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/0 Generar Turno Ventana Emergente' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 21.Selector.AbrirSelectorPopUp1.run(21.Selector.AbrirSelectorPopUp1:61) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1692361965211.run(TempTestSuite1692361965211.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'info' of object 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/2 Escoger por jerarquia/input_Buscar por jerarquia' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText	48,005s	FAILED

21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
	<pre>(WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call (Unknown Source) at 0 Generar Turno Ventana Emergente.run(0 Generar Turno Ventana Emergente:38) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/2 Escoger por jerarquia/input_Buscar por jerarquia' located by '//*[@id=" selectorCajaJerarquia"]/div[2]/div/div/table/tbody/tr/td[2]/input' not found at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1376) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)</pre>		
	 <p>The screenshot displays the Digiturno 5+ application interface. At the top, there is a header with the Digiturno 5+ logo and a user profile icon labeled 'ciel'. Below the header, the main content area is divided into two sections. The left section, titled 'Oficinas', shows a list of 7 offices with columns for 'Id' and 'Nombre'. The right section, titled 'Lista de Selectores', shows a list of 1 selector with columns for 'Id', 'Nombre', 'Tipo', 'Descripción', 'Habil', 'Oficina', and 'Estado'. A 'Cerrar Selector' button is visible below the 'Lista de Selectores' table. At the bottom of the interface, a footer states 'Digiturno 5 es un producto de Ciel Ingeniería [v.5.5.2.0]'.</p>		

21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
21	Start listener action : sampleAfterTestCase	0,000s	PASSED

21.Selector.AbrirSelectorPopUp0

Information

ID	Test Cases/21.Selector.AbrirSelectorPopUp0		
Description			
Tag			
Start	2023-08-18 07:53:35	End	2023-08-18 07:55:01
Elapsed	1m - 25,487s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	9,799s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	0,596s	PASSED
3	delay(3) Delayed 3 second(s)	3,018s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema")) Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,606s	PASSED
5	delay(3) Delayed 3 second(s)	3,016s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales")) Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	1,145s	PASSED
7	delay(3) Delayed 3 second(s)	3,009s	PASSED

21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
8	Buscar la selector Popup Text 'Selector.Abrir' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	0,974s	PASSED
9	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,523s	PASSED
10	delay(2) Delayed 2 second(s)	2,007s	PASSED
11	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	0,551s	PASSED
12	delay(2) Delayed 2 second(s)	2,011s	PASSED
13	Cambiamos a 0=PopUp Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	0,507s	PASSED
14	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/li_0"), STOP_ON_FAILURE) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/li_0' is clicked on	0,577s	PASSED
15	delay(2) Delayed 2 second(s)	2,013s	PASSED



21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
16	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	0,715s	PASSED
17	delay(3) Delayed 3 second(s)	3,003s	PASSED
18	click(findTestObject("1Inicio/a_Inicio")) Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,613s	PASSED
19	delay(3) Delayed 3 second(s)	3,009s	PASSED

21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
20	<p>callTestCase(findTestCase("0 Generar Turno PopUp"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/0 Generar Turno PopUp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/0 Generar Turno PopUp' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:75) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 21.Selector.AbrirSelectorPopUp0.run(21.Selector.AbrirSelectorPopUp0:60) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 187) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1692361965211.run(TempTestSuite1692361965211.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to switch to window with index: '1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowIndexKeyword. switchToWindowIndex(SwitchToWindowIndexKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin.SwitchToWindowIndexKeyword. execute(SwitchToWindowIndexKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. switchToWindowIndex(WebUiBuiltInKeywords.groovy:1891)</p>	47,524s	FAILED

21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status																														
	<pre>at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$switchToWindowIndex\$4.call(Unknown Source) at 0 Generar Turno PopUp.run(0 Generar Turno PopUp:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285) at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 144) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: com.kms.katalon.core.exception.StepFailedException: Cannot find window with index: '1' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. SwitchToWindowIndexKeyword\$_switchToWindowIndex_closure1.doCall (SwitchToWindowIndexKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin. SwitchToWindowIndexKeyword\$_switchToWindowIndex_closure1.call (SwitchToWindowIndexKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more)</pre>																																
<div><div><div> Digiturno 5^{plus}</div><div>ciel </div></div><div><div>/ Operación / Selectores</div><div><div><div>Oficinas</div><div>Total : 7 <input type="text"/></div><table><tr><th>Id</th><th>Nombre</th></tr><tr><td>1</td><td>Bogota - CIEL</td></tr><tr><td>2</td><td>Cali - Chipichape</td></tr><tr><td>3</td><td>Cartagena - Bocagrande</td></tr><tr><td>4</td><td>Manizales - Manizales</td></tr><tr><td>5</td><td>Medellin - Laureles</td></tr><tr><td>6</td><td>Virtual - Oficina Virtual</td></tr><tr><td>7</td><td>WorkFlow - Oficina WorkFlow</td></tr></table></div></div><div><div>Lista de Selectores</div><div>Total : 1 <input type="text"/></div><table><tr><th>Id</th><th>Nombre</th><th>Tipo</th><th>Descripción</th><th>Habil</th><th>Oficina</th><th>Estado</th></tr><tr><td>1</td><td>Bogota Selector 01</td><td>Virtual</td><td>Bogota Selector 01</td><td></td><td>Bogota - CIEL</td><td></td></tr></table><div>Cerrar Selector</div></div></div></div> <div>Digiturno 5 es un producto de Ciel Ingeniería [v.5.2.0]</div>				Id	Nombre	1	Bogota - CIEL	2	Cali - Chipichape	3	Cartagena - Bocagrande	4	Manizales - Manizales	5	Medellin - Laureles	6	Virtual - Oficina Virtual	7	WorkFlow - Oficina WorkFlow	Id	Nombre	Tipo	Descripción	Habil	Oficina	Estado	1	Bogota Selector 01	Virtual	Bogota Selector 01		Bogota - CIEL	
Id	Nombre																																
1	Bogota - CIEL																																
2	Cali - Chipichape																																
3	Cartagena - Bocagrande																																
4	Manizales - Manizales																																
5	Medellin - Laureles																																
6	Virtual - Oficina Virtual																																
7	WorkFlow - Oficina WorkFlow																																
Id	Nombre	Tipo	Descripción	Habil	Oficina	Estado																											
1	Bogota Selector 01	Virtual	Bogota Selector 01		Bogota - CIEL																												

Digiturno 5 es un producto de Ciel Ingeniería [v.5.2.0]

21.Selector.AbrirSelectorPopUp0

#

Description

Elapsed

Status

The screenshot displays the Digiturno 5+ web application interface. At the top, the logo 'Digiturno 5+ plus' is visible on the left, and a user profile icon labeled 'ciel' is on the right. Below the header, the breadcrumb navigation shows '/ Operación / Selectores'.

The main content area is divided into two panels:

- Oficinas:** This panel shows a list of 7 offices. A search bar at the top indicates 'Total : 7'. The table lists the following offices:

Id	Nombre
1	Bogota - CIEL
2	Cali - Chipichape
3	Cartagena - Bocagrande
4	Manizales - Manizales
5	Medellin - Laureles
6	Virtual - Oficina Virtual
7	WorkFlow - Oficina WorkFlow

Lista de Selectores: This panel shows a list of 1 selector. A search bar at the top indicates 'Total : 1'. The table lists the following selector:

Id	Nombre	Tipo	Descripción	Hábil	Oficina	Estado
1	Bogota Selector 01	Virtual	Bogota Selector 01	✓	Bogota - CIEL	●

Below the table, there is a button labeled 'Cerrar Selector'.

At the bottom of the interface, a footer note states: 'Digiturno 5 es un producto de Ciel Ingeniería [v.5.5.2.0]'.

21 Start listener action : sampleAfterTestCase

0,000s

PASSED