

# 21.Selector.AbrirSelectorPopUp

## Execution Environment

Host name	BILIKI - DESKTOP-HH1RJM2
OS	Windows 10 64bit
Katalon version	7.9.1.208
Browser	Edge Chromium 18

## Summary

ID	Test Suites/21.Selector.AbrirSelectorPopUp		
Description	Proceso para abrir el selector 0=PopUp y 1=emergente		
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Start	2021-05-28 13:21:31	End	2021-05-28 13:25:23
Elapsed	3m - 52,519s		

#	ID	Description	Status
1	Test Cases/21.Selector.AbrirSelectorPopUp1		FAILED
2	Test Cases/21.Selector.AbrirSelectorPopUp0		FAILED

## 21.Selector.AbrirSelectorPopUp1

### Information

ID	Test Cases/21.Selector.AbrirSelectorPopUp1		
Description			
Tag			
Start	2021-05-28 13:21:40	End	2021-05-28 13:23:26
Elapsed	1m - 45,872s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	29,639s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion"))  Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	1,138s	PASSED
3	delay(3)  Delayed 3 second(s)	3,008s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema"))  Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,677s	PASSED
5	delay(3)  Delayed 3 second(s)	3,005s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales"))  Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	1,007s	PASSED
7	delay(3)  Delayed 3 second(s)	3,019s	PASSED

## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
8	click(findTestObject("Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	1,128s	PASSED
9	delay(3)  Delayed 3 second(s)	3,011s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	0,960s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,581s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	1,068s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,949s	PASSED
14	Buscar la selector Popup  Text 'Selector.Abrir' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,598s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,976s	PASSED

## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
16	delay(2)  Delayed 2 second(s)	2,006s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	0,883s	PASSED
18	delay(2)  Delayed 2 second(s)	2,011s	PASSED
19	Cambiamos a 1= ventana emergente  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	0,919s	PASSED
20	sendKeys(findTestObject(null), "1")  Keys '1' sent to object: 'tempBody'	0,846s	PASSED
21	delay(2)  Delayed 2 second(s)	2,003s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	1,721s	PASSED
23	delay(3)  Delayed 3 second(s)	3,002s	PASSED
24	click(findTestObject("1Inicio/a_Inicio"))  Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,829s	PASSED

## 21.Selector.AbrirSelectorPopUp1

---

#	Description	Elapsed	Status
25	delay(3)  Delayed 3 second(s)	3,006s	PASSED


## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
26	Para abrir el selector y generar un turno  Unable to call Test Case 'Test Cases/0 Generar Turno Ventana Emergente' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/0 Generar Turno Ventana Emergente' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 21.Selector.AbrirSelectorPopUp1.run(21.Selector.AbrirSelectorPopUp1:73) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1622226074054.run(TempTestSuite1622226074054.groovy:39) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/2 Escoger por jerarquia/a_WIZ Informacion General' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	33,113s	FAILED

## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
	<pre>(WebUiBuiltInKeywords.groovy:619)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)   at 0 Generar Turno Ventana Emergente.run(0 Generar Turno Ventana Emergente:47)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:398)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:389)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:255)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.ElementNotInteractableException: The command failed because the specified element is not pointer or keyboard interactable. Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CEdgeDriver Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 44.18362.449.0, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}} Session ID: 8F612C78-23BF-447D-84BD-C6E64F390EDA   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)   at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)   at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20)   at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)   at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)   at com.sun.proxy.\$Proxy11.click(Unknown Source)   at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)   at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.</pre>		

## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
	<pre>doCall(ClickKeyword.groovy:68)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 35 more )</pre> 		



## 21.Selector.AbrirSelectorPopUp0

### Information

ID	Test Cases/21.Selector.AbrirSelectorPopUp0		
Description			
Tag			
Start	2021-05-28 13:23:26	End	2021-05-28 13:25:23
Elapsed	1m - 56,869s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	24,097s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion"))  Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	1,080s	PASSED
3	delay(3)  Delayed 3 second(s)	3,011s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema"))  Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,592s	PASSED
5	delay(3)  Delayed 3 second(s)	3,008s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales"))  Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	0,647s	PASSED
7	delay(3)  Delayed 3 second(s)	3,002s	PASSED

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
8	click(findTestObject("Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	0,903s	PASSED
9	delay(3)  Delayed 3 second(s)	3,010s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	1,044s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,086s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	1,136s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,798s	PASSED
14	Buscar la selector Popup  Text 'Selector.Abrir' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,765s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,828s	PASSED

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
16	delay(2)  Delayed 2 second(s)	2,009s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	1,022s	PASSED
18	delay(2)  Delayed 2 second(s)	2,005s	PASSED
19	Cambiamos a 0=PopUp  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	0,922s	PASSED
20	sendKeys(findTestObject(null), "0")  Keys '0' sent to object: 'tempBody'	0,773s	PASSED
21	delay(2)  Delayed 2 second(s)	2,006s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	1,257s	PASSED
23	delay(3)  Delayed 3 second(s)	3,003s	PASSED
24	click(findTestObject("1Inicio/a_Inicio"))  Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,675s	PASSED

## 21.Selector.AbrirSelectorPopUp0

---

#	Description	Elapsed	Status
25	delay(3)  Delayed 3 second(s)	3,012s	PASSED

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
26	<p>callTestCase(findTestCase("0 Generar Turno PopUp"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/0 Generar Turno PopUp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/0 Generar Turno PopUp' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 21.Selector.AbrirSelectorPopUp0.run(21.Selector.AbrirSelectorPopUp0:72) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:398) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:389) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:255) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 95) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1622226074054.run(TempTestSuite1622226074054.groovy:39) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/2 Escoger por jerarquia/a_WIZ Informacion General' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click</p>	52,068s	FAILED

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
	<pre>(WebUiBuiltInKeywords.groovy:619)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)   at 0 Generar Turno PopUp.run(0 Generar Turno PopUp:52)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:398)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:389)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:255)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.ElementNotInteractableException: The command failed because the specified element is not pointer or keyboard interactable. Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CEdgeDriver Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 44.18362.449.0, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}} Session ID: E99F7349-30EC-41EF-AEE5-71AE34CCB2B9   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)   at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)   at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20)   at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)   at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java: 404)   at com.sun.proxy.\$Proxy11.click(Unknown Source)   at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)   at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:68)</pre>		

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more )</pre> 