

# 21.Selector.AbrirSelectorPopUp

## Execution Environment

Host name	BILIKI - DESKTOP-HH1RJM2
OS	Windows 10 64bit
Katalon version	8.0.5.208
Browser	Chrome 91.0.4472.164

## Summary

ID	Test Suites/21.Selector.AbrirSelectorPopUp		
Description	Proceso para abrir el selector 0=PopUp y 1=emergente		
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Start	2021-07-22 11:17:06	End	2021-07-22 11:21:12
Elapsed	4m - 6,849s		

#	ID	Description	Status
1	Test Cases/21.Selector.AbrirSelectorPopUp1		FAILED
2	Test Cases/21.Selector.AbrirSelectorPopUp0		FAILED

## 21.Selector.AbrirSelectorPopUp1

### Information

ID	Test Cases/21.Selector.AbrirSelectorPopUp1		
Description			
Tag			
Start	2021-07-22 11:17:07	End	2021-07-22 11:19:06
Elapsed	1m - 59,069s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	27,782s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion"))  Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	2,476s	PASSED
3	delay(3)  Delayed 3 second(s)	3,017s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema"))  Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	1,244s	PASSED
5	delay(3)  Delayed 3 second(s)	3,012s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales"))  Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	4,053s	PASSED
7	delay(3)  Delayed 3 second(s)	3,017s	PASSED

## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
8	click(findTestObject("Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	1,224s	PASSED
9	delay(3)  Delayed 3 second(s)	3,026s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	1,291s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,995s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	0,986s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	1,618s	PASSED
14	Buscar la selector Popup  Text 'Selector.Abrir' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,842s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	1,061s	PASSED

## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
16	delay(2)  Delayed 2 second(s)	2,036s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	1,265s	PASSED
18	delay(2)  Delayed 2 second(s)	2,018s	PASSED
19	Cambiamos a 1= ventana emergente  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	1,140s	PASSED
20	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/li_1"), STOP_ON_FAILURE)  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/li_1' is clicked on	1,203s	PASSED
21	delay(2)  Delayed 2 second(s)	2,020s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	1,202s	PASSED
23	delay(3)  Delayed 3 second(s)	3,037s	PASSED
24	click(findTestObject("1Inicio/a_Inicio"))  Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	2,451s	PASSED

## 21.Selector.AbrirSelectorPopUp1

---

#	Description	Elapsed	Status
25	delay(3)  Delayed 3 second(s)	3,031s	PASSED


## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
26	Para abrir el selector y generar un turno  Unable to call Test Case 'Test Cases/0 Generar Turno Ventana Emergente' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/0 Generar Turno Ventana Emergente' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 21.Selector.AbrirSelectorPopUp1.run(21.Selector.AbrirSelectorPopUp1:73) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1626970602337.run(TempTestSuite1626970602337.groovy:39) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/2 Escoger por jerarquia/a_WIZ Informacion General' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click	39,877s	FAILED

## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
	<pre>(WebUiBuiltInKeywords.groovy:620)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)   at 0 Generar Turno Ventana Emergente.run(0 Generar Turno Ventana Emergente:47)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=91.0.4472.164) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.142.112', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.164, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: C:\Users\BILIKI\AppData\Loc..., goog:chromeOptions: {debuggerAddress: localhost:59917}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 76f76261230aead110b3e3e4a1a01608   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)   at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)   at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)   at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)   at org.openqa.selenium.support.events.</pre>		

## 21.Selector.AbrirSelectorPopUp1

#	Description	Elapsed	Status
	<pre>EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:404)     at com.sun.proxy.\$Proxy11.click(Unknown Source)     at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:68)     at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20)     ... 35 more )</pre>		
			



## 21.Selector.AbrirSelectorPopUp0

### Information

ID	Test Cases/21.Selector.AbrirSelectorPopUp0		
Description			
Tag			
Start	2021-07-22 11:19:06	End	2021-07-22 11:21:12
Elapsed	2m - 5,904s		
Status	FAILED		

### Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE)  Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	21,739s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion"))  Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	1,953s	PASSED
3	delay(3)  Delayed 3 second(s)	3,011s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema"))  Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	1,206s	PASSED
5	delay(3)  Delayed 3 second(s)	3,008s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales"))  Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	2,729s	PASSED
7	delay(3)  Delayed 3 second(s)	3,009s	PASSED

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
8	click(findTestObject("Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	0,872s	PASSED
9	delay(3)  Delayed 3 second(s)	3,028s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	1,202s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,457s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	1,269s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	1,249s	PASSED
14	Buscar la selector Popup  Text 'Selector.Abrir' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,783s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	1,020s	PASSED

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
16	delay(2)  Delayed 2 second(s)	2,027s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	1,535s	PASSED
18	delay(2)  Delayed 2 second(s)	2,030s	PASSED
19	Cambiamos a 0=PopUp  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	1,047s	PASSED
20	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/li_0"), STOP_ON_FAILURE)  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/li_0' is clicked on	1,261s	PASSED
21	delay(2)  Delayed 2 second(s)	2,030s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar"))  Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	3,836s	PASSED
23	delay(3)  Delayed 3 second(s)	3,021s	PASSED
24	click(findTestObject("1Inicio/a_Inicio"))  Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	2,720s	PASSED

## 21.Selector.AbrirSelectorPopUp0

---

#	Description	Elapsed	Status
25	delay(3) Delayed 3 second(s)	3,021s	PASSED

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
26	<p>callTestCase(findTestCase("0 Generar Turno PopUp"), [:], STOP_ON_FAILURE)</p> <p>Unable to call Test Case 'Test Cases/0 Generar Turno PopUp' (Root cause: com.kms.katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/0 Generar Turno PopUp' failed at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63) at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.call(CallTestCaseKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81) at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334) at 21.Selector.AbrirSelectorPopUp0.run(21.Selector.AbrirSelectorPopUp0:72) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1626970602337.run(TempTestSuite1626970602337.groovy:39) Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/2 Escoger por jerarquia/a_WIZ Informacion General' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click</p>	52,012s	FAILED

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
	<pre>(WebUiBuiltInKeywords.groovy:620)   at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$2.call (Unknown Source)   at 0 Generar Turno PopUp.run(0 Generar Turno PopUp:52)   at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)   at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)   at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:369)   at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:360)   at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:339)   at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:331)   at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:248)   at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 142)   at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword\$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59) ... 20 more Caused by: org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=91.0.4472.164) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.142.112', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 91.0.4472.164, chrome: {chromedriverVersion: 90.0.4430.24 (4c6d850f087da..., userDataDir: C:\Users\BILIKI\AppData\Loc..., goog:chromeOptions: {debuggerAddress: localhost:54857}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e8123c9de67f901470c2d69b71a56d4   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)   at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)   at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552)   at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19)   at org.openqa.selenium.remote.RemoteWebElement.execute (RemoteWebElement.java:285)   at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement. java:84)   at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.lambda\$new\$0(EventFiringWebDriver.java:</pre>		

## 21.Selector.AbrirSelectorPopUp0

#	Description	Elapsed	Status
404)	<pre>at com.sun.proxy.\$Proxy11.click(Unknown Source) at org.openqa.selenium.support.events. EventFiringWebDriver\$EventFiringWebElement.click(EventFiringWebDriver.java:417) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1. doCall(ClickKeyword.groovy:68) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 35 more )</pre> 