106.Terminal.RequerirMotivoEnCierreMasivo

Execution Environment

Host name	BILIKI - DESKTOP-HH1RJM2
OS	Windows 10 64bit
Katalon version	8.0.1.208
Browser	Edge Chromiume 18

Summary

ID	Test Suites/106.Terminal.RequerirMotivoEnCierreMasivo
Description	Al colocar paraámetro en No Permitirá cerrar la terminal con el boton cambvio de estado a cerrado sin solicitar motivo de cierre.
Total	1

Passed	0	Failed	1
Error	0	Incomplete	0
Start	2021-06-09 15:24:05	End	2021-06-09 15:25:26
Elapsed	1m - 20,545s		

#	ID	Description	Status
1	Test Cases/106.Terminal.RequerirMotivoEnCierreMasivo		FAILED

106.Terminal.RequerirMotivoEnCierreMasivo

Information

ID	Test Cases/106.Terminal.RequerirMotivoEnCierreMasivo		
Description			
Tag			
Start	2021-06-09 15:24:10	End	2021-06-09 15:25:26
Elapsed	1m - 16,058s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	18,609s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	0,560s	PASSED
3	delay(3) Delayed 3 second(s)	3,002s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Sistema")) Object: 'Object Repository/Configuracion/1Principal/img_Sistema' is clicked on	0,476s	PASSED
5	delay(3) Delayed 3 second(s)	3,005s	PASSED
6	click(findTestObject("Configuracion/Sistema/1Principal/img_Parametros Generales")) Object: 'Object Repository/Configuracion/Sistema/1Principal/img_Parametros Generales' is clicked on	0,435s	PASSED
7	delay(3) Delayed 3 second(s)	3,003s	PASSED

#	Description	Elapsed	Status
8	Cambiar pestaña Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Pestanas/a_Elementos de sistema' is clicked on	0,643s	PASSED
9	delay(3) Delayed 3 second(s)	3,006s	PASSED
10	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_0filtro llave' is clicked on	0,740s	PASSED
11	mouseOver(findTestObject("Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtros LLave/span_1Filtro' is hovered	1,120s	PASSED
12	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/span_select' is clicked on	0,920s	PASSED
13	click(findTestObject("Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/li_Contiene' is clicked on	0,617s	PASSED
14	Terminal.RequerirMotivoEnCierreMasivo Text 'Terminal.RequerirMotivoEnCierreMasivo' is set on object 'Object Repository/Configuracion/Sistema/Parametros Generales/Filtro 1er valor/input_Texto a buscar1'	1,299s	PASSED
15	click(findTestObject("Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/botones filtro/btn_Filtrar' is clicked on	0,635s	PASSED

#	Description	Elapsed	Status
16	delay(2) Delayed 2 second(s)	2,006s	PASSED
17	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Editar' is clicked on	0,753s	PASSED
18	delay(2) Delayed 2 second(s)	2,008s	PASSED
19	Cambiamos a Si= Habilitado; No=No habilitado Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/input_Valor' is clicked on	0,544s	PASSED
20	sendKeys(findTestObject(null), "No") Keys 'No' sent to object: 'tempBody'	0,630s	PASSED
21	delay(2) Delayed 2 second(s)	2,006s	PASSED
22	click(findTestObject("Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar")) Object: 'Object Repository/Configuracion/Sistema/Parametros Generales/Cambiar Parametro Valor/a_Guardar' is clicked on	0,547s	PASSED
23	delay(3) Delayed 3 second(s)	3,006s	PASSED
24	click(findTestObject("1Inicio/a_Inicio")) Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	0,494s	PASSED

106.Terminal.RequerirMotivoEnCierreMasivo

#	Description	Elapsed	Status
25	delay(3)	3,007s	PASSED
	Delayed 3 second(s)		
26	click(findTestObject("1Inicio/img_Operacion"))	0,446s	PASSED
	Object: 'Object Repository/1Inicio/img_Operacion' is clicked on		
27	delay(3)	3,008s	PASSED
	Delayed 3 second(s)		
28	click(findTestObject("2 Operacion/Elementos Del Sistema"))	0,548s	PASSED
	Object: 'Object Repository/2 Operacion/Elementos Del Sistema' is clicked on		
29	delay(3)	3,002s	PASSED
	Delayed 3 second(s)		
30	click(findTestObject("2 Operacion/Elementos del Sistema/img_Terminales"))	0,503s	PASSED
	Object: 'Object Repository/2 Operacion/Elementos del Sistema/img_Terminales' is clicked on		
31	delay(3)	3,009s	PASSED
	Delayed 3 second(s)		
32	Escogemos oficina	0,898s	PASSED
	Object: 'Object Repository/2 Operacion/Elementos del Sistema/Selectores/00Oficinas/a_Bogota - CIEL' is clicked on		
33	delay(3)	3,006s	PASSED
	Delayed 3 second(s)		

106.Terminal.RequerirMotivoEnCierreMasivo

#	Description	Elapsed	Status
34	Abrimos Terminal Object: 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/1Terminales menos WorkFlow/a_Terminal PQRS A02' is clicked on	0,472s	PASSED
35	delay(3) Delayed 3 second(s)	3,012s	PASSED
36	closeWindowIndex(1) Window with index 1 is closed	0,970s	PASSED
37	delay(2) Delayed 2 second(s)	2,008s	PASSED

106.Terminal.RequerirMotivoEnCierreMasivo

#	Description	Elapsed	Status
38	click(findTestObject("2 Operacion/Elementos del Sistema/Terminales/btn_CambiarEstado"))	0,407s	FAILED

Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/btn_CambiarEstado' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to click on object 'Object Repository/2 Operacion/Elementos del Sistema/Terminales/btn_CambiarEstado'
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75)
       at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42)
       at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619)
       at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call (Unknown Source)
       at 106.Terminal.RequerirMotivoEnCierreMasivo.run(106.Terminal. RequerirMotivoEnCierreMasivo:99)
       at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
       at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
       at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:398)
       at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:389)
       at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368)
       at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360)
       at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:255)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203)
       at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152)
       at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 95)
       at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
       at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
       at TempTestSuite1623270232733.run(TempTestSuite1623270232733.groovy:39)
Caused by: org.openqa.selenium.NoSuchWindowException: The specified window could not be found.
Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'
System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'
Driver info: com.kms.katalon.selenium.driver.CEdgeDriver
Capabilities {acceptInsecureCerts: false, browserName: MicrosoftEdge, browserVersion: 44.18362.449.0, javascriptEnabled: true, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}}
Session ID: 0047A422-4484-4922-9E56-C93F2E7E96A0
*** Element info: {Using=xpath, value=//input[@id='cPHPri_ButtonCambiarEstado']}

#	Description	Elapsed	Status
	at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver.lambdanew1 (EventFiringWebDriver.java:105) at com.sun.proxy.$Proxy10.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1014) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:909) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:892) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:887) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:883) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:720) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1363) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1. doCall(ClickKeyword.groovy:66) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call (ClickKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:75) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:42) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:619) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$click$2.call		

106.Terminal.RequerirMotivoEnCierreMasivo

#	Description	Elapsed	Status

	(Unknown Source)
	    at Script1623253454367.run(Script1623253454367.groovy:99)
	    ... 13 more
	)		