98.Sistema.Login.UsarCaptcha

Execution Environment

Host name	BILIKI - DESKTOP-HH1RJM2
OS	Windows 10 64bit
Katalon version	8.0.1.208
Browser	

Summary

ID	Test Suites/98.Sistema.Login.UsarCaptcha
Description	Habilita la imagen captcha para un inicio de sesión

Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2021-06-08 11:22:11	End	2021-06-08 11:22:21
Elapsed	10,067s		

#	ID	Description	Status
1	Test Cases/98.Sistema.Login.UsarCaptcha		FAILED

98.Sistema.Login.UsarCaptcha

Information

ID	Test Cases/98.Sistema.Login.UsarCaptcha
Description	
Tag	

Start	2021-06-08 11:22:15	End	2021-06-08 11:22:21
Elapsed	6,169s		
Status	FAILED		

Details

#	Description	Elapsed	Status

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE)	4,925s	FAILED

Unable to call Test Case 'Test Cases/Inicio Sesion sin variables' (Root cause: com.kms. katalon.core.exception.StepFailedException: Call Test Case 'Test Cases/Inicio Sesion sin variables' failed
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:63)
        at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.call(CallTestCaseKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.callTestCase (CallTestCaseKeyword.groovy:81)
        at com.kms.katalon.core.keyword.builtin.CallTestCaseKeyword.execute (CallTestCaseKeyword.groovy:44)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)
        at com.kms.katalon.core.keyword.BuiltinKeywords.callTestCase(BuiltinKeywords. groovy:334)
        at 98.Sistema.Login.UsarCaptcha.run(98.Sistema.Login.UsarCaptcha:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:398)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:389)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:255)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:203)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:152)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 95)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1623169310581.run(TempTestSuite1623169310581.groovy:39)
Caused by: com.kms.katalon.core.exception.StepFailedException: Unable to open browser with url: 'http://Localhost:8810'
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)
        at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)
        at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73)
        at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:63)

#	Description	Elapsed	Status

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords$openBrowser.call (Unknown Source)

at Inicio Sesion sin variables.run(Inicio Sesion sin variables:20)

at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)

at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)

at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:398)

at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:389)

at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:368)

at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:360)

at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:255)

at com.kms.katalon.core.main.TestCaseMain.runTestCase(TestCaseMain.java: 114)

at com.kms.katalon.core.keyword.builtin. CallTestCaseKeyword$_callTestCase_closure1.doCall(CallTestCaseKeyword.groovy:59)

... 20 more

Caused by: org.openqa.selenium.WebDriverException: unknown error: cannot find MSEdge binary

Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'

System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.12.236', os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181'

Driver info: driver.version: CEdgeDriver

remote stacktrace: Backtrace:

Ordinal0 [0x011B7A33+3570227]

Ordinal0 [0x00ED851C+558364]

Ordinal0 [0x00EF0BD1+658385]

Ordinal0 [0x00EEE7DF+649183]

Ordinal0 [0x00F16EFC+814844]

Ordinal0 [0x00F158DE+809182]

Ordinal0 [0x00F12F2B+798507]

Ordinal0 [0x00EF6C4F+683087]

Ordinal0 [0x00EF794A+686410]

Ordinal0 [0x00EF78E7+686311]

Ordinal0 [0x010C168C+2561676]

GetHandleVerifier [0x012D072F+1041231]

GetHandleVerifier [0x012DE274+1097364]

GetHandleVerifier [0x012D110B+1043755]

Ordinal0 [0x010B951F+2528543]

Ordinal0 [0x010C3138+2568504]

Ordinal0 [0x010C32CB+2568907]

Ordinal0 [0x010D4E0A+2641418]

BaseThreadInitThunk [0x74E46359+25]

RtlGetAppContainerNamedObjectPath [0x775E7B74+228]

RtlGetAppContainerNamedObjectPath [0x775E7B44+180]

at org.openqa.selenium.remote.W3CHandshakeResponse. lambda$errorHandler$0(W3CHandshakeResponse.java:62)

at org.openqa.selenium.remote.HandshakeResponse. lambda$getResponseFunction$0(HandshakeResponse.java:30)

at org.openqa.selenium.remote.ProtocolHandshake.lambda$createSession$0 (ProtocolHandshake.java:126)

at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:128)

#	Description	Elapsed	Status

at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:74)
       at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:136)
       at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
       at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
       at com.kms.katalon.selenium.driver.CEdgeDriver.execute(CEdgeDriver.java:20)
       at org.openqa.selenium.remote.RemoteWebDriver.startSession
(RemoteWebDriver.java:213)
       at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:
131)
       at org.openqa.selenium.edge.EdgeDriver.<init>(EdgeDriver.java:154)
       at com.kms.katalon.selenium.driver.CEdgeDriver.<init>(CEdgeDriver.java:14)
       at com.kms.katalon.core.webui.driver.DriverFactory.
createNewEdgeChromiumDriver(DriverFactory.java:649)
       at com.kms.katalon.core.webui.driver.DriverFactory.startNewBrowser
(DriverFactory.java:373)
       at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver
(DriverFactory.java:246)
       at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74)
       at com.kms.katalon.core.webui.keyword.builtin.
OpenBrowserKeyword$_openBrowser_closure1.call(OpenBrowserKeyword.groovy)
       at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
       ... 35 more
)