

Suspension - Sin

Execution Environment

Host name	BILIKI - DESKTOP-HH1RJM2
OS	Windows 10 64bit
Katalon version	8.0.5.208
Browser	Chrome 92.0.4515.107

Summary

ID	Test Suites/0 Motivos/Suspension - Sin		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Start	2021-07-28 09:09:26	End	2021-07-28 09:11:31
Elapsed	2m - 4,445s		

#	ID	Description	Status
1	Test Cases/0 Motivos/Suspension - Sin		FAILED

Suspension - Sin

Information


ID	Test Cases/0 Motivos/Suspension - Sin		
Description			
Tag			
Start	2021-07-28 09:09:28	End	2021-07-28 09:11:31
Elapsed	2m - 2,588s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	callTestCase(findTestCase("Inicio Sesion sin variables"), [:], STOP_ON_FAILURE) Call Test Case 'Test Cases/Inicio Sesion sin variables' successfully	41,393s	PASSED
2	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	2,348s	PASSED
3	delay(3) Delayed 3 second(s)	3,024s	PASSED
4	click(findTestObject("Configuracion/1Principal/img_Elementos del Sistema")) Object: 'Object Repository/Configuracion/1Principal/img_Elementos del Sistema' is clicked on	2,934s	PASSED
5	delay(3) Delayed 3 second(s)	3,020s	PASSED
6	click(findTestObject("Configuracion/Elementos del Sistema/1Principal/img_Motivos")) Object: 'Object Repository/Configuracion/Elementos del Sistema/1Principal/img_Motivos' is clicked on	3,304s	PASSED

Suspension - Sin

#	Description	Elapsed	Status
7	delay(3) Delayed 3 second(s)	3,009s	PASSED
8	Mostramos los motivos creados Object: 'Object Repository/Configuracion/Elementos del Sistema/Motivos/span_Motivos' is clicked on	1,199s	PASSED
9	delay(3) Delayed 3 second(s)	3,030s	PASSED
10	takeFullPageScreenshot() Taking screenshot successfully	4,224s	PASSED
11	delay(3) Delayed 3 second(s)	3,058s	PASSED
12	click(findTestObject("1Inicio/a_Inicio")) Object: 'Object Repository/1Inicio/a_Inicio' is clicked on	3,444s	PASSED



Suspension - Sin

#	Description	Elapsed	Status
13	delay(3) Delayed 3 second(s)	3,023s	PASSED
14	click(findTestObject("1Inicio/img_Configuracion")) Object: 'Object Repository/1Inicio/img_Configuracion' is clicked on	1,974s	PASSED
15	delay(3) Delayed 3 second(s)	3,016s	PASSED
16	click(findTestObject("Configuracion/1Principal/img_Distribucion Geografica")) Object: 'Object Repository/Configuracion/1Principal/img_Distribucion Geografica' is clicked on	3,128s	PASSED
17	delay(3) Delayed 3 second(s)	3,019s	PASSED
18	click(findTestObject("Configuracion/Distribucion Geografica/1Principal/img_Oficinas")) Object: 'Object Repository/Configuracion/Distribucion Geografica/1Principal/img_Oficinas' is clicked on	4,668s	PASSED
19	delay(3) Delayed 3 second(s)	3,023s	PASSED
20	click(findTestObject("Configuracion/Distribucion Geografica/Oficinas/2Lista de Oficinas/a_Seleccionar")) Object: 'Object Repository/Configuracion/Distribucion Geografica/Oficinas/2Lista de Oficinas/a_Seleccionar' is clicked on	2,130s	PASSED
21	delay(3) Delayed 3 second(s)	3,013s	PASSED

Suspension - Sin

#	Description	Elapsed	Status
22	Agregamos Motivos de Cierre Object: 'Object Repository/Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/1Pestanas/span_Motivos' is clicked on	1,522s	PASSED
23	delay(3) Delayed 3 second(s)	3,031s	PASSED
24	setText(findTestObject("Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/3Motivos/Checks/input_TextoABuscar"), "Suspensión") Text 'Suspensión' is set on object 'Object Repository/Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/3Motivos/Checks/input_TextoABuscar'	1,826s	PASSED
25	sendKeys(findTestObject("Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/3Motivos/Checks/input_TextoABuscar"), Keys.chord(ENTER)) Keys 'ENTER + ' sent to object: 'Object Repository/Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/3Motivos/Checks/input_TextoABuscar'	0,876s	PASSED
26	delay(3) Delayed 3 second(s)	3,016s	PASSED
27	click(findTestObject("Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/3Motivos/Checks/a__SeleccionarTodo")) Object: 'Object Repository/Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/3Motivos/Checks/a__SeleccionarTodo' is clicked on	1,311s	PASSED
28	delay(3) Delayed 3 second(s)	3,019s	PASSED
29	click(findTestObject("Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/3Motivos/img_Eliminar")) Object: 'Object Repository/Configuracion/Distribucion Geografica/Oficinas/3Otras Configuraciones/3Motivos/img_Eliminar' is clicked on	1,078s	PASSED

Suspension - Sin

#	Description	Elapsed	Status
30	delay(3) Delayed 3 second(s)	3,027s	PASSED

Suspension - Sin

#	Description	Elapsed	Status
31	takeFullPageScreenshot() Cannot take screenshot (Root cause: com.kms.katalon.core.exception.StepFailedException: Cannot take screenshot at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.TakeFullPageScreenshotKeyword.takeScreenshot(TakeFullPageScreenshotKeyword.groovy:125) at com.kms.katalon.core.webui.keyword.builtin.TakeFullPageScreenshotKeyword.execute(TakeFullPageScreenshotKeyword.groovy:82) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.takeFullPageScreenshot(WebUiBuiltInKeywords.groovy:3283) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$takeFullPageScreenshot\$3.call(Unknown Source) at Suspension - Sin.run(Suspension - Sin:84) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:360) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:339) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:331) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:248) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase(TestSuiteExecutor.java:191) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:140) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:89) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source) at TempTestSuite1627481344733.run(TempTestSuite1627481344733.groovy:39) Caused by: org.openqa.selenium.UnhandledAlertException: unexpected alert open: {Alert text : ¿Está seguro de eliminar los motivos seleccionados de la oficina?} (Session info: chrome=92.0.4515.107): ¿Está seguro de eliminar los motivos seleccionados de la oficina? Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' System info: host: 'DESKTOP-HH1RJM2', ip: '169.254.142.112', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_181' Driver info: com.kms.katalon.selenium.driver.CChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 92.0.4515.107, chrome: {chromedriverVersion: 92.0.4515.43 (8c61b7e2989f2..., userDataDir: C:\Users\BILIKI\AppData\Loc..., goog:chromeOptions: {debuggerAddress: localhost:63595}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:	0,536s	FAILED

Suspension - Sin

#	Description	Elapsed	Status
	<pre>credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 43f7a6f898307b0d83b0a0a97f131969 at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:120) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.executeScript (RemoteWebDriver.java:489) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.executeScript(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.executeScript (EventFiringWebDriver.java:229) at com.assertthat.selenium_shutterbug.utils.web.Browser.executeJsScript (Browser.java:668) at com.assertthat.selenium_shutterbug.utils.web.Browser.<init>(Browser.java:83) at com.assertthat.selenium_shutterbug.core.Shutterbug.shootPage(Shutterbug. java:139) at com.assertthat.selenium_shutterbug.core.Shutterbug.shootPage(Shutterbug. java:83) at com.assertthat.selenium_shutterbug.core.Shutterbug.shootPage(Shutterbug. java:69) at com.kms.katalon.core.webui.util.FileUtil.takeFullPageScreenshot(FileUtil.java: 86) at com.kms.katalon.core.webui.keyword.builtin. TakeFullPageScreenshotKeyword\$_takeScreenshot_closure1.doCall (TakeFullPageScreenshotKeyword.groovy:126) at com.kms.katalon.core.webui.keyword.builtin. TakeFullPageScreenshotKeyword\$_takeScreenshot_closure1.call (TakeFullPageScreenshotKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.TakeFullPageScreenshotKeyword. takeScreenshot(TakeFullPageScreenshotKeyword.groovy:125) at com.kms.katalon.core.webui.keyword.builtin.TakeFullPageScreenshotKeyword. execute(TakeFullPageScreenshotKeyword.groovy:82) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:73) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. takeFullPageScreenshot(WebUiBuiltInKeywords.groovy:3283) at com.kms.katalon.core.webui.keyword. WebUiBuiltInKeywords\$takeFullPageScreenshot\$3.call(Unknown Source) at Script1627476450163.run(Script1627476450163.groovy:84) ... 13 more)</pre>		