Optima-Bold

275 characters, shown at 11pt. Grey rectangles from baseline to top of 'D'.

THE FIVE BOXING WIZARDS JUMP QUICKLY ÃÉÌÔÇ 0123456789 £\$€¥ 1/23/4÷×-

the quick brown fox jumps over a lazy dog ãéiôç !"#\$%&'()*+,-./:;<=>?@[\]^_'{|}~ fifl †\$

TH56 S97 Fr15 K47 D78 Mz96 Ck12 Ni27 Df35 Cr45 TSQ47 W55 O60 SW63 G66 Cá70 Ch82 F85 Mg91 T92

http://github.com/jdaw1/placemat/blob/main/PostScript/glyph_log.ps http://github.com/jdaw1/placemat/blob/main/Documentation/compound_strings_characters.md#readme

a	a	0	caroncmb		ellipsis
Α	A	Ç	ccedilla	—	emdash
á	aacute	Ç	Ccedilla	-	endash
Á	Aacute	5	cedilla	=	equal
â	acircumflex	5	cedillacmb	ð	eth
Â	Acircumflex	¢	cent	Ð	Eth
,	acute	^	circumflex	€	Euro
,	acutecmb	^	circumflexcmb	!	exclam
,	acutecomb	:	colon	i	exclamdown
ä	adieresis	,	comma	f	f
Ä	Adieresis		controlBS	F	F
æ	ae		controlCR	fi	fi
Æ	AE		controlGS	5	five
à	agrave		controlHT	fl	fl
À	Agrave	©	copyright		FL0
&	ampersand		CR	f	florin
É	apple	¤	currency	4	four
\approx	approxequal	d	d	/	fraction
å	aring	D	D	g	g
Å	Aring	†	dagger	G	G
^	asciicircum	‡	daggerdbl	ß	germandbls
~	asciitilde	0	degree	`	grave
*	asterisk	Δ	Delta	`	gravecmb
@	at	••	dieresis	`	gravecomb
ã	atilde	••	dieresiscmb	>	greater
Ã	Atilde	÷	divide	\geq	greaterequal
b	b	\$	dollar	«	guillemotleft
В	В	•	dotaccent	»	guillemotright
\	backslash	•	dotaccentcmb	<	guilsinglleft
	bar	I	dotlessi	>	guilsinglright
{	braceleft	e	e	h	h
}	braceright	E	E	Н	Н
[bracketleft	é	eacute	"	hungarumlaut
]	bracketright	É	Eacute	"	hungarumlautcmb
J	breve	ê	ecircumflex	-	hyphen
J	brevecmb	Ê	Ecircumflex	i	i
-	brokenbar	ë	edieresis	I	I
•	bullet	Ë	Edieresis	í	iacute
c	c	è	egrave	ĺ	lacute
C	C	È	Egrave	î	icircumflex
•	caron	8	eight	Î	Icircumflex

ï	idieresis		Omegagreek	6	six
Ϊ	Idieresis	1	one		slash
ì	igrave	1/2		/	soliduslongoverlaycmb
Ì	Igrave .		onequarter		space
Δ	increment	1	onesuperior	£	sterling
∞	infinity	a	ordfeminine	Σ	summation
J	integral	0	ordmasculine	t —	t -
J	J	Ø	oslash		T
J	J	Ø	Oslash	þ	thorn
k	k	Õ ~	otilde	Þ	Thorn
K	K	Õ	Otilde	3	three
	1	p	p		threequarters
L	L	P	P	3 ~	threesuperior
<	less	٩	paragraph	_	tilde
\leq	lessequal	(parenleft	_	tildecmb
¬ ^	logicalnot)	parenright	T. 4	tildecomb
♦	lozenge	∂ 2′	partialdiff		trademark
ł	Islash	%	percent		two
Ł	Lslash	•	period	2	twosuperior
	m	•	periodcentered	u 	u
M	M	‰	perthousand	Ú	U
_	macron	π	pi	ù .⁄.	uacute
	macroncmb	+	plus	Ú	Uacute
_	minus	±	plusminus	û ^	ucircumflex
μ	mu	П	product	Ü	Ucircumflex
×	multiply	q	q	ü	udieresis
n	n	Q	Q	Ü	Udieresis
N	N _.	;	question	ù	ugrave
_	nbspace	Š	questiondown	U	Ugrave
9	nine	II	quotedbl	_	underscore
<i>≠</i>	notequal	"	quotedblbase		uni0000
ñ .~.	ntilde	"	quotedblleft		uni000D
Ñ	Ntilde	"	quotedblright	V	V
#	numbersign		quoteleft	V	V
0	0	,	quoteright		W
O	0	′.	quotesinglbase	W	
Ó	oacute	1	quotesingle		X
Ó	Oacute	r	r	X	X
ô	ocircumflex	R	R	y	y
Ô	Ocircumflex	√	radical	Y	Y
ö	odieresis	R	registered	•	yacute
Ö	Odieresis	0	ring	Ý	Yacute
œ	oe	0	ringcmb	ÿ	ydieresis
Œ	OE .	S	S	Ÿ	Ydieresis
ć	ogonek	S	S	¥	yen
۲,	ogonekcmb	š	scaron	Z	Z
ò	ograve	Š	Scaron		Z
Ò	Ograve	§	section		zcaron
Ω	Ohm	;	semicolon		Zcaron
Ω	Omega	7	seven	0	zero

notdefnotdef.001