Модуль 1

```
CREATE TABLE roles (
roles_id SERIAL PRIMARY KEY,
roles_name VARCHAR(50)
);

CREATE TABLE users (
users_id SERIAL PRIMARY KEY,
login VARCHAR(100),
last_name VARCHAR(100),
first_name VARCHAR(100),
middle_name VARCHAR(100),
roles_id INTEGER REFERENCES roles (roles_id)
);

CREATE TABLE category (
category_id SERIAL PRIMARY KEY,
category_name VARCHAR(100)
);


CREATE TABLE sizes(
sizes_id SERIAL PRIMARY KEY,
sizes_name VARCHAR(100)
);

CREATE TABLE model(
model_id SERIAL PRIMARY KEY,
model_name VARCHAR(100),
manufacture VARCHAR(100),
image_url VARCHAR(100),
description TEXT,
composition TEXT,
price NUMERIC(10, 2) NOT NULL,
category_id INT REFERENCES category (category_id)
);

CREATE TABLE product (
product_id SERIAL PRIMARY KEY,
model_id INT REFERENCES model (model_id),
sizes_id INT REFERENCES sizes (sizes_id),
product_name VARCHAR(100)
);
```

```sql
CREATE TABLE orders (
orders_id SERIAL PRIMARY KEY,
users_id INT REFERENCES users (users_id),
order_date DATE NOT NULL DEFAULT CURRENT_DATE,
status VARCHAR(20) NOT NULL DEFAULT 'new'
);

CREATE TABLE orders_item (
orders_item_id SERIAL PRIMARY KEY,
orders_id INT REFERENCES orders (orders_id),
product_id INT REFERENCES product (product_id),
model_id INT REFERENCES model (model_id),
quantity INT CHECK (quantity > 0)
);
```


public
category
category_id serial
category_name character varying(100)
public
roles
roles_id serial
roles_name character varying(50)
public
model
model_id serial
model_name character varying(100)
manufacture character varying(100)
image_url character varying(100)
description text
composition text
price character varying(100)
category_id integer
public
sizes
sizes_id serial
sizes_name character varying(100)
public
users
users_id serial
login character varying(100)
last_name character varying(100)
first_name character varying(100)
middle_name character varying(100)
roles_id integer
public
product
product_id serial
model_id integer
sizes_id integer
product_name character varying(100)
public
orders
orders_id serial
users_id integer
order_date date
status character varying(20)
public
orders_item
orders_item_id serial
orders_id integer
product_id integer
model_id integer
quantity integer