Модуль 1

```
CREATE TABLE roles (
role_id SERIAL PRIMARY KEY,
role_name VARCHAR(100)
);

CREATE TABLE users (
user_id SERIAL PRIMARY KEY,
last_name VARCHAR(100),
first_name VARCHAR(100),
middle_name VARCHAR(100),
login VARCHAR(100) UNIQUE NOT NULL,
role_id INT REFERENCES roles (role_id)
);

CREATE TABLE categories (
categories_id SERIAL PRIMARY KEY,
categories_name VARCHAR(100)
);

CREATE TABLE sizes (
size_id SERIAL PRIMARY KEY,
size_value VARCHAR(20)
);


CREATE TABLE products (
product_id SERIAL PRIMARY KEY,
category VARCHAR(100),
subcategory VARCHAR(100),
image_path TEXT,
product_name VARCHAR(255),
manufacturer VARCHAR(100),
description TEXT,
composition TEXT,
price NUMERIC(10, 2) CHECK (price >= 0),
categories_id INT REFERENCES categories (categories_id)
);

CREATE TABLE stock_items (
stock_item_id SERIAL PRIMARY KEY,
product_id INT REFERENCES products (product_id),
size_id INT REFERENCES sizes (size_id)
quantity_available INT DEFAULT 0 CHECK (quantity_available >= 0),
```

```
);

CREATE TABLE orders (
order_id SERIAL PRIMARY KEY,
order_date DATE NOT NULL DEFAULT CURRENT_DATE,
user_id INT NOT NULL REFERENCES users (user_id)
);

CREATE TABLE order_items (
order_item_id SERIAL PRIMARY KEY,
order_id INT REFERENCES orders (order_id) ON DELETE CASCADE,
stock_item_id INT REFERENCES stock_items (stock_item_id),
quantity INT CHECK (quantity > 0),
price NUMERIC(10, 2) CHECK (price >= 0)
);
```


public
roles
role_id serial
role_name character varying (100)
public
categories
categories_id serial
categories_name character varying(100)
public
products
product_id serial
category character varying(100)
subcategory character varying(100)
image_path text
product_name character varying(255)
manufacturer character varying(100)
description text
composition text
price numeric(10,2)
categories_id integer
public
users
user_id serial
last_name character varying (100)
first_name character varying (100)
middle_name character varying(100)
login character varying(100)
role_id integer
public
sizes
size_id serial
size_value character varying (20)
public
stock_items
stock_item_id serial
product_id integer
size_id integer
quantity_available integer
public
orders
order_id serial
order_date date
user_id integer
public
order_items
order_item_id serial
order_id integer
stock_item_id integer
quantity integer
price numeric(10,2)