

```
import { useState } from "react";
```

```
// — Color tokens —————
```

```
const C = {  
  bg:      "#0a0e1a",  
  surface: "#0f1629",  
  card:    "#141c35",  
  border:  "#1e2d50",  
  accent:  "#00d4ff",  
  green:   "#00ff88",  
  yellow:  "#ffd700",  
  red:     "#ff4444",  
  muted:   "#4a5a7a",  
  text:    "#e2e8f0",  
  textDim: "#8899bb",  
};
```

```
// — Scoring criteria —————
```

```
const CRITERIA = [  
  {  
    id: "nakedCall",  
    label: "Naked Call (No Hedge)",  
    description: "Pure directional bet – no puts, no spreads, no collar",  
    weight: 20,  
    tooltip: "The single strongest signal. Institutions don't hedge when they hav  
  },  
  {  
    id: "askSide",  
    label: "Ask-Side Execution",  
    description: "Buyer hitting the ask aggressively, not passive",  
    weight: 15,  
    tooltip: "Urgency = conviction. Passive bids wait; aggressive asks chase.",  
  },  
  {  
    id: "multiLegSweep",  
    label: "Multi-Leg / Multi-Exchange Sweep",  
    description: "Same strike swept across multiple exchanges in seconds",  
    weight: 15,  
    tooltip: "Nearly impossible to fake. Strongly directional institutional activ  
  },  
  {  
    id: "premiumSize",  
    label: "Premium Size $500K+",  
    description: "$500K+ single order / $1M+ = major statement",
```

```

weight: 12,
tooltip: "Size matters. Small premium = retail noise. Large premium = real mo
},
{
  id: "shortDatedOTM",
  label: "Short-Dated OTM Calls",
  description: "Weekly or near-term out-of-the-money calls",
  weight: 10,
  tooltip: "Nobody buys weekly OTM calls as a hedge. This is pure speculation w
},
{
  id: "aboveVWAP",
  label: "Activity Above VWAP",
  description: "Sweep/block happening while price is above intraday VWAP",
  weight: 8,
  tooltip: "Bullish momentum confirmed. Smart money buying into strength.",
},
{
  id: "heavyVolume",
  label: "Heavy Relative Volume",
  description: "Options volume 3x+ above normal daily average",
  weight: 8,
  tooltip: "Unusual volume is the first flag. Confirms something is happening."
},
{
  id: "repeatActivity",
  label: "Repeat Sweeps (2-3 Days)",
  description: "Same ticker swept on consecutive days",
  weight: 6,
  tooltip: "Institutional accumulation pattern. They're building a position ove
},
{
  id: "redDayBuy",
  label: "Buying on a Red Day",
  description: "Stock is down but calls are being loaded",
  weight: 5,
  tooltip: "Counter-trend accumulation. They're not scared of the dip – they ca
},
{
  id: "lowIVR",
  label: "Low IV Rank (IVR < 30)",
  description: "Options are cheap – buyer expects a real move",
  weight: 5,
  tooltip: "Cheap options = higher leverage. Institutions love buying before IV
},
{
  id: "oiSpike",

```

```

    label: "Open Interest Spike Next Day",
    description: "OI jumps significantly after the sweep",
    weight: 4,
    tooltip: "Confirms real new positioning, not just intraday speculation.",
  },
  {
    id: "earlyMorning",
    label: "Early Morning Timing (9:30-10am)",
    description: "Activity in the first 30 minutes of trading",
    weight: 3,
    tooltip: "Institutions front-run catalysts at open. Early prints = informed m
  },
  {
    id: "quietTicker",
    label: "Unusual Activity in Low-Volume Ticker",
    description: "Normally quiet stock suddenly sees massive flow",
    weight: 3,
    tooltip: "A small-cap or low-volume name getting hit hard is the loudest sign
  },
  {
    id: "darkPool",
    label: "Dark Pool Print Near Support",
    description: "Large dark pool buy near a key technical level",
    weight: 3,
    tooltip: "Smart money accumulating quietly before a move. Stealth accumulatio
  },
  {
    id: "preCatalyst",
    label: "Pre-Catalyst (Earnings / FDA / Event)",
    description: "Activity happening before a known or unknown catalyst",
    weight: 3,
    tooltip: "They know something. Pre-earnings naked calls are the most informed
  },
];

```

```

const TOTAL_WEIGHT = CRITERIA.reduce((s, c) => s + c.weight, 0);

```

```

function getScoreColor(score) {
  if (score >= 80) return C.green;
  if (score >= 55) return C.yellow;
  return C.red;
}

```

```

function getScoreLabel(score) {
  if (score >= 80) return { label: "EXTREME CONVICTION", emoji: "🔥" };
  if (score >= 65) return { label: "HIGH CONVICTION", emoji: "⚡" };
  if (score >= 45) return { label: "MODERATE SIGNAL", emoji: "📊" };
}

```

```

    if (score >= 25) return { label: "WEAK SIGNAL", emoji: "⚠️" };
    return { label: "NO SIGNAL", emoji: "❌" };
}

```

```

function ScoreArc({ score }) {
  const color = getScoreColor(score);
  const radius = 70;
  const stroke = 10;
  const cx = 90, cy = 90;
  const circumference = Math.PI * radius; // half circle
  const dash = (score / 100) * circumference;

  return (
    <svg width="180" height="100" viewBox="0 0 180 100">
      <!-- Track -->
      <path
        d={`M ${cx - radius} ${cy} A ${radius} ${radius} 0 0 1 ${cx + radius} ${cy}
        fill="none"
        stroke={C.border}
        strokeWidth={stroke}
        strokeLinecap="round"
      />
      <!-- Fill -->
      <path
        d={`M ${cx - radius} ${cy} A ${radius} ${radius} 0 0 1 ${cx + radius} ${cy}
        fill="none"
        stroke={color}
        strokeWidth={stroke}
        strokeLinecap="round"
        strokeDasharray={` ${dash} ${circumference}`}
        style={{ transition: "stroke-dasharray 0.6s ease, stroke 0.4s ease" }}
      />
      <!-- Score text -->
      <text x={cx} y={cy - 12} textAnchor="middle" fill={color} fontSize="28" font
        {score}
      </text>
      <text x={cx} y={cy + 8} textAnchor="middle" fill={C.textDim} fontSize="10"
        / 100
      </text>
    </svg>
  );
}

```

```

function Tooltip({ text }) {
  const [show, setShow] = useState(false);
  return (
    <span style={{ position: "relative", display: "inline-block" }}>

```

```

    <span
      onMouseEnter={() => setShow(true)}
      onMouseLeave={() => setShow(false)}
      style={{ cursor: "help", color: C.muted, fontSize: 12, marginLeft: 4 }}
    > ⓘ </span>
    {show && (
      <span style={{
        position: "absolute", bottom: "120%", left: "50%", transform: "translat
        background: "#1a2540", border: `1px solid ${C.border}`, borderRadius: 6
        padding: "6px 10px", fontSize: 11, color: C.textDim, whiteSpace: "nowra
        zIndex: 100, boxShadow: "0 4px 20px rgba(0,0,0,0.5)", maxWidth: 240, wh
        lineHeight: 1.4,
      }}>
        {text}
      </span>
    )}
  </span>
);
}

```

```

export default function InstitutionalConvictionScore() {
  const [ticker, setTicker] = useState("");
  const [checked, setChecked] = useState({});
  const [aiAnalysis, setAiAnalysis] = useState("");
  const [loading, setLoading] = useState(false);
  const [submitted, setSubmitted] = useState(false);

  const score = Math.round(
    CRITERIA.reduce((sum, c) => sum + (checked[c.id] ? c.weight : 0), 0) / TOTAL_
  );

  const activeSignals = CRITERIA.filter(c => checked[c.id]);
  const { label, emoji } = getScoreLabel(score);
  const scoreColor = getScoreColor(score);

  const toggle = (id) => setChecked(prev => ({ ...prev, [id]: !prev[id] }));

  const reset = () => { setChecked({}); setAiAnalysis(""); setSubmitted(false); s

  const runAnalysis = async () => {
    if (activeSignals.length === 0) return;
    setLoading(true);
    setSubmitted(true);
    setAiAnalysis("");

    const signalList = activeSignals.map(s => `• ${s.label}: ${s.description}`).j

```

```
const prompt = `You are a professional options flow analyst at a top hedge fu
Analyze the following institutional conviction signals detected for ${ticker} || "
```

```
CONVICTION SCORE: ${score}/100 - ${label}
```

```
ACTIVE SIGNALS:
```

```
${signalList}
```

```
Provide a sharp, professional trade thesis in 3 parts:
```

1. SIGNAL INTERPRETATION (2-3 sentences on what the smart money is likely doing)
2. RISK FACTORS (1-2 sentences on what could invalidate this thesis)
3. TRADE SETUP (specific actionable idea: entry, expiration, strike type)

```
Be direct and specific. No fluff. Write like a desk analyst briefing a PM.`;
```

```
try {
  const response = await fetch("https://api.anthropic.com/v1/messages", {
    method: "POST",
    headers: { "Content-Type": "application/json" },
    body: JSON.stringify({
      model: "claude-sonnet-4-6",
      max_tokens: 1000,
      messages: [{ role: "user", content: prompt }],
    }),
  });
  const data = await response.json();
  const text = data.content?.map(b => b.text || "").join("") || "No response
  setAiAnalysis(text);
} catch (err) {
  setAiAnalysis("Error fetching AI analysis. Check your API connection.");
}
setLoading(false);
};

return (
  <div style={{
    minHeight: "100vh", background: C.bg, color: C.text,
    fontFamily: "'Inter', 'Segoe UI', sans-serif", padding: "24px 16px",
  }}>
    <div style={{ maxWidth: 860, margin: "0 auto" }}>

      {/* Header */}
      <div style={{ textAlign: "center", marginBottom: 32 }}>
        <div style={{ fontSize: 11, letterSpacing: 4, color: C.accent, marginBo
          STOCKSCANNER AI - FLOW ANALYSIS
        </div>
        <h1 style={{ margin: 0, fontSize: 26, fontWeight: 800, color: C.text, l
```

```

        Institutional Conviction Score
    </h1>
    <p style={{ color: C.textDim, fontSize: 13, marginTop: 8 }}>
        Score options flow signals to identify smart money positioning
    </p>
</div>

{/* Ticker Input + Score Arc */}
<div style={{
    display: "flex", flexDirection: "column", alignItems: "center",
    background: C.surface, border: `1px solid ${C.border}`,
    borderRadius: 14, padding: "24px 20px", marginBottom: 24, gap: 12,
}}>
    <input
        value={ticker}
        onChange={e => setTicker(e.target.value.toUpperCase())}
        placeholder="TICKER (e.g. NVDA)"
        style={{
            background: C.card, border: `1px solid ${C.border}`, borderRadius:
            color: C.accent, fontSize: 20, fontWeight: 700, fontFamily: "monosp
            padding: "10px 20px", width: 180, textAlign: "center",
            outline: "none", letterSpacing: 3,
        }}
    />
    <ScoreArc score={score} />
    <div style={{ fontSize: 13, fontWeight: 700, color: scoreColor, lettersS
        {emoji} {label}
    </div>
    <div style={{ fontSize: 11, color: C.textDim }}>
        {activeSignals.length} of {CRITERIA.length} signals active
    </div>
</div>

{/* Signal Checklist */}
<div style={{ marginBottom: 24 }}>
    <div style={{ fontSize: 11, letterSpacing: 3, color: C.muted, marginBot
        SIGNAL CHECKLIST
    </div>
    <div style={{ display: "flex", flexDirection: "column", gap: 8 }}>
        {CRITERIA.map(c => {
            const active = !!checked[c.id];
            return (
                <div
                    key={c.id}
                    onClick={() => toggle(c.id)}
                    style={{
                        display: "flex", alignItems: "center", gap: 14,

```

```

        background: active ? `${C.accent}12` : C.card,
        border: `1px solid ${active ? C.accent : C.border}`,
        borderRadius: 10, padding: "12px 16px", cursor: "pointer",
        transition: "all 0.18s ease",
    }}
>
    { /* Checkbox */}
    <div style={{
        width: 20, height: 20, borderRadius: 5, flexShrink: 0,
        border: `2px solid ${active ? C.accent : C.muted}`,
        background: active ? C.accent : "transparent",
        display: "flex", alignItems: "center", justifyContent: "center",
        transition: "all 0.18s",
    }}>
        {active && <span style={{ color: "#000", fontSize: 13, fontWe
    </div>

    { /* Label */}
    <div style={{ flex: 1, minWidth: 0 }}>
        <div style={{ fontSize: 13, fontWeight: 600, color: active ?
            {c.label}
            <Tooltip text={c.tooltip} />
        </div>
        <div style={{ fontSize: 11, color: C.textDim, marginTop: 2 }}
    </div>

    { /* Weight badge */}
    <div style={{
        fontSize: 11, fontWeight: 700, fontFamily: "monospace",
        color: active ? C.green : C.muted,
        background: active ? `${C.green}18` : C.surface,
        border: `1px solid ${active ? C.green : C.border}`,
        borderRadius: 5, padding: "2px 8px", flexShrink: 0,
    }}>
        +{c.weight}
    </div>
    </div>

    );
    }}}
    </div>
</div>

{ /* Buttons */}
<div style={{ display: "flex", gap: 12, marginBottom: 24 }}>
    <button
        onClick={runAnalysis}
        disabled={loading || activeSignals.length === 0}

```



```

    style={{
      flex: 1, padding: "14px 0", borderRadius: 10, border: "none",
      background: activeSignals.length === 0 ? C.muted : `linear-gradient
      color: activeSignals.length === 0 ? C.bg : "#000",
      fontSize: 14, fontWeight: 800, cursor: activeSignals.length === 0 ?
      letterSpacing: 1, transition: "opacity 0.2s",
      opacity: loading ? 0.7 : 1,
    }}
  >
  {loading ? "⌚ ANALYZING..." : "⚡ GENERATE AI THESIS"}
</button>
<button
  onClick={reset}
  style={{
    padding: "14px 20px", borderRadius: 10,
    border: `1px solid ${C.border}`, background: C.card,
    color: C.textDim, fontSize: 13, fontWeight: 600, cursor: "pointer",
  }}
>
  Reset
</button>
</div>

{/* Score Breakdown Bar */}
{activeSignals.length > 0 && (
  <div style={{
    background: C.card, border: `1px solid ${C.border}`,
    borderRadius: 10, padding: "16px", marginBottom: 24,
  }}>
    <div style={{ fontSize: 11, letterSpacing: 2, color: C.muted, marginB
      SCORE BREAKDOWN
    </div>
    <div style={{ height: 8, background: C.border, borderRadius: 99, over
      <div style={{
        height: "100%", borderRadius: 99,
        width: `${score}%`,
        background: `linear-gradient(90deg, ${C.accent}, ${scoreColor})`,
        transition: "width 0.5s ease",
      }} />
    </div>
    <div style={{ display: "flex", justifyContent: "space-between", margi
      <span style={{ fontSize: 11, color: C.red }}>0 – No Signal</span>
      <span style={{ fontSize: 11, color: C.yellow }}>45 – Moderate</span>
      <span style={{ fontSize: 11, color: C.green }}>80+ – Extreme</span>
    </div>
  </div>
)}

```

```

{/* AI Analysis Output */}
{submitted && (
  <div style={{
    background: C.surface, border: `1px solid ${C.border}`,
    borderRadius: 12, padding: "20px", marginBottom: 24,
  }}>
    <div style={{ fontSize: 11, letterSpacing: 3, color: C.accent, margin
      ⚡ AI TRADE THESIS {ticker ? `– ${ticker}` : ""}
    </div>

    {loading ? (
      <div style={{ color: C.textDim, fontSize: 13, textAlign: "center",
        Analyzing {activeSignals.length} signals...
      </div>
    ) : (
      <div style={{
        fontSize: 13, lineHeight: 1.8, color: C.text,
        whiteSpace: "pre-wrap", fontFamily: "'Courier New', monospace",
      }}>
        {aiAnalysis}
      </div>
    )}
  </div>
)}

{/* Signal Summary Tags */}
{activeSignals.length > 0 && (
  <div style={{ marginBottom: 24 }}>
    <div style={{ fontSize: 11, letterSpacing: 3, color: C.muted, marginB
      ACTIVE SIGNALS
    </div>
    <div style={{ display: "flex", flexWrap: "wrap", gap: 6 }}>
      {activeSignals.map(s => (
        <span key={s.id} style={{
          fontSize: 11, padding: "4px 10px", borderRadius: 20,
          background: `${C.green}15`, border: `1px solid ${C.green}40`,
          color: C.green, fontWeight: 600,
        }}>
          {s.label}
        </span>
      )}}
    </div>
  </div>
)}

{/* Footer */}

```

```
        <div style={{ textAlign: "center", fontSize: 11, color: C.muted, marginTo
            StockScanner AI – For educational purposes only. Not financial advice.
        </div>
    </div>
</div>
);
}
```