

Practical No. 9

Basic details

Security group name [Info](#)

DB Security Group

Name cannot be edited after creation.

Description [Info](#)

Permit access from Web Security Group

VPC [Info](#)

vpc-06e24a93cc292521f (Lab VPC)

1.2

Subnet group details

Name

You won't be able to modify the name after your creation.

DB-Subnet-Group

Must contain from 1 to 255 characters. Alphanumeric characters and hyphens (-) are allowed.

Description

DB Subnet Group

VPC

Choose a VPC identifier that corresponds to the subnets you want to add.

Lab VPC (vpc-06e24a93cc292521f)

4 Subnets, 2 Availability Zones

2.1

Storage

Storage type [Info](#)

Provisioned IOPS SSD (io2) storage volumes are now available in all AWS Regions.

General Purpose SSD (gp3)

Performance scales independently from storage.

Allocated storage [Info](#)

20

3.3

Instance type

db.t3.micro

2 vCPUs 1 GiB RAM

3.3

Inbound rules [Info](#)

Type [Info](#)

MySQL/Aurora

Protocol [Info](#)

TCP

Port range [Info](#)

3306

Source [Info](#)

Custom

sg-0cb2e13750295d6a

1.3

Add subnets

Availability Zones

Choose the Availability Zones that include the subnets you want to add.

Choose an availability zone

us-east-1a

us-east-1b

Subnets

Choose the subnets that you want to add. The list includes the subnets in the selected Availability Zones.

Select subnets

Private Subnet 1

Subnet ID: subnet-05380a18b9f19f568 CIDR: 10.0.1.0/24

Private Subnet 2

Subnet ID: subnet-0291112494671ede1 CIDR: 10.0.3.0/24

2.2

DB instance identifier [Info](#)

Type a name for your DB instance. The name must be unique across all DB instances owned by your AWS account in the current AWS Region.

lab-db

The DB instance identifier is case-insensitive, but is stored as all lowercase (as in "mydbinstance"). Constraints: 1 to 63 alphanumeric characters or hyphens. First character must be a letter.

Credentials Settings

Master username [Info](#)

Type a login ID for the master user of your DB instance.

main

1 to 16 alphanumeric characters. The first character must be a letter.

Credentials management

You can use AWS Secrets Manager or manage your master user credentials.

Managed in AWS Secrets Manager - most secure

RDS generates a password for you and manages it throughout its lifecycle using AWS Secrets Manager.

Self managed

Create your own password or have Amazon RDS generate one for you.

Auto generate password

Amazon RDS can generate a password for you, or you can specify your own password.

Master password [Info](#)

Password strength [Average](#)

Minimum constraints: At least 8 printable ASCII characters. Can't contain any of the following symbols: / * @

Confirm master password [Info](#)

3.2

aws Load Test RDS

Meta-Data

Value

InstanceID

i-09486fb8e37bfb64

Availability Zone

us-east-1b

Current CPU Load: 1%

4.1

aws Load Test RDS

Address Book

Last name

First name

Phone

Email

Admin

Doe

Jane

010-110-1101

janed@someotheraddress.org

Edit

Remove

Johnson

Roberto

123-456-7890

robertoj@someaddress.com

Edit

Remove

4.3