

Q1 of 2



Which among the below scenarios demand proper data warehousing?

- ☐ Getting the topper name of a class
- ☒ Retrieving the share market status of last 5 year
- ☐ Getting the status of ATM card
- ☐ Getting the bank balance of an account



Q2 of 2



Which of the following errors can be identified by doing data warehouse ETL testing on a target table?

Q2 of 2



Which of the following errors can be identified by doing data warehouse ETL testing on a target table?



Missing row in a target table



Miscalculated value in a specific cell of target table



Primary key violation of a column in the target table



Security loop hole of the target table



4m 48s (Submitted)

Q1 of 2



Which of the following DWH testing the user checks the data by comparing their information system with the data displayed by the end-user tools like OLAP?

☒ Front end testing ✓

☐ Constraint testing

☐ Load testing

☐ Back end testing

Explanation :

This is the correct option because user checks the data by comparing his/her information system and the data displayed by the end-user tools like OLAP.



4m 48s (Submitted)

system and the data displayed by the end user tools like OLAP.

Q2 of 2



Which among the following types of testing is not concerned with the response time of the application while doing the data warehouse testing?

- ☐ Stress testing
- ☒ Security testing ✓
- ☐ Load testing
- ☐ Endurance testing

Explanation :

This is the correct option because it validates the information that protects the data.



11m

Q1 of 4



Which among the following checksum test case query is correct for a target Customer table having the columns CustomerID, CustomerName, CustomerSalary and CustomerAddress?



select sum(CustomerID) from
Customer



select sum(CustomerName) from
Customer



select sum(CustomerSalary) from
Customer



select sum(CustomerAddress) from
Customer





10m 56s

Q2 of 4



Which among the following statements is correct with respect to mismatch data testing?



Doing a source table minus target table query will show the mismatch data in target table



Doing a target table minus source table query will show the mismatch data in source table



Doing a source table intersect target table query will show the mismatch data in source table



Doing a target table minus source table query will show the mismatch data in target table



10m 53s

Q3 of 4



Which among the following flow of test case execution is correct for data ware house testing?



Business requirement test cases can be executed followed by count testing



Checksum test cases can be executed followed by count test cases



Checksum test cases can be executed followed by mismatch data test cases



Business requirement test cases can be executed followed by mismatch test cases



10m 47s

Transformation:

1) Student details having marks greater than 70 should be there in target table

2) Student details having Age less than 20 should be there in target table

☐ Select * from student except Select * from student_updated

☐ Select * from student_updated where StudentAge < 20 and StudentMarks > 70 except Select * from Student

☐ Select * from student where StudentAge < 20 except select * from student_updated where StudentMarks > 70

☒ Select * from student where StudentAge < 20 and StudentMarks > 70 except Select * from student_updated



Q1 of 2



A government regulation requirement says that all the bank account numbers have to be mapped with SSN number on a 1:M relationship for a banking project. This scenario will come under which area of data warehouse testing?

☐ Merger and acquisition

☒ Compliance ✓

☐ BI reporting

☐ Data migration

Explanation :

This is the correct option because this practice ensures that the generated data follows company's regulation.



Q2 of 2



Which among the following can be few of the major challenges in data warehouse testing process?



Unpredictable data size ✓



Multiple flavours of data types ✓



Complex SQL queries



Cost of automation tools

Explanation :

This is the correct option because enormous amount of data are generated on various transactions.

Explanation :

FINAL ASSESSMENT

Q1 of 10

Which among the following statements is false?

- ☐ Volume of data in functional testing will be less
- ☒ It is possible to test all the combinations in DWT
- ☐ Primary focus of DWT is on the entire data
- ☐ Performance testing is also a part of DWT

Q2 of 10

Which among the following mismatch queries is right for the mismatch testing?

Source table: Employee(EmpID,EmpName,EmpAge,EmpSalary)

Target table: Employee_New(EmpID,EmpName,EmpAge,EmpSalary)

Transformation:

Employee details having salary greater than 70000 should be there in target table

- ☒ Select * from Employee except Select * from Employee_New where EmpSalary>70000
- ☐ Select * from Employee_New except Select * from Employee where EmpSalary>70000
- ☒ Select * from Employee except Select * from Employee_New
- ☐ Select sum(EmpID) from Employee except Select sum(EmpID) from Employee_New where EmpSalary>70000

Q3 of 10

Identify the correct sequence in DW architecture.

- a. Report generation
- b. Data warehousing
- c. Decision making
- d. Data analysis and mining

- ☐ a->b->c->d
- ☐ a->c->b->d
- ☒ b->d->a->c
- ☐ b->a->c->d

Q4 of 10

DWT falls under which category of testing?

- ☐ Functional testing
- ☒ Specialized stream of testing
- ☐ Performance oriented testing
- ☐ User interface based testing

Q5 of 10

Which among the following functionalities is not true about IDTW?

- ☐ Report testing can be done using IDTW
- ☐ Bigdata testing can be done using IDTW
- ☒ Load testing can be done using IDTW
- ☐ Data quality analysis can be done using IDTW

Q6 of 10

Which among the following test cases ensures 100% data quality analysis?

- ☐ Constraint testing
- ☐ Count testing
- ☐ Checksum testing
- ☒ Mismatch testing

Q7 of 10

Which among the following queries is right for the checksum test case for target table?

Source table: Employee(EmpID,EmpName,EmpAge,EmpSalary)

Target table: Employee_New(EmpID,EmpName,EmpAge,EmpSalary)

Transformation:

Employee details having salary greater than 70000 should be there in target table

- ☐ Select sum(EmpName) from Employee where EmpSalary>70000
- ☐ Select sum(EmpName) from Employee_New where EmpSalary>70000
- ☒ Select sum(EmpSalary) from Employee_New
- ☐ Select sum(EmpID) from Employee where EmpSalary>70000

Q8 of 10

Which among the following statements is true?

- ☒ Count testing has to be done before the mismatch testing
- ☐ Check sum testing should be done before the Count testing
- ☐ Mismatch testing should be done before count and checksum testing
- ☐ Order does not matter in DWT test case execution

Q9 of 10

A business requirement is there for checking whether the Salary column of an employee table does not allow NULL values in it. Which among the following testing helps in verifying the requirement?

- ☒ Metadata testing
- ☐ ETL testing
- ☐ Report testing
- ☐ Big data testing

Q10 of 10

Which among the following data can be processed using the big data technology?

- ☐ Employee Details
- ☐ Bank customer balance details
- ☒ Weather details
- ☐ Product details