## Appendix B: UDI Organizer template from C-CDA Supplemental Templates for UDI

- b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.3.26.1.1" (CONF:4437-3474).
- c. This code **MAY** contain zero or one [0..1] @codeSystemName="NCI Thesaurus" (CONF:4437-3475).
- d. This code **MAY** contain zero or one [0..1] **@displayName=**"MRI Safety" (CONF:4437-3476).

The value of the MRI Safety status.

3. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", where the code **SHALL** be selected from CodeSystem NCI Thesaurus (NCIt) (urn:oid:2.16.840.1.113883.3.26.1.1) (CONF:4437-3477).

Allowed values specified in 2.16.840.1.113762.1.4.1021.46:

C113844 Labeling does not contain MRI Safety Information

C106046 MR Conditional

C106045 MR Safe

C106047 MR Unsafe

- a. This value **SHALL** contain zero or one [0..1] @code (CONF:4437-3478).
- b. This value **SHALL** contain exactly one [1..1]@codeSystem="2.16.840.1.113883.3.26.1.1" (CONF:4437-3479).
- c. This value **SHOULD** contain zero or one [0..1]@sdtc:valueSet="2.16.840.1.113762.1.4.1021.46" (CONF:4437-3537).

#### Figure 13: MRI Safety Status

### 2.13 Serial Number Observation

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.319: 2019-06-21 (open)]

#### Table 27: Serial Number Observation Contexts

Contained By:	Contains:
<u>UDI Organizer</u> (optional)	

This template is intended to be used in addition to the **Product Instance** template urn:oid:2.16.840.1.113883.10.20.22.4.37 to exchange the **Serial Number** of the device. The serial number is parsed from the UDI value, if present.

Table 28: Serial Number Observation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value	
observation (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.319: 2019-06-21)						
templateId	11	SHALL		<u>4437-</u> <u>3373</u>		
@root	11	SHALL		<u>4437-</u> <u>3377</u>	2.16.840.1.113883.10.20.22.4 .319	
@extension	11	SHALL		<u>4437-</u> <u>3368</u>	2019-06-21	
code	11	SHALL		<u>4437-</u> <u>3374</u>		
@code	11	SHALL		4437- 3378	urn:oid:2.16.840.1.113883.3.2 6.1.1 (NCI Thesaurus (NCIt)) = C101671	
@codeSystem	11	SHALL		4437- 3369	2.16.840.1.113883.3.26.1.1	
@codeSystemName	01	MAY		<u>4437-</u> <u>3370</u>	NCI Thesaurus	
@displayName	01	MAY		<u>4437-</u> <u>3379</u>	Serial Number	
value	11	SHALL	ED	<u>4437-</u> <u>3372</u>		

- 1. **SHALL** contain exactly one [1..1] **templateId** (CONF:4437-3373).
  - a. This templateId **SHALL** contain exactly one [1..1]
    @root="2.16.840.1.113883.10.20.22.4.319" (CONF:4437-3377).
    Note: template oid

Revision from "2018-05-01".

- b. This templateId **SHALL** contain exactly one [1..1] **@extension=**"2019-06-21" (CONF:4437-3368).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:4437-3374). Note: Code for "Serial Number"

Code used to specify the **Serial Number**.

- a. This code **SHALL** contain exactly one [1..1] @code="C101671" Serial Number (CodeSystem: NCI Thesaurus (NCIt) urn:oid:2.16.840.1.113883.3.26.1.1 **STATIC**) (CONF:4437-3378).
- b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.3.26.1.1" (CONF:4437-3369).

# Appendix B: UDI Organizer template from C-CDA Supplemental Templates for UDI

- c. This code **MAY** contain zero or one [0..1] @codeSystemName="NCI Thesaurus" (CONF:4437-3370).
- d. This code **MAY** contain zero or one [0..1] **@displayName=** "Serial Number" (CONF:4437-3379).

The value of the Serial Number as a text string.

3. **SHALL** contain exactly one [1..1] **value** with @xsi:type="ED" (CONF:4437-3372). Note: Serial Number as a text value

#### Figure 14: Serial Number