

Figure 169: No Known Medications Example

```
<substanceAdministration classCode="SBADM" moodCode="EVN" negationInd="true">
  <!-- ** Medication activity ** -->
  <templateId root="2.16.840.1.113883.10.20.22.4.16" extension="2014-06-09" />
  <id root="072f00fc-4f9d-4516-8d6f-ed00ed523fe0" />
  <statusCode code="active" />
  <effectiveTime xsi:type="IVL_TS">
    <low value="20110103" />
  </effectiveTime>
  <consumable>
    <manufacturedProduct classCode="MANU">
      <!-- ** Medication information ** -->
      <templateId root="2.16.840.1.113883.10.20.22.4.23" extension="2014-06-09" />
      <manufacturedMaterial>
        <code nullFlavor="OTH" codeSystem="2.16.840.1.113883.6.88">
          <translation code="410942007" displayName="drug or medication"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" />
        </code>
      </manufacturedMaterial>
    </manufacturedProduct>
  </consumable>
</substanceAdministration>
```

3.49 Medication Dispense (V2)

[supply: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.18:2014-06-09
(open)]

Table 341: Medication Dispense (V2) Contexts

Contained By:	Contains:
Medication Activity (V2) (optional) Immunization Activity (V3) (optional)	US Realm Address (AD.US.FIELDDED) (optional) Medication Supply Order (V2) (optional) Medication Information (V2) (optional) Immunization Medication Information (V2) (optional)

This template records the act of supplying medications (i.e., dispensing).

Table 342: Medication Dispense (V2) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
supply (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.18:2014-06-09)					
@classCode	1..1	SHALL		1098-7451	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = SPLY
@moodCode	1..1	SHALL		1098-7452	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN
templateId	1..1	SHALL		1098-7453	
@root	1..1	SHALL		1098-	2.16.840.1.113883.10.20.22.4

XPath	Card.	Verb	Data Type	CONF#	Value
				10505	.18
@extension	1..1	SHALL		1098-32580	2014-06-09
id	1..*	SHALL		1098-7454	
statusCode	1..1	SHALL		1098-7455	
@code	1..1	SHALL		1098-32361	urn:oid:2.16.840.1.113883.3.8 8.12.80.64 (Medication Fill Status)
effectiveTime	0..1	SHOULD		1098-7456	
repeatNumber	0..1	SHOULD		1098-7457	
quantity	0..1	SHOULD		1098-7458	
product	0..1	MAY		1098-7459	
manufacturedProduct	1..1	SHALL		1098-15607	Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.23:2014-06-09)
product	0..1	MAY		1098-9331	
manufacturedProduct	1..1	SHALL		1098-31696	Immunization Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.54:2014-06-09)
performer	0..1	MAY		1098-7461	
assignedEntity	1..1	SHALL		1098-7467	
addr	0..1	SHOULD		1098-7468	US Realm Address (AD.US.FIELDDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2)
entryRelationship	0..1	MAY		1098-7473	
@typeCode	1..1	SHALL		1098-7474	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
supply	1..1	SHALL		1098-15606	Medication Supply Order (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.17:2014-06-09)

1. **SHALL** contain exactly one [1..1] **@classCode**="SPLY" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1098-7451).
 2. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1098-7452).
 3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-7453) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.18" (CONF:1098-10505).
 - b. **SHALL** contain exactly one [1..1] **@extension**="2014-06-09" (CONF:1098-32580).
 4. **SHALL** contain at least one [1..*] **id** (CONF:1098-7454).
 5. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1098-7455).
 - a. This **statusCode** **SHALL** contain exactly one [1..1] **@code**, which **SHALL** be selected from ValueSet Medication Fill Status urn:oid:2.16.840.1.113883.3.88.12.80.64 **STATIC** 2014-04-23 (CONF:1098-32361).
 6. **SHOULD** contain zero or one [0..1] **effectiveTime** (CONF:1098-7456).
- In "INT" (intent) mood, the **repeatNumber** defines the number of allowed administrations. For example, a **repeatNumber** of "3" means that the substance can be administered up to 3 times. In "EVN" (event) mood, the **repeatNumber** is the number of occurrences. For example, a **repeatNumber** of "3" in a substance administration event means that the current administration is the 3rd in a series.
7. **SHOULD** contain zero or one [0..1] **repeatNumber** (CONF:1098-7457).
 8. **SHOULD** contain zero or one [0..1] **quantity** (CONF:1098-7458).
 9. **MAY** contain zero or one [0..1] **product** (CONF:1098-7459) such that it
 - a. **SHALL** contain exactly one [1..1] Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.23:2014-06-09) (CONF:1098-15607).
 10. **MAY** contain zero or one [0..1] **product** (CONF:1098-9331) such that it
 - a. **SHALL** contain exactly one [1..1] Immunization Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.54:2014-06-09) (CONF:1098-31696).
 11. **MAY** contain zero or one [0..1] **performer** (CONF:1098-7461).
 - a. The performer, if present, **SHALL** contain exactly one [1..1] **assignedEntity** (CONF:1098-7467).
 - i. This **assignedEntity** **SHOULD** contain zero or one [0..1] US Realm Address (AD.US.FIELDDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1098-7468).
 1. The content of **addr** **SHALL** be a conformant US Realm Address (AD.US.FIELDDED) (2.16.840.1.113883.10.20.22.5.2) (CONF:1098-10565).
 12. **MAY** contain zero or one [0..1] **entryRelationship** (CONF:1098-7473) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode**="REFR" (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 **STATIC**) (CONF:1098-7474).

- b. **SHALL** contain exactly one [1..1] [Medication Supply Order \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.17:2014-06-09) (CONF:1098-15606).
13. A supply act **SHALL** contain one product/Medication Information OR one product/Immunization Medication Information template (CONF:1098-9333).

Table 343: Medication Fill Status

Value Set: Medication Fill Status urn:oid:2.16.840.1.113883.3.88.12.80.64			
Value Set Source: https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.3.88.12.80.64/expansion			
Code	Code System	Code System OID	Print Name
aborted	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	Aborted
completed	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	Completed

Figure 170: Medication Dispense (V2) Example

<pre> <supply classCode="SPLY" moodCode="EVN"> <templateId root="2.16.840.1.113883.10.20.22.4.18" extension="2014-06-09" /> <id root="1.2.3.4.56789.1" extension="cb734647-fc99-424c-a864-7e3cda82e704" /> <statusCode code="completed" /> <effectiveTime value="201208151450-0800" /> <repeatNumber value="1" /> <quantity value="75" /> <product> <manufacturedProduct classCode="MANU"> <templateId root="2.16.840.1.113883.10.20.22.4.23" extension="2014-06-09" /> . . . </manufacturedProduct> </product> <performer> <assignedEntity> . . . </assignedEntity> </performer> </supply> </pre>
--

3.50 Medication Free Text Sig

[substanceAdministration: identifier urn:oid:2.16.840.1.113883.10.20.22.4.147 (closed)]

Table 344: Medication Free Text Sig Contexts

Contained By:	Contains:
Medication Activity (V2) (optional)	

The template is available to explicitly identify the free text Sig within each medication.
An example free text sig: Thyroxin 150 ug, take one tab by mouth every morning.