3.94 Risk Conce m Act (V2)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.136:2015-08-01 (open)]

Table 462: Risk Concern Act (V2) Contexts

Contained By:	Contains:				
Health Concerns Section (V2) (optional)	Pregnancy Observation (optional)				
	Caregiver Characteristics (optional)				
	Assessment Scale Observation (optional)				
	Characteristics of Home Environment (optional)				
	Cultural and Religious Observation (optional)				
	Sensory Status (optional)				
	Self-Care Activities (ADL and IADL) (optional)				
	Reaction Observation (V2) (optional)				
	Nutritional Status Observation (optional)				
	Allergy - Intolerance Observation (V2) (optional)				
	Substance or Device Allergy - Intolerance Observation				
	(V2) (optional)				
	Nutrition Assessment (optional)				
	Functional Status Observation (V2) (optional)				
	Smoking Status - Meaningful Use (V2) (optional)				
	<u>Vital Sign Observation (V2)</u> (optional)				
	Priority Preference (optional)				
	Tobacco Use (V2) (optional)				
	Author Participation (optional)				
	Entry Reference (optional)				
	External Document Reference (optional)				
	Result Observation (V3) (optional)				
	Mental Status Observation (V3) (optional)				
	Problem Observation (V3) (optional)				
	Social History Observation (V3) (optional)				
	Result Organizer (V3) (optional)				
	Encounter Diagnosis (V3) (optional)				
	Family History Organizer (V3) (optional)				
	Hospital Admission Diagnosis (V3) (optional)				
	Problem Concern Act (V3) (optional)				
	Preoperative Diagnosis (V3) (optional)				
	Postprocedure Diagnosis (V3) (optional)				
	Longitudinal Care Wound Observation (V2) (optional)				

This template represents a risk concern.

It is a wrapper for a single risk concern which may be derived from a variety of sources within an EHR (such as Problem List, Family History, Social History, Social Worker Note, etc.).

A Risk Concern Act represents a health concern that is a risk. A risk is a clinical or socioeconomic condition that the patient does not currently have, but the probability of developing that condition rises to the level of concern such that an intervention and/or monitoring is needed.

Table 463: Risk Concern Act (V2) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:hl7ii:2.16	840.1.113883.1	0.20.22.4.1	36:2015-0	08-01)	•
@classCode	11	SHALL		1198- 32220	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = ACT
@moodCode	11	SHALL		1198- 32221	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN
templateId	11	SHALL		<u>1198-</u> <u>32180</u>	
@root	11	SHALL		<u>1198-</u> <u>32222</u>	2.16.840.1.113883.10.20.22.4 .136
@extension	11	SHALL		1198- 32910	2015-08-01
id	1*	SHALL		<u>1198-</u> <u>32223</u>	
code	11	SHALL		<u>1198-</u> <u>32305</u>	
@code	11	SHALL		1198- 32306	281694009
@codeSystem	11	SHALL		<u>1198-</u> <u>32307</u>	urn:oid:2.16.840.1.113883.6.9 6 (SNOMED CT) = 2.16.840.1.113883.6.96
statusCode	11	SHALL		1198- 32225	
@code	11	SHALL		1198- 32314	urn:oid:2.16.840.1.113883.11. 20.9.19 (ProblemAct statusCode)
effectiveTime	01	MAY		1198- 32226	
author	0*	SHOULD		1198- 32300	Author Participation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.119
entryRelationship	0*	MAY		1198- 32179	
@typeCode	11	SHALL		1198- 32227	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32219	Problem Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.4:2015-08-01
entryRelationship	0*	MAY		<u>1198-</u> <u>32181</u>	
@typeCode	11	SHALL		<u>1198-</u> <u>32228</u>	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198-	Allergy - Intolerance

XPath	Card.	Verb	Data Type	CONF#	Value
				32229	Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.7:2014-06-09
entryRelationship	0*	MAY		1198- 32182	
@typeCode	11	SHALL		1198- 32230	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
act	11	SHALL		1198- 32231	Entry Reference (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.122
entryRelationship	0*	MAY		1198- 32183	
@typeCode	11	SHALL		1198- 32232	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = COMP
act	11	SHALL		1198- 32233	Entry Reference (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.122
entryRelationship	0*	MAY		1198- 32184	
@typeCode	11	SHALL		<u>1198-</u> <u>32234</u>	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32235	Assessment Scale Observation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.69
entryRelationship	0*	MAY		1198- 32185	
@typeCode	11	SHALL		<u>1198-</u> <u>32236</u>	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32237	Mental Status Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.74:2015-08-01
entryRelationship	0*	MAY		1198- 32186	
@typeCode	11	SHALL		1198- 32238	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32239	Self-Care Activities (ADL and IADL) (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.128
entryRelationship	0*	MAY		1198- 32188	
@typeCode	11	SHALL		1198-	urn:oid:2.16.840.1.113883.5.1

XPath	Card.	Verb	Data Type	CONF#	Value
				32242	002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32243	Mental Status Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.74:2015-08-01
entryRelationship	0*	MAY		1198- 32189	
@typeCode	11	SHALL		1198- 32244	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32245	Smoking Status - Meaningful Use (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.78:2014-06-09
entryRelationship	0*	MAY		1198- 32190	
@typeCode	11	SHALL		1198- 32246	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
act	11	SHALL		1198- 32247	Encounter Diagnosis (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.80:2015-08-01
entryRelationship	0*	MAY		1198- 32191	
@typeCode	11	SHALL		1198- 32248	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
organizer	11	SHALL		1198- 32249	Family History Organizer (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.45:2015-08-01
entryRelationship	0*	MAY		1198- 32192	
@typeCode	11	SHALL		1198- 32250	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32251	Functional Status Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.67:2014-06-09
entryRelationship	0*	MAY		1198- 32193	
@typeCode	11	SHALL		<u>1198-</u> <u>32252</u>	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
act	11	SHALL		1198- 32253	Hospital Admission Diagnosis (V3) (identifier:

XPath	Card.	Verb	Data Type	CONF#	Value
					urn:hl7ii;2.16.840.1.113883.1 0.20.22.4.34;2015-08-01
entryRelationship	0*	MAY		1198- 32195	
@typeCode	11	SHALL		1198- 32256	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32257	Nutrition Assessment (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.138
entryRelationship	0*	MAY		1198- 32197	
@typeCode	11	SHALL		1198- 32260	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
act	11	SHALL		1198- 32261	Postprocedure Diagnosis (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.51:2015-08-01
entryRelationship	0*	MAY		<u>1198-</u> <u>32198</u>	
@typeCode	11	SHALL		1198- 32262	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32263	Pregnancy Observation (identifier: urn:oid:2.16.840.1.113883.10. 20.15.3.8
entryRelationship	0*	MAY		1198- 32199	
@typeCode	11	SHALL		1198- 32264	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
act	11	SHALL		1198- 32265	Preoperative Diagnosis (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.65:2015-08-01
entryRelationship	0*	MAY		1198- 32200	
@typeCode	11	SHALL		1198- 32266	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32267	Reaction Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.9:2014-06-09
entryRelationship	0*	MAY		<u>1198-</u> <u>32201</u>	

XPath	Card.	Verb	Data Type	CONF#	Value
@typeCode	11	SHALL		1198- 32268	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32269	Result Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.2:2015-08-01
entryRelationship	0*	MAY		1198- 32202	
@typeCode	11	SHALL		1198- 32270	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		<u>1198-</u> <u>32271</u>	Sensory Status (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.127
entryRelationship	0*	MAY		1198- 32203	
@typeCode	11	SHALL		1198- 32272	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32273	Social History Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.38:2015-08-01
entryRelationship	0*	MAY		1198- 32204	
@typeCode	11	SHALL		1198- 32958	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32275	Substance or Device Allergy - Intolerance Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.24.3.90:2014-06-09
entryRelationship	0*	MAY		1198- 32205	
@typeCode	11	SHALL		1198- 32276	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32277	Tobacco Use (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.85:2014-06-09
entryRelationship	0*	MAY		1198- 32206	
@typeCode	11	SHALL		1198- 32278	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32279	Vital Sign Observation (V2) (identifier:

XPath	Card.	Verb	Data Type	CONF#	Value
					urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.27:2014-06-09
entryRelationship	0*	MAY		1198- 32207	
@typeCode	11	SHALL		1198- 32280	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32281	Longitudinal Care Wound Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.114:2015-08-01
entryRelationship	0*	MAY		1198- 32208	
@typeCode	11	SHALL		1198- 32282	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = SPRT
observation	11	SHALL		1198- 32283	Problem Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.4:2015-08-01
entryRelationship	0*	MAY		1198- 32209	
@typeCode	11	SHALL		1198- 32284	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32285	Caregiver Characteristics (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.72
entryRelationship	0*	MAY		1198- 32210	
@typeCode	11	SHALL		1198- 32286	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32287	Cultural and Religious Observation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.111
entryRelationship	0*	MAY		1198- 32211	
@typeCode	11	SHALL		<u>1198-</u> <u>32288</u>	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32289	Characteristics of Home Environment (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.109
entryRelationship	0*	MAY		1198- 32212	

XPath	Card.	Verb	Data Type	CONF#	Value
@typeCode	11	SHALL		1198- 32290	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32291	Nutritional Status Observation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.124
entryRelationship	0*	MAY		1198- 32213	
@typeCode	11	SHALL		1198- 32292	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
organizer	11	SHALL		1198- 32293	Result Organizer (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.1:2015-08-01
entryRelationship	0*	MAY		1198- 32214	
@typeCode	11	SHALL		1198- 32294	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1198- 32295	Priority Preference (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.143
entryRelationship	0*	MAY		1198- 32215	
@typeCode	11	SHALL		1198- 32296	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		<u>1198-</u> <u>32297</u>	Priority Preference (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.143
entryRelationship	0*	MAY		1198- 32216	
@typeCode	11	SHALL		1198- 32298	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
act	11	SHALL		1198- 32299	Problem Concern Act (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.3:2015-08-01
entryRelationship	0*	MAY		1198- 32217	
@typeCode	11	SHALL		1198- 32301	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
act	11	SHALL		1198- 32302	Entry Reference (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.122

XPath	Card.	Verb	Data Type	CONF#	Value
reference	0*	MAY		1198- 32769	
@typeCode	11	SHALL		1198- 32908	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
externalDocument	11	SHALL		1198- 32909	External Document Reference (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.115:2014-06-09

- 1. **SHALL** contain exactly one [1..1] **@classCode="**ACT" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1198-32220).
- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:1198-32221).
- 3. SHALL contain exactly one [1..1] templateId (CONF:1198-32180) such that it
 - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.136" (CONF:1198-32222).
 - b. **SHALL** contain exactly one [1..1] **@extension="**2015-08-01" (CONF:1198-32910).
- 4. **SHALL** contain at least one [1..*] **id** (CONF:1198-32223).
- 5. **SHALL** contain exactly one [1..1] **code** (CONF:1198-32305).
 - a. This code **SHALL** contain exactly one [1..1] **@code="**281694009" At risk for (CONF:1198-32306).
 - b. This code **SHALL** contain exactly one [1..1] @codeSystem="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:1198-32307).
- 6. SHALL contain exactly one [1..1] statusCode (CONF:1198-32225).
 - a. This statusCode **SHALL** contain exactly one [1..1] **@code**, which **SHALL** be selected from ValueSet **ProblemAct statusCode** urn:oid:2.16.840.1.113883.11.20.9.19 **STATIC** (CONF:1198-32314).
- 7. MAY contain zero or one [0..1] effectiveTime (CONF:1198-32226).
- 8. **SHOULD** contain zero or more [0..*] <u>Author Participation</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:1198-32300).
- 9. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32179) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32227).
 - b. **SHALL** contain exactly one [1..1] **Problem Observation (V3)** (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01) (CONF:1198-32219).
- 10. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32181) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32228).

b. **SHALL** contain exactly one [1..1] <u>Allergy - Intolerance Observation (V2)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.7:2014-06-09) (CONF:1198-32229).

The following entryRelationship represents the relationship between two Health Concern Acts where there is a general relationship between the source and the target (Health Concern RELATES TO Health Concern). The Entry Reference template is used here because the target Health Concern Act will be defined elsewhere in the Health Concerns Section and thus a reference to that template is all that is required.

- 11. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32182) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32230).
 - b. **SHALL** contain exactly one [1..1] **Entry Reference** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.122) (CONF:1198-32231).

The following entryRelationship represents the relationship between two Health Concern Acts where the target is a component of the source (Health Concern HAS COMPONENT Health Concern). The Enry Reference template is used here because the target Health Concern Act will be defined elsewhere in the Health Concerns Section and thus a reference to that template is all that is required.

- 12. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32183) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="COMP" Has component (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32232).
 - b. **SHALL** contain exactly one [1..1] **Entry Reference** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.122) (CONF:1198-32233).
- 13. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32184) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32234).
 - b. **SHALL** contain exactly one [1..1] <u>Assessment Scale Observation</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.69) (CONF:1198-32235).
- 14. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32185) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32236).
 - b. **SHALL** contain exactly one [1..1] <u>Mental Status Observation (V3)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.74:2015-08-01) (CONF:1198-32237).
- 15. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32186) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32238).
 - b. **SHALL** contain exactly one [1..1] <u>Self-Care Activities (ADL and IADL)</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.128) (CONF:1198-32239).

- 16. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32188) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32242).
 - b. SHALL contain exactly one [1..1] Mental Status Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.74:2015-08-01) (CONF:1198-32243).
- 17. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32189) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32244).
 - b. **SHALL** contain exactly one [1..1] **Smoking Status Meaningful Use (V2)** (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.78:2014-06-09) (CONF:1198-32245).
- 18. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32190) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32246).
 - b. **SHALL** contain exactly one [1..1] **Encounter Diagnosis (V3)** (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.80:2015-08-01) (CONF:1198-32247).
- 19. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32191) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers To (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32248).
 - b. **SHALL** contain exactly one [1..1] <u>Family History Organizer (V3)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.45:2015-08-01) (CONF:1198-32249).
- 20. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32192) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32250).
 - b. SHALL contain exactly one [1..1] <u>Functional Status Observation (V2)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.67:2014-06-09) (CONF:1198-32251).
- 21. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32193) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32252).
 - b. **SHALL** contain exactly one [1..1] <u>Hospital Admission Diagnosis (V3)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.34:2015-08-01) (CONF:1198-32253).
- 22. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32195) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32256).

- b. **SHALL** contain exactly one [1..1] **Nutrition Assessment** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.138) (CONF:1198-32257).
- 23. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32197) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32260).
 - b. SHALL contain exactly one [1..1] <u>Postprocedure Diagnosis (V3)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.51:2015-08-01) (CONF:1198-32261).
- 24. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32198) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32262).
 - b. **SHALL** contain exactly one [1..1] **Pregnancy Observation** (identifier: urn:oid:2.16.840.1.113883.10.20.15.3.8) (CONF:1198-32263).
- 25. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32199) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32264).
 - b. **SHALL** contain exactly one [1..1] **Preoperative Diagnosis (V3)** (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.65:2015-08-01) (CONF:1198-32265).
- 26. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32200) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32266).
 - b. **SHALL** contain exactly one [1..1] <u>Reaction Observation (V2)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.9:2014-06-09) (CONF:1198-32267).
- 27. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32201) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32268).
 - b. **SHALL** contain exactly one [1..1] **Result Observation (V3)** (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.2:2015-08-01) (CONF:1198-32269).
- 28. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32202) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32270).
 - b. **SHALL** contain exactly one [1..1] **Sensory Status** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.127) (CONF:1198-32271).
- 29. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32203) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32272).

- b. **SHALL** contain exactly one [1..1] <u>Social History Observation (V3)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.38:2015-08-01) (CONF:1198-32273).
- 30. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32204) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32958).
 - b. SHALL contain exactly one [1..1] Substance or Device Allergy Intolerance Observation (V2) (identifier: urn:h17ii:2.16.840.1.113883.10.20.24.3.90:2014-06-09) (CONF:1198-32275).
- 31. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32205) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32276).
 - b. **SHALL** contain exactly one [1..1] <u>Tobacco Use (V2)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.85:2014-06-09) (CONF:1198-32277).
- 32. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32206) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32278).
 - b. **SHALL** contain exactly one [1..1] <u>Vital Sign Observation (V2)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.27:2014-06-09) (CONF:1198-32279).
- 33. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32207) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32280).
 - b. SHALL contain exactly one [1..1] Longitudinal Care Wound Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.114:2015-08-01) (CONF:1198-32281).

The following entryRelationship represents the relationship Health Concern HAS SUPPORT Observation.

- 34. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32208) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**SPRT" Has support (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32282).
 - b. **SHALL** contain exactly one [1..1] **Problem Observation (V3)** (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01) (CONF:1198-32283).
- 35. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32209) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32284).

- b. SHALL contain exactly one [1..1] Caregiver Characteristics (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.72) (CONF:1198-32285).
- 36. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32210) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32286).
 - b. SHALL contain exactly one [1..1] Cultural and Religious Observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.111) (CONF:1198-32287).
- 37. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32211) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32288).
 - b. SHALL contain exactly one [1..1] Characteristics of Home Environment (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.109) (CONF:1198-32289).
- 38. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32212) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32290).
 - b. SHALL contain exactly one [1..1] Nutritional Status Observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.124) (CONF:1198-32291).
- 39. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32213) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32292).
 - b. SHALL contain exactly one [1..1] Result Organizer (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.1:2015-08-01) (CONF:1198-

The following entryRelationship represents the priority that the patient puts on the health concern.

- 40. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32214) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32294).
 - b. SHALL contain exactly one [1..1] Priority Preference (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.143) (CONF:1198-32295).

The following entryRelationship represents the priority that the provider puts on the health concern.

- 41. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32215) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode=**"REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32296).

- b. **SHALL** contain exactly one [1..1] **Priority Preference** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.143) (CONF:1198-32297).
- 42. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32216) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32298).
 - b. **SHALL** contain exactly one [1..1] **Problem Concern Act (V3)** (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.3:2015-08-01) (CONF:1198-32299).

Where a Health Concern needs to reference another entry already described in the CDA document instance, rather than repeating the full content of the entry, the Entry Reference template may be used to reference this entry.

- 43. MAY contain zero or more [0..*] entryRelationship (CONF:1198-32217) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32301).
 - b. **SHALL** contain exactly one [1..1] **Entry Reference** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.122) (CONF:1198-32302).
- 44. MAY contain zero or more [0..*] reference (CONF:1198-32769).
 - a. The reference, if present, **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1198-32908).
 - b. The reference, if present, **SHALL** contain exactly one [1..1] **External Document**Reference (identifier:
 urn:h17ii:2.16.840.1.113883.10.20.22.4.115:2014-06-09) (CONF:1198-32909).

Figure 214: Risk Concern Act Example

```
<!-- Risk Concern Act -->
<act classCode="ACT" moodCode="EVN">
    <templateId root="2.16.840.1.113883.10.20.22.4.136" extension="2015-08-01"/>
    <id root="cbcbf20a-d011-449f-87d1-a23cc3e5f7cf" />
    <code code="X-RISK-CONCERN-ACT" codeSystem="2.16.840.1.113883.6.1"</pre>
codeSystemName="LOINC" displayName="At risk for" />
    <!-- This Health Risk has a statusCode of active because it is an active risk -->
    <statusCode code="active" />
    <!-- The effective time is the date that the Health Risk started being followed -
    this does not necessarily correlate to the onset date of the contained health issues-->
    <effectiveTime value="20130616" />
    <!-- Health Risk: Malignant neoplastic disease -->
    <entryRelationship typeCode="REFR">
        <!-- Problem Observation -->
        <observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.22.4.4" extension="2015-08-01" />
            <id root="8dfacd73-1682-4cc4-9351-e54ccea83612" />
            <code code="80943009" codeSystem="2.16.840.1.113883.6.96"</pre>
codeSystemName="SNOMED CT" displayName="Risk factor" />
            <statusCode code="completed" />
            <effectiveTime>
                <low value="20130613" />
            </effectiveTime>
            <value xsi:type="CD" code="409623005" codeSystem="2.16.840.1.113883.6.96"</pre>
codeSystemName="SNOMED CT" displayName="Malignant neoplastic disease" />
        </observation>
    </entryRelationship>
    <!-- This entryRelationship represents the relationship
         "Health Risk REFERS TO Health Concern"
    <entryRelationship typeCode="REFR">
        <!-- Entry Reference Concern Act -->
        <act classCode="ACT" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.22.4.122" />
            <!-- This id points to an already defined Health Concern -->
            <id root="4eab0e52-dd7d-4285-99eb-72d32ddb195c" />
            <code nullFlavor="NP" />
            <statusCode code="completed" />
        </act>
    </entryRelationship>
</act>
```

3.95 Self-Care Activities (ADL and IADL)

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.128 (open)]

Table 464: Self-Care Activities (ADL and IADL) Contexts

Contained By:	Contains:
Functional Status Section (V2) (optional)	Author Participation (optional)
Functional Status Organizer (V2) (required)	
Health Concern Act (V2) (optional)	
Risk Concern Act (V2) (optional)	

This template represents a patient's daily self-care ability. These activities are called Activities of Daily Living (ADL) and Instrumental Activities of Daily Living (IADL). ADLs involve caring for and moving of the body (e.g., dressing, bathing, eating). IADLs support an independent life style (e.g., cooking, managing medications, driving, shopping).

Table 465: Self-Care Activities (ADL and IADL) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value			
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.128)								
@classCode	11	SHALL		1098- 31389	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS			
@moodCode	11	SHALL		<u>1098-</u> <u>31390</u>	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN			
templateId	11	SHALL		1098- 28190				
@root	11	SHALL		1098- 28457	2.16.840.1.113883.10.20.22.4 .128			
code	11	SHALL		1098- 28153	urn:oid:2.16.840.1.113883.11. 20.9.47 (ADL Result Type)			
statusCode	11	SHALL		1098- 32490	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus)			
@code	11	SHALL		1098- 32491	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed			
effectiveTime	11	SHALL		1098- 32492				
value	11	SHALL	CD	1098- 28042	urn:oid:2.16.840.1.113883.11. 20.9.46 (Ability)			
author	0*	SHOULD		1098- 32469	Author Participation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.119			

- 1. **SHALL** contain exactly one [1..1] **@classCode="**OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1098-31389).
- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:1098-31390).