

## 2.20 Functional Status Section (V2)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.14:2014-06-09  
(open) ]

**Table 105: Functional Status Section (V2) Contexts**

Contained By:	Contains:
<a href="#">Consultation Note (V3)</a> (optional) <a href="#">Continuity of Care Document (CCD) (V3)</a> (optional) <a href="#">Discharge Summary (V3)</a> (optional) <a href="#">Transfer Summary (V2)</a> (optional) <a href="#">Referral Note (V2)</a> (optional)	<a href="#">Caregiver Characteristics</a> (optional) <a href="#">Assessment Scale Observation</a> (optional) <a href="#">Sensory Status</a> (optional) <a href="#">Self-Care Activities (ADL and IADL)</a> (optional) <a href="#">Non-Medicinal Supply Activity (V2)</a> (optional) <a href="#">Functional Status Observation (V2)</a> (optional) <a href="#">Functional Status Organizer (V2)</a> (optional) <a href="#">Pressure Ulcer Observation (DEPRECATED)</a> (optional) <a href="#">Cognitive Status Problem Observation (DEPRECATED)</a> (optional) <a href="#">Functional Status Problem Observation (DEPRECATED)</a> (optional)

The Functional Status Section contains observations and assessments of a patient's physical abilities. A patient's functional status may include information regarding the patient's ability to perform Activities of Daily Living (ADLs) in areas such as Mobility (e.g., ambulation), Self-Care (e.g., bathing, dressing, feeding, grooming) or Instrumental Activities of Daily Living (IADLs) (e.g., shopping, using a telephone, balancing a check book). Problems that impact function (e.g., dyspnea, dysphagia) can be contained in the section.

**Table 106: Functional Status Section (V2) Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.14:2014-06-09)					
templateId	1..1	SHALL		<a href="#">1098-7920</a>	
@root	1..1	SHALL		<a href="#">1098-10389</a>	2.16.840.1.113883.10.20.22.2.14
@extension	1..1	SHALL		<a href="#">1098-32567</a>	2014-06-09
code	1..1	SHALL		<a href="#">1098-14578</a>	
@code	1..1	SHALL		<a href="#">1098-14579</a>	47420-5
@codeSystem	1..1	SHALL		<a href="#">1098-30866</a>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		<a href="#">1098-7922</a>	
text	1..1	SHALL		<a href="#">1098-7923</a>	
entry	0..*	MAY		<a href="#">1098-14414</a>	
organizer	1..1	SHALL		<a href="#">1098-14415</a>	<a href="#">Functional Status Organizer (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.66:2014-06-09)</a>
entry	0..*	MAY		<a href="#">1098-14418</a>	
observation	1..1	SHALL		<a href="#">1098-14419</a>	<a href="#">Functional Status Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.67:2014-06-09)</a>
entry	0..*	MAY		<a href="#">1098-14426</a>	
observation	1..1	SHALL		<a href="#">1098-14427</a>	<a href="#">Caregiver Characteristics (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.72)</a>
entry	0..*	MAY		<a href="#">1098-14580</a>	
observation	1..1	SHALL		<a href="#">1098-14581</a>	<a href="#">Assessment Scale Observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.69)</a>
entry	0..*	MAY		<a href="#">1098-14582</a>	
supply	1..1	SHALL		<a href="#">1098-30783</a>	<a href="#">Non-Medicinal Supply Activity (V2) (identifier:</a>

XPath	Card.	Verb	Data Type	CONF#	Value
					<a href="#">urn:hl7ii:2.16.840.1.113883.10.20.22.4.50:2014-06-09</a>
entry	0..*	MAY		<a href="#">1098-32792</a>	
observation	1..1	SHALL		<a href="#">1098-31009</a>	<a href="#">Self-Care Activities (ADL and IADL) (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.128)</a>
entry	0..*	MAY		<a href="#">1098-16779</a>	
observation	1..1	SHALL		<a href="#">1098-31011</a>	<a href="#">Sensory Status (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.127)</a>
entry	0..*	MAY		<a href="#">1098-14424</a>	
observation	1..1	SHALL		<a href="#">1098-14425</a>	<a href="#">Cognitive Status Problem Observation (DEPRECATED) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.73:2014-06-09)</a>
entry	0..*	MAY		<a href="#">1098-14422</a>	
observation	1..1	SHALL		<a href="#">1098-14423</a>	<a href="#">Functional Status Problem Observation (DEPRECATED) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.68:2014-06-09)</a>
entry	0..*	MAY		<a href="#">1098-16777</a>	
observation	1..1	SHALL		<a href="#">1098-16778</a>	<a href="#">Pressure Ulcer Observation (DEPRECATED) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.70:2014-06-09)</a>

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-7920) such that it
  - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.14" (CONF:1098-10389).
  - b. **SHALL** contain exactly one [1..1] **@extension**="2014-06-09" (CONF:1098-32567).
2. **SHALL** contain exactly one [1..1] **code** (CONF:1098-14578).
  - a. This code **SHALL** contain exactly one [1..1] **@code**="47420-5" Functional Status (CONF:1098-14579).
  - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-30866).
3. **SHALL** contain exactly one [1..1] **title** (CONF:1098-7922).
4. **SHALL** contain exactly one [1..1] **text** (CONF:1098-7923).
5. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-14414) such that it

- a. **SHALL** contain exactly one [1..1] [Functional Status Organizer \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.66:2014-06-09) (CONF:1098-14415).
6. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-14418) such that it
  - a. **SHALL** contain exactly one [1..1] [Functional Status Observation \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.67:2014-06-09) (CONF:1098-14419).
7. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-14426) such that it
  - a. **SHALL** contain exactly one [1..1] [Caregiver Characteristics](#) (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.72) (CONF:1098-14427).
8. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-14580) such that it
  - a. **SHALL** contain exactly one [1..1] [Assessment Scale Observation](#) (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.69) (CONF:1098-14581).
9. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-14582) such that it
  - a. **SHALL** contain exactly one [1..1] [Non-Medicinal Supply Activity \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.50:2014-06-09) (CONF:1098-30783).
10. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-32792) such that it
  - a. **SHALL** contain exactly one [1..1] [Self-Care Activities \(ADL and IADL\)](#) (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.128) (CONF:1098-31009).
11. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-16779) such that it
  - a. **SHALL** contain exactly one [1..1] [Sensory Status](#) (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.127) (CONF:1098-31011).
12. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-14424) such that it
  - a. **SHALL** contain exactly one [1..1] [Cognitive Status Problem Observation \(DEPRECATED\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.73:2014-06-09) (CONF:1098-14425).
13. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-14422) such that it
  - a. **SHALL** contain exactly one [1..1] [Functional Status Problem Observation \(DEPRECATED\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.68:2014-06-09) (CONF:1098-14423).
14. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-16777) such that it
  - a. **SHALL** contain exactly one [1..1] [Pressure Ulcer Observation \(DEPRECATED\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.70:2014-06-09) (CONF:1098-16778).

**Figure 74: Functional Status Section (V2) Example**

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.14" extension="2014-06-09" />
  <!-- Functional Status Section template V2-->
  <code code="47420-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Functional Status" />
  <title>FUNCTIONAL STATUS</title>
  <text>
    ...
  </text>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <!-- Self Care Activities (NEW)-->
      <templateId root="2.16.840.1.113883.10.20.22.4.128" />
      ...
    </observation>
  </entry>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <!-- Sensory and Speech Status (NEW)-->
      <templateId root="2.16.840.1.113883.10.20.22.4.127" />
      ...
    </observation>
  </entry>
  <entry>
    <organizer classCode="CLUSTER" moodCode="EVN">
      <!-- Functional Status Organizer V2-->
      <templateId root="2.16.840.1.113883.10.20.22.4.66" extension="2014-06-09" />
      ....
    </organizer>
  </entry>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <!-- Functional Status Observation V2-->
      <templateId root="2.16.840.1.113883.10.20.22.4.67" extension="2014-06-09" />
      ...
    </observation>
  </entry>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <!-- ** Caregiver characteristics ** -->
      <templateId root="2.16.840.1.113883.10.20.22.4.72" />
      ...
    </observation>
  </entry>
</section>
```

## 2.21 General Status Section

[section: identifier urn:oid:2.16.840.1.113883.10.20.2.5 (open)]

**Table 107: General Status Section Contexts**

Contained By:	Contains:
<a href="#">Consultation Note (V3)</a> (optional) <a href="#">History and Physical (V3)</a> (required) <a href="#">Transfer Summary (V2)</a> (optional) <a href="#">Referral Note (V2)</a> (optional)	

The General Status section describes general observations and readily observable attributes of the patient, including affect and demeanor, apparent age compared to actual age, gender, ethnicity, nutritional status based on appearance, body build and habitus (e.g., muscular, cachectic, obese), developmental or other deformities, gait and mobility, personal hygiene, evidence of distress, and voice quality and speech.

**Table 108: General Status Section Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:oid:2.16.840.1.113883.10.20.2.5)					
templateId	1..1	SHALL		<a href="#">81-7985</a>	
@root	1..1	SHALL	UID	<a href="#">81-10457</a>	2.16.840.1.113883.10.20.2.5
code	1..1	SHALL		<a href="#">81-15472</a>	
@code	1..1	SHALL		<a href="#">81-15473</a>	10210-3
@codeSystem	1..1	SHALL		<a href="#">81-26477</a>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		<a href="#">81-7987</a>	
text	1..1	SHALL		<a href="#">81-7988</a>	

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-7985) such that it
  - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.2.5" (CONF:81-10457).
2. **SHALL** contain exactly one [1..1] **code** (CONF:81-15472).
  - a. This code **SHALL** contain exactly one [1..1] **@code**="10210-3" General Status (CONF:81-15473).
  - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26477).
3. **SHALL** contain exactly one [1..1] **title** (CONF:81-7987).
4. **SHALL** contain exactly one [1..1] **text** (CONF:81-7988).