2.1 Admission Diagnosis Section (V3)

```
[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.43:2015-08-01
(open)]
```

Table 60: Admission Diagnosis Section (V3) Contexts

Contained By:	Contains:
Discharge Summary (V3) (optional) Transfer Summary (V2) (optional)	Hospital Admission Diagnosis (V3) (optional)

This section contains a narrative description of the problems or diagnoses identified by the clinician at the time of the patient's admission. This section may contain a coded entry which represents the admitting diagnoses.

HL7 CDA R2.1 IG: Consolidated CDA Templates for Clinical Note (US Realm), DSTU R2.1—Vol. 2: Templates Page 247

June 2019 © 2015-19 Health Level Seven, International. All rights reserved.

Table 61: Admission Diagnosis Section (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.43:2015-08-01)					
templateId	1..1	SHALL		1198-9930	
@root	1..1	SHALL		1198-10391	2.16.840.1.113883.10.20.22.2.43
@extension	1..1	SHALL		1198-32563	2015-08-01
code	1..1	SHALL		1198-15479	
@code	1..1	SHALL		1198-15480	46241-6
@codeSystem	1..1	SHALL		1198-30865	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
translation	1..1	SHALL		1198-32749	
@code	1..1	SHALL		1198-32750	42347-5
@codeSystem	1..1	SHALL		1198-32751	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		1198-9932	
text	1..1	SHALL		1198-9933	
entry	0..1	SHOULD		1198-9934	
act	1..1	SHALL		1198-15481	Hospital Admission Diagnosis (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.34:2015-08-01)

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-9930) such that it
    a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.43" (CONF:1198-10391).
    b. **SHALL** contain exactly one [1..1] **@extension**="2015-08-01" (CONF:1198-32563).
2. **SHALL** contain exactly one [1..1] **code** (CONF:1198-15479).
    a. This code **SHALL** contain exactly one [1..1] **@code**="46241-6" Hospital Admission diagnosis (CONF:1198-15480).
    b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-30865).
    c. This code **SHALL** contain exactly one [1..1] **translation** (CONF:1198-32749) such that it

i.   **SHALL** contain exactly one [1..1] **@code**="42347-5" Admission Diagnosis (CONF:1198-32750).

ii. **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1 **STATIC**) (CONF:1198-32751).

3. **SHALL** contain exactly one [1..1] **title** (CONF:1198-9932).

4. **SHALL** contain exactly one [1..1] **text** (CONF:1198-9933).

5. **SHOULD** contain zero or one [0..1] **entry** (CONF:1198-9934).

a. The entry, if present, **SHALL** contain exactly one [1..1] **Hospital Admission Diagnosis (V3)** (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.34:2015-08-01) (CONF:1198-15481).

Figure 57: Admission Diagnosis Section (V3) Example

```
<section>
    <templateId root="2.16.840.1.113883.10.20.22.2.43" extension="2015-08-01"/>
    <code code="46241-6" codeSystem="2.16.840.1.113883.6.1" displayName="Hospital Admission
Diagnosis">
        <translation code="42347-5" codeSystem="2.16.840.1.113883.6.1"
displayName="Admission Diagnosis"></translation>
    </code>
    <title>HOSPITAL ADMISSION DIAGNOSIS</title>
    <text>Appendicitis</text>
    <entry>
        <act classCode="ACT" moodCode="EVN">
            <!--Admission Diagnosis template -->
            ...


        </act>
    </entry>
</section>
```

2.2   Admission Medications Section (entries optional) (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.44:2015-08-01 (open)]

Table 62: Admission Medications Section (entries optional) (V3) Contexts

Contained By:	Contains:
Discharge Summary (V3) (optional) Transfer Summary (V2) (optional)	Admission Medication (V2) (optional)

The section contains the medications taken by the patient prior to and at the time of admission to the facility.