

Figure 103: Postprocedure Diagnosis Section (V3) Example

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.36" extension="2015-08-01" />
  <code code="59769-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="POSTPROCEDURE DIAGNOSIS" />
  <title>Postprocedure Diagnosis</title>
  <text>
    ...
  </text>
  <entry>
    <act moodCode="EVN" classCode="ACT">
      <templateId root="2.16.840.1.113883.10.20.22.4.51" extension="2014-06-09" />
      <!-- ** Postprocedure Diagnosis ** -->

      ...

    </act>
  </entry>
</section>
```

2.52 Preoperative Diagnosis Section (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.34:2015-08-01
(open)]

Table 174: Preoperative Diagnosis Section (V3) Contexts

Contained By:	Contains:
Operative Note (V3) (required)	Preoperative Diagnosis (V3) (optional)

The Preoperative Diagnosis Section records the surgical diagnoses assigned to the patient before the surgical procedure which are the reason for the surgery. The preoperative diagnosis is, in the surgeon's opinion, the diagnosis that will be confirmed during surgery.

Table 175: Preoperative Diagnosis Section (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.34:2015-08-01)					
templateId	1..1	SHALL		1198-8097	
@root	1..1	SHALL		1198-10439	2.16.840.1.113883.10.20.22.2.34
@extension	1..1	SHALL		1198-32551	2015-08-01
code	1..1	SHALL		1198-15405	
@code	1..1	SHALL		1198-15406	10219-4
@codeSystem	1..1	SHALL		1198-30863	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		1198-8099	
text	1..1	SHALL		1198-8100	
entry	0..1	SHOULD		1198-10096	
act	1..1	SHALL		1198-15504	Preoperative Diagnosis (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.65:2015-08-01)

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-8097) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.34" (CONF:1198-10439).
 - b. **SHALL** contain exactly one [1..1] **@extension**="2015-08-01" (CONF:1198-32551).
2. **SHALL** contain exactly one [1..1] **code** (CONF:1198-15405).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="10219-4" Preoperative Diagnosis (CONF:1198-15406).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-30863).
3. **SHALL** contain exactly one [1..1] **title** (CONF:1198-8099).
4. **SHALL** contain exactly one [1..1] **text** (CONF:1198-8100).
5. **SHOULD** contain zero or one [0..1] **entry** (CONF:1198-10096) such that it
 - a. **SHALL** contain exactly one [1..1] [Preoperative Diagnosis \(V3\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.65:2015-08-01) (CONF:1198-15504).

Figure 104: Preoperative Diagnosis Section (V3) Example

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.34" extension="2015-08-01" />
  <code code="10219-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName=" PREOPERATIVE DIAGNOSIS" />
  <title>Preoperative Diagnosis</title>
  <text>Appendicitis</text>
  <entry>
    <act moodCode="EVN" classCode="ACT">
      <templateId root="2.16.840.1.113883.10.20.22.4.65" extension="2015-08-01" />
      <!-- ** Preoperative Diagnosis ** -->
      ...

    </act>
  </entry>
</section>
```

2.53 Problem Section (entries optional) (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.5:2015-08-01
(open)]

Table 176: Problem Section (entries optional) (V3) Contexts

Contained By:	Contains:
Discharge Summary (V3) (optional) History and Physical (V3) (optional) Progress Note (V3) (optional)	Health Status Observation (V2) (optional) Problem Concern Act (V3) (optional)

This section lists and describes all relevant clinical problems at the time the document is generated. At a minimum, all pertinent current and historical problems should be listed. Overall health status may be represented in this section.