2.1 Admission Diagnosis Section (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.43:2015-08-01 (open)]

Table 61: Admission Diagnosis Section (V3) Contexts

Contained By:	Contains:			
Discharge Summary (V3) (optional)	Hospital Admission Diagnosis (V3) (optional)			
Transfer Summary (V2) (optional)				

This section contains a narrative description of the problems or diagnoses identified by the clinician at the time of the patient's admission. This section may contain a coded entry which represents the admitting diagnoses.

Table 62: Admission Diagnosis Section (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value	
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.43:2015-08-01)						
templateId	11	SHALL		<u>1198-</u> <u>9930</u>		
@root	11	SHALL		1198- 10391	2.16.840.1.113883.10.20.22.2 .43	
@extension	11	SHALL		1198- 32563	2015-08-01	
code	11	SHALL		1198- 15479		
@code	11	SHALL		1198- 15480	46241-6	
@codeSystem	11	SHALL		<u>1198-</u> <u>30865</u>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1	
translation	11	SHALL		<u>1198-</u> <u>32749</u>		
@code	11	SHALL		1198- 32750	42347-5	
@codeSystem	11	SHALL		1198- 32751	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1	
title	11	SHALL		1198- 9932		
text	11	SHALL		<u>1198-</u> <u>9933</u>		
entry	01	SHOULD		1198- 9934		
act	11	SHALL		1198- 15481	Hospital Admission Diagnosis (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1	

XPath	Card.	Verb	Data Type	CONF#	Value
					0.20.22.4.34:2015-08-01

- 1. SHALL contain exactly one [1..1] templateId (CONF:1198-9930) such that it
 - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.2.43" (CONF:1198-10391).
 - b. **SHALL** contain exactly one [1..1] @extension="2015-08-01" (CONF:1198-32563).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:1198-15479).
 - a. This code **SHALL** contain exactly one [1..1] @code="46241-6" Hospital Admission diagnosis (CONF:1198-15480).
 - b. This code **SHALL** contain exactly one [1..1] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-30865).
 - c. This code **SHALL** contain exactly one [1..1] **translation** (CONF:1198-32749) such that it
 - i. **SHALL** contain exactly one [1..1] @code="42347-5" Admission Diagnosis (CONF:1198-32750).
 - ii. SHALL contain exactly one [1..1] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1 STATIC) (CONF:1198-32751).
- 3. SHALL contain exactly one [1..1] title (CONF:1198-9932).
- 4. **SHALL** contain exactly one [1..1] **text** (CONF:1198-9933).
- 5. **SHOULD** contain zero or one [0..1] **entry** (CONF:1198-9934).
 - a. The entry, if present, SHALL contain exactly one [1..1] Hospital Admission Diagnosis (V3) (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.34:2015-08-01) (CONF:1198-15481).

Figure 57: Admission Diagnosis Section (V3) Example

2.2 Admission Medications Section (entries optional) (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.44:2015-08-01 (open)]

Table 63: Admission Medications Section (entries optional) (V3) Contexts

Contained By:	Contains:			
Discharge Summary (V3) (optional)	Admission Medication (V2) (optional)			
Transfer Summary (V2) (optional)				

The section contains the medications taken by the patient prior to and at the time of admission to the facility.

Table 64: Admission Medications Section (entries optional) (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.44:2015-08-01)					
templateId	11	SHALL		1198- 10098	
@root	11	SHALL		1198- 10392	2.16.840.1.113883.10.20.22.2 .44
@extension	11	SHALL		1198- 32560	2015-08-01
code	11	SHALL		1198- 15482	
@code	11	SHALL		1198- 15483	42346-7