# 3.58 Nutrition Recommendation

[act: identifier urn:oid:2.16.840.1.113883.10.20.22.4.130 (open)]

Table 361: Nutrition Recommendation Contexts

Contained By:	Contains:
Plan of Treatment Section (V2) (optional)	Planned Act (V2) (optional)
Planned Intervention Act (V2) (optional)	Planned Encounter (V2) (optional)
Intervention Act (V2) (optional)	Planned Procedure (V2) (optional)
	Planned Observation (V2) (optional)
	Planned Supply (V2) (optional)
	Planned Medication Activity (V2) (optional)

This template represents nutrition regimens (e.g., fluid restrictions, calorie minimum), interventions (e.g., NPO, nutritional supplements), and procedures (e.g., G-Tube by bolus, TPN by central line). It may also depict the need for nutrition education.

Table 362: Nutrition Recommendation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:oid:2.16.840.1.	113883.10	0.20.22.4.13	0)		
@classCode	11	SHALL		1098- 30385	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = ACT
@moodCode	11	SHALL		1098- 30386	urn:oid:2.16.840.1.113883.11. 20.9.23 (Planned moodCode (Act/Encounter/Procedure))
templateId	11	SHALL		1098- 30340	
@root	11	SHALL		1098- 30341	2.16.840.1.113883.10.20.22.4 .130
code	11	SHALL		1098- 30342	urn:oid:2.16.840.1.113883.1.1 1.20.2.9 (Nutrition Recommendations)
statusCode	11	SHALL		1098- 31697	
@code	11	SHALL		1098- 31698	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = active
effectiveTime	01	SHOULD		1098- 31699	
entryRelationship	0*	MAY		1098- 32382	
@typeCode	11	SHALL		<u>1098-</u> <u>32928</u>	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
encounter	11	SHALL		1098- 32383	Planned Encounter (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.40:2014-06-09
entryRelationship	0*	MAY		1098- 32384	
@typeCode	11	SHALL		1098- 32929	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
substanceAdministration	11	SHALL		<u>1098-</u> <u>32385</u>	Planned Medication Activity (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.42:2014-06-09
entryRelationship	0*	MAY		1098- 32386	
@typeCode	11	SHALL		1098- 32930	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		<u>1098-</u> <u>32387</u>	Planned Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.44:2014-06-09

XPath	Card.	Verb	Data Type	CONF#	Value
entryRelationship	0*	MAY		1098- 32388	
@typeCode	11	SHALL		1098- 32931	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
procedure	11	SHALL		1098- 32389	Planned Procedure (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.41:2014-06-09
entryRelationship	0*	MAY		1098- 32390	
@typeCode	11	SHALL		1098- 32932	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
supply	11	SHALL		1098- 32391	Planned Supply (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.43:2014-06-09
entryRelationship	0*	MAY		1098- 32632	
@typeCode	11	SHALL		1098- 32933	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
act	11	SHALL		1098- 32633	Planned Act (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.39:2014-06-09

- 1. **SHALL** contain exactly one [1..1] **@classCode="**ACT" act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1098-30385).
- 2. **SHALL** contain exactly one [1..1] @moodCode, which **SHALL** be selected from ValueSet Planned moodCode (Act/Encounter/Procedure)
  urn:oid:2.16.840.1.113883.11.20.9.23 **STATIC** 2014-09-01 (CONF:1098-30386).
- 3. SHALL contain exactly one [1..1] templateId (CONF:1098-30340) such that it
  - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.130" (CONF:1098-30341).
- 4. **SHALL** contain exactly one [1..1] **code**, which **SHOULD** be selected from ValueSet <u>Nutrition</u> <u>Recommendations</u> urn:oid:2.16.840.1.113883.1.11.20.2.9 **DYNAMIC** (CONF:1098-30342).
- 5. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1098-31697).
  - a. This statusCode **SHALL** contain exactly one [1..1] **@code="**active" Active (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-31698).

The effectiveTime indicates the time when the activity is intended to take place.

- 6. **SHOULD** contain zero or one [0..1] **effectiveTime** (CONF:1098-31699).
- 7. MAY contain zero or more [0..\*] entryRelationship (CONF:1098-32382) such that it

- a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32928).
- b. **SHALL** contain exactly one [1..1] **Planned Encounter (V2)** (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.40:2014-06-09) (CONF:1098-32383).
- 8. MAY contain zero or more [0..\*] entryRelationship (CONF:1098-32384) such that it
  - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32929).
  - b. **SHALL** contain exactly one [1..1] <u>Planned Medication Activity (V2)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.42:2014-06-09) (CONF:1098-32385).
- 9. MAY contain zero or more [0..\*] entryRelationship (CONF:1098-32386) such that it
  - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32930).
  - b. **SHALL** contain exactly one [1..1] <u>Planned Observation (V2)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.44:2014-06-09) (CONF:1098-32387).
- 10. MAY contain zero or more [0..\*] entryRelationship (CONF:1098-32388) such that it
  - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32931).
  - b. **SHALL** contain exactly one [1..1] <u>Planned Procedure (V2)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.41:2014-06-09) (CONF:1098-32389).
- 11. MAY contain zero or more [0..\*] entryRelationship (CONF:1098-32390) such that it
  - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32932).
  - b. **SHALL** contain exactly one [1..1] **Planned Supply (V2)** (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.43:2014-06-09) (CONF:1098-32391).
- 12. MAY contain zero or more [0..\*] entryRelationship (CONF:1098-32632) such that it
  - a. **SHALL** contain exactly one [1..1] **@typeCode="**REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32933).
  - b. **SHALL** contain exactly one [1..1] <u>Planned Act (V2)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.39:2014-06-09) (CONF:1098-32633).

#### Table 363: Nutrition Recommendations

Value Set: Nutrition Recommendations urn:oid:2.16.840.1.113883.1.11.20.2.9

(Clinical Focus: Types of nutritional regimes, therapies or interventions.),(Data Element Scope: @Code in Nutrition Recommendation template C-CDA r2.1 [act: identifier urn:oid:2.16.840.1.113883.10.20.22.4.130 (open)]),(Inclusion Criteria: Specified codes for high level types of nutritional regimes),(Exclusion Criteria: )

This value set was imported on 6/25/2019 with a version of 20190319.

Value Set Source:

https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.1.11.20.2.9/expansion

Code	Code System	Code System OID	Print Name
182922004	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Dietary regime (regime/therapy)
225372007	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Total parenteral nutrition (regime/therapy)
229912004	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Enteral feeding (regime/therapy)
386373004	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Nutrition therapy (regime/therapy)
413315001	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Nutrition / feeding management (regime/therapy)
418995006	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Feeding regime (regime/therapy)
42846100012 4101	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Referral to nutrition professional (procedure)
43569100012 4100	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Diet modified for specific foods or ingredients (regime/therapy)
44104100012 4100	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Counseling about nutrition (procedure)
448556005	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Oral nutritional support (regime/therapy)

### Table 364: Planned moodCode (Act/Encounter/Procedure)

Value Set: Planned moodCode (Act/Encounter/Procedure) urn:oid:2.16.840.1.113883.11.20.9.23
This value set is used to restrict the moodCode on an act, an encounter or a procedure to future moods
Value Set Source: https://vsac.nlm.nih.gov/

Code	Code System	Code System OID	Print Name
INT	HL7ActMood	urn:oid:2.16.840.1.113883.5.10 01	Intent
ARQ	HL7ActMood	urn:oid:2.16.840.1.113883.5.10 01	Appointment Request
PRMS	HL7ActMood	urn:oid:2.16.840.1.113883.5.10 01	Promise
PRP	HL7ActMood	urn:oid:2.16.840.1.113883.5.10 01	Proposal
RQO	HL7ActMood	urn:oid:2.16.840.1.113883.5.10 01	Request
APT	HL7ActMood	urn:oid:2.16.840.1.113883.5.10 01	Appointment

### Figure 179: Nutrition Recommendation Example

## 3.59 Nutritional Status Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.124 (open)]

### **Table 365: Nutritional Status Observation Contexts**

Contained By:	Contains:
Nutrition Section (optional)	Nutrition Assessment (required)
Health Concern Act (V2) (optional)	
Risk Concern Act (V2) (optional)	

This template describes the overall nutritional status of the patient including findings related to nutritional status.