Figure 151: Family History Organizer (V3) Example

```
<organizer moodCode="EVN" classCode="CLUSTER">
    <templateId root="2.16.840.1.113883.10.20.22.4.45" extension="2015-08-01" />
    <statusCode code="completed" />
    <subject>
        <relatedSubject classCode="PRS">
            <code code="FTH" displayName="Father" codeSystemName="HL7 FamilyMember"</pre>
codeSystem="2.16.840.1.113883.5.111">
                <translation code="9947008" displayName="Natural father"</pre>
codeSystemName="SNOMED" codeSystem="2.16.840.1.113883.6.96" />
            </code>
            <subject>
                <sdtc:id root="2.16.840.1.113883.19.5.99999.2" extension="99999999" />
                <id root="2.16.840.1.113883.19.5.99999.2" extension="1234" />
                <administrativeGenderCode code="M" codeSystem="2.16.840.1.113883.5.1" />
                <birthTime value="1910" />
                <!-- Example use of sdtc extensions :-->
                <!-- <sdtc:deceasedInd value="true"/><sdtc:deceasedTime value="1967"/>
            </subject>
        </relatedSubject>
    </subject>
    <component>
        <observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.22.4.46" extension="2015-08-01" />
        </observation>
    </component>
</organizer>
```

3.31 Functional Status Observation (V2)

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.67:2014-06-09 (open)]

Table 292: Functional Status Observation (V2) Contexts

Contained By:	Contains:
Functional Status Section (V2) (optional)	Caregiver Characteristics (optional)
Functional Status Organizer (V2) (required)	Assessment Scale Observation (optional)
Health Concern Act (V2) (optional)	Non-Medicinal Supply Activity (V2) (optional)
Risk Concern Act (V2) (optional)	Author Participation (optional)

This template represents the patient's physical function (e.g., mobility status, instrumental activities of daily living, self-care status) and problems that limit function (dyspnea, dysphagia). The template may include assessment scale observations, identify supporting caregivers, and provide information about non-medicinal supplies. This template is used to represent physical or developmental function of all patient populations.

Table 293: Functional Status Observation (V2) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:hl7	ii:2.16.840.1.	113883.10.2	20.22.4.67	:2014-06-0 <u>9</u>	9)
@classCode	11	SHALL		1098- 13905	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	11	SHALL		1098- 13906	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN
templateId	11	SHALL		1098- 13889	
@root	11	SHALL		1098- 13890	2.16.840.1.113883.10.20.22.4 .67
@extension	11	SHALL		1098- 32568	2014-06-09
id	1*	SHALL		1098- 13907	
code	11	SHALL		1098- 13908	
@code	11	SHALL		1098- 31522	54522-8
@codeSystem	11	SHALL		1098- 31523	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
statusCode	11	SHALL		1098- 13929	
@code	11	SHALL		1098- 19101	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed
effectiveTime	11	SHALL		1098- 13930	
value	11	SHALL		1098- 13932	
author	0*	SHOULD		1098- 13936	Author Participation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.119
entryRelationship	01	MAY		1098- 13892	
@typeCode	11	SHALL		1098- 14596	REFR
supply	11	SHALL		1098- 14218	Non-Medicinal Supply Activity (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.50:2014-06-09
entryRelationship	01	MAY		1098- 13895	
@typeCode	11	SHALL		1098- 14597	REFR

XPath	Card.	Verb	Data Type	CONF#	Value
observation	11	SHALL		1098- 13897	Caregiver Characteristics (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.72
entryRelationship	01	MAY		1098- 14465	
@typeCode	11	SHALL		1098- 14598	COMP
observation	11	SHALL		1098- 14466	Assessment Scale Observation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.69
referenceRange	0*	MAY		1098- 13937	

- 1. **SHALL** contain exactly one [1..1] @classCode="OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1098-13905).
- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1098-13906).
- 3. SHALL contain exactly one [1..1] templateId (CONF:1098-13889) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.22.4.67" (CONF:1098-13890).
 - b. **SHALL** contain exactly one [1..1] @extension="2014-06-09" (CONF:1098-32568).
- 4. **SHALL** contain at least one [1..*] **id** (CONF:1098-13907).
- 5. **SHALL** contain exactly one [1..1] **code** (CONF:1098-13908).
 - a. This code **SHALL** contain exactly one [1..1] @code="54522-8" Functional status (CONF:1098-31522).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem=**"2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-31523).
- 6. SHALL contain exactly one [1..1] statusCode (CONF:1098-13929).
 - a. This statusCode **SHALL** contain exactly one [1..1] @code="completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:1098-19101).
- 7. **SHALL** contain exactly one [1..1] **effectiveTime** (CONF:1098-13930).
- 8. **SHALL** contain exactly one [1..1] **value** (CONF:1098-13932).
 - a. If xsi:type="CD", **should** contain a code from SNOMED CT (CodeSystem: 2.16.840.1.113883.6.96) (CONF:1098-14234).
- 9. **SHOULD** contain zero or more [0..*] <u>Author Participation</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:1098-13936).
- 10. MAY contain zero or one [0..1] entryRelationship (CONF:1098-13892) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" refers to (CONF:1098-14596).

- b. **SHALL** contain exactly one [1..1] **Non-Medicinal Supply Activity (V2)** (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.50:2014-06-09) (CONF:1098-14218).
- 11. MAY contain zero or one [0..1] entryRelationship (CONF:1098-13895) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" refers to (CONF:1098-14597).
 - b. **SHALL** contain exactly one [1..1] <u>Caregiver Characteristics</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.72) (CONF:1098-13897).
- 12. MAY contain zero or one [0..1] entryRelationship (CONF:1098-14465) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="COMP" has component (CONF:1098-14598).
 - b. SHALL contain exactly one [1..1] <u>Assessment Scale Observation</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.69) (CONF:1098-14466).

referenceRange could be used to represent normal or expected capability for the function being evaluated.

13. MAY contain zero or more [0..*] referenceRange (CONF:1098-13937).

Figure 152: Functional Status Observation (V2) Example

```
<entry>
    <observation classCode="OBS" moodCode="EVN">
        <!-- Functional Status Observation V2-->
        <templateId root="2.16.840.1.113883.10.20.22.4.67" extension="2014-06-09" />
        <id root="ce7cfb78-bd16-467e-8bcf-859a3034108e" />
        <code code="54522-8" displayName="Functional status"</pre>
codeSystem="2.16.840.1.113883.6.1" codeSystemName="SNOMED CT" />
        <text>
            <reference value="#FUNC1" />
        </text>
        <statusCode code="completed" />
        <effectiveTime value="200130311" />
        <value xsi:type="CD" code="129035000" displayName="independent with dressing"</pre>
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT" />
    </observation>
</entry>
```

3.32 Functional Status Organizer (V2)

[organizer: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.66:2014-06-09 (open)]

Table 294: Functional Status Organizer (V2) Contexts

Contained By:	Contains:		
Functional Status Section (V2) (optional)	Self-Care Activities (ADL and IADL) (required)		
	Functional Status Observation (V2) (required)		
	<u>Author Participation</u> (optional)		

This template groups related functional status observations into categories (e.g., mobility, self-care).