

If section/@nullFlavor is not present:

7. **SHALL** contain at least one [1..*] **entry** (CONF:1198-7531) such that it
 - a. **SHALL** contain exactly one [1..1] [Allergy Concern Act \(V3\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.30:2015-08-01) (CONF:1198-15446).

Figure 59: Allergies and Intolerances Section (entries required) (V3) Example

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.6.1" extension="2015-08-01" />
  <code code="48765-2" displayName="Allergies, adverse reactions, alerts"
codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" />
  <title>Allergies</title>
  <text>
    ...
  </text>
  <entry typeCode="DRIV">
    <act classCode="ACT" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.22.4.30" extension="2014-06-09" />
      <!-- Allergy Concern Act template -->
      ...
    </act>
  </entry>
</section>
```

2.5 Anesthesia Section (V2)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.25:2014-06-09
(open)]

Table 73: Anesthesia Section (V2) Contexts

Contained By:	Contains:
Procedure Note (V3) (optional)	Medication Activity (V2) (optional)
Operative Note (V3) (required)	Procedure Activity Procedure (V2) (optional)

The Anesthesia Section records the type of anesthesia (e.g., general or local) and may state the actual agent used. This may be a subsection of the Procedure Description Section. The full details of anesthesia are usually found in a separate Anesthesia Note.

Table 74: Anesthesia Section (V2) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.25:2014-06-09)					
templateId	1..1	SHALL		1098-8066	
@root	1..1	SHALL		1098-10380	2.16.840.1.113883.10.20.22.2.25
@extension	1..1	SHALL		1098-32531	2014-06-09
code	1..1	SHALL		1098-15351	
@code	1..1	SHALL		1098-15352	59774-0
@codeSystem	1..1	SHALL		1098-30830	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		1098-8068	
text	1..1	SHALL		1098-8069	
entry	0..*	MAY		1098-8092	
procedure	1..1	SHALL		1098-15447	Procedure Activity Procedure (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.14:2014-06-09)
entry	0..*	MAY		1098-8094	
substanceAdministration	1..1	SHALL		1098-31127	Medication Activity (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.16:2014-06-09)

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-8066) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.25" (CONF:1098-10380).
 - b. **SHALL** contain exactly one [1..1] **@extension**="2014-06-09" (CONF:1098-32531).
2. **SHALL** contain exactly one [1..1] **code** (CONF:1098-15351).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="59774-0" Anesthesia (CONF:1098-15352).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-30830).
3. **SHALL** contain exactly one [1..1] **title** (CONF:1098-8068).
4. **SHALL** contain exactly one [1..1] **text** (CONF:1098-8069).

5. **MAY** contain zero or more [0..*] **entry** (CONF:1098-8092) such that it
 - a. **SHALL** contain exactly one [1..1] [Procedure Activity Procedure \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.14:2014-06-09) (CONF:1098-15447).
6. **MAY** contain zero or more [0..*] **entry** (CONF:1098-8094) such that it
 - a. **SHALL** contain exactly one [1..1] [Medication Activity \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.16:2014-06-09) (CONF:1098-31127).

Figure 60: Anesthesia Section (V2) Example

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.25" extension="2014-06-09" />
  <code code="59774-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
  displayName=" Anesthesia" />
  <title>Procedure Anesthesia</title>
  <text> Conscious sedation with propofol 200 mg IV </text>
  <entry>
    <procedure classCode="PROC" moodCode="EVN">
      <!-- Procedure activity procedure template -->
      <templateId root="2.16.840.1.113883.10.20.22.4.14" extension="2014-06-09" />
      ...

    </procedure>
  </entry>
  <entry>
    <substanceAdministration classCode="SBADM" moodCode="EVN">
      <!-- Medication activity template -->
      <templateId root="2.16.840.1.113883.10.20.22.4.16" extension="2014-06-09" />
      ...

    </substanceAdministration>
  </entry>
</section>
```

2.6 Assessment and Plan Section (V2)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.9:2014-06-09
(open)]

Table 75: Assessment and Plan Section (V2) Contexts

Contained By:	Contains:
Consultation Note (V3) (optional) History and Physical (V3) (optional) Transfer Summary (V2) (optional) Referral Note (V2) (optional) Progress Note (V3) (optional) Procedure Note (V3) (optional)	Planned Act (V2) (optional)

This section represents the clinician's conclusions and working assumptions that will guide treatment of the patient. The Assessment and Plan Section may be combined or separated to meet local policy requirements.

See also the Assessment Section: templateId 2.16.840.1.113883.10.20.22.2.8 and Plan of Treatment Section (V2): templateId 2.16.840.1.113883.10.20.22.2.10:2014-06-09

Table 76: Assessment and Plan Section (V2) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.9:2014-06-09)					
templateId	1..1	SHALL		1098-7705	
@root	1..1	SHALL		1098-10381	2.16.840.1.113883.10.20.22.2.9
@extension	1..1	SHALL		1098-32583	2014-06-09
code	1..1	SHALL		1098-15353	
@code	1..1	SHALL		1098-15354	51847-2
@codeSystem	1..1	SHALL		1098-32141	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
text	1..1	SHALL		1098-7707	
entry	0..*	MAY		1098-7708	
act	1..1	SHALL		1098-15448	Planned Act (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.39:2014-06-09)

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-7705) such that it