3.86 Prognosis Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.113 (open)]

Table 442: Prognosis Observation Contexts

Contained By:	Contains:
Problem Observation (V3) (optional)	

This template represents the patient's prognosis, which must be associated with a problem observation. It may serve as an alert to scope intervention plans.

The effectiveTime represents the clinically relevant time of the observation. The observation/value is not constrained and can represent the expected life duration in PQ, an anticipated course of the disease in text, or coded term.

Table 443: Prognosis Observation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value		
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.113)							
@classCode	11	SHALL		1098- 29035	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS		
@moodCode	11	SHALL		<u>1098-</u> <u>29036</u>	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN		
templateId	11	SHALL		1098- 29037			
@root	11	SHALL		1098- 29038	2.16.840.1.113883.10.20.22.4 .113		
code	11	SHALL		1098- 29039			
@code	11	SHALL		1098- 29468	75328-5		
@codeSystem	11	SHALL		1098- 31349	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1		
statusCode	11	SHALL		1098- 31350			
@code	11	SHALL		1098- 31351	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed		
effectiveTime	11	SHALL		1098- 31123			
value	11	SHALL		1098- 29469			

- 1. **SHALL** contain exactly one [1..1] **@classCode="**OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1098-29035).
- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1098-29036).
- 3. SHALL contain exactly one [1..1] templateId (CONF:1098-29037) such that it

- a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.113" (CONF:1098-29038).
- 4. **SHALL** contain exactly one [1..1] **code** (CONF:1098-29039).
 - a. This code **SHALL** contain exactly one [1..1] **@code="**75328-5" Prognosis (CONF:1098-29468).
 - b. This code **SHALL** contain exactly one [1..1] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-31349).
- 5. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1098-31350).
 - a. This statusCode **SHALL** contain exactly one [1..1] **@code="**completed" (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-31351).
- 6. **SHALL** contain exactly one [1..1] **effectiveTime** (CONF:1098-31123).
- 7. **SHALL** contain exactly one [1..1] **value** (CONF:1098-29469).

Figure 205: Prognosis, Free Text Example

Figure 206: Prognosis, Coded Example

```
<entryRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
        <!-- Prognosis -->
        <templateId root="2.16.840.1.113883.10.20.22.4.113" />
        <id root="2097c709-291b-4a0f-bef9-ad9b23b3bb43" />
        <code code="75328-5"
             codeSystem="2.16.840.1.113883.6.1"
             codeSystemName="LOINC"
             displayName="Prognosis" />
        <statusCode code="completed" />
        <effectiveTime>
            <low value="20130301" />
        </effectiveTime>
        <value xsi:type="CD" code="67334001" codeSystem="2.16.840.1.113883.6.96"</pre>
displayName="guarded prognosis" codeSystemName="SNOMED CT" />
    </observation>
</entryRelationship>
```

3.87 Progress Toward Goal Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.110 (open)]

Table 444: Progress Toward Goal Observation Contexts

Contained By:	Contains:
Outcome Observation (optional)	

This template represents a patient's progress toward a goal. It can describe whether a goal has been achieved or not and can also describe movement a patient is making toward the achievement of a goal (e.g., "Goal not achieved - no discernible change", "Goal not achieved - progressing toward goal", "Goal not achieved - declining from goal").

In the Care Planning workflow, the judgment about how well the person is progressing towards the goal is based on the observations made about the status of the patient with respect to interventions performed in the pursuit of achieving that goal.

For example, an observation outcome of a blood oxygen saturation level of 95% is related to the goal of "Maintain Pulse Ox greater than 92" and in this case the Progress Toward Goal Observation template would record that the related goal has been achieved.

Table 445: Progress Toward Goal Observation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value		
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.110)							
@classCode	11	SHALL		<u>1098-</u> <u>31418</u>	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS		
@moodCode	11	SHALL		<u>1098-</u> <u>31419</u>	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN		
templateId	11	SHALL		1098- 31420			
@root	11	SHALL		<u>1098-</u> <u>31421</u>	2.16.840.1.113883.10.20.22.4 .110		
id	1*	SHALL		<u>1098-</u> <u>31422</u>			
code	11	SHALL		1098- 31423			
@code	11	SHALL		<u>1098-</u> <u>31424</u>	ASSERTION		
@codeSystem	11	SHALL		<u>1098-</u> <u>31425</u>	urn:oid:2.16.840.1.113883.5.4 (HL7ActCode) = 2.16.840.1.113883.5.4		
statusCode	11	SHALL		<u>1098-</u> <u>31609</u>			
@code	11	SHALL		1098- 31610	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed		
value	11	SHALL	CD	<u>1098-</u> <u>31426</u>	urn:oid:2.16.840.1.113883.11. 20.9.55 (Goal Achievement)		