

Figure 79: History of Present Illness Section Example

```
<section>
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.4.2"/>
  <code codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
    code="10164-2"
    displayName="HISTORY OF PRESENT ILLNESS"/>
  <title>HISTORY OF PRESENT ILLNESS</title>
  <text>
    <paragraph>This patient was only recently discharged for a recurrent
    GI bleed as described below.</paragraph>
    <paragraph>He presented to the ER today c/o a dark stool yesterday
    but a normal brown stool today. On exam he was hypotensive in the
    80s resolved after ....</paragraph>
    <paragraph>Lab at discharge: Glucose 112, BUN 16, creatinine 1.1,
    electrolytes normal. H. pylori antibody pending. Admission
    hematocrit 16%, discharge hematocrit 29%. WBC 7300, platelet
    count 256,000. Urinalysis normal. Urine culture: No growth. INR
    1.1, PTT 40.</paragraph>
    <paragraph>He was transfused with 6 units of packed red blood cells
    with ....</paragraph>
    <paragraph>GI evaluation 12 September: Colonoscopy showed single red
    clot in ....</paragraph>
  </text>
</section>
```

2.26 Hospital Consultations Section

[section: identifier urn:oid:2.16.840.1.113883.10.20.22.2.42 (open)]

Table 117: Hospital Consultations Section Contexts

Contained By:	Contains:
Discharge Summary (V3) (optional)	

The Hospital Consultations Section records consultations that occurred during the admission.

Table 118: Hospital Consultations Section Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:oid:2.16.840.1.113883.10.20.22.2.42)					
templateId	1..1	SHALL		81-9915	
@root	1..1	SHALL		81-10393	2.16.840.1.113883.10.20.22.2.42
code	1..1	SHALL		81-15485	
@code	1..1	SHALL		81-15486	18841-7
@codeSystem	1..1	SHALL		81-26479	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		81-9917	
text	1..1	SHALL		81-9918	

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-9915) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.42" (CONF:81-10393).
2. **SHALL** contain exactly one [1..1] **code** (CONF:81-15485).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="18841-7" Hospital Consultations Section (CONF:81-15486).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26479).
3. **SHALL** contain exactly one [1..1] **title** (CONF:81-9917).
4. **SHALL** contain exactly one [1..1] **text** (CONF:81-9918).

Figure 80: Hospital Consultations Section Example

```

<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.42"/>
  <code code="18841-7" codeSystem="2.16.840.1.113883.6.1"
    codeSystemName="LOINC"
    displayName="Hospital Consultations Section"/>
  <title>HOSPITAL CONSULTATIONS</title>
  <text>
    <list listType="ordered">
      <item>Gastroenterology</item>
      <item>Cardiology</item>
      <item>Dietitian</item>
    </list>
  </text>
</section>

```

2.27 Hospital Course Section

[section: identifier urn:oid:1.3.6.1.4.1.19376.1.5.3.1.3.5 (open)]

Table 119: Hospital Course Section Contexts

Contained By:	Contains:
Discharge Summary (V3) (required)	

The Hospital Course Section describes the sequence of events from admission to discharge in a hospital facility.

Table 120: Hospital Course Section Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:oid:1.3.6.1.4.1.19376.1.5.3.1.3.5)					
templateId	1..1	SHALL		81-7852	
@root	1..1	SHALL	UID	81-10459	1.3.6.1.4.1.19376.1.5.3.1.3.5
code	1..1	SHALL		81-15487	
@code	1..1	SHALL		81-15488	8648-8
@codeSystem	1..1	SHALL		81-26480	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		81-7854	
text	1..1	SHALL		81-7855	

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-7852) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="1.3.6.1.4.1.19376.1.5.3.1.3.5" (CONF:81-10459).
2. **SHALL** contain exactly one [1..1] **code** (CONF:81-15487).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="8648-8" Hospital Course (CONF:81-15488).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26480).
3. **SHALL** contain exactly one [1..1] **title** (CONF:81-7854).
4. **SHALL** contain exactly one [1..1] **text** (CONF:81-7855).