

**Figure 1: Care Teams Section**

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.500" extension="2019-07-01"/>
  <code code="85847-2" codeSystem="2.16.840.1.113883.6.1"/>
  <title>Patient Care Teams</title>
  <text>
    <list>
      <item>
        <content ID= "CareTeamName1">Inpatient Diabetes Care Team</content>
        (<content>Active</content>) (10/08/2018 - )
        <table>
          <thead>
            <tr>
              <th>Member</th>
              <th>Role on Team</th>
              <th>Status</th>
              <th>Date</th>
            </tr>
          </thead>
          <tbody>
            <tr>
              <td>Dr. Henry Seven </td>
              <td ID="CT1_M01">PCP</td>
              <td>(Active)</td>
              <td>10/18/2019</td>
            </tr>
          </tbody>
        </table>
      </item>
    </list>
  </text>
  <entry>
    <!--Care Team Organizer-->
    ... entry info here, if coded data available for care team members...
  </entry>
</section>
```

## 1.2 Notes Section

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.65:2016-11-01  
(open) ]

**Table 3: Notes Section Contexts**

Contained By:	Contains:
	<a href="#">Note Activity</a> (required)

The Notes Section allow for inclusion of clinical documentation which does not fit precisely within any other C-CDA section. Multiple Notes sections may be included in a document provided they each include different types of note content as indicated by a different section.code.

The Notes Section SHOULD NOT be used in place of a more specific C-CDA section. For example,

## Appendix A: Templates defined in C-CDA R2.1 Companion Guide

notes about procedure should be placed within the Procedures Section, not a Notes Section. When a Notes Section is present, Note Activity entries contain structured information about the note information allowing it to be more machine processable.

**Table 4: Notes Section Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.65:2016-11-01)					
templateId	1..1	SHALL		<a href="#">3250-16935</a>	
@root	1..1	SHALL		<a href="#">3250-16936</a>	2.16.840.1.113883.10.20.22.2.65
@extension	1..1	SHALL		<a href="#">3250-16938</a>	2016-11-01
code	1..1	SHALL		<a href="#">3250-16892</a>	urn:oid:2.16.840.1.113883.11.20.9.68 (Note Types)
title	1..1	SHALL		<a href="#">3250-16891</a>	
text	1..1	SHALL		<a href="#">3250-16894</a>	
entry	1..*	SHALL		<a href="#">3250-16904</a>	
act	1..1	SHALL		<a href="#">3250-16905</a>	<a href="#">Note Activity (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.202:2016-11-01)</a>

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:3250-16935) such that it
  - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.65" (CONF:3250-16936).
  - b. **SHALL** contain exactly one [1..1] **@extension**="2016-11-01" (CONF:3250-16938).
2. **SHALL** contain exactly one [1..1] **code**, which **SHOULD** be selected from ValueSet [Note Types](#) urn:oid:2.16.840.1.113883.11.20.9.68 **DYNAMIC** (CONF:3250-16892).

This title should reflect the kind of notes included in this section, corresponding to the code.

3. **SHALL** contain exactly one [1..1] **title** (CONF:3250-16891).

The narrative **SHOULD** contain human-readable representations using standard CDA narrative markup of each note to ensure widest compatibility with receivers. While allowed by CDA, the use of <renderMultiMedia> elements, which contain a referencedObject attribute pointing to an <observationMedia> or <regionOfInterest> element in the discrete entries, is discouraged in Note Sections because rendering support for these elements is not widespread.

4. **SHALL** contain exactly one [1..1] **text** (CONF:3250-16894).
5. **SHALL** contain at least one [1..\*] **entry** (CONF:3250-16904) such that it
  - a. **SHALL** contain exactly one [1..1] [Note Activity](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.202:2016-11-01) (CONF:3250-16905).

**Figure 2: Note Section Example**

```
<section>
  <!-- Notes Section -->
  <templateId root="2.16.840.1.113883.10.20.22.2.65" extension="2016-11-01"/>
  <code code="11488-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Consultation note"/>
  <title>Consultation Notes</title>
  <text>
    <list>
      <item ID="ConsultNote1">
        <paragraph>Dr. Specialist - September 8, 2016</paragraph>
        <paragraph>Evaluated patient due to symptoms of...</paragraph>
      </item>
    </list>
  </text>
  <!-- Note Activity entry -->
  <entry>
    <act classCode="ACT" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.22.4.202" extension="2016-11-01"/>
      <code code="34109-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Note">
        <!-- Code must match or be equivalent to section code -->
        <translation code="11488-4" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Consultation note" />
      </code>
      <text>
        <reference value="#ConsultNote1" />
      </text>
      <statusCode code="completed"/>
      <!-- Clinically-relevant time of the note -->
      <effectiveTime value="20160908" />
      <!--...-->
    </act>
  </entry>
</section>
```