## 3.17 Critic ality Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.145 (open)]

Table 256: Criticality Observation Contexts

Contained By:	Contains:
Allergy - Intolerance Observation (V2) (optional)	
<u>Substance or Device Allergy - Intolerance Observation</u> (V2) (optional)	

This observation represents the gravity of the potential risk for future life-threatening adverse reactions when exposed to a substance known to cause an adverse reaction in that individual. When the worst case result is assessed to have a life-threatening or organ system threatening potential, it is considered to be of high criticality.

Table 257: Criticality Observation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value	
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.145)						
@classCode	11	SHALL		81-32921	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS	
@moodCode	11	SHALL		81-32922	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN	
templateId	11	SHALL		81-32918		
@root	11	SHALL		81-32923	2.16.840.1.113883.10.20.22.4 .145	
code	11	SHALL		81-32919		
@code	11	SHALL		81-32925	82606-5	
@codeSystem	11	SHALL		81-32926	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1	
statusCode	11	SHALL		81-32920		
@code	11	SHALL		81-32927	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed	
value	11	SHALL	CD	81-32928	urn:oid:2.16.840.1.113883.1.1 1.20549 (Criticality Observation)	

- 1. **SHALL** contain exactly one [1..1] **@classCode="**OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:81-32921).
- 2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:81-32922).
- 3. SHALL contain exactly one [1..1] templateId (CONF:81-32918) such that it
  - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.145" (CONF:81-32923).
- 4. **SHALL** contain exactly one [1..1] **code** (CONF:81-32919).

- a. This code **SHALL** contain exactly one [1..1] **@code=**"82606-5" Criticality (CONF:81-32925).
- b. This code **SHALL** contain exactly one [1..1] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-32926).
- 5. **SHALL** contain exactly one [1..1] **statusCode** (CONF:81-32920).
  - a. This statusCode **SHALL** contain exactly one [1..1] **@code="**completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:81-32927).
- 6. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", where the code **SHALL** be selected from ValueSet <u>Criticality Observation</u> urn:oid:2.16.840.1.113883.1.11.20549 **DYNAMIC** (CONF:81-32928).

## Table 258: Criticality Observation

Value Set: Criticality Observation urn:oid:2.16.840.1.113883.1.11.20549

(Clinical Focus: A clinical judgment as to the worst case result of a future exposure (including substance administration).),(Data Element Scope: observation),(Inclusion Criteria: All descendant codes from \_CriticalityObservationValue in code system ObservationValue),(Exclusion Criteria: none)

This value set was imported on 6/24/2019 with a version of 20190425.

Value Set Source:

https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.1.11.20549/expansion

Code	Code System	Code System OID	Print Name
CRITH	HL7ObservationValue	urn:oid:2.16.840.1.113883.5.10 63	high criticality
CRITL	HL7ObservationValue	urn:oid:2.16.840.1.113883.5.10 63	low criticality
CRITU	HL7ObservationValue	urn:oid:2.16.840.1.113883.5.10 63	unable to assess criticality

## Figure 137: Criticality Observation Example

## 3.18 Cultural and Religious Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.111 (open)]

Table 259: Cultural and Religious Observation Contexts

Contained By:	Contains:
Health Concern Act (V2) (optional)	
Risk Concern Act (V2) (optional)	
Social History Section (V3) (optional)	

This template represents a patient  $\hat{a}_{\Box}^{TM}$ s spiritual, religious, and cultural belief practices, such as a kosher diet or fasting ritual. religious Affiliation Code in the document header captures only the patient  $\hat{a}_{\Box}^{TM}$ s religious affiliation.

Table 260: Cultural and Religious Observation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.111)					
@classCode	11	SHALL		1098- 27924	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	11	SHALL		1098- 27925	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN
templateId	11	SHALL		1098- 27926	
@root	11	SHALL		1098- 27927	2.16.840.1.113883.10.20.22.4 .111
id	1*	SHALL		1098- 27928	
code	11	SHALL		1098- 27929	
@code	11	SHALL		1098- 27930	75281-6
@codeSystem	11	SHALL		<u>1098-</u> <u>27931</u>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
statusCode	11	SHALL		1098- 27936	
@code	11	SHALL		1098- 27937	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed
value	11	SHALL		1098- 28442	

- 1. **SHALL** contain exactly one [1..1] **@classCode="**OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1098-27924).
- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1098-27925).
- 3. SHALL contain exactly one [1..1] templateId (CONF:1098-27926) such that it