## 3.101 Social History Observation (V3)

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.38:2015-08-01 (open)]

Table 483: Social History Observation (V3) Contexts

Contained By:	Contains:
Health Concern Act (V2) (optional)	Author Participation (optional)
Risk Concern Act (V2) (optional)	
Social History Section (V3) (optional)	

This template represents a patient's occupations, lifestyle, and environmental health risk factors. Demographic data (e.g., marital status, race, ethnicity, religious affiliation) are captured in the header. Though tobacco use and exposure may be represented with a Social History Observation, it is recommended to use the Current Smoking Status template or the Tobacco Use template instead, to represent smoking or tobacco habits.

Table 484: Social History Observation (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:hl7	ii:2.16.840.1.	113883.10.2	0.22.4.38	3:2015-08-01	)
@classCode	11	SHALL		1198- 8548	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	11	SHALL		1198- 8549	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN
templateId	11	SHALL		1198- 8550	
@root	11	SHALL		1198- 10526	2.16.840.1.113883.10.20.22.4 .38
@extension	11	SHALL		1198- 32495	2015-08-01
id	1*	SHALL		1198- 8551	
code	11	SHALL		1198- 8558	urn:oid:2.16.840.1.113883.3.8 8.12.80.60 (Social History Type)
statusCode	11	SHALL		1198- 8553	
@code	11	SHALL		<u>1198-</u> <u>19117</u>	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed
effectiveTime	11	SHALL		<u>1198-</u> <u>31868</u>	
value	01	SHOULD		1198- 8559	
author	0*	SHOULD		1198- 31869	Author Participation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.119

- 1. **SHALL** contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1198-8548).
- 2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1198-8549).
- 3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-8550) such that it
  - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.38" (CONF:1198-10526).
  - b. **SHALL** contain exactly one [1..1] @extension="2015-08-01" (CONF:1198-32495).
- 4. **SHALL** contain at least one [1..\*] **id** (CONF:1198-8551).
- 5. **SHALL** contain exactly one [1..1] **code**, which **SHOULD** be selected from ValueSet <u>Social</u>
  <u>History Type</u> urn:oid:2.16.840.1.113883.3.88.12.80.60 **DYNAMIC** (CONF:1198-8558).

- a. If @codeSystem is not LOINC, then this code **SHALL** contain at least one [1..\*] translation, which **SHOULD** be selected from CodeSystem LOINC (urn:oid:2.16.840.1.113883.6.1) (CONF:1198-32951).
- 6. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1198-8553).
  - a. This statusCode **SHALL** contain exactly one [1..1] @code="completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:1198-19117).
- 7. **SHALL** contain exactly one [1..1] **effectiveTime** (CONF:1198-31868).
- 8. **SHOULD** contain zero or one [0..1] **value** (CONF:1198-8559).

NOTE: The base CDA R2.0 standard requires @unit to be drawn from UCUM, and best practice is to use case sensitive UCUM units

- a. If Observation/value is a physical quantity (xsi:type="PQ"), the unit of measure **should** be selected from ValueSet **UnitsOfMeasureCaseSensitive urn:oid:2.16.840.1.113883.1.11.12839 DYNAMIC** (CONF:1198-8555).
- 9. **SHOULD** contain zero or more [0..\*] <u>Author Participation</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:1198-31869).

## Table 485: Social History Type

Value Set: Social History Type urn:oid:2.16.840.1.113883.3.88.12.80.60

(Clinical Focus: Classification of questions bearing on a patient's behavior, achievement, and exogenous health factors),(Data Element Scope: ),(Inclusion Criteria: ),(Exclusion Criteria: )

This value set was imported on 6/9/2021 with a version of Latest.

Value Set Source:

https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.3.88.12.80.60/expansion

Code	Code System	Code System OID	Print Name
102487004	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Environmental risk factor (observable entity)
105421008	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Educational achievement (observable entity)
228272008	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Health-related behavior (observable entity)
229819007	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Tobacco use and exposure (observable entity)
256235009	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Exercise (observable entity)
302160007	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Household, family and support network detail (observable entity)
363908000	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Details of drug misuse behavior (observable entity)
364393001	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Nutritional observable (observable entity)
364703007	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Employment detail (observable entity)
423514004	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Community resource details (observable entity)

## Figure 222: Social History Observation (V3) Example

```
<observation classCode="OBS" moodCode="EVN">
    <templateId root="2.16.840.1.113883.10.20.22.4.38"</pre>
        extension="2015-08-01" />
    <id root="37f76c51-6411-4e1d-8a37-957fd49d2cef" />
    <code code="160573003" displayName="Alcohol intake"</pre>
                                 codeSystem="2.16.840.1.113883.6.96"
                                 codeSystemName="SNOMED CT" >
        <translation code="74013-4"</pre>
        codeSystem="2.16.840.1.113883.6.1"
        codeSystemName="LOINC"
        displayName="Alcoholic drinks per day"/>
    </code>
    <statusCode code="completed" />
    <effectiveTime>
        <low value="20120215" />
    </effectiveTime>
    <value xsi:type="PQ" value="12" />
    <author typeCode="AUT">
        <templateId root="2.16.840.1.113883.10.20.22.4.119" />
    </author>
</observation>
```

## 3.102SOP Instance Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.6.2.8 (open)]

Table 486: SOP Instance Observation Contexts

Contained By:	Contains:
Series Act (required)	Purpose of Reference Observation (optional)
<u>Text Observation</u> (optional)	Referenced Frames Observation (optional)
Code Observations (optional)	
Quantity Measurement Observation (optional)	
Diagnostic Imaging Report (V3) (optional)	

A SOP Instance Observation contains the DICOM Service Object Pair (SOP) Instance information for referenced DICOM composite objects. The SOP Instance act class is used to reference both image and non-image DICOM instances. The text attribute contains the DICOM WADO reference.