Figure 2: Care Teams Section Example

```
<section>
   <templateId root="2.16.840.1.113883.10.20.22.2.500" extension="2019-07-01"/>
   <templateId root="2.16.840.1.113883.10.20.22.2.500" extension="2022-06-01"/>
   <code code="85847-2" codeSystem="2.16.840.1.113883.6.1"/>
   <title>Patient Care Teams</title>
   <text>
      st>
         <item>
             <content ID= "CareTeamName1">Inpatient Diabetes Care Team//content> (
             <content>Active</content>) (10/08/2018 - )
             <thead>
                   Member
                       Role on Team
                       Status
                       Date
                   </thead>
                Dr. Henry Seven 
                       PCP
                       (Active) 
                       10/18/2019
                    </item>
      </list>
   </text>
   <entry>
      <!--Care Team Organizer-->
... entry info here, if coded data available for care team members...
   </entry>
</section>
```

2.2 Notes Section

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.65:2016-11-01 (open)]

Table 4: Notes Section Contexts

Contained By:	Contains:	
	Note Activity (required)	

The Notes Section allow for inclusion of clinical documentation which does not fit precisely within any other C-CDA section. Multiple Notes sections may be included in a document provided they each

include different types of note content as indicated by a different section.code.

The Notes Section SHOULD NOT be used in place of a more specific C-CDA section. For example, notes about procedure should be placed within the Procedures Section, not a Notes Section. When a Notes Section is present, Note Activity entries contain structured information about the note information allowing it to be more machine processable.

Table 5: Notes Section Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value		
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.65:2016-11-01)							
templateId	11	SHALL		3250- 16935			
@root	11	SHALL		3250- 16936	2.16.840.1.113883.10.20.22.2 .65		
@extension	11	SHALL		3250- 16938	2016-11-01		
code	11	SHALL		3250- 16892	urn:oid:2.16.840.1.113883.11. 20.9.68 (Note Types)		
title	11	SHALL		3250- 16891			
text	11	SHALL		3250- 16894			
entry	1*	SHALL		3250- 16904			
act	11	SHALL		3250- 16905	Note Activity (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.202:2016-11-01		

- 11. SHALL contain exactly one [1..1] templateId (CONF:3250-16935) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.22.2.65" (CONF:3250-16936).
 - b. **SHALL** contain exactly one [1..1] @extension="2016-11-01" (CONF:3250-16938).
- 12. **SHALL** contain exactly one [1..1] **code**, which **SHOULD** be selected from ValueSet **Note Types** urn:oid:2.16.840.1.113883.11.20.9.68 **DYNAMIC** (CONF:3250-16892).

This title should reflect the kind of notes included in this section, corresponding to the code.

13. **SHALL** contain exactly one [1..1] **title** (CONF:3250-16891).

The narrative SHOULD contain human-readable representations using standard CDA narrative markup of each note to ensure widest compatibility with receivers. While allowed by CDA, the use of <renderMultiMedia> elements, which contain a referencedObject attribute pointing to an <observationMedia> or <regionOfInterest> element in the discrete entries, is discouraged in Note Sections because rendering support for these elements is not widespread.

- 14. **SHALL** contain exactly one [1..1] **text** (CONF:3250-16894).
- 15. **SHALL** contain at least one [1..*] **entry** (CONF:3250-16904) such that it

a. SHALL contain exactly one [1..1] Note Activity (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.202:2016-11-01) (CONF:3250-16905).

Figure 3: Note Section Example

```
<section>
   <!-- Notes Section -->
    <templateId root="2.16.840.1.113883.10.20.22.2.65" extension="2016-11-01"/>
    <code code="11488-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"</pre>
displayName="Consultation note"/>
    <title>Consultation Notes</title>
    <text>
        st>
            <item ID="ConsultNote1">
                <paragraph>Dr. Specialist - September 8, 2016</paragraph>
                <paragraph>Evaluated patient due to symptoms of...</paragraph>
            </item>
        </list>
    </text>
    <!-- Note Activity entry -->
    <entry>
        <act classCode="ACT" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.22.4.202" extension="2016-11-01"/>
            <code code="34109-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"</pre>
displayName="Note">
                <!-- Code must match or be equivalent to section code -->
                <translation code="11488-4" codeSystem="2.16.840.1.113883.6.1"</pre>
codeSystemName="LOINC" displayName="Consultation note" />
            </code>
            <text>
                <reference value="#ConsultNote1" />
            </text>
            <statusCode code="completed"/>
            <!-- Clinically-relevant time of the note -->
            <effectiveTime value="20160908" />
            <!--->
        </act>
    </entry>
</section>
```