

**Figure 100: Plan of Treatment Section (V2) Example**

```

<component>
  <section>
    <templateId root="2.16.840.1.113883.10.20.22.2.10" extension="2014-06-09" />
    <!-- **** Plan of Treatment Section V2 template **** -->
    <code code="18776-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Treatment plan" />
    <title>TREATMENT PLAN</title>
    <text>
      ...
    </text>
    <entry>
      <act classCode="ACT" moodCode="EVN">
        <!-- Handoff Communication template -->
        <templateId root="2.16.840.1.113883.10.20.22.4.141" />
        ...
      </act>
    </entry>
    <entry>
      <encounter moodCode="INT" classCode="ENC">
        <templateId root="2.16.840.1.113883.10.20.22.4.40" extension="2014-06-09"
/>
        <!-- Plan Activity Encounter V2 template -->
        ...
      </encounter>
    </entry>
  </section>
</component>

```

## 2.49 Planned Procedure Section (V2)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.30:2014-06-09  
(open) ]

**Table 167: Planned Procedure Section (V2) Contexts**

Contained By:	Contains:
<a href="#">Procedure Note [V3]</a> (optional) <a href="#">Operative Note [V3]</a> (optional)	<a href="#">Planned Procedure [V2]</a> (optional)

This section contains the procedure(s) that a clinician planned based on the preoperative assessment.

**Table 168: Planned Procedure Section (V2) Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.30:2014-06-09)					
templateId	1..1	SHALL		<a href="#">1098-8082</a>	
@root	1..1	SHALL		<a href="#">1098-10436</a>	2.16.840.1.113883.10.20.22.2.30
@extension	1..1	SHALL		<a href="#">1098-32590</a>	2014-06-09
code	1..1	SHALL		<a href="#">1098-15399</a>	
@code	1..1	SHALL		<a href="#">1098-15400</a>	59772-4
@codeSystem	1..1	SHALL		<a href="#">1098-32151</a>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		<a href="#">1098-8084</a>	
text	1..1	SHALL		<a href="#">1098-8085</a>	
entry	0..*	MAY		<a href="#">1098-8744</a>	
procedure	1..1	SHALL		<a href="#">1098-15502</a>	<a href="#">Planned Procedure (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.41:2014-06-09)</a>

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-8082) such that it
  - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.30" (CONF:1098-10436).
  - b. **SHALL** contain exactly one [1..1] **@extension**="2014-06-09" (CONF:1098-32590).
2. **SHALL** contain exactly one [1..1] **code** (CONF:1098-15399).
  - a. This code **SHALL** contain exactly one [1..1] **@code**="59772-4" Planned Procedure (CONF:1098-15400).
  - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-32151).
3. **SHALL** contain exactly one [1..1] **title** (CONF:1098-8084).
4. **SHALL** contain exactly one [1..1] **text** (CONF:1098-8085).
5. **MAY** contain zero or more [0..\*] **entry** (CONF:1098-8744) such that it
  - a. **SHALL** contain exactly one [1..1] [Planned Procedure \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.41:2014-06-09) (CONF:1098-15502).

**Figure 101: Planned Procedure Section (V2) Example**

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.30" extension="2014-06-09" />
  <code code="59772-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Planned Procedure" />
  <title>Planned Procedure</title>
  <text>
    ...
  </text>
  <entry>
    <procedure moodCode="RQO" classCode="PROC">
      <templateId root="2.16.840.1.113883.10.20.22.4.41" extension="2014-06-09" />
      <!-- ** Planned Procedure ** -->
      ...
    </procedure>
  </entry>
</section>
```

## 2.50 Postoperative Diagnosis Section

[section: identifier urn:oid:2.16.840.1.113883.10.20.22.2.35 (open)]

**Table 169: Postoperative Diagnosis Section Contexts**

Contained By:	Contains:
<a href="#">Operative Note (V3)</a> (required)	

The Postoperative Diagnosis Section records the diagnosis or diagnoses discovered or confirmed during the surgery. Often it is the same as the preoperative diagnosis.

**Table 170: Postoperative Diagnosis Section Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:oid:2.16.840.1.113883.10.20.22.2.35)					
templateId	1..1	SHALL		<a href="#">81-8101</a>	
@root	1..1	SHALL		<a href="#">81-10437</a>	2.16.840.1.113883.10.20.22.2.35
code	1..1	SHALL		<a href="#">81-15401</a>	
@code	1..1	SHALL		<a href="#">81-15402</a>	10218-6
@codeSystem	1..1	SHALL		<a href="#">81-26488</a>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		<a href="#">81-8103</a>	
text	1..1	SHALL		<a href="#">81-8104</a>	

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-8101) such that it
  - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.35" (CONF:81-10437).