

### 2.2 Care Team Member Act

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.500.1:2019-07-01  
(open) ]

**Table 6: Care Team Member Act Contexts**

Contained By:	Contains:
<a href="#">Care Team Organizer</a> (required)	<a href="#">Note Activity</a> (optional) <a href="#">Care Team Member Schedule Observation</a> (optional)

This template is used to represent a member of the care team. Care team members can include healthcare and community services providers, caregivers, relatives, the patient themselves, etc. A care team member can be another care team or an organization.

Care team member attributes include the following:

- Care team member status on the care team
- Care team member time (e.g. duration, point-in-time, etc.) on the care team
- Schedule of the care team member describing when the care team member usually participates on the care team
- Care team member function on the care team such as the care team member specialty, relationship to the patient, and also role on the care team
- Care team member name, address, telecom, organization, etc.
- Care team member information (narrative description about the care team member)

## Appendix A: Templates defined in C-CDA R2.1 Companion Guide

**Table 7: Care Team Member Act Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.500.1:2019-07-01)					
@classCode	1..1	SHALL		<a href="#">4435-53</a>	PCPR
@moodCode	1..1	SHALL		<a href="#">4435-54</a>	EVN
templateId	1..1	SHALL		<a href="#">4435-45</a>	
@root	1..1	SHALL		<a href="#">4435-66</a>	2.16.840.1.113883.10.20.22.4.500.1
@extension	1..1	SHALL		<a href="#">4435-67</a>	2019-07-01
id	1..*	SHALL		<a href="#">4435-162</a>	
code	1..1	SHALL		<a href="#">4435-27</a>	
@code	1..1	SHALL		<a href="#">4435-48</a>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 85847-2
@codeSystem	1..1	SHALL		<a href="#">4435-49</a>	2.16.840.1.113883.6.1
statusCode	1..1	SHALL		<a href="#">4435-62</a>	
@code	1..1	SHALL		<a href="#">4435-68</a>	urn:oid:2.16.840.1.113883.1.11.15933 (ActStatus)
effectiveTime	1..1	SHALL		<a href="#">4435-33</a>	
low	1..1	SHALL		<a href="#">4435-167</a>	
high	0..1	MAY		<a href="#">4435-168</a>	
performer	1..1	SHALL		<a href="#">4435-160</a>	
sdtc:functionCode	0..1	MAY		<a href="#">4435-161</a>	urn:oid:2.16.840.1.113762.1.4.1099.30 (Care Team Member Function)
participant	0..*	MAY		<a href="#">4435-76</a>	
@typeCode	1..1	SHALL		<a href="#">4435-78</a>	urn:oid:2.16.840.1.113883.5.90 (HL7ParticipationType) = IND
sdtc:functionCode	1..1	SHALL		<a href="#">4435-169</a>	urn:oid:2.16.840.1.113762.1.4.1099.30 (Care Team Member Function)
participant	0..*	MAY		<a href="#">4435-171</a>	
@typeCode	1..1	SHALL		<a href="#">4435-174</a>	urn:oid:2.16.840.1.113883.5.90 (HL7ParticipationType) = LOC
participantRole	1..1	SHALL		<a href="#">4435-173</a>	
entryRelationship	0..*	MAY		<a href="#">4435-86</a>	
@typeCode	1..1	SHALL		<a href="#">4435-87</a>	urn:oid:2.16.840.1.113883.5.1002 (HL7ActRelationshipType) = REFR
encounter	1..1	SHALL		<a href="#">4435-88</a>	
id	1..1	SHALL		<a href="#">4435-89</a>	
entryRelationship	0..*	MAY		<a href="#">4435-91</a>	

## Appendix A: Templates defined in C-CDA R2.1 Companion Guide

XPath	Card.	Verb	Data Type	CONF#	Value
@typeCode	1..1	SHALL		<a href="#">4435-92</a>	urn:oid:2.16.840.1.113883.5.1002 (HL7ActRelationshipType) = REFR
act	1..1	SHALL		<a href="#">4435-93</a>	<a href="#">Note Activity (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.202:2016-11-01)</a>
entryRelationship	0..1	MAY		<a href="#">4435-94</a>	
@typeCode	1..1	SHALL		<a href="#">4435-96</a>	urn:oid:2.16.840.1.113883.5.1002 (HL7ActRelationshipType) = REFR
observation	1..1	SHALL		<a href="#">4435-95</a>	<a href="#">Care Team Member Schedule Observation (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.500.3:2019-07-01)</a>

1. **SHALL** contain exactly one [1..1] **@classCode**="PCPR" Provision of Care (CONF:4435-53).
2. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" Event (CONF:4435-54).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:4435-45) such that it
  - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.500.1" (CONF:4435-66).
  - b. **SHALL** contain exactly one [1..1] **@extension**="2019-07-01" (CONF:4435-67).
4. **SHALL** contain at least one [1..\*] **id** (CONF:4435-162).
5. **SHALL** contain exactly one [1..1] **code** (CONF:4435-27).
  - a. This code **SHALL** contain exactly one [1..1] **@code**="85847-2" Patient Care team information (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:4435-48).
  - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" LOINC (CONF:4435-49).
6. **SHALL** contain exactly one [1..1] **statusCode** (CONF:4435-62).
  - a. This statusCode **SHALL** contain exactly one [1..1] **@code**, which **SHALL** be selected from ValueSet [ActStatus](#) urn:oid:2.16.840.1.113883.1.11.15933 **STATIC** 2019-05-27 (CONF:4435-68).
7. **SHALL** contain exactly one [1..1] **effectiveTime** (CONF:4435-33).
  - a. This effectiveTime **SHALL** contain exactly one [1..1] **low** (CONF:4435-167).
  - b. This effectiveTime **MAY** contain zero or one [0..1] **high** (CONF:4435-168).
8. **SHALL** contain exactly one [1..1] **performer** (CONF:4435-160) such that it
  - a. **MAY** contain zero or one [0..1] **sdct:functionCode**, which **SHOULD** be selected from ValueSet [Care Team Member Function](#) urn:oid:2.16.840.1.113762.1.4.1099.30 **DYNAMIC** (CONF:4435-161).  
 Note: This sdct:functionCode represents the function or role of the member on the care team. For example, the care team member roles on the care team can be a caregiver and a professional nurse or a primary care provider and the care coordinator.

## Appendix A: Templates defined in C-CDA R2.1 Companion Guide

This participant is used to express additional care team functions performed by this member of the team.

9. **MAY** contain zero or more [0..\*] **participant** (CONF:4435-76) such that it
- SHALL** contain exactly one [1..1] **@typeCode="IND"** Indirect Target (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:4435-78).
  - SHALL** contain exactly one [1..1] **sdtc:functionCode**, which **SHALL** be selected from ValueSet [Care Team Member Function](#) (urn:oid:2.16.840.1.113762.1.4.1099.30 **DYNAMIC** (CONF:4435-169).
  - This participantRole **SHALL** contain exactly one [1..1] **@nullFlavor="NI"** No Information. (CONF:4435-172).

This participant represents the location where the care team member provides the service

10. **MAY** contain zero or more [0..\*] **participant** (CONF:4435-171) such that it
- SHALL** contain exactly one [1..1] **@typeCode="LOC"** Location (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:4435-174).
  - SHALL** contain exactly one [1..1] **participantRole** (CONF:4435-173).
11. **MAY** contain zero or more [0..\*] **entryRelationship** (CONF:4435-86) such that it
- SHALL** contain exactly one [1..1] **@typeCode="REFR"** Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:4435-87).
  - SHALL** contain exactly one [1..1] **encounter** (CONF:4435-88).
    - This encounter **SHALL** contain exactly one [1..1] **id** (CONF:4435-89).
      - If the id does not match an encounter/id from an encounter elsewhere within the same document and the id does not contain **@nullFlavor=NA**, then this entry **SHALL** conform to the Encounter Activity (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.49:2015-08-01) (CONF:4435-90).

This is the note activity to narratively describe information about the member on the care team.

12. **MAY** contain zero or more [0..\*] **entryRelationship** (CONF:4435-91) such that it
- SHALL** contain exactly one [1..1] **@typeCode="REFR"** Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:4435-92).
  - SHALL** contain exactly one [1..1] [Note Activity](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.202:2016-11-01) (CONF:4435-93).

This is the schedule of when or how frequently the care team member participates (or provides care to the patient) on the care team.

13. **MAY** contain zero or one [0..1] **entryRelationship** (CONF:4435-94) such that it
- SHALL** contain exactly one [1..1] **@typeCode="REFR"** Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:4435-96).
  - SHALL** contain exactly one [1..1] [Care Team Member Schedule Observation](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.500.3:2019-07-01) (CONF:4435-95).

**Figure 4: Care Team Member Act**

```
<!--Care Team Organizer-->
  <entry>
    <organizer classCode="CLUSTER" moodCode="EVN">
      <templateId root="2.16.840.1.113883.10.20.22.4.500" extension="2019-07-
01"/>
      ...
      <!--NEW Care Team Organizer Entry Template ID and extension-->
      ...
      <!-- #1 Care Team Member Act - This component is a care team member who is a
provider -->
      <component>
        <act classCode="PCPR" moodCode="EVN">
          <templateId root="2.16.840.1.113883.10.20.22.4.500.1" extension="2019-
07-01"/>
          <id root="1.5.5.5.5.5.5"/>
          <code code="85847-2" codeSystem="2.16.840.1.113883.6.1"
codeSystemName="LOINC" displayName="Care Team Information"/>
          <!--Care Team Member Status -
https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.1.11.15933/expansion-->
          <statusCode code="active"/>
          <effectiveTime xsi:type="IVL_TS">
            <low value="201810081426-0500"/>
          </effectiveTime>
          <!--Attributes about the provider member - name-->
          <performer typeCode="PRF">
            <functionCode xmlns="urn:hl7-org:sdtc" code="PCP"
displayName="primary care physician"
codeSystem="2.16.840.1.113883.5.88"
codeSystemName="ParticipationFunction">
              <originalText xmlns="urn:hl7-org:v3">
                <reference value="#CT1_M01"></reference>
              </originalText>
            </functionCode> <!-- A care team member role -->
            <assignedEntity>
              <id root="B00B14E8-CDE4-48EA-8A09-01BC4945122A" extension="1"/>
              <id root="1.5.5.5.5.5.5"/>
              <assignedPerson>
                <name><given>John</given><given>D</given><family>Smith</family>,<suffix>MD</suffix> </name>
              </assignedPerson>
            </assignedEntity>
          </performer>
        </act>
      </component>
    </organizer>
  </entry>
```