

- a. This code **SHALL** contain exactly one [1..1] **@code**="10154-3" Chief Complaint (CONF:81-15452).
- b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26474).
3. **SHALL** contain exactly one [1..1] **title** (CONF:81-7834).
4. **SHALL** contain exactly one [1..1] **text** (CONF:81-7835).

**Figure 64: Chief Complaint Section Example**

```
<section>
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.13.2.1"/>
  <code code="10154-3"
    codeSystem="2.16.840.1.113883.6.1"
    codeSystemName="LOINC"
    displayName="CHIEF COMPLAINT"/>
  <title> CHIEF COMPLAINT</title>
  <text>Back Pain</text>
</section>
```

## 2.10 Complications Section (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.37:2015-08-01 (open)]

**Table 83: Complications Section (V3) Contexts**

Contained By:	Contains:
<a href="#">Procedure Note (V3)</a> (required)	<a href="#">Problem Observation (V3)</a> (optional)
<a href="#">Operative Note (V3)</a> (required)	

This section contains problems that occurred during or around the time of a procedure. The complications may be known risks or unanticipated problems.

**Table 84: Complications Section (V3) Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.37:2015-08-01)					
templateId	1..1	SHALL		<a href="#">1198-8174</a>	
@root	1..1	SHALL		<a href="#">1198-10384</a>	2.16.840.1.113883.10.20.22.2.37
@extension	1..1	SHALL		<a href="#">1198-32538</a>	2015-08-01
code	1..1	SHALL		<a href="#">1198-15453</a>	
@code	1..1	SHALL		<a href="#">1198-15454</a>	55109-3
@codeSystem	1..1	SHALL		<a href="#">1198-30860</a>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		<a href="#">1198-8176</a>	
text	1..1	SHALL		<a href="#">1198-8177</a>	
entry	0..*	MAY		<a href="#">1198-8795</a>	
observation	1..1	SHALL		<a href="#">1198-15455</a>	<a href="#">Problem Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01)</a>

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-8174) such that it
  - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.37" (CONF:1198-10384).
  - b. **SHALL** contain exactly one [1..1] **@extension**="2015-08-01" (CONF:1198-32538).
2. **SHALL** contain exactly one [1..1] **code** (CONF:1198-15453).
  - a. This code **SHALL** contain exactly one [1..1] **@code**="55109-3" Complications (CONF:1198-15454).
  - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-30860).
3. **SHALL** contain exactly one [1..1] **title** (CONF:1198-8176).
4. **SHALL** contain exactly one [1..1] **text** (CONF:1198-8177).
5. **MAY** contain zero or more [0..\*] **entry** (CONF:1198-8795) such that it
  - a. **SHALL** contain exactly one [1..1] [Problem Observation \(V3\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01) (CONF:1198-15455).

Note: When no coded entries or negation of entries are present, narrative

section/text will be provided containing details of the complication(s) or that there were no complications.

**Figure 65: Complications Section (V3) Example**

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.37" extension="2015-08-01" />
  <code code="55109-3" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Complications" />
  <title>Complications</title>
  <text>Asthmatic symptoms while under general anesthesia.</text>
  <entry>
    <observation classCode="OBS" moodCode="EVN">
      <!-- Problem Observation -->
      ...

    </observation>
  </entry>
</section>
```

## 2.11 Course of Care Section

[section: identifier urn:oid:2.16.840.1.113883.10.20.22.2.64 (open)]

**Table 85: Course of Care Section Contexts**

Contained By:	Contains:
<a href="#">Transfer Summary (V2)</a> (optional)	

The Course of Care section describes what happened during the course of an encounter.