3.70 Planned Supply (V2)

[supply: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.43:2014-06-09 (open)]

Table 397: Planned Supply (V2) Contexts

Contained By:	Contains:
Plan of Treatment Section (V2) (optional)	Product Instance (optional)
Nutrition Recommendation (optional)	Indication (V2) (optional)
Planned Intervention Act (V2) (optional)	Medication Information (V2) (optional)
	Priority Preference (optional)
	Instruction (V2) (optional)
	Author Participation (optional)
	Immunization Medication Information (V2) (optional)
	Planned Coverage (optional)

This template represents both medicinal and non-medicinal supplies ordered, requested, or intended for the patient (e.g., medication prescription, order for wheelchair). The importance of the supply order or request to the patient and provider may be indicated in the Priority Preference.

The effective time indicates the time when the supply is intended to take place and author time indicates when the documentation of the plan occurred. The Planned Supply template may also indicate the potential insurance coverage for the procedure.

Depending on the type of supply, the product or participant will be either a Medication Information product (medication), an Immunization Medication Information product (immunization), or a Product Instance participant (device/equipment).

Table 398: Planned Supply (V2) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
supply (identifier: urn:hl7ii:2.16	5.840.1.1138	83.10.20.22	.4.43:201	4-06-09)	
@classCode	11	SHALL		1098- 8577	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = SPLY
@moodCode	11	SHALL		1098- 8578	urn:oid:2.16.840.1.113883.11. 20.9.24 (Planned moodCode (SubstanceAdministration/Supply))
templateId	11	SHALL		1098- 30463	
@root	11	SHALL		1098- 30464	2.16.840.1.113883.10.20.22.4 .43
@extension	11	SHALL		1098- 32556	2014-06-09
id	1*	SHALL		1098- 8580	
statusCode	11	SHALL		<u>1098-</u> <u>30458</u>	
@code	11	SHALL		1098- 32047	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = active
effectiveTime	01	SHOULD		1098- 30459	
repeatNumber	01	MAY		<u>1098-</u> <u>32063</u>	
quantity	01	MAY		1098- 32064	
product	01	MAY		<u>1098-</u> <u>32049</u>	
manufacturedProduct	11	SHALL		1098- 32050	Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.23:2014-06-09
product	01	MAY		<u>1098-</u> <u>32051</u>	
manufacturedProduct	11	SHALL		1098- 32052	Immunization Medication Information (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.54:2014-06-09
product	01	SHOULD		1098- 32325	
performer	0*	MAY		1098- 32048	
author	01	SHOULD		1098- 31129	Author Participation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.119
participant	01	MAY		<u>1098-</u>	

XPath	Card.	Verb	Data Type	CONF#	Value
				32094	
participantRole	11	SHALL		<u>1098-</u> <u>32095</u>	Product Instance (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.37
entryRelationship	0*	MAY		1098- 31110	
@typeCode	11	SHALL		1098- 31111	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = REFR
observation	11	SHALL		1098- 31112	Priority Preference (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.143
entryRelationship	0*	MAY		1098- 32054	
@typeCode	11	SHALL		1098- 32055	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = RSON
observation	11	SHALL		1098- 32056	Indication (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.19:2014-06-09
entryRelationship	0*	MAY		1098- 32057	
@typeCode	11	SHALL		1098- 32058	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = SUBJ
act	11	SHALL		1098- 32059	Instruction (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.20:2014-06-09
entryRelationship	0*	MAY		1098- 32060	
@typeCode	11	SHALL		<u>1098-</u> <u>32061</u>	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = COMP
act	11	SHALL		1098- 32062	Planned Coverage (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.129

- 1. **SHALL** contain exactly one [1..1] **@classCode="**SPLY" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1098-8577).
- 2. **SHALL** contain exactly one [1..1] **@moodCode**, which **SHALL** be selected from ValueSet Planned moodCode (SubstanceAdministration/Supply) urn:oid:2.16.840.1.113883.11.20.9.24 **STATIC** 2011-09-30 (CONF:1098-8578).
- 3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-30463) such that it
 - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.43" (CONF:1098-30464).
 - b. **SHALL** contain exactly one [1..1] **@extension="**2014-06-09" (CONF:1098-32556).
- 4. **SHALL** contain at least one [1..*] **id** (CONF:1098-8580).

- 5. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1098-30458).
 - a. This statusCode SHALL contain exactly one [1..1] @code="active" Active (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14) (CONF:1098-32047).

The effective Time in a planned supply represents the time that the supply should occur.

SHOULD contain zero or one [0..1] effectiveTime (CONF:1098-30459).

In a Planned Supply, repeatNumber indicates the number of times the supply event can occur. For example, if a medication is filled at a pharmacy and the prescription may be refilled 3 more times, the supply RepeatNumber equals 4.

- 7. MAY contain zero or one [0..1] repeatNumber (CONF:1098-32063).
- 8. MAY contain zero or one [0..1] quantity (CONF:1098-32064).

This product represents medication that is ordered, requested or intended for the patient.

- 9. MAY contain zero or one [0..1] product (CONF:1098-32049) such that it
 - a. SHALL contain exactly one [1..1] Medication Information (V2) (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.23:2014-06-09) (CONF:1098-32050).
 - b. If the product is Medication Information (V2) (2.16.840.1.113883.10.20.22.4.23.2) then the product **SHALL NOT** be Immunization Medication Information (2.16.840.1.113883.10.20.22.4.54.2) and the participant **SHALL NOT** be Product Instance (CONF:1098-32092).

This product represents immunization medication that is ordered, requested or intended for the patient.

- 10. MAY contain zero or one [0..1] product (CONF:1098-32051) such that it
 - a. **SHALL** contain exactly one [1..1] <u>Immunization Medication Information (V2)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.54:2014-06-09) (CONF: 1098-32052).
 - b. If the product is Medication Information (V2) (2.16.840.1.113883.10.20.22.4.23.2) then the product **SHALL NOT** be Immunization Medication Information (2.16.840.1.113883.10.20.22.4.54.2) and the participant **SHALL NOT** be Product Instance (CONF:1098-32093).

A product is recommended or even required under certain implementations. This IG makes product as recommended (SHOULD).

11. **SHOULD** contain zero or one [0..1] **product** (CONF:1098-32325).

The clinician who is expected to perform the supply could be identified using supply/performer.

12. MAY contain zero or more [0..*] performer (CONF:1098-32048).

The author in a supply represents the clinician who is requesting or planning the supply.

13. **SHOULD** contain zero or one [0..1] **Author Participation** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:1098-31129).

This participant represents a device that is ordered, requested or intended for the patient.

14. MAY contain zero or one [0..1] participant (CONF:1098-32094) such that it

- a. **SHALL** contain exactly one [1..1] **Product Instance** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.37) (CONF:1098-32095).
- b. If the participant is Product Instance then the product **SHALL NOT** be Medication Information (V2) (2.16.840.1.113883.10.20.22.4.23.2) and the product **SHALL NOT** be Immunization Medication Information (V2) (2.16.840.1.113883.10.20.22.4.54.2) (CONF:1098-32096).

The following entryRelationship represents the priority that a patient or a provider places on the supply.

- 15. MAY contain zero or more [0..*] entryRelationship (CONF:1098-31110) such that it
 - a. **SHALL** contain exactly one [1..1] @typeCode="REFR" Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-31111).
 - b. **SHALL** contain exactly one [1..1] **Priority Preference** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.143) (CONF:1098-31112).

The following entryRelationship represents the indication for the supply.

- 16. MAY contain zero or more [0..*] entryRelationship (CONF:1098-32054) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**RSON" Has Reason (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32055).
 - b. **SHALL** contain exactly one [1..1] <u>Indication (V2)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.19:2014-06-09) (CONF:1098-32056).

The following entryRelationship captures any instructions associated with the planned supply.

- 17. MAY contain zero or more [0..*] entryRelationship (CONF:1098-32057) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="**SUBJ" Has Subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32058).
 - b. **SHALL** contain exactly one [1..1] <u>Instruction (V2)</u> (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.20:2014-06-09) (CONF:1098-32059).

The following entryRelationship represents the insurance coverage the patient may have for the supply.

- 18. MAY contain zero or more [0..*] entryRelationship (CONF:1098-32060) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode=**"COMP" Has Component (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002) (CONF:1098-32061).
 - b. **SHALL** contain exactly one [1..1] **Planned Coverage** (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.129) (CONF:1098-32062).

Figure 190: Planned Supply (V2) Example

```
<supply moodCode="INT" classCode="SPLY">
    <templateId root="2.16.840.1.113883.10.20.22.4.43" extension="2014-06-09" />
    <!-- Planned Supply (V2) -->
    <id root="9a6d1bac-17d3-4195-89c4-1121bc809b5d" />
    <statusCode code="active" />
    <!-- The effectiveTime in a planned supply represents
    the time that the supply should occur. -->
    <effectiveTime value="20130615" />
    <repeatNumber value="1" />
    <quantity value="3" />
    <!-- This product represents medication that is ordered,
    requested or intended for the patient. -->
    oduct>
        <manufacturedProduct classCode="MANU">
            <!-- Medication Information (V2) -->
            <templateId root="2.16.840.1.113883.10.20.22.4.23" extension="2014-06-09" />
            <id root="2a620155-9d11-439e-92b3-5d9815ff4ee8" />
            <manufacturedMaterial>
                <code code="573621" codeSystem="2.16.840.1.113883.6.88"</pre>
displayName="Proventil 0.09 MG/ACTUAT inhalant solution">
                    <originalText>
                        <reference value="#MedSec_1" />
                    </originalText>
                    <translation code="573621" displayName="Proventil 0.09 MG/ACTUAT</pre>
inhalant solution" codeSystem="2.16.840.1.113883.6.88" codeSystemName="RxNorm" />
                </code>
            </manufacturedMaterial>
            <manufacturerOrganization>
                <name>Medication Factory Inc.</name>
            </manufacturerOrganization>
        </manufacturedProduct>
    </product>
    <!-- The clinician who is expected to perform the supply
    could be identified using supply/performer. -->
    <performer>
  </performer>
    <!-- The author in a supply represents the clinician
    who is requesting or planning the supply. -->
    <author typeCode="AUT">
    . . .
  </author>
    <entryRelationship typeCode="REFR">
       <!-- Patient Priority Preference -->
    </entryRelationship>
    <entryRelationship typeCode="REFR">
        <!-- Provider Priority Preference -->
    </entryRelationship>
    <entryRelationship typeCode="RSON">
        <!-- Indication (V2) -->
```

3.71 Policy Activity (V3)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.61:2015-08-01 (open)]

Table 399: Policy Activity (V3) Contexts

Contained By:	Contains:
Coverage Activity (V3) (required)	US Realm Address (AD.US.FIELDED) (optional)

A policy activity represents the policy or program providing the coverage. The person for whom payment is being provided (i.e., the patient) is the covered party. The subscriber of the policy or program is represented as a participant that is the holder of the coverage. The payer is represented as the performer of the policy activity.