- 1. This reference/@value **SHALL** begin with a '#' and **SHALL** point to its corresponding narrative (using the approach defined in CDA Release 2, section 4.3.5.1) (CONF:81-15969).
- b. This text **SHALL** contain exactly one [1..1] **reference/@value** (CONF:81-9431).
- 6. **SHOULD** contain zero or one [0..1] <u>Author Participation</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:81-9433).
- 7. Data elements defined elsewhere in the specification **SHALL NOT** be recorded using the Comment Activity (CONF:81-9429).

Figure 135: Comment Activity Example

```
<act classCode="ACT" moodCode="EVN">
   <templateId root="2.16.840.1.113883.10.20.22.4.64"/>
   <code code="48767-8" displayName="Annotation Comment"</pre>
       codeSystemName="LOINC"
       codeSystem="2.16.840.1.113883.6.1"/>
   <text>The patient stated that he was looking forward to an upcoming
   vacation to New York with his family. He was concerned that he may
   not have enough medication for the trip. An additional prescription
   was provided to cover that period of time.
       <reference value="#PntrtoSectionText"/>
   </text>
   <author>
       <time value="20050329224411+0500"/>
       <assignedAuthor>
           <id extension="KP00017" root="2.16.840.1.113883.19.5"/>
           <addr>
                <streetAddressLine>21 North Ave.
                <city>Burlington</city>
                <state>MA</state>
                <postalCode>02368</postalCode>
                <country>US</country>
           </addr>
           <telecom use="WP" value="tel:(555)555-1003"/>
           <assignedPerson>
                <name>
                    <qiven>Henry</qiven>
                    <family>Seven</family>
                </name>
           </assignedPerson>
       </assignedAuthor>
   </author>
</act>
```

## 3.16 Coverage Activity (V3)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.60:2015-08-01 (open)]

Table 254: Coverage Activity (V3) Contexts

Contained By:	Contains:			
Payers Section (V3) (optional)	Policy Activity (V3) (required)			

A Coverage Activity groups the policy and authorization acts within a Payers Section to order the payment sources. A Coverage Activity contains one or more Policy Activities, each of which contains zero or more Authorization Activities. The Coverage Activity id is the ID from the patient's insurance card. The sequenceNumber/@value shows the policy order of preference.

Table 255: Coverage Activity (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:hl7ii:2.16.840	0.1.113883.	0.20.22.4.6	0:2015-08	3-01)	•
@classCode	11	SHALL		1198- 8872	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = ACT
@moodCode	11	SHALL		1198- 8873	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN
templateId	11	SHALL		1198- 8897	
@root	11	SHALL		1198- 10492	2.16.840.1.113883.10.20.22.4 .60
@extension	11	SHALL		1198- 32596	2015-08-01
id	1*	SHALL		1198- 8874	
code	11	SHALL		1198- 8876	
@code	11	SHALL		1198- 19160	48768-6
@codeSystem	11	SHALL		1198- 32156	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
statusCode	11	SHALL		1198- 8875	
@code	11	SHALL		1198- 19094	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed
entryRelationship	1*	SHALL		1198- 8878	
@typeCode	11	SHALL		1198- 8879	urn:oid:2.16.840.1.113883.5.1 002 (HL7ActRelationshipType) = COMP
sequenceNumber	01	MAY		1198- 17174	
@value	11	SHALL		1198- 17175	
act	11	SHALL		1198- 15528	Policy Activity (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.61:2015-08-01

<sup>1.</sup> **SHALL** contain exactly one [1..1] **@classCode="**ACT" Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1198-8872).

- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1198-8873).
- 3. SHALL contain exactly one [1..1] templateId (CONF:1198-8897) such that it
  - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.60" (CONF:1198-10492).
  - b. **SHALL** contain exactly one [1..1] **@extension=**"2015-08-01" (CONF:1198-32596).
- 4. **SHALL** contain at least one [1..\*] **id** (CONF:1198-8874).
- 5. **SHALL** contain exactly one [1..1] **code** (CONF:1198-8876).
  - a. This code **SHALL** contain exactly one [1..1] **@code="**48768-6" Payment sources (CONF:1198-19160).
  - b. This code **SHALL** contain exactly one [1..1] **@codeSystem="**2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-32156).
- 6. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1198-8875).
  - a. This statusCode **SHALL** contain exactly one [1..1] **@code="**completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:1198-19094).
- 7. SHALL contain at least one [1..\*] entryRelationship (CONF:1198-8878) such that it
  - a. **SHALL** contain exactly one [1..1] **@typeCode="**COMP" has component (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 **STATIC**) (CONF:1198-8879).
  - b. MAY contain zero or one [0..1] sequenceNumber (CONF:1198-17174).
    - i. The sequenceNumber, if present, **SHALL** contain exactly one [1..1] **@value** (CONF:1198-17175).
  - c. **SHALL** contain exactly one [1..1] **Policy Activity (V3)** (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.61:2015-08-01) (CONF:1198-15528).

## Figure 136: Coverage Activity (V3) Example

## 3.17 Critic ality Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.145 (open)]

Table 256: Criticality Observation Contexts

Contained By:	Contains:
Allergy - Intolerance Observation (V2) (optional)	
<u>Substance or Device Allergy - Intolerance Observation</u> (V2) (optional)	

This observation represents the gravity of the potential risk for future life-threatening adverse reactions when exposed to a substance known to cause an adverse reaction in that individual. When the worst case result is assessed to have a life-threatening or organ system threatening potential, it is considered to be of high criticality.

Table 257: Criticality Observation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value			
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.145)								
@classCode	11	SHALL		81-32921	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS			
@moodCode	11	SHALL		81-32922	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN			
templateId	11	SHALL		81-32918				
@root	11	SHALL		81-32923	2.16.840.1.113883.10.20.22.4 .145			
code	11	SHALL		81-32919				
@code	11	SHALL		81-32925	82606-5			
@codeSystem	11	SHALL		81-32926	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1			
statusCode	11	SHALL		81-32920				
@code	11	SHALL		81-32927	urn:oid:2.16.840.1.113883.5.1 4 (HL7ActStatus) = completed			
value	11	SHALL	CD	81-32928	urn:oid:2.16.840.1.113883.1.1 1.20549 (Criticality Observation)			

- 1. **SHALL** contain exactly one [1..1] **@classCode="**OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:81-32921).
- 2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:81-32922).
- 3. SHALL contain exactly one [1..1] templateId (CONF:81-32918) such that it
  - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.145" (CONF:81-32923).
- 4. **SHALL** contain exactly one [1..1] **code** (CONF:81-32919).