

Figure 100: Plan of Treatment Section (V2) Example

```
<component>
  <section>
    <templateId root="2.16.840.1.113883.10.20.22.2.10" extension="2014-06-09" />
    <!-- **** Plan of Treatment Section V2 template **** -->
    <code code="18776-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Treatment plan" />
    <title>TREATMENT PLAN</title>
    <text>
      ...
    </text>
    <entry>
      <act classCode="ACT" moodCode="EVN">
        <!-- Handoff Communication template -->
        <templateId root="2.16.840.1.113883.10.20.22.4.141" />
        ...

      </act>
    </entry>
    <entry>
      <encounter moodCode="INT" classCode="ENC">
        <templateId root="2.16.840.1.113883.10.20.22.4.40" extension="2014-06-09"
/>
        <!-- Plan Activity Encounter V2 template -->
        ...

      </encounter>
    </entry>
  </section>
</component>
```

2.49 Planned Procedure Section (V2)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.30:2014-06-09
(open)]

Table 168: Planned Procedure Section (V2) Contexts

Contained By:	Contains:
Procedure Note [V3] (optional) Operative Note [V3] (optional)	Planned Procedure [V2] (optional)

This section contains the procedure(s) that a clinician planned based on the preoperative assessment.

Table 169: Planned Procedure Section (V2) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.30:2014-06-09)					
templateId	1..1	SHALL		1098-8082	
@root	1..1	SHALL		1098-10436	2.16.840.1.113883.10.20.22.2.30
@extension	1..1	SHALL		1098-32590	2014-06-09
code	1..1	SHALL		1098-15399	
@code	1..1	SHALL		1098-15400	59772-4
@codeSystem	1..1	SHALL		1098-32151	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		1098-8084	
text	1..1	SHALL		1098-8085	
entry	0..*	MAY		1098-8744	
procedure	1..1	SHALL		1098-15502	Planned Procedure (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.41:2014-06-09)

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-8082) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.30" (CONF:1098-10436).
 - b. **SHALL** contain exactly one [1..1] **@extension**="2014-06-09" (CONF:1098-32590).
2. **SHALL** contain exactly one [1..1] **code** (CONF:1098-15399).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="59772-4" Planned Procedure (CONF:1098-15400).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-32151).
3. **SHALL** contain exactly one [1..1] **title** (CONF:1098-8084).
4. **SHALL** contain exactly one [1..1] **text** (CONF:1098-8085).
5. **MAY** contain zero or more [0..*] **entry** (CONF:1098-8744) such that it
 - a. **SHALL** contain exactly one [1..1] [Planned Procedure \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.41:2014-06-09) (CONF:1098-15502).

Figure 101: Planned Procedure Section (V2) Example

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.30" extension="2014-06-09" />
  <code code="59772-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Planned Procedure" />
  <title>Planned Procedure</title>
  <text>
    ...
  </text>
  <entry>
    <procedure moodCode="RQO" classCode="PROC">
      <templateId root="2.16.840.1.113883.10.20.22.4.41" extension="2014-06-09" />
      <!-- ** Planned Procedure ** -->
      ...
    </procedure>
  </entry>
</section>
```

2.50 Postoperative Diagnosis Section

[section: identifier urn:oid:2.16.840.1.113883.10.20.22.2.35 (open)]

Table 170: Postoperative Diagnosis Section Contexts

Contained By:	Contains:
Operative Note (V3) (required)	

The Postoperative Diagnosis Section records the diagnosis or diagnoses discovered or confirmed during the surgery. Often it is the same as the preoperative diagnosis.

Table 171: Postoperative Diagnosis Section Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:oid:2.16.840.1.113883.10.20.22.2.35)					
templateId	1..1	SHALL		81-8101	
@root	1..1	SHALL		81-10437	2.16.840.1.113883.10.20.22.2.35
code	1..1	SHALL		81-15401	
@code	1..1	SHALL		81-15402	10218-6
@codeSystem	1..1	SHALL		81-26488	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		81-8103	
text	1..1	SHALL		81-8104	

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-8101) such that it