- b. This code **SHALL** contain exactly one [1..1] **@codeSystem=**"2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26486).
- 3. **SHALL** contain exactly one [1..1] **title** (CONF:81-8032).
- 4. **SHALL** contain exactly one [1..1] **text** (CONF:81-8033).
- 5. If the Operative Note Fluids section is present, there **SHALL** be a statement providing details of the fluids administered or **SHALL** explicitly state there were no fluids administered (CONF:81-8052).

Figure 95: Operative Note Fluids Section Example

2.44 Operative Note Surgical Procedure Section

[section: identifier urn:oid:2.16.840.1.113883.10.20.7.14 (open)]

Table 157: Operative Note Surgical Procedure Section Contexts

Contained By:	Contains:
Operative Note (V3) (optional)	

The Operative Note Surgical Procedure Section can be used to restate the procedures performed if appropriate for an enterprise workflow. The procedure(s) performed associated with the Operative Note are formally modeled in the header using serviceEvent.

Table 158: Operative Note Surgical Procedure Section Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value			
section (identifier: urn:oid:2.16.840.1.113883.10.20.7.14)								
templateId	11	SHALL		81-8034				
@root	11	SHALL	UID	81-10464	2.16.840.1.113883.10.20.7.14			
code	11	SHALL		81-15393				
@code	11	SHALL		81-15394	10223-6			
@codeSystem	11	SHALL		81-26487	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1			
title	11	SHALL		<u>81-8036</u>				
text	11	SHALL		81-8037				

- 1. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-8034) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.7.14" (CONF:81-10464).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:81-15393).
 - a. This code **SHALL** contain exactly one [1..1] @code="10223-6" Operative Note Surgical Procedure (CONF:81-15394).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem=**"2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26487).
- 3. **SHALL** contain exactly one [1..1] **title** (CONF:81-8036).
- 4. **SHALL** contain exactly one [1..1] **text** (CONF:81-8037).
- 5. If the surgical procedure section is present there **SHALL** be text indicating the procedure performed (CONF:81-8054).

Figure 96: Operative Note Surgical Procedure Section Example

2.45 Past Medical History (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.20:2015-08-01 (open)]

Table 159: Past Medical History (V3) Contexts

Contained By:	Contains:
Consultation Note (V3) (optional)	Problem Observation (V3) (optional)
Discharge Summary (V3) (optional)	
History and Physical (V3) (required)	
Transfer Summary (V2) (optional)	
Referral Note (V2) (optional)	
Procedure Note (V3) (optional)	

This section contains a record of the patient's past complaints, problems, and diagnoses. It contains data from the patient's past up to the patient's current complaint or reason for seeking medical care.

Table 160: Past Medical History (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value			
section (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.2.20:2015-08-01)								
templateId	11	SHALL		1198- 7828				
@root	11	SHALL		1198- 10390	2.16.840.1.113883.10.20.22.2 .20			
@extension	11	SHALL		1198- 32536	2015-08-01			
code	11	SHALL		1198- 15474				
@code	11	SHALL		1198- 15475	11348-0			
@codeSystem	11	SHALL		1198- 30831	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1			
title	11	SHALL		1198- 7830				
text	11	SHALL		1198- 7831				
entry	0*	MAY		1198- 8791				
observation	11	SHALL		1198- 15476	Problem Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.4:2015-08-01			

1. SHALL contain exactly one [1..1] templateId (CONF:1198-7828) such that it